This standard is one of a number of information technology organizations accredited by the American National Standards under the sponsorship of voluntary standards organizations, us

LIBRARY
INTERVAL RESEARCH CORPORATIO
1801 PAGE MILL RD BUILDING C
PALO ALTO, CA 94304

REFERENCE

ISBN 1-55937-83





(SCC10), which consisted of the following member

Jane Ra

John W. Balde
Arthur Ballato
Bruce Barrow
William Carey
Frank A. Denbrock
Jay Forster

John H J. L. Ko Allen H Frank I David I

Chris F

(3) A device that consisting units and peripheral stored programs, and tions, including numer erations, without huma be stand alone, or may

of computers to aid in clude modeling, analy signs for production.

CAD/CAM. See also: computer-aided engine design automation.

computer-aided design a puters to aid in design used as a synonym for

computer-aided educ struction.



groon ssed under 524-1992 switch for **P**E) [119] The abilnt required conductor or beyond 837-1989r ors) A me-1ly joining e system. 74-1973W ime that a icate with O.10-1994 ∎ng mono s two sir ∎nical scan ither with >rocessing with com 36-1990W

using three radiators to provide a multiplicity of overlobes of dot-and-dash patterns which form equisign bolic lines of position. These lines of position a slowly in azimuth by changing rf (radio frequence thus allowing a simple listening and counting of the eration to be used to determine a line of position vesector bounded by any pair of equisignal lines.

(AE) 17

consolan (navigation aid terms) A form of consolar radiators instead of three. (AE) 17 console (1) (telephony) A control cabinet located at

(COM/SW (2) (telephony) The part of a computer used for cation between the operator or maintenance engineer computer.

the associated switching equipment arranged to con

functions for which an attendant or an operator is r

(3) (telephone switching systems) (telephony) A desk-top cordless switchboard which may include dements in addition to those required for supervisory is required.

(COM) 31

(4) (station control and data acquisition) (supervised), data acquisition, data control) (telephony) To ponent of the system that provides facilities for obtained control of the system (e.g., operator's consoled nance console). See also: control; control panel; panel; panel; PE/SWG/SUB) C37.1-1994, C37.