TravTek Evaluation Yoked Driver Study

Publication No. FHWA-RD-94-139

October 1995



FOREWORD

This report is one of eight reports produced as part of the evaluation of the Travtek operational field test, conducted in Orlando, Florida, during 1992-1993. Travtek, short for Travel Technology, was an advanced driver information and traffic management system that provided a combination of traveler information services and route navigation and guidance support to the driver. Twelve individual but related studies were conducted during the evaluation. Evaluation goals and objectives were represented by the following basic questions: (1) Did the TravTek system work? (2) Did drivers save time and avoid congestion? (3) Will drivers use the system? (4) How effective was voice guidance compared to moving map and turn-by-turn displays? (5) Was TravTek safe? (6) Could TravTek benefit travelers who do not have the TravTek system? (7) Will people be willing to pay for TravTek features?

Evaluation data were obtained from more than 4,000 volunteer drivers during the operation of 100 specially equipped automobiles for a 1-year period. Results of the evaluation demonstrated and validated the concept of in-vehicle navigation and the provision of traveler information services to the driver. The test also provided valuable results concerning the drivers' interaction with and use of the in-vehicle displays. This project has made many important contributions supporting the goals and objectives of the Intelligent Transportation Systems Program.

L Saxton, Director Office of Safety and Traffic Operations Research and Development

NOTICE

This document is disseminated under the sponsorship of the Department of Transportation in the interest of information exchange. The United States Government assumes no liability for the contents or the use thereof. This report does not constitute a standard, specification, or regulation.

The United States Government does not endorse products of manufacturers. Trade and manufacturers' names appear in this report only because they are considered essential to the object of the document.



i echnical Report Documentation P				
1. Report No. FHWA- RD- 94- 139	2. Government Accession No.	3. Recipient's Catalog No.		
4. Title and Subtitle		5. Report Date		
	October 1995			
TRAVTEK EVALUATION YOKED DRIVER STUDY		6. Performing Organization Code		
7. Author (s) V. Inman, R. Sanchez, C. Porter, L. Bernstein		8. Performing Organization Report No.		
9. Performing Organization Name and Address Science Applications International Corporation		IO. Work Unit No. (TRAIS) 3B7A		
3045 Technology Pkwy Orllando, FL 32826		11. Contract or Grant No. DTFH61-91-C-00106		
12. Sponsoring Agency Name and Address Office of Safety and Traffic Operations R&D Federal Highway Administration 6300 Georgetown Pike McLean VA 22101-2296		13. Type of Report and Period Covered Final Report, Nov. 1991, June 1994		
		14. Sponsoring Agency Code		
15. Supplementary Notes				

Contracting Officer's Technical Representative: Frank Mammano, HSR-12

The Yoked Driver Study was 1 of 12 investigations conducted as part of the TravTek operational test of an advanced traveler information and traffic management system (ATIS/ATMS). The TravTek system consisted of the Orlando Traffic Management Center (TMC), the TravTek vehicles, and the TravTek Information and Services Center. The TMC broadcast updated travel times for TravTek traffic links to the TravTek vehicles once each minute. The TravTek vehicles broadcast their completed link travel times back to the TMC for transmission to the other TravTek vehicles. The vehicles were equipped to provide route planning, route guidance, and a data base of local services and attractions. The primary purpose of the Yoked Driver Study was to evaluate the value of real-time traftic information, route planning, and route guidance to (a) tripefficiency, (b) navigation performance, and (c) driving performance. The study also examined willingness-to-pay, user perceptions of the system, and user recommendations.

A controlled experiment was conducted in which sets of three TravTek vehicles traveled between selected origins and destinations during peak afternoon traffic. Each of the three vehicles was configured differently: one provided route planning and route guidance that utilized real-time traffic information. A second provided the same route planning and route guidance except that it did not utilize real-time traffic information. The third required that drivers plan the trip and navigate "as they normally would." A total of 222 volunteer drivers participated in the experiment.

TravTek benefits to individual drivers included a travel time saving and a reduction in perceived workload. Real-time traffic information produced a network trip efficiency by routing many of TravTek vehicles that received it onto arterials. Although vehicles that received real-time information tended to travel farther, and to travel farther on lower class roadways, they did not have significantly longer travel times. User perception and performance data suggest that the system was easy to learn and easy to use. Participants in this study indicated that they would be willing to pay about \$1000 for a system such as the one they drove.

17. Key Words TravTek, ATIS, ATMS, IVHS, ITS, Real-Time Traffic Information, Route Guidance, Route Planning	18. Distribution Statement No restrictions. This document is available to the public through the National Technical Information Service, Springfield, Virginia 22161		
19. Security Classif. (of this report) Unclassified	20. Security Classif. (of this page) Unclassified	21. No. of Pages 103	22. Price

REPRODUCTION OF COMPLETED PAGE AUTHORIZED



```
METRIC/ENGLISH CONVERSION FACTORS
                     ENGLISH TO METRIC
                                                                                                  METRIC TO ENGLISH
                     LENGTH (APPROXI MATE)
                                                                                                  LENGTH (APPROXI MATE)
                 1 \text{ inch (in)} = 2.5 \text{ centimeters (cm)}
                                                                                       1 \text{ millimeter} (mm) = 0.04 \text{ inch} (in)
                                                                                       1 centimeter (cm) = 0.4 inch (in)
                 1 foot (ft) = 30 centimeters (cm)
                                                                                               1 \text{ meter } (m) = 3.3 \text{ feet } (ft)
                 1 yard (yd • 0.9 meter (m)
                 1 \text{ mile } (mi) = 1.6 \text{ kilometers } (km)
                                                                                               1 \text{ meter } (m) = 1.1 \text{ yards } (yd)
                                                                                        1 \text{ kilometer (km)} = 0.6 \text{ mile (mi)}
                      AREA (APPROXI MATE)
                                                                                                      AREA (APPROXI MATE)
                                                                             1 square centimeter (cm^2) = 0.16 square inch (sq in, in<sup>2</sup>)
 1 square inch (sq in, in<sup>2</sup> = 6.5 square centimeters (cm<sup>2</sup>)
 1 square foot (sq ft, ft^2 = 0.09 square meter (m^2)
                                                                                     1 square meter (m^2) = 1.2 square yards (sq yd, yd<sup>2</sup>)
1 square yard (sq yd, yd<sup>2</sup>) = 0.8 square meter (m^2)
                                                                               1 square kilometer (km^2) = 0.4 square mile (sq mi, mi^2)
1 square mile (sq mi, mi<sup>2</sup>) = 2.6 square kilometers (km^2)
                                                                                1 hectare (he) = 10,000 square meters (m^2) = 2.5 acres
1 acre = 0.4 hectares (he) = 4,000 square meters (m<sup>2</sup>)
                                                                                        MASS - WEIGHT (APPROXIMATE)
               MASS - WEIGHT (APPROXIMATE)
                                                                                               1 \text{ gram } (gr) = 0.036 \text{ ounce } (oz)
                1 ounce (oz) = 28 grams (gr)
                                                                                          1 kilogram (kg) = 2.2 pounds (lb)
                1 pound (lb) = .45 kilogram (kg)
                                                                                 1 tonne (t) = 1,000 \text{ kilograms} (kg) = 1.1 \text{ short tons}
     1 short ton = 2,000 pounds (Lb) = 0.9 tonne (t)
               VOLUME (APPROXI MATE)
                                                                                              VOLUME (APPROXI MATE)
          1 teaspoon (tsp) = 5 milliliters (ml)
                                                                                      1 milliliters (ml) • 0.03 fluid ounce (fl oz)
       1 tablespoon (tbsp • 15 milliliters (ml)
                                                                                              1 \text{ liter } (1) = 2.1 \text{ pints } (pt)
    1 fluid ounce (fl oz) = 30 milliliters (ml)
                                                                                              1 \text{ liter (l)} = 1.06 \text{ quarts (qt)}
                  1 \text{ cup } (c) = 0.24 \text{ liter } (1)
                                                                                              1 \text{ liter } (1) = 0.26 \text{ gallon } (gal)
                                                                                      1 cubic meter (m^3) = 36 cubic feet (cu ft, ft<sup>3</sup>)
                1 \text{ pint (pt)} = 0.47 \text{ liter (l)}
                                                                                      1 cubic meter (m^3) = 1.3 cubic yards (cu yd, yd<sup>3</sup>)
               1 quart (qt) = 0.96 liter (l)
             1 \text{ gallon (gal)} = 3.8 \text{ liters (l)}
   1 cubic foot (cu ft, ft<sup>3</sup>) = 0.03 cubic meter (m<sup>3</sup>)
1 cubic yard (cu yd, yd<sup>3</sup>) = 0.76 cubic meter (m^3)
              TEMPERATURE (EXACT)
                                                                                                   TEMPERATURE (EXACT)
                                                                                       [(9/5) \text{ y} + 32] ^{\text{O}} \text{C} \text{ } \text{x} ^{\text{O}} \text{F}
       [(x-32)(5/9)] <sup>o</sup>F u y <sup>o</sup>C
                                                QUICK INCH-CENTIMETER LENGTH CONVERSION
  I NCHES
                         0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21
                                           QUI CK FAHRENHEI T- CELSI US TEMPERATURE CONVERSI ON
                                14°
                                        32°
                                                                             104°
                                                                                       122°
                                                                                                140°
                                                                                                          158°
                                                                                                                    176°
                                                                                                                              194°
                                                  50°
                                                                                                                                        212°
                                                                                                                                        100°
For more exact and or other conversion factors, see NBS Miscellaneous Publication 286, Units of Weights and
              Price $2.50. SD Catalog No. Cl 3 10286.
```



TABLE OF CONTENTS

<u>Pag</u>	<u>e</u>
VERVIEW1	
NTRODUCTION	
BACKGROUND	
Issue 1: Does the Availability of Real-Time Traffic Information and Electronic Navigation Assistance Improve Trip Efficiency?	
ETHODS	
DURATION OF TEST. .11 TEST CONFIGURATION. .11 Navigation Plus .11 Navigation .14 Control .14 TEST CONDITIONS. .15 TravTek Traffic Network .15 Origin/Destination Pairs .15 Drivers .18 MATERIALS AND INSTRUMENTATION .19 Pre-Tests .20 Observers .21 In Valviola Logs .22)
In-Vehicle Logs22Debriefing22Questionnaire22DETAILED TEST PROCEDURES23Test Schedule23Assignment to Configurations25	3



DOCKET

Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time** alerts and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.

