

**3rd Generation Partnership Project;
Technical Specification Group Radio Access Network;
Universal Terrestrial Radio Access (UTRA) and
Evolved Universal Terrestrial Radio Access (E-UTRA);
Radio measurement collection for
Minimization of Drive Tests (MDT); Overall description;
Stage 2
(Release 10)**



The present document has been developed within the 3rd Generation Partnership Project (3GPP™) and may be further elaborated for the purposes of 3GPP.. The present document has not been subject to any approval process by the 3GPP Organizational Partners and shall not be implemented. This Specification is provided for future development work within 3GPP only. The Organizational Partners accept no liability for any use of this Specification. Specifications and Reports for implementation of the 3GPP™ system should be obtained via the 3GPP Organizational Partners' Publications Offices.

Keywords
UTRA, LTE, MDT

3GPP

Postal address

3GPP support office address

650 Route des Lucioles - Sophia Antipolis
Valbonne - FRANCE
Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Internet

<http://www.3gpp.org>

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© 2010, 3GPP Organizational Partners (ARIB, ATIS, CCSA, ETSI, TTA, TTC).
All rights reserved.

UMTS™ is a Trade Mark of ETSI registered for the benefit of its members
3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners
LTE™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners
GSM® and the GSM logo are registered and owned by the GSM Association

Contents

Foreword.....	4
Introduction	4
1 Scope	5
2 References	5
3 Definitions, symbols and abbreviations	5
3.1 Definitions	5
3.2 Symbols	6
3.3 Abbreviations.....	6
4 Main concept and requirements	6
4.1 General.....	6
5 Functions and procedures.....	7
5.1 General procedures	7
5.1.1 Logged MDT procedures	7
5.1.1.1 Measurement configuration.....	7
5.1.1.1.1 Configuration parameters.....	8
5.1.1.1.2 Configuration effectiveness	8
5.1.1.2 Measurement collection.....	9
5.1.1.3 Measurement reporting	9
5.1.1.3.1 Availability Indicator	9
5.1.1.3.2 Report retrieval	10
5.1.1.3.3 Reporting parameters	10
5.1.1.4 MDT context handling during handover	11
5.1.2 Immediate MDT procedures	11
5.1.2.1 Measurement configuration.....	11
5.1.2.2 Measurement reporting.....	11
5.1.2.3 MDT context handling during handover	12
5.1.3 MDT Initiation	12
5.1.4 UE capabilities	12
5.1.5 UE measurements.....	12
5.2 E-UTRAN solutions	12
5.2.1 RRC_CONNECTED.....	12
5.2.1.1 Measurements and reporting triggers for Immediate MDT	12
5.2.1.2 Enhancement to Radio Link Failure report.....	13
5.2.2 RRC_IDLE.....	13
5.3 UTRAN solutions	13
5.3.1 UTRA RRC Connected.....	13
5.3.1.1 Measurements and reporting events for Immediate MDT	14
5.3.2 UTRA Idle.....	14
Annex A (informative): Coverage use cases.....	15
Annex B (informative): Change history	16

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

Introduction

Using drive tests for network optimization purposes is costly and causes also additional CO₂ emissions, so it is desirable to develop automated solutions, including involving UEs in the field, in 3GPP to reduce the operator costs for network deployment and operation. The studies done as part of the study item phase have shown that it is beneficial to collect UE measurements to enable a more efficient network optimisation and it is feasible to use control plane solutions to acquire the information from devices. This information, together with information available in the radio access network can be used for Coverage Optimization purposes.

1 Scope

The present document provides an overview and overall description of the minimization of drive tests functionality.

The document describes functions and procedures to support autonomous collection of UE measurements using Control Plane architecture for both UTRAN and E-UTRAN. Details of the signalling procedures for single-RAT operation are specified in the appropriate radio interface protocol specification.

NOTE: The focus is on conventional macro cellular network deployments. It is presently not envisioned that H(e)NB deployments and MBMS will be supported by the MDT functionality.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
 - [2] 3GPP TS 25.133: "Requirements for support of radio resource management (FDD)"
 - [3] 3GPP TS 36.133: "Requirements for support of radio resource management (FDD)"
 - [4] 3GPP TS 25.331: "Radio Resource Control (RRC); Protocol specification"
 - [5] 3GPP TS 36.331: "Evolved Universal Terrestrial Radio Access (E-UTRA); Radio Resource Control (RRC); Protocol specification".
 - [6] 3GPP TS 32.422: "Subscriber and equipment trace; Trace control and configuration management"
-

3 Definitions, symbols and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in TR 21.905 [1] apply.

Immediate MDT: MDT functionality involving measurement performance by UE in CONNECTED state and reporting of the measurements to eNB/RNC available at the time of reporting condition.

Logged MDT: MDT functionality involving measurement performance by UE in IDLE mode, CELL_PCH and URA_PCH states (when UE is in UTRA) at points in time when configured conditions are satisfied, its storage in measurement log for reporting to eNB/RNC at a later point in time.

MDT measurements: Measurements determined for MDT.

MDT PLMN: A PLMN that is the RPLMN for the UE at the point of receiving MDT measurement configuration.

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.