

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Patent of: Oumer Teyeb et al.  
U.S. Patent No.: 10,517,133 Attorney Docket No.: 39843-0093IP1  
Issue Date: Dec. 24, 2019  
Appl. Serial No.: 16/380,844  
Filing Date: Apr. 10, 2019  
Title: METHODS AND UE FOR RESUMING A CONNECTION WITH  
FULL CONFIGURATION

**DECLARATION OF DR. ROBERT AKL, D.Sc.**

## TABLE OF CONTENTS

I.	Introduction.....	10
II.	Background and Qualifications .....	11
III.	Level of Ordinary Skill in the Art .....	17
IV.	Materials Considered and Relied Upon.....	18
V.	Legal Standards .....	19
	A. Legal Standards for Prior Art.....	20
	B. Legal Standard for Priority Date .....	22
	C. Legal Standard for Obviousness .....	22
VI.	Overview of the '133 Patent.....	25
	A. Subject Matter Overview .....	25
	B. Interpretation of the '133 Patent Claims at Issue.....	26
VII.	GROUND 1 – Claims 1-20 are Obvious over Schliwa-Bertling and 3GPP '279.....	27
	A. Overview of Schliwa-Bertling (SAMSUNG-1006).....	27
	B. Overview of 3GPP '279 (SAMSUNG-1007) .....	28
	C. The Combination of Schliwa-Bertling and 3GPP '279 .....	29
	D. Reasons to Combine Schliwa-Bertling and 3GPP '279.....	29
	E. Analysis .....	31
	1. Claim 1 .....	31
	[1.0] A method in a wireless device, the method comprising: .....	31

[1.1]	sending to a network node a request to resume a connection in a communication network;.....	31
[1.2]	receiving a resume message from the network node .....	34
[1.3]	the message comprising an indication to perform a full configuration; and .....	36
[1.4]	applying the full configuration, without receiving a reconfiguration message. ....	37
2.	Claim 2 .....	38
[2.0]	The method of claim 1, further comprising discarding an old bearer configuration and old radio parameters.....	38
3.	Claim 3 .....	39
[3.0]	The method of claim 1, further comprising keeping security keys. ....	39
4.	Claim 4 .....	40
[4.0]	The method of claim 1, further comprising receiving a configuration. ....	40
5.	Claim 5 .....	40
[5.0]	The method of claim 4, further comprising applying the received configuration. ....	40
6.	Claim 6 .....	40
[6.0]	A wireless device, comprising a communication interface; and one or more processing circuits communicatively connected to the communication interface, the one or more processing circuits comprising at least one processor and memory, the memory containing instructions that, when executed, cause the at least one processor to:.....	40
[6.1]	send to a network node a request to resume a connection in a communication network;.....	41
[6.2]	receive a resume response message from the network node, the message comprising an indication to perform a full configuration; and .....	41
[6.3]	apply the full configuration, without receiving a reconfiguration message. ....	41

7.	Claim 7 .....	41
	[7.0] The wireless device of claim 6, wherein the at least one processor is configured to discard an old bearer configuration and old radio parameters. ....	41
8.	Claim 8 .....	42
	[8.0] The wireless device of claim 6, wherein the at least one processor is configured to keep security keys. ....	42
9.	Claim 9 .....	42
	[9.0] The wireless device of claim 6, wherein the at least one processor is configured to receive a configuration. ....	42
10.	Claim 10 .....	42
	[10.0] The wireless device of claim 9, wherein the at least one processor is configured to apply the received configuration. ....	42
11.	Claim 11 .....	42
	[11.0] A network node comprising: a communication interface; and one or more processing circuits communicatively connected to the communication interface, the one or more processing circuits comprising at least one processors and memory, the memory containing instructions that, when executed, cause the at least one processor to .....	42
	[11.1] receive, from a wireless device, a request to resume a connection in a communication network; .....	43
	[11.2] send a resume response message to the wireless device, .....	45
	[11.3] the message comprising an indication to perform a full configuration, without sending a reconfiguration message. ....	47
12.	Claim 12 .....	47
	[12.0] The network node of claim 11, wherein the indication comprises a flag. ....	47
13.	Claim 13 .....	48

	[13.0] The network node of claim 11, wherein the network node has a different radio access technology than a previous network node which suspended a previous connection for the wireless device.....	48
14.	Claim 14.....	49
	[14.0] The network node of claim 11, wherein the at least one processor is configured to retrieve configuration information for the wireless device. ....	49
15.	Claim 15.....	49
	[15.0] The network node of claim 11, wherein the message further comprises configuration parameters.....	49
16.	Claim 16.....	49
	[16.0] The network node of claim 15, wherein the indication comprises an indication to perform a full configuration using the configuration parameters.....	49
17.	Claim 17.....	49
	[17.0] The network node of claim 15, wherein the at least one processor is configured to generate the configuration parameters by generating a new User Equipment (UE) Access Stratum (AS) context.....	49
18.	Claim 18.....	50
	[18.0] The network node of claim 15, wherein the at least one processor is configured to generate the configuration parameters based on 51 [sic, S1] and Next Generation (NG) context which contains bearer information used during an initial context setup.....	50
19.	Claim 19.....	50
	[19.0] The network node of claim 15, wherein the configuration parameters comprise one or more of bearer configuration, Packet Data Convergence Protocol (PDCP) configuration and Radio Link Control (RLC) configuration.....	50

# Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

## Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

## Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

## Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

## API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

## LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

## FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

## E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.