Pharmaceutical Dosage Forms and Drug Delivery Systems

Howard C. Ansel, Ph.D.

Panoz Professor of Pharmacy, Department of Pharmaceutics, College of Pharmacy The University of Georgia

Nicholas G. Popovich, Ph.D.

Professor and Head, Department of Pharmacy Practice, School of Pharmacy and Pharmacal Sciences Purdue University

Loyd V. Allen, Jr., Ph.D.

Professor and Chair, Department of Medicinal Chemistry and Pharmaceutics, College of Pharmacy The University of Oklahoma

SIXTH EDITION

A Lea & Febiger Book



Williams & Wilkins

BALTIMORE • PHILADELPHIA • HONG KONG LONDON • MUNICH • SYDNEY • TOKYO

A WAVERLY COMPANY

1995





Executive Editor: Donna M. Balado
Developmental Editor: Frances M. Klass
Production Coordinator: Peter J. Carley
Project Editor: Jessica Howie Martin



Copyright © 1995 Williams & Wilkins 200 Chester Field Parkway Malvern, PA 19355 USA



All rights reserved. This book is protected by copyright. No part of this book may be reproduced in any form or by any means, including photocopying, or utilized by any information storage and retrieval system without written permission from the copyright owner.

Accurate indications, adverse reactions, and dosage schedules for drugs are provided in this book, but it is possible they may change. The reader is urged to review the package information data of the manufacturers of the medications mentioned.

Printed in the United States of America

Library of Congress Cataloging in Publication Data

94 95 96 97 98 1 2 3 4 5 6 7 8 9 10

Ansel, Howard C., 1933-

Pharmaceutical dosage forms and drug delivery systems / Howard C. Ansel, Nicholas G. Popovich, Lloyd V. Allen, Jr.—6th ed.

p. cn

Includes bibliographical references and index.

ISBN 0-683-00193-0

1. Drugs—Dosage forms. 2. Drug delivery systems.

I. Popovich, Nicholas G. II. Allen, Loyd V. III. Title.

[DNLM: 1. Dosage Forms. 2. Drug Delivery Systems. QV 785 A618i

1995]

RS200.A57 1995

615'.1—dc20

DNLM/DLC

for Library of Congress

94-22471 CIP

The use of portions of the text of USP23/NF18, copyright 1994, is by permission of the USP Convention, Inc. The Convention is not responsible for any inaccuracy of quotation or for any false or misleading implication that may arise from separation of excerpts from the original context or by obsolescence resulting from publication of a supplement.

PRINTED IN THE UNITED STATES OF AMERICA

Print No. 4 3 2 1



Contents

| Chapter 1 | |
|---|-----|
| Introduction to Drugs and Pharmacy | 1 |
| CHAPTER 2 | |
| New Drug Development and Approval Process | 21 |
| Chapter 3 | |
| Dosage Form Design: Biopharmaceutic Considerations | 55 |
| Chapter 4 \sim | • |
| Dosage Form Design: General Considerations, Pharmaceutic Ingredients, and Current Good Manufacturing Practice | 99 |
| CHAPTER 5 | |
| Peroral Solids, Capsules, Tablets, and Controlled- Release Dosage Forms | 155 |
| CHAPTER 6 | ₹., |
| Oral Solutions, Syrups, and Elixirs | 226 |
| CHAPTER 7 | |
| Oral Suspensions, Emulsions, Magmas, and Gels | 253 |
| CHAPTER 8 | |
| Parenteral Medications and Sterile Fluids | 286 |
| CHAPTER 9 | |
| Biotechnology and Drugs | 337 |
| Chapter 10 | |
| Transdermal Drug Delivery Systems, Ointments, Creams, Lotions, and Other Preparations | 357 |
| CHAPTER 11 | |
| Ophthalmic, Nasal, Otic, and Oral Preparations Applied Topically | 396 |
| CHAPTER 12 | |
| Suppositories and Other Rectal, Vaginal, and Urethral Preparations | 424 |
| Chapter 13 | |
| Aerosols, Inhalations, and Sprays | 443 |
| Chapter 14 | |
| Radiopharmaceuticals and Miscellaneous Preparations | 460 |
| | |



Parenteral Medications and Sterile Fluids

CONSIDERED IN this chapter are important pharmaceutical dosage forms that have the common characteristic of being prepared to be sterile; that is, free from contaminating microorganisms. Among these sterile dosage forms are the various small- and large-volume injectable preparations, irrigation fluids intended to bathe body wounds or surgical openings, dialysis solutions, biological preparations as vaccines, toxoids, antitoxins, and blood replenishment products. Sterility in these preparations is of utmost importance because they are placed in direct contact with the internal body fluids or tissues where infection can easily arise. Ophthalmic preparations which are also prepared to be sterile will be discussed separately in Chapter 11.

Injections

Injections are sterile, pyrogen-free preparations intended to be administered parenterally. The term *parenteral* refers to the injectable routes of administration. The term has its derivation from the Greek words para and enteron, meaning outside of the intestine, and denotes routes of administration other than the oral route. Pyrogens are fever-producing organic substances arising from microbial contamination and are responsible for many of the febrile reactions which occur in patients following intravenous injection. Pyrogens and the determination of their presence in parenteral preparations will be discussed later in this chapter. In general, the parenteral routes of administration are undertaken when rapid drug action is desired, as in emergency situations, when the patient is uncooperative, unconscious, or unable to accept or tolerate medication by the oral route, or when the drug itself is ineffective by other routes. With the exception of insulin injections, which are commonly selfadministered by diabetic patients, most injections are administered by the physician, his as-

sistant, or nurse in the course of medical treatment. Thus injections are employed mostly in the hospital, extended care facility, and clinic and less frequently in the home. An exception would be in home health care programs in which health professionals pay scheduled visits to patients in their homes, providing needed treatment, including intravenous medications. These programs enable patients who do not require or are unable to pay for more expensive hospitalization to remain in the familiar surroundings of their homes while receiving appropriate medical care. The pharmacist supplies injectable preparations to the physician and nurse, as required for their use in the institutional setting, clinic, office, or home health care program.

Perhaps the earliest injectable drug to receive official recognition was the hypodermic morphine solution which appeared first in the 1874 addendum to the 1867 British Pharmacopeia, and later, in 1888 in the first edition of the National Formulary of the United States. Today, there are literally hundreds of drugs and drug products available for parenteral administration.

Interesting historical accounts of the origin and development of injection therapy may be found in the references cited.

Parenteral Routes of Administration

Drugs may be injected into almost any organ or area of the body, including the joints (intraarticular), a joint-fluid area (intrasynovial), the spinal column (intraspinal), into spinal fluid (intrathecal), arteries (intra-arterial), and in an emergency, even into the heart (intracardiac). However, most commonly injections are performed into a vein (intravenous, I.V.), into a muscle (intramuscular, I.M.), into the skin (Intradermal, I.D., intracutaneous), or under the skin (subcutaneous, S.C., Sub-Q, S.Q., hypodermic, "Hypo.") (Fig. 8–1).




Fig. 8–1. Routes of parenteral administration. Numbers on needles indicate size or gauge of needle based on outside diameter of needle shaft. (Turco, S. and King, R.E., Sterile Dosage Forms: Their Preparation and Clinical Applications. 3rd Ed., Courtesy of Lea & Febiger, 1987.)

Intravenous Route

The intravenous injection of drugs had its scientific origin in 1656 in the experiments of Sir Christopher Wren, architect of St. Paul's Cathedral and amateur physiologist. Using a bladder and quill for a syringe and needle, he injected wine, ale, opium, and other substances into the veins of dogs and studied their effects. Intravenous medication was first given to man by Johann Daniel Major of Kiel in 1662, but was abandoned for a period because of the occurrence of thrombosis and embolism in the patients so treated. The invention of the hypodermic syringe toward the middle of the 19th century created a new interest in intravenous techniques and toward the turn of the century, intravenous administration of solutions of sodium chloride and glucose became popular. Today, the intravenous administration of drugs is a routine occurrence in the hospital, although there are still recognized dangers associated with the practice. Thrombus and embolus formation may be induced by intravenous needles and catheters, and the possibility of particulate matter in parenteral solutions poses concern for those involved in the development, administration, and use of intravenous solutions.

Intravenously administered drugs provide rapid action compared to other routes of administration and because drug absorption is not a factor, optimum blood levels may be achieved with the accuracy and immediacy not possible by other routes. In emergency situations, the intravenous administration of a drug may be a lifesaving procedure because of the placement of the drug directly into the circulation and the prompt action which ensues. On the negative side, once a drug is administered intravenously, it cannot be retrieved. In the case of an adverse reaction to the drug, for instance, the drug cannot be easily removed from the circulation as it could, for example, by the induction of vomiting following the oral administration of the same drug.

Although most superficial veins are suitable for venipuncture, the veins of the antecubital area (situated in front of the elbow) are usually selected for direct intravenous injection. The veins in this location are large, superficial and easy to see and enter. Most clinicians insert the needle with the bevel facing upward, at the most



DOCKET

Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time** alerts and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.

