

Drug discovery today  
v. 15, no. 7-8 (Apr. 2010)  
General Collection  
VW DR521CX  
2010-05-13 14:33:41

# DISCOVERY TODAY

Authoritative reviews and expert opinion  
Industry focused, peer reviewed

Special issue on age-related sensory impairment

Produced in association with RNID and Fight-for-Sight

- Screening for drugs that prevent and cause hearing loss
- Delivery of anti-angiogenic therapies for retinal disease
- Treatment strategies for age-related optic nerve disease



April 2010 Volume 15 Nos. 07&08/24

[www.drugdiscoverytoday.com](http://www.drugdiscoverytoday.com)



**DOCKET  
ALARM**

Find authenticated court documents without watermarks at [docketalarm.com](http://docketalarm.com).



# DRUG DISCOVERY TODAY

www.drugdiscoverytoday.com

## Orders, claims, and journal enquiries:

please contact the Regional Sales Office nearest you:

### St. Louis:

Elsevier, Customer Service Department, 11830 Westline Industrial Drive, St. Louis, MO 63146, USA; phone: (877) 8397126 [toll free within the USA]; (+1) (314) 4537076 [outside the USA]; fax: (+1) (314) 5235153; e-mail: JournalCustomerService-usa@elsevier.com

### Amsterdam:

Elsevier, Customer Service Department, PO Box 211, 1000 AE Amsterdam, The Netherlands; phone: (+31) (20) 4853757; fax: (+31) (20) 4853432; e-mail: JournalsCustomerServiceEMEA@elsevier.com

### Tokyo:

Elsevier, Customer Service Department, 4F Higashi-Azabu, 1-Chome Bldg, 1-9-15 Higashi-Azabu, Minato-ku, Tokyo 106-0044, Japan; phone: (+81) (3) 5561 5037; fax: (+81) (3) 5561 5047; e-mail: JournalsCustomerServiceJapan@elsevier.com

### Singapore:

Elsevier, Customer Service Department, 3 Killiney Road, #08-01 Winsland House I, Singapore 239519; phone: (+65) 63490222; fax: (+65) 67331510; e-mail: JournalsCustomerServiceAPAC@elsevier.com

Subscriptions are accepted on a prepaid basis only and are entered on a calendar year basis for institutions. Issues are sent by standard mail to all destinations. Claims for missing issues will be met, free of charge, if made within three months of the date of dispatch. Please send notices of change of address at least eight weeks in advance, including both old and new addresses.

## Abstracting & Indexing

Biochemistry and Biophysics Citation Index  
BIOSIS/Biological Abstracts  
CAB Abstracts International  
Chemical Abstracts  
Current Contents (Life Science)  
EMBASE/Excerpta Medica  
Index Medicus  
International Pharmaceutical Abstracts  
Life Sciences Collection  
Medline/MEDLARS Online  
Science Citation Index

## Copyright Statement

© 2010 Elsevier Ltd. All rights reserved.  
This journal and the individual contributions contained in it are protected under copyright by Elsevier Ltd, and the following terms and conditions apply to their use:

## Photocopying

Single photocopies of single articles may be made for personal use as allowed by national copyright laws. Permission of the publisher and payment of a fee is required for all other photocopying, including multiple or systematic copying, copying for advertising or promotional purposes, resale, and all forms of document delivery. Special rates are available for educational institutions that wish to make photocopies for non-profit educational classroom use. For more information on how to seek permissions visit [www.elsevier.com/permissions](http://www.elsevier.com/permissions) or call: (+44) 1865 843830 (UK)/(+1) 215 239 3804 (USA).

SciSearch/Science Citation Index Expanded  
Also covered in the abstract and citation database SCOPUS®  
Full text available on ScienceDirect®

## Advertising Enquiries

Commercial Sales Department,  
Elsevier,  
32 Jamestown Road  
London, NW1 7BY, UK.  
Tel: +44 (0) 20 7611 4357  
Fax: +44 (0) 20 7611 4463  
Email: [advertising@drugdiscoverytoday.com](mailto:advertising@drugdiscoverytoday.com)

## Global Director of Sales

Kevin Partridge  
Tel: +44 1865 84 3717  
Email: [k.partridge@elsevier.com](mailto:k.partridge@elsevier.com)

## Advertising Sales

USA -Mid-Atlantic/New England  
Victoria Macomber  
Tel: + 1 (508) 928 1255  
Fax: + 1 (508) 928 1256  
Email: [v.macomber@elsevier.com](mailto:v.macomber@elsevier.com)

USA -Mid West/South East/ Eastern Canada  
Inez Herrero  
Tel: +1 (585) 678 4395  
Fax: +1 (212) 462 1915  
Email: [i.herrero@elsevier.com](mailto:i.herrero@elsevier.com)

USA -West Coast/Western Canada/Asia  
Lynne Stickrod  
Tel: +1 (415) 931 9782  
Fax: +1 (415) 520 6940  
Email: [l.stickrod@elsevier.com](mailto:l.stickrod@elsevier.com)

## Advertising Artwork Production & Materials

Tracey Miller  
Tel: +44 (0)1865 843808  
Email: [adcopy@elsevier.com](mailto:adcopy@elsevier.com)

## Marketing Enquiries

Francesca Webb  
Tel: +44 1865 843244  
Email: [F.Webb@elsevier.com](mailto:F.Webb@elsevier.com)

## Derivative Works

Subscribers may reproduce tables of contents or prepare lists of articles including abstracts for internal circulation within their institutions. Permission of the publisher is required for resale or distribution outside the institution.  
Permission of the publisher is required for all other derivative works, including compilations and translations.

## Electronic Storage or Usage

Permission of the publisher is required to store or use electronically any material contained in this journal, including any article or part of an article. Except as outlined above, no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without prior written permission of the publisher.

## The 4 e-journals from Drug Discovery Today

DRUG DISCOVERY  
TODAY  
DISEASE  
MODELS

DRUG DISCOVERY  
TODAY  
TECHNOLOGIES

DRUG DISCOVERY  
TODAY  
DISEASE  
MECHANISMS

DRUG DISCOVERY  
TODAY  
THERAPEUTIC  
STRATEGIES

Available online-only to Institutional subscribers via ScienceDirect.  
For more information go to [www.drugdiscoverytoday.com](http://www.drugdiscoverytoday.com)



Check if you have full-text access at [www.sciencedirect.com](http://www.sciencedirect.com), or search abstracts and recommend to your information specialist or librarian today. Free abstracts to all articles provided to non-subscribing institutes. Full text articles are also available via Pay Per View.

## Online Access to Drug Discovery Today

Full-text online access to *Drug Discovery Today* is provided free of charge as part of an individual's or laboratory's paid print subscription copy. Subscribers may claim their access by registering at <https://cs.sciencedirect.com/activate/ddt/members>. Free abstracts to all articles are provided to non-subscribing institutes. Full text articles are also available via Pay Per View.

## The latest developments in drug discovery – direct to your inbox

Keep up with our Editor's choice of latest papers across the literature in drug discovery by signing up for e-alerts to our Editor's Choice newsletter at <http://www.drugdiscoverytoday.com/echoice.htm>.

For more information about *Drug Discovery Today* and for the best guide to the latest innovations in drug discovery, visit [www.drugdiscoverytoday.com](http://www.drugdiscoverytoday.com)

For a full list of Elsevier products, visit [www.elsevier.com](http://www.elsevier.com)

Address permissions requests to: Elsevier Rights & Permissions Department, at the mail, fax and e-mail addresses noted above.

## Notice

No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the material herein. Because of rapid advances in the medical sciences, in particular, independent verification of diagnoses and drug dosages should be made. Although all advertising material is expected to conform to ethical (medical) standards, inclusion in this publication does not constitute a guarantee or endorsement of the quality or value of such product or of the claims made of it by its manufacturer.

## USA mailing notice

*Drug Discovery Today* (ISSN 1359-6446) is published 24 times a year by Elsevier Science (P.O. Box 211, 1000 AE Amsterdam, The Netherlands). Periodical postage rate paid at Rahway, NJ and additional mailing offices.

POSTMASTER: send address changes to *Drug Discovery Today*, 11830 Westline Industrial Drive, St. Louis, MO 63146, USA

AIRFREIGHT AND MAILING in the USA by Mercury International Ltd, 365, Blair Road, Avenel, NJ 07001, USA

This material was copied  
at the NLM and may be  
Subject US Copyright Laws



# Delivery of anti-angiogenic molecular therapies for retinal disease

Owen A. Anderson, James W.B. Bainbridge and David T. Shima

UCL Institute of Ophthalmology, 11–43 Bath Street, London EC1V 9EL, United Kingdom

Angiogenic diseases of the retina are the leading cause of blindness in the developed world. The development of anti-angiogenic molecular therapies has transformed the prognosis of these conditions, especially age-related macular degeneration. With these new treatments comes the new challenge of delivering an effective dosage to the retina, over a prolonged period of time and in a safe and cost-effective manner. A range of new anti-angiogenics are on the horizon, offering new and varied modes of drug delivery. In addition, a range of new sustained-release drug delivery technologies are being developed.

Retinopathy of prematurity (ROP), diabetic retinopathy (DR) and age-related macular degeneration (AMD) are three different conditions that broadly affect three different age groups. In the developed world, ROP, DR and AMD are the largest causes of blindness in infants, adults of working age and the elderly, respectively [1–3]. One feature they all have in common is the pathological proliferation of new blood vessels (neovascularization). In DR and ROP, these blood vessels originate from the retina, bleed into the vitreous and, subsequently, cause fibrosis, tractional retinal detachment and visual loss. In AMD, these blood vessels normally originate from the choroid and invade the overlying retina. Subsequent bleeding and exudation can lead to scarring and permanent loss of central vision. The neovascularization in all three conditions is driven by an angiogenic cascade, the trigger of which is believed to be relative hypoxia and oxidative stress. Vascular endothelial growth factor (VEGF-A) is a key component of this cascade but is by no means the only mediator of angiogenesis. In addition to promoting neovascularization, angiogenic factors also promote increased vascular permeability. This can lead to sight-threatening oedema in the most sensitive part of the retina, the macula. This is a complication seen in both DR and AMD, as well as in retinal vein occlusions (RVOs). Molecular treatments aimed at halting or reversing angiogenesis (anti-angiogenics) can be used to treat both neovascularization and macular oedema.

Research into the field of ocular angiogenesis has increased rapidly, with a variety of treatments coming to clinical trial. From 2001 to 2004, 25 clinical trials involving retinal anti-angiogenic molecular therapies were registered on the ClinicalTrials.gov registry (<http://clinicaltrials.gov>). During the following four-year period (2005–2008), 273 clinical trials were registered, representing a more than tenfold increase (Figure 1).

The resultant new therapies targeting the VEGF-A molecule have produced a paradigm shift in the management of neovascular AMD. They have not only improved the prognosis dramatically, to a degree not seen before, but also altered patient expectations, clinical workload and the clinical costing of disease management. In addition to patient benefit, the success of the first back-of-the-eye pharmacotherapies has also triggered a massive increase in capital investment and interest from larger pharmaceutical companies. Whereas the turn of the millennium saw only a handful of biotech start-ups – such as the developer of the first anti-VEGF for ocular use, Eyetech – today there at least 30 or 40 small biotechs fuelling drug development for blinding retinal disease.

With the design of the new battery of drugs comes the question of how to deliver them to the target tissue. Delivering drugs to the retina is problematic, often resorting to invasive means such as repeated intraocular injections [4]. Newer and potentially safer methods are needed. This need has never been greater, owing to the rapid rise in new molecular entities becoming available for retinal disease.

Corresponding author: Anderson, O.A. (o.anderson@ucl.ac.uk)

This material was copied




FIGURE 1

Graph displaying the number of clinical trials registered with the ClinicalTrials.gov registry (<http://clinicaltrials.gov>) each year between 2001 and 2009. Each entry concerns the application of an anti-angiogenic molecular therapy in the treatment of either neovascular AMD, DR, RVO or ROP.

### Scope

This paper is divided into two parts. The first part will briefly highlight current and potential molecular therapies for the treatment of conditions such as AMD, DR, RVO and ROP. Only therapies currently undergoing development in phase I–IV human clinical trials will be covered. A detailed discussion of individual treatments is beyond the scope of the paper. The second part will be the main focus of the review. Molecular therapies are only useful if they can reach the target tissue; therefore, we will discuss current and potential methods for the delivery of anti-angiogenic molecular therapies in the treatment of retinal disease.

### Current and potential anti-angiogenic molecular therapies

So far, only two anti-angiogenic drugs have received Food and Drug Administration (FDA) and European Medicines Agency approval for the treatment of neovascular AMD. To date, no molecular therapies have received FDA approval for the treatment of diabetic macular oedema (DMO), proliferative diabetic retinopathy (PDR) or ROP. Ozurdex (dexamethasone) has received FDA approval for the treatment of RVO-associated macular oedema. Although it is not formally considered to be an anti-angiogenic agent, it does have some intrinsic anti-angiogenic activity [5]. The main reason for including it, however, is that it is the first FDA-approved biodegradable sustained-release device for the treatment of angiogenic retinal disease. Numerous compounds are undergoing phase I–III clinical trials (Table 1), and in the meantime, many compounds are often used off-label. Here, we briefly discuss compounds that have

received FDA approval and highlight certain compounds in common off-label use or in the very latest stages of development.

#### FDA-approved therapies

Pegaptanib (Macugen; Eyetech/Pfizer, Inc.) was the first FDA-approved anti-angiogenic treatment for neovascular AMD [6]. It is a 28-base PEGylated aptamer, which when folded correctly has a three-dimensional conformational shape that potently (dissociation constant  $\sim 50$  pM) and specifically binds to the major heparin-binding isoforms of VEGF-A, blocking their action [7]. The aptamer's nucleotides have been modified to make it more resistant to degradation by endogenous endonucleases and exonucleases. The addition of polyethylene glycol (PEG) moieties, or PEGylation, increases the molecular weight and increases the half-life in the vitreous (Macugen Information Sheet, [http://www.accessdata.fda.gov/drugsatfda\\_docs/label/2006/021756s006,s0071bl.pdf](http://www.accessdata.fda.gov/drugsatfda_docs/label/2006/021756s006,s0071bl.pdf)). Both of these modifications increase the biological half-life of the drug [8].

Pegaptanib was designed to be delivered by intravitreal injection every six weeks for the treatment of neovascular AMD, although its use for this condition has been largely superseded by ranibizumab [6]. Pegaptanib is perceived to have a more robust effect in DMO, however, and is in phase III clinical testing in Europe.

Ranibizumab (Lucentis; Genentech/Novartis/Roche, Inc.) was the second FDA-approved anti-angiogenic treatment for neovascular AMD. Unlike pegaptanib (which is RNA based), ranibizumab is a humanized Fab fragment of a mouse monoclonal antibody with high affinity for all isoforms of VEGF-A (unlike pegaptanib, which only binds VEGF165 and VEGF189).

This material was copied  
at the NLM and may be  
Subject US Copyright Laws

TABLE 1

Anti-angiogenic molecular therapies that are currently under clinical development<sup>a</sup>.

Disease	Phase	Mode of action	Name
nAMD	FDA✓	VEGF inhibitor	Ranibizumab, pegaptanib
	P III	VEGF inhibitor	Bevacizumab, VEGF trap
	P II	Tyrosine kinase inhibitor	AL-39324, pazopanib, TG100801, vatalanib
		mTOR inhibitor	Everolimus, sirolimus
	P I	nAChR inhibitor	Mecamylamine
		RTP801 inhibitor	PF-4523655
		Corticosteroid	Fluocinolone, triamcinolone
		NSAID	Brofenac
		VEGF inhibitor (viral delivery)	AAV2-sFLT01
		PEDF inhibitor (viral delivery)	AdGVPEDF.11D
		PDGF inhibitor	E10030
		α5β1 integrin receptor inhibitor	JSM6427, volociximab
		Complement inhibitor	ARC1905, POT-4
		C-raf kinase inhibitor	iCo-007
		S1P inhibitor	iSONEP
		TORC1/TORC2 inhibitor	Palomid 529
TNFα inhibitor		Adalimumab, infliximab	
Anti VEGF receptor vaccine		VEGF R1 & R2	
PDR	P III	VEGF inhibitor	Bevacizumab, ranibizumab
		PKCβ inhibitor	Ruboxistaurin
		Somatostatin analogue	Octreotide
	P II	Corticosteroid	Triamcinolone
MMP inhibitor	Doxycycline		
DMO	P III	VEGF inhibitor	Ranibizumab, pegaptanib, bevacizumab
		Corticosteroid	Fluocinolone, triamcinolone, dexamethasone
		PKCβ inhibitor	Ruboxistaurin
		Somatostatin analogue	Octreotide
	P II	VEGF inhibitor	VEGF trap
		mTOR inhibitor	Sirolimus
		nAChR inhibitor	Mecamylamine
		RTP801 inhibitor	PF-4523655
		TNFα inhibitor	Infliximab
		NSAID	Nepafenac
P I	TNFα inhibitor	Adalimumab	
	NSAID	Brofenac	
VEGF inhibitor	MP0112		
RVO	FDA✓	Corticosteroid	Dexamethasone
	P III	VEGF inhibitor	Bevacizumab, ranibizumab, VEGF Trap
		Corticosteroid	Triamcinolone
	P II	VEGF inhibitor	Pegaptanib
		Corticosteroid	Fluocinolone
P I	Plasma kallikrein inhibitor	Ecallantide	
ROP	P II	VEGF inhibitor	Bevacizumab

<sup>a</sup>Therapies are grouped according to the latest phase of clinical development (FDA approval, phase I-III clinical trial) and their mode of action. Information is courtesy of the ClinicalTrials.gov registry (<http://clinicaltrials.gov>) and was updated on 1 February 2010. To the best of the authors' knowledge, all the therapies described are still under development; however, development of certain drugs might have been cancelled without public knowledge.

Abbreviations: DMO, diabetic macular oedema; FDA✓, Food and Drug Administration approved; MMP, matrix metalloproteinase; mTOR, mammalian target of rapamycin; nAChR, nicotinic acetylcholine receptor; nAMD, neovascular age-related macular degeneration; NSAID, non-steroidal anti-inflammatory drug; PDGF, platelet-derived growth factor; PDR, proliferative diabetic retinopathy; PEDF, pigment epithelium-derived factor; PKCβ, protein kinase C beta; P III, phase III; ROP, retinopathy of prematurity; RVO, retinal vein occlusion; S1P, sphingosine-1-phosphate; TNFα, tumour necrosis factor alpha; VEGF, vascular endothelial growth factor.

Ranibizumab was designed to be delivered by intravitreal injection every four weeks [9,10], although current practice is to administer three doses at four-week intervals, then to administer according to clinical need [11]. Importantly, it was the first treatment for neovascular AMD that resulted in a statistically significant improvement in visual acuity in all lesion subtypes [9,10]. Although no head-to-head trial was performed

against pegaptanib, better perceived clinical outcomes with ranibizumab make blockage of all VEGF-A isoforms the current strategy of choice for AMD. Ranibizumab is also in clinical testing for PDR, DMO and RVOs. Results seem promising in the short term; however, in the long term, it needs to show benefit over and above that of laser therapy. Although laser therapy is potentially destructive, side-effects of long-term

This material was copied  
at the NLM and may be  
Subject US Copyright Laws

# Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

## Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

## Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

## Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

## API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

## LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

## FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

## E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.