



US007598878B2

(12) **United States Patent**
Goldreich

(10) **Patent No.:** **US 7,598,878 B2**
(45) **Date of Patent:** **Oct. 6, 2009**

(54) **METHOD AND DEVICE FOR MEASURING
PHYSIOLOGICAL PARAMETERS AT THE
WRIST**

(76) Inventor: **Rami Goldreich**, 96 Ayalon Street,
48621 Rosh Ha'ayin (IL)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

4,819,860 A * 4/1989 Hargrove et al. 600/483
4,952,928 A 8/1990 Carroll et al.
5,045,839 A 9/1991 Ellis et al.
5,410,471 A 4/1995 Alyfuku et al.
5,416,695 A 5/1995 Stutman et al.
5,462,051 A 10/1995 Oka et al.
5,515,858 A * 5/1996 Myllymaki 600/301
5,544,649 A 8/1996 David et al.

(21) Appl. No.: **10/497,169**

(Continued)

(22) PCT Filed: **Dec. 10, 2002**

FOREIGN PATENT DOCUMENTS

(86) PCT No.: **PCT/IL02/00995**

DE 10005526 8/2001

§ 371 (c)(1),
(2), (4) Date: **Jun. 9, 2004**

(Continued)

(87) PCT Pub. No.: **WO03/050643**

OTHER PUBLICATIONS

PCT Pub. Date: **Jun. 19, 2003**

Yang et al, "Development of the Ring Sensor for Healthcare Auto-
mation", *Robotics and Autonomous Systems*, 30:273-281, 2000.

(65) **Prior Publication Data**

(Continued)

US 2005/0116820 A1 Jun. 2, 2005

(51) **Int. Cl.**
A61B 5/00 (2006.01)

Primary Examiner—Daniel Wu
Assistant Examiner—Son M Tang
(74) *Attorney, Agent, or Firm*—Kohn & Associates, PLLC

(52) **U.S. Cl.** **340/573.1**; 340/517; 340/539.1;
600/300; 600/323; 600/340; 600/382; 600/301;
128/903

(58) **Field of Classification Search** 340/573.1;
600/300, 345, 500, 585, 301, 323, 340, 382;
128/903

See application file for complete search history.

(57) **ABSTRACT**


A wrist-mounted device for measuring at least one physi-
ological parameter of a subject. The present invention enables
such a measurement to preferably be transformed into clini-
cally useful information about the subject. Such information
may then optionally be sent to medical personnel, for
example at a contact and/or monitoring center, through a
gateway device. The gateway device preferably communi-
cates with the wrist-mounted device of the present invention
through a wireless communication channel.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,911,899 A * 10/1975 Hattes 600/407
4,331,154 A 5/1982 Broadwater et al.
4,407,295 A 10/1983 Steuer et al.
4,418,700 A 12/1983 Warner
4,784,152 A * 11/1988 Shinoda et al. 600/503

32 Claims, 6 Drawing Sheets



U.S. PATENT DOCUMENTS

| | | | | |
|--------------|------|---------|----------------------|------------|
| 5,652,570 | A | 7/1997 | Lepkofker | |
| 5,669,392 | A * | 9/1997 | Ljungstrom | 600/510 |
| 5,771,001 | A | 6/1998 | Cobb | |
| 5,772,586 | A | 6/1998 | Heinonen et al. | |
| 5,778,882 | A * | 7/1998 | Raymond et al. | 600/513 |
| 5,807,267 | A * | 9/1998 | Bryars et al. | 600/500 |
| 5,853,005 | A | 12/1998 | Scanlon | |
| 5,862,803 | A | 1/1999 | Besson et al. | |
| 5,877,675 | A | 3/1999 | Rebstock et al. | |
| 5,899,928 | A | 5/1999 | Sholder et al. | |
| 5,917,415 | A | 6/1999 | Atlas | |
| 5,942,979 | A * | 8/1999 | Luppino | 340/576 |
| 6,046,761 | A | 4/2000 | Echerer | |
| 6,134,504 | A | 10/2000 | Douglas et al. | |
| 6,139,494 | A | 10/2000 | Cairnes | |
| 6,160,478 | A * | 12/2000 | Jacobsen et al. | 340/539.12 |
| 6,327,495 | B1 | 12/2001 | Iwabuchi et al. | |
| 6,348,867 | B1 * | 2/2002 | Myllymaki | 340/573.1 |
| 6,353,396 | B1 * | 3/2002 | Atlas | 340/693.9 |
| 6,413,233 | B1 | 7/2002 | Sites et al. | |
| 6,443,890 | B1 | 9/2002 | Schulze et al. | |
| 6,491,647 | B1 * | 12/2002 | Bridger et al. | 600/585 |
| 6,494,829 | B1 * | 12/2002 | New et al. | 600/300 |
| 6,616,613 | B1 | 9/2003 | Goodman | |
| 6,694,180 | B1 * | 2/2004 | Boesen | 600/547 |
| 6,840,904 | B2 * | 1/2005 | Goldberg | 600/300 |
| 6,893,396 | B2 * | 5/2005 | Schulze et al. | 600/300 |
| 7,044,911 | B2 * | 5/2006 | Drinan et al. | 600/300 |
| 7,285,090 | B2 * | 10/2007 | Stivoric et al. | 600/300 |
| 2001/0012916 | A1 | 8/2001 | Deuter | |
| 2002/0045808 | A1 | 4/2002 | Ford et al. | |
| 2003/0107487 | A1 | 6/2003 | Korman et al. | |
| 2004/0204635 | A1 * | 10/2004 | Scharf et al. | 600/323 |

FOREIGN PATENT DOCUMENTS

| | | |
|----|----------|---------|
| DE | 10009882 | 10/2001 |
| DE | 20119965 | 4/2002 |

| | | |
|----|---------------|---------|
| EP | 0770349 | 5/1997 |
| EP | 1070479 | 1/2001 |
| EP | 0876790 | 2/2003 |
| GB | 2003276 | 3/1979 |
| WO | WO 96/01585 | 1/1996 |
| WO | WO99/04685 | 2/1999 |
| WO | WO 00/40145 | 7/2000 |
| WO | WO 01/15056 | 1/2001 |
| WO | WO 01/97686 | 12/2001 |
| WO | WO 03/050642 | 6/2003 |
| WO | WO 03/050643 | 6/2003 |
| WO | WO2004/047633 | 6/2004 |

OTHER PUBLICATIONS

Rhee et al, "Artifact_resistant Power-Efficient Design of Finger-Ring Plethysmographic Sensors", *IEEE Transactions On Biomedical Engineering*, 48(7):795-805, 2001.

Yang et al, "A Twenty-Four Hour Tele-Nursing System Using a Ring Sensor", *Proc. Of 1998 Int. Conf. On Robotics and Automation*, Leuven, Belgium, pp. 387-392, 1998.

Rhee et al, "The Ring Sensor: A New Ambulatory Wearable Sensor for Twenty-Four Hour Patient Monitoring", *Proceedings of the 20th Annual International Conference of the IEEE Engineering in Medicine and Biology Society*, Hong Kong, 1998.

Mascaro, SA, "Photoplethymograph Fingernail Sensors for Measuring Finger Forces Without Haptic Obstruction", *IEEE Transactions On Robotics and Automation*, 17(5):698-708, 2001.


Yang et al, "Cuff-less Continuous Monitoring of Beat-to-Beat Blood Pressure Using Sensor Fusion", available through <http://web.mit.edu/zyi/www/pdf/IEEETrans2000.pdf> as of Dec. 9, 2001.

Yang, et al, "Sensor Fusion for Noninvasive Continuous Monitoring of Pulsating Blood Pressure Based on an Arterial Hemodynamic Model", available through <http://www.mit.edu/afs/athena.mit.edu/user/z/y/zyi/www/pdf/ASME99.pdf>.

Zhang et al. "A Telemedical Multilevel Server Network System", *Chinese Journal of Medical Instrumentation*, 25(1): 30-33, 2001. In Chinese, Abstract in English.

* cited by examiner

FIG. 1







FIG. 2

FIG. 3



Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.