

Epilepsies: diagnosis and management

Clinical guideline

Published: 11 January 2012

www.nice.org.uk/guidance/cg137

Your responsibility

The recommendations in this guideline represent the view of NICE, arrived at after careful consideration of the evidence available. When exercising their judgement, professionals and practitioners are expected to take this guideline fully into account, alongside the individual needs, preferences and values of their patients or the people using their service. It is not mandatory to apply the recommendations, and the guideline does not override the responsibility to make decisions appropriate to the circumstances of the individual, in consultation with them and their families and carers or guardian.

Local commissioners and providers of healthcare have a responsibility to enable the guideline to be applied when individual professionals and people using services wish to use it. They should do so in the context of local and national priorities for funding and developing services, and in light of their duties to have due regard to the need to eliminate unlawful discrimination, to advance equality of opportunity and to reduce health inequalities. Nothing in this guideline should be interpreted in a way that would be inconsistent with complying with those duties.

Commissioners and providers have a responsibility to promote an environmentally sustainable health and care system and should assess and reduce the environmental impact of implementing NICE recommendations wherever possible.

Contents

Overview	8
Who is it for?	8
Introduction	9
Key priorities for implementation	11
Diagnosis	11
Management.....	11
Prolonged or repeated seizures and convulsive status epilepticus	11
Special considerations for women and girls of childbearing potential	12
Review and referral.....	12
1 Guidance	14
1.1 Principle of decision making.....	14
1.2 Coping with epilepsy	14
1.3 Information	15
1.4 Following a first seizure	18
1.5 Diagnosis.....	19
1.6 Investigations.....	20
1.7 Classification	23
1.8 Management.....	24
1.9 Pharmacological treatment.....	24
Sodium valproate	25
1.10 Referral for complex or refractory epilepsy.....	51
1.11 Psychological interventions.....	53
1.12 Ketogenic diet	53
1.13 Vagus nerve stimulation (VNS)	53
1.14 Prolonged or repeated seizures and convulsive status epilepticus	54
1.15 Women and girls with epilepsy.....	57

1.16 Children, young people and adults with learning disabilities (also see the sections on pregnancy and young people with epilepsy).....	62
1.17 Young people with epilepsy (also see the section on women and girls with epilepsy)	64
1.18 Older people with epilepsy	65
1.19 Children, young people and adults from black and minority ethnic groups.....	66
1.20 Review	66
2 Implementation	68
3 Research recommendations	69
3.1 Newly diagnosed seizures (focal and generalised) – monotherapy.....	69
3.2 Epilepsy syndromes	70
3.3 Infantile spasms.....	70
3.4 Treatment of convulsive status epilepticus (that is, not just refractory).....	71
3.5 AEDs and pregnancy	72
Appendix C: Outline care algorithms	74
Appendix D: Differential diagnosis of epilepsy in children, young people and adults.....	75
Appendix E: Pharmacological treatment.....	76
Appendix F: Protocols for treating convulsive status epilepticus in adults and children (adults published in 2004 and children published in 2011).....	77
Guidelines for treating convulsive status epilepticus in children (published in 2011).....	80
Non-convulsive status epilepticus in adults and children (2004 guideline)	81
Appendix G: Terms used in this guideline	83
Absence seizure	83
Adherence	83
Adjunctive treatment	84
Aetiology	84
Anti-epileptic drug (AED)	84
Atonic seizure	84
Attack	84
Baseline	84

Benign epilepsy with centrotemporal spikes (BECTS)	84
Carer	85
Childhood absence epilepsy	85
Clinical presentation	85
Clinician	85
Comorbidity	85
Concordance	85
Continuous spike and wave during slow sleep (CSWS)	85
Convulsive status epilepticus	86
Dosage	86
Dravet syndrome	86
Electrocardiogram (ECG)	86
Electroencephalogram (EEG)	86
Epilepsy	86
Epilepsy syndrome	86
Epileptic seizure	87
Focal seizure	87
Generalised seizure	87
Generalised tonic-clonic (GTC) seizure	87
Genetic (with reference to epilepsy)	87
Ictal phenomenology	87
Idiopathic	87
Idiopathic generalised epilepsy (IGE)	88
Indication (specific)	88
Infantile spasms	88
Intervention	88
Juvenile absence epilepsy	88
Juvenile myoclonic epilepsy (JME)	88

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.