

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of: Albert et al.
U.S. Patent No.: 10,638,941 Attorney Docket No.: 50095-0034IP1
Issue Date: May 5, 2020
Appl. Serial No.: 16/158,112
Filing Date: October 11, 2018
Title: DISCORDANCE MONITORING

Mail Stop Patent Board

Patent Trial and Appeal Board
U.S. Patent and Trademark Office
P.O. Box 1450
Alexandria, VA 22313-1450

**PETITION FOR *INTER PARTES* REVIEW OF UNITED STATES PATENT
NO. 10,638,941 PURSUANT TO 35 U.S.C. §§ 311–319, 37 C.F.R. § 42**

TABLE OF CONTENTS

I.	REQUIREMENTS	1
A.	Grounds for Standing	1
B.	Challenge and Relief Requested	1
II.	TECHNOLOGY OVERVIEW AND THE '941 PATENT	2
A.	Arrhythmia	2
B.	Electrocardiography (ECG)	3
C.	Photoplethysmography (PPG)	4
D.	Heart Rate (HR)	5
E.	Heart Rate Variability (HRV)	5
F.	'941 Patent	6
G.	Prosecution History	8
H.	Claim Construction	8
1.	“Discordance” (Claims 1, 12)	8
III.	THE CHALLENGED CLAIMS ARE UNPATENTABLE	11
A.	[GROUND 1] – Shmueli and Osorio Make Claims 1, 5, 7-9, 11, 12, 16, 18-20, 22, And 23 Obvious	11
1.	Shmueli.....	11
2.	Osorio	15
3.	The Shmueli-Osorio Combination	20
4.	Claim 1	31
5.	Claims 5, 7-9, and 11	54
6.	Claim 12	60
7.	Claims 16, 18-20, and 23	63
8.	Claim 22	64
B.	[GROUND 2] – Shmueli, Osorio, and Lee-2013 Make Claims 2-4, 6, 13-15, and 17 Obvious	65
1.	Lee-2013	65
2.	The Shmueli-Osorio-Lee-2013 Combination	66
3.	Claims 2-4 and 6.....	68
4.	Claims 13-15 and 17	71
C.	[GROUND 3] – Shmueli, Osorio, and Chan Makes Claims 10 and 21 Obvious	72
1.	Chan.....	72
2.	The Shmueli-Osorio-Chan Combination	74
3.	Claims 10 and 21	76

IV.	PTAB DISCRETION SHOULD NOT PRECLUDE INSTITUTION.....	77
V.	FEES	83
VI.	CONCLUSION.....	83
VII.	MANDATORY NOTICES UNDER 37 C.F.R § 42.8(a)(1).....	84
	A. Real Party-In-Interest Under 37 C.F.R. § 42.8(b)(1).....	84
	B. Related Matters Under 37 C.F.R. § 42.8(b)(2).....	84
	C. Lead And Back-Up Counsel Under 37 C.F.R. § 42.8(b)(3).....	84
	D. Service Information	84

EXHIBITS

- APPLE-1001 U.S. Patent 10,638,941 to Albert et al. (“the ’941 patent”)
- APPLE-1002 Excerpts from the Prosecution History of the ’941 patent (“the Prosecution History”)
- APPLE-1003 Declaration of Dr. Bernard A. Chaitman
- APPLE-1004 PCT Patent Publication WO2012/140559 (“Shmueli”)
- APPLE-1005 U.S. Patent Publication 2014/0275840 (“Osorio”)
- APPLE-1006 Li Q, Clifford GD, “Signal quality and data fusion for false alarm reduction in the intensive care unit,” J Electrocardiol. 2012 Nov-Dec; 45(6):596-603 (“Li-2012”)
- APPLE-1007 U.S. Patent Publication 2008/0004904 (“Tran”)
- APPLE-1008 U.S. Patent Publication 2014/0107493 (“Yuen”)
- APPLE-1009 U.S. Patent Publication 2015/0119725 (“Martin”)
- APPLE-1010 U.S. Provisional Application No. 61/794,540 (“Osorio Provisional”)
- APPLE-1011 Lee J, Reyes BA, McManus DD, Mathias O, Chon KH. International Journal of Bioelectromagnetism, Vol. 15, No. 1, pp. 26-29, 2013 (“Lee-2013”)
- APPLE-1012 Tsipouras MG, Fotiadis DI. Automatic arrhythmia detection based on time and time-frequency analysis of heart rate variability. Comput Methods Programs Biomed. 2004 May; 74(2):95-108 (“Tsipouras-2004”)
- APPLE-1013 Lu S, Zhao H, Ju K, Shin K, Lee M, Shelley K, Chon KH. Can photoplethysmography variability serve as an alternative approach to obtain heart rate variability information? J Clin

Monit Comput. 2008 Feb; 22(1):23-9 (“Lu-2008”)

- APPLE-1014 Selvaraj N, Jaryal A, Santhosh J, Deepak KK, Anand S. Assessment of heart rate variability derived from finger-tip photoplethysmography as compared to electrocardiography. J Med Eng Technol. 2008 Nov-Dec; 32(6):479-84 (“Selvaraj-2008”)
- APPLE-1015 Lu G, Yang F, Taylor JA, Stein JF. A comparison of photoplethysmography and ECG recording to analyse heart rate variability in healthy subjects. J Med Eng Technol. 2009; 33(8):634-41 (“Lu-2009”)
- APPLE-1016 Suzuki T, Kameyama K, Tamura T. Development of the irregular pulse detection method in daily life using wearable photoplethysmographic sensor. Annu Int Conf IEEE Eng Med Biol Soc. 2009; 2009:6080-3 (“Suzuki-2009”)
- APPLE-1017 Reed MJ, Robertson CE, Addison PS. Heart rate variability measurements and the prediction of ventricular arrhythmias. QJM. 2005 Feb;98(2):87-95 (“Reed-2005”)
- APPLE-1018 Schäfer A, Vagedes J. How accurate is pulse rate variability as an estimate of heart rate variability? A review on studies comparing photoplethysmographic technology with an electrocardiogram. Int J Cardiol. 2013 Jun 5; 166(1):15-29 (“Schafer-2013”)
- APPLE-1019 K. Douglas Wilkinson, “The Clinical Use of the Sphygmomanometer,” The British Medical Journal, 1189-90 (Dec. 27, 1924) (“Wilkinson”)
- APPLE-1020 U.S. Patent 6,095,984 (“Amano”)
- APPLE-1021 B.K. Bootsma et. al, “Analysis of R-R intervals in patients with atrial fibrillation at rest and during exercise.” Circulation 1970; 41:783-794 (“Bootsama-1970”)

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.