PTO/AIA/01 (06-12) Approved for use through 01/31/2014 OMB 0651-0032 U.S. Patent and Trademark Office. U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number DECLARATION (27 CER 1 63) FOR LITH ITY OR DESIGN ADDITION USING AN

-

APPLICATION DATA SHEET (37 CFR 1.76)				
Title of Invention	Method and apparatus for emulating multiple cards in mobile devices			
As the belo	w named inventor. I hereby declare that			
This declar is directed	ation The attached application or			
	United States application or PCT international application number			
	filed on			
The above-	dentified application was made or authorized to be made by me			
I believe tha	t I am the original inventor or an original joint inventor of a claimed invention in the application.			
l hereby ack by fine or im	nowledge that any willful false statement made in this declaration is punishable under 18 U.S.C. 1001 prisonment of not more than five (5) years, or both.			
	WARNING:			
Petitioner/ag contribute to (other than a to support a petitioners/a USPTO Pe application (patent Furl referenced i PTO-2038 s	oplicant is cautioned to avoid submitting personal information in documents filed in a patent application that may identity theft. Personal information such as social security numbers, bank account numbers, or credit card numbers a check or credit card authorization form PTO-2038 submitted for payment purposes) is never required by the USPTO petition or an application. If this type of personal information is included in documents submitted to the USPTO, pplicants should consider redacting such personal information from the documents before submitting them to the titioner/applicant is advised that the record of a patent application is available to the public after publication of the unless a non-publication request in compliance with 37 CFR 1 213(a) is made in the application) or issuance of a hermore, the record from an abandoned application may also be available to the public if the application is n a published application or an issued patent (see 37 CFR 1 14). Checks and credit card authorization forms ubmitted for payment purposes are not retained in the application file and therefore are not publicly available.			
LEGAL N	AME OF INVENTOR			
Inventor:	Xiangzhen Xie Date (Optional) 7/1/2013			
Signature	Lie Liaugzken			
Note: An app been previous	ication data sheet (PTO/SB/14 or equivalent) including naming the entire inventive entity, must accompany this form or must have sly filed. Use an additional PTO/AIA/01 form for each additional inventor			
This collection of by the USPTO t complete includ comments on th Patent and "rac THIS ADDRESS	f information is required by 35 U.S.C. 115 and 37 CFR 1.63. The information is required to obtain or retain a benefit by the public which is to file (and b process) an application. Confidentiality is governed by 35 U.S.C. 122 and 31 CFR 1.11 and 1.14. This collection is estimated to take 1 minute to ing gathering, preparing, and submitting the completed application form to the USPTC. Time will vary depending upon the individual case. Any e amount of time you require to complete this form and or suggestions for reducing this outdet on sould be sent to the Chief Information Officer. U.S. emark Office, U.S. Department of Commerce. P.O. Box 1450. Alexandria, VA 22313-1450. DC NOT SEND FEES OR COMPLETED FORMS TO SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.			

If you need assistance in completing the form isal in-800 PTO-9199 and select out on P

PTO/AIA/01 (06-12) Approved for use through 01/31/2014. OMB 0651-0032 U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995	no persons are required to respond to a collection of information unless it displays a valid OMB control numl
······································	ana ana ana amin'ny fisiana amin'ny fisiana amin'ny fisiana amin'ny fisiana dia mandritra dia mandritra dia man

DECLARATION (37 CFR 1.63) FOR UTILITY OR DESIGN APPLICATION USING AN APPLICATION DATA SHEET (37 CFR 1.76)

Title of Method and apparatus for emulating multiple cards in mobile devices Invention

As the below named inventor, I hereby declare that:

This declaration is directed to:

The attached application, or

United States application or PCT international application number ____

filed on _____.

The above-identified application was made or authorized to be made by me.

I believe that I am the original inventor or an original joint inventor of a claimed invention in the application.

I hereby acknowledge that any willful false statement made in this declaration is punishable under 18 U.S.C. 1001 by fine or imprisonment of not more than five (5) years, or both.

WARNING:

Petitioner/applicant is cautioned to avoid submitting personal information in documents filed in a patent application that may contribute to identify theft. Personal information such as social security numbers, bank account numbers, or credit card numbers (other than a check or credit card authorization form PTO-2038 submitted for payment purposes) is never required by the USPTO to support a petition or an application. If this type of personal information is included in documents submitted to the USPTO, petitioner/applicants should consider redacting such personal information from the documents before submitting them to the USPTO. Petitioner/applicant is advised that the record of a patent application is available to the public after publication of the application (unless a non-publication request in compliance with 37 CFR 1.213(a) is made in the application) or issuance of a patent. Furthermore, the record from an abandoned application may also be available to the public if the application is referenced in a published application or an issued patent (see 37 CFR 1.14). Checks and credit card authorization forms PTO-2038 submitted for payment purposes are not retained in the application file and therefore are not publicly available.

LEGAL NAME OF INVE	ENTOR	
Inventor: Liang Sen	g Koh	Date (Optional)2/27/201_3
Signature:	dit Cy	
Note: An application data sh been previously filed. Use a	ا eet (PTO/SB/14 or equivalent), including namin n additional PTO/AIA/01 form for each additiona	g the entire inventive entity, must accompany this form or must he al inventor.
This collection of information is re	equired by 35 U S.C. 115 and 37 CFR 1.63. The inform	nation is required to obtain or retain a benefit by the public which is to file (a

by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 1 minute to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commence. P.C. Box 1450, Alexandria, VA 22313-1450, DO NOT SEND FLES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

PTO/AIA/01 (06-12) Approved for use through 01/31/2014 OMB 0651-0032 U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

	LARATION (37 CFR 1.63) FOR UTILITY OR DESIGN APPLICATION USING AN APPLICATION DATA SHEET (37 CFR 1.76)
Title of Invention	Method and apparatus for emulating multiple cards in mobile devices
As the belo	w named inventor. I hereby declare that:
This declar is directed	ation The attached application, or
	United States application or PCT international application number
The above-	identified application was made or authorized to be made by me
I believe tha	it I am the original inventor or an original joint inventor of a claimed invention in the application
l hereby ack by fine or im	snowledge that any willful false statement made in this declaration is punishable under 18 U.S.C. 1001 aprisonment of not more than five (5) years, or both
	WARNING:
Petitioner/aj contribute to (other than a to support a petitioners/a USPTO. Pet application (patent. Furl referenced i PTO-2038 s	oplicant is cautioned to avoid submitting personal information in documents filed in a patent application that may oridentity theft. Personal information such as social security numbers, bank account numbers, or credit card numbers a check or credit card authorization form PTO-2038 submitted for payment purposes) is never required by the USPTO petition or an application. If this type of personal information is included in documents submitted to the USPTO ipplicants should consider redacting such personal information from the documents before submitting them to the etitioner/applicant is advised that the record of a patent application is available to the public after publication of the unless a non-publication request in compliance with 37 CFR 1.213(a) is made in the application) or issuance of a thermore, the record from an abandoned application may also be available to the public if the application is n a published application or an issued patent (see 37 CFR 1.14). Checks and credit card authorization forms ubmitted for payment purposes are not retained in the application file and therefore are not publicly available.
LEGAL N	AME OF INVENTOR
Inventor: Signature	Hsin Pan Date (Optional) 2/27/2013
Note An app been previou	lication data sheet (PTO/SB/14 or equivalent). including naming the entire inventive entity, must accompany this form or must have sly filed. Use an additional PTO/AIA/01 form for each additional inventor.
This collection of by the USPTO t complete includ comments on th	f information is required by 35 U.S.C. 115 and 37 CFR 1.63. The information is required to obtain or retain a benefit by the public which is to file (and o process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 1 minute to ling gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any e amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer. U.S.

PTO/AIA/80 (07-12) Approved for use through 11/30/2014 - OMB 0651-0035 U.S. Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no bersons are required to resoond to a collection of information unless it displays a valid OMB control number.

-

POW	/ER OF	ATTORNEY TO F	PROS	ECUTE A	PPLICATIO	ONS BEF	ORE THE	USPTO
hereby rev inder 37 Cl	/oke all p FR 3.73(r	revious powers of att c).	torney	given in the	application i	dentified in	the attached	d statement
Prac	point. stitioners as	isociated with Customer $N_{\rm U}$	Imber	26797	,			
Prac	:titioner(s) r	named below (if more than Name	ten pate Regis Nu	nt practitioners stration uniber	are to be name	d. then a cust Name	omer number n	nust be used): Registration Number
	<u></u>							
As attorney.cs iny and all par ittached to the	or agent(s) tent applica s form in ar	Eto represent the orders gr itions assigned <u>only</u> to the - coordance with 37 CFR 3.7	ned befo indersig 3.c	re the United S ned according	tates Patent and to the USPTO a	f Trademark ssignment re	Office (USPTO cords or assign) in connection wi ments documents
The DR	e the corres address as	pondence address for the a	appiicati: imber:	on identified in f	ne attached sta	lement under	37 CFK 3.73(C) 10:
Firm or Individu	al Name							
Address City	, 	· · · · · · · · · · · ·	-	State			Zip	
Country Telepho	one				Email			
Assignee Nan	ie and Addi	^{ress:} RFCyber Corp 94538	ooratio	on, 4160 T	echnology	Drive, St	uite A, Fre	mont, CA
	is form, to	gether with a statement on in which this form is	under used.	37 CFR 3.73(c The statemen) (Form PTO/A t under 37 CFI	AIA/96 or eq R 3.73(c) ma	uivalent) is re y be complet	equired to be ed by one of v is to be filed.
Filed in each The practitio	ners appo	pinted in this form, and r	nusciu	entity the app	lication in wh	ch this Fow	er of Allonne	,
iled in each he practitio	ners appo ne individu	binted in this form, and i SIG al whose signature and	NATUR title is s	RE of Assign Supplied belov	ee of Record	to act on be	ehalf of the as	signee
A copy of thi Filed in each The practitio Th Signature	ners approach	binted in this form, and i SIG al whose signature and A	INATUR title is s	RE of Assign	ee of Record	to act on be e 02/27/2	ehalf of the as	signee
A copy of thi Filed in each The practitio The Signature Jame	ne individu Hsin	binted in this form, and i SIG ial whore signature and Pan	SNATUI title is s	RE of Assign	ee of Record v is authorized Dat	to act on be $02/27/2$	ehalf of the as 2013 08)777-88	signee 73

This collection of information is required by 37 CFR 131, 132 and 133, the intormation is redured to obtain or retain a denefit by the public which is to file rand by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 3 minutes to complete including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and or suggestions for reducing this burden, should be sent to the Chief Information Officer U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450. Alexandria, VA 22313-1450, DO NOT SEND FEES OR COMPLETED FORVS TO THIS ADDRESS, SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450,

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

PTC/AIA/96 (06-12) Approved for use through 01/31/2013. OMB 0651-0031 U.S. Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

Under the Paper	work Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
Applicant/Patent Ow	unar RFCyber Corporation
Application No /Pate	ent No. Unassigned Filed/Issue Date, herewith
Titled Method an	ad apparatus for emulating multiple cards in mobile devices
RFCyber Corpora	tiona California corporation
(Name of Assignee)	(Type of Assignee, e.g., corporation, partnership, university, government agency, etc.)
states that, for the p	atent application/patent identified above, it is (choose one of options 1, 2, 3 or 4 below):
1. 🗹 The assigne	e of the entire right, title, and interest.
2. 🔲 An assignee	e of less than the entire right, title, and interest (check applicable box):
holding the	nt (by percentage) of its ownership interest is%. Additional Statement(s) by the owners balance of the interest <u>must be submitted</u> to account for 100% of the ownership interest.
There ar right, title ar	e unspecified percentages of ownership. The other parties, including inventors, who together own the entire ind interest are:
Additiona right, title, a	I Statement(s) by the owner(s) holding the balance of the interest <u>must be submitted</u> to account for the entire nd interest.
3. The assigne The other parties, in	e of an undivided interest in the entirety (a complete assignment from one of the joint inventors was made). Including inventors, who together own the entire right, title, and interest are:
Additional right, title, a	I Statement(s) by the owner(s) holding the balance of the interest <u>must be submitted</u> to account for the entire nd interest.
4. L The recipien complete transfer of	it, via a court proceeding or the like (<i>e.g.</i> , bankruptcy, probate), of an undivided interest in the entirety (a I ownership interest was made). The certified document(s) showing the transfer is attached.
The interest identific	ed in option 1, 2 or 3 above (not option 4) is evidenced by either (choose one of options A or B below):
A. 🗹 An assignm the United S thereof is at	ent from the inventor(s) of the patent application/patent identified above. The assignment was recorded in States Patent and Trademark Office at Reel, Frame, or for which a copy tached.
B. 🔲 A chain of ti	tle from the inventor(s), of the patent application/patent identified above, to the current assignee as follows:
1. From: _	То:
TI	he document was recorded in the United States Patent and Trademark Office at
R	eel, Frame, or for which a copy thereof is attached.
2. From: _	То:
TI	he document was recorded in the United States Patent and Trademark Office at
R	eel, Frame, or for which a copy thereof is attached.
This collection of informatic	[Page 1 of 2] on is required by 37 CFR 3.73(b). The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to

This collection of information is required by 37 CFR 3.73(b). The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450**.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

PTO/AIA/96 (08-12) Approved for use through 01/31/2013. OMB 0651-0031 U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the	Paperwork Reductio	n Act of 1995, no persons are r	equired to respond to a collection of information unless it displays a valid OMB control number.
		STATEME	NT UNDER 37 CFR 3.73(c)
3. From:			To:
	The docume	ent was recorded in the U	United States Patent and Trademark Office at
	Reel	, Frame	, or for which a copy thereof is attached.
4. From:			To:
	The docume	ent was recorded in the l	United States Patent and Trademark Office at
	Reel	, Frame	, or for which a copy thereof is attached.
5. From:			To:
	The docume	ent was recorded in the l	United States Patent and Trademark Office at
	Reel	, Frame	, or for which a copy thereof is attached.
6. From:			To:
	The docume	ent was recorded in the l	United States Patent and Trademark Office at
	Reel	, Frame	, or for which a copy thereof is attached.
Ado	ditional documen	ts in the chain of title are	e listed on a supplemental sheet(s).
As red assign [NOT Division	quired by 37 CFI nee was, or conc E: A separate co on in accordance	R 3.73(c)(1)(i), the docur currently is being, submit py (i.e., a true copy of th with 37 CFR Part 3, to	nentary evidence of the chain of title from the original owner to the ted for recordation pursuant to 37 CFR 3.11. The original assignment document(s)) must be submitted to Assignment record the assignment in the records of the USPTO. See MPEP 302.08]
The undersig	ned (whose title	is supplied below) is auti	horized to act on behalf of the assignee.
	y /		U3/U1/2U13
loo 7ho	na		
Printed or Tur	ng nad Nama		
Li mico or Typ	2011 HOLLS		Hue of hegistration number

[Page 2 of 2]

ASSIGNMENT OF PATENT APPLICATION

Whereas I, an undersigned inventor, have invented certain new and useful improvements as set forth in the patent application entitled:

Method and apparatus for emulating multiple cards in mobile devices

(Docket No. RFID-084), (check one)

🖂 for which I have executed a U.S. patent application on even date herewith. (Accompanying) which bears U.S. application No. . (Not accompanying) which is a U.S. provisional application. (Accompanying)

For good and valuable consideration, the receipt and sufficiency of which is hereby acknowledged. I, an undersigned inventor, hereby:

1) Sell, assign and transfer to RFCyber Corp., a corporation in the State of California having a principal place of business at 4160 Technology Drive, Suite A. Fremont, CA 94538, USA ("ASSIGNEE"), the entire right, title and interest in any and all improvements and inventions disclosed in, applications based upon, and patents (including foreign patents and the right to claim priority) granted upon, the above-referenced application.

2)Authorize and request the Commissioner of Patents to issue any and all Letters Patents resulting from said application or any division, continuation, substitute, renewal, re-examination or reissue thereof to the ASSIGNEE.

3) Agree to execute all papers and documents and, entirely at the ASSIGNEE's expense, perform any acts which are reasonably necessary in connection with the prosecution of said application, as well as any derivative applications thereof, foreign applications based thereon, and/or the enforcement of patents resulting from such applications.

Agree that the terms, covenants and conditions of this assignment shall inure to the benefit of (+)the ASSIGNEE, its successors, assigns and other legal representative, and shall be binding upon the inventor, as well as the inventor's heirs, legal representatives and assigns.

Warrant and represent that I have not entered, and will not enter into any assignment, 5)contract, or understanding that conflicts with this assignment.

Authorize and request my representative to insert above the application No. in order to assist 6) with recordal of this assignment.

Signed on the date indicated beside my signature.

1. Inventor Signature:

Xie Xiang chen Xiang zhen Nie

2. Inventor Signature:

Liang Seng Koh 3. Inventor Signature:

Date: 3/1/2013

Date:

Date: 2/27/2013

Samsung Ex. 1016, Page 7 of 699 Samsung Electronics America, Inc. v. RFCyber Corp. IPR2021-00980

ASSIGNMENT OF PATENT APPLICATION

Whereas I, an undersigned inventor, have invented certain new and useful improvements as set forth in the patent application entitled:

Method and apparatus for emulating multiple cards in mobile devices

(Docket No. RFID-084), (check one)

for which I have executed a U.S. patent application on even date herewith. (Accompanying) which bears U.S. application No. . (Not accompanying)

which is a U.S. provisional application. (Accompanying)

For good and valuable consideration, the receipt and sufficiency of which is hereby acknowledged, I, an undersigned inventor, hereby:

1) Sell, assign and transfer to RFCyber Corp., a corporation in the State of California having a principal place of business at 4160 Technology Drive, Suite A. Fremont, CA 94538, USA ("ASSIGNEE"), the entire right, title and interest in any and all improvements and inventions disclosed in, applications based upon, and patents (including foreign patents and the right to claim priority) granted upon, the above-referenced application.

2) Authorize and request the Commissioner of Patents to issue any and all Letters Patents resulting from said application or any division, continuation, substitute, renewal, re-examination or reissue thereof to the ASSIGNEE.

3) Agree to execute all papers and documents and, entirely at the ASSIGNEE's expense, perform any acts which are reasonably necessary in connection with the prosecution of said application, as well as any derivative applications thereof, foreign applications based thereon, and/or the enforcement of patents resulting from such applications.

4) Agree that the terms, covenants and conditions of this assignment shall inure to the benefit of the ASSIGNEE, its successors, assigns and other legal representative, and shall be binding upon the inventor, as well as the inventor's heirs, legal representatives and assigns.

5) Warrant and represent that I have not entered, and will not enter into any assignment, contract, or understanding that conflicts with this assignment.

6) Authorize and request my representative to insert above the application No. in order to assist with recordal of this assignment.

Signed on the date indicated beside my signature.

1. Inventor Signature:		Date:	
	Xiangzhen Xie		
2. Inventor Signature:	Attain	Date:	2/27/2013
	Liang Seng Koh		
3. Inventor Signature:		Date:	
	Hsin Pan		

RFID-084

Electronic Patent Application Fee Transmittal						
Application Number:	Application Number:					
Filing Date:						
Title of Invention: Method and apparatus for emulating multiple cards in mobile device				nobile devices		
First Named Inventor/Applicant Name:	Xia	angzhen Xie				
Filer:	Joe	e Zheng				
Attorney Docket Number:	RFID-084					
Filed as Small Entity						
Utility under 35 USC 111(a) Filing Fees						
Description		Fee Code	Quantity	Amount	Sub-Total in USD(\$)	
Basic Filing:						
Utility filing Fee (Electronic filing)		4011	1	98	98	
Utility Search Fee		2111	1	310	310	
Utility Examination Fee		2311	1	125	125	
Pages:						
Claims:						
Miscellaneous-Filing:						
Petition:						
Patent-Appeals-and-Interference:						

Description	Fee Code	Quantity	Amount	Sub-Total in USD(\$)		
Post-Allowance-and-Post-Issuance:						
Extension-of-Time:						
Miscellaneous:						
	Tot	al in USD) (\$)	533		

Electronic Acknowledgement Receipt				
EFS ID:	15098638			
Application Number:	13782948			
International Application Number:				
Confirmation Number:	5348			
Title of Invention:	Method and apparatus for emulating multiple cards in mobile devices			
First Named Inventor/Applicant Name:	Xiangzhen Xie			
Customer Number:	26797			
Filer:	Joe Zheng			
Filer Authorized By:				
Attorney Docket Number:	RFID-084			
Receipt Date:	01-MAR-2013			
Filing Date:				
Time Stamp:	18:29:33			
Application Type:	Utility under 35 USC 111(a)			

Payment information:

Submitted wi	th Payment	yes					
Payment Type	e	Credit Card					
Payment was successfully received in RAM		\$533	\$533				
RAM confirmation Number		6386					
Deposit Acco	unt						
Authorized U	ser						
File Listin	g:						
Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)		

1	Specification	PatentAsFiled.pdf	236720	no	59		
			32ad80c1263ec1e99ae1dcb5b83ee0370fc 4e521				
Warnings:							
Information:							
2	Drawings-only black and white line drawings	Drawings.pdf	1125222	no	35		
			9291819fc69bb737620ed0c6a9126de0f6a 975a3				
Warnings:							
Information:							
3	Application Data Sheet	ADS.pdf	1433533	no	7		
			2cbb460a0564d000781dfefbe15ce6987cac ae2b				
Warnings:							
Information:							
4	Oath or Declaration filed	SignedDeclaration.pdf	1381715	no	3		
			465c223c4e781395399fc0f974ef96edd6d3 dd50				
Warnings:							
Information:							
5	Power of Attorney	SignedPOA.pdf	1257763	no	5		
			7bf878df96738843bd662754f1f3cf434ef1d 6d9				
Warnings:							
Information:							
6	Fee Worksheet (SB06)	fee-info.pdf	32572	no	2		
			35388d395f265fbf92618ea4f4419ba3fca70 271				
Warnings:							
Information:							
		Total Files Size (in bytes)	54	67525			

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.

New International Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

UTILITY PATENT APPLICATION

FOR

Method and apparatus for emulating multiple cards in mobile devices

Inventor(s): Xiangzhen Xie C505, Long Tai Xuan, Nanguang Village Nanshang District Shenzhen, Guangdong Province, 518051, China Citizenship: P. R. China

> Liang Seng Koh 41291 Carmen Street Fremont, CA 94539, USA Citizenship: USA.

> Hsin Pan 2374 Olive Avenue Fremont, CA 94539, USA Citizenship: USA.

Express Mail Label # E-filing Date of Deposit: March 1, 2013 I hereby certify that this paper or fee is being deposited with the United States Postal Service using "Express Mail Post Office To Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to "Mail Stop: New Application, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313"

1

Signed: / joe zheng / Joe Zheng

Method and apparatus for emulating multiple cards in mobile devices

Xiangzhen Xie Liang Seng Koh Hsin Pan

BACKGROUND OF THE INVENTION

Field of the Invention

[0001] The present invention is generally related to the area of electronic commerce. Particularly, the present invention is related to a mobile device configured to support multiple cards (e.g., Mifare) or applications of similar type.

The Background of Related Art

[0002] A contactless smart card is a pocket-sized card with embedded integrated circuits that can process and store data, and communicate with a terminal via radio waves. Contactless smart cards do not contain an ordinary read-only RFID, but they do contain a re-writeable smart card microchip that can be transcribed via radio waves. Contactless smart cards can be used for identification, authentication, and data storage. They provide a means of effecting business transactions in a flexible, secure, standard way with minimal human intervention.

[0003] MIFARE is one of the most popular contactless cards used in many daily applications such as building door access, car park entrance, and transit e-purse. MIFARE or Mifare is the NXP Semiconductors-owned trademark of a series of chips widely used in contactless smart cards or proximity cards. A Mifare classic card is fundamentally just a memory storage device, where the memory is divided into segments and blocks with simple security mechanisms for access control. Many people may have more than one Mifare cards in their wallets, for example, one for transit use, one for meals, and one for admission. As mobile devices with near field communication (NFC) capability (thus NFC devices) are being advanced to replace the wallets, it is important for these NFC devices to support more than one Mifare cards. However, a current NFC device is loaded with only one emulator and could be designed to function as one contactless card, such as a Mifare card for transportation, there is a need for solutions to make an NFC device with an emulator to support or function as many Mifare cards as possible.

SUMMARY OF THE INVENTION

[0004] This section is for the purpose of summarizing some aspects of the present invention and to briefly introduce some preferred embodiments. Simplifications or omissions may be made to avoid obscuring the purpose of the section. Such simplifications or omissions are not intended to limit the scope of the present invention.

[0005] The present invention is related to techniques for mobile devices configured to support or function as multiple contactless cards, such as Mifare contactless card commonly used. According to one aspect of the present invention, a mobile device embedded with an emulator is loaded with a plurality of software modules or applications, each emulating or simulating one card or one type of contactless cards. An emulator is implemented in a secure element that is personalized for a user of the mobile device while the applications are respectively provisioned via their respective providers per the personalized secure element. When the mobile device is to be used as a contactless card to perform a set of monetary functions, a corresponding application is loaded into and executed in the emulator. When the mobile device is to be used to perform another set of monetary functions, a corresponding application is loaded into the emulator to replace the previous application entirely or partially in the emulator. As a result, the mobile device can be used as a monetary device in lieu of multiple contactless cards.

[0006] According to still another aspect of the present invention, the mobile device is a near field communication (NFC) device and being part of a mobile payment ecosystem in which various parties are work with each other in order for the mobile payment ecosystem successful. Via a server (e.g., implemented as a manager)

configured to provide what is referred to herein as Trusted Service Management (TSM), the secure element in the mobile device can be remotely personalized and the applications can be downloaded, updated, managed or replaced after they are respectively provisioned via the Trusted Service Manager (i.e., the TSM server).

[0007] According to still another aspect of the present invention, for supporting the Mifare contactless cards, a module (implemented as a manager) providing Trusted Mifare Service Management (TMSM) is provided to manage the provisioned applications in the mobile device to emulate the mobile device as multiple contactless cards. A card proxy manager implemented in the mobile device to facilitate communication between the TSM server and the TMSM module in the secure element. Additional applications are also implemented in the mobile devices to provide specific functions to read only specific data from one of the applications simulating a contactless card or write transactional activities into the application.

[0008] According to still another aspect of the present invention, when an application (e.g., a Mifare contactless card or an e-purse supporting the Mifare contactless card) is being provisioned, security keys (either symmetric or asymmetric) are personalized within a three-tier security model so as to be able to perform secured transaction with a payment server. An example of the three-tier security model includes a physical security, an e-purse security and an SE security, concentrically encapsulating one with another. In one embodiment, the essential data to be personalized into the e-purse include one or more operation keys (e.g., a load or top-up key and a purchase key), default personal identification numbers (PINs), administration keys (e.g., an unblock PIN key and a reload PIN key), and passwords (e.g., from a service provider such as Mifare). During a transaction, the security keys are used to establish a secured channel between a provisioned e-purse and a Security Authentication Module (SAM) or backend server in a financial institute (e.g., bank, credit union, credit clearing bureau, etc.).

[0009] According to yet another aspect of the present invention, a portable device is configured to conduct e-commerce and/or m-commerce as an electronic mobile seller (e.g., mobile POS). E-commerce and m-commerce operations (i.e.,

4

offline payment, online payment, real time top-up, virtual top-up, batch transactions upload, and various queries of balances and transactions) can be conducted using the portable device with a POS application (e.g., a manager) and a POS SAM installed therein.

[0010] One important features, advantages and benefits in the present invention is to enable a mobile device to support multiple contactless cards. The present invention may be implemented as a single device, a server, a system or a part of system. It is believed that various implementations may lead to results that may not be achieved conventionally.

[0011] According to one embodiment, the present invention is a mobile device comprising: an emulator; a near field communication (NFC) interface to facilitate data exchange between a reader and an application being loaded and executed in the emulator, wherein the application in the emulator being one of the applications is replaceable in entirety or in part by another one of the applications; and a storage device configured to store the multiple applications, anyone of the applications being loadable into the emulator when selectively activated and subsequently replacing the application in the emulator, wherein the mobile device changes functions offered by the application to functions offered by another application newly loaded and executed in the emulator, wherein each of the applications has been remotely provisioned by a server configured to provide trusted service management (TSM).

[0012] In the embodiment, the emulator is implemented in the secure element, that is enclosed in the mobile device or in a detachable card to the mobile device. Each of the applications simulating functions of one of contactless cards is provided respectively to perform a function related to monetary, the mobile device is able to be used for all of the contactless cards when the applications are respectively loaded into and executed in the emulator.

[0013] According to another embodiment, the present invention is a method for a mobile device to support multiple applications, the method comprises: installing the applications respectively in the mobile device, each of the applications pertaining to a physical contactless card, so that the mobile device is to be used in lieu of multiple physical contactless cards.

[0014] Other objects, features, and advantages of the present invention will become apparent upon examining the following detailed description of an embodiment thereof, taken in conjunction with the attached drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

[0015] The invention will be readily understood by the following detailed description in conjunction with the accompanying drawings, wherein like reference numerals designate like structural elements, and in which:

[0016] FIG. 1A shows a simplified system in which two exemplary computing devices and 104 being respectively configured to support multiple contactless cards according to one embodiment of the present invention;

[0017] FIG. 1B shows two different models of security channel supports that may be used for an on-board trusted service manager in the mobile device;

[0018] FIG. 1C shows a block diagram of a simplified architecture of an NFCenabled mobile device with a secure element (SE) that may be used in FIG. 1A;

[0019] FIG. 1D shows a flowchart or process of personalizing an SE according to one embodiment of the present invention;

[0020] FIG. 1E shows relationships among an SE manufacturer, a TSM admin and the TSM system for both offline and online modes;

[0021] FIG. 1F illustrates data flows among a user for an NFC device (e.g., an NFC mobile phone), the NFC device itself, a TSM server, a corresponding SE manufacturer and an SE issuer;

[0022] FIG. 1G shows a data flowchart or process of personalizing data flow among three entities: a land-based SAM or a network e-purse server, an e-purse acting as a gatekeeper, and a single function tag, according to one embodiment;

[0023] FIG. 2A shows a mobile payment ecosystem in which related parties are shown in order for the mobile payment ecosystem successful;

[0024] FIG. 2B shows a flowchart or process of provisioning one or more applications according to one embodiment;

[0025] FIG. 2C shows a data flow illustrating various interactions among different parties when an application is being provisioned in one embodiment;

[0026] FIG. 2D shows a data flow among different entities when preparing the application data in provisioning an application;

[0027] FIG. 2E shows a flowchart or process for locking or disabling an installed application;

[0028] FIG. 2F shows an exemplary architecture diagram of a portable device enabled as an e-purse conducting e-commerce and m-commerce, according to one embodiment of the present invention;

[0029] FIG. 3A is a block diagram of related modules interacting with each other to achieve what is referred to herein as e-purse personalization by an authorized personnel (a.k.a., personalizing a mobile device or a secure element therein while provisioning an application);

[0030] FIG. 3B shows a block diagram of related modules interacting with each other to achieve what is referred to herein as e-purse personalization by a user of the e-purse;

[0031] FIG. 3C shows a flowchart or process of personalizing an e-purse according to one embodiment of the present invention;

[0032] FIG. 4A and FIG. 4B show together a flowchart or process of financing, funding, load or top-up an e-purse according to one embodiment of the present invention;

[0033] FIG. 4C shows an exemplary block diagram of related blocks interacting with each other to achieve the process FIG. 4A and FIG. 4B;

[0034] FIG. 5A is a diagram showing a first exemplary architecture of a portable device for enabling e-commerce and m-commerce functionalities over a cellular communications network (i.e., 3G, LTE or GPRS network), according an embodiment of the present invention;

[0035] FIG. 5B is a diagram showing a second exemplary architecture of a portable device for enabling e-commerce and m-commerce functionalities over a wired and/or wireless data network (e.g., Internet), according another embodiment of the present invention;

[0036] FIG. 5C is a flowchart illustrating an exemplary process of enabling the portable device of FIG. 5A for services/applications provided by one or more service providers in accordance with one embodiment of the present invention;

[0037] FIG. 6A is a diagram showing an exemplary architecture, in which a portable device is enabled as a mobile POS conducting e-commerce and m-commerce, according to one embodiment of the present invention;

[0038] FIG. 6B is a diagram showing an exemplary architecture, in which a portable device is enabled as a mobile POS conducting a transaction upload operation over a network, according to an embodiment of the present invention;

[0039] FIG. 6C is a flowchart illustrating an exemplary process of conducting mcommerce using the portable device enabled as a mobile POS with an e-token enabled device as a single functional card in accordance with one embodiment of the present invention;

[0040] FIG. 6D is a flowchart illustrating an exemplary process of conducting mcommerce using the portable device enabled as a mobile POS against a an e-token enabled device as a multi-functional card;

[0041] FIG. 7 is a diagram depicting an exemplary configuration in which a portable device used for an e-ticking application;

[0042] FIG. 8A shows a diagram of multiple parties involved in a TSM operated and orchestrated by a business;

[0043] FIG. 8B shows relevant operations among the parties in the TSM according to one embodiment;

[0044] FIG. 8C shows a work flow among multiple parties to establish mutually agreed arrangement in an exemplary TSM;

[0045] FIG. 8D shows a data flow for an ISD mapping between an SE issuer and a TSM;

[0046] FIG. 8E shows a corresponding data flow among a server provider, an SE issuer and a TSM;

[0047] FIG. 8F shows a data flow for the approval of an application by an SE issuer;

[0048] FIG. 8G shows a process of replacing an SE; and

[0049] FIG. 9 shows an exemplary snapshot of a screen display for a personalized SE in an account.

DETAILED DESCRIPTION OF THE INVENTION

[0050] In the following description, numerous specific details are set forth to provide a thorough understanding of the present invention. The present invention may be practiced without these specific details. The description and representation herein are the means used by those experienced or skilled in the art to effectively convey the substance of their work to others skilled in the art. In other instances, well-known methods, procedures, components, and circuitry have not been described in detail since they are already well understood and to avoid unnecessarily obscuring aspects of the present invention.

[0051] Reference herein to "one embodiment" or "an embodiment" means that a particular feature, structure, or characteristic described in connection with the embodiment can be included in at least one implementation of the invention. The appearances of the phrase "in one embodiment" or "in the embodiment" in various places in the specification are not necessarily all referring to the same embodiment,

nor are separate or alternative embodiments mutually exclusive of other embodiments. Further, the order of blocks in process, flowcharts or functional diagrams representing one or more embodiments do not inherently indicate any particular order nor imply limitations in the invention. As used in this specification and the appended claims, the singular forms "a," "an," and "the" include plural referents unless the context clearly dictates otherwise. It should also be noted that the term "or" is generally employed in its sense including "and/or" unless the context clearly dictates otherwise.

[0052] Embodiments of the present invention are discussed herein with reference to FIGS. 1A-9. However, those skilled in the art will readily appreciate that the detailed description given herein with respect to these figures is for explanatory purposes only as the invention extends beyond these limited embodiments.

[0053] Near Field Communication (NFC) presents significant business opportunities when used in mobile devices for applications such as payment, transport ticketing, loyalty, physical access control, and other exciting new services. To support this fast evolving business environment, various NFC-enabled mobile phones or devices are being advanced to support various contactless smart cards that are popularly used in various applications.

[0054] According to one embodiment of the present invention, FIG. 1A shows a simplified system 100 in which two exemplary computing devices 102 and 104 are being configured to support multiple contactless cards or used in lieu of multiple contactless cards. Instead of brining a number of cards, each for one purpose, one embodiment of the current invention allows a user to bring only one mobile device for all uses for the cards. Unless otherwise explicitly indicated, the term of "computing device", "mobile device", "smart phone", "portable device" or "handset" will be interchangeably used herein, but those skilled in the art will understand the description herein shall be equally applicable to other devices such as a smart phone, a tablet, a laptop computer, and other portable device with the capability of near field communication.

[0055] As it is well known, Mifare is one of the most popular contactless cards used in many daily applications, where Mifare is the NXP Semiconductors-owned

trademark of a series of chips widely used in contactless smart cards or proximity cards. To facilitate the understanding of the present invention, the description herein is based on the Mifare cards. Those skilled in the art shall understand that the description herein is equally applicable to cards other than the Mifare cards.

[0056] To support multiple cards, in one embodiment, an on-card Trusted Mifare Service Manager 106 (implemented as a module or an applet) is provided in a secure element (SE) 108. As further described below, depending on implementation, the SE 108 may be embedded in an NFC device 102 or 104 or a detachable card (e.g., a SD card or a microSDHC card) to a device. The NFC device 102 may be a mobile device embedded with the SE 108 while the NFC device 104 may be a smart card or a device upgradable with a detachable card embedded with the SE 108. In one embodiment, the NFC device 104 communicates with the SE 108 via a reader 110. In any case, it is assumed that either one of the NFC devices 102 and 104 is equipped with a secure element (e.g., the SE 108) that is personalized before a function requiring security can be performed with the NFC devices 102 or 104. The details of personalizing the SE 108 will be further provided herein when it deems necessary.

[0057] According to one embodiment of the present invention, the NFC device 102 or 104 includes a card manager proxy 112 that facilitates the communication between a Trusted Service Manager (i.e., TSM server) 114 and the TMSM 106, a set of readonly wallet user interface (UI) applications 116 and transaction wallet applications 118. The card manager proxy 112 is a software module configured to execute commands (e.g., application protocol data unit commands or APDU commands) embedded in network messages on behave of the TSM 114 against the applets in the SE, and send network messages including APDU responses from the applets in the SE to the TSM 114. The readonly wallet UI 116 provides an interface to query one or more Mifare applications on information that can be accessed by well-known read sector keys or default keys, but will not modify the information in the underlying Mifare cards being supported. For example, an application can be written to display balances from many existing transit purses in different cities in China. The transaction wallet UI 118 is provided for conducting operations that will modify one or

11

more Mifare sectors. Different write keys will be needed for altering the various sectors.

[0058] In one embodiment, the operations of the transaction wallet UI 118 includes:

1. top up balance of a transit purse after transferring money from a linking account;

2. deduct balance from a transit purse when make a payment for goods or services;

3. add a loyalty point to a partner company of a transit operator.

These operations need to modify certain sectors in a supported card or an application simulating the card to keep track of the purse balance, transaction log and/or loyalty point in an underlying Mifare card.

[0059] According to one embodiment, each pair of the readonly wallet UI applications 116 and transaction wallet applications 118 are provided by one of corresponding application/service providers 120. As will be further described below, these applications may be downloaded from a portal or provided via the TSM 114 and subsequently provisioned for a user.

[0060] Further, the TMSM 106 is a component or applet configured to be responsible for installing and personalizing the applications, and swapping one or another application into or out an emulator 122 as long as one the applications remains activated. As used herein, an emulator means a hardware device or a program that pretends to be another particular device or program that other components expect to interact with. In one embodiment, the emulator 122 emulates the Mifare classic operating system by providing the exact same hardware and/or software functionality. Once the emulator 122 (implemented in hardware or software) is installed, it responds exactly like a native Mifare chip to an interface (e.g., a reader) transmitting Mifare commands. According to one embodiment, the TMSM 106 is configured to provide the following functionalities:

 providing a set of APIs so that a wallet application (e.g., simulating a Mifare card), when instructed by an user, can be caused to swap (i.e., activate on an emulator) an application in and out the Mifare emulator 122 so that the NFC device 102 or 104 is able to support more than one Mifare cards or applications of similar type. Depending on implementation, the APIs may replace one application in the Mifare emulator 122 with an activated application in entirety or only a portion of the original application to keep those to be used by the newly activating application. It shall be noted that an application herein does not mean that there is only one file for the application. In general, there are a number of data sets and files for one application. Therefore, when an application in the emulator is being replaced by the activated application, some data sets may be retained for use with the activated application loaded into the emulator.

- 2. providing a set of APIs to read off a wallet application (e.g., to read out balance or transaction history).
- enabling the TSM 114 to remotely personalize/provision multiple Mifare applications, which includes installing application keys and application data to the TMSM 106 and later on swapping an activated one to the emulator 122.
- 4. enabling the TSM 114 to manage provisioned Mifare applications. This includes locking and unlocking of a Mifare application so that it cannot be swapped into the emulator 122.
- 5. providing a trusted environment such that an application provider can only modify its application and meta data thereof that is owned by the application provider.
- providing a mechanism to make baseband storage as an extension for storing the software-based or logical smart cards (e.g., in lieu of multiple physical Mifare cards) swapped out from the emulator 122 to the TMSM 106, partly for solving the issue of limited memory in the emulator 122.

[0061] In one embodiment, the TMSM 106 is implemented by enhancing the Mifare4Mobile technology. Mifare4Mobile was initially developed by NXP and may support only a few of the functionalities listed above but not all. The current design of the Mifare4Mobile technology was based upon the assumption that all service providers trust a TSM (e.g., the TSM 114) and each other. A Mifare4Mobile service manager (a software module) does not have a mean to differentiate application ownerships. With an established secured channel to a Mifare4Mobile service manager, a service provider can access to all Mifare service objects (i.e., Mifare

applications) installed in that manager. As a result, an application provider could easily overwrite the content of another application that is not owned by application provider.

[0062] According to one embodiment, the implementation of FIG. 1A is able to overcome the deficiency of the Mifare4Mobile technology. Besides interacting with a GlobalPlatform card manager (not shown), the card manager proxy 118 is configured to interact with the TMSM 106 for installing corresponding Mifare service objects of a Mifare application. FIG. 1B shows two different models of security channel supports that may be used for the TMSM 106. Model 1 of FIG. 1B is to make use of a security channel mechanism supported by GlobalPlatform, where GlobalPlatform is an independent, not-for-profit organization concerned with a standardized infrastructure for development and management of smart cards. Model 2 of FIG. 1B is to have a mechanism of security channel support built into a TMSM.

[0063] There are at least two types of applications/services that can be supported in the configuration of FIG. 1A; read only and transaction-based. For the read only applications, an operation can use the RETRIEVE DATA APDU to retrieve application data (e.g., balance) from the TMSM 106. PIN validation might be needed by the applications before the data can be retrieved. For the transaction-based applications, the UI application can interact with a dedicated application applet to perform a transaction. A transaction might involve more than one APDU. The respective UI applications also act as proxy to the backend server of an application provider.

[0064] As shown in FIG. 1A, the TMSM 106 includes a set of service objects and corresponding key indexes. Each logical Mifare card in the TMSM 106 is called a service object. Each application can be associated with a key set index (also called key version number) of the installed SSD (Supplementary Secured Domain) key. Currently, each SSD can support a maximum of 127 different keysets. Thus it is possible to install more than one key set on the SSD. There are many ways to assign these key sets. In an extreme case, each application has its own key set. Another way is that each application provider has its own key set and all applications from the same application providers share the same key set. In one embodiment, the

14

Mifare4Mobile service manager is enhanced to apply access rules to the requested APDU commands based on this key association. This enhancement does not require any modification to the APDU format of the Mifare4Mobile specification v1.0.1. The extension is as follows:

- Define a new optional tag to the proprietary content for the private meta data of a Mifare service object. This tag is used to store the key set index and establish an association between a key set and an application.
- 2. Add new logic to the Mifare4Mobile service manager to enforce this association when a requested APDU command is targeted to a Mifare application (i.e. service object in the TMSM 106).
- 3. Reserve 15 key set indices from 0x01 to 0x10 to TSM for TSM operations. For any service object that does not have associated key set index, any of this installed TSM key set indices can be used to work with the service object.

[0065] A new proprietary tag 0x8C is defined for the private meta data of a service object in the following:

Value Name	Туре	Presence	Tag	Length (bytes)	Value
Proprietary Content – SSD Key Set Index	Private Data	Optional	8C	1	1 to 127

If an application is assigned a dedicated key set index, this tag must be set to the index of that key set. For example, if an application is assigned a key set index 5, the private meta of that service object has a tag 8C with value 5.

[0066] This enhancement does not require any modification to the APDU format of the Mifare4Mobile specification v1.0.1. A specified key index set for a service object does not have to be pre-installed in its residing Mifare4Mobile service manager. The manager does not check the existence of the specified key set index. However, the key index set has to be put (via PUT KEY command) into the manager before the service object is activated, otherwise, no modification can be done to that service object.

[0067] When performing operations on a service object, the TSM 114 or a service provider 120 has to establish a SSD secure channel using a key set index. The key set index is specified in the INITIAL UPDATE command when sending to the Mifare4Mobile Service Manager. After the secured channel is successfully established, the Mifare4Mobile Service manager is configured to store this index. During this secured session, the Mifare4Mobile service manager enforces the following access rules to requested commands:

Command against a service	Allowed Key Set		
object (SO)	Index		
DELETE	TSM		
UPDATE DATA against	TSM or SO		
application data			
UPDATE DATA against all data	TSM		
(meta and application)			
GET DATA	No SSD		
RETRIEVE DATA	No SSD		
ACITIVATE	No SSD		

[0068] Each row defines an access rule of a command. The first column is a requested APDU command. The second column indicates what the key indices are allowed to perform the command. The TSM 114 denotes a set of key indices assigned to the TSM 114. SO indicates a key index associated with that Mifare service object. It shall be noted that it is not any service object key set index but the associated key set index for the Mifare service object specified in the 8C tag.

[0069] For supporting locking and unlocking a Mifare application, two APDUs are added to the Mifare4Mobile Service Manager. These two APDUs are TSM based API. A TSM security channel must be established between the TSM 114 via the card manager proxy 112 to the TMSM 106 before the commands can be issued against a Mifare application. Upon receiving the commands, the TMSM 106 sets the corresponding Mifare service object to an appropriate status. It is noted that the Mifare4Mobile service manager is extended with an additional lock state. If a Mifare application is locked, a wallet application is not able to swap (i.e., activate) that Mifare application. The TSM 114 will have to unlock that application before the Mifare application can be swapped into the emulator 122.

[0070] As the memory, especially in a smartcard, is very limited, one implementation is to allow the service objects to be swapped to the baseband persistent storage from the TMSM 106. The baseband persistent storage (not shown) maintains a mapping table. Each row of the table contains information about a service object. At least the following information is kept; the service object ID (SOID) of a service object, and a service object in an encrypted format. The TMSM 106 will encrypt a service object before it is swapped out therefrom.

[0071] According to one embodiment, the TMSM 104 has a new swapping counter. Upon a successful swapping, the counter is incremented by 1. The TMSM 104 maintains a swapping table to keep track of the SOs that are currently swapped out. This table shall maintain two columns: the SOID and a value of the swap counter when the SO was swapped. When an SO is swapped, the encryption of the following information is returned to the baseband for storage: value of the swap counter and the service object. In the embodiment, the encryption key can be the mifare4mobile DEK key or a new key personalized into the TMSM applet 106 specifically for this purpose. The encryption is recommended to be 3DES with CBC mode using all zeros for initial vector.

[0072] In addition, each service object is enhanced with a new attribute to indicate whether the service object is allowed to be swapped to the baseband storage. This indicator is set when the service object is installed. In one embodiment, the Mifare4Mobile APDU command set for the TMSM is enhanced as follows:

- 1. a new APDUs for swapping a service object to the baseband storage.
- 2. the applet behavior is modified when receiving the Mifrae4Mobile ACTIVATE or INSTALL command.

[0073] According to one embodiment, the details of the modification are as follows:

 Swap command: ask the applet to find and mark a service object that can be swapped to the baseband. This service object must be swappable and has the oldest access time stamp. This requests that an APDU request shall have the following characteristics:

17

- a. The command option P1 has a value to indicate it is swappable for activation or swappable for installation.
- b. The request data contains one or two pieces of information:
 - i. the service object ID to be swapped to the applet (e.g., emulator).
 - ii. the encrypted service object to be swapped if it is swappable for activation. This encrypted service object is retrieved from the baseband, wherein there is a mapping table based on the given SOID.

Upon receiving the request, the TMSM 106 first performs validation to ensure the APDU is proper. In addition, if the SOID has already in the applet, then an error code is returned to indicate that the SOID is in the applet. If the request includes an encrypted service object, the TMSM 106 has to recover the service object and the swapped counter from the encrypted data. The TMSM 106 is then configured to verify the counter against the swapping table. If both counters are not matched, it returns an error message to indicate the data has been corrupted. This decrypted SO is kept and used in the next ACTIVATE command. On the other hand, upon successful execution, the APDU response contains two pieces of information: the ID of the SO that will be swapped out of the Applet, and the encryption of this SO and a swap counter. If the next immediate command that the TMSM 106 receives is neither ACTIVATE nor INSTALL, it will unmark the service object.

2. Activate or Install for Install commands: These two commands are modified with the following behavior. Upon receiving one of these two commands, the TMSM 106 checks to see whether there is a marked swapped SO. If not, the subsequent behavior shall be the same as the original commands. Otherwise, it checks to ensure that APDU matches the purpose for swapping in the previous Swap command. The request is rejected if it is not matched. If the APDU passes the test, the marked swapped SO will be deleted. For the case of ACTIVATE, the previously encrypted data will be used to update the SO table. After that, the subsequent behavior will be the same as the original commands.

[0074] According to one embodiment, a layer of SDK is provided for the baseband so that when activating or installing a SO,

- For activate command, it will check to see the mapping table maintained in the baseband whether the service object is in the baseband. If it is not, it simply issues the original activate command to the applet. Otherwise, it jumps to step 3 below.
- 2. For install, it bypasses the above checking and jumps to step 3.
- 3. The swapping steps are as follow:
 - a. it issues a swap command to the TMSM applet. The SDK retrieves the SO based on the SOID from the mapping table to prepare the swap APDU command.
 - b. If the response contains encrypted data and its SOID, the SDK will use the information in the response to update the mapping table.
 - c. It then issues the original ACTIVATE or INSTALL command.

[0075] Referring now to FIG. 1C, that shows a block diagram of an exemplary computing (mobile) device 130 that may be used in FIG. 1A. The computing device 130 includes a near field communication (NFC) controller 131 that enables the device 130 to interact with another device wirelessly to exchange data with. For example, a user may use the mobile device 130 as an e-purse or a wallet to pay for a purchase or an admission. In operation, the e-purse is controlled by a secure element (SE) 132. Essentially, the SE 132 enables such a mobile device 130 to perform a financial transaction, transport ticketing, loyalty, physical access control, and other exciting new services in a secured manner. To offer such services, the SE 132 is configured to support various applets, applications or modules (by way of example, only two exemplary applications 134 and 136 are shown in FIG. 1B). Depending on implementation, these applications or modules may be hardware modules embedded or inserted thereon, or software modules downloadable from one or more servers via a data network.

[0076] When a mobile device is first purchased by or delivered to a customer, the SE 132 in the mobile device is installed with a set of default keys (e.g., an Issuer

Security Domain (ISD) key set by the SE manufacturer). In one embodiment, the SE 132 is a tamper-proof chip capable to embed smart card-grade applications (e.g., payment, transport ...) with the required level of security and features. In FIG. 1B, the SE 132 is embedded or associated with various applications (e.g., NFC-related) and is connected to the NFC controller 131 to act as the contactless front end. Typically, a standard-compliant SE comes with one issuer security domain (ISD) and an option for one or more supplemental security domains (SSD). Each of these domains includes a set of keys. In one embodiment, the SE 132 is a chip embedded in the mobile device 130 or in a miniature card inserted into the mobile device 130 via a card interface 139. In another embodiment, the SE 132 is or includes a software module loaded in a secured memory space 137 in the mobile device 130. The software module may be updated by downloading updating components from a designated server using a network interface 133 (e.g., a 3G network or an LTE network) in the mobile device 130.

[0077] The SE 132 needs to go through a personalization process before it can be used. In one embodiment, the personalization process is to load the SE 132 with or update a key set with a derived personalized key set of a chosen card issuer (i.e., a so-called SE issuer). Depending on situation, an SE issuer and an SE manufacturer may be two separate entities and a single entity. To facilitate the description of the present invention, the SE issuer and the SE manufacturer will be described herein as if they are two separate entities. Further, a personalization process may be also referred to as a provisioning process. According to one embodiment, the SE provisioning process is performed over the air (OTA) to cause the SE to be personalized while installing an application or enabling a service (i.e., application installation and personalization). The personalization of an SE is only done once the SE is associated with an SE issuer. The application installation and provisioning shall be done for each application when a user subscribes or installs an application.

[0078] In one embodiment, when updating or upgrading the SE 132, only one or some components pertaining to the SE 132 are replaced by newer updates to avoid personalizing the SE 132 from beginning. Depending on implementation, such newer updates may be automatically or manually obtained to be loaded into the mobile

device 130. In one embodiment, applications are available for an NFC-enabled mobile device for downloading from a server or a TSM portal depending on the corresponding SE issuer and the TSM thereof.

[0079] TSM, standing also for Trusted Service Management, is a collection of services. One main role envisaged for the TSM is to help service providers securely distribute and manage contactless services for their customers using the networks of mobile operators. The TSM or its server(s) does not necessarily participate in actual contactless transactions involving the NFC devices. These transactions are processed normally in whatever system the service provider and its merchant partners have already put in place. Another role of the TSM is to accelerate the successful deployment and ramp-up of mobile NFC applications by acting as a commercial intermediary that facilitates contractual arrangements and other aspects of ongoing business relationships among different parties that make the commerce via the mobile networks possible.

[0080] The personalization process can be done either physically in a service center or remotely via a web portal by a TSM server. In the first scenario, the customer may physically go to a service center to let a service representative to personalize the SE in a mobile device. With a computer connected to an NFC reader at a designated place (e.g., a service center), a provisioning manager can be either an installed application or a web-based application connecting to a backend TSM. The provisioning manager is configured to communicate with the SE of the mobile device (e.g., via a reader). Such a personalization process is referred to as a process Over the Internet (OTI).

[0081] In the second scenario, the customer registers his/her mobile phone via a server (often a TSM web portal). The TSM server is configured to push a universal resource identifier (URI) of a provisioning manager to the registered mobile phone. Depending on a type of the device, the push can be either an SMS (Short Message Service) Push or a Google Android Push. The customer can download the provisioning manager into the mobile device and start the personalization process. Such a personalization process is referred to as a process Over the Air (OTA). **[0082]** In either one of the scenarios, the provisioning manager acts as a proxy between the SE in the mobile device and the TSM server. Referring now to FIG. 1D, it shows a flowchart or process 150 of personalizing an SE according to one embodiment of the present invention. Depending on implementation, the process 150 may be implemented in software or a combination of software and hardware. When a user receives a new NFC device (e.g., a part of a mobile device), the SE therein needs to be personalized.

[0083] At 152, the new NFC device is determined if it is a genuine NFC device. One example is to check a serial number associated with the NFC device. The serial number may be verified with a database associated with a TSM server. In the example of an NFC mobile device, the device serial number of the mobile device may be used for verification. It is now assumed that the NFC device is a genuine device (recognizable by a mobile operator). The process 150 goes to 154 to have the NFC device communicated with a dedicated server. In one embodiment, the server is a part of the Trusted Service Management (TSM) system and accessible via a wireless network, the Internet or a combination of wireless and wired networks (herein referred to as a data network or simply a network).

[0084] At 156, the NFC device is registered with the server. Once the NFC device becomes part of the system, various services or data may be communicated to the device via the network. As part of the personalization process, the server requests device information of the SE at 158. In one embodiment, the server is configured to send a data request (e.g., a WAP PUSH) to the device. In responding to the request, the device sends back CPLC (card product life cycle) information retrieved from the SE. The CPLC includes the SE product information (e.g., the smart card ID, manufacturer information and a batch number and etc.). Based on the CPLC info, the server is able to retrieve corresponding default Issuer Security Domain (ISD) information of this SE from its manufacturer, its issuer, an authorized distributor or a service provider. Depending on implementation, there are two ways that the server may communicate with an SE distributor or manufacturer, which will be fully discussed herein late when deemed appropriate.

[0085] At 160, it is up to the manufacturer whether to update the device information. In general, when an SE is shipped from the manufacturer, the SE is embedded with some default device information. If it is decided that the default information such as the CPLC data is to be updated with the manufacturer, the process 150 goes to 162, where the manufacturer uploads corresponding updated device information to the server. The updated device information is transported to the device and stored in the SE at 164. If it is decided that the default information in the SE is not to be updated with the manufacturer, the process 150 goes to 164 to store the retrieved default device information in a database with the TSM server. In one embodiment, the server is configured to include an interface to retrieve a derived SE key set from the mobile device. According to one embodiment, the derived key set is generated with the device information (e.g., ISD) of the SE. When the derived ISD key set is successfully installed on the SE, the corresponding SE issuer is notified of the use of the derived ISD key set.

[0086] According to one embodiment, the device information (default or updated) is used to facilitate the generation of a set of keys at 166. In operation, the server is configured to establish a secured channel using the default ISD between its hardware security module (HSM) and the SE. The server is also configured to compute a derived key set for the SE. Depending on a business agreement, a master ISD key of an issuer for the SE may be housed in a hardware security module (HSM) associated with the server or in a local HSM of the SE issuer. An HSM is a type of secure cryptoprocessor provided for managing digital keys, accelerating crypto-processes in terms of digital signings/second and for providing strong authentication to access critical keys for server applications. If it is housed in the HSM of the server, the server is configured to instruct the HSM to compute the derived key set. Then, the server prepares a mechanism (e.g., PUT KEY APDU) and uses the default channel to replace the default key set originally in the SE with the derived key set. If the master ISD key of the SE issuer is in a local HSM of the SE issuer, the server is configured to interact with the remote HSM to retrieve the keys.

[0087] At 168, the set of keys is securely delivered to the SE. The set of keys is thus personalized to the SE and will be used for various secured subsequent operations or services with the NFC device. The server at 130 is configured to synchronize the SE
with the issuer or provider (e.g., sending a notification thereto about the status of the SE). After the personalization, the SE can only be accessed using the personalized ISD key of the SE issuer. Depending on the security requirement of each service provider, the TSM can create additional SSDs for the various providers to personalize their respective applications (e.g., the modules 134 or 136 of FIG. 1C).

[0088] As mentioned above, there are two ways that may be used to retrieve the corresponding default Issuer Security Domain (ISD) information from the SE in interfacing with the manufacturer thereof. Depending on the infrastructure, a manufacturer can choose to use a real-time approach or a batch approach.

[0089] In the real-time approach, the server is configured to communicate with the manufacturer (i.e., its server thereof) when an SE by the manufacturer is being personalized by the TSM server. The default key set is, thus, retrieved on demand from the server of the manufacturer. In one embodiment, the TSM server includes a plugin module for each of the manufacturers to communicate therewith.

[0090] In the batch approach, it can be done either offline mode or online mode. In the offline mode, the SE manufacturer delivers the default ISD information for all SEs being supported via an encrypted physical media. An administrator for the TSM may or a computing device may be configured to import the information in a media to a computing device. The default ISDs are then decrypted and retrieved, and stored in a database. In the online mode, the SE manufacturer uploads the default ISD information for the SEs it supports via a network. The default ISDs are then decrypted and retrieved, and stored in a database. Afterwards, the TSM only needs to access its own HSM o the database during an SE personalization process. FIG. 1E shows respective relationships among the SE manufacturer, the TSM admin and the TSM system for both offline and online modes. FIG. 1F illustrates data flows among a user for an NFC device (e.g., an NFC mobile phone), the NFC device itself, a TSM server, a corresponding SE manufacturer and an SE issuer according to one embodiment.

[0091] In one perspective, the SE 132 of FIG. 1C may be perceived as a preload operating system in a smart card, providing a platform for PIN management and security channels (security domains) for card personalization. The SE 132

combines the interests of smart card issuers, vendors, industry groups, public entities and technology companies to define requirements and technology standards for multiple applications running in the smart cards. As an example, one module 134 referred to as an e-purse security defines a set of protocols that enable micro payment transactions to be carried out over a data network. With an electronic purse (a.k.a., epurse application) stored on a smart card, a set of keys (either symmetric or asymmetric) is personalized into the e-purse after the e-purse is issued. During a transaction, the e-purse uses a set of respective keys for encryption and MAC computation in order to secure the message channel between the e-purse and an SAM (Security Authentication Module) or backend servers. For a single functional card, the e-purse security 134 is configured to act as gates to protect actual operations performed on a single functional card. During personalization, the single functional card access keys (or its transformation) are personalized into the e-purse with the epurse transaction keys.

[0092] As an example, it is assumed that an installed application, e-purse or a Mifare card, has been provisioned with the SE. FIG. 1G shows a flowchart or process 190 of data flow among three entities: a land-based SAM or a network e-purse server 192, an e-purse 194 acting as a gatekeeper, and a single function tag 196. Communications between the land-based SAM or the network e-purse server 192 and the e-purse 194 are conducted in sequence of a type of commands (e.g., APDU) while communications between the e-purse 194 and the single function tag 196 are conducted in sequence of another type of commands, wherein the e-purse 194 acts as the gate keeper to ensure only secured and authorized data transactions could happen.

[0093] In one embodiment, the physical security for the e-purse is realized in an emulator. As used herein, an emulator means a hardware device or a software module that pretends to be another particular device or program that other components expect to interact with. The e-purse security is realized between one or more applets configured to provide e-purse functioning and communicate with a payment server. An SE supporting the e-purse is responsible for updating security keys to establish appropriate channels for interactions between a payment server and the applets,

wherein the e-purse applet(s) acts as a gatekeeper to regulate or control the data exchange.

[0094] Referring now to FIG. 2A, it shows a mobile payment ecosystem 200 in which related parties are involved in order for the mobile payment ecosystem successful. According to one embodiment, an NFC device is allowed to install or download one or more applications from respective designated servers 202 (i.e., application management providers), where the applications are originally developed by developers 204 and distributed by service providers 210, application management providers 202 or others. It is assumed that the secure element 206 provided by a secure element provider 208 has already been personalized via a TSM or a trusted third party (e.g., a financial institution 212).

[0095] Once an application is installed in an NFC device, the next step is to provision the application with the secure element. An application provisioning process can be started in several ways. One of the ways is that an SE holder selects an application from a TSM portal on the mobile device and initiates the provisioning process. Another one is that the SE holder receives an application provisioning notification on the mobile device from the TSM on behalf of an application (service) provider.

[0096] The TSM or application providers can publish their applications on a TSM portal to be downloaded to a mobile device with the SE and/or subscribed at a request of a user (a.k.a., an SE holder). In one embodiment, the TSM is a cloud service to serve many SE issuers. Thus, many applications from various service providers are available on the TSM portal. However, when getting onto the TSM portal, SE holders can only see those applications approved by its own SE issuer. Depending on the arrangement between an SE and a service provider, an application can either be downloaded/installed/personalized using the ISD keyset of the SE or a specific SSD keyset of the service provider. If a SSD keyset has not been installed on the SE, it can be installed during an application installation.

[0097] The TSM is designed to know the memory state or status of an SE for various SSDs. Based on the state of the SE and the memory allocation policy of the

SSDs, the available applications for the various SSD in the application store may be marked with different indicators, for example, "OK to install", or "Insufficient memory to install". This will prevent unnecessary failure for users.

[0098] Once an application is installed on an NFC device, the application initiates a provisioning process by itself, or the TSM can push a provisioning notification to the NFC device via a cellular network or a wireless data network. Depending on the type of the devices, there are many different types of push messages to cause the NFC device to initial the provision process. An example of the push methods includes an SMS push or an Android Google Push. Once a user accepts the notification, the provisioning process starts. The details of the provisioning process will be described below whenever deemed appropriate.

[0099] As part of the application provisioning, a TSM server implements some protective mechanism. One is to prevent an SE from being accidentally locked. Another is to disable application download if there is no sufficient memory on SE. In some cases, an SE may permanently lock itself if there are too many failed mutual authentications during secure channel establishment. In order to prevent the SE from being accidentally locked, the TSM keeps the track of the number of failed authentications between an SE and the TSM when establishing a secured channel between the two entities. In one embodiment, the TSM is configured to reject any further request if a preset limit is reached. The TSM can continue to process the SE request if the SE is reset at the service center manually.

[00100] The TSM also keeps track of the memory usage of each SE. The TSM decides whether an application can be installed on an SE based on the memory allocation assigned by the SE issuer to each service provider. According one embodiment, there are three types of policies:

- pre-assigned fixed memory to guarantee a space of fixed capacity.
- pre-assigned minimum memory to guarantee a space of a minimum capacity (implying that the capacity may be expanded under some conditions).

 best efforts (e.g., a contractual provision which requires the SE issuer to use its highest efforts to perform its obligations and to maximize the benefits to be received by the user).

[00101] According to one embodiment, an SE issuer uses a TSM web portal to make this assignment.

- 1. For a batch of SE, the SE issuer can pre-assign a memory policy for a service provider to install its applications via the TSM web portal;
- The TSM server verifies whether the space of the respective service provider conforms to its policy when a mobile device requests to install one of its applications. If not conformed, this request is rejected, otherwise, the TSM server will proceed to handle the provisioning request;
- 3. If the provisioning succeeds, the TSM will accumulate the memory size of this application service.

[00102] When a mobile user subscribes to a mobile application (assuming it has been installed), the application has to be provisioned with the SE in the mobile device before it can be used. According to one embodiment, the provisioning process includes four major stages:

- to create an supplemental security domain (SSD) on the SE, if needed;
- to download and install an application cap on the SE;
- to personalize the application on the SE; and
- to download a UI component on mobile phone.

[00103] FIG. 2B shows a flowchart or process 220 of provisioning one or more applications according to one embodiment. The process 220 may be implemented in software or a combination of software and hardware. In one embodiment, the application provisioning process 220 needs to go through a provisioning manager (i.e., proxy) on the mobile phone to interact with the SE therein.

[00104] As shown in FIG. 2B, at 222, the application provisioning process 220 may be started manually or automatically. For example, a user may initiate the process 220 by selecting an installed application to subscribe related services or the installed application, when activated, initiates the provisioning process, provided it has

not been provisioned. In another embodiment, a provider of an application pushes a message (e.g., SMS) to the mobile phone to initiate the provisioning process.

[00105] In any case, the process 220 goes to 224 to establish a communication with a dedicated server (e.g., a TSM server or a server operated by an application distributor) after the device information (e.g., CPLC) is retrieved from the SE in the mobile device. The device information along with an identifier identifying the application is transmitted to the server at 226. Based on the device information, the server identifies the issuer for the SE first at 228 to determine if the SE has been personalized at 230. If the SE has not been personalized, the process 220 goes to 232 to personalize the SE, where one embodiment of the function 232 may be implemented in accordance with the process 150 of FIG. 1B.

[00106] It is now assumed that the SE in the mobile device has been personalized. The process 220 now goes to 234 to establish a secure channel with the SE using the derived ISD. Depending on who houses the HSM (TSM or SE issuer) for the ISD, the server will contact the HSM to compute the derived ISD for the SE and establish a secure channel with the SE using this derived ISD. The server is then configured to check to see whether there is an SSD associated with this application at 236. If there is not an SSD associated with the application, the server is configured to check a database to see whether it has been installed with this SE. If the SSD installation is needed, then the process 220 goes to install the SSD. In one embodiment, the user is alerted of the installation of the SSD (keys). Should the user refuse to install the SSD at 238, the process 220 stops and goes to 222 to restart the provisioning process 220.

[00107] It is now assumed that the process of installing the SSD proceeds at 240. Installing the SSD is similar to installing the ISD. The TSM server is configured to contact the HSM that houses the SSD master key to compute the derived SSD key set for the SE. The master SSD key set can be either in the TSM or with the service provider or the SE issuer, largely depending on how the arrangement is made with all parties involved.

[00108] To download/install the application to the SE, the server is configured to establish a secure channel with the SE using this derived SSD at 242. In one embodiment, this is similar to how the ISD-based secure channel is established. At 244, the data for the application is prepared, the detail of which will be further discussed below. According to one embodiment, the server is configured to contact the service provider to prepare asset of APDUs, such as STORE DATA APDUs, where ADPU stands for Application Protocol Data Unit. Depending on an application installed in a mobile device, the server may be caused to repeatedly issue STORE DATA to personalize the application with the SE. Additional data including an appropriate interface (e.g., a user interface of the application per the mobile device) may be downloaded provided that the provisioning process is successfully done. At 246, the server will notify the application provider the status of the application that has been provisioned. According to one embodiment and the above description, FIG. 2C shows a data flow 250 illustrating various interactions among different parties when an application is being provisioned in one embodiment.

[00109] As shown in 244 of FIG. 2B, one of the important functions in provisioning an application is to prepare customized application data for the targeted SE. For example, for an e-purse application, the personalized data for the application includes various personalized transaction keys generated based on the device information (e.g., CPLC info) of the SE. For transit e-purse, part of the personalized data includes the Mifare access keys derived from an identifier (ID) of the Mifare card, the server is configured to personalize both Java Card applications and Mifare4Mobile service objects. In general, there are at least two different ways to prepare the data to facilitate subsequent transactions.

[00110] For data preparation, one embodiment of the present invention supports two operation modes to interact with service providers for computing the personalized application data. For the first mode, a TSM server does not have direct access to the HSM associated with a service provider. The service provider may have a server interacting with its HSM to generate the application keys (e.g., Transit, e-purse, or Mifare Key). The TSM data preparation implementation is to make use of application program interfaces (API) or a protocol provided by the server to request for

derived application keys. The second mode is that data preparation implementation can directly access the HSM associated with the service provider to generate the application keys.

[00111] According to one embodiment, FIG. 2D shows a data flow 255 among different entities when preparing the application data in provisioning an application. FIG. 2D is provided to show the first mode in which a TSM server does not have direct access to the HSM associated with a service provide. The second mode has a similar flow except that the application data preparation implementation will interact directly with the HSM of a service provider.

[00112] Besides supporting a provisioning process, one embodiment of the present invention also supports the life cycle management of an SE. The life cycle management includes, but may not be limited to, SE lock, SE unlock, Application Delete (disabling). The initiation of these activities may be through a TSM push notification. In actual use of mobile devices, FIG. 2E shows a flowchart or process 260 of locking an installed application. An NFC device may have been installed with a number of applications in connection with or running on top of the secured element therein. For some reason (e.g., no activity for a prolonged period or expiration), an application needs to be disabled or locked by its distributor or provider.

[00113] FIG. 2E shows an operation or process 260 to disable an installed application. The process 260 is initiated at 262. In one embodiment, the process 260 is initiated by an operator manually via a TSM web portal. In another embodiment, the process 260 is automatically initiated by a service provider internal workflow (e.g., using TSM web service API). Once the process 260 is initiated, a message is pushed to an NFC device (e.g., within a mobile device) in which an application is to be disabled. Depending on application, such a message may come in different forms. In one embodiment, the message is a PUSH command. In another embodiment, the message is a TCP/IP request delivered to the device via a network. The message may be sent from a server (e.g., a TSM server) at 264. Depending on implementation, such a message may include an identifier identifying an application to be locked or disabled. Upon receiving such a message, a card manager proxy on the device is caused to

verify whether such a message is indeed from its original distributor or provider by returning a message at 266. According to one embodiment, the message is sent to the TSM server for verification. If the verification fails, namely there is no acknowledgement to such an inquiry, the process 260 is abandoned.

[00114] It is now assumed that the verification is successful, namely the inquiry from the device to a provider of the application returns an acknowledgement that the original request is authenticated. In general, such an acknowledgement includes an identifier confirming the application to be locked at 268. The TSM server is configured to establish a secure channel with the SE as described previously. Then, the TSM server is to prepare appropriate APDUs (such as SET STATUS, or/and DELETE) for the SE for execution via the card manager proxy.

[00115] In any case, in responding to the command, the SE proceeds by locking the application at 272. According to one embodiment, the SE is caused to disassociate with the application, thus making the installed application no longer usable with the SE. At 274, the SE is configured to send out an acknowledgement to notify related parties that this application is no longer operating in the device. In one embodiment, the acknowledgement is sent over to the TSM server where there is a database recording what applications have been installed in what device, and a corresponding status of each. The database is updated with the acknowledgement from the SE.

[00116] FIG. 2E shows a flowchart or process for disabling or locking an installed application. It is known to those skilled in the art that other operations, such as unlocking or enabling an installed application, extending expiration of an installed application, are similar to the one shown in FIG. 2E, and thus the flowcharts thereof are not provided herein.

[00117] Referring now to FIG. 2F, there shows an exemplary architecture diagram 280 of a portable device enabled as an electronic wallet or e-purse to facilitate e-commerce and m-commerce, according to one embodiment of the present invention. The diagram 280 includes a cell phone 282 embedded with a smart card module. An example of such a cell phone is a near field communication (NFC) enabled

cellphone that includes a Smart MX (SMX) module. Not separately shown, there is an SE that has already personalized according to the process discussed above. An application to enable the device as e-purse has also been installed. Unless explicitly stated, the following description will not call out which part is performing the function of a secure element and which part is performing as an application. Those skilled in the art shall appreciate the proper parts or functions being performed given the detailed description herein.

[00118] The SMX is pre-loaded with a Mifare emulator 288 (which is a single functional card) for storing values. The portable phone is equipped with a contactless interface (e.g., ISO 14443 RFID) that allows the portable phone to act as a tag. In one embodiment, the SMX is a JavaCard that can run Java applets. The e-purse application is configured to be able to access the Mifare data structures with appropriate transformed passwords based on the access keys created when the SE is personalized.

[00119] In the portable phone 282, an e-purse manager MIDlet 204 is provided. For m-commerce, the MIDlet 284 acts as an agent to facilitate communications between an e-purse applet 286 and one or more payment network and servers 290 to conduct transactions therebetween. As used herein, a MIDlet is a software component suitable for being executed on a portable device. The e-purse manager MIDlet 284 is implemented as a "MIDlet" on a Java cell phone, or an "executable application" on a PDA device. One of the functions of the e-purse manager MIDlet 284 is to connect to a wireless network and communicate with an epurse applet which can reside on either the same device or an external smart card. In addition, it is configured to provide administrative functions such as changing a PIN, viewing an e-purse balance and a transaction history log. In one application in which a card issuer provides a SAM 292 that is used to enable and authenticate any transactions between a card and a corresponding server (also referred to as a payment server). As shown in FIG. 2F, APDU commands are constructed by the servers 290 having access to a SAM 292, where the APDU is a communication unit between a reader and a card. The structure of an APDU is defined by the ISO 7816

standards in one embodiment. Typically, an APDU command is embedded in network messages and delivered to the server 290 or the e-purse applet 286 for processing.

[00120] For e-commerce, a web agent 294 on a computer (not shown) is responsible for interacting with a contactless reader (e.g., an ISO 14443 RFID reader) and the network server 290. In operation, the agent 294 sends the APDU commands or receives responses thereto through the contactless reader 296 to/from the e-purse applet 286 residing in the cell phone 282. On the other hand, the agent 294 composes network requests (such as HTTP) and receives responses thereto from the payment server 280.

[00121] To personalize or provision the portable phone 282, FIG. 3A shows a block diagram 300 of related modules interacting with each other to achieve what is referred to herein as e-purse personalization (or provisioning) by an authorized person. FIG. 3B shows a block diagram 320 of related modules interacting with each other to achieve what is referred to herein as e-purse personalization by a user of the e-purse as shown in FIG. 2F.

[0100] FIG. 3C shows a flowchart or process 350 of personalizing an e-purse applet according to one embodiment of the present invention. FIG. 3C is suggested to be understood in conjunction with FIG. 3A and FIG. 3B. The process 350 may be implemented in software, hardware or a combination of both.

[0101] As described above, an e-purse manager is built on top of the alreadypersonalized SE to provide a security mechanism necessary to personalize the epurse applet designed therefor. In operation, a security domain is used for establishing a secured channel between a personalization application server and the e-purse applet. According to one embodiment, the essential data to be personalized into the epurse applet include one or more operation keys (e.g., a load or top-up key and a purchase key), default PINs, administration keys (e.g., an unblock PIN key and a reload PIN key), and passwords (e.g., from Mifare).

[0102] It is assumed that a user desires to personalize an e-purse applet embedded in a portable device (e.g., a cell phone). At 352 of FIG. 3C, a personalization process is initiated. Depending on implementation, the personalization process may be

implemented in a module in the portable device and activated manually or automatically, or a physical process initiated by an authorized person (typically associated with a card issuer). As shown in FIG. 3A, an authorized personal initiates a personalization process 304 to personalize the e-purse applet for a user thereof via an existing new e-purse SAM 306 and an existing SAM 308 with the contactless reader 310 as the interface. The card manager 311 performs at least two functions: 1) establishing a security channel, via a security domain, to install and personalize an external application (e.g., e-purse applet) in the card personalization; and 2) creating security means (e.g., PINs) to protect the application during subsequent operations. As a result of the personalization process using the personalization application server 304, the e-purse applet 312 and the emulator 314 are personalized.

[0103] Similarly, as shown in FIG. 3B, a user of an e-purse desires to initiate a personalization process to personalize the e-purse applet wirelessly (e.g., via the m-commerce path of FIG. 2). Different from FIG. 3A, FIG. 3B allows the personalization process to be activated manually or automatically. For example, there is a mechanism on a cell phone that, if pressed, activates the personalization process. Alternatively, a status of "non-personalized" may prompt to the user to start the personalization process. As described above, a MIDlet 322 (i.e., a provisioning manager or a service manager) in a portable device acts as an agent to facilitate the communication between a payment server 324 and the e-purse applet 312 as well as the emulator 314, wherein the payment server 324 has the access to the existing new e-purse SAM 306 and an existing SAM 308. As a result of the personalization process, the e-purse applet 312 and the emulator 314 are personalized.

[0104] Referring now back to FIG. 3C, after the personalization process is started, in view of FIG. 3A, the contactless reader 310 is activated to read the tag ID (i.e., RFID tag ID) and essential data from a smart card in the device at 354. With an application security domain (e.g., a default security setting by a card issuer), a security channel is then established at 356 between a new e-purse SAM (e.g., the SAM 306 of FIG. 3A) and an e-purse applet (e.g., the e-purse applet 312 of FIG. 3A) in the portable device.

[0105] Each application security domain key set includes at least three (3) DES keys. For example:

Key1: 255/1/DES-ECB/404142434445464748494a4b4c4d4e4f

Key2: 255/2/DES-ECB/404142434445464748494a4b4c4d4e4f

Key3: 255/3/DES-ECB/404142434445464748494a4b4c4d4e4f

A security domain is used to generate session keys for a secured session between two entities, such as the card manager applet and a host application, in which case the host application may be either a desktop personalization application or a networked personalization service provided by a backend server.

[0106] A default application domain can be installed by a card issuer and assigned to various application/service providers. The respective application owner can change the value of the key sets before the personalization process (or at the initial of the process). Then the application can use the new set to create a security channel for performing the personalization process.

[0107] With the security channel is established using the application provider's application security domain, the first set of data can be personalized to the e-purse applet. The second set of data can also be personalized with the same channel, too. However, if the data are in separate SAM, then a new security channel with the same key set (or different key sets) can be used to personalize the second set of data.

[0108] Via the new e-purse SAM 306, a set of e-purse operation keys and PINs are generated for data transactions between the new e-purse SAM and the e-purse applet to essentially personalize the e-purse applet at 358.

[0109] A second security channel is then established at 360 between an existing SAM (e.g., the SAM 308 of FIG, 3A) and the e-purse applet (e.g., the e-purse applet 312 of FIG, 3A) in the portable device. At 362, a set of transformed keys is generated using the existing SAM and the tag ID. The generated keys are stored in the emulator for subsequent data access authentication. At 358, a set of MF passwords is generated using the existing SAM and the tag ID, then is stored into the e-purse applet for future data access authentication. After it is done, the e-purse

including the e-purse applet and the corresponding emulator is set to a state of "personalized".

[0110] FIG. 4A and FIG. 4B show together a flowchart or process 400 of financing or funding an e-purse according to one embodiment of the present invention. The process 400 is conducted via the m-commerce path of FIG. 2. To better understand the process 400, FIG. 4C shows an exemplary block diagram 450 of related blocks interacting with each other to achieve the process 400. Depending on an actual application of the present invention, the process 400 may be implemented in software, hardware or a combination of both.

[0111] A user is assumed to have obtained a portable device (e.g., a cell phone) that is configured to include an e-purse. The user desires to fund the e-purse from an account associated with a bank. At 402, the user enters a set of personal identification numbers (PIN). Assuming the PIN is valid, an e-purse manger in the portable device is activated and initiates a request (also referred to an over-the-air (OTA) top-up request) at 404. The MIDlet in the portable device sends a request to the e-purse applet at 406, which is illustrated in FIG. 4C where the e-purse manager MIDlet 434 communicates with the e-purse applet 436.

[0112] At 408, the e-purse applet composes a response in responding to the request from the MIDlet. Upon receiving the response, the MIDlet sends the response to a payment network and server over a cellular communications network. As shown in FIG. 4C, the e-purse manager MIDlet 434 communicates with the e-purse applet 436 for a response that is then sent to the payment network and server 440. At 410, the process 400 needs to verify the validity of the response. If the response cannot be verified, the process 400 stops. If the response can be verified, the process 400 moves to 412 where a corresponding account at a bank is verified. If the account does exist, a fund transfer request is initiated. At 414, the bank receives the request and responds to the request by returning a response. In general, the messages exchanged between the payment network and server and the bank are compliant with a network protocol (e.g., HTTP for the Internet).

[0113] At 416, the response from the bank is transported to the payment network and server. The MIDlet strips and extracts the APDU commands from the response and forwards the commands to the e-purse applet at 418. The e-purse applet verifies the commands at 420 and, provided they are authorized, sends the commands to the emulator at 420 and, meanwhile updating a transaction log. At 422, a ticket is generated to formulate a response (e.g., in APDU format) for the payment server. As a result, the payment server is updated with a successful status message for the MIDlet, where the APDU response is retained for subsequent verification at 424.

[0114] As shown in FIG. 4C, the payment network and server 440 receives a response from the e-purse manager MIDlet 434 and verifies that the response is from an authorized e-purse applet 436 originally issued therefrom with a SAM 444. After the response is verified, the payment network and server 440 sends a request to the financing bank 442 with which the user 432 is assumed to maintain an account. The bank will verify the request, authorize the request, and return an authorization number in some pre-arranged message format. Upon receiving the response from the bank 442, the payment server 440 will either reject the request or accept the request by forming a network response sent to the MIDlet 434.

[0115] The e-purse manager 434 verifies the authenticity (e.g., in APDU format) and sends commands to the emulator 438 and updates the transaction logs. By now, the e-purse applet 436 finishes the necessary steps and returns a response to the MIDlet 434 that forwards an (APDU) response in a network request to the payment server 440.

[0116] Although the process 400 is described as funding the e-purse. Those skilled in the art can appreciate that the process of making purchasing over a network with the e-purse is substantially similar to the process 400, accordingly no separate discussion on the process of making purchasing is provided.

[0117] Referring to FIG. 5A, there is shown a first exemplary architecture 500 of enabling a portable device 530 for e-commerce and m-commerce over a cellular communications network 520 (e.g., a GPRS network) in accordance with one

embodiment of the present invention. The portable device 530 comprises a baseband 524 and a secured element 529 (e.g., a smart card). One example of such portable device is a Near Field Communication (NFC) enabled portable device (e.g., a cell mobile phone or a PDA). The baseband 524 provides an electronic platform or environment (e.g., a Java Micro Edition (JME), or Mobile Information Device Profile (MIDP)), on which an application MIDlet 523 and a service manager 522 can be executed or run. The secured element 529 contains a global platform (GP) card manager 526, an emulator 528 and other components such as PIN manager (not shown), wherein the global platform is an independent, not-for-profit organization concerned with a standardized infrastructure for development, deployment and management of smart cards.

[0118] To enable the portable device 530 to conduct e-commerce and mcommerce, one or more services/applications need to be pre-installed and preconfigured thereon. An instance of a service manager 522 (e.g., a MIDlet with GUI) needs to be activated. In one embodiment, the service manager 522 is downloaded and installed. In another embodiment, the service manager 522 is preloaded. In any case, once the service manager 522 is activated, a list of directories for various services is shown. The items in the list may be related to the subscription by a user, and may also include items in promotion independent of the subscription by the user. The directory list may be received from a directory repository 502 of a directory server 512. The directory server 512 acts as a central hub (i.e., yellow page functions) for different service providers (e.g., an installation server, a personalization server) that may choose to offer products and/or services to subscribers. The yellow page functions of the directory server 512 may include service plan information (e.g., service charge, start date, end date, etc.), installation, personalization and/or MIDlet download locations (e.g., Internet addresses). The installation and personalization may be provided by two different business entities. For example, the installation is provided by an issuer of a secured element 529, while the personalization may be provided by a service provider who holds application transaction keys for a particular application.

[0119] According to one embodiment, the service manager 522 is configured to connect to one or more servers 514 (e.g., a TSM server) from a service provider(s)

over the cellular communications network 520. It is assumed that the user has chosen one of the applications from the displayed directory. A secured channel 518 is established between the one or more servers 514 and the GP manager 526 to install/download an application applet 527 selected by the user and then to personalize the application applet 527 and optionally emulator 528, and finally to download an application MIDlet 523. The applet repository 504 and MIDlet repository 506 are the sources of generic application applets and application MIDlets, respectively. GP SAM 516 and application SAM 517 are used for creating the secured channel 518 for the personalization operations.

[0120] FIG. 5B is a diagram showing a second exemplary architecture 540 of enabling a portable device 530 for e-commerce and m-commerce over a public network 521, according to another embodiment of the present invention. Most of the components of the second architecture 540 are substantially similar to those of the first architecture 500 of FIG. 5A. While the first architecture 500 is based on operations over a cellular communications network 520, the public network 521 (e.g., Internet) is used in the second architecture 540. The public network 521 may include a local area network (LAN), a wide area network (WAN), a Wi-Fi (IEEE 802.11) wireless link, a Wi-Max (IEEE 802.16) wireless link, etc. In order to conduct service operations over the public network 521, an instance of the service manager 532 (i.e., same or similar functionality of the service manager MIDlet 522) is installed on a computer 538, which is coupled to the public network 521. The computer 538 may be a desktop personal computer (PC), a laptop PC, or other computing devices that can execute the instance of the service manager 532 and be connected to the public network 521. The connection between the computer 538 and the portable device 530 is through a contactless reader 534. The service manager 532 acts as an agent to facilitate the installation and personalization between one or more servers 514 of a service provider and a GP card manager 526 via a secured channel 519.

[0121] FIG. 5C is a flowchart illustrating a process 550 of enabling a portable device for e-commerce and m-commerce functionalities in accordance with one embodiment of the present invention. The process 550 may be implemented in software, hardware or a combination of both depending on implementation. To better

understand the process 500, previous figures especially FIG. 5A and FIG. 5B are referred to in the following description.

[0122] Before the process 550 starts, an instance of a service manager 522 or 532 has been downloaded or pre-installed on either the portable device 530 or a computer 538. At 552, the service manager is activated and sends a service request to the server 514 at a service provider. Next after the authentication of a user and the portable device has been verified, at 554, the process 550 provides a directory list of services/applications based on subscription of the user of the portable device 530. For example, the list may contain a mobile POS application, an e-purse application, an eticketing application, and other commercially offered services. Then one of the services/applications is chosen from the directory list. For example, an e-purse or a mobile-POS may be chosen to configure the portable device 530. Responding to the user selection, the process 550 downloads and installs the selected services/applications at 556. For example, e-purse applet (i.e., application applet 527) is downloaded from the applet repository 504 and installed onto a secured element 529. The path for downloading or installation may be either via a secured channel 518 or 519. At 558, the process 550 personalizes the downloaded application applet and the emulator 528 if needed. Some of the downloaded application applets do not need to be personalized and some do. In one embodiment, a mobile POS application applet ("POS SAM") needs to be personalized, and the following information or data array has to be provided:

a unique SAM ID based on the unique identifier of the underlying secured element;

a set of debit master keys;

a transformed message encryption key;

a transformed message authentication key;

a maximum length of remark for each offline transaction;

a transformed batch transaction key; and

a GP PIN.

[0123] In another embodiment, personalization of an e-purse applet for a single functional card not only needs to configure specific data (i.e., PINs, transformed keys,

start date, end date, etc.) onto the e-purse, but also needs to configure the emulator to be operable in an open system. Finally, at 560, the process 550 downloads and optionally launches the application MIDlet 523. Some of the personalized data from the application applet may be accessed and displayed or provided from the user. The process 550 ends when all of the components of services/applications have been installed, personalized and downloaded.

[0124] According to one embodiment, an exemplary process of enabling a portable device 530 as a mobile POS is listed as follows:

- connecting to an installation server (i.e., one of the service provider server 514) to request the server to establish a first security channel (e.g., the secured channel 518) from an issuer domain (i.e., applet repository 504) to the GP card manager 526 residing in a secured element 529;
- receiving one or more network messages including APDU requests that envelop a POS SAM applet (e.g., a Java Cap file from the applet repository 504);

extracting the APDU requests from the received network messages;

sending the extracted APDU requests to the GP card manager 526 in a correct order for installation of the POS SAM (i.e., application applet 527) onto the secured element 529;

connecting to a personalization server (i.e., one of the service provider servers 514) for a second security channel (may or may not be the secured channel 518 depending on the server and/or the path) between the personalization server and the newly downloaded applet (i.e., POS SAM);

receiving one or more network messages for one or more separated 'STORE DATA APDU'; and

extracting and sending the 'STORE DATA APDU' to personalize POS SAM; and downloading and launching POS manager (i.e., application MIDlet 523).

[0125] Referring to FIG. 6A, there is shown an exemplary architecture 600, in which a portable device 630 is enabled as a mobile POS to conduct e-commerce and m-commerce, according to one embodiment of the present invention. The portable device 630 comprises a baseband 624 and a secured element 629. A POS manager 623 is downloaded and installed in the baseband 623 and a POS SAM 628 is installed

and personalized in the secured element 629 to enable the portable device 630 to act as a mobile POS. Then a real time transaction 639 can be conducted between the mobile POS enabled portable device 630 and an e-token enabled device 636 (e.g., a single functional card or a portable device enabled with an e-purse). The e-token may represent e-money, e-coupon, e-ticket, e-voucher or any other forms of payment tokens in a device.

[0126] The real time transaction 639 can be conducted offline (i.e., without the portable device connecting to a backend POS transaction server 613). However, the portable device 630 may connect to the backend POS transaction servers 613 over the cellular network 520 in certain instances, for example, the amount of the transaction is over a pre-defined threshold or limit, the e-token enabled device 636 needs a top-up or virtual top-up, transactional upload (single or in batch).

[0127] Records of accumulated offline transactions need to be uploaded to the backend POS transaction server 613 for settlement. The upload operations are conducted with the portable device 630 connecting to the POS transaction server 613 via a secured channel 618. Similar to the installation and personalization procedures, the upload operations can be conducted in two different routes: the cellular communications network 520; or the public network 521. The first route has been described and illustrated in FIG. 6A.

[0128] The second route is illustrated in FIG. 6B showing an exemplary architecture 640, in which a portable device 630 is enabled as a mobile POS conducting a transaction upload in batch operation over a public network 521, according to an embodiment of the present invention. Records of offline transactions in the mobile POS are generally kept and accumulated in a transaction log in the POS SAM 628. The transaction log are read by a contactless reader 634 into a POS agent 633 installed on a computer 638. The POS agent 633 then connects to a POS transaction server 613 over the public network 521 via a secured channel 619. Each of the upload operations is marked as a different batch, which includes one or more transaction records. Data communication between the POS SAM 628, the contactless reader 634 and the POS agent 632 in APDU containing the transaction records.

Network messages that envelop the APDU (e.g., HTTP) are used between the POS agent 632 and the POS transaction server 613.

[0129] In one embodiment, an exemplary batch upload process from the POS manager 623 or the POS agent 633 includes:

sending a request to the POS SAM 628 to initiate a batch upload operation; retrieving accumulated transaction records in form of APDU commands from a marked "batch" or "group" in the POS SAM 628 when the POS SAM 628 accepts the batch upload request;

forming one or more network messages containing the retrieved APDU commands; sending the one or more network messages to the POS transaction server 613 via a secured channel 619;

receiving a acknowledgement signature from the POS transaction server 613; forwarding the acknowledgement signature in form APDU to the POS SAM 628 for verification and then deletion of the confirmed uploaded transaction records; and

repeating the step b) to step f) if there are additional un-uploaded transaction records still in the same "batch" or "group".

[0130] Referring to FIG. 6C, there is shown a flowchart illustrating a process 650 of conducting m-commerce using the portable device 630 enabled to act as a mobile POS with an e-token enabled device 636 as a single functional card in accordance with one embodiment of the present invention. The process 650, which is preferably understood in conjunction with the previous figures especially FIG. 6A and FIG. 6B, may be implemented in software, hardware or a combination of both.

[0131] The process 650 (e.g., a process performed by the POS manager 623 of FIG. 6A) starts when a holder of an e-token enabled device (e.g., a Mifare card or an e-purse enabled cell phone emulating single functional card) desires to make a purchase or order a service with the mobile POS (i.e., the portable device 630). At 652, the portable device 630 retrieving an e-token (e.g., tag ID of Mifare card) by reading the e-token enabled device. Next, the process 650 verifies whether the retrieved e-token is valid at 654. If the e-token enabled device 636 of FIG. 6A is a

single functional card (e.g., Mifare), the verification procedure performed by the POS manager 623 includes: i) reading the card identity (ID) of the card stored on an area that is unprotected or protected by a well-known key; ii) sending an APDU request containing the card ID to the POS SAM 628; iii) and receiving one or more transformed keys (e.g., for transaction counter, an issuer data, etc.) generated by the POS SAM 628. If the one or more received transformed keys are not valid, that is, the retrieved etoken being not valid, then the process 650 ends. Otherwise, the process 650 following the "yes" branch to 656, in which it is determined whether there is enough balance in the retrieved e-token to cover the cost of the current transaction. If the result is "no" at 656, the process 650 may optionally offer the holder to top-up (i.e., load, fund, finance) the e-token at 657. If "no", the process 650 ends. Otherwise if the holder agrees to a real time top-up of the e-token enabled device, the process 650 performs either a top-up or a virtual top-up operation at 658. Then the process 650 goes back to 656. Whereas there is enough balance in the e-token, the process 650 deducts or debits the purchase amount from the e-token of the e-token enabled device 636 at 660. In the single functional card case, the one or more transformed keys are used to authorize the deduction. Finally at 662, records of one or more offline transactions accumulated in the POS SAM 628 are uploaded to the POS transaction server 613 for settlement. The upload operations may be conducted for each transaction or in batch over either the cellular communications network 520 or the public domain network 521.

[0132] The top-up operations have been described and shown in the process 400 of FIG. 4A. A virtual top-up operation is a special operation of the top-up operation and typically is used to credit an e-token by a sponsor or donor. To enable a virtual top-up operation, the sponsor needs to set up an account that ties to an e-token enabled device (e.g., a single functional card, a multi-functional card, an e-token enable cell phone, etc.). For example, an online account is offered by a commercial entity (e.g., business, bank, etc.). Once the sponsor has funded the e-token to the online account, the holder of the e-token enabled device is able to receive an e-token from the online account when connecting to the mobile POS. Various security measures are implemented to ensure the virtual top-up operation is secure and

reliable. One exemplary usage of the virtual top-up is that a parent (i.e., a sponsor) can fund an e-token via an online account, which is linked to a cell phone (i.e., an e-token enabled device) of a child (i.e., the holder), such that the child may receive the funded e-token while the child makes a purchase at a mobile POS. In addition to various e-commerce and m-commerce functionalities described herein, the POS manager 623 is configured to provide various query operations, for example, a) checking the un-batched (i.e., not uploaded) balance accumulated in the POS SAM, b) listing the un-batched transaction log in the POS SAM, c) viewing details of a particular transaction stored in the POS SAM, d) checking the current balance of an e-token enabled device, e) listing a transaction log of the e-token enabled device, and f) viewing details of a particular transaction of the e-token enabled device.

[0133] Referring to FIG. 6D, there is shown a flowchart illustrating an exemplary process 670 of conducting m-commerce using the portable device 630 enabled to act as a mobile POS with an e-token enabled device 636 as a multi-functional card in accordance with one embodiment of the present invention. The process 670, which is preferably understood in conjunction with the previous figures especially FIG. 6A and FIG. 6B, may be implemented in software, hardware or a combination of both.

[0134] The process 670 (e.g., a process performed by the POS manager 623 of FIG. 6A) starts when a holder of an e-token enabled device 636 (e.g., a multi-functional card or an e-purse enabled cell phone emulating a multi-functional card) desires to make a purchase or order a service with the mobile POS (i.e., the portable device 630). At 672, the process 670 sends an initial purchase request to the e-token enabled device 636. The purchase amount is sent along with the initial request (e.g., APDU commands). Next the process 670 moves to decision 674. When there is not enough balance in the e-token enabled device 636. The initial purchase request will be turned down as a return message received at the POS manager 623. As a result, the process 670 ends with the purchase request being denied. If there is enough balance in the e-token enabled device 636, the result of the decision 674 is "yes" and the process 670 follows the "yes" branch to 676. The received response (e.g., APDU commands) from the e-token enabled device 636 is forwarded to the POS SAM 628. The response comprises information such as the version of the e-token key and a

random number to be used for establishing a secured channel between the applet (e.g., e-purse applet) resided on the e-token enabled device 636 and the POS SAM 628 installed on the portable device 630. Then, at 678, the process 670 receives a debit request (e.g., APDU commands) generated by the POS SAM 628 in response to the forwarded response (i.e., the response at 676). The debit request contains a Message Authentication Code (MAC) for the applet (i.e., e-purse applet) to verify the upcoming debit operation, which is performed in response to the debit request sent at 680. The process 670 moves to 682 in which a confirmation message for the debit operation is received. In the confirmation message, there are additional MACs, which are used for verification and settlement by the POS SAM 628 and the POS transaction server 613, respectively. Next at 684, the debit confirmation message is forwarded to the POS SAM 628 for verification. Once the MAC is verified and the purchase transaction is recorded in the POS SAM 628, the recorded transaction is displayed at 686 before the process 670 ends. It is noted that the e-commerce transaction described may be carried out offline or online with the POS transaction server 613. Also when there is not enough balance in the e-token enabled device, a top-up or funding operation may be performed using the process 400 illustrated in FIG. 4A and FIG. 4B.

[0135] FIG. 7 shows an exemplary configuration in which a portable device is used for an e-ticketing application. A portable device 730 is configured to include an e-purse 724. When an owner or holder of the portable device 730 desires to purchase a ticket for a particular event (e.g., a concert ticket, a ballgame ticket, etc.), the owner can use e-purse 724 to purchase a ticket through an e-ticket service provider 720. The e-ticket service provider 720 may contact a traditional box office reservation system 716 or an online ticketing application 710 for ticket reservation and purchase. Then e-token (e.g., e-money) is deducted from the e-purse 724 of the portable device 730 to pay the ticket purchase to a credit/debit system 714 (e.g., a financial institute, a bank). A SAM 718 is connected to the e-ticket service provider 720 so that the authentication of e-purse 724 in the portable device 730 can be assured. Upon a confirmation of the payment is received, the e-ticket is delivered to the portable device 730 over the air (e.g., a cellular communications network) and stored onto a secured

element 726 electronically, for example, an e-ticket code or key or password. Later on, when the owner of the portable device 730, the ticket holder, attends the particular event, the owner needs only to let a gate check-in reader 734 to read the stored eticket code or key in the portable device 730. In one embodiment, the gate check-in reader 734 is a contactless reader (e.g., an ISO 14443 complied proximity coupling device). The portable device 730 is a NFC capable mobile phone.

[0136] Referring now to FIG. 8A, it shows a diagram of multiple parties involved in a TSM operated and orchestrated by a business according to one embodiment. A TSM operation team 802 includes an administration responsible for managing accounts for users that have personalized their SEs via the TSM and other tasks. In one embodiment, the TSM operation team 802 includes someone for managing the accounts and someone for managing system resources, such as managing HSM, creating HSM indices and GP keyset mapping. In addition, the team is responsible for offline importing default ISD info from one or more SE manufacturers. The team may also include someone referred to as a certification engineer responsible to collaborate with service providers and the SE issuers on application approval process. The TSM sales team 804, also referred to as business account manager, is responsible for sales and account management for the vendors of the TSM. Some of the team 804 may only work with the SE manufacturers, some may only work with SE Issuers while other may work with more than one type of vendors. The TSM partner service team 806, also referred to as support engineers, is responsible for providing technical support to the vendors of the TSM, such as the SE issuers and the service providers. The TSM partner service team 806, does not deal directly with mobile users but helps partners analyze audit logs. The vendors 808 include one or more of the SE Issuers, the SE manufacturers, and the service providers. An SE issuer holds the responsibilities for the issuance of SEs and owns the ISD of the SEs. Working with the TSM teams, it can install additional SSD for service providers if needed. An SE manufacturer as the name suggests is responsible for manufacturing the SEs and installing a default ISD in the SEs. It also works with the TSM teams to provide these default ISD key sets. The service provider is responsible for developing NFC mobile applications. Exemplary applications from the service providers include, but may not be limited to, transit

purses, bank's e-purses and credit cards. Smaller service providers may be those to provide applications used as room keys.

[0137] FIG. 8B shows relevant operations among the parties in the TSM according to one embodiment. The description of the operations is not to be described in detail herein to avoid obscuring the important aspect of the embodiment of the present invention. FIG. 8C shows a work flow among multiple parties to establish mutually agreed arrangement in an exemplary TSM. An SE issuer or a service provider asks the TSM to house its GP keyset. For the SE issuer. In one embodiment, this GP keyset is most likely to be used as ISD. For the service provider, this keyset will be used as SSD. The process of creating the keyset involves creating the keys in the HSM and creates a mapping in TSM system as indicated in FIG. 8C. The effective range of the mapping will be set to a contract expiring date. In general, an HSM key index cannot be active for more than one mapping at the same time.

[0138] When the keyset is about to expire, a renewal may be made. The renewal flow is similar to the creation process shown in FIG. 8C. According to one embodiment, the TSM will send a notification to the keyset owner periodically a few months before the keyset expires. The notification stops once the keyset owner renews the contract. The keyset owner can start the renewal process by creating a work request or item. A responsible TSM business account manager approves/rejects the work item. Upon receiving the approved work item, the TSM administration updates the keyset expiring date according to the renewal contract.

[0139] Similarly, the keyset can be expired earlier or terminated. The terminate flow is similar to the creation process shown in FIG. 8C. The keyset owner can request to stop the keyset at a future date. The responsible TSM business account manager will verify and approve/reject the request immediately. The TSM administration sets the expiring date of the mapping to the specified date. The HSM key indices can be reused by the TSM for other vendors. An audit log is maintained to keep track of the transactions.

[0140] FIG. 8D shows a data flow for an ISD mapping between an SE issuer and the TSM. In general, the ISD mappings are managed by each SE Issuer directly.

An SE Issuer can create a mapping to bind an external or internal keyset to an ISD key index. External keysets are keysets not residing in an HSM associated with aTSM while the internal keysets are those residing in the HSM. Normally, the SE issuer should not need to specify the default ISD as the default ISD comes from the SE manufacturer. However, an SE Issuer has an option to overwrite this default ISD if needed.

[0141] According to FIG. 8D, the SE Issuer creates an ISD mapping for a card OS to bind a keyset and an ISD key index (e.g., ranging from 1 to 127). If the keyset is not external, the TSM will ensure that the keyset mapping with its HSM exists. In operation, the SE issuer can directly modify or delete the ISD mapping. As described above, an SE Manufacturer has the default ISD information for the SEs that it produces. The TSM provides both batch and real-time approaches for the SE manufacturer to share this information. Depending on the agreement with TSM, the manufacturer can use either the batch or real-time approach, which has been described above.

[0142] For security reasons, a service provider (SP) may want to have its own SSD for personalizing its applications. The SSD mapping is created by an SE issuer to bind a key index it assigns to the service provider to the SP keyset. FIG. 8E shows a corresponding data flow among a server provider, an SE issuer and the TSM. Similar to the SSD creation, a service provider may request the SE issuer to delete a SSD mapping. The workflow is substantially similar to the SSD creation.

[0143] As described above, applications are provided by service providers to the users. An application needs to be approved and published before it is available for mobile users to subscribe and download. For example, a service provider needs to submit an application to SE issuer and TSM for approval. In operation, a service provider needs to submit an application to the SE issuer and TSM for approval. FIG. 8F shows a data flow for the approval of an application by an SE issuer. If a dedicated SSD is needed, the service provider can request a SSD beforehand as described in Section 6, or can indicate in the request. If a dedicated SSD is needed, the service provider as above or can indicate in the request.

Before an approved application is available to general public yet, either the service provider or the SE issuer can initiate the publishing process. Both parties must agree before the application is published in the TSM for the users. Then the vendors are notified of the date and availability of the application.

[0144] In some cases, an SE needs to be replaced. The SE replacement could happen at a request of either a mobile user or its SE issuer. Mostly, it is to upgrade a SE for a bigger memory for more services. The following three points should be noted:

 For those applications need to migrate their application states from the old SE, the old SE

need to be still accessible by the applications (via TSM).

- For those applications requiring no state migration, the TSM needs simply just reinstall and personalize the applications.
- However, if any applications that have states in the SE but do not support state migration, the TSM is not able to migrate their states. For these applications, they will be treated as the second case (namely, the applications must be reinstalled and personalized).

[0145] FIG. 8G shows a process of replacing an SE and involves the following stages. An SE issuer informs a TSM about

- SE issuer informs TSM about SE replacement request;
- TSM collaborates with service providers to prepare APDU commands for collecting states of applications on the old SE;
- For each application, TSM executes the command(s) to retrieve application states and lock the application;

• TSM informs mobile user to physically change the new SE. Mobile user may change his/her mind to rollback the replacement request. No rollback is possible after this step;

TSM will update the default ISD if it has not been done; and

• Collaborating with Service Providers, TSM will install and personalize or provision each application. If needed, TSM will install the SSD for service providers. The personalization data will be prepared based on the static data in the service provider and the dynamic application states. **[0146]** Referring now to FIG. 9, it shows a snapshot of a screen display of an account for a personalized SE. As shown in the menu 902, the account maintains detailed information 904 about the SE that has been personalized. In addition, the account includes a list of provisioned applications as well as security keys. Other information such as application owners (who developed the applications), the responsible contact at the TSM, an SE log as well as an applications log may be maintained.

[0147] The invention is preferably implemented by software, but can also be implemented in hardware or a combination of hardware and software. The invention can also be embodied as computer readable code on a computer readable medium. The computer readable medium is any data storage device that can store data which can thereafter be read by a computer system. Examples of the computer readable medium include read-only memory, random-access memory, CD-ROMs, DVDs, magnetic tape, optical data storage devices, and carrier waves. The computer readable medium can also be distributed over network-coupled computer systems so that the computer readable code is stored and executed in a distributed fashion.

[0148] The present invention has been described in sufficient details with a certain degree of particularity. It is understood to those skilled in the art that the present disclosure of embodiments has been made by way of examples only and that numerous changes in the arrangement and combination of parts may be resorted without departing from the spirit and scope of the invention as claimed. Accordingly, the scope of the present invention is defined by the appended claims rather than the foregoing description of embodiment.

Samsung Ex. 1016, Page 65 of 699 Samsung Electronics America, Inc. v. RFCyber Corp. IPR2021-00980

Claims

We claim:

- A mobile device supporting multiple applications, the mobile device comprising: an emulator;
 - a near field communication (NFC) interface to facilitate data exchange between a reader and an application being loaded and executed in the emulator, wherein the application in the emulator being one of the applications is replaceable in entirety or in part by another one of the applications; and
 - a storage device configured to store the multiple applications, anyone of the applications being loadable into the emulator when selectively activated and subsequently replacing the application in the emulator, wherein the mobile device changes functions offered by the application to functions offered by another application newly loaded and executed in the emulator, wherein each of the applications has been remotely provisioned by a server configured to provide trusted service management (TSM).
- 2. The mobile device as recited in claim 1, further comprising a secure element that has been personalized by operations of:

initiating data communication between the mobile device and the server; receiving device information of the secure element from the mobile device in responding to a request from the server after the server determines that the secure element is registered therewith, wherein the device information is a sequence of characters uniquely identifying the secure element, and the request is a command causing the mobile device to retrieve the device information from the secure element therein; and

sending a set of instruction to cause the mobile device to receive in the secure element at least a set of keys from a designated place, wherein the keys are generated in accordance with the device information of the secure element, wherein the set of keys in the secure element facilitates a subsequent transaction between the portable device and a service provider.

- 3. The mobile device as recited in claim 2, wherein the emulator is implemented in the secure element, the secure element is enclosed in the mobile device or in a detachable card to the mobile device.
- 4. The mobile device as recited in claim 3, wherein each of the applications emulating functions of one of contactless cards provided respectively to perform a function related to monetary, the mobile device is able to be used for all of the contactless cards when one of the applications is loaded into and executed in the emulator.
- 5. The mobile device as recited in claim 4, wherein each of the contactless cards is a Mifare contactless card.
- 6. The mobile device as recited in claim 5, wherein the secure element further includes a module configured to provide Trusted Mifare Service Management (TMSM) and to store a plurality of service objects along with a plurality of key indexes, each of the service objects corresponding to one of the applications.
- 7. The mobile device as recited in claim 6, wherein mobile device further includes a card manager proxy configured to facilitate communication between the TSM server and the TMSM module in the secure element, a readonly user interface (UI) application provided to query one or more of the applications on information stored therein but will not modify the information, and a transaction UI application for conducting operations that will modify one or more sectors in one or more of the applications.
- 8. The mobile device as recited in claim 6, wherein the TMSM module is configured to:

- provide a set of Application Programming Interfaces so that one of the applications, when instructed by an user, is caused to swap an application in and out the emulator;
- provide a set of Application Programming Interfaces to one of the applications to read certain data therefrom;
- enable the TSM server to remotely provision each of the applications by installing application keys and application data to the TMSM module and later on swapping another one of the applications to the emulator;
- enable the TSM server to manage each of the applications by locking or unlocking one of the applications;
- provide a trusted environment such that an application provider modifies a designated application and meta data thereof owned by the application provider; and
- provide a mechanism to make baseband storage as an extension for storing some or all of the applications swapped out from the emulator to the TMSM module.
- 9. The mobile device as recited in claim 2, wherein the secure element is preloaded with default Issuer Security Domain (ISD) information that is determined to be updated entirely or partially subject to retrieved corresponding default ISD information from a party originating the secure element.
- 10. The mobile device as recited in claim 2, wherein the mobile device is a smartphone, a portable computer and a smart card.
- 11. The mobile device as recited in claim 1, wherein each of the applications has been remotely provisioned by the TSM server with operations of: receiving a request to provision an application installed in the mobile device, wherein the application to be provisioned with the secure element is distributed by an application provider; establishing a secured channel with the secure element using a set of keys;

preparing data for the application being provisioned, wherein the data includes supplemental security domains (SSD) to be associated with the application; and notifying the application provider of a status of the application with the portable device.

12. A method for a mobile device to support multiple applications, the method comprising:

installing the applications respectively in the mobile device, each of the applications pertaining to a physical contactless card, so that the mobile device is to be used in lieu of multiple physical contactless cards, wherein the mobile device comprises:

an emulator;

- a near field communication (NFC) interface to facilitate data exchange between a reader and an application being loaded and executed in the emulator, wherein the application in the emulator being one of the applications is replaceable in entirety or in part by another one of the applications; and
- a storage device configured to store the multiple applications, anyone of the applications being loadable into the emulator when selectively activated and subsequently replacing the application in the emulator, wherein the mobile device changes functions offered by the application to functions offered by another application newly loaded and executed in the emulator, wherein each of the applications has been remotely provisioned by a server configured to provide trusted service management (TSM).
- 13. The method as recited in claim 12, wherein the mobile device is associated with a secure element, the method further comprises: initiating data communication between the mobile device and the server; receiving device information of the secure element from the mobile device in responding to a request from the server after the server determines that the secure element is registered therewith, wherein the device information is a sequence of characters uniquely identifying the secure element, and the

request is a command causing the mobile device to retrieve the device information from the secure element therein; and

sending a set of instruction to cause the mobile device to receive in the secure element at least a set of keys from a designated place, wherein the keys are generated in accordance with the device information of the secure element, wherein the set of keys in the secure element facilitates a subsequent transaction between the portable device and a service provider.

- 14. The method as recited in claim 13, wherein the emulator is implemented in the secure element, the secure element is enclosed in the mobile device or in a detachable card to the mobile device.
- 15. The method as recited in claim 14, wherein each of the physical contactless cards is loaded with a Mifare emulator, the secure element further includes a module configured to provide Trusted Mifare Service Management (TMSM) and to store a plurality of service objects along with a plurality of key indexes, each of the service objects corresponding to one of the applications.
- 16. The mobile device as recited in claim 15, wherein mobile device further includes a card manager proxy configured to facilitate communication between the TSM server and the TMSM module in the secure element, a readonly user interface (UI) application provided to query one or more of the applications on information stored therein but will not modify the information, and a transaction UI application for conducting operations that will modify one or more sectors in one or more of the applications.
- 17. The method as recited in claim 13, wherein the secure element is preloaded with default Issuer Security Domain (ISD) information that is determined to be updated entirely or partially subject to retrieved corresponding default ISD information from a party originating the secure element.

- 18. The method as recited in claim 12, wherein the mobile device is a smartphone, a portable computer and a smart card.
- 19. The method as recited in claim 12, wherein each of the applications has been remotely provisioned by the TSM server with operations of: receiving a request to provision an application installed in the mobile device, wherein the application to be provisioned with the secure element is distributed by an application provider;

establishing a secured channel with the secure element using a set of keys; preparing data for the application being provisioned, wherein the data includes supplemental security domains (SSD) to be associated with the application; and notifying the application provider of a status of the application with the portable device.

Method and apparatus for emulating multiple cards in mobile devices

Abstract

Techniques for mobile devices configured to support or function as multiple contactless cards, such as Mifare contactless cards, are disclosed. According to one embodiment, a mobile device embedded with an emulator is loaded with a plurality of software modules or applications, each emulating one card or one type of contactless cards. An emulator is implemented in a secure element that is personalized for a user of the mobile device while the applications are respectively provisioned via their respective providers per the personalized secure element. When the mobile device is to be used as a contactless card to perform a monetary function, a corresponding application is loaded into and executed in the emulator. When the mobile device is to be used to perform another monetary function, a corresponding application is loaded into the emulator to replace the previous application entirely or partially in the emulator. As a result, the mobile device can be used as a monetary device in lieu of multiple contactless cards.


Offline Mifare application with reader and SAM













Samsung Ex. 1016, Page 78 of 699 Samsung Electronics America, Inc. v. RFCyber Corp. IPR2021-00980



FIG. 1G

190







Samsung Ex. 1016, Page 82 of 699 Samsung Electronics America, Inc. v. RFCyber Corp. IPR2021-00980







FIG. 2F



FIG. 3A

Samsung Ex. 1016, Page 86 of 699 Samsung Electronics America, Inc. v. RFCyber Corp. IPR2021-00980

<u>300</u>



FIG. 3B

Samsung Ex. 1016, Page 87 of 699 Samsung Electronics America, Inc. v. RFCyber Corp. IPR2021-00980

<u>320</u>



Samsung Ex. 1016, Page 88 of 699 Samsung Electronics America, Inc. v. RFCyber Corp. IPR2021-00980



Samsung Ex. 1016, Page 89 of 699 Samsung Electronics America, Inc. v. RFCyber Corp. IPR2021-00980



FIG. 4B



FIG. 4C

Samsung Ex. 1016, Page 91 of 699 Samsung Electronics America, Inc. v. RFCyber Corp. IPR2021-00980



FIG. 5A













<u>640</u>

FIG. 6B





Credit/Debit payment SAM System 718 714 Box Office e-ticket Service Reservation m-commerce Provider 720 System ticket purchase 716 and delivery \ ticket purchasing e-commerce ticket purchase and delivery Online Ticketing Application e-purse 724 Portable 710 Device 730 Gate e-ticket stored onto Check-in secured element 726 Reader 734

<u>700</u>

FIG. 7



Samsung Ex. 1016, Page 100 of 699 Samsung Electronics America, Inc. v. RFCyber Corp. IPR2021-00980





FIG. 8B





FIG. 8D

<u>830</u>



FIG. 8E

Samsung Ex. 1016, Page 104 of 699 Samsung Electronics America, Inc. v. RFCyber Corp. IPR2021-00980

<u>840</u>







FIG. 8G

	.ogo		*****************		Version *	11.3 0	Date: Jan 15 20'	12	
Work Bem	SE Man Secure Elema	igement	Prolie						
Menu Secure Element SE Application Application Security Domain	SE No. Owner	00410995 Cavin Xie	Card Ty	pe SIM Cr	Sto # Phone	itus 5105	Active 557777		
Keyset Service Provider Application Owner TSM Contact	lasuer Name Manufacturer	ert 1y2	ISD Name nexusISD Batch No 5976						
SE Log Application Log	Available Capacity (bytes/kbytes) COS System JCOP GP Version <u>2.1</u>)/60 Card Version 2.4.1 DAP Key Version 1					
	Creation Date Last Modifier	Dec 1 20 Date Oct 5 20	10	Last Mo	dified By	J	ustin		
	Installed Applica	tions	Туре	Size (Byte)	Provider		Creation Date		
	PBOC EPurse	Personalized	Card & VI	26461	MyBank	5	Dec 1 2011		
	PSE	Installed	Cart	642	MyBank	5	Dec 1 2011	_ F	G,

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Application Data Sheet 37 CFR 1.76		Attorney Docket Number	RFID-084				
		Application Number					
Title of Invention	Method and apparatus for emulating multiple cards in mobile devices						
The application data sheet is part of the provisional or nonprovisional application for which it is being submitted. The following form contains the bibliographic data arranged in a format specified by the United States Patent and Trademark Office as outlined in 37 CFR 1.76. This document may be completed electronically and submitted to the Office in electronic format using the Electronic Filing System (EFS) or the document may be printed and included in a paper filed application.							

Secrecy Order 37 CFR 5.2

Portions or all of the application associated with this Application Data Sheet may fall under a Secrecy Order pursuant to 37 CFR 5.2 (Paper filers only. Applications that fall under Secrecy Order may not be filed electronically.)

Inventor Information:

Invent	tor	1						R	emove		
Legal	Name										
Prefix	Give	en Name	Middle Name			Family Name					Suffix
Mr.	Xian	gzhen			Xie						
Resid	lence	Information	(Select One) 🤇	US Residency	۲	Non US Re	sidency (O Activ	e US Mi	litary Service	¢
City	Shenz	zhen		Country of	Country of Residence i			CN			
Mailing	Addr	ess of Invent	tor:								
Addre	ss 1		C505, Long Tai	Xuan, Nanguang	Village	Э					
Addre	ss 2		Nanshang Distri	ct							
City		Shenzhen	State/Province GD								
Posta	l Code	3	518051		Country CN						
Invent	or	2						R	emove		
Legal	Name										
Prefix	Give	en Name		Middle Name			Family Name				Suffix
Mr.	Lian	g Seng					Koh				
Resid	lence	Information	(Select One)	US Residency	0	Non US Re	sidency (O Activ	e US Mi	litary Service	, ;
City Fremont S			tate/Province	CA	Country of Residence i US						
Mailing	Addr	ess of Invent	tor:								
Address 1 41291 Carmen Street											
Address 2											
City Fremont			State/Prov			vince CA					
Postal Code 94539		Country I		US							
Inventor 3								R	emove		
Legal Name											
Prefix	Give	en Name	Middle Name				Family Name				Suffix
Mr.	Hsin					Pan					
PTO/AIA/14 (08-12)

Approved for use through 01/31/2014. OMB 0651-0032 U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Application Data Shoot 27 CEP 1 76				Attorney Docket Number			RFID-084			
Appi					Application Number					
Title of Invention Method and apparatus for e			is for em	ulating multi	ple ca	rds in mobile	devices			
Residence Information (Select One) US Residency Non US Residency Active US Military Service					e US Military Service					
City	City Fremont S			State/	Province	CA	Count	ry of Reside	ence i	US
Mailing	Addre	ss of Inv	ventor:							
Addre	ss 1		2374 Olive Av	venue						
Addre	ess 2									
City Fremont					State/Pro	vince	CA			
Posta	Postal Code 94539 Country US									
All Inventors Must Be Listed - Additional Inventor Information blocks may be generated within this form by selecting the Add button.										
_										

Correspondence Information:

Enter either Customer Number or complete the Correspondence Information section below. For further information see 37 CFR 1.33(a).

An Address is being provided for the correspondence Information of this application.					
Customer Number	26797				
Email Address	uspatents@sbcglobal.net	Add Email	Remove Email		

Application Information:

Title of the Invention	Method and apparatus for emulating multiple cards in mobile devices					
Attorney Docket Number RFID-084			Small Entity Status		ned 🗙	
Application Type Nonprovisional						
Subject Matter	Utility					
Suggested Class (if any)				Sub Class (if any)		
Suggested Technology Center (if any)				•		
Total Number of Drawing Sheets (if any)		35	Sug	gested Figure for Pu	blication (if any)	1A
Publication Inform	Publication Information:					

Request Early Publication (Fee required at time of Request 37 CFR 1.219)

Request Not to Publish. I hereby request that the attached application not be published under 35 U.S.C. 122(b) and certify that the invention disclosed in the attached application has not and will not be

35 U.S.C. 122(b) and certify that the invention disclosed in the attached application has not and will not be the subject of an application filed in another country, or under a multilateral international agreement, that requires publication at eighteen months after filing.

Representative Information:

 \square

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Application Da	ta Shoot 27 CEP 1 76	Attorney Docket Number	RFID-084			
Application Da		Application Number				
Title of Invention Method and apparatus for emulating multiple cards in mobile devices						
Representative information should be provided for all practitioners having a power of attorney in the application. Providing this information in the Application Data Sheet does not constitute a power of attorney in the application (see 37 CFR 1.32). Either enter Customer Number or complete the Representative Name section below. If both sections are completed the customer Number will be used for the Representative Information during processing.						
Please Select One	:	US Patent Practitione	r 🔿 Limited Recognition (37 CFR 11.9)			
Customer Number	26797					

Domestic Benefit/National Stage Information:

This section allows for the applicant to either claim benefit under 35 U.S.C. 119(e), 120, 121, or 365(c) or indicate National Stage entry from a PCT application. Providing this information in the application data sheet constitutes the specific reference required by 35 U.S.C. 119(e) or 120, and 37 CFR 1.78.

Prior Application Status		Pending		Remove			
Application Number		Continuity Type		Prior Application Number		Filing Date (YYYY-MM-DD)	
		non provisional of		61606451		2012-03-04	
Prior Application Status		Pending		Remove			
Application Number		Continuity Type		Prior Application Number		Filing Date (YYYY-MM-DD)	
		Continuation in part of		13350832		2012-01-16	
Prior Application Status		Pending		Remove			
Application Number		Continuity Type		Prior Application Number		r Filing Date (YYYY-MM-DD)	
13350832		Continuation in part of		11534653		2006-09-24	
Prior Application Status		Patented		Remove			nove
Application Number	Application Number Cont		Prior Application Number	Filing Date (YYYY-MM-DD)	Pat	ent Number	Issue Date (YYYY-MM-DD)
Additional Domestic Benefit/National Stage Data may be generated within this form by selecting the Add button. Add							

Foreign Priority Information:

 This section allows for the applicant to claim benefit of foreign priority and to identify any prior foreign application for which priority is not claimed. Providing this information in the application data sheet constitutes the claim for priority as required by 35 U.S.C. 119(b) and 37 CFR 1.55(a).

 Remove

 Application Number
 Country i

 Filing Date (YYYY-MM-DD)
 Priority Claimed

 • Yes
 No

 Additional Foreign Priority Data may be generated within this form by selecting the
 Add

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Application Da	ta Shoot 37 CEP 1 76	Attorney Docket Number	RFID-084	
		Application Number		
Title of Invention	Method and apparatus for emulating multiple cards in mobile devices			

Authorization to Permit Access:

Authorization to Permit Access to the Instant Application by the Participating Offices
If checked, the undersigned hereby grants the USPTO authority to provide the European Patent Office (EPO),
the Japan Patent Office (JPO), the Korean Intellectual Property Office (KIPO), the World Intellectual Property Office (WIPO),
and any other intellectual property offices in which a foreign application claiming priority to the instant patent application
is filed access to the instant patent application. See 37 CFR 1.14(c) and (h). This box should not be checked if the applicant
does not wish the EPO, JPO, KIPO, WIPO, or other intellectual property office in which a foreign application claiming priority
to the instant patent application is filed to have access to the instant patent application.
In accordance with 37 CFR 1.14(h)(3), access will be provided to a copy of the instant patent application with respect to: 1) the instant patent application-as-filed; 2) any foreign application to which the instant patent application claims priority under 35 U.S.C. 119(a)-(d) if a copy of the foreign application that satisfies the certified copy requirement of 37 CFR 1.55 has been filed in the instant patent application; and 3) any U.S. application-as-filed from which benefit is sought in the instant patent application.
In accordance with 37 CFR 1.14(c), access may be provided to information concerning the date of filing this Authorization.

Applicant Information:

Providing assignment information in this section does not substitute for compliance with any requirement of part 3 of Title 37 of CFR to have an assignment recorded by the Office.						
Applicant 1	Applicant 1 Remove					
If the applicant is the inventor (or the remaining joint inventor or inventors under 37 CFR 1.45), this section should not be completed. The information to be provided in this section is the name and address of the legal representative who is the applicant under 37 CFR 1.43; or the name and address of the assignee, person to whom the inventor is under an obligation to assign the invention, or person who otherwise shows sufficient proprietary interest in the matter who is the applicant under 37 CFR 1.46. If the applicant is an applicant under 37 CFR 1.46 (assignee, person to whom the inventor is obligated to assign, or person who otherwise shows sufficient proprietary interest) together with one or more joint inventors, then the joint inventor or inventors who are also the applicant should be identified in this section.						
Assignee		C Legal Representative un	O Joint Inventor			
Person to whom the inv	entor is oblig	ated to assign.	Person who shows s	sufficient proprietary interest		
If applicant is the legal representative, indicate the authority to file the patent application, the inventor is:						
Name of the Deceased or Legally Incapacitated Inventor :						
If the Applicant is an Organization check here.						
Organization Name RFCyber Corporation						

PTO/AIA/14 (08-12) Approved for use through 01/31/2014. OMB 0651-0032 U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Application Data Sheet 37 CFR 1.76			Attorney Docket Number	RFID-084
			Application Number	
Title of Invention Method and apparatus for em			ulating multiple cards in mobile	devices
Mailing Address Information:				
Address 1 4160 Technology		4160 Technology Dri	ve, Suite A	
Address 2				

City	Fremont	remont State/Province					
Country ⁱ US		Postal Code	94538				
Phone Number		Fax Number					
Email Address							
Additional Applicant Data may be generated within this form by selecting the Add button.							

Non-Applicant Assignee Information:

Providing assignment information in this section does not subsitute for compliance with any requirement of part 3 of Title 37 of CFR to have an assignment recorded by the Office.						
Assignee 1						
Complete this section only if non-applicant assignee information is desired to be included on the patent application publication in accordance with 37 CFR 1.215(b). Do not include in this section an applicant under 37 CFR 1.46 (assignee, person to whom the inventor is obligated to assign, or person who otherwise shows sufficient proprietary interest), as the patent application publication will include the name of the applicant(s).						
					F	Remove
If the Assignee is an Or	ganization check here.					
Prefix	Given Name	Middle Name		Family Name		Suffix
Mailing Address Information:						
Address 1						
Address 2						
City			State/Pro	vince		
Country i			Postal Code			
Phone Number		Fax Num		per		
Email Address						
Additional Assignee Data may be generated within this form by selecting the Add button.						

PTO/AIA/14 (08-12) Approved for use through 01/31/2014. OMB 0651-0032 U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Application Da	ta Shoot 37 CED 1 76	Attorney Docket Number	RFID-084	
Application Data Sheet 37 CFR 1.76		Application Number		
Title of Invention	Method and apparatus for emulating multiple cards in mobile devices			

Signature:

Remove

NOTE: This form must be signed in accordance with 37 CFR 1.33. See 37 CFR 1.4 for signature requirements and certifications								
Signature	/ joe zheng /			Date (YYYY-MM-DD)	2013-03-28			
First Name	Joe	Last Name	Zheng	Registration Number	39450			
Additional Signature may be generated within this form by selecting the Add button.								

This collection of information is required by 37 CFR 1.76. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 23 minutes to complete, including gathering, preparing, and submitting the completed application data sheet form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

Privacy Act Statement



SCORE Placeholder Sheet for IFW Content

Application Number: 13782948

Document Date: 03/01/2013

The presence of this form in the IFW record indicates that the following document type was received in electronic format on the date identified above. This content is stored in the SCORE database.

• Drawings – Other than Black and White Line Drawings

Since this was an electronic submission, there is no physical artifact folder, no artifact folder is recorded in PALM, and no paper documents or physical media exist. The TIFF images in the IFW record were created from the original documents that are stored in SCORE.

To access the documents in the SCORE database, refer to instructions developed by SIRA.

At the time of document entry (noted above):

- Examiners may access SCORE content via the eDAN interface.
- Other USPTO employees can bookmark the current SCORE URL (http://es/ScoreAccessWeb/).
- External customers may access SCORE content via the Public and Private PAIR interfaces.

Form Revision Date: February 8, 2006

PATENT APPLICATION FEE DETERMINATION RECORD Application or Docket Number Substitute for Form PTO-875 13/782,948											tion or Docket Num 2,948	ber
	APP		S FILEI	D - PART I (Col	umn 2)		SM	ALL	ENTITY	OR	OTHEF	THAN ENTITY
	FOR	NUMBE	R FILE	NUMBE	R EXTRA		RATE(\$)	FEE(\$)		RATE(\$)	FEE(\$)
BAS (37 C	IC FEE FR 1.16(a), (b), or (c))	N	/A	N	J/A		N/A		70	1	N/A	
SEA (37 C	RCH FEE FR 1.16(k), (i), or (m))	N	/A	N	J/A		N/A		300	1	N/A	
EXA (37 C	MINATION FEE FR 1.16(0), (p), or (g))	N	/A	N	J/A		N/A		360	1	N/A	
TOT	AL CLAIMS	19	minus	20= *		×	40	-	0.00	OR		
INDE (37.C		^{MS} 2	minus	3 = *		x	210	=	0.00	1		
APPLICATION SIZE FEE (37 CFR 1.16(s)) (37 CFR 1.16(s)) (37 CFR 1.16(s)) (37 CFR 1.16(s)) (37 CFR 1.16(s)) (37 CFR 1.16(s)) (37 CFR 1.16(s))			and drawings e e application si: all entity) for ea n thereof. See CFR 1.16(s).	xceed 100 ze fee due is ch additional 35 U.S.C.				0.00				
MUL	TIPLE DEPENDE	NT CLAIM PRE	SENT (37	7 CFR 1.16(j))					0.00	1		
* If t	he difference in co	olumn 1 is less th	an zero,	enter "0" in colur	nn 2.		TOTAL		730	1	TOTAL	
		(Column 1)		(Column 2)	(Column 3)	. –	SM	ALL	ENTITY	OR	OTHEF SMALL	THAN ENTITY
NT A		CLAIMS REMAINING AFTER AMENDMENT		HIGHEST NUMBER PREVIOUSLY PAID FOR	PRESENT EXTRA		RATE(\$)		ADDITIONAL FEE(\$)		RATE(\$)	ADDITIONAL FEE(\$)
ME	Total (37 CFR 1.16(i))	*	Minus	**	=	х		=		OR	x =	
ШNП	Independent (37 CFR 1.16(h))	*	Minus	***	=	x		=		OR	x =	
AM	Application Size Fe	e (37 CFR 1.16(s))]		
	FIRST PRESENT	TION OF MULTIPL	E DEPEN	DENT CLAIM (37 C	CFR 1.16(j))					OR		
							TOTAL ADD'L FE	E		OR	TOTAL ADD'L FEE	
		(Column 1)		(Column 2)	(Column 3)	. —				1		
NT B		REMAINING AFTER AMENDMENT		NUMBER PREVIOUSLY PAID FOR	PRESENT EXTRA		RATE(\$)		ADDITIONAL FEE(\$)		RATE(\$)	ADDITIONAL FEE(\$)
ME	Total (37 CFR 1.16(i))	*	Minus	**	=	x		=		OR	x =	
END	Independent (37 CFR 1.16(h))	*	Minus	***	=	×		=		OR	x =	
AM	Application Size Fee (37 CFR 1.16(s))							1				
	FIRST PRESENT		E DEPEN	DENT CLAIM (37 C	FR 1.16(j))					OR		
							TOTAL ADD'L FE	E		OR	TOTAL ADD'L FEE	
*	* If the entry in co * If the "Highest N * If the "Highest Nu	lumn 1 is less th lumber Previousl umber Previously I	an the en y Paid Fo Paid For"	try in column 2, y or'' IN THIS SPA IN THIS SPACE is	write "0" in col CE is less that s less than 3, e	umn 3. 1 20, e nter "3"	nter "20".			-		



Receipt is acknowledged of this non-provisional patent application. The application will be taken up for examination in due course. Applicant will be notified as to the results of the examination. Any correspondence concerning the application must include the following identification information: the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please submit a written request for a Filing Receipt Correction. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections

Inventor(s)

	Xiangzhen Xie, Shenzhen, CHINA;
	Liang Seng Koh, Fremont, CA;
	Hsin Pan, Fremont, CA;
Applicant(s)	
	RFCyber Corporation, Fremont, CA
Assignment I	For Published Patent Application
-	RFCYBER CORPORATION, Fremont, CA
Power of Atto	prney: The patent practitioners associated with Customer Number 26797
Domestic Prid	ority data as claimed by applicant

This appln claims benefit of $61/606,451\ 03/04/2012$ and is a CIP of $13/350,832\ 01/16/2012$ which is a CIP of $11/534,653\ 09/24/2006$ PAT 8118218 * (*)Data provided by applicant is not consistent with PTO records.

Foreign Applications for which priority is claimed (You may be eligible to benefit from the **Patent Prosecution Highway** program at the USPTO. Please see <u>http://www.uspto.gov</u> for more information.) - None. *Foreign application information must be provided in an Application Data Sheet in order to constitute a claim to foreign priority. See 37 CFR 1.55 and 1.76.*

If Required, Foreign Filing License Granted: 03/22/2013 The country code and number of your priority application, to be used for filing abroad under the Paris Convention, is US 13/782,948 Projected Publication Date: 07/11/2013

page 1 of 3

Non-Publication Request: No

Early Publication Request: No ** SMALL ENTITY ** Title

Method and apparatus for emulating multiple cards in mobile devices

Preliminary Class

235

Statement under 37 CFR 1.55 or 1.78 for AIA (First Inventor to File) Transition Applications: No

PROTECTING YOUR INVENTION OUTSIDE THE UNITED STATES

Since the rights granted by a U.S. patent extend only throughout the territory of the United States and have no effect in a foreign country, an inventor who wishes patent protection in another country must apply for a patent in a specific country or in regional patent offices. Applicants may wish to consider the filing of an international application under the Patent Cooperation Treaty (PCT). An international (PCT) application generally has the same effect as a regular national patent application in each PCT-member country. The PCT process **simplifies** the filing of patent applications on the same invention in member countries, but **does not result** in a grant of "an international patent" and does not eliminate the need of applicants to file additional documents and fees in countries where patent protection is desired.

Almost every country has its own patent law, and a person desiring a patent in a particular country must make an application for patent in that country in accordance with its particular laws. Since the laws of many countries differ in various respects from the patent law of the United States, applicants are advised to seek guidance from specific foreign countries to ensure that patent rights are not lost prematurely.

Applicants also are advised that in the case of inventions made in the United States, the Director of the USPTO must issue a license before applicants can apply for a patent in a foreign country. The filing of a U.S. patent application serves as a request for a foreign filing license. The application's filing receipt contains further information and guidance as to the status of applicant's license for foreign filing.

Applicants may wish to consult the USPTO booklet, "General Information Concerning Patents" (specifically, the section entitled "Treaties and Foreign Patents") for more information on timeframes and deadlines for filing foreign patent applications. The guide is available either by contacting the USPTO Contact Center at 800-786-9199, or it can be viewed on the USPTO website at http://www.uspto.gov/web/offices/pac/doc/general/index.html.

For information on preventing theft of your intellectual property (patents, trademarks and copyrights), you may wish to consult the U.S. Government website, http://www.stopfakes.gov. Part of a Department of Commerce initiative, this website includes self-help "toolkits" giving innovators guidance on how to protect intellectual property in specific countries such as China, Korea and Mexico. For questions regarding patent enforcement issues, applicants may call the U.S. Government hotline at 1-866-999-HALT (1-866-999-4158).

page 2 of 3

LICENSE FOR FOREIGN FILING UNDER

Title 35, United States Code, Section 184

Title 37, Code of Federal Regulations, 5.11 & 5.15

GRANTED

The applicant has been granted a license under 35 U.S.C. 184, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" followed by a date appears on this form. Such licenses are issued in all applications where the conditions for issuance of a license have been met, regardless of whether or not a license may be required as set forth in 37 CFR 5.15. The scope and limitations of this license are set forth in 37 CFR 5.15(a) unless an earlier license has been issued under 37 CFR 5.15(b). The license is subject to revocation upon written notification. The date indicated is the effective date of the license, unless an earlier license of similar scope has been granted under 37 CFR 5.13 or 5.14.

This license is to be retained by the licensee and may be used at any time on or after the effective date thereof unless it is revoked. This license is automatically transferred to any related applications(s) filed under 37 CFR 1.53(d). This license is not retroactive.

The grant of a license does not in any way lessen the responsibility of a licensee for the security of the subject matter as imposed by any Government contract or the provisions of existing laws relating to espionage and the national security or the export of technical data. Licensees should apprise themselves of current regulations especially with respect to certain countries, of other agencies, particularly the Office of Defense Trade Controls, Department of State (with respect to Arms, Munitions and Implements of War (22 CFR 121-128)); the Bureau of Industry and Security, Department of Commerce (15 CFR parts 730-774); the Office of Foreign AssetsControl, Department of Treasury (31 CFR Parts 500+) and the Department of Energy.

NOT GRANTED

No license under 35 U.S.C. 184 has been granted at this time, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" DOES NOT appear on this form. Applicant may still petition for a license under 37 CFR 5.12, if a license is desired before the expiration of 6 months from the filing date of the application. If 6 months has lapsed from the filing date of this application and the licensee has not received any indication of a secrecy order under 35 U.S.C. 181, the licensee may foreign file the application pursuant to 37 CFR 5.15(b).

SelectUSA

The United States represents the largest, most dynamic marketplace in the world and is an unparalleled location for business investment, innovation, and commercialization of new technologies. The U.S. offers tremendous resources and advantages for those who invest and manufacture goods here. Through SelectUSA, our nation works to promote and facilitate business investment. SelectUSA provides information assistance to the international investor community; serves as an ombudsman for existing and potential investors; advocates on behalf of U.S. cities, states, and regions competing for global investment; and counsels U.S. economic development organizations on investment attraction best practices. To learn more about why the United States is the best country in the world to develop technology, manufacture products, deliver services, and grow your business, visit http://www.SelectUSA.gov or call +1-202-482-6800.

page 3 of 3

UNITED STA	tes Patent and Tradem	ARK OFFICE UNITED STA United State Address: COMMI PO. Box Alexandri www.uspl	TES DEPARTMENT OF COMMERCE s Patent and Trademark Office SSIONER FOR PATENTS 1450 a, Viiginia 22313-1450 ogov			
APPLICATION NUMBER	FILING OR 371(C) DATE	FIRST NAMED APPLICANT	ATTY. DOCKET NO./TITLE			
13/782,948	03/01/2013	Xiangzhen Xie	RFID-084			
			CONFIRMATION NO. 5348			
26797		POA ACCEPTANCE LETTER				
SILICON VALLEY PATEN	T AGENCY					
7394 WILDFLOWER WAY CUPERTINO, CA 95014		*CC000000660045927*				
			Date Mailed: 04/03/2013			

NOTICE OF ACCEPTANCE OF POWER OF ATTORNEY

This is in response to the Power of Attorney filed 03/01/2013.

The Power of Attorney in this application is accepted. Correspondence in this application will be mailed to the above address as provided by 37 CFR 1.33.

/eruga/

Office of Data Management, Application Assistance Unit (571) 272-4000, or (571) 272-4200, or 1-888-786-0101

page 1 of 1



Title:Method and apparatus for emulating multiple cards in mobile devices

Publication No.US-2013-0178159-A1 Publication Date:07/11/2013

NOTICE OF PUBLICATION OF APPLICATION

The above-identified application will be electronically published as a patent application publication pursuant to 37 CFR 1.211, et seq. The patent application publication number and publication date are set forth above.

The publication may be accessed through the USPTO's publically available Searchable Databases via the Internet at www.uspto.gov. The direct link to access the publication is currently http://www.uspto.gov/patft/.

The publication process established by the Office does not provide for mailing a copy of the publication to applicant. A copy of the publication may be obtained from the Office upon payment of the appropriate fee set forth in 37 CFR 1.19(a)(1). Orders for copies of patent application publications are handled by the USPTO's Office of Public Records. The Office of Public Records can be reached by telephone at (703) 308-9726 or (800) 972-6382, by facsimile at (703) 305-8759, by mail addressed to the United States Patent and Trademark Office, Office of Public Records, Alexandria, VA 22313-1450 or via the Internet.

In addition, information on the status of the application, including the mailing date of Office actions and the dates of receipt of correspondence filed in the Office, may also be accessed via the Internet through the Patent Electronic Business Center at www.uspto.gov using the public side of the Patent Application Information and Retrieval (PAIR) system. The direct link to access this status information is currently http://pair.uspto.gov/. Prior to publication, such status information is confidential and may only be obtained by applicant using the private side of PAIR.

Further assistance in electronically accessing the publication, or about PAIR, is available by calling the Patent Electronic Business Center at 1-866-217-9197.

Office of Data Managment, Application Assistance Unit (571) 272-4000, or (571) 272-4200, or 1-888-786-0101

page 1 of 1



UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NO.	FILING DATE	FILING DATE FIRST NAMED INVENTOR		CONFIRMATION NO.	
13/782,948	03/01/2013	03/01/2013 Xiangzhen Xie		5348	
26797 LogicPatents, I	7590 02/19/201 L.C	EXAMINER			
21701 Stevens CUPERTINO,	Creek Boulevard, #284 CA 95015	ILUONAKHAMHE, ISIDORA			
			ART UNIT	PAPER NUMBER	
			3685		
			NOTIFICATION DATE	DELIVERY MODE	
			02/19/2016	ELECTRONIC	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

uspatents@sbcglobal.net

	Application No. 13/782,948	Applicant(s) XIE ET AL.		
Office Action Summary	Examiner ISIDORA ILUONAKHAMHE	Art Unit 3685	AIA (First Inventor to File) Status No	
The MAILING DATE of this communication app Period for Reply	bears on the cover sheet with the	corresponden	ce address	
A SHORTENED STATUTORY PERIOD FOR REPLY	Y IS SET TO EXPIRE <u>3</u> MONTH	S FROM THE	MAILING DATE OF	
 Extensions of time may be available under the provisions of 37 CFR 1.1: after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period v Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b). 	36(a). In no event, however, may a reply be ti will apply and will expire SIX (6) MONTHS from , cause the application to become ABANDONE g date of this communication, even if timely file	mely filed n the mailing date of ED (35 U.S.C. § 133 d, may reduce any	i this communication. 8).	
Status				
1) Responsive to communication(s) filed on <u>03/0</u>	<u>1/2013</u> . 1 30(b) was/were filed on			
2a) This action is FINAL . $2b)$ This	action is non-final.			
3) An election was made by the applicant in resp	onse to a restriction requirement	set forth durir	ng the interview on	
; the restriction requirement and election	have been incorporated into this	s action.		
4) Since this application is in condition for allowar	nce except for formal matters, pr	osecution as t	o the merits is	
	<i>x parte Quayie</i> , 1935 G.D. 11, 4	53 U.G. 213.		
Disposition of Claims * 5×2 Claim(s) 1-19 is/are pending in the application				
5a) Of the above claim(s) is/are withdray	wn from consideration.			
6) Claim(s) is/are allowed.				
7) Claim(s) <u>1-19</u> is/are rejected.				
8) Claim(s) is/are objected to.				
9) Claim(s) are subject to restriction and/o	r election requirement.			
If any claims have been determined <u>allowable</u> , you may be ell participating intellectual property office for the corresponding allowable.	Igible to benefit from the Patent Pro	Secution High	way program at a	
http://www.uspto.gov/patents/init_events/pph/index.isp or send	an inquirv to PPHfeedback@uspto.	dov.		
Application Papers				
10) The specification is objected to by the Examine	ır.			
11) The drawing(s) filed on is/are: a) acc	epted or b) objected to by the	Examiner.		
Applicant may not request that any objection to the	drawing(s) be held in abeyance. Se	e 37 CFR 1.85	(a).	
Replacement drawing sheet(s) including the correct	ion is required if the drawing(s) is ob	pjected to. See	37 CFR 1.121(d).	
Priority under 35 U.S.C. § 119				
12) Acknowledgment is made of a claim for foreign	priority under 35 U.S.C. § 119(a	l)-(d) or (f).		
certified copies:				
1. Certified copies of the priority document	ts have been received.			
2. Certified copies of the priority documen	ts have been received in Applica	tion No		
3. Copies of the certified copies of the price	prity documents have been receiv	ved in this Nat	tional Stage	
application from the International Bureau	u (PCT Rule 17.2(a)).			
See the attached detailed Office action for a list of the certific	ea copies not receivea.			
Attachment(s)				
1) Notice of References Cited (PTO-892)	3) 🔲 Interview Summary	/ (PTO-413)		
2) Information Disclosure Statement(s) (PTO/SB/08a and/or PTO/S Paper No(s)/Mail Date	SB/08b) 4) 🗌 Other:	late		
US. Patent and Trademark Office PTOL-326 (Rev. 11-13) Office Action	Summary	Part of Paper No	o./Mail Date 20160105	

Samsung Ex. 1016, Page 123 of 699 Samsung Electronics America, Inc. v. RFCyber Corp. IPR2021-00980

DETAILED ACTION

Acknowledgements

- 1. This office action is in response to the claims filed 03/01/2013.
- 2. Claims 1-19 are pending.
- 3. Claims 1-19 have been examined.

Notice of Pre-AIA or AIA Status

4. The present application is being examined under the pre-AIA first to invent provisions.

Specification

5. The lengthy specification has not been checked to the extent necessary to determine the presence of all possible minor errors. Applicant's cooperation is requested in correcting any errors of which applicant may become aware in the specification.

Claim Objections

6. Claim 4 is objected to because of the following informalities: "related to monetary,". Appropriate correction is required.

Examiner's Comments

7. Regarding claim 1, with respect to claim language "configured to provide...", claims 2 and 13, "device to retrieve...", "device to receive...", claim 4, "provided

respectively to perform...", "device is able to be used for all...", claims 7 and 16, "operations that will modify...", claim 8, "server to remotely provision...", "server to manage...", claims 9 and 17, "that is determined to be updates...", claim 11, "a request to provision...", "the application to be provisioned...", claim 12, "device is to be used...", "interface to facilitate...", "device configured to store...", "server configured to provide...", claim 13, "instruction to cause...", claim 15, "Module configured to provide... to store", claim 16, "Card manager proxy configured to facilitate", "user interface application provided to query", "UI application for conducting" and claim 19, "request to provision...", "application to be provisioned...", "(SSD) to be associated..." recites intended use and therefore does not have patentable weight. See MPEP 2114.

8. Regarding claim 1, the language "storage device configured to", "server configured to", recites functional language, and therefore does not have patentable weight. See MPEP 2111, 2114, 2181.

9. Regarding claims 2 and 13, "information is a sequence...", "request is a command...", claims 11 and 19, "the data includes...", claim 13, "information is a sequence...", and claim 15, "secure element further includes..." are nonfunctional descriptive material and therefore do not have patentable weight. See *In re Gulack*, 217 USPQ 401 (Fed. Cir. 1983), *In re Ngai*, 70 USPQ2d (Fed. Cir. 2004), *In re Lowry*, 32 USPQ2d 1031 (Fed. Cir. 1994); MPEP 2106.01. MPEP 2111.05 III.

10. Regarding claim 12, the language "so that the mobile device …" is a result and therefore has not patentable weight (*Minton v. Nat'l Ass'n of Securities Dealers, Inc.,*336 F.3d 1373, 1381, 67 USPQ2d 1614, 1620 (Fed. Cir. 2003)) that a "whereby clause

in a method claim is not given weight when it simply expresses the intended result of a process step positively recited." See MPEP 2111.04.

11. Regarding claim 12, the language "wherein the mobile device comprises…", claim 14, "wherein the emulator…the secure element is enclosed…", and claim 15, "the secure element further includes…" is a structural limitation in a method claim and has no patentable weight. *Ex parte Pfeiffer*, 135 USPQ 31 (Bd. App. 1961).

12. Regarding claim 12, the language "application being loaded and executed...", "device changes functions offered...", "application has been remotely provisioned...", claim 13, "the server determines....", "keys are generated...", "secure element facilitates...", claim 14, "emulator is implemented...", "secure element is enclosed...", claim 15, "cards is loaded...", claim 16, "proxy configured to facilitate...", "application provided to query...", "information stored...", claim 17, "element is preloaded..." and claim 19, the language "application has been remotely...", "application installed...", "element is distributed..." does not disclose a positively recited step and therefore does not patentable weight. See MPEP 2111.04.

13. Regarding claim 12, "application is replaceable...", "application being
loadable...", "the emulator when selectively activated..." is optional and conditional
language and therefore does not have patentable weight. See MPEP 2103(I) (c).

Claim Rejections - 35 USC § 101

14. 35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

15. Claims 12-19 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter.

16. The claimed invention is directed to a judicial exception (i.e., a law of nature, a natural phenomenon, or an abstract idea) without significantly more. The claim(s) does/do not include additional elements that are sufficient to amount to significantly more than the judicial exception because claim(s) 12 is directed to an abstract idea of installing information. Viewed as a whole, these additional claim element(s) "installing..." does not provide meaningful limitation(s) to transform the abstract idea into a patent eligible application of the abstract idea such that the claim(s) amounts to significantly more than the abstract idea itself. Therefore, the claim(s) are rejected under 35 U.S.C. 101 as being directed to non-statutory subject matter. Claims 13-19 are also rejected.

Claim Rejections - 35 USC § 112

17. The following is a quotation of 35 U.S.C. 112(b):

(b) CONCLUSION.—The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the inventor or a joint inventor regards as the invention.

The following is a quotation of 35 U.S.C. 112 (pre-AIA), second paragraph: The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

18. Claims 1-19 are rejected under 35 U.S.C. 112(b) or 35 U.S.C. 112 (pre-AIA),

second paragraph, as being indefinite for failing to particularly point out and distinctly

claim the subject matter which the inventor or a joint inventor, or for pre-AIA the applicant regards as the invention.

Claim 1 is a product claim of "the mobile device comprising...", but the claim 19. adopts circular reasoning in the explanation of not what the device comprises but what it does, "wherein the mobile device changes...." Dependent claims 2-11 are rejected. 20. Claims 1 and 12 recite "wherein each of the applications has been remotely provisioned by a server configured to provide trusted service management (TSM). The scope of the claims are unclear as to whether the server is part of the claimed mobile device or the claimed method for a mobile device. Similarly, claims 2 and 13 recite "after the server determines that the secure element...," claim 8 recites "enable the TSM server to remotely provision..." and "enable the TSM server to manage...", and claims 11 and 19 recite "applications has been remotely provisioned by the TSM server with operations of: receiving... establishing... preparing... notifying..." The scope of the claims are unclear as to whether the server or the TSM server are part of the claimed mobile device or the claimed method for a mobile device. Dependent claims 2-11 and 13-19 are rejected.

21. Claims 1 and 12 recite "anyone of the applications being loadable into the emulator when selectively activated and subsequently replacing the application in the emulator", it is unclear whether the applications are only loadable when activated and subsequently replace a previous application or whether they are loadable and then activated to subsequently replace another application. Dependent claims 2-11 and 13-19 are rejected.

22. As per claims 1, 2, 6, 7, 8 the claims recite the following means plus functions limitations:

- a. interface to facilitate...(claim 1)
- b. configured to store...(claim 1)
- c. instruction to cause... (claim 2)
- d. Module configured to provide... to store (claim 6)
- e. Card manager proxy configured to facilitate (claim 7)
- f. user interface application provided to query (claim 7)
- g. UI application for conducting (claim 7)
- h. Interfaces...to read (claim 8)
- i. TMSM module is configured to (claim 8)
- j. Applications... is caused to swap (claim 8)
- k. Mechanism to make ...for storing (claim 8)

This limitation invokes 35 USC § 112, ¶ 6 because it meets the 3-prong analysis set forth in MPEP 2181 as it recites the phrase "means for" or "step for" (or appellant identifies the limitation as a means (or step) plus function limitation in the appeal brief) and the phrase is modified by functional language and it is not modified by sufficient structure, material, or acts for performing the recited function. Also see *Altiris Inc. v. Semantec Corp.*, 318 F.3d 1363, 1375 (Fed. Cir. 2003). 35 USC § 112, ¶ 6, requires such claim to be construed to cover the corresponding structure, material, or acts described in the specification and equivalents thereof. "If one employs means plus function language in a claim, one must set forth in the specification an adequate

disclosure showing what is meant by that language. If an applicant fails to set forth an adequate disclosure, the applicant has in effect failed to particularly point out and distinctly claim the invention as required by the second paragraph of section § 112." *In re Donaldson Co.*, 16 F.3d 1189, 1195, 29 USPQ 1845, 1850 (Fed. Cir. 1994) (in banc.). For a computer-implemented means-plus-function claim limitation that invokes 35 USC § 112, ¶ 6, the corresponding structure is required to be more than simply a general purpose computer. *Aristocrat Technologies, Inc. v. International Game Technology*, 521 F.3d 1328, 1333, 86 USPQ2d 1235, 1239-40 (Fed. Cir. 2008). The corresponding structure for a computer-implemented function must include the algorithm as well as the general purpose computer. *WMS Gaming, Inc. v. International Game Technology*, 184 F.3d 1339, 51 USPQ2d 1385 (Fed. Cir. 1999). The written description must at least disclose the algorithm that transforms the general purpose microprocessor to a special purpose computer programmed to perform the claimed function. *Aristocrat*, 521 F.3d at 1338, 86 USPQ2d at 1242.

In the instant application, the following portions of the specification and drawings may appear to describe the corresponding structure for performing the claimed function: specification ¶ 5, 7, 11, 56, 57, 60, 61, 75, 76, 91 and 92.

However, the specification and drawings do not disclose sufficient corresponding structure, material or acts for performing the claimed function. \P 91 and 92 describe purse provisioned with the secure element is personalized with keys. The specification does not "send a set of instructions to cause" and does not have a corresponding structure that are the instructions. \P 5, 7, 56, 57, 61, 75, 76 describe the module

interchangeable with software modules, applications and applets but there is no indication of what structure is used. **¶** 61 describes "a mechanism to make baseband storage as an extension for storing the software-based or logical smart cards" but there is no indication of what structure is used. As a result, corresponding structure to support the means for the functions has not been clearly provided. Dependent claims 2-11 are rejected.

23. Claims 2, 11, 13 and 19 recite the limitation "the portable device". Similarly, claims 7, 8 and 16 recite the limitation "the TSM server" and "the TMSM module". There is insufficient antecedent basis for this limitation in the claim.

24. Claim 2 recites "a set of keys from a designated place", the claim is unclear as to where this designated place is or why there should ambiguity as to where the keys come from, thereby rendering the claim indefinite. Similarly, claim 8 recites "to read certain data therefrom", the claim language creates ambiguity, making the claim unclear and rendering the claim indefinite.

25. Regarding claim 8, the claim recites "provide...., when instructed by a user" However, claim 1, from which claim 8 depends, is directed to a mobile device. The claim is a hybrid claim as the cited language is not directed to the mobile device but to external use of claimed structural elements. Therefore, it would be unclear whether infringement of claim 8 occurs based on possession of the mobile device. *In re Katz Interactive Call Processing Patent Litigation*, 639 F.3d 1303 (Fed. Cir. 2011). *IPXL Holdings v. Amazon.com, Inc.*, 430 F.2d 1377, 1384, 77 USPQ2d 1140, 1145 (Fed. Cir. 2005). *Ex parte Lyell*, 17 USPQ2d 1548 (Bd. Pat. App. & Inter. 1990).

26. Claim 13 recites "after the server determines...," it is unclear how the mobile device receives notice to monitor how the server functions.

Claim Rejections - 35 USC § 102

27. The following is a quotation of the appropriate paragraphs of pre-AIA 35 U.S.C.102 that form the basis for the rejections under this section made in this Office action:

,

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

28. Claims 12-19 are rejected under pre-AIA 35 U.S.C. 102(b) as being anticipated by Wentker et al. (6,481,632) ("Wentker").

29. Regarding claims 1 and 12, Wentker teaches installing the applications

respectively in the mobile device, each of the applications pertaining to a physical

contactless card, so that the mobile device is to be used in lieu of multiple physical

contactless cards, wherein the mobile device comprises (column 9, line 1-11, column

14, line 51-65, column 16, 49-67). The remaining limitations are structural limitations in

a method claim and have no patentable weight. Ex parte Pfeiffer, 135 USPQ 31 (Bd.

App. 1961). Dependent claims 13-19 are rejected.

Claim Rejections - 35 USC § 103

30. The following is a quotation of pre-AIA 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

31. Claims 1, 3-7, 9-12, and 14-19 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Wentker et al. (6,481,632) ("Wentker"), and further in view of Huomo et al. (8,005,426) ("Huomo").

32. Regarding claims 1 and 12, Wentker teaches installing the applications respectively in the mobile device, each of the applications pertaining to a physical contactless card, so that the mobile device is to be used in lieu of multiple physical contactless cards, wherein the mobile device comprises (column 9, line 1-11, column 14, line 51-65, column 16, 49-67): an emulator (claim 1, 4); and a storage device configured to store the multiple applications, anyone of the applications being loadable into the emulator when selectively activated and subsequently replacing the application in the emulator, wherein the mobile device changes functions offered by the application to functions offered by another application newly loaded and executed in the emulator, wherein each of the applications has been remotely provisioned by a server configured to provide trusted service management (TSM) (column 6, line 13-30, 47-67, column 8, line column 9, line 1-8, column 10, line 8-14, column 15, line 1-19, column 16, line 25-35, 49-67, column 17, line 21-35). wherein the application in the emulator being one of the applications is replaceable in entirety or in part by another one of the applications;

Wentker does not teach a near field communication (NFC) interface to facilitate data exchange between a reader and an application being loaded and executed in the

emulator. Huomo a near field communication (NFC) interface to facilitate data exchange between a reader and an application being loaded and executed in the emulator (column 7, line 9-60, column 10, line 49-67). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Wentker and Huomo in order to provide a user with controlling means for using smart cards and contactless cards (Huomo; column 2, line 53-62).

33. Regarding claims 3 and 14, Huomo teaches wherein the emulator is implemented in the secure element, the secure element is enclosed in the mobile device or in a detachable card to the mobile device (column 8, line 3-23).

34. Regarding claim 4, Huomo teaches wherein each of the applications emulating functions of one of contactless cards provided respectively to perform a function related to monetary, the mobile device is able to be used for all of the contactless cards when one of the applications is loaded into and executed in the emulator (column 7, line 8-19, column 9, line 4-21, column 10, line 49-67).

35. Regarding claim 5, Huomo teaches wherein each of the contactless cards is a Mifare contactless card (column 2, line 27-61, column 8, line 3-37).

36. Regarding claims 6 and 15, Wentker teaches wherein the secure element further includes a module configured to provide Trusted Mifare Service Management (TMSM) and to store a plurality of service objects along with a plurality of key indexes, each of the service objects corresponding to one of the applications (column 9, line 1-33, column 13, line 11-39, column 14, line 24-43, column 21, line 17-31).

37. Regarding claims 7 and 16, Wentker teaches wherein mobile device further includes a card manager proxy configured to facilitate communication between the TSM server and the TMSM module in the secure element, interface application provided to query one or more of the applications on information stored therein but will not modify the information (column 6, line 13-67, column 8, line 17-32, column 21, line 1-31) and a transaction UI application for conducting operations that will modify one or more sectors in one or more of the applications (column 10, line 8-56). Wentker does not teach a readonly user interface (UI). Huomo teaches a readonly user interface (UI) (column 6, line 61-67, column 8, line 54-67). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Wentker and Huomo in order to provide a user with controlling means for using smart cards and contactless cards (Huomo; column 2, line 53-62).

38. Regarding claims 9 and 17, Wentker teaches wherein the secure element is preloaded with default Issuer Security Domain (ISD) information that is determined to be updated entirely or partially subject to retrieved corresponding default ISD information from a party originating the secure element (column 7, line 38-56, column 13, line 11-39, column 19, line 1-8).

39. Regarding claims 10 and 18, Huomo teaches wherein the mobile device is a smartphone, a portable computer and a smart card (column 16, line 26-36, 43-67, column 17, line 1-5).

40. Regarding claims 11 and 19, Wentker teaches receiving a request to provision an application installed in the mobile device, wherein the application to be provisioned

with the secure element is distributed by an application provider (column 7, line 15-37, column 8, line 1-10, column 14, line 24-43, column 15, line 1-19, column 16, line 25-35, 49-67, column 17, line 21-35); establishing a secured channel with the secure element using a set of keys (column 7, line 15-37, column 10, line 15-23, column 13, line 11-39, column 15, line 52-67, preparing data for the application being provisioned, wherein the data includes supplemental security domains (SSD) to be associated with the application (column 11, line 21-62, column 14, line 24-43, column 16, 49-67); and notifying the application provider of a status of the application with the portable device (column 12, line 58-67, column 13, line 1-10, column 17, line 4-20, column 18, line 62-67, column 19, line 44-46).

41. Claim 2 is rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Wentker et al. (6,481,632) ("Wentker"), in view of Huomo et al. (8,005,426) ("Huomo") and further in view of De Groot (2006/0141987) ("Groot").

42. Regarding claims 2 and 13, Groot teaches initiating data communication between the mobile device and the server (¶ 36, 40, 44); receiving device information of the secure element from the mobile device in responding to a request from the server after the server determines that the secure element is registered therewith, wherein the device information is a sequence of characters uniquely identifying the secure element, and the request is a command causing the mobile device to retrieve the device information from the secure element therein (¶ 30, 34, 36, 37, 39, 40, 43, 47, 48, 53); and sending a set of instruction to cause the mobile device to receive in the secure element at least a set of keys from a designated place, wherein the keys are generated

in accordance with the device information of the secure element, wherein the set of keys in the secure element facilitates a subsequent transaction between the portable device and a service provider (Figure 1, element M1-3; \P 30, 31, 34, 40-45, 47-49, 53). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Wentker, Huomo and Groot in order to provide secure transmissions with a terminal and a server using an identifier (Groot; \P 1-7).

43. Claim 8 is rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Wentker et al. (6,481,632) ("Wentker"), in view of Huomo et al. (8,005,426) ("Huomo") and further in view of Vayssiere (2006/0065741) ("Vayssiere").

44. Regarding claim 8, Wentker teaches provide a set of Application Programming Interfaces so that one of the applications, when instructed by an user, is caused to swap an application in and out the emulator (column 6, line 36-55, column 7, line 1-7, column 8, line 17-32); provide a set of Application Programming Interfaces to one of the applications to read certain data therefrom (column 6, line 36-55, column 8, line 17-32); enable the TSM server to remotely provision each of the applications by installing application keys and application data to the TMSM module (column 7, line 15-37, column 16, line 3-23, column 17, line 21-35, column 22, line 17-31) enable the TSM server to manage each of the applications by locking or unlocking one of the applications (column 7, line 1-7, column 9, line 34-44, column 10, line 24-44); provide a trusted environment such that an application provider modifies a designated application and meta data thereof owned by the application provider; and provide a mechanism to make baseband storage as an extension for storing some or all of the applications

swapped out from the emulator to the TMSM module (column 22, line 51-67, column 23, line 1-24).

Neither Wentker and Huomo and later on swapping another one of the applications to the emulator. Vayssiere and later on swapping another one of the applications to the emulator (¶ 35). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Wentker, Huomo and Vayssiere in order to provide a smartcard to perform multiple functions (Vayssiere; ¶ 3).

Conclusion

45. Any inquiry concerning this communication or earlier communications from the examiner should be directed to ISIDORA ILUONAKHAMHE whose telephone number is (571)272-9862. The examiner can normally be reached on Monday-Thursday 7:30am-5pm EDT.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Calvin Hewitt can be reached on 571-272-6709. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/I. I./ Examiner, Art Unit 3685

/CALVIN L HEWITT II/ Supervisory Patent Examiner, Art Unit 3685

Notice of References Cited	Application/Control No. 13/782,948	Applicant(s)/Patent Under Reexamination XIE ET AL.					
Notice of Helefences Offen	Examiner	Art Unit					
	ISIDORA ILUONAKHAMHE	3685	Page 1 of 1				
U.S. PATENT DOCUMENTS							

Document Number Country Code-Number-Kind Code Date * **CPC** Classification US Classification Name MM-YYYY * US-6,481,632 B2 11-2002 Wentker; David C. G06F8/60 А * Vayssiere; Julien JP. US-2006/0065741 A1 03-2006 G06K19/07703 в * H04L63/0414 US-2006/0141987 A1 06-2006 De Groot; Max С * US-8,005,426 B2 08-2011 Huomo; Heikki G06Q20/20 D US-Е US-F US-G USн US-T. US-J US-Κ

FOREIGN PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	CPC Classification
	N					
	0					
	Р					
	Q					
	R					
	s					
	т					

NON-PATENT DOCUMENTS

*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)
	U	
	v	
	w	
	x	

*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).) Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.

U.S. Patent and Trademark Office PTO-892 (Rev. 01-2001)

US-

US-

L

М

Notice of References Cited

Part of Paper No. 20160105

235/376

235/492

455/411

235/441



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

BIB DATA SHEET

CONFIRMATION NO. 5348

SERIAL NUMBER	FILING	r_ 371(c) CLASS GF				GROUP ART UNIT			ATTORNEY DOCKET	
13/782,948	03/01/2	E 2013	705			3685			RFID-084	
	RUL	E								
APPLICANTS RFCYBER C	ORPORATION,	Fremont, (CA							
INVENTORS Xiangzhen Xi Liang Seng K Hsin Pan, Fre	e, Shenzhen, Cl oh, Fremont, C <i>l</i> mont, CA;	HINA; A;								
** CONTINUING DATA ***********************************										
** FOREIGN APPL	CATIONS *****	********	*****							
** IF REQUIRED, F 03/22/2013		G LICENS	E GRANTED ** '	* SMA	LL ENT	TTY **				
Foreign Priority claimed 35 USC 119(a-d) conditions	Hes Ves No met Hyes V No	Met aff Allowa	er nce COUNT	OR RY	SHE DRAW	ETS INGS	TOT. CLAII	AL MS	INDEPENDENT CLAIMS	
Acknowledged Exam	er's Signature	Initials	CHIN	A	3	5	19)	2	
ADDRESS										
LogicPatents 21701 Stever CUPERTINO UNITED STA	LLC s Creek Boulev CA 95015 TES	ard, #284								
TITLE										
Method and a	pparatus for em	ulating mu	Itiple cards in mo	bile de	evices					
) All Fe	es			
) 1.16 F	Fees (Fil	ing)		
	S: Authority has	s been give charge/cre	n in Paper dit DEPOSIT A) 1.17 F	Fees (Pr	ocessi	ing Ext. of time)	
533 No.	to	r following:) 1.18 F	- ees (lss	sue)		
						Other	·			
						Credi	t			

	Index of Claima					Application/Control No.					Applicant(s)/Patent Under Reexamination						
	Ind	lex of (Clain	าร		13782948					XIE ET AL.						
						Examiner Ar					Art Ur	Art Unit					
						ISIDORA ILUONAKHAMHE				3685	3685						
✓ Rejected -			C	Cancelled N Non-E			Ele	ected		Α	Арр	peal					
=	A	llowed	÷F			les	tricted		I	Interf	er	ence		0	Obje	Objected	
	Claims renumbered in the same ord						esented by a	pplica	ant			СРА] т.с). 🗆	R.1.47	
CLAIM										DATE							
F	inal	Original	02/01/2	2016													
· ·		1	✓														
		2	√														
		3	√														
		4	√														
		5	√														
		6	✓														
		7	√														
		8	√														
		9	√								1						
		10	√														
		11	√														
		12	√														
		13	✓														
		14	√														
		15	√														
		16	√														
		17	√														
		18	✓														
		19	√														

U.S. Patent and Trademark Office

Part of Paper No. : 20160105

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	(("6481632") or ("20060065741")).PN.	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2016/02/01 17:42
S1	26	(trusted adj service adj management)	US- PGPUB; USPAT	OR	ON	2014/05/28 14:29
82	548	(Bank or issuer or (financial adj institution) or institution or entit\$3 or bank or compan\$3 or credit adj union or banc or business\$4 or brokerage or financial adj service or savings adj2 loan or clearing adj house or clearinghouse) near4 (wire or wiring or issue or issuing or forwardwire or route or routing or transfer or relay\$3 or send\$3 or sent or transmi\$3 or dispatch\$3) near4 ((pass adj word) or (pass\$1word) or key or keys or signature or rsa or token or code or coding or certificate or pki or pks or id or ids or pin or pins or number or digit) near4 ((E adj wallet) or e-wallet or (electronic adj wallet) or chargecard or creditcard or debitcard or bankcard or (stored adj2 value) or (open adj loop) or purse or smart or ic or (integrated adj circuit) or chip)	US- PGPUB; USPAT	OR	ON	2014/05/28 16:11
S3	1539	((E adj wallet) or e-wallet or (electronic adj wallet) or chargecard or creditcard or debitcard or bankcard or checkcard or cashcard or debit or (stored adj2 value) or (open adj loop) or purse or smart or ic or (integrated adj circuit) or chip) with (nfc near4 device)	US- PGPUB; USPAT	OR	ON	2014/05/28 16:12
S4	0	S2 same S3	US- PGPUB; USPAT	OR	ON	2014/05/28 16:13
S5	3	S2 and S3	US- PGPUB; USPAT	OR	ON	2014/05/28 16:13
S6	31	(Bank or issuer or (financial adj institution) or institution or entit\$3 or bank or compan\$3 or credit adj union or banc or business\$4 or brokerage or financial adj service or savings adj2 loan or clearing adj house or clearinghouse) near4 (wire or wiring or issue or issuing	US- PGPUB; USPAT	OR	ON	2014/05/28 16:13

		or forwardwire or route or routing or transfer or relay\$3 or send\$3 or sent or transmi\$3 or dispatch\$3) near4 ((pass adj word) or (pass\$1word) or key or keys or signature or rsa or token or code or coding or certificate or pki or pks or id or ids or pin or pins or number or digit) near4 (smart adj card)				
S7	2	S6 and nfc	US- PGPUB; USPAT	OR	ON	2014/05/28 16:14
S8	7	S3 and @pd<="20060924"	US- PGPUB; USPAT	OR	ON	2014/05/28 16:15
S9	1	("6327578").PN.	US- PGPUB; USPAT	OR	OFF	2014/05/29 07:22
S11	4758	(Bank or issuer or (financial adj institution) or institution or entit\$3 or bank or compan\$3 or credit adj union or banc or business\$4 or brokerage or financial adj service or savings adj2 loan or clearing adj house or clearinghouse) near4 ((pass adj word) or (pass\$1word) or key or keys or signature or rsa or token or code or coding or certificate or pki or pks or id or ids or pin or pins or number or digit) near4 ((E adj wallet) or e-wallet or (electronic adj wallet) or chargecard or creditcard or debitcard or bankcard or checkcard or cashcard or debit or (stored adj2 value) or (open adj loop) or purse or smart or ic or (integrated adj circuit) or chip or (secure adj element))	US- PGPUB; USPAT	OR	ON	2014/05/29 10:02
S17	891	(nfc or (field adj communication)) near4 ((pass adj word) or (pass\$1word) or key or keys or signature or rsa or token or code or coding or certificate or pki or pks or id or ids or pin or pins or number or digit) near4 (pda or (personal adj digital adj assistant) or smartphone or cell adj phone or cellphone or pager or handset or laptop or device or (mobile adj device))	US- PGPUB; USPAT	OR	ON	2014/05/29 10:06
S48	106413	personal\$4 with ((E adj wallet) or e- wallet or (electronic adj wallet) or chargecard or creditcard or debitcard or bankcard or checkcard or cashcard or debit or (stored adj2 value) or (open adj loop) or purse or smart or ic or (integrated adj circuit) or chip or (secure adj element))	US- PGPUB; USPAT	OR	ON	2014/05/29 14:30
S51	1801	((smart adj card) or ic or (integrated adj circuit) or smart) with ((mobile adj device) or device or phone) with nfc	US- PGPUB; USPAT	OR	ON	2014/05/29 14:52

2/1/2016 5:43:48 PM

C:\Users\iiluonakhamhe\Documents\EAST\Workspaces\13350832.wsp
EAST Search History

	Application/Control No.	Applicant(s)/Patent Under Reexamination
Search Notes	13782948	XIE ET AL.
	Examiner	Art Unit
	ISIDORA ILUONAKHAMHE	3685

CPC- SEARCHED			
Symbol	Date	Examiner	
G06Q	2/1/2016	II	

CPC COMBINATION SETS - SEARCHED			
Symbol Date Examiner			

	US CLASSIFICATION SEARCHE	ED	
Class	Subclass	Date	Examiner
705			

SEARCH NOTES		
Search Notes	Date	Examiner
See attached notes	2/1/2016	II

	INTERFERENCE SEARCH		
US Class/ CPC Symbol	US Subclass / CPC Group	Date	Examiner

/l.l./ Examiner.Art Unit 3685	

U.S. Patent and Trademark Office

Part of Paper No. : 20160105

-

UNITED STATES PATENT AND TRADEMARK OFFICE COMMISSIONER FOR PATENTS P.O.BOX 1450 ALEXANDRIA VA 22313-1451 PRESORTED FIRST-CLASS MAIL U.S. POSTAGE PAID POSTEDIGITAL NNNNN

LogicPatents, LLC 21701 Stevens Creek Boulevard, #284 CUPERTINO, CA 95015



Courtesy Reminder for Application Serial No: 13/782,948

Attorney Docket No: RFID-084 Customer Number: 26797 Date of Electronic Notification: 02/19/2016

This is a courtesy reminder that new correspondence is available for this application. If you have not done so already, please review the correspondence. The official date of notification of the outgoing correspondence will be indicated on the form PTOL-90 accompanying the correspondence.

An email notification regarding the correspondence was sent to the following email address(es) associated with your customer number: uspatents@sbcglobal.net

To view your correspondence online or update your email addresses, please visit us anytime at https://sportal.uspto.gov/secure/myportal/privatepair. If you have any questions, please email the Electronic Business Center (EBC) at EBC@uspto.gov or call 1-866-217-9197.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s):	Xiangzhen Xie et al
Title:	Method and apparatus for emulating multiple cards in mobile
	devices
Serial No.:	13/782,948
Filing Date:	03/01/2013
Confirmation	5348
Examiner:	Isidora I. Immanuel
Group Art Unit:	3685
Docket No.:	RFID-084
Confirmation: Examiner: Group Art Unit: Docket No.:	5348 Isidora I. Immanuel 3685 RFID-084

June 17, 2016

Mail Stop: No-Fee Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Response to First OA

Dear Sir:

In response to Office Action dated 02/19/2016, the Applicant respectfully requests the Examiner to enter the following amendments before reconsidering the above-referenced application:

AMENDMENTS TO THE CLAIMS are reflected in the listing of claims which begins on page 2 of this Response.

REMARKS/ARGUMENTS begin on page 9 of this Response.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s):	Xiangzhen Xie et al
Title:	Method and apparatus for emulating multiple cards in mobile
	devices
Serial No.:	13/782,948
Filing Date:	03/01/2013
Confirmation	5348
Examiner:	Isidora I. Immanuel
Group Art Unit:	3685
Docket No.:	RFID-084
Confirmation: Examiner: Group Art Unit: Docket No.:	5348 Isidora I. Immanuel 3685 RFID-084

June 17, 2016

Mail Stop: No-Fee Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Response to First OA

Dear Sir:

In response to Office Action dated 02/19/2016, the Applicant respectfully requests the Examiner to enter the following amendments before reconsidering the above-referenced application:

AMENDMENTS TO THE CLAIMS are reflected in the listing of claims which begins on page 2 of this Response.

REMARKS/ARGUMENTS begin on page 9 of this Response.

AMENDMENTS TO THE CLAIMS

Please amend Claims 1-2, 4-7, 9, 12-13 and 15-16 as follows:

 (Currently amended) A mobile device for emulating a plurality of cards-supporting multiple-applications, the mobile device comprising: a storage device for storing a plurality of applications, each corresponding to one of the cards;

an emulator, coupled to the storage, for receiving one of the applications, wherein each of the applications corresponds to one of the cards;

- a near-field-communication (NEC)-interface to facilitate data exchange between a reader and an-the one of the applications being leaded and executed in the emulator, wherein the one of the applications in the emulator being one-of-the applications-is replaceable in entirety or in part by another one of the applications; and
- a processor, in communication with the emulator and the storage device, causing the another one of the applications to be loaded into the emulator to replace the one of the applications, wherein
- a storage device configured to store the multiple applications, anyone of the applications being loadable into the emulator when selectively activated and subsequently replacing the application in the emulator, wherein the mobile device changes functions of the mobile device related to one of the cards offered by the application are changed to functions offered by the another one of the applications related to another one of the cards when the another one of the applications is activated and newly-loaded and executed in the emulator, wherein each of the applications has been remotely provisioned by a cerver configured to provide trusted service management (TSM).
- 2. (*Currently amended*) The mobile device as recited in claim 1, further comprising a secure element that has been personalized by operations of:

- initiating data communication between the mobile device and the <u>a designated</u> server providing trusted service management (TSM);
- receiving device information of the secure element from the mobile device in responding to a request from the server after the server determines that the secure element is registered therewith, wherein the device information is a sequence of characters uniquely identifying the secure element, and the request is a command causing the mobile device to retrieve the device information from the secure element therein; and
- sending a set of instruction to cause the mobile device to receive in the secure element at least a set of keys from a designated place, wherein the keys are generated in accordance with the device information of the secure element, wherein the set of keys in the secure element facilitates a subsequent transaction between the portable device and a service provider.
- 3. (*Original*) The mobile device as recited in claim 2, wherein the emulator is implemented in the secure element, the secure element is enclosed in the mobile device or in a detachable card to the mobile device.
- 4. (Currently amended) The mobile device as recited in claim 3, wherein each of the applications emulating functions of one of <u>contactives-the</u> cards provided respectively to perform a function related to <u>a</u> monetary <u>transaction</u>, the mobile device is <u>able-to-be-used</u> for-to emulate each <u>all-of</u> the contactives-cards when one of the applications is loaded into and executed in the emulator.
- 5. (*Currently amended*) The mobile device as recited in claim 4, wherein each at least one of the contactless cards is a Mifare contactless card.
- (*Currently amended*) The mobile device as recited in claim <u>3</u>, wherein the secure element further includes a module configured to provide Trusted Mifare Service Management (TMSM) and to store a plurality of service objects along

with a plurality of key indexes, each of the service objects corresponding to one of the applications.

- 7. (Currently amended) The mobile device as recited in claim 6, wherein each of the applications has been remotely provisioned by the server configured to provide trusted service management (TSM), and the mobile device further includes;
 - a card manager proxy <u>configured tofor</u> facilitatings communication between the TSM server and the TMSM module in the secure element,
 - a readerity-user interface (UI) application provided to query one or more of the applications on information stored therein but will-not to modify the information; and
 - a transaction UI application for conducting operations that will modify one or more sectors in one or more of the applications.
- 8. (*Original*) The mobile device as recited in claim 6, wherein the TMSM module is configured to:

provide a set of Application Programming Interfaces so that one of the applications, when instructed by an user, is caused to swap an application in and out the emulator;

provide a set of Application Programming Interfaces to one of the applications to read certain data therefrom;

enable the TSM server to remotely provision each of the applications by installing application keys and application data to the TMSM module and later on swapping another one of the applications to the emulator;

enable the TSM server to manage each of the applications by locking or unlocking one of the applications;

provide a trusted environment such that an application provider modifies a designated application and meta data thereof owned by the application provider; and

provide a mechanism to make baseband storage as an extension for storing some or all of the applications swapped out from the emulator to the TMSM module.

- (*Currently amended*) The mobile device as recited in claim 2, wherein the secure element is preloaded with default Issuer Security Domain (ISD) information in determined to be updated entirely or partially subject to retrieved corresponding default ISD information from a party originating the secure element.
- 10. (*Original*) The mobile device as recited in claim 2, wherein the mobile device is a smartphone, a portable computer and a smart card.
- 11. (*Original*) The mobile device as recited in claim 1, wherein each of the applications has been remotely provisioned by the TSM server with operations of:

receiving a request to provision an application installed in the mobile device, wherein the application to be provisioned with the secure element is distributed by an application provider;

establishing a secured channel with the secure element using a set of keys; preparing data for the application being provisioned, wherein the data includes supplemental security domains (SSD) to be associated with the application; and

notifying the application provider of a status of the application with the portable device.

12. (*Currently amended*) A method for a mobile device to <u>emulate a plurality of</u> <u>cards</u>support-multiple-applications, the method comprising:

installing the <u>a plurality of</u> applications respectively in <u>a storage device of</u> the mobile device, each of the applications pertaining to a physical contactlessone of the cards, so that wherein the mobile device is to be used in lieu of multiple-physical contactless the cards;, wherein the mobile device comprises

providing an emulator in the mobile device to receive a first application; a near field communication (NFC) interface to facilitating a data exchange between a reader and an the first application being loaded and executed in the emulator, wherein the first application in the emulator being one of the applications is replaceable in entirety or in part by another one of the a second applications; and

- causing the second application to replace the first application being loaded and executed in the emulator, wherein a storage device configured to store the multiple applications, anyone of the applications being loadable into the emulator when selectively activated and subsequently replacing the application in the emulator, wherein functions of the mobile device related to one of the cards offered by the first application are changed to the mobile device changes functions offered by the application to functions offered by another the second application related to another one of the cards when the second application is activated newly-leaded and executed in the emulator, wherein each of the applications has been remotely provisioned by a cerver configured to provide trusted service management (TSM).
- 13. (Currently amended) The method as recited in claim 12, wherein the mobile device is associated with a secure element, and the method further comprises: initiating data communication between the mobile device and the <u>a designated</u> server providing trusted service management (TSM);

receiving device information of the secure element from the mobile device in responding to a request from the server after the server determines that the secure element is registered therewith, wherein the device information is a sequence of characters uniquely identifying the secure element, and the request is a command causing the mobile device to retrieve the device information from the secure element therein; and

- sending a set of instruction to cause the mobile device to receive in the secure element at least a set of keys from a designated place, wherein the keys are generated in accordance with the device information of the secure element, wherein the set of keys in the secure element facilitates a subsequent transaction between the portable device and a service provider.
- 14. (*Original*) The method as recited in claim 13, wherein the emulator is implemented in the secure element, the secure element is enclosed in the mobile device or in a detachable card to the mobile device.
- 15. (*Currently amended*) The method as recited in claim 14, wherein each of the physical contactless cards is loaded with a Mifare emulator, the secure element further includes a module configured to provide Trusted Mifare Service Management (TMSM) and to store a plurality of service objects along with a plurality of key indexes, each of the service objects corresponding to one of the applications.
- 16. (*Currently amended*) The mobile device as recited in claim 15, wherein-mobile device-further <u>comprising</u>inetudes a cord-manager-proxy configured to facilitatinge communication between the TSM server and the TMSM module in the secure element;, a readonly user interface (UI) application provided to querying via a user <u>interface (UI)</u> one or more of the applications <u>in detail</u>; on information stored therein but will not modify the information, and a transaction UI application for conducting operations that will modify one or more of the applications.
- 17. (Original) The method as recited in claim 13, wherein the secure element is preloaded with default Issuer Security Domain (ISD) information that is determined to be updated entirely or partially subject to retrieved corresponding default ISD information from a party originating the secure element.

- 18. (*Original*) The method as recited in claim 12, wherein the mobile device is a smartphone, a portable computer and a smart card.
- 19. (*Original*) The method as recited in claim 12, wherein each of the applications has been remotely provisioned by the TSM server with operations of:
 receiving a request to provision an application installed in the mobile device, wherein the application to be provisioned with the secure element is distributed by an application provider;
 - establishing a secured channel with the secure element using a set of keys; preparing data for the application being provisioned, wherein the data includes supplemental security domains (SSD) to be associated with the application; and
 - notifying the application provider of a status of the application with the portable device.

REMARKS

Claims 1 - 19 were submitted for examination. In the Office Action dated 02/19/2016, Claims 12-19 are rejected under pre-AIA 35 U.S.C. 102(b) as being anticipated by Wentker et al. (US Pat. No.: 6,481,632, "Wentker"), and Claims 1, 3-7, 9-12, and 14-19 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Wentker, and further in view of Huomo et al. (US Pat. No.: 8,005,426, "Huomo"), Claim 2 is rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Wentker in view of Huomo and further in view of De Groot (US Pub. No.: 2006/0141987, "Groot"), and Claim 8 is rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Wentker in view of Huomo and further in view of De Groot (US Pub. No.: 2006/0141987, "Groot"), and Claim 8 is rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Wentker in view of Huomo and further in view of De Groot (US Pub. No.: 2006/0141987, "Groot"), and Claim 8 is rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Wentker in view of Huomo and further in view of Huomo and further in view of Vayssiere (US Pub. No.: 2006/00657 41, 'Vayssiere'').

The Applicants appreciate the Examiner for providing detailed comments in the Office Action. In the foregoing amendments, Claims 1-2, 4-7, 9, 12-13 and 15-16 have been amended to further distinguish from the cited references. No new matters have been introduced. Reconsideration of pending claims is respectfully requested.

Re: Examiner's Comments

On page 2, Section 7, the Examiner alleges that the phrases "configured to provide ... ", "device to retrieve ... ", "device to receive ... ", etc. recites intended use and therefore are not given patentable weight. Applicant respectfully submits that this interpretation is improper.

It is well established that a claim term is to be accorded "the meaning that the term would have to a person of ordinary skill in the art in question at the time of the invention" (see *Phillips v. AWH Corp.*, 415 F.3d 1303, 1313 (Fed. Cir. 2005)). *Phillips* also indicated that evidence for the meaning of a term may be derived from "the words of the claims themselves, the remainder of the specification, the prosecution history, and extrinsic evidence concerning relevant scientific principles, the meaning of technical terms, and the state of the art" (see *Id.* at 1314).

The Applicant respectfully submits that the present specification supports an interpretation where one of the identified phrases denotes an actual state of configuration that fundamentally ties the phrase to the physical characteristics of the feature preceding the phrase. For example, the phrase "device to retrieve" is not adequate to judge whether it shall be given patentable weight or not. <u>Per MPEP</u> 2181, the examiner must carefully consider the term in light of the specification and the commonly accepted meaning in the technological art. Every application will turn on its own facts. The context of the phrase "the request is a command causing the *mobile device to retrieve the device information* from the secure element therein" recited in Claim 2 is a special instruction to which the mobile device is designed to react. In other words, the mobile device does not react to anything else to retrieve the device information or the mobile device is not a regular mobile device that would retrieve the device information upon any command.

As a result, the claim language reaches well beyond merely describing an intended use since the claims actively recite an actual state of configuration. The Office Action presents no evidence or reasoning why one of ordinary skill in the art would interpret the phrase as merely denoting an intended use. Similarly, the Applicant found no evidence or reasoning supporting this position in the claims, specification, prosecution history and extrinsic evidence. Accordingly, the Applicant respectfully asserts, that "no patentable weight" given by the Examiner is improper. Nevertheless, the Applicant has tried to amend the claims to minimize the use of the similar structure that may be misunderstood.

On page 3, Section 8, the Examiner alleges that the language "storage device configured to", "server configured to", recites functional language, and therefore does not have patentable weight. Applicant respectfully submits that this interpretation is improper.

The present specification supports an interpretation where one of these identified phrases denotes an actual function performed by an actual element (e.g., a storage device or a server) in an apparatus claim. For example, "storage device configured to" (now amended to "storage for storing") is an actual device uniquely designed for what it does. Any device that can keep a signal may be called storage, but not any storage can be used to store an application that works with an emulator. To facilitate the understanding, it is a lot clear to recite a name for what it is.

The Office Action presents no evidence or reasoning why one of ordinary skill in the art would interpret the language as merely denoting a function. Similarly, the Applicant found no evidence or reasoning supporting this position in the claims, specification, prosecution history and extrinsic evidence. Accordingly, the Applicant respectfully asserts, that "no patentable weight" given by the Examiner is improper. Nevertheless, the Applicant has tried to amend the claims to minimize the use of the similar structure that may be misunderstood.

On page 3, Section 9, the Examiner alleges that the phrases, "information is a sequence ... ", "request is a command ... " in claims 2 and 13, "the data includes ... " claims 11 and 19, "information is a sequence ... " in claim 13, and "secure element further includes ... " in claim 15 are nonfunctional and therefore do not have patentable weight. Applicant respectfully submits that this interpretation is improper.

The Examiner seems to be inconsistent in the claim interpretation. In Section 8, the Examiner alleges that a further description of an element is a functional language, therefore no patentable weight. In this section, each of these phrases precisely further describes what an element in the apparatus claim does, but the Examiner alleges that a further description of the element is nonfunctional and therefore do not have patentable weight.

As properly described in the Specification, a term, such as "device information", "a request", "secure element", followed by a description is to specify what the term is, what unique features it has from other similarly named item, and/or what configuration or physical relationship it has with other components. It should be given proper patentable weight in examining the corresponding claim.

Many issues mentioned respectively in Sections 10-13 by the Examiner are related to the issues similar to those stated in Sections 7-9. Without repeating the same, the Applicant wishes to apply the above reasons or through foregoing amendments to argue against these issues. In any case, the Applicant welcomes

Examiner to provide any suggestions that may advance the prosecution of this instant application.

Claim Rejections - 35 USC§ 101

On Page 5, Section 15, of this Office Action, Claims 12-19 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter under 35 U.S.C. 101. The Examiner alleges that the claim(s) does/do not include additional elements that are sufficient to amount to significantly more than the judicial exception because claim(s) 12 is directed to an abstract idea of installing information.

The Applicant respectfully disagrees with the Examiner on the ground of rejection on Claims 12-19 under 35 USC 101 and submits the invention as claimed does not involve an abstract idea and the claims amount to significantly more than the abstract idea itself for the following reasons.

In the Office Rejection, Claims 12-19 were rejected under 35 U.S.C. §101 as being directed to an abstract idea. The Applicant respectfully reminds the Examiner that the Examiner "bears the initial burden ... of presenting a prima facie case of unpatentability." In re Oetiker, 977 F.2d 1443, 1445, 24 USPQ2d 1443, 1444 (Fed. Cir. 1992) and MPEP 2106(III). A proper prima facie case of unpatentability requires that the Examiner provide "clear rationale supporting the determination that an abstract idea has been claimed." MPEP 2106(II)(B)(2). In other words, in making a rejection under § 101, the Examiner "should specifically point out the factors that are relied upon in making the determination." Id. By specifically identifying the factors used in the analysis, it will allow "the Applicant to make specific arguments in response to the rejection if the Applicant believes that the conclusion that the claim is directed to an abstract idea is in error." Id.

With regard to the present application, the Applicant respectfully submits that the rejection of the claims under 35 USC 101 is defective in view of the USPTO's MEMORANDUM dated May 19, 2016, for the reason that the Office Action: 1) fails to compare the claim to claims already found to be directed to an abstract idea in a previous court decision when determining whether a claim is directed to an abstract

idea, 2) fails to apply a filter to the claims, when interpreted in view of the specification, based on whether their character as a whole is directed to a patent ineligible concept, 3) interprets or describes a claim at a high level of abstraction untethered from the language of the claim when determining the focus of the claimed invention, and 4) fail to realize the fact that an invention's ability to run on a general purpose computer does not automatically doom the claim.

Accordingly, the Applicant respectfully requests the Examiner to withdraw the rejection of Claims 12-19 under 35 USC 101 in view of the amendments thereto.

Claim Rejections - 35 USC § 112

On Page 5, Section 18, of this Office Action, Claims 1-19 are rejected under 35 U.S.C. 112(b) or 35 U.S.C. 112 (pre-AIA), second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which the inventor or a joint inventor, or for pre-AIA the applicant regards as the invention.

In the foregoing amendments, Claims 1-2, 4-7, 9, 12-13 and 15-16 have been amended. It is believed that most of the claim rejection under 35 U.S.C. 112 shall have been overcome.

On Page 7, Section 22, of this Office Action, the Examiner alleges claims 1, 2, 6, 7, 8 recite means plus functions thus invokes 35 USC§ 112, Paragraph 6 because it meets the 3-prong analysis set forth in MPEP 2181 as it recites the phrase "means for" or "step for" (or appellant identifies the limitation as a means (or step) plus function limitation in the appeal brief) and the phrase is modified by functional language and it is not modified by sufficient structure, material, or acts for performing the recited function. Applicants respectfully traverse the rejection as follows.

Before an Examiner can assert that each of the phrases listed on Page 7 of the Office Action (i.e., terms a - k) is a single means, the Examiner must determine whether the claim limitation invokes the sixth paragraph of 35 U.S.C. § 112. MPEP § 2181(I) states that a claim feature will be presumed to invoke the sixth paragraph of 35 U.S.C. § 112 if the feature meets the following 3-prong analysis:

(A) the claim limitations must use the phrase "means for" or "step for";

(B) the "means for" or "step for" must be modified by functional language; and(C) the phrase "means for" or "step for" must not be modified by sufficient structure, material, or acts for achieving the specified function.

In the instant application, none of Claims 1, 2, 6, 7, 8 includes the recitation "means for" or "step for" and, therefore, cannot be considered to invoke the sixth paragraph of 35 U.S.C. § 112. In addition, the claim features are not written as a function to be performed, but instead recited as sufficient structure to preclude application of the sixth paragraph of 35 U.S.C. § 112. Because neither of the terms can be interpreted to invoke the sixth paragraph of 35 U.S.C. § 112, the Applicant respectfully submits that each of Claims 1, 2, 6, 7, 8 does not recite a single means, as alleged by the Office Action. Accordingly, withdrawal of the rejection is respectfully requested.

Claim Rejections - 35 USC § 102

On Page 10, Section 28, of this Office Action, Claims 12-19 are rejected under pre-AIA 35 U.S.C. 102(a) as being anticipated by Wentker. The Applicant respectfully traverses the rejections of Claims 12-19 under 35 USC 102. A cited prior art reference anticipates a claimed invention under 35 USC 102 only if every element of the claimed invention is identically shown in the single reference, arranged as they are in the claim. MPEP 2131; in re Bond, 910 F.2d 831, 832, 15 USPQ2d 1566, 1567 (Fed. Cir. 1990). Each and every limitation of the claimed invention is significant and must be found in the single cited prior reference. In re Donohue, 766 F2.d 531, 534, 266 USPQ 619, 621 (Feb. Cir. 1985). As set forth more fully below, Wentker neither discloses nor suggests each and every element of the claimed invention.

As amended, Claim 12 now recites:

A method for a mobile device to <u>emulate a plurality of cards</u>, the method comprising:

- installing a plurality of applications in a storage device of the mobile device, <u>each of the applications pertaining to one of the cards</u>, wherein the mobile device is used in lieu of the cards;
- providing <u>an emulator in the mobile device</u> to receive a first application; facilitating data exchange between a reader and the first application being executed in the emulator, wherein the first application in the emulator is replaceable in entirety or in part by a second application;
- causing the second application to replace the first application being loaded and executed in the emulator, wherein functions of the mobile device related to one of the cards offered by the first application are changed to functions offered by the application to functions offered by the second application related to another one of the cards when the second application is activated and executed in the emulator.

(emphasis added)

One of the purposes in the instant application is to emulate multiple cards in a mobile device, where a card is fundamentally a memory storage device. In reality, different companies may issue different cards, using a mobile device to emulate any one of these cards would make life simple, otherwise one would have to carry many cards. As shown in FIG. 1A and described in paragraphs [0060], a mobile device can be stored with a plurality applications, each pertaining to one of cards. When a card is needed, a user can cause the mobile application (via an interface) to load in a corresponding application into an emulator that turns the mobile device to function as the card.

In contrast, Wentker teaches a smart card architecture by APIs to allow the management of an application in the smart card. Wentker neither teaches nor suggests a mobile device to emulate a plurality of cards. To emulate a number of different cards, an emulator is needed. Wentker is completely silent about an emulator. In a perspective, Wentker teaches away from Claim 12 by managing only one card via the provided APIs. Accordingly, the Applicant submits Claim 12 as amended shall be allowable over Wentker. Reconsideration of Claims 12-19 is kindly requested.

Claim Rejections - 35 USC § 103

On Page 11, Section 31, of this Office Action, Claims 1, 3-7, 9-12, and 14-19 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Wentker Wentker and further in view of Huomo.

As amended, Claim 1 now recites:

- A mobile device for <u>emulating a plurality of cards</u>, the mobile device comprising: a storage device for storing a plurality of applications, each corresponding to one of the cards;
 - an emulator, coupled to the storage, for receiving one of the applications, wherein each of the applications corresponds to one of the cards;
 - a communication interface to facilitate data exchange between a reader and the one of the applications being executed in the emulator, wherein the one of the applications in the emulator is replaceable in entirety or in part by another one of the applications; and
 - a processor, in communication with the emulator and the storage device, <u>causing</u> the another one of the applications to be loaded into the emulator to replace the one of the applications, wherein functions of the mobile device related to one of the cards offered by the application are changed to functions offered by the another one of the applications related to another one of the cards when the another one of the applications is activated and executed in the emulator.

(Emphasis added)

As described above, one of the purposes in the instant application is to emulate multiple cards in a mobile device, where a card is fundamentally a memory storage device. In reality, different companies may issue different cards, using a mobile device to emulate any one of these cards would make life simple, otherwise one would have to carry many cards. As shown in FIG. 1A and described in paragraphs [0060], a mobile device can be stored with a plurality applications, each pertaining to one of cards. When a card is needed, a user can cause the mobile application (via an interface) to load in a corresponding application into an emulator that turns the mobile device to function as the card. In contrast, Wentker teaches a smart card architecture by APIs to allow the management of an application in the smart card. The functions of the smart card CANNOT be replaced by another application so that the smart card would function as a different card. To emulate a number of different cards, an emulator is needed. Wentker is completely silent about an emulator. In other words, Wentker neither teaches nor suggests a mobile device to emulate a plurality of cards. In a perspective, Wentker teaches away from Claim 1 by managing only one card via the provided APIs. Accordingly, the Applicant submits Claim 1 as amended shall be allowable over Wentker.

The Examiner admits Wentker does not teach a near field communication (NFC) interface to facilitate data exchange between a reader and an application being loaded and executed in the emulator. Huomo is then cited to suggest the teaching.

The Applicant respectfully contests the combination of Wentker and Huomo as it is believed that there is no motivation to combine these two references in the manner proposed by the Examiner. In order to establish a prima facie case of obviousness under 35 USC 103, Graham v. John Deer Co. of Kansas City, 383 US 1 (1966) requires determining, respectively, the scope and content of the prior art, the difference between the prior art and the claims at issue, and the level of ordinary skilled in the art. Rejections on obviousness grounds cannot be sustained by mere conclusory statements; instead, there must be some articulated reasoning with some rational underpinning, to support the legal conclusion of obviousness. KSR v. Teleflex, No. 04-1350 (US Apr. 30, 2007) (citing In re Kahn, 441 F. 3d 977, 988 (Canada Fed. 2006)). The suggestion to make the claim combination must be found in the prior art, not in the Applicant's disclosure. In re Vaek, 20 USPQ2d 1438 (Fed. Cir. 1991). Moreover, in accordance with MPEP 2142.02, each prior art reference must be considered in its entirety, i.e., as a whole, including portions that would lead away from the claimed invention. W.L.Gore & Associates Inc. v. Garlock, Inc. 220 USPQ 303 (Fed. Cir. 1993). A third essential requirement for establishing a prima facie case, set forth in MPEP 2143.01 is that the proposed modification cannot render the prior art unsatisfactory for its intended purpose.

Huomo teaches about an IC card in a mobile device but is silent about changing the function of the card to make the mobile device to act as another card. Given the deficiency in the Wentker as set forth above, the Applicant submits there are not any technical ways to modify Wentker with Huomo to make up the stated deficiency in the Wentker in view of Claim 1 as amended. Accordingly, the Applicant submits Claim 1 as amended shall be allowable over Wentker and Huomo, viewed alone or in combination. Reconsideration of Claims 1-11 is kindly requested.

The patentability of the independent claims has been argued specifically as set forth above and thus the Applicant will not take this opportunity to argue further the merits of the rejection with regard to each dependent claim. However, Applicant does not concede that the dependent claims are not independently patentable and reserves the right to argue the patentability of the dependent claims at a later date if necessary.

In view of the above amendments and remark, the Applicant believes that Claims 1-19 shall be in condition for allowance over the cited references. Early and favorable action is being respectfully solicited.

If there are any issues remaining which the Examiner believes could be resolved through either a Supplementary Response or an Examiner's Amendment, the Examiner is respectfully requested to contact the undersigned at (408)777-8873.

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to "Commissioner of Patents and Trademarks, Washington, DC 20231", June 17, 2016. e-filed.

Name: Joe Zheng

Signature: / joe zheng /

Respectfully submitted;

/ joe zheng /

Joe Zheng Reg.: No. 39,450

Electronic Patent Application Fee Transmittal					
Application Number:	13	782948			
Filing Date:	01-	Mar-2013			
Title of Invention:	Με	thod and apparatu	s for emulating	multiple cards in n	nobile devices
First Named Inventor/Applicant Name:	Xiangzhen Xie				
Filer:	Joe	e Zheng			
Attorney Docket Number:	RFID-084				
Filed as Small Entity					
Filing Fees for Utility under 35 USC 111(a)					
Description		Fee Code	Quantity	Amount	Sub-Total in USD(\$)
Basic Filing:					
Pages:					
Claims:					
Miscellaneous-Filing:					
Petition:					
Patent-Appeals-and-Interference:					
Post-Allowance-and-Post-Issuance:					
Extension-of-Time:					

Description	Fee Code	Quantity	Amount	Sub-Total in USD(\$)
Extension - 1 month with \$0 paid	2251	1	100	100
Miscellaneous:				
	Tot	al in USD) (\$)	100

Electronic Acknowledgement Receipt		
EFS ID:	26098507	
Application Number:	13782948	
International Application Number:		
Confirmation Number:	5348	
Title of Invention:	Method and apparatus for emulating multiple cards in mobile devices	
First Named Inventor/Applicant Name:	Xiangzhen Xie	
Customer Number:	26797	
Filer:	Joe Zheng	
Filer Authorized By:		
Attorney Docket Number:	RFID-084	
Receipt Date:	17-JUN-2016	
Filing Date:	01-MAR-2013	
Time Stamp:	13:43:21	
Application Type:	Utility under 35 USC 111(a)	

Payment information:

Submitted with Payment	yes			
Payment Type	DA			
Payment was successfully received in RAM	\$100			
RAM confirmation Number	061716INTEFSW00010475502436			
Deposit Account	502436			
Authorized User	Joe Zheng			
The Director of the USPTO is hereby authorized to charge indicated fees and credit any overpayment as follows:				
37 CFR 1.16 (National application filing, search, and examination fees)				
37 CFR 1.17 (Patent application and reexamination processing fees)				

37 CFR 1.19 (Document supply fees)

37 CFR 1.20 (Post Issuance fees)

37 CFR 1.21 (Miscellaneous fees and charges)

File Listing:								
Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)			
1	Amendment/Req. Reconsideration-After Non-Final Reject	ResponseTo1stOA.pdf	181567	no	18			
			f1f56dee8e9e918784e3903b809ac196dbd 1b944					
Warnings:								
Information:								
2	Fee Worksheet (SB06)	fee-info.pdf	30321	no	2			
			69c121f5f14578f9e1940516b7cc6b7b473d 1ca2					
Warnings:								
Information:								
		Total Files Size (in bytes)	211888					
			•					

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.

New International Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.

Approved for use through 1/31/2014, OMB 0651-0032

nark Office; U.S. DEPARTMENT OF COMMERCE U.S. Patent and Trad Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. Application or Docket Number PATENT APPLICATION FEE DETERMINATION RECORD Filing Date 13/782,948 03/01/2013 To be Mailed Substitute for Form PTO-875 ENTITY: LARGE SMALL MICRO **APPLICATION AS FILED – PART I** (Column 1) (Column 2) NUMBER FILED NUMBER EXTRA FOR RATE (\$) FEE (\$) BASIC FEE 195 N/A N/A N/A 37 CFR 1.16(a), (b), or (c)) SEARCH FEE N/A N/A N/A (37 CFR 1.16(k). or (m) EXAMINATION FEE N/A N/A N/A 7 CFR 1.16(o), (p), or (q) TOTAL CLAIMS minus 20 = X \$ = CFR 1.16(i) INDEPENDENT CLAIMS minus 3 = X \$ = (37 CFR 1.16(h)) If the specification and drawings exceed 100 sheets of paper, the application size fee due is \$310 (\$155 APPLICATION SIZE FEE for small entity) for each additional 50 sheets or (37 CFR 1.16(s)) fraction thereof. See 35 U.S.C. 41(a)(1)(G) and 37 CFR 1.16(s) MULTIPLE DEPENDENT CLAIM PRESENT (37 CFR 1.16(j)) * If the difference in column 1 is less than zero, enter "0" in column 2. TOTAL 195 **APPLICATION AS AMENDED – PART II** (Column 1) (Column 2) (Column 3) CLAIMS HIGHES^{*} REMAINING NUMBER 06/17/2016 PRESENT EXTRA RATE (\$) ADDITIONAL FEE (\$) PREVIOUSLY AFTER AMENDMENT PAID FOR ш Total (37 CFR * 19 Minus ** 20 = 0 x \$40 = 0 ENDM Independent (37 CFR <u>1.16(h)</u>) 0 * 2 Minus ***3 0 x \$210= ₹ Application Size Fee (37 CFR 1.16(s)) FIRST PRESENTATION OF MULTIPLE DEPENDENT CLAIM (37 CFR 1.16(i)) TOTAL ADD'L FEE 0 (Column 1) (Column 2) (Column 3) CLAIMS HIGHES REMAINING NUMBER PRESENT EXTRA RATE (\$) ADDITIONAL FEE (\$) PREVIOUSLY AFTER AMENDMENT PAID FOR Total (37 CFR 1.16(i)) Minus X \$ = ÎΠ ENDN Independent (37 CFR 1.16(h)) *** Minus X \$ = Application Size Fee (37 CFR 1.16(s)) AN FIRST PRESENTATION OF MULTIPLE DEPENDENT CLAIM (37 CFR 1.16(j)) TOTAL ADD'L FEE * If the entry in column 1 is less than the entry in column 2, write "0" in column 3. LIF ** If the "Highest Number Previously Paid For" IN THIS SPACE is less than 20, enter "20". /GLORIA J. TRAMMELL/ *** If the "Highest Number Previously Paid For" IN THIS SPACE is less than 3, enter "3" The "Highest Number Previously Paid For" (Total or Independent) is the highest number found in the appropriate box in column 1 This collection of information is required by 37 CFR 1.16. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering,

preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.



UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
13/782,948	03/01/2013	Xiangzhen Xie	RFID-084	5348
26797 LogicPatents, I	7590 09/27/201 LC	6	EXAM	IINER
21701 Stevens CUPERTINO,	Creek Boulevard, #284 CA 95015	L	IMMANUEL	., ISIDORA I
			ART UNIT	PAPER NUMBER
			3685	
			NOTIFICATION DATE	DELIVERY MODE
			09/27/2016	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

uspatents@sbcglobal.net

	Application No. 13/782,948	Applicant(s) XIE ET AL.					
Office Action Summary	Examiner ISIDORA IMMANUEL	Art Unit 3685	AIA (First Inventor to File) Status No				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address							
 Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE <u>3</u> MONTHS FROM THE MAILING DATE OF THIS COMMUNICATION. Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any 							
Status	7/2016						
A declaration(s)/affidavit(s) under 37 CFR 1.1	1 30(b) was/were filed on						
2a)⊠ This action is FINAL . 2b)□ This	action is non-final.						
3) An election was made by the applicant in resp	onse to a restriction requirement	set forth duri	ng the interview on				
 the restriction requirement and election have been incorporated into this action. Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i>, 1935 C.D. 11, 453 O.G. 213. 							
Disposition of Claims*							
5) Claim(s) <u>1-19</u> is/are pending in the application							
5a) Of the above claim(s) is/are withdrav	wn from consideration.						
7) Claim(s) <u>1-19</u> is/are rejected.							
8) Claim(s) is/are objected to.							
9) Claim(s) are subject to restriction and/o	r election requirement.						
* If any claims have been determined <u>allowable</u> , you may be el	ligible to benefit from the Patent Pro	secution High	way program at a				
participating intellectual property office for the corresponding a	pplication. For more information, ple	ase see					
Application Depose							
10) The specification is objected to by the Examine	ir						
11) The drawing(s) filed on is/are: a) acc	epted or b) objected to by the	Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
Priority under 35 U.S.C. § 119							
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).							
Certified copies:							
a) of of of the priority documents have been received							
2. Certified copies of the priority documents have been received in Application No							
3. Copies of the certified copies of the priority documents have been received in this National Stage							
application from the International Bureau (PCT Rule 17.2(a)).							
	ea copies not receivea.						
Attachmant/a)							
1) Notice of References Cited (PTO-892)	3) 🗍 Interview Summary	/ (PTO-413)					
2) Information Disclosure Statement(s) (PTO/SB/08a and/or PTO/ Paper No(s)/Mail Date	SB/08b) 4) Other:	pate					
US. Patent and Trademark Office PTOL-326 (Rev. 11-13) Office Action	Summary	Part of Paper N	o./Mail Date 20160912				

Samsung Ex. 1016, Page 173 of 699 Samsung Electronics America, Inc. v. RFCyber Corp. IPR2021-00980

DETAILED ACTION

Acknowledgements

- 1. This office action is in response to the claims filed 06/17/2016.
- 2. Claims 1, 2, 4-7, 9, 12, 13, 15 and 16 amended.
- 3. Claims 1-19 are pending.
- 4. Claims 1-19 have been examined.

Notice of Pre-AIA or AIA Status

5. The present application is being examined under the pre-AIA first to invent provisions.

Specification

6. The lengthy specification has not been checked to the extent necessary to determine the presence of all possible minor errors. Applicant's cooperation is requested in correcting any errors of which applicant may become aware in the specification.

Response to Arguments

7. Applicant's arguments filed 06/17/2016 have been fully considered but they are not persuasive.

8. <u>101</u>

9. In the instant case, claim 1 is directed to a device and claim 12 is directed to a method.

10. The newly amended claims recite the steps of "installing a plurality of applications...providing an emulator in the mobile device to receive a first application..., causing the second application to replace the first application..." The claim is directed towards a receiving and processing information which is similar to Alice which dealt with receiving, processing, and storing data and Bancorp which dealt with automating mental tasks (*Bancorp Services LLC v. Sun Life Assurance Co. of Canada (U.S.)*. Therefore, based on case law precedent, the claims are claiming subject matter similar to concepts already identified by the courts as dealing with abstract ideas. See Alice Corp. Pty. Ltd., 134 S.Ct. at 2356 (citing Bilski v. Kappos, 561, U.S. 593, 611 (2010)). Claim 1 is directed towards the generic computer used to implement the method of claim 12 and is therefore also directed towards a judicial exception regarding an abstract idea involving the receiving information in your device, processing selections for switching between tasks, based on case law precedent, is claiming subject matter similar to concepts identified by the courts as dealing with abstract ideas.

11. Taking the claim elements separately, the functions performed by the machine at each step of the process are purely conventional. Similar to Using a processor or software for receiving, sending and processing data, and automating switching, for example, from a calculator function to a note taking function, are well-understood, routine, conventional activities previously known to the industry. In short, each step does no more than require a generic computer to perform generic computer functions.

12. <u>112</u>

13. Applicant argues "the claim limitations must use the phrase 'means for' or 'step for". It appears Applicant might not be referencing the most recent version of the MPEP 2181. Additionally, courts have argued that "Our consideration of this case has led us to conclude that such a heightened burden is unjustified and that we should abandon characterizing as "strong" the presumption that a limitation lacking the word "means" is not subject to § 112, para. 6. That characterization is unwarranted, is uncertain in meaning and application, and has the inappropriate practical effect of placing a thumb on what should otherwise be a balanced analytical scale. It has shifted the balance struck by Congress in passing § 112, para. 6 and has resulted in a proliferation of functional claiming untethered to § 112, para. 6 and free of the strictures set forth in the statute. Henceforth, we will apply the presumption as we have done prior to Lighting World, without requiring any heightened evidentiary showing and expressly overrule the characterization of that presumption as "strong." We also overrule the strict requirement of "a showing that the limitation essentially is devoid of anything that can be construed as structure." Williamson v. Citrix Online, LLC, 115 USPQ2d 1105 (Fed. Cir. 2015).

14. When the claim limitation does not use the term "means," examiners should determine whether the presumption that 35 U.S.C.112(f) or pre-AIA 35 U.S.C. 112, paragraph 6 does not apply is overcome. The presumption may be overcome if the claim limitation uses a generic placeholder (a term that is simply a substitute for the term "means"). The following is a list of non-structural generic placeholders that may invoke35 U.S.C. 112(f) or pre-AIA 35 U.S.C. 112, paragraph 6: "mechanism for," "module for," "device for," "unit for," "component for," "element for," "member for,"

"apparatus for," "machine for," or "system for." This list is not exhaustive, and other generic placeholders may invoke 35 U.S.C. 112(f)or pre-AIA 35 U.S.C. 112, paragraph 6. *Welker BearingCo., v. PHD, Inc.,* 550 F.3d 1090, 1096, 89 USPQ2d1289, 1293-94 (Fed. Cir. 2008); *Massachusetts Inst.of Tech. v. Abacus Software,* 462 F.3d 1344, 1354,80 USPQ2d 1225, 1228 (Fed. Cir. 2006); *Personalized Media,* 161 F.3d at 704, 48 USPQ2dat 1886–87; *Mas-Hamilton Group v. LaGard, Inc.,* 156 F.3d 1206, 1214-1215, 48 USPQ2d 1010, 1017(Fed. Cir. 1998). The terms are "used as a substitute for 'means' that is a generic placeholder (also called a nonce term or a non-structural term having no specific structural meaning)" MPEP 2181.

15. <u>103</u>

16. Applicant argues Wentker does not teach an emulator. By Applicant's own explanation of an emulator, "an emulator, coupled to the storage, for receiving one of the applications...", to be "executed in the emulator". Wentker teaches " card manager **104** loads issuer application **112** and performs related card content management on behalf of the card issuer while also managing the loading, installation and deletion of applications provided by application providers.... card manager **104**, acting as the default application, is ready to receive, execute and respond to external APDU commands" (column 6, line 63-67, column 7, line 1-14, column 8, line 6-16, column 9, line 1-9). Next, Applicant argues there is no motivation to combine Huomo and Wentker. First, In response to applicant's argument that there is no teaching, suggestion, or motivation to combine the references, the examiner recognizes that obviousness may be established by combining or modifying the teachings of the prior

art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988), *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992), and *KSR International Co. v. Teleflex, Inc.*, 550 U.S. 398, 82 USPQ2d 1385 (2007). Secondly, the arguments made do not appear to be based on the office action sent to Applicant, for example, Applicant argues "the suggestion to make the claim combination must be found in the prior art, not in the Applicant's disclosure...." A glance at the combination of the prior art will alert Applicant to the prior art and the citation for where the suggestion was found, with the format (Prior art; citation), located at the end of the combination might have come from "Applicant's disclosure", it is not because it came from the Applicant but rather because all three applications are very similar in scope and content, as can be gleamed from their field and background of the invention.

Examiner's Comments

17. Regarding claim 1, with respect to claim language "device for storing...", "applications to be loaded into the emulator to replace...", claims 2 and 13, "device to retrieve...", "device to receive...", claim 4, "provided respectively to perform...", claims 7 and 16, "server configured to provide...", claim 8, "server to remotely provision...", "server to manage...", claims 9 and 17, "that is determined to be updates...", claim 11, "a request to provision...", "the application to be provisioned...", claim 12, "device to

receive...", "application to replace...", claim 13, "instruction to cause...", claim 15, "Module configured to provide... to store", claim 16, "Card manager proxy configured to facilitate", "user interface application provided to query", "UI application for conducting" and claim 19, "request to provision...", "application to be provisioned...", "(SSD) to be associated..." recites intended use and therefore does not have patentable weight. See MPEP 2114.

Regarding claim 1, the language "storage device for storing...", "processor,...,
 causing...", recites functional language, and therefore does not have patentable weight.
 See MPEP 2111, 2114, 2181.

19. Regarding claims 2 and 13, "information is a sequence...", "request is a command...", claims 11 and 19, "the data includes...", claim 13, "information is a sequence...", and claim 15, "secure element further includes..." are nonfunctional descriptive material and therefore do not have patentable weight. See *In re Gulack*, 217 USPQ 401 (Fed. Cir. 1983), *In re Ngai*, 70 USPQ2d (Fed. Cir. 2004), *In re Lowry*, 32 USPQ2d 1031 (Fed. Cir. 1994); MPEP 2106.01. MPEP 2111.05 III.

20. Regarding claim 14, "wherein the emulator...the secure element is enclosed...", and claim 15, "the secure element further includes..." is a structural limitation in a method claim and has no patentable weight. *Ex parte Pfeiffer*, 135 USPQ 31 (Bd. App. 1961).

21. Regarding claim 12, the language "wherein the mobile device is used...",
"application being executed...", "application are changed to functions offered... to
functions offered", "the second application is activated...", claim 13, "the server

determines....", "keys are generated...", "secure element facilitates...", claim 14, "emulator is implemented...", "secure element is enclosed...", claim 15, "cards is loaded...", claim 16, "proxy configured to facilitate...", "application provided to query...", "information stored...", claim 17, "element is preloaded..." and claim 19, the language "application has been remotely...", "application installed...", "element is distributed..." does not disclose a positively recited step and therefore does not patentable weight. See MPEP 2111.04.

22. Regarding claim 12, "application is replaceable..." is optional and conditional language and therefore does not have patentable weight. See MPEP 2103(I) (c).

23. Regarding claim 12, the language "application are changed to functions offered... when the second application is activated..." is a result and therefore has not patentable weight (*Minton v. Nat'l Ass'n of Securities Dealers, Inc.,* 336 F.3d 1373, 1381, 67 USPQ2d 1614, 1620 (Fed. Cir. 2003)) that a "whereby clause in a method claim is not given weight when it simply expresses the intended result of a process step positively recited." See MPEP 2111.04.

Claim Rejections - 35 USC § 101

24. 35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

25. Claims 1-19 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter.

Subject Matter Eligibility Standard

Page 8

Samsung Ex. 1016, Page 180 of 699 Samsung Electronics America, Inc. v. RFCyber Corp. IPR2021-00980
26. When considering subject matter eligibility under 35 U.S.C. 101, it must be determined whether the claim is directed to one of the four statutory categories of invention, i.e., process, machine, manufacture, or composition of matter. If the claim does fall within one of the statutory categories, it must then be determined whether the claim is directed to a judicial exception (i.e., law of nature, natural phenomenon, and abstract idea), and if so, it must additionally be determined whether the claim is a patent-eligible application of the exception. If an abstract idea is present in the claim, any element or combination of elements in the claim must be sufficient to ensure that the claim amounts to significantly more than the abstract idea itself. Examples of abstract ideas include fundamental economic practices; certain methods of organizing human activities; an idea itself; and mathematical relationships/formulas. (*Alice Corporation Pty. Ltd. v. CLS Bank International, et al. US Supreme Court, No. 13-298, June 19, 2014*).

<u>Analysis</u>

27. In the instant case, claim 1 is directed to a device and claim 12 is directed to a method.

28. The newly amended claims recite the steps of "installing a plurality of applications...providing an emulator in the mobile device to receive a first application..., causing the second application to replace the first application..." The claim is directed towards a receiving and processing information which is similar to Alice which dealt with receiving, processing, and storing data and Bancorp which dealt with automating mental tasks (*Bancorp Services LLC v. Sun Life Assurance Co. of Canada (U.S.)*. Therefore,

based on case law precedent, the claims are claiming subject matter similar to concepts already identified by the courts as dealing with abstract ideas. See Alice Corp. Pty. Ltd., 134 S.Ct. at 2356 (citing Bilski v. Kappos, 561, U.S. 593, 611 (2010)). Claim 1 is directed towards the generic computer used to implement the method of claim 12 and is therefore also directed towards a judicial exception regarding an abstract idea involving the receiving information in your device, processing selections for switching between tasks, based on case law precedent, is claiming subject matter similar to concepts identified by the courts as dealing with abstract ideas.

29. Taking the claim elements separately, the functions performed by the machine at each step of the process are purely conventional. Similar to Using a processor or software for receiving, sending and processing data, and automating switching, for example, from a calculator function to a note taking function, are well-understood, routine, conventional activities previously known to the industry. In short, each step does no more than require a generic computer to perform generic computer functions. 30. The claims do not include additional elements that are sufficient to amount to significantly more than the judicial exception because the additional elements are still drawn to receiving, sending and processing data, (Alice Corp. Pty. Ltd. v. CLS Bank Int'l, 573 U.S. , 134 S. Ct. 2347, 2356 (2014)), electronic recordkeeping (Alice Corp. Pty. Ltd. v. CLS Bank Int'l, 573 U.S. , 134 S. Ct. 2347, 2356 (2014)), automating mental tasks (Bancorp Services LLC v. Sun Life Assurance Co. of Canada (U.S.), 103 USPQ2d 1425 (Fed. Cir. 2012), (Cybersource Corp. v. Retail Decisions, Inc., 654 F.3d 1366, 1372 (Fed. Cir. 2011)) and receiving or transmitting data over a network, e.g.,

using the Internet to gather data (Ultramercial, Inc. v. Hulu, LLC, 772 F.3d 709, 714-15 (Fed. Cir. 2014), (buySAFE, Inc. v. Google, Inc., 765 F.3d 1350, 1355 (Fed. Cir. 2014), (Cyberfone Systems, LLC v. CNN Interactive Group, Inc., 558 Fed. Appx. 988, 993 (Fed. Cir. 2014)).

31. Viewed as a whole, instructions/method claims simply recite the concept of receiving, sending and automating data processing, as performed by a generic computer. The method claims do not, for example, purport to improve the functioning of the computer itself. Nor do they effect an improvement in any other technology or technical field. Instead, the claims at issue amount to nothing significantly more than an instruction to apply the abstract idea of receiving, and processing data using some unspecified, generic computer. See Alice Corp. Pty. Ltd., 134 S.Ct. at 2360.

32. The use of a processor implementing the abstract idea does not render the claim patent eligible because it does not provide meaningful limitations beyond generally linking the use of an abstract idea to a particular technology environment and requires no more than a generic computer to perform generic computer functions.

<u>Conclusion</u>

33. The claim as a whole, does not amount to significantly more than the abstract idea itself. This is because the claim does not affect an improvement to another technology or technical filed; the claim does not amount to an improvement to the functioning of a computer system itself; and the claim does not move beyond a general link of the use of an abstract idea to a particular technological environment.

34. Accordingly, the Examiner concludes that there are no meaningful limitations in the claim that transform the judicial exception into a patent eligible application such that the claim amounts to significantly more than the judicial exception itself.

35. Dependent claims do not resolve the deficiency of independent claims and accordingly stand rejected under 35 USC 101 based on the same rationale.

36. Dependent claims 2-11 and 13-19 are also rejected.

37. Claims 1 and 12 recite "a storage device..." which, in this case, is directed to a signal. The specification (¶ 239), says "the computer readable medium is any data storage device that can store data which can thereafter be read by a computer system. Examples of the computer readable medium include read-only memory, random-access memory, CD-ROMs, DVDs, magnetic tape, optical data storage devices, and carrier waves," explaining that the storage device can be a carrier wave. A signal is a carrier wave or other propagation media, according to MPEP 2106 II IV, however, there are four categories of invention: process, machine, article of manufacture or composition of matter, therefore, as a "signal" is not a category of invention nor a subset of one of the categories, it does not represent patent eligible subject matter. See *In re Nuijten*, 84 U.S.P.Q.2d 1495 (Fed. Cir. 2007), *Gottschalk v. Benson, 409 U.S. at 72, 175 USPQ at 676-77.* Dependent claims 2-11 and 13-19 are also rejected.

Claim Rejections - 35 USC § 112

38. The following is a quotation of the first paragraph of 35 U.S.C. 112(a):

(a) IN GENERAL.—The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it

is most nearly connected, to make and use the same, and shall set forth the best mode contemplated by the inventor or joint inventor of carrying out the invention.

The following is a quotation of the first paragraph of pre-AIA 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same, and shall set forth the best mode contemplated by the inventor of carrying out his invention.

39. Claims 1-19 are rejected under 35 U.S.C. 112(a) or 35 U.S.C. 112 (pre-AIA), first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor or a joint inventor, or for pre-AIA the inventor(s), at the time the application was filed, had possession of the claimed invention.

40. Claim 1 recites "causing the another one of the applications to be loaded into the emulator...", similarly, claim 12 recites "causing the second application to replace...." The specification (¶ 62-69) explains that "when instructed by an user, can be caused to swap (ie. Activate on an emulator) an application in and out the Mifare emulator...." The specification provides support for a user command being the catalyst for the application replacement. The specification does not provide for an algorithm that gives "a processor", or non-human entity the ability or operation to cause an application "to be loaded into the emulator to replace the one of the applications..." without user instruction, as directed by the specification. Dependent claims 2-11 and 13-19 are rejected as each depend on rejected claims 1 and 12.

41. The following is a quotation of 35 U.S.C. 112(b):

(b) CONCLUSION.—The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the inventor or a joint inventor regards as the invention.

The following is a quotation of 35 U.S.C. 112 (pre-AIA), second paragraph: The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

42. Claims 1-19 are rejected under 35 U.S.C. 112(b) or 35 U.S.C. 112 (pre-AIA), second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which the inventor or a joint inventor, or for pre-AIA the applicant regards as the invention.

43. Claim 1 recites "a storage device for storing...", similarly, claim 12 recites "installing a plurality of applications in a storage device...." It is unclear whether the device refers to a secure element that stores the applications, as described by the specification (¶ 133-138), a secure element in the mobile device that could be software and without structure (¶ 58, 101), or whether the device refers to the secured memory space of the mobile device (Figure 1C, element 137; ¶ 101) or whether the storage device refers to the computer readable medium that could also be software and without structure (¶ 239), which says "the computer readable medium is any data storage device that can store data which can thereafter be read by a computer system. Examples of the computer readable medium include read-only memory, random-access memory, CD-ROMs, DVDs, magnetic tape, optical data storage devices, and carrier waves," explaining that the storage device can be a carrier wave. Dependent claims 2-11 and 13-19 are rejected as each depend on rejected claims 1 and 12.

44. Claim 1 recites "the one of the applications being executed in the emulator, wherein the one of the applications in the emulator...", similarly, claim 12 recites " facilitating data exchange between a reader and the first application being executed in the emulator, wherein the first application in the emulator...." It is unclear how applications exist in the emulator to be executed when no applications are located nor have been received in or by the emulator. As explained by Applicant's limitation, the applications are located in the "storage device", not the emulator, and while "an emulator in the mobile device" can receive an application, one has not yet been received. Dependent claims 2-11 and 13-19 are rejected as each depend on rejected claims 1 and 12.

45. As per claims 1, 2, 6, 7, 8 the claims recite the following means plus functions limitations:

- a. interface to facilitate...(claim 1)
- b. instruction to cause... (claim 2)
- c. Module configured to provide... to store (claim 6)
- d. Card manager proxy for facilitating (claim 7)
- e. user interface application provided to query (claim 7)
- f. UI application for conducting (claim 7)
- g. Interfaces...to read (claim 8)
- h. TMSM module is configured to (claim 8)
- i. Applications... is caused to swap (claim 8)
- j. Mechanism to make ...for storing (claim 8)

46. This limitation invokes 35 USC § 112, ¶ 6 because it meets the 3-prong analysis set forth in MPEP 2181 as it recites a generic placeholder (also called a nonce term or a non-structural term having no specific structural meaning) and the phrase is modified by functional language and it is not modified by sufficient structure, material, or acts for performing the recited function. When the claim limitation does not use the term "means," examiners should determine whether the presumption that 35 U.S.C.112(f) or pre-AIA 35 U.S.C. 112, paragraph 6 does not apply is overcome. The presumption may be overcome if the claim limitation uses a generic placeholder (a term that is simply a substitute for the term "means"). The following is a list of non-structural generic placeholders that may invoke35 U.S.C. 112(f) or pre-AIA 35 U.S.C. 112, paragraph 6: "mechanism for," "module for," "device for," "unit for," "component for," "element for," "member for," "apparatus for," "machine for," or "system for." This list is not exhaustive, and other generic placeholders may invoke 35 U.S.C. 112(f)or pre-AIA 35 U.S.C. 112, paragraph 6. Welker BearingCo., v. PHD, Inc., 550 F.3d 1090, 1096, 89 USPQ2d1289, 1293-94 (Fed. Cir. 2008); Massachusetts Inst.of Tech. v. Abacus Software, 462 F.3d 1344, 1354,80 USPQ2d 1225, 1228 (Fed. Cir. 2006); Personalized Media, 161 F.3d at 704, 48 USPQ2dat 1886–87; Mas-Hamilton Group v. LaGard, Inc., 156 F.3d 1206, 1214-1215, 48 USPQ2d 1010, 1017(Fed. Cir. 1998). The terms are "used as a substitute for 'means' that is a generic placeholder (also called a nonce term or a nonstructural term having no specific structural meaning)" MPEP 2181.

In the instant application, the following portions of the specification and drawings may appear to describe the corresponding structure for performing the claimed function: specification ¶ 5, 7, 11, 56, 57, 59-61, 75, 76, 91 and 92.

However, the specification and drawings do not disclose sufficient corresponding structure, material or acts for performing the claimed function. ¶ 91 and 92 describe purse provisioned with the secure element is personalized with keys. The specification does not "send a set of instructions to cause" and does not have a corresponding structure that are the instructions. ¶ 5, 7, 56, 57, 61, 75, 76 describe the module interchangeable with software modules, applications and applets but there is no indication of what structure is used. ¶ 59 describes the "card manager proxy" as a "software module". ¶ 61 describes "a mechanism to make baseband storage as an extension for storing the software-based or logical smart cards" but there is no indication of what structure is used. As a result, corresponding structure to support the means for the functions has not been clearly provided. Dependent claims 2-11 are rejected.

47. Claims 2, 11, 13 and 19 recite the limitation "the portable device". Similarly, claims 7, 8 and 16 recite the limitation "the TSM server" and "the TMSM module". There is insufficient antecedent basis for this limitation in the claim.

48. Claims 2 and 13 recite "after the server determines that the secure element...," claim 8 recites "enable the TSM server to remotely provision..." and "enable the TSM server to manage...", and claims 11 and 19 recite "applications has been remotely provisioned by the TSM server with operations of: receiving... establishing... preparing...

notifying..." The scope of the claims are unclear as to whether the server or the TSM server are part of the claimed mobile device or the claimed method for a mobile device. 49. Claim 2 recites "a set of keys from a designated place", the claim is unclear as to where this designated place is or why there should ambiguity as to where the keys come from, thereby rendering the claim indefinite. Similarly, claim 8 recites "to read certain data therefrom", the claim language creates ambiguity, making the claim unclear and rendering the claim indefinite.

50. Regarding claim 8, the claim recites "provide...., when instructed by a user" However, claim 1, from which claim 8 depends, is directed to a mobile device. The claim is a hybrid claim as the cited language is not directed to the mobile device but to external use of claimed structural elements. Therefore, it would be unclear whether infringement of claim 8 occurs based on possession of the mobile device. *In re Katz Interactive Call Processing Patent Litigation*, 639 F.3d 1303 (Fed. Cir. 2011). *IPXL Holdings v. Amazon.com, Inc.*, 430 F.2d 1377, 1384, 77 USPQ2d 1140, 1145 (Fed. Cir. 2005). *Ex parte Lyell*, 17 USPQ2d 1548 (Bd. Pat. App. & Inter. 1990).

51. Claim 12 recites "causing the second application to replace... when the second application is activated...." since "causing" cannot occur without the activation of the second application activating. The claims are missing an essential step. Dependent claims 13-19 are rejected as each depends on rejected claim 12.

52. Claim 13 recites "after the server determines...," it is unclear how the mobile device receives notice to monitor how the server functions.

53. Claim 16 recites "querying via a user interface (UI) one or more of the

applications in detail..." the claim is unclear as to the scope or extent of "in detail".

Claim Rejections - 35 USC § 103

54. The following is a quotation of pre-AIA 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained through the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

55. Claims 1, 3-7, 9-12, and 14-19 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Huomo et al. (8,005,426) ("Huomo"), and in view of Wentker et al. (6,481,632) ("Wentker").

56. Regarding claims 1 and 12, Huomo teaches a storage device for storing a plurality of applications, each corresponding to one of the cards (column 8, line 3-12, 42-47, column 14, line 54-67); an emulator, coupled to the storage, for receiving one of the applications, wherein each of the applications corresponds to one of the cards (column 8, line 42-47, column 12, line 28-43); a communication interface to facilitate data exchange between a reader and the one of the applications being executed in the emulator, wherein the one of the applications in the emulator is replaceable in entirety or in part by another one of the applications (column 7, line 8-60, column 8, line 24-37, column 15, line 27-67); and a processor, in communication with the emulator and the storage device (column 14, line 54-67), wherein functions of the mobile device related to

one of the cards offered by the application are changed to functions offered by the another one of the applications related to another one of the cards when the another one of the applications is activated and executed in the emulator (column 9, line 30-46, column 10, line 49-67, column 11, line 1-3, column 12, line 28-43).

Huomo does not teach causing the another one of the application to be loaded into the emulator to replace the one of the applications. Wentker teaches causing the another one of the application to be loaded into the emulator to replace the one of the applications (column 6, line 63-67, column 7, line 1-14, column 8, line 6-16, column 9, line 1-9). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Huomo and Wentker in order to provide efficient management of card applications (Wentker; column 1, line 12-67).

57. Regarding claims 3 and 14, Huomo teaches wherein the emulator is implemented in the secure element, the secure element is enclosed in the mobile device or in a detachable card to the mobile device (column 8, line 3-23).

58. Regarding claim 4, Huomo teaches wherein each of the applications emulating functions of one of the cards provided respectively to perform a function related to a monetary transaction, the mobile device is used to emulate each of the cards when one of the applications is loaded into and executed in the emulator (column 7, line 8-19, column 9, line 4-46, column 10, line 49-67, column 11, line 1-13, column 12, line 28-43).
59. Regarding claim 5, Huomo teaches wherein at least one of the cards is a Mifare contactless card (column 2, line 27-61, column 8, line 3-37).

60. Regarding claims 6 and 15, Wentker teaches wherein the secure element further includes a module configured to provide Trusted Mifare Service Management (TMSM) and to store a plurality of service objects along with a plurality of key indexes, each of the service objects corresponding to one of the applications (column 9, line 1-33, column 13, line 11-39, column 14, line 24-43, column 21, line 17-31).

61. Regarding claims 7 and 16, Huomo teaches a user interface (UI) (column 6, line 61-67, column 8, line 54-67). Wentker teaches wherein each of the applications has been remotely provisioned by the server configured to provide trusted service management(TSM) (column 6, line 13-67, column 8, line 17-32, column 21, line 1-31) and the mobile device further includes a card manager proxy for facilitating communication between the TSM server and the TMSM module in the secure element, interface application provided to query one or more of the applications on information stored therein but not to modify the information (column 6, line 13-67, column 8, line 17-32, column 21, line 1-31) and a transaction UI application for conducting operations that modify one or more sectors in one or more of the applications (column 10, line 8-56). Wentker does not teach a user interface (UI). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Huomo and Wentker in order to provide efficient management of card applications (Wentker; column 1, line 12-67).

62. Regarding claims 9 and 17, Wentker teaches wherein the secure element is preloaded with default Issuer Security Domain (ISD) information determined to be updated entirely or partially subject to retrieved corresponding default ISD information

from a party originating the secure element (column 7, line 38-56, column 13, line 11-39, column 19, line 1-8).

63. Regarding claims 10 and 18, Huomo teaches wherein the mobile device is a smartphone, a portable computer and a smart card (column 16, line 26-36, 43-67, column 17, line 1-5).

64. Regarding claims 11 and 19, Wentker teaches receiving a request to provision an application installed in the mobile device, wherein the application to be provisioned with the secure element is distributed by an application provider (column 7, line 15-37, column 8, line 1-10, column 14, line 24-43, column 15, line 1-19, column 16, line 25-35, 49-67, column 17, line 21-35); establishing a secured channel with the secure element using a set of keys (column 7, line 15-37, column 10, line 15-23, column 13, line 11-39, column 15, line 52-67, preparing data for the application being provisioned, wherein the data includes supplemental security domains (SSD) to be associated with the application (column 11, line 21-62, column 14, line 24-43, column 16, 49-67); and notifying the application provider of a status of the application with the portable device (column 12, line 58-67, column 13, line 1-10, column 17, line 4-20, column 18, line 62-67, column 19, line 44-46).

65. Claim 2 is rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Huomo et al. (8,005,426) ("Huomo"), in view of Wentker et al. (6,481,632) ("Wentker") and further in view of De Groot (2006/0141987) ("Groot").

66. Regarding claims 2 and 13, Wentker teaches and a designated server providing trusted service management (TSM) (column 6, line 13-67, column 8, line 17-32, column

21, line 1-31). Groot teaches initiating data communication between the mobile device (\P 36, 40, 44); receiving device information of the secure element from the mobile device in responding to a request from the server after the server determines that the secure element is registered therewith, wherein the device information is a sequence of characters uniquely identifying the secure element, and the request is a command causing the mobile device to retrieve the device information from the secure element therein (\P 30, 34, 36, 37, 39, 40, 43, 47, 48, 53); and sending a set of instruction to cause the mobile device to receive in the secure element at least a set of keys from a designated place, wherein the keys are generated in accordance with the device information of the secure element, wherein the set of keys in the secure element facilitates a subsequent transaction between the portable device and a service provider (Figure 1, element M1-3; \P 30, 31, 34, 40-45, 47-49, 53). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Huomo, Wentker, and Groot in order to provide secure transmissions with a terminal and a server using an identifier (Groot; \P 1-7).

67. Claim 8 is rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Huomo et al. (8,005,426) ("Huomo"), in view of Wentker et al. (6,481,632) ("Wentker") and further in view of Vayssiere (2006/0065741) ("Vayssiere").

68. Regarding claim 8, Wentker teaches provide a set of Application Programming Interfaces so that one of the applications, when instructed by an user, is caused to swap an application in and out the emulator (column 6, line 36-55, column 7, line 1-7, column 8, line 17-32); provide a set of Application Programming Interfaces to one of the

applications to read certain data therefrom (column 6, line 36-55, column 8, line 17-32); enable the TSM server to remotely provision each of the applications by installing application keys and application data to the TMSM module (column 7, line 15-37, column 16, line 3-23, column 17, line 21-35, column 22, line 17-31) enable the TSM server to manage each of the applications by locking or unlocking one of the applications (column 7, line 1-7, column 9, line 34-44, column 10, line 24-44); provide a trusted environment such that an application provider modifies a designated application and meta data thereof owned by the application provider; and provide a mechanism to make baseband storage as an extension for storing some or all of the applications swapped out from the emulator to the TMSM module (column 22, line 51-67, column 23, line 1-24).

Neither Huomo and Wentker teach and later on swapping another one of the applications to the emulator. Vayssiere and later on swapping another one of the applications to the emulator (¶ 35). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Huomo, Wentker, and Vayssiere in order to provide a smartcard to perform multiple functions (Vayssiere; ¶ 3).

Conclusion

69. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within

TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

70. Any inquiry concerning this communication or earlier communications from the examiner should be directed to ISIDORA IMMANUEL whose telephone number is (571)272-9862. The examiner can normally be reached on Monday-Thursday 7:30am-5pm EDT.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Calvin Hewitt can be reached on 571-272-6709. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/I. I./ Examiner, Art Unit 3685

/JAMES D NIGH/ Primary Examiner, Art Unit 3685 Page 26

			A	Application/Control No.			Applie Reexa	Applicant(s)/Patent Under Reexamination						
Index of Claims				13	13782948			XIE E	XIE ET AL.					
				E	Examiner			Art Ur	Art Unit					
				IS	ISIDORA IMMANUEL			3685	3685					
✓ Rejected-			Car	ncelled		N	Non-E	lected		Α	Арр	peal		
=	= Allowed ÷ F			Res	tricted		I	Interfe	erence		0	Obje	cted	
Claims renumbered in the same order a			order as pr	resented by a	pplica	ant	[СРА	C] т.с	D.	R.1.47		
CLAIM							DATE							
F	inal	Original	02/01/2	2016	09/16/2016									
		1	~		√									
		2	✓		√									
		3	~		✓									
		4	✓		\checkmark									
		5	√		~									
		6	√		✓									
		7	~		✓									
		8	√		\checkmark									
		9	√		~									
		10	√		~									
		11	√		~									
		12	√		✓									
		13	√		✓									
		14	✓		✓									
		15	√		~									
		16	√		~									
		17	√		~									
		18	√		~									
		19	√		√									

U.S. Patent and Trademark Office

UNITED STATES PATENT AND TRADEMARK OFFICE COMMISSIONER FOR PATENTS P.O.BOX 1450 ALEXANDRIA VA 22313-1451 PRESORTED FIRST-CLASS MAIL U.S. POSTAGE PAID POSTEDIGITAL NNNNN

LogicPatents, LLC 21701 Stevens Creek Boulevard, #284 CUPERTINO, CA 95015

11.1...1.1.1.11.....



Courtesy Reminder for Application Serial No: 13/782,948

Attorney Docket No: RFID-084 Customer Number: 26797 Date of Electronic Notification: 09/27/2016

This is a courtesy reminder that new correspondence is available for this application. If you have not done so already, please review the correspondence. The official date of notification of the outgoing correspondence will be indicated on the form PTOL-90 accompanying the correspondence.

An email notification regarding the correspondence was sent to the following email address(es) associated with your customer number: uspatents@sbcglobal.net

To view your correspondence online or update your email addresses, please visit us anytime at https://sportal.uspto.gov/secure/myportal/privatepair. If you have any questions, please email the Electronic Business Center (EBC) at EBC@uspto.gov or call 1-866-217-9197.

To: Page 3 of 8

.

h

2017-02-28 03:38:14 (GMT)

12067706341 From: Joe Zheng

RECEIVED CENTRAL FAX CENTER

CCD	27	2017
LFR.	21	ZUII

Doc Code: AP.PRE.REQ FEE	8 2 7 2017	Approved for	PTO/AIA/33 (03-13) use through 07/31/2013, OMB 0651-0031
Under the Paperwork Reduction Act of 1995, no persons are required to respo	U.S. Patent and to a collection	ind Trademark Offic of information unles	e; U.S. DEPARTMENT OF COMMERCE s it displays a valid OMB control number.
		Docket Number	· (Optional)
	f h V V	RFID-084	
I hereby certify that this correspondence is being facsimile transmitted to	Application N	lumber	Filed
United States Postal Service with sufficient postage as first class mail in an envelope addressed to "Mail Stop AF, Commissioner for Patents, D.O. Bey 1460, Algoratida VA 23331 1460; (37 CBE 1 8(4))	13/782,948	3	03/01/2013
on 2/27/2017	First Named	Inventor	
	Xiangzhen	Xie	
Signature / JOE Zherig /	Art Unit		Examiner
Typed or printed Joe Zheng name	3685		Isidora I. Immanuel
Applicant requests review of the final rejection in the above- with this request.	identified ap	plication. No	amendments are being filed
This request is being filed with a notice of appeal.			
The review is requested for the reason(s) stated on the atta Note: No more than five (5) pages may be provided	ched sheet(s l.	5).	
I am the	/joe z	theng /	
	Joe 7	/heng	Signature
applicant.		Турес	or printed name
attorney or agent of record. 39,450	(408)	777-8873	
	Telephone number		ephone number
attorney or agent acting under 37 CFR 1.34.	2/27/	2017	
Registration number if acting under 37 CFR 1.34			Date
NOTE: This form must be signed in accordance with 37 CFR 1.33. See 3 Submit multiple forms if more than one signature is required, see below	7 CFR 1.4 for s	Ignature requirem	ents and certifications.
Submit maniple forms if more than one signature is required, see below .			
•Total of One forms are submitted.			

This collection of information is required by 35 U.S.C. 132. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11, 1.14 and 41.6. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer. U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Mail Stop AF, Commissioner for Patents, P.O. Box 1460, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

PAGE 3/8 * RCVD AT 2/27/2017 10:38:22 PM [Eastern Standard Time] * SVR:W-PTOFAX-001/2 * DNIS:2738300 * CSID:12067706341 * DURATION (mm-ss):07-20

Samsung Ex. 1016, Page 201 of 699 Samsung Electronics America, Inc. v. RFCyber Corp. IPR2021-00980 RECEIVED CENTRAL FAX CENTER

FEB 2 7 2017

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s):	Xiangzhen Xie et al
Title:	Method and apparatus for emulating multiple cards in mobile
	devices
Serial No.:	13/782,948
Filing Date:	03/01/2013
Confirmation:	5348
Examiner:	Isidora I. Immanuel
Group Art Unit:	3685
Docket No.:	RFID-084

Mail Stop: AF Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Pre-Appeal Brief Request for Review

Dear Sir:

Claims 1-19 are currently pending. In the final Office Action dated 09/27/2016,

- A. Claims 1-19 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter;
- B. Claims 1-9 are rejected under 35 U.S.C. 112(a) or 35 U.S.C. 112 (pre-AIA), first paragraph, as failing to comply with the written description requirement;
- C. Claims 1, 3-7, 9-12, and 14-19 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Huomo et al. (8,005,426) ("Huomo"), and in view of Wentker et al. (6,481,632) ("Wentker").

The Appellant respectfully disagrees with the Examiner on these rejections.

1. Arguments with respect to Issue A:

The Appellant noticed in Sections 11 and 29 of the Office Action that the Examiner only looked at the gerund or verbal nouns in each of the clauses or elements in Claim 1, even though only Claim 12 recites these elements, such as (see Section 28) "installing a plurality of applications ... providing an emulator in the mobile device to receive a first application ..., causing the second application to replace the first application ... " and

Page 1 of 5

PAGE 4/8 * RCVD AT 2/27/2017 10:38:22 PM [Eastern Standard Time] * SVR:W-PTOFAX-001/2 * DNIS:2738300 * CSID:12067706341 * DURATION (mm-ss):07-20

concluded that the claim is directed towards receiving and processing information which is similar to Alice which dealt with receiving, processing, and storing data and Bancorp which dealt with automating mental tasks.

The Appellant submits that Claim 1, being an apparatus claim, does not recite "receiving and processing information", neither does Claim 12, as alleged by the Examiner. Further Claim 1 or Claim 12, as a whole, is not simply related to receiving and processing information, and there is no any similarity to the case of Alice. Specifically, Claim 1 is related to a mobile device for emulating a plurality of cards, where each of the cards is supported by an application. When a card (e.g., a Visa card) is chosen, a corresponding application is loaded and executed in an emulator of the mobile device to cause the mobile device to function as a Visa card for transaction. When another card (e.g., a Master card) is chosen, a corresponding application is loaded to replace the originally loaded application and executed in the emulator to cause the mobile device to function as a Master card for transaction. It is believed that the Examiner fails to understand what is being claimed without examining the specific limitations collectively recited in Claim 1 or Claim 12.

On Page 10, Section 29 of the Final Office Action, the Examiner states "Taking the claim elements separately, the functions performed by the machine *at each step of the process are purely conventional*". Given the fact that Claim 1 is an apparatus claim, the Appellant respectfully challenges the Examiner to show which elements in Claim 1 or Claim 12 that could be interpreted as "receiving and processing information" similar to Alice.

On Page 10, Section 28 of the Final Office Action, the Examiner alleges that "Claim 1 is directed towards the generic computer used to implement the method of claim 12 and is therefore also directed towards a judicial exception regarding an abstract idea involving the receiving information in your device, processing selections for switching between tasks, based on case law precedent, is claiming subject matter similar to concepts identified by the courts as dealing with abstract ideas."

The Appellant respectfully disagrees with the allegation. First of all, Alice case is not related to switching tasks implemented on a device. Second, the Examiner provides no such citation but merely proffers an abstract idea by itself. Further MPEP 2103 I(C) states "Diamond v. Diehr, 450 U.S. 175, 188-89, 209 USPQ 1, 9 (1981) ("In determining the eligibility of respondents' claimed process for patent protection under §101, their claims

Page 2 of 5

PAGE 5/8 * RCVD AT 2/27/2017 10:38:22 PM [Eastern Standard Time] * SVR:W-PTOFAX-001/2 * DNIS:2738300 * CSID:12067706341 * DURATION (mm-ss):07-20

Samsung Ex. 1016, Page 203 of 699 Samsung Electronics America, Inc. v. RFCyber Corp. IPR2021-00980 must be considered <u>as a whole</u>. <u>It is inappropriate to dissect the claims into old and new</u> <u>elements</u> and then to ignore the presence of the old elements in the analysis. This is particularly true in a process claim because a new combination of steps in a process may be patentable <u>even though all the constituents of the combination were well known and in</u> common use before the combination was made." (see

https://www.uspto.gov/web/offices/pac/mpep/s2103.html). Accordingly, it is concluded that the Examiner is erroneous in making the rejections based on "taking the claim elements separately" without considering specific limitations/steps recited in Claims 1 and 12. The Appellant respectfully submits that the rejection of Claims 1-19 under 35 USC 101 in the Office Action dated 09/27/2016 is defective and should be hereby reversed.

2. Arguments with respect to Issue B:

On Page 13, Section 40, the Examiner states "The specification does not provide for an algorithm that gives "a processor", or non-human entity the ability or operation to cause an application "to be loaded into the emulator to replace the one of the applications ... " without user instruction, as directed by the specification". The Appellant *does not* disagree with the Examiner. The application is indeed switched in part or full only at a command of a user of the mobile device. Claim 1 explicitly recites "a processor, in communication with the *emulator and the storage device, causing the another one of the applications to be loaded into the emulator to replace the one of the applications* ". The Appellant is wondering why the Examiner believes there is an algorithm and interprets Claim 1 beyond the original intent by calling out something that is not recited in the claim. The Appellant respectfully submits that the Examiner is erroneous in making the rejections under 35 USC 112(a), alleging no support of the limitation "an algorithm" because there is no algorithm or an intention recited in the claim. Accordingly, the rejection of Claims 1-19 under 35 USC 112(a) in the Office Action dated 09/27/2016 should be hereby reversed.

Further, on Page 14, Section 43, the Examiner states "It is unclear whether the (storage) device refers to a secure element that stores the applications". Claim 1 is directed to the structures within a mobile device while Claim 12 recites steps being executed by a mobile device. It is irrelevant what the storage device is as long as it is in the mobile device, but it cannot be CD-ROMs, DVDs, magnetic tape, optical data storage devices, and carrier

Page 3 of 5

PAGE 6/8 * RCVD AT 2/27/2017 10:38:22 PM [Eastern Standard Time] * SVR:W-PTOFAX-001/2 * DNIS:2738300 * CSID:12067706341 * DURATION (mm-ss):07-20

waves given the context of the invention. The Appellant respectfully submits that the Examiner is erroneous in making the rejections under 35 USC 112(b) by interpreting an element beyond the limitation explicitly recited in the claim. Accordingly, the rejection of Claims 1-19 under 35 USC 112(b) in the Office Action dated 09/27/2016 should be hereby reversed.

3. Arguments with respect to Issue C:

As shown in FIG. 1A and described in paragraphs [0060], a mobile device can be stored with a plurality applications, each pertaining to one of the cards. An emulator is used in a secure element to load in and execute only one application at a time to emulate a corresponding card. When another card is selected (e.g., by a user), the previously loaded application must be partially or fully replaced with another application corresponding to the newly chosen card. In other words, the mobile device can only function as one type of cards.

Huomo does teach about an IC card in a mobile device supporting multiple application. As shown in FIG. 2a and FIG. 2b and further described in corresponding paragraphs of these two figures, applications in the secure module 200 are automatically started depending on the environment. Further shown in FIG. 4a, the applications can be respectively activated. But Huomo neither teaches nor suggests of loading a new application from a storage device (corresponding to the storage 530 in Huomo) to replace a previously loaded application, implying that the emulator can activate only one application at a time. In a perspective, Huomo teaches away "a processor, in communication with the emulator and the storage device, causing the another one of the applications to be loaded into the emulator to replace the one of the applications" by explicitly teaching that multiple applications are respectively activated. On Page 20, the Examiner also admits Huomo does not teach causing the another one of the application to be loaded into the emulator to replace the one of the application to be loaded into the emulator to replace the one of the applications.

The Examiner then cites Wentker to show the teaching in combination with Huomo. However, Wentker teaches a smart card architecture by APIs to allow the management of an application in the smart card. As described in Col. 7, lines 9-14, the card manager 104 manages the loading of an application into an IC card, but it is assumed it is a new IC card.

Page 4 of 5

PAGE 7/8 * RCVD AT 2/27/2017 10:38:22 PM [Eastern Standard Time] * SVR:W-PTOFAX-001/2 * DNIS:2738300 * CSID:12067706341 * DURATION (mm-ss):07-20

In other words, Wentker is silent about replacing partially or in full a previously loaded application in an IC card when a new application is selected. The modification of Huomo with Wentker does not fundamentally cure the deficiency of Huomo that "Huomo does not teach causing the another one of the application to be loaded into the emulator to replace the one of the applications" stated by the Examiner. It is believed that the Examiner made the rejections on obviousness grounds without some articulated reasoning to support the legal conclusion of obviousness. *KSR v. Teleflex*, No. 04-1350 (US Apr. 30, 2007) (citing In re Kahn, 441 F. 3d 977, 988 (Canada Fed. 2006)).

The Appellant submits the combination of Huomo and Wentker fails to suggest "a processor, in communication with the emulator and the storage device, causing the another one of the applications to be loaded into the emulator to replace the one of the applications" recited in Claim 1. The similar limitation is also recited in Claim 12. Accordingly, Claims 1 and 12 shall be allowable over Huomo and Wentker, viewed alone or in combination. The rejection of Claims 1-19 under 35 USC 103 in the Office Action dated 09/27/2016 should be hereby reversed

The patentability of the independent claims has been argued specifically as set forth above and thus Appellant will not take this opportunity to argue further the merits of the rejection with regard to each dependent claim. However, the Appellant does not concede that the dependent claims are not independently patentable and reserves the right to argue the patentability of the dependent claims at a later date if necessary.

The undersigned can be reached at (408)777-8873 if there is a need to respond to any inquiry from the Panel.

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to "Commissioner of Patents and Trademarks, Washington, DC 20231", on January 27, 2017

Name: Joe Zheng

Signature: / joe zheng /

Respectfully submitted; / joe zheng / Reg. No.: 39,450

Page 5 of 5

RECEIVED CENTRAL FAX CENTER

EER 27 2017

FEB 2	7 2017 Appr	oved for u	PTO/AIA/31 (03-14) se through 07/31/2016. OMB 0651-0031	
	U.S. Patent and Tra	ademark O	ffice; U.S. DEPARTMENT OF COMMERCE.	
Under the Paperwork Reduction Act of 1995, no persons are required to re	spono to a conection or morma	Docket	Number (Optional)	
THE PATENT TRIAL AND APPEAL BC	DARD	RF	ID-084	
I hereby certify that this correspondence is being facsimile transmitted to the USPTO, EFS-Web transmitted to the USPTO, or	In re Application of Xiangzhen Xie et al	L.,		
deposited with the United States Postal Service with sufficient postage in an envelope addressed to "Commissioner for Patents, P.O. Reg 1460 - Alexandria on Alexandria VA 2021212168 [22:058-2 9[a]]	Application Number 13/782,948		Filed 03/01/2013	
on 02/27/2017	For Method and apparatus for	emulatir	ing multiple cards in mobile devices	
Signature / joe zheng /	Art Unit		Examiner	
Typed or printed name Joe Zheng	3685		Isidora I. luonakhamhe	
Applicant hereby appeals to the Patent Trial and Appeal Board from the	last decision of the examine	er.		
The fee for this Notice of Appeal is (37 CFR 41.20(b)(1))			\$ 800.00	
Applicant asserts small entity status. See 37 CFR 1.27. Therefore, to by 50%, and the resulting fee is:	he fee shown above is reduc	ed	\$ 400.00	
Applicant certifies micro entity status. See 37 CFR 1.29. Therefore, by 75%, and the resulting fee is: Form PTO/SB/15A or B or equivalent must either be enclosed or have been	the fee shown above is redu submitted previously.	uced	\$	
A check in the amount of the fee is enclosed.				
Payment by credit card. Form PTO-2038 is attached.				
✓ The Director is hereby authorized to charge any fees which may be to Deposit Account No. 502436	e required, or credit any over	rpayment		
Payment made via EFS-Web.				
A pelition for an extension of time under 37 CFR 1.136(a) (PTO/AIA For extensions of time in reexamination proceedings, see 37 CFR 1.550.	A/22 or equivalent) is enclos	ed.		
WARNING: Information on this form may become public. Credit on this form. Provide credit card information and authorization o	card information should no m PTO-2038.	t be inclu	ded	
l am the				
applicant attorney or agent of record Registration number 39,450	attorney Registratio	or agent	acting under 37 CFR 1.34	
Signature / joe zhang /				
Typed or printed name Joe Zheiig				
Telephone Number (408)777-9873				
NOTE: This form must be signed in accordance with 37 CFR 1.33. Sec 37 forms if more than one signature is required, see below*.	CFR 1.4 for signature require	ements a	nd certifications. Submit multiple	
• Total of <u>1</u> forms are submitted.				
This collection of information is required by 37 CFR 41.20(b)(1) and 41.31. The Info by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 1 to complete, including gathering, preparing, and submitting the completed applica comments on the amount of time you require to complete this form and/or sugger U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, A DDRESS, SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22	ormation is required to obtain or 22 and 37 CFR 1.11, 1.14 and 41 tion form to the USPTO. Time wi stions for reducing this burden, s Alexandria, VA 22313-1450. DO I 3313-1450.	retain a be .6. This col ill vary dep should be s NOT SEND	enefit by the public which is to file (and lection is estimated to take 12 minutes ending upon the individual case. Any sent to the Chief Information Officer, FEES OR COMPLETED FORMS TO THIS	

.

If you need assistance in completing the form, call 1-80C-PTO-5199 and select option 2.

02/28/2017 JVONG1 00000010 13782948

01 FC:2401

400.00 OP

PAGE 1/8 * RCVD AT 2/27/2017 10:38:22 PM [Eastern Standard Time] * SVR:W-PTOFAX-001/2 * DNIS:2738300 * CSID:12067706341 * DURATION (mm-ss):07-20

Best Available Copy

ane 2 of 8	2017-02-28-0	REC 3:38:14 (GMT) CENTRAL	EIVED FAX CENTER	12067706241	
Under the Paperwork I	United States Par Reduction Act of 1995, no persons a Credit Card Par to not submit this form el ase Read Instructions be	FEB 2 Approved for use tent and Trademark Office: U are required to respond to disp Hyment Form ectronically via EF fore Completing th	through 01/31. S. DEPARTM a collection o plays a valid S-Web)	PTO-2038 (02-24 2018. OMB 0651-0 4ENT OF COMME f information unite OMB control num	015) 3043 3CE 55 it ber,
		02/28/	2017 JVONG1	0000018 1378/	2948
		02 FC: 03 FC:	2252 1999		300.00 OP 100.00 OP
Payment Amount (US Do	(lars): \$800				
Cardholder Signature:	month hun	Date (mmtsdyyyy):	2/27/20	117	
Street Address 1: 7394	Wildflower Way				
City Cupertino					
State/Province: CA		Zip/Postal Cod	•95014		
Country: US		in the second	· · · · · · · · · · · · · · · · · · ·		
Daytime Phone # (408	6)891-9468	Fax #:			
Description of Request an	d Payment Information:	d 2-month o	xt		
Fees for Noti	CE UI AUDEALAI		/		
Fees for Not	CE OI ADDEAL AII	Trademark Fee		ther Fee	
Fees for Not Patent Fee Application No. 13/782;948	Patent Maintenance Fee	Trademark Fee		the: Fee Justamer No.	
Fees for Not Patent Fee Application No. 13/782,948 Patent No.	Patent Maintenance Fee Application No. Patent No.	Trademark Fee Application No. Registration No.		ther Fee Lustomer No.	
Fees for Noti Patent Fee Application No. 13/782;948 Patent No. Attorney Docker No. RFID-084	Patent Maintenance Fee Application No.	Trademark Fee Application No. Registration No.		ther Fee Lustomer No.	

PAGE 2/8 * RCVD AT 2/27/2017 10:38:22 PM [Eastern Standard Time] * SVR:W-PTOFAX-001/2 * DNIS:2738300 * CSID:12067706341 * DURATION (mm-ss):07-20



UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NO.	FILING DATE	LING DATE FIRST NAMED INVENTOR		CONFIRMATION NO.	
13/782,948	03/01/2013	Xiangzhen Xie	RFID-084	5348	
26797 LogicPatents, I	7590 04/25/201 LC	7	EXAM	IINER	
21701 Stevens CUPERTINO,	Creek Boulevard, #284 CA 95015	IMMANUEL, ISIDORA I			
			ART UNIT	PAPER NUMBER	
			3685		
			NOTIFICATION DATE	DELIVERY MODE	
			04/25/2017	ELECTRONIC	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

uspatents@sbcglobal.net

from Pre-Appeal Brief Review	13/782,948 Examiner ISIDORA IMMANUEL	XIE ET AL.	
Review	Examiner ISIDORA IMMANUEL	Art Unit	
Review	ISIDORA IMMANUEL	0005	
	-	3685	
This is in response to the Pre-Appeal Brief 1. Improper Request – The Requeresson(s): Improper Request does not include reget of Approper Request does not include reget of the response communication 2. Improper Proceed to Board of Patent Appresention required to submit an appeal brief in a communication required to submit an appeal brief in a communication 2. Improper Proceed to Board of Patent Appresention required to submit an appeal brief in a communication Mathematical receipt of the notice of appeal brief in a communication Improper Proceed to Board of Patent Appresention Mathematical receipt of the notice of appeal brief is extendible under 37 CFR 1.136 Improvement of the patent appresent to be communication	Request for Review filed 27 I st is improper and a conferer een filed concurrent with the easons why a review is appro- uded with the Pre-Appeal Brid intinues to run from the receip- ion, if no Notice of Appeal has peals and Interferences – A peal because there is at leas cordance with 37 CFR 41.37 ing this decision, or the balar , whichever is greater. Furthe based upon the mail date of e status of the claim(s) is as for ation: erence has been held. The rejon the merits remains closed. ence has been held. The rejon is required by applicant at the	February, 2017. Ince will not be held for the following Pre-Appeal Brief Request. Opriate. ef request. In date of the Notice of Appeal or from the as been received. A Pre-Appeal Brief conference has been it one actual issue for appeal. Applicant is . The time period for filing an appeal brief here of the two-month time period running ir, the time period for filing of the appeal this decision or the receipt date of the bollows: jection is withdrawn and a Notice of . No further action is required by applicant ection is withdrawn and a new Office is time.	
/ISIDUKA IMMANUEL/.	(3) <u>/CALVIN LOYD HEWITT II/</u> .		
/JAMES DANIEL NIGH/.	(4) <u> </u> .		
U.S. Patent and Trademark Office		Part of Paper No. 20170419	

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

BEFORE THE PATENT TRIAL AND APPEAL BOARD

EX PARTE

US Patent Application Number 13/782,948

Applicant(s): Title:

Serial No.: Filing Date: Confirmation: Examiner: Group Art Unit: Docket No.: Xiangzhen Xie et al Method and apparatus for emulating multiple cards in mobile devices 13/782,948 03/01/2013 5348 Isidora I. Immanuel 3685 RFID-084

APPEAL BRIEF

CERTIFICATE OF MAILING I hereby certify that this correspondence is being deposited with the U.S. Postal Service via USPTO electronic filing system addressed to: Appeal Brief-Patent, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Date: May 19, 2017

Signed: / joe zheng / Joe Zheng

-i-

TABLE OF CONTENTS

I.	REAL PARTY IN INTEREST	1
II.	RELATED APPEALS AND INTERFERENCES	2
III.	STATUS OF CLAIMS	3
IV.	STATUS OF AMENDMENTS	4
V.	SUMMARY OF CLAIMED SUBJECT MATTER	5
VI.	GROUNDS OF REJECTION TO BE REVIEWED ON APPEAL	7
VII.	ARGUMENT	8
VIII.	CLAIMS APPENDIX	14
IX.	EVIDENCE APPENDIX	20
Х.	RELATED PROCEEDINGS APPENDIX	21
XI.	SUMMARY	22

App. Serial No.: 13/782,948

Samsung Ex. 1016, Page 212 of 699 Samsung Electronics America, Inc. v. RFCyber Corp. IPR2021-00980

-ii-

I. REAL PARTY IN INTEREST

Rfcyber Corporation 41291 Carmen Street Fremont, CA 94539

App. Serial No.: 13/782,948

Samsung Ex. 1016, Page 213 of 699 Samsung Electronics America, Inc. v. RFCyber Corp. IPR2021-00980

-1-

II. RELATED APPEALS AND INTERFERENCES

None

App. Serial No.: 13/782,948

Samsung Ex. 1016, Page 214 of 699 Samsung Electronics America, Inc. v. RFCyber Corp. IPR2021-00980

-2-

III. STATUS OF THE CLAIMS

Claims 1 - 19 are pending. On 02/27/2017, the Applicant appealed from the rejections, dated 09/27/2016, of Claims 1 - 19 that are rejected under 35 U.S.C. 101, 35 U.S.C. 112(b) and under 35 USC 103(a).

A. Total number of claims in Application

The claims in the application are: 1 - 19

B. Status of all the claims in Application

Claims 1-19 were initially filed Claims cancelled: 0 Claims pending: 1 - 19 Claims allowed: None Claims rejected: 1 - 19 Claims objected to: None

C. Claims on Appeal

Claims 1 - 19

App. Serial No.: 13/782,948

Samsung Ex. 1016, Page 215 of 699 Samsung Electronics America, Inc. v. RFCyber Corp. IPR2021-00980

-3-

IV. STATUS OF AMENDMENTS

Claims 1-19 on appeal herein are as amended in the Response dated June 17, 2016 to the Office Action dated February 19, 2017.

App. Serial No.: 13/782,948

Samsung Ex. 1016, Page 216 of 699 Samsung Electronics America, Inc. v. RFCyber Corp. IPR2021-00980

-4-
V. SUMMARY OF CLAIMED SUBJECT MATTER

The instant application is related to emulating multiple cards in a mobile device. In reality, different companies may issue different cards (e.g., library card, Costco membership card, Visa and Master Card), using a mobile device to emulate any one of these cards would make life simple, otherwise one would have to carry many cards. As shown in FIG. 1A and described in paragraphs [0060], a mobile device can be stored with a plurality applications, each pertaining to one of the cards. When a card is needed, a user can cause the mobile device (via an interface) to load in a corresponding application into an emulator that causes the mobile device to function as the card. When another card is needed, the user can cause the mobile device to load in another corresponding application into the emulator that causes the mobile device to function as the other card. As clearly shown in FIG. 1C and described in the specification, a mobile device must have a microcontroller (MCU) or a processor on its own while an emulator in the context of this instant invention is neither a MCU nor a processor. The emulator is a special piece of hardware or software provided in the mobile device to enable the mobile device (called the host) to behave like another computing device (called the guest), see Wikipedia (https://en.wikipedia.org/wiki/Emulator). Conceptually, a mobile device works fine without an emulator but delivers something unique when equipped with such an emulator as described in the instant application.

In accordance with 37 CFR 41.37 (c)(1)(v) "A concise explanation of the subject matter defined in each of the independent claims involved in the appeal, which must refer to the specification by page and line number, and to the drawing, if any, by reference characters." All page and line numbers and the drawing are in italic and inserted directly in the independent claims below.

Claim 1: A mobile device for emulating a plurality of cards, the mobile device comprising:

a storage device for storing a plurality of applications, each corresponding to one of the cards; (*FIG. 1A* and *Para [0054]*)

-5-

- an emulator, coupled to the storage, for receiving one of the applications, wherein each of the applications corresponds to one of the cards; (*FIG. 1A* and *Para* [0054])
- a communication interface to facilitate data exchange between a reader and the one of the applications being executed in the emulator, (*FIG. 1C* and *Para [0056]*) wherein the one of the applications in the emulator is replaceable in entirety or in part by another one of the applications; (*Para [0005], [0011], [0060]*) and
- a processor, in communication with the emulator and the storage device, causing the another one of the applications to be loaded into the emulator to replace the one of the applications, (*FIG. 1C* and *Para [0056]*) wherein
- functions of the mobile device related to one of the cards offered by the application are changed to functions offered by the another one of the applications related to another one of the cards when the another one of the applications is activated and executed in the emulator. (FIG. 1A, *Para [0005], [0011]*)

Claim 12: A method for a mobile device to emulate a plurality of cards, the method comprising:

- installing a plurality of applications in a storage device of the mobile device, each of the applications pertaining to one of the cards, wherein the mobile device is used in lieu of the cards; (*FIG. 1A* and *Para* [0054])
- providing an emulator in the mobile device to receive a first application; (*FIG. 1A* and *Para [0054]*)
- facilitating data exchange between a reader and the first application being executed in the emulator, (*FIG. 1C* and *Para [0056]*) wherein the first application in the emulator is replaceable in entirety or in part by a second application; (*Para [0005], [0011], [0060]*)
- causing the second application to replace the first application being loaded and executed in the emulator, (*Para [0005], [0011], [0060]*) wherein functions of the mobile device related to one of the cards offered by the first application are changed to functions offered by the application to functions offered by the

-6-

second application related to another one of the cards when the second application is activated and executed in the emulator. (FIG. 1A, *Para [0005], [0011]*)

App. Serial No.: 13/782,948

Samsung Ex. 1016, Page 219 of 699 Samsung Electronics America, Inc. v. RFCyber Corp. IPR2021-00980

-7-

VI. GROUNDS OF REJECTION TO BE REVIEWED ON APPEAL

The grounds of rejection which the Appellant believes to be most pertinent to the present appeal include the following issues:

- A. Claims 1-19 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter;
- B. Claims 1-9 are rejected under 35 U.S.C. 112(a) or 35 U.S.C. 112 (pre-AIA), first paragraph, as failing to comply with the written description requirement;
- Claims 1, 3-7, 9-12, and 14-19 are rejected under pre-AIA 35 U.S.C.
 103(a) as being unpatentable over Huomo et al. (8,005,426) ("Huomo"), and in view of Wentker et al. (6,481,632) ("Wentker"); and
- D. Claim 8 is rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Huomo in view of Wentker and further in view of Vayssiere (2006/00657 41) ("Vayssiere").

App. Serial No.: 13/782,948

-8-

VII. ARGUMENT

1. Arguments with respect to Issue A:

On Page 8, Section 25, of the Final Office Action dated

Claims 1-19 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter 09/27/2016, Claims 1-19 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter. The Appellant respectfully disagrees with the Examiner.

Sections 10 and 28 of the Office Action demonstrate that the Examiner only looked at the gerund or verbal nouns in each of the clauses or elements in Claim 1, even though only Claim 12 recites these elements, such as (see Section 28) "installing a plurality of applications ... providing an emulator in the mobile device to receive a first application ..., causing the second application to replace the first application ... ", and concluded that the claims are directed towards receiving and processing information which is similar to Alice which dealt with receiving, processing, and storing data and Bancorp which dealt with automating mental tasks.

The Appellant submits that Claim 1, being an apparatus claim, does not recite "receiving and processing information", neither does Claim 12, as alleged by the Examiner. Further Claim 1 or Claim 12, as a whole, is not simply related to receiving and processing information, and there is no any similarity of these claims to the case of Alice. Specifically, Claim 1 is related to a mobile device for emulating a plurality of cards, where each of the cards is supported by an application executing in an emulator at a time. When a card (e.g., a Visa card) is chosen, a corresponding application is loaded and executed in an emulator of the mobile device to cause the mobile device to function as a card (e.g. Visa for transaction). When another card (e.g., a Costco membership card) is chosen, a corresponding application is loaded to replace the originally loaded application and executed in the emulator to cause the mobile device to function as an extrance card to enter Costco. It is believed that the Examiner fails to understand what is being claimed without examining the specific limitations collectively recited in Claim 1 or Claim 12.

-9-

On Page 10, Section 29 of the Final Office Action, the Examiner states "Taking the claim elements separately, the functions performed by the machine *at each step of the process are purely conventional*". Given the fact that Claim 1 is an apparatus claim, the Appellant respectfully challenges the Examiner to show which elements in Claim 1 or Claim 12 that could be interpreted as "receiving and processing information" similar to Alice.

On Page 10, Section 28 of the Final Office Action, the Examiner alleges that "Claim 1 is directed towards the generic computer used to implement the method of claim 12 and is therefore also directed towards a judicial exception regarding an abstract idea involving the receiving information in your device, processing selections for switching between tasks, based on case law precedent, is claiming subject matter similar to concepts identified by the courts as dealing with abstract ideas".

The Appellant respectfully disagrees with the allegation. First of all, Alice case is not related to switching tasks implemented on a device. Second, the Examiner provides no such citation but merely proffers an abstract idea by itself. Further MPEP 2103 I(C) states "Diamond v. Diehr, 450 U.S. 175, 188-89, 209 USPQ 1, 9 (1981) ("In determining the eligibility of respondents' claimed process for patent protection under §101, their claims must be considered as a whole. It is inappropriate to dissect the claims into old and new elements and then to ignore the presence of the old elements in the analysis. This is particularly true in a process claim because a new combination of steps in a process may be patentable even though all the constituents of the combination were well known and in common use before the combination was made". Accordingly, it is concluded that the Examiner is erroneous in making the rejections based on "taking the claims 1 and 12. The Appellant respectfully submits that the rejection of Claims 1-19 under 35 USC 101 in the Office Action dated 09/27/2016 is defective and should be hereby reversed.

2. Arguments with respect to Issue B:

On Page 13, Section 40, the Examiner states "The specification does not provide for an algorithm that gives "a processor", or non-human entity the ability or operation to cause an application "to be loaded into the emulator to replace the one

-10-

of the applications ... " without user instruction, as directed by the specification". The Appellant wishes to point out that pending claims per se have never recited a requirement for such an algorithm. An application for simulating a card is switched in part or full only at a command of a user of the mobile device, <u>not an algorithm</u>. Claim 1 explicitly recites "*a processor, in communication with the emulator and the storage device, causing the another one of the applications to be loaded into the emulator to replace the one of the applications*". The Appellant respectfully challenges the Examiner why there is an algorithm required for the processor to switch an application already in the emulator with another application and submits that Examiner seems to have interpreted Claim 1 beyond the original intent by calling out something that is not recited in the claim.

The Appellant respectfully submits that the Examiner is erroneous in making the rejections under 35 USC 112(a), alleging no support of the limitation "an algorithm" because there is no algorithm or an intention thereof recited in the claim. Accordingly, the rejection of Claims 1-19 under 35 USC 112(a) in the Office Action dated 09/27/2016 should be hereby reversed.

Further, on Page 14, Section 43, the Examiner states "It is unclear whether the (storage) device refers to a secure element that stores the applications". Claim 1 is directed to the structures within a mobile device while Claim 12 recites steps being executed by a mobile device. It is irrelevant what the storage device is as long as it is in the mobile device, but technically there is no way that such storage could be something like CD-ROMs, DVDs, magnetic tape, optical data storage devices, and carrier waves given the context of the invention. The Appellant asserts that the Examiner interprets the claim beyond the original intent, and respectfully submits that the Examiner is erroneous in making the rejections under 35 USC 112(b) by interpreting an element beyond the limitation explicitly recited in the claim. Accordingly, the rejection of Claims 1-19 under 35 USC 112(b) in the Office Action dated 09/27/2016 should be hereby reversed.

3. Arguments with respect to Issue C:

On Page 19, Section 55, Claims 1, 3-7, 9-12, and 14-19 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Huomo and in view of Wentker.

-11-

The Appellant respectfully disagrees with the Examiner and asserts that the Examiner interprets the cited references beyond the reasonable interpretation.

As shown in FIG. 1A and described in paragraphs [0060], a mobile device can be stored with a plurality applications, each pertaining to one of the cards. An emulator is used in a secure element to load in and execute only one application at a time to emulate a corresponding card. When another card is selected (e.g., by a user), the previously loaded application must be partially or fully replaced with another application corresponding to the newly chosen card. In other words, the mobile device can only function as one type of cards. It shall be also noted that an emulator is not a general processor. A common definition of "emulator" can be found on Wikipedia (<u>https://en.wikipedia.org/wiki/Emulator</u>) while emulation refers to the ability of a computer program in an electronic device to emulate (or imitate) another program or device.

Huomo does teach about an IC card in a mobile device supporting multiple applications. As shown in FIG. 2a and FIG. 2b and further described in corresponding paragraphs of these two figures, all applications in the secure module 200 are automatically started depending on the environment. Further shown in FIG. 4a, the applications can be respectively activated. But Huomo neither teaches nor suggests of loading a new application from a storage device (corresponding to the storage 530 in Huomo) to replace a previously loaded application, implying that the emulator can activate <u>only one application at a time</u>. In a perspective, Huomo teaches away "*a processor, in communication with the emulator and the storage device, causing the another one of the applications to be loaded into the emulator to replace the one of the applications*" by explicitly teaching that multiple applications are respectively activated. On Page 20, the Examiner also admits Huomo does not teach causing the another one of the application to be loaded into the emulator to replace the one of the application store be loaded into the emulator to replace the one of the applications.

The Examiner then cites Wentker to show the teaching in combination with Huomo. However, Wentker teaches a smart card architecture by APIs to allow the management of an application in the smart card. As described in Col. 7, lines 9-14, the card manager 104 manages the loading of an application into an IC card, but it is

-12-

assumed it is a new IC card. In other words, Wentker is silent about replacing partially or in full a previously loaded application in an IC card when a new application is selected. The modification of Huomo with Wentker does not fundamentally cure the deficiency of Huomo that "*Huomo does not teach causing the another one of the application to be loaded into the emulator to replace the one of the applications*" stated by the Examiner and affirmed again on Page 24 of the Office Action. It is believed that the Examiner made the rejections on obviousness grounds without some articulated reasoning to support the legal conclusion of obviousness. *KSR v. Teleflex*, No. 04-1350 (US Apr. 30, 2007) (citing In re Kahn, 441 F. 3d 977, 988 (Canada Fed. 2006)).

The Appellant submits the combination of Huomo and Wentker fails to suggest "a processor, in communication with the emulator and the storage device, causing the another one of the applications to be loaded into the emulator to replace the one of the applications" recited in Claim 1. The similar limitation is also recited in Claim 12. Accordingly, Claims 1 and 12 shall be allowable over Huomo and Wentker, viewed alone or in combination. The rejection of Claims 1-19 under 35 USC 103 in the Office Action dated 09/27/2016 should be hereby reversed.

4. Arguments with respect to Issue D:

On Page 23, Section 67, Claim 8 is rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Huomo in view of Wentker and further in view of Vayssiere. The Examiner admits on Page 24 of the Office Action that "none of [neither] Huomo and Wentker teach and later on swapping another one of the applications to the emulator" and then cites Vayssiere to show the teaching in combination.

As shown described in paragraph [0023], Vayssiere uses a microprocessor in an IC card. It is well-known that many microprocessors can perform multi-tasks, which is exactly Vayssiere needs. What Vayssiere emphasizes is the dynamic display portion switched from a first display to a second display in response to an application use of the smartcard while the microprocessor in the IC card is still executing multiple applications.

-13-

Claim 1 of the instant application recites both a processor and an emulator. The Appellant challenges the Examiner to show technically which role of the processor in Vayssiere plays in view of the processor and the emulator recited in Claim 1.

The Appellant respectfully points out that the combination of Huomo, Wentker and Vayssiere is not proper as it is believed that there is no motivation to combine these three references in the manner proposed by the Examiner. Accordingly, Claim 8 shall be allowable over Huomo, Wentker and Vayssiere in view of the limitations recited in Claims 6, 3, 2 and 1. The rejection of Claim 8 under 35 USC 103 in the Office Action dated 09/27/2016 should be hereby reversed.

App. Serial No.: 13/782,948

Samsung Ex. 1016, Page 226 of 699 Samsung Electronics America, Inc. v. RFCyber Corp. IPR2021-00980

-14-

VIII. CLAIMS APPENDIX

- 1. (*Previously amended*) A mobile device for emulating a plurality of cards, the mobile device comprising:
 - a storage device for storing a plurality of applications, each corresponding to one of the cards;

an emulator, coupled to the storage, for receiving one of the applications, wherein each of the applications corresponds to one of the cards;

- a communication interface to facilitate data exchange between a reader and the one of the applications being executed in the emulator, wherein the one of the applications in the emulator is replaceable in entirety or in part by another one of the applications; and
- a processor, in communication with the emulator and the storage device, causing the another one of the applications to be loaded into the emulator to replace the one of the applications, wherein
- functions of the mobile device related to one of the cards offered by the application are changed to functions offered by the another one of the applications related to another one of the cards when the another one of the applications is activated and executed in the emulator.
- (Previously amended) The mobile device as recited in claim 1, further comprising a secure element that has been personalized by operations of: initiating data communication between the mobile device and a designated server providing trusted service management (TSM);

receiving device information of the secure element in responding to a request from the server after the server determines that the secure element is registered therewith, wherein the device information is a sequence of characters uniquely identifying the secure element, and the request is a command causing the mobile device to retrieve the device information from the secure element therein; and

sending a set of instruction to cause the mobile device to receive in the secure element at least a set of keys from a designated place, wherein the keys are

-15-

generated in accordance with the device information of the secure element, wherein the set of keys in the secure element facilitates a subsequent transaction between the portable device and a service provider.

- (Original) The mobile device as recited in claim 2, wherein the emulator is implemented in the secure element, the secure element is enclosed in the mobile device or in a detachable card to the mobile device.
- 4. (*Previously amended*) The mobile device as recited in claim 3, wherein each of the applications emulating functions of one of the cards provided respectively to perform a function related to a monetary transaction, the mobile device is used to emulate each of the cards when one of the applications is loaded into and executed in the emulator.
- 5. (*Previously amended*) The mobile device as recited in claim 4, wherein at least one of the cards is a Mifare contactless card.
- 6. (Previously amended) The mobile device as recited in claim 3, wherein the secure element further includes a module configured to provide Trusted Mifare Service Management (TMSM) and to store a plurality of service objects along with a plurality of key indexes, each of the service objects corresponding to one of the applications.
- (Previously amended) The mobile device as recited in claim 6, wherein each of the applications has been remotely provisioned by the server configured to provide trusted service management (TSM), and the mobile device further includes:
 - a card manager proxy for facilitating communication between the TSM server and the TMSM module in the secure element,
 - a user interface (UI) application provided to query one or more of the applications on information stored therein but not to modify the information; and

-16-

- a transaction UI application for conducting operations that modify one or more sectors in one or more of the applications.
- 8. (*Original*) The mobile device as recited in claim 6, wherein the TMSM module is configured to:
 - provide a set of *Application Programming Interfaces* so that one of the applications, when instructed by an user, is caused to swap an application in and out the emulator;
 - provide a set of *Application Programming Interfaces* to one of the applications to read certain data therefrom;
 - enable the TSM server to remotely provision each of the applications by installing application keys and application data to the TMSM module and later on swapping another one of the applications to the emulator;
 - enable the TSM server to manage each of the applications by locking or unlocking one of the applications;
 - provide a trusted environment such that an application provider modifies a designated application and meta data thereof owned by the application provider; and
 - provide a mechanism to make baseband storage as an extension for storing some or all of the applications swapped out from the emulator to the TMSM module.
- 9. (Previously amended) The mobile device as recited in claim 2, wherein the secure element is preloaded with default Issuer Security Domain (ISD) information determined to be updated entirely or partially subject to retrieved corresponding default ISD information from a party originating the secure element.
- 10. (*Original*) The mobile device as recited in claim 2, wherein the mobile device is a smartphone, a portable computer and a smart card.
- 11. (*Original*) The mobile device as recited in claim 1, wherein each of the applications has been remotely provisioned by the TSM server with operations of:

-17-

- receiving a request to provision an application installed in the mobile device, wherein the application to be provisioned with the secure element is distributed by an application provider;
- establishing a secured channel with the secure element using a set of keys; preparing data for the application being provisioned, wherein the data includes supplemental security domains (SSD) to be associated with the application; and

notifying the application provider of a status of the application with the portable device.

- 12. (*Previously amended*) A method for a mobile device to emulate a plurality of cards, the method comprising:
 - installing a plurality of applications in a storage device of the mobile device, each of the applications pertaining to one of the cards, wherein the mobile device is used in lieu of the cards;

providing an emulator in the mobile device to receive a first application; facilitating data exchange between a reader and the first application being executed in the emulator, wherein the first application in the emulator is replaceable in entirety or in part by a second application;

causing the second application to replace the first application being loaded and executed in the emulator, wherein functions of the mobile device related to one of the cards offered by the first application are changed to functions offered by the application to functions offered by the second application related to another one of the cards when the second application is activated and executed in the emulator.

13. (Previously amended) The method as recited in claim 12, wherein the mobile device is associated with a secure element, and the method further comprises: initiating data communication between the mobile device and a designated server providing trusted service management (TSM); receiving device information of the secure element in responding to a request from the server after the server determines that the secure element is

-18-

registered therewith, wherein the device information is a sequence of characters uniquely identifying the secure element, and the request is a command causing the mobile device to retrieve the device information from the secure element therein; and

- sending a set of instruction to cause the mobile device to receive in the secure element at least a set of keys from a designated place, wherein the keys are generated in accordance with the device information of the secure element, wherein the set of keys in the secure element facilitates a subsequent transaction between the portable device and a service provider.
- 14. (*Original*) The method as recited in claim 13, wherein the emulator is implemented in the secure element, the secure element is enclosed in the mobile device or in a detachable card to the mobile device.
- 15. (*Previously amended*) The method as recited in claim 14, wherein the secure element further includes a module configured to provide Trusted Mifare Service Management (TMSM) and to store a plurality of service objects along with a plurality of key indexes, each of the service objects corresponding to one of the applications.
- 16. (*Previously amended*) The mobile device as recited in claim 15, further comprising facilitating communication between the TSM server and the TMSM module in the secure element; querying via a user interface (UI) one or more of the applications in detail; and conducting operations that modify one or more sectors in one or more of the applications.
- 17. (*Original*) The method as recited in claim 13, wherein the secure element is preloaded with default Issuer Security Domain (ISD) information that is determined to be updated entirely or partially subject to retrieved corresponding default ISD information from a party originating the secure element.

-19-

- 18. (*Original*) The method as recited in claim 12, wherein the mobile device is a smartphone, a portable computer and a smart card.
- 19. (*Original*) The method as recited in claim 12, wherein each of the applications has been remotely provisioned by the TSM server with operations of:

receiving a request to provision an application installed in the mobile device, wherein the application to be provisioned with the secure element is distributed by an application provider;

establishing a secured channel with the secure element using a set of keys; preparing data for the application being provisioned, wherein the data includes supplemental security domains (SSD) to be associated with the application; and

notifying the application provider of a status of the application with the portable device.

App. Serial No.: 13/782,948

-20-

IX. EVIDENCE APPENDIX

None.

App. Serial No.: 13/782,948

Samsung Ex. 1016, Page 233 of 699 Samsung Electronics America, Inc. v. RFCyber Corp. IPR2021-00980

-21-

X. RELATED PROCEEDING APPENDIX

None.

App. Serial No.: 13/782,948

Samsung Ex. 1016, Page 234 of 699 Samsung Electronics America, Inc. v. RFCyber Corp. IPR2021-00980

-22-

Summary

It is respectfully concluded that the Examiner is erroneous in rejecting pending Claims 1-19 based on her overlook or misunderstanding of certain structure limitations in the claimed invention.

the rejections of the pending claims 1, 2, 4-9 and 11-13 under 35 U.S.C. 101, 35 U.S.C. 112(b) and under 35 USC 103(a) should be hereby reversed.

Respectfully Submitted,

/ joe zheng /

Joe Zheng Reg. No.: 39,450 Tel: (408)777-8873

App. Serial No.: 13/782,948

Samsung Ex. 1016, Page 235 of 699 Samsung Electronics America, Inc. v. RFCyber Corp. IPR2021-00980

Electronic Acknowledgement Receipt			
EFS ID:	29254586		
Application Number:	13782948		
International Application Number:			
Confirmation Number:	5348		
Title of Invention:	Method and apparatus for emulating multiple cards in mobile devices		
First Named Inventor/Applicant Name:	Xiangzhen Xie		
Customer Number:	26797		
Filer:	Joe Zheng		
Filer Authorized By:			
Attorney Docket Number:	RFID-084		
Receipt Date:	19-MAY-2017		
Filing Date:	01-MAR-2013		
Time Stamp:	03:52:00		
Application Type:	Utility under 35 USC 111(a)		

Payment information:

Submitted wit	th Payment	no			
File Listing	g:				
Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
			155467		
1	Appeal Brief Filed	AppealBriefForm.pdf	935b769b5a705826decbb9c44ddf6406c0c 0d111	no	25
Warnings:			•		

Information:		
	Total Files Size (in bytes):	155467

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course. New International Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.



UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
13/782,948	03/01/2013	Xiangzhen Xie	RFID-084	5348
26797 LogicPatents, I	7590 05/24/201 L.C	7	EXAM	IINER
21701 Stevens CUPERTINO,	Creek Boulevard, #284 CA 95015	L	IMMANUEL	., ISIDORA I
			ART UNIT	PAPER NUMBER
			3685	
			NOTIFICATION DATE	DELIVERY MODE
			05/24/2017	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

uspatents@sbcglobal.net

Applicant-Initiated Interview Summary	Application No.	Applicant(s)		
	13/782,948	XIE ET AL.		
	Examiner	Art Unit	AIA (First Inventor to File) Status	Page
	ISIDORA IMMANUEL	3685	No	1 of 1

All participants (applicant, applicant's representative, PTO personnel):

1. ISIDORA IMMANUEL (Examiner); Telephonic

2. JOE ZHENG (Attorney); Telephonic

Date of Interview: 19 April 2017

Claim(s) discussed: 1

Amendment Proposed: Discussed the proposed amendments

Brief Description of main topic of discussion: Discussed porssible changes to the claims limitations

Issues Discussed:

Proposed Amendments:

Discussed the amendments and future prosecution

Attachment(s): Proposed Amendments

/l. l./	/JAMES DANIEL NIGH/				
Examiner, Art Unit 3685	Primary Examiner, Art Unit 3685				
Applicant recordation instructions: The formal written reply to the la section 713.04). If a reply to the last Office action has already been file thirty days from this interview date, or the mailing date of this interview interview.	ast Office action must include the substance of the interview. (See MPEP ed, applicant is given a non-extendable time limit of the longer of one month or v summary form, whichever is later, to file a statement of the substance of the				
Examiner recordation instructions: Examiners must summarize the substance of an interview should include the items listed in MPEP 713 general thrust of each argument or issue discussed, a general indicating general results or outcome of the interview, to include an indication as	Examiner recordation instructions: Examiners must summarize the substance of any interview of record. A complete and proper recordation of the substance of an interview should include the items listed in MPEP 713.04 for complete and proper recordation including the identification of the general thrust of each argument or issue discussed, a general indication of any other pertinent matters discussed regarding patentability and the general results or outcome of the interview, to include an indication as to whether or not agreement was reached on the issues raised.				
Applicant is reminded that a complete written statement a application file. It is the applicant's responsibility to provid Examiner and the Examiner has indicated that a written su	is to the substance of the interview must be made of record in the de the written statement, unless the interview was initiated by the unmary will be provided. See MPEP 713.04				
Please further see:					
MPEP 713.04 Title 37 Code of Federal Regulations (CFR) § 1.133 Interviews, par 37 CFR § 1.2 Business to be transacted in writing	ragraph (b)				

U.S. Patent and Trademark Office PTOL-413/413b (Rev. 01/01/2015)

Interview Summary

Paper No. 20170419-A

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s):	Xiangzhen Xie et al
Title:	Method and apparatus for emulating multiple cards in mobile
	devices
Serial No.:	13/782,948
Filing Date:	03/01/2013
Confirmation:	5348
Examiner:	Isidora I. Immanuel
Group Art Unit:	3685
Docket No.:	RFID-084

(Please do not enter, this is for informal discussion)

Proposed amendments for discussion at 2:00pm EST (11:00am PST) on April 19th (Wednesday).

AMENDMENTS TO THE CLAIMS

Please amend Claims 1-2, 11 and 12-13 as follows:

- 1. (*Currently amended*) A mobile device for emulating a plurality of cards, the mobile device comprising:
 - a storage device for storing a plurality of applications, each corresponding to one of the cards;
 - an emulator, coupled to the storage, for receiving one of the applications, wherein each of the applications corresponds to one of the cards;
 - a communication interface to facilitate data exchange between a reader and the one of the applications being executed in the emulator, wherein the one of the applications in the emulator is replaceable in entirety or in part by another one of the applications; and
 - a processor, in communication with the emulator and the storage device, causing the another one of the applications to be loaded into the emulator to replace the one of the applications, wherein functions of the mobile device related to one of the cards offered by the an application are changed to functions offered by the another one of the applications related to another one of the cards when the another one of the applications is activated and executed in the emulator...
- 2. (*Currently amended*) The mobile device as recited in claim 1, further comprising a secure element that has been personalized by operations of:

initiating data communication between the mobile device and a designated server providing trusted service management (TSM);

receiving device information of the secure element in responding to a request from the server after the server determines that the secure element is registered therewith, wherein the device information is a sequence of characters uniquely identifying the secure element, and the request is a command causing the mobile device to retrieve the device information from the secure element therein; and

- sending a set of instructions to cause the mobile device to receive in the secure element at least a set of keys from a designated place, wherein the keys are generated in accordance with the device information of the secure element, wherein the set of keys in the secure element facilitates a subsequent transaction between the portable mobile device and a service provider.
- 3. (*Original*) The mobile device as recited in claim 2, wherein the emulator is implemented in the secure element, the secure element is enclosed in the mobile device or in a detachable card to the mobile device.
- 4. (*Previously amended*) The mobile device as recited in claim 3, wherein each of the applications emulating functions of one of the cards provided respectively to perform a function related to a monetary transaction, the mobile device is used to emulate each of the cards when one of the applications is loaded into and executed in the emulator.
- 5. (*Previously amended*) The mobile device as recited in claim 4, wherein at least one of the cards is a Mifare contactless card.
- 6. (*Previously amended*) The mobile device as recited in claim 3, wherein the secure element further includes a module configured to provide Trusted Mifare Service Management (TMSM) and to store a plurality of service objects along with a plurality of key indexes, each of the service objects corresponding to one of the applications.
- 7. (*Previously amended*) The mobile device as recited in claim 6, wherein each of the applications has been remotely provisioned by the server configured to provide trusted service management (TSM), and the mobile device further includes:

a card manager proxy for facilitating communication between the TSM server and the TMSM module in the secure element¹/₂;

- a user interface (UI) application provided to query one or more of the applications on information stored therein but not to modify the information; and
- a transaction UI application for conducting operations that modify one or more sectors in one or more of the applications.
- 8. (*Original*) The mobile device as recited in claim 6, wherein the TMSM module is configured to:
 - provide a set of Application Programming Interfaces so that one of the applications, when instructed by an user, is caused to swap an application in and out the emulator;
 - provide a set of Application Programming Interfaces to one of the applications to read certain data therefrom;
 - enable the TSM server to remotely provision each of the applications by installing application keys and application data to the TMSM module and later on swapping another one of the applications to the emulator;
 - enable the TSM server to manage each of the applications by locking or unlocking one of the applications;
 - provide a trusted environment such that an application provider modifies a designated application and meta data thereof owned by the application provider; and
 - provide a mechanism to make baseband storage as an extension for storing some or all of the applications swapped out from the emulator to the TMSM module.
- 9. (Previously amended) The mobile device as recited in claim 2, wherein the secure element is preloaded with default Issuer Security Domain (ISD) information determined to be updated entirely or partially subject to retrieved corresponding default ISD information from a party originating the secure element.

- 10. (*Original*) The mobile device as recited in claim 2, wherein the mobile device is a smartphone, a portable computer and a smart card.
- 11. (*Currently amended*) The mobile device as recited in claim 1, wherein each of the applications has been remotely provisioned by the TSM server with operations of:
 - receiving a request to provision an application installed in the mobile device, wherein the application to be being provisioned with the secure element is distributed by an application provider;
 - establishing a secured channel with the secure element using a set of keys; preparing data for the <u>installed</u> application being provisioned, wherein the data includes supplemental security domains (SSD) to be associated with the <u>installed</u> application; and
 - notifying the application provider of a status of the <u>installed</u> application with the portable device.
- 12. (*Currently amended*) A method for a mobile device to emulate a plurality of cards, the method comprising:
 - installing a plurality of applications in a storage device of the mobile device, each of the applications pertaining to one of the cards, wherein the mobile device is used in lieu of the cards;
 - providing an emulator in the mobile device to receive a first application; facilitating data exchange between a reader and the first application being executed in the emulator, wherein the first application in the emulator is replaceable in entirety or in part by a second application; and
 - causing the second application to replace the first application being loaded and executed in the emulator, wherein functions of the mobile device related to one of the cards offered by the first application are changed to functions offered by the application to functions offered by the second application related to another one of the cards when the second application is activated and executed in the emulator.

- 13. (*Currently amended*) The method as recited in claim 12, wherein the mobile device is associated with a secure element, and the method further comprises: initiating data communication between the mobile device and a designated server providing trusted service management (TSM);
 - receiving device information of the secure element in responding to a request from the server after the server determines that the secure element is registered therewith, wherein the device information is a sequence of characters uniquely identifying the secure element, and the request is a command causing the mobile device to retrieve the device information from of the secure element-therein; and
 - sending a set of instructions to cause the mobile device to receive in the secure element at least a set of keys from a designated place, wherein the keys are generated in accordance with the device information of the secure element, wherein the set of keys in the secure element facilitates a subsequent transaction between the portable device and a service provider.
- 14. (*Original*) The method as recited in claim 13, wherein the emulator is implemented in the secure element, the secure element is enclosed in the mobile device or in a detachable card to the mobile device.
- 15. (*Previously amended*) The method as recited in claim 14, wherein the secure element further includes a module configured to provide Trusted Mifare Service Management (TMSM) and to store a plurality of service objects along with a plurality of key indexes, each of the service objects corresponding to one of the applications.
- 16. (*Previously amended*) The mobile device as recited in claim 15, further comprising facilitating communication between the TSM server and the TMSM module in the secure element;

querying via a user interface (UI) one or more of the applications in detail; and conducting operations that modify one or more sectors in one or more of the applications.

- 17. (*Original*) The method as recited in claim 13, wherein the secure element is preloaded with default Issuer Security Domain (ISD) information that is determined to be updated entirely or partially subject to retrieved corresponding default ISD information from a party originating the secure element.
- 18. (*Original*) The method as recited in claim 12, wherein the mobile device is a smartphone, a portable computer and a smart card.
- 19. (Original) The method as recited in claim 12, wherein each of the applications has been remotely provisioned by the TSM server with operations of: receiving a request to provision an application installed in the mobile device, wherein the application to be provisioned with the secure element is distributed by an application provider;
 - establishing a secured channel with the secure element using a set of keys; preparing data for the application being provisioned, wherein the data includes supplemental security domains (SSD) to be associated with the application; and
 - notifying the application provider of a status of the application with the portable device.

7



UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
13/782,948	03/01/2013	Xiangzhen Xie	RFID-084	5348
26797 LogicPatents, I	7590 10/10/201 LC	7	EXAM	IINER
21701 Stevens CUPERTINO,	Creek Boulevard, #284 CA 95015	Ļ	IMMANUEL	., ISIDORA I
			ART UNIT	PAPER NUMBER
			3685	
			NOTIFICATION DATE	DELIVERY MODE
			10/10/2017	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

uspatents@sbcglobal.net

	Application No.Applicant(s)13/782,948XIE ET AL.		;)		
Office Action Summary	Examiner ISIDORA IMMANUEL	Art Unit 3685	AIA (First Inventor to File) Status No		
The MAILING DATE of this communication appears on the cover sheet with the correspondence address					
Period for Reply					
 A SHORTENED STATUTORY PERIOD FOR REPL THIS COMMUNICATION. Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b). 	Y IS SET TO EXPIRE <u>3</u> MONT 36(a). In no event, however, may a reply be will apply and will expire SIX (6) MONTHS frc a, cause the application to become ABANDO/ g date of this communication, even if timely fi	HS FROM THI timely filed om the mailing date (NED (35 U.S.C. § 13 led, may reduce any	E MAILING DATE OF		
Status					
1) Responsive to communication(s) filed on 05/1	<u>9/2017</u> .				
A declaration(s)/affidavit(s) under 37 CFR 1.	130(b) was/were filed on	<u>.</u>			
2a) This action is FINAL . 2b) This	s action is non-final.				
3) An election was made by the applicant in resp	onse to a restriction requiremer	nt set forth duri	ing the interview on		
; the restriction requirement and election	n have been incorporated into th	nis action.			
4) Since this application is in condition for allowa closed in accordance with the practice under <i>l</i>	nce except for formal matters, p Ex parte Quayle, 1935 C.D. 11,	prosecution as 453 O.G. 213.	to the merits is		
Disposition of Claims*					
5) Claim(s) <u>1-19</u> is/are pending in the application					
5a) Of the above claim(s) is/are withdra	wn from consideration.				
6) Claim(s) is/are allowed.					
7) Claim(s) <u>1-19</u> is/are rejected.					
8) Claim(s) is/are objected to.					
9) Glaim(s) are subject to restriction and/c	or election requirement.	e e e e ution High	hurer areas at a		
n any claims have been determined <u>allowable</u> , you may be e	upplication. For more information of		nway program at a		
http://www.uspto.gov/patents/init_events/pph/index isp.or.send	an inquiry to PPHteedback@uspt				
Application Denovo					
10 The specification is objected to by the Examine	ar				
11) The drawing(s) filed on is/are: a) acc	(a,b) = (a,b) = (a,b) = (a,b)	e Examiner			
Applicant may not request that any objection to the	drawing(s) be held in abevance. S	ee 37 CFR 1.85	5(a).		
Replacement drawing sheet(s) including the correct	tion is required if the drawing(s) is a	objected to. See	37 CFR 1.121(d).		
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign	priority under 35 U.S.C. § 119	(a)-(d) or (f).			
Certified copies:		(, (-, - , - , , ,			
a) All b) Some** c) None of the:					
1. Certified copies of the priority documents have been received.					
2. Certified copies of the priority documents have been received in Application No					
3. Copies of the certified copies of the priority documents have been received in this National Stage					
application from the International Bureau (PCT Rule 17.2(a)).					
See the attached detailed Office action for a list of the certifi	ea copies not received.				
Attachment(s)	_				
1) 🔀 Notice of References Cited (PTO-892)	3) 🗌 Interview Summa	ary (PTO-413)			
2) Information Disclosure Statement(s) (PTO/SB/08a and/or PTO/ Paper No(s)/Mail Date	Paper No(s)/Mail SB/08b) 4) Other:	Date			
U.S. Patent and Trademark Office PTOL-326 (Rev. 11-13) Office Action	Summary	Part of Paper N	lo./Mail Date 20170917		

Samsung Ex. 1016, Page 248 of 699 Samsung Electronics America, Inc. v. RFCyber Corp. IPR2021-00980

DETAILED ACTION

Acknowledgements

- 1. This office action is in response to the claims filed 05/19/2017.
- 2. Claims 1, 2, 4-7, 9, 12, 13, 15 and 16 amended.
- 3. Claims 1-19 are pending.
- 4. Claims 1-19 have been examined.

Notice of Pre-AIA or AIA Status

5. The present application is being examined under the pre-AIA first to invent provisions.

Response to Arguments

6. Applicant's arguments filed 05/19/2017 have been fully considered but they are not persuasive. Applicant's arguments with respect to the claims have been considered but are most because the arguments do not apply to the combination of the references being used in the current rejection.

7. <u>101</u>

8. The newly amended claim 12 recites the steps of "installing a plurality of applications...providing an emulator in the mobile device to receive a first application..., causing the second application to replace the first application..." The claim is directed towards an idea of itself as it is directed to the acts of a user, specifically, the acts of loading software (applications, emulator) onto a device. Therefore, based on case law precedent, the claims are claiming subject matter similar to concepts already identified

by the courts as dealing with abstract ideas. See Alice Corp. Pty. Ltd., 134 S.Ct. at 2356 (citing Bilski v. Kappos, 561, U.S. 593, 611 (2010)).

9. Taking the claim elements separately, the functions performed by the machine at each step of the process are purely conventional. Similar to using a processor or software for the acts of loading software (applications, emulator) onto a device, are well-understood, routine, conventional activities previously known to the industry. In short, each step does no more than require a generic computer to perform generic computer functions.

10. <u>112</u>

11. Applicant argues "the claim limitations must use the phrase 'means for' or 'step for'". It appears Applicant might not be referencing the most recent version of the MPEP 2181. Additionally, courts have argued that "Our consideration of this case has led us to conclude that such a heightened burden is unjustified and that we should abandon characterizing as "strong" the presumption that a limitation lacking the word "means" is not subject to § 112, para. 6. That characterization is unwarranted, is uncertain in meaning and application, and has the inappropriate practical effect of placing a thumb on what should otherwise be a balanced analytical scale. It has shifted the balance struck by Congress in passing § 112, para. 6 and has resulted in a proliferation of functional claiming untethered to § 112, para. 6 and free of the strictures set forth in the statute. Henceforth, we will apply the presumption as we have done prior to *Lighting World*, without requiring any heightened evidentiary showing and expressly overrule the characterization of that presumption as "strong." We also overrule the strict requirement

of "a showing that the limitation essentially is devoid of anything that can be construed as structure." *Williamson v. Citrix Online, LLC,* 115 USPQ2d 1105 (Fed. Cir. 2015).

12. When the claim limitation does not use the term "means," examiners should determine whether the presumption that 35 U.S.C.112(f) or pre-AIA 35 U.S.C. 112, paragraph 6 does not apply is overcome. The presumption may be overcome if the claim limitation uses a generic placeholder (a term that is simply a substitute for the term "means"). The following is a list of non-structural generic placeholders that may invoke35 U.S.C. 112(f) or pre-AIA 35 U.S.C. 112, paragraph 6: "mechanism for," "module for," "device for," "unit for," "component for," "element for," "member for," "apparatus for," "machine for," or "system for." This list is not exhaustive, and other generic placeholders may invoke 35 U.S.C. 112(f)or pre-AIA 35 U.S.C. 112, paragraph 6. Welker BearingCo., v. PHD, Inc., 550 F.3d 1090, 1096, 89 USPQ2d1289, 1293-94 (Fed. Cir. 2008); Massachusetts Inst. of Tech. v. Abacus Software, 462 F.3d 1344, 1354,80 USPQ2d 1225, 1228 (Fed. Cir. 2006); *Personalized Media*, 161 F.3d at 704, 48 USPQ2dat 1886-87; Mas-Hamilton Group v. LaGard, Inc., 156 F.3d 1206, 1214-1215, 48 USPQ2d 1010, 1017(Fed. Cir. 1998). The terms are "used as a substitute for 'means' that is a generic placeholder (also called a nonce term or a non-structural term having no specific structural meaning)" MPEP 2181.

Examiner's Comments

13. Regarding claim 1, with respect to claim language "device for storing...", "emulator is replaceable...", "applications to be loaded into the emulator to replace...", claims 2 and 13, "a command causing...device to retrieve...", "sending a set of instruction to cause...device to receive...", "wherein the set of keys... facilitates...", claim 4, "provided respectively to perform...", claims 7 and 16, "server configured to provide...", claim 8, "server to remotely provision...", "server to manage...", claims 9 and 17, "that is determined to be updates...", claim 11, "a request to provision...", "the application to be provisioned...", claim 12, "device to receive...", "application to replace...", "emulator is replaceable...", claim 13, "instruction to cause...", claim 15, "Module configured to provide... to store", claim 16, "Card manager proxy configured to facilitate", "user interface application provided to query", "UI application for conducting" and claim 19, "request to provision...", "application to be provisioned...", "(SSD) to be associated..." recites intended use and therefore does not have patentable weight. See MPEP 2114.

14. Regarding claim 1, the language "storage device for storing...", "processor,..., causing...", recites functional language, and therefore does not have patentable weight. See MPEP 2111, 2114, 2181.

15. Regarding claims 2 and 13, "information is a sequence...", "request is a command...", claims 11 and 19, "the data includes...", claim 13, "information is a sequence...", and claim 15, "secure element further includes..." are nonfunctional descriptive material and therefore do not have patentable weight. See *In re Gulack*, 217
USPQ 401 (Fed. Cir. 1983), *In re Ngai*, 70 USPQ2d (Fed. Cir. 2004), *In re Lowry*, 32 USPQ2d 1031 (Fed. Cir. 1994); MPEP 2106.01. MPEP 2111.05 III.

16. Regarding claim 14, "wherein the emulator...the secure element is enclosed...", and claim 15, "the secure element further includes..." is a structural limitation in a method claim and has no patentable weight. *Ex parte Pfeiffer*, 135 USPQ 31 (Bd. App. 1961).

17. Regarding claim 12, the language "wherein the mobile device is used...", "wherein functions of the mobile device...", "application being executed...", "application are changed to functions offered... to functions offered", "the second application is activated...", claim 13, "the server determines....", "keys are generated...", "secure element facilitates...", claim 14, "emulator is implemented...", "secure element is enclosed...", claim 15, "cards is loaded...", claim 16, "proxy configured to facilitate...", "application provided to query...", "information stored...", claim 17, "element is preloaded..." and claim 19, the language "application has been remotely...", "application installed...", "element is distributed..." does not disclose a positively recited step and therefore does not patentable weight. See MPEP 2111.04.

18. Regarding claim 12, "application is replaceable..." is optional and conditional language and therefore does not have patentable weight. See MPEP 2103(I) (c).

19. Regarding claim 12, the language "application are changed to functions offered... when the second application is activated..." is a result and therefore has not patentable weight (*Minton v. Nat'l Ass'n of Securities Dealers, Inc.,* 336 F.3d 1373, 1381, 67 USPQ2d 1614, 1620 (Fed. Cir. 2003)) that a "'whereby clause in a method claim is not

given weight when it simply expresses the intended result of a process step positively recited." See MPEP 2111.04.

Claim Rejections - 35 USC § 101

20. 35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

21. Claims 1-19 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter.

22. Claim 1 recites "the mobile device comprising: a storage device...", in this case, the mobile device is transitory and the storage device is directed to a signal. The specification (¶ 239), says "the computer readable medium is any data storage device that can store data which can thereafter be read by a computer system. Examples of the computer readable medium include read-only memory, random-access memory, CD-ROMs, DVDs, magnetic tape, optical data storage devices, and carrier waves," explaining that the storage device can be a carrier wave. A signal is a carrier wave or other propagation media, according to MPEP 2106 II IV, however, there are four categories of invention: process, machine, article of manufacture or composition of matter, therefore, as a "signal" is not a category of invention nor a subset of one of the categories, it does not represent patent eligible subject matter. As the storage device (i.e. signal) is an essential part of the mobile device, the mobile device would not continue to be a mobile device without the storage device (i.e. signal) present. See *In re*

Application/Control Number: 13/782,948 Art Unit: 3685 Nuijten, 84 U.S.P.Q.2d 1495 (Fed. Cir. 2007), Gottschalk v. Benson, 409 U.S. at 72,

175 USPQ at 676-77. Dependent claims 2-11 are also rejected.

Subject Matter Eligibility Standard

When considering subject matter eligibility under 35 U.S.C. 101, it must be 23. determined whether the claim is directed to one of the four statutory categories of invention, i.e., process, machine, manufacture, or composition of matter. If the claim does fall within one of the statutory categories, it must then be determined whether the claim is directed to a judicial exception (i.e., law of nature, natural phenomenon, and abstract idea), and if so, it must additionally be determined whether the claim is a patent-eligible application of the exception. If an abstract idea is present in the claim, any element or combination of elements in the claim must be sufficient to ensure that the claim amounts to significantly more than the abstract idea itself. Examples of abstract ideas include fundamental economic practices; certain methods of organizing human activities; an idea itself; and mathematical relationships/formulas. (Alice Corporation Pty. Ltd. v. CLS Bank International, et al. US Supreme Court, No. 13-298, June 19, 2014).

Analysis

24. In the instant case, claim 12 is directed to a method.

25. The newly amended claims recite the steps of "installing a plurality of applications...providing an emulator in the mobile device to receive a first application..., causing the second application to replace the first application..." The claim is directed

towards an idea of itself as it is directed to the acts of a user, specifically, the acts of loading software (applications, emulator) onto a device. Therefore, based on case law precedent, the claims are claiming subject matter similar to concepts already identified by the courts as dealing with abstract ideas. See Alice Corp. Pty. Ltd., 134 S.Ct. at 2356 (citing Bilski v. Kappos, 561, U.S. 593, 611 (2010)).

26. Taking the claim elements separately, the functions performed by the machine at each step of the process are purely conventional. Similar to using a processor or software for the acts of loading software (applications, emulator) onto a device, are well-understood, routine, conventional activities previously known to the industry. In short, each step does no more than require a generic computer to perform generic computer functions.

27. Viewed as a whole, instructions/method claims simply recite the concept of receiving, sending and automating data processing, as performed by a generic computer. The method claims do not, for example, purport to improve the functioning of the computer itself. Nor do they effect an improvement in any other technology or technical field. Instead, the claims at issue amount to nothing significantly more than an instruction to apply the abstract idea of an idea of itself as it is directed to the acts of a user, specifically, the acts of loading software (applications, emulator) onto a device using some unspecified, generic computer. See Alice Corp. Pty. Ltd., 134 S.Ct. at 2360.

28. The use of a processor implementing the abstract idea does not render the claim patent eligible because it does not provide meaningful limitations beyond generally

linking the use of an abstract idea to a particular technology environment and requires no more than a generic computer to perform generic computer functions.

Conclusion

29. The claim as a whole, does not amount to significantly more than the abstract idea itself. This is because the claim does not affect an improvement to another technology or technical filed; the claim does not amount to an improvement to the functioning of a computer system itself; and the claim does not move beyond a general link of the use of an abstract idea to a particular technological environment.

30. Accordingly, the Examiner concludes that there are no meaningful limitations in the claim that transform the judicial exception into a patent eligible application such that the claim amounts to significantly more than the judicial exception itself.

31. Dependent claims do not resolve the deficiency of independent claims and

accordingly stand rejected under 35 USC 101 based on the same rationale.

32. Dependent claims 13-19 are also rejected.

Claim Rejections - 35 USC § 112

33. The following is a quotation of the first paragraph of 35 U.S.C. 112(a):

(a) IN GENERAL.—The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same, and shall set forth the best mode contemplated by the inventor or joint inventor of carrying out the invention.

The following is a quotation of the first paragraph of pre-AIA 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly

connected, to make and use the same, and shall set forth the best mode contemplated by the inventor of carrying out his invention.

34. Claims 1-19 are rejected under 35 U.S.C. 112(a) or 35 U.S.C. 112 (pre-AIA), first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor or a joint inventor, or for pre-AIA the inventor(s), at the time the application was filed, had possession of the claimed invention.

35. Claim 1 recites "causing the another one of the applications to be loaded into the emulator...", similarly, claim 12 recites "causing the second application to replace...." The specification (¶ 62-69) explains that "when instructed by an user, can be caused to swap (ie. Activate on an emulator) an application in and out the Mifare emulator...." The specification provides support for a user command being the catalyst for the application replacement. The specification does not provide for an algorithm that gives "a processor", or non-human entity the ability or operation to cause an application "to be loaded into the emulator to replace the one of the applications..." without user instruction, as directed by the specification. Dependent claims 2-11 and 13-19 are rejected as each depend on rejected claims 1 and 12.

36. Claim 13 recites "after the server determines that the secure element is registered therewith...." To satisfy the written description requirement, the specification must describe the claimed invention in sufficient detail that one skilled in the art can reasonably conclude that the inventor had possession of the claimed invention. *LizardTech, Inc. v. Earth Res.Mapping, Inc.,* 424 F.3d 1336, 1344-45, 76 USPQ2d1724,

1731-32 (Fed. Cir. 2005). Enzo Biochem, Inc. v. Gen-Probe, Inc., 323 F.3d956, 968, 63 USPQ2d 1609, 1616 (Fed. Cir. 2002)(holding that generic claim language appearing in ipsis verbis in the original specification did not satisfy the written description requirement because it failed to support the scope of the genus claimed). The specification at (¶ 60, 61) explains " the new NFC device is determined if it is a genuine NFC device. One example is to check a serial number associated with the NFC device. The serial number may be verified with a database associated with a TSM server. In the example of a NFC mobile device, the device serial number of the mobile device may be used for verification. It is now assumed that the NFC device is a genuine device (recognizable by a mobile operator). The process110 goes to 114 to have the NFC device communicated with a dedicated server... the NFC device is registered with the server. Once the NFC device becomes part of the system, various services or data may be communicated to the device via the network. As part of the personalization process, the server requests device information of the SE at **118**. In one embodiment, the server is configured to send a data request (e.g., a WAP PUSH) to the device." The specification does not provide support for the limitation "after the server determines that the secure element is registered therewith...". There is no support for the server to determine the secure element is registered, the specification simply states " the NFC device is registered with the server." The server never verifies the secure element is registered. There is a regurgitation of the exact same language in the claims and specification (¶ 15, 16) but the body of the specification does not provide any support of the scope of the genus claimed.

37. The following is a quotation of 35 U.S.C. 112(b):

(b) CONCLUSION.—The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the inventor or a joint inventor regards as the invention.

The following is a quotation of 35 U.S.C. 112 (pre-AIA), second paragraph: The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

38. Claims 1-19 are rejected under 35 U.S.C. 112(b) or 35 U.S.C. 112 (pre-AIA), second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which the inventor or a joint inventor, or for pre-AIA the applicant regards as the invention.

39. The claim(s) are narrative in form and replete with indefinite language. The structure which goes to make up the device must be clearly and positively specified. The structure must be organized and correlated in such a manner as to present a complete operative device. The claim(s) must be in one sentence form only.

40. Claim 1 recites "a storage device for storing…", similarly, claim 12 recites "installing a plurality of applications in a storage device…." It is unclear whether the device refers to a secure element that stores the applications, as described by the specification (¶ 133-138), a secure element in the mobile device that could be software and without structure (¶ 58, 101), or whether the device refers to the secured memory space of the mobile device (Figure 1C, element 137; ¶ 101) or whether the storage device refers to the computer readable medium that could also be software and without structure (¶ 239), which says "the computer readable medium is any data storage device that can store data which can thereafter be read by a computer system.

Examples of the computer readable medium include read-only memory, random-access memory, CD-ROMs, DVDs, magnetic tape, optical data storage devices, and carrier waves," explaining that the storage device can be a carrier wave. Dependent claims 2-11 and 13-19 are rejected as each depend on rejected claims 1 and 12.

41. Claim 1 recites "the one of the applications being executed in the emulator, wherein the one of the applications in the emulator...", similarly, claim 12 recites " facilitating data exchange between a reader and the first application being executed in the emulator, wherein the first application in the emulator...." It is unclear how applications exist in the emulator to be executed when no applications are located nor have been received in or by the emulator. As explained by Applicant's limitation, the applications are located in the "storage device", not the emulator, and while "an emulator in the mobile device" can receive an application, one has not yet been received. Dependent claims 2-11 and 13-19 are rejected as each depend on rejected claims 1 and 12.

42. As per claims 1, 2, 6, 7, 8 the claims recite the following means plus functions limitations:

- a. interface to facilitate...(claim 1)
- b. storage device for storing (claim 1)
- c. an emulator... for receiving (claim 1)
- d. communication interface to facilitate data exchange (claim 1)
- e. instruction to cause... (claim 2)
- f. Module configured to provide... to store (claim 6)

Samsung Ex. 1016, Page 261 of 699 Samsung Electronics America, Inc. v. RFCyber Corp. IPR2021-00980

- g. Card manager proxy for facilitating (claim 7)
- h. user interface application provided to query (claim 7)
- i. UI application for conducting (claim 7)
- j. Interfaces...to read (claim 8)
- k. TMSM module is configured to (claim 8)
- I. Applications... is caused to swap (claim 8)
- m. Mechanism to make ...for storing (claim 8)

43. This limitation invokes 35 USC § 112, ¶ 6 because it meets the 3-prong analysis set forth in MPEP 2181 as it recites a generic placeholder (also called a nonce term or a non-structural term having no specific structural meaning) and the phrase is modified by functional language and it is not modified by sufficient structure, material, or acts for performing the recited function. When the claim limitation does not use the term "means," examiners should determine whether the presumption that 35 U.S.C.112(f) or pre-AIA 35 U.S.C. 112, paragraph 6 does not apply is overcome. The presumption may be overcome if the claim limitation uses a generic placeholder (a term that is simply a substitute for the term "means"). The following is a list of non-structural generic placeholders that may invoke35 U.S.C. 112(f) or pre-AIA 35 U.S.C. 112, paragraph 6: "mechanism for," "module for," "device for," "unit for," "component for," "element for," "member for," "apparatus for," "machine for," or "system for." This list is not exhaustive, and other generic placeholders may invoke 35 U.S.C. 112(f)or pre-AIA 35 U.S.C. 112, paragraph 6. Welker BearingCo., v. PHD, Inc., 550 F.3d 1090, 1096, 89 USPQ2d1289, 1293-94 (Fed. Cir. 2008); Massachusetts Inst. of Tech. v. Abacus Software, 462 F.3d

1344, 1354,80 USPQ2d 1225, 1228 (Fed. Cir. 2006); *Personalized Media*, 161 F.3d at 704, 48 USPQ2dat 1886–87; *Mas-Hamilton Group v. LaGard, Inc.*,156 F.3d 1206, 1214-1215, 48 USPQ2d 1010, 1017(Fed. Cir. 1998). The terms are "used as a substitute for 'means' that is a generic placeholder (also called a nonce term or a nonstructural term having no specific structural meaning)" MPEP 2181.

In the instant application, the following portions of the specification and drawings may appear to describe the corresponding structure for performing the claimed function: specification ¶ 5, 7, 11, 56, 57, 59-61, 75, 76, 91 and 92.

However, the specification and drawings do not disclose sufficient corresponding structure, material or acts for performing the claimed function. ¶ 91 and 92 describe purse provisioned with the secure element is personalized with keys. The specification does not "send a set of instructions to cause" and does not have a corresponding structure that are the instructions. ¶ 5, 7, 56, 57, 61, 75, 76 describe the module interchangeable with software modules, applications and applets but there is no indication of what structure is used. ¶ 59 describes the "card manager proxy" as a "software module". ¶ 61 describes "a mechanism to make baseband storage as an extension for storing the software-based or logical smart cards" but there is no indication of what structure is used. As a result, corresponding structure to support the means for the functions has not been clearly provided. Dependent claims 2-11 are rejected.

44. Regarding claim 1 recites ""wherein functions of the mobile device related to… are changed… offered… when… is activated…", claim 2 recites "… a secure element

that has been personalized by operations of...", claim 4 recites "wherein each of the applications... of cards provided...", claim 8, the claim recites "provide...., when instructed by a user" and claim 11, "wherein each of the application has been remotely provisioned by the TSM server with operations of:..." However, claim 1, from which claims 2, 4, 8 and 11 depends, is directed to a mobile device. The claim is a hybrid claim as the cited language is not directed to the mobile device but to external use of claimed structural elements. Therefore, it would be unclear whether infringement of claims 1, 2, 4, 8 and 11 occurs based on possession of the mobile device. *In re Katz Interactive Call Processing Patent Litigation*, 639 F.3d 1303 (Fed. Cir. 2011). *IPXL Holdings v. Amazon.com, Inc.*, 430 F.2d 1377, 1384, 77 USPQ2d 1140, 1145 (Fed. Cir. 2005). *Ex parte Lyell*, 17 USPQ2d 1548 (Bd. Pat. App. & Inter. 1990). Dependent claims 2-11 are rejected.

45. Claim 1 recites "and the one of the applications being executed...", claim 2, "a designated...", claims 2, 11, 13 and 19 recite the limitation "the portable device", similarly, claims 7, 8 and 16 recite the limitation "the TSM server" and "the TMSM module", claim 9 "wherein the secure element is preloaded...", claim 12, "cards offered" and claim 19 "has been remotely provisioned...". There is insufficient antecedent basis for this limitation in the claim. Dependent claims 2-11 and 13-19 are rejected as each depends on rejected claims 1 and 12, respectively.

46. Claim 1 is directed to a mobile device and therefore cannot claim itself, claim 1 recites "a mobile device for emulating a plurality of cards, the mobile device comprising:

... wherein functions of the mobile device...", but the claim adopts circular reasoning in

the explanation of not what the device comprises but what it does, " wherein functions of the mobile device....", similarly, claim 2 recites "command causing the mobile device...", "claim 4, "the mobile device is used to emulate...", just to name a few examples. Dependent claims 2-11 are rejected.

47. Claims 2 and 13 recite "after the server determines that the secure element...," claim 8 recites "enable the TSM server to remotely provision..." and "enable the TSM server to manage...", and claims 11 and 19 recite "applications has been remotely provisioned by the TSM server with operations of: receiving... establishing... preparing... notifying..." The scope of the claims are unclear as to whether the server or the TSM server are part of the claimed mobile device or the claimed method for a mobile device.
48. Claim 2 recites "a set of keys from a designated place", the claim is unclear as to where this designated place is or why there should ambiguity as to where the keys come from, thereby rendering the claim indefinite. Similarly, claim 8 recites "to read and rendering the claim indefinite.

49. Claim 12 recites "causing the second application to replace... when the second application is activated...." since "causing" cannot occur without the activation of the second application activating. The claims are missing an essential step. Dependent claims 13-19 are rejected as each depends on rejected claim 12.

50. Claim 16 recites "querying via a user interface (UI) one or more of the applications in detail..." The term "in detail" in claim 16 is a relative term which renders the claim indefinite. The term "in detail" is not defined by the claim, the specification

does not provide a standard for ascertaining the requisite degree, and one of ordinary

skill in the art would not be reasonably apprised of the scope of the invention.

51. Claim 19 recites "has been remote provisioned by the TSM server", and

"distributed by an application provider". The claim has an unclear scope. The claim is

directed to "a method for a mobile device..." but it is unclear whether the claim

limitations recited are directed to the mobile device or combination of a mobile

device/TSM server/Application provider.

Claim Rejections - 35 USC § 102

52. The following is a quotation of the appropriate paragraphs of pre-AIA 35 U.S.C.102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.

53. Claim(s) 12-19 are rejected under pre-AIA 35 U.S.C. 102(a) as being anticipated by Gernert et al. (7,206,849) ("Gernert").

54. Regarding claim 12, Gernert teaches installing a plurality of applications in a storage device of the mobile device, each of the applications pertaining to one of the cards, wherein the mobile device is used in lieu the cards (column 5, line 60-67); providing an emulator in the mobile device to receive a first application; facilitating data exchange between a reader and the first application being executed in the emulator, wherein the first application in the emulator is replaceable in entirety or in part by a second application (column 5, line 60-67, column 6, line 37-46, column 8, line 36-62).

The remaining limitations "causing the second application to replace..." are intended use, as the function is associated with what the computer is implemented to perform and therefore does not have patentable weight. See MPEP 2103(I) (c). Claims 12-19 are, therefore, rejected as being anticipated by Gernert.

Claim Rejections - 35 USC § 103

55. The following is a quotation of pre-AIA 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained through the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

56. Claims 1, 4, and 12 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Davis et al. (7,908,216) ("Davis"), and in view of Vayssiere (2006/0065741) ("Vayssiere").

57. Regarding claims 1 and 12, Davis teaches a storage device for storing a plurality of applications, each corresponding to one of the cards (column 25, line 6-13; claim 1, 22); an emulator, coupled to the storage, for receiving one of the applications, wherein each of the applications corresponds to one of the cards (Abstract; column 25, line 6-13, column 29, line 23-31; claim 1); a communication interface to facilitate data exchange between a reader and the one of the applications being executed in the emulator, in the emulator (Abstract; column 7, line 52-67, column 10, line 57-60, column 25, line 6-13, column 29, line 23-31; claim 1, 22); and a processor in communication with the emulator

Page 20

and the storage device, into the emulator (column 10, line 33-60, column 25, line 6-13, column 29, line 23-31; claim 1, 22), into the emulator, and executed in the emulator (Abstract; column 25, line 6-13, column 29, line 23-31; claim 1).

Davis does not teach wherein the one of the applications in the emulator is replaceable in entirety or in part by another one of the applications, causing the another one of the applications to be loaded to replace the one of the applications wherein functions of the mobile device related to one of the cards offered by the application are changed to functions offered by the another one of the applications related to another one of the cards wherein the one of the applications is activated. Vayssiere teaches wherein the one of the applications is replaceable in entirety or in part by another one of the applications (¶ 22, 35, 38), causing the another one of the applications of the mobile device related to replace the one of the applications, wherein functions of the mobile device related to one of the cards offered by the applications of the applications of the applications is activated. Vayssiere teaches wherein the one of the applications is replaceable in entirety or in part by another one of the applications (¶ 22, 35, 38), causing the another one of the applications of the mobile device related to replace the one of the applications, wherein functions of the mobile device related to one of the cards offered by the application are changed to functions offered by the another one of the applications related to another one of the cards when the another one of the applications is activated (¶ 22, 30, 31, 37, 38, 43). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Davis and Vayssiere in order to provide a smartcard to perform multiple functions (Vayssiere; ¶ 3).

58. Regarding claim 4, Davis teaches wherein each of the applications emulating functions of one of the cards provided respectively to perform a function related to a monetary transaction (column 25, line 6-13), the mobile device is used to emulate each

of the cards when one of the applications is loaded into and executed in the emulator (column 7, line 39-67).

59. Claims 2 and 13 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Davis et al. (7,908,216) ("Davis"), in view of Vayssiere (2006/0065741) ("Vayssiere") in view of Wentker et al. (6,481,632) ("Wentker") and further in view of De Groot (2006/0141987) ("Groot").

60. Regarding claims 2 and 13, Neither Davis nor Vayssiere teaches initiating data communication between the mobile device; receiving device information of the secure element from the mobile device in responding to a request from the server after the server determines that the secure element is registered therewith, wherein the device information is a sequence of characters uniquely identifying the secure element, and the request is a command causing the mobile device to retrieve the device information from the secure element therein; and sending a set of instruction to cause the mobile device to receive in the secure element at least a set of keys from a designated place, wherein the keys are generated in accordance with the device information of the secure element, wherein the set of keys in the secure element facilitates a subsequent transaction between the portable device and a service provider and a designated server providing trusted service management. Wentker teaches and a designated server providing trusted service management (TSM) (column 6, line 13-67, column 8, line 17-32, column 21, line 1-31). Groot teaches initiating data communication between the mobile device (¶ 36, 40, 44); receiving device information of the secure element from the mobile device in responding to a request from the server after the server determines

that the secure element is registered therewith, wherein the device information is a sequence of characters uniquely identifying the secure element, and the request is a command causing the mobile device to retrieve the device information from the secure element therein (¶ 30, 34, 36, 37, 39, 40, 43, 47, 48, 53); and sending a set of instruction to cause the mobile device to receive in the secure element at least a set of keys from a designated place, wherein the keys are generated in accordance with the device information of the secure element, wherein the set of keys in the secure element facilitates a subsequent transaction between the portable device and a service provider (Figure 1, element M1-3; ¶ 30, 31, 34, 40-45, 47-49, 53). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Davis, Vayssiere, Wentker, and Groot in order to provide secure transmissions with a terminal and a server using an identifier (Groot; ¶ 1-7).

61. Claims 3, 5, 10, 14 and 18 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Davis et al. (7,908,216) ("Davis"), in view of Vayssiere
(2006/0065741) ("Vayssiere") and further in view of Huomo et al. (8,005,426) ("Huomo").

62. Regarding claims 3 and 14, Davis teaches the emulator (Abstract; column 25, line 6-13, column 29, line 23-31; claim 1). Vayssiere teaches implemented in the secure element (¶ 22, 23, 30). Neither Davis nor Vayssiere teaches the secure element is enclosed in the mobile device or in a detachable card to the mobile device. Huomo teaches the secure element is enclosed in the secure element is enclosed in the mobile device or in a detachable card to the mobile device. Huomo teaches the secure element is enclosed in the mobile device or in a detachable card to the mobile device or in a detachable card to the mobile device or in a detachable card to the mobile device or in a detachable card to the mobile device (column 8, line 3-23). Therefore, it would have been obvious to one

of ordinary skill in the art at the time of the invention to combine Davis, Vayssiere and Huomo in order to provide transactions with mobile devices equipped with a smartcard (Huomo; column 1, line 7-23, 54-67).

63. Regarding claim 5, Huomo teaches wherein at least one of the cards is a Mifare contactless card (column 2, line 27-61, column 8, line 3-37).

64. Regarding claims 10 and 18, Huomo teaches wherein the mobile device is a smartphone, a portable computer and a smart card (column 16, line 26-36, 43-67, column 17, line 1-5).

65. Claims 6, 7, 9, 11, 15-17 and 19 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Davis et al. (7,908,216) ("Davis"), in view of Vayssiere (2006/0065741) ("Vayssiere") and further in view of Wentker et al. (6,481,632) ("Wentker").

66. Regarding claims 6 and 15, Neither Davis nor Vayssiere teaches wherein the secure element further includes a module configured to provide Trusted Mifare Service Management (TMSM) and to store a plurality of service objects along with a plurality of key indexes, each of the service objects corresponding to one of the applications. Wentker teaches wherein the secure element further includes a module configured to provide Trusted Mifare Service Management (TMSM) and to store a plurality of service objects along with a plurality of service objects along with a plurality of key indexes, each of the service objects corresponding to one of the applications. Wentker teaches wherein the secure element (TMSM) and to store a plurality of service objects along with a plurality of key indexes, each of the service objects corresponding to one of the applications (column 9, line 1-33, column 13, line 11-39, column 14, line 24-43, column 21, line 17-31). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Davis, Vayssiere and Wentker in

order to provide efficient management of card applications (Wentker; column 1, line 12-67).

67. Regarding claims 7 and 16, Davis teaches a user interface (UI) (column 10, line 10-32). Wentker teaches wherein each of the applications has been remotely provisioned by the server configured to provide trusted service management(TSM) (column 6, line 13-67, column 8, line 17-32, column 21, line 1-31) and the mobile device further includes a card manager proxy for facilitating communication between the TSM server and the TMSM module in the secure element, interface application provided to query one or more of the applications on information stored therein but not to modify the information (column 6, line 13-67, column 8, line 17-32, column 21, line 1-31) and a transaction UI application for conducting operations that modify one or more sectors in one or more of the applications (column 10, line 8-56). Wentker does not teach a user interface (UI). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Davis, Vayssiere and Wentker in order to provide efficient management of card applications (Wentker; column 1, line 12-67).

68. Regarding claim 8, Davis teaches to the emulator (Abstract; column 25, line 6-13, column 29, line 23-31; claim 1). Vayssiere and later on swapping another one of the applications (¶ 35). Wentker teaches provide a set of Application Programming Interfaces so that one of the applications, when instructed by an user, is caused to swap an application in and out the emulator (column 6, line 36-55, column 7, line 1-7, column 8, line 17-32); provide a set of Application Programming Interfaces to one of the applications to read certain data therefrom (column 6, line 36-55, column 8, line 17-32);

enable the TSM server to remotely provision each of the applications by installing application keys and application data to the TMSM module (column 7, line 15-37, column 16, line 3-23, column 17, line 21-35, column 22, line 17-31) enable the TSM server to manage each of the applications by locking or unlocking one of the applications (column 7, line 1-7, column 9, line 34-44, column 10, line 24-44); provide a trusted environment such that an application provider modifies a designated application and meta data thereof owned by the application provider; and provide a mechanism to make baseband storage as an extension for storing some or all of the applications swapped out from the emulator to the TMSM module (column 22, line 51-67, column 23, line 1-24).

69. Regarding claims 9 and 17, Wentker teaches wherein the secure element is preloaded with default Issuer Security Domain (ISD) information determined to be updated entirely or partially subject to retrieved corresponding default ISD information from a party originating the secure element (column 7, line 38-56, column 13, line 11-39, column 19, line 1-8).

70. Regarding claims 11 and 19, Wentker teaches receiving a request to provision an application installed in the mobile device, wherein the application to be provisioned with the secure element is distributed by an application provider (column 7, line 15-37, column 8, line 1-10, column 14, line 24-43, column 15, line 1-19, column 16, line 25-35, 49-67, column 17, line 21-35); establishing a secured channel with the secure element using a set of keys (column 7, line 15-37, column 10, line 15-23, column 13, line 11-39, column 15, line 52-67, preparing data for the application being provisioned, wherein the

data includes supplemental security domains (SSD) to be associated with the application (column 11, line 21-62, column 14, line 24-43, column 16, 49-67); and notifying the application provider of a status of the application with the portable device (column 12, line 58-67, column 13, line 1-10, column 17, line 4-20, column 18, line 62-67, column 19, line 44-46).

Conclusion

71. Any inquiry concerning this communication or earlier communications from the examiner should be directed to ISIDORA IMMANUELEL whose telephone number is (469)295-9094. The examiner can normally be reached on Monday-Thursday 8am-5pm EDT.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Calvin Hewitt can be reached on 571-272-6709. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/I. I./ Examiner, Art Unit 3685

/CALVIN L HEWITT II/ Supervisory Patent Examiner, Art Unit 3685

Notice of References Cited	Application/Control No. 13/782,948	Applicant(s)/Patent Under Reexamination XIE ET AL.		
Notice of Helefences Offed	Examiner	Art Unit		
	ISIDORA IMMANUEL	3685	Page 1 of 1	

U.S. PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	CPC Classification	US Classification
*	А	US-6,481,632 B2	11-2002	Wentker; David C.	G06F8/60	235/376
*	В	US-2006/0065741 A1	03-2006	Vayssiere; Julien JP.	G06K19/07703	235/492
*	С	US-2006/0141987 A1	06-2006	De Groot; Max	H04L63/0414	455/411
*	D	US-7,206,849 B1	04-2007	Gernert; Alex M.	G06F1/3203	370/249
*	Е	US-7,908,216 B1	03-2011	Davis; Virgil M.	G06Q20/02	705/41
*	F	US-8,005,426 B2	08-2011	Huomo; Heikki	G06Q20/20	235/441
	G	US-				
	Н	US-				
	Ι	US-				
	J	US-				
	К	US-				
	L	US-				
	М	US-				

FOREIGN PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	CPC Classification
	N					
	0					
	Р					
	Q					
	R					
	s					
	т					

NON-PATENT DOCUMENTS

*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)
	U	
	V	
	w	
	x	

*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).) Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.

U.S. Patent and Trademark Office PTO-892 (Rev. 01-2001)

Notice of References Cited

Part of Paper No. 20170917

					A	oplication	Con	trol N	lo.	Applio Reexa	cant(s amina	s)/Pa ition	tent Unde	r
	Ind	lex of (Claim	13782948					XIE ET AL.					
					E)	aminer				Art Ur	nit			
					IS	SIDORA IMMANUEL 3685								
✓	R	ejected		-	Car	celled		N	Non-El	ected		Α	Арр	peal
=	A	llowed		÷	Res	tricted		Ι	Interfe	rence		0	Obje	cted
	Claims r	enumbered	in the s	ame	order as pr	presented by applicant] СРА	C] т.с	D. 🗆	R.1.47
	CLA	IM			DATE									
F	inal	Original	02/01/2	2016	09/16/2016	09/17/2017								
		1	✓		✓	✓								
		2	✓		✓	✓								
		3	✓		√	✓								
		4	✓		√	✓								
		5	✓		√	✓								
		6	~		√	✓								
		7	✓		√	✓								
		8	✓		~	✓								
		9	√		~	✓								
		10	✓		~	✓								
		11	~		~	~								
		12	~		\checkmark	✓								
		13	~		\checkmark	✓								
		14	~		~	 ✓ 								
		15	~		\checkmark	✓								
		16	✓		~	✓								
		17	~		~	✓								
		18	✓		✓	✓								
		19	√		✓	✓								

U.S. Patent and Trademark Office

Part of Paper No. : 20170917

	Application/Control No.	Applicant(s)/Patent Under Reexamination
Search Notes	13782948	XIE ET AL.
	Examiner	Art Unit
	ISIDORA IMMANUEL	3685

CPC- SEARCHED					
Symbol	Date	Examiner			
G06Q	2/1/2016	Π			

CPC COMBINATION SETS - SEARCHED				
Symbol	Date	Examiner		

	US CLASSIFICATION SEARCHE	D	
Class	Subclass	Date	Examiner
705			

* See search history printout included with this form or the SEARCH NOTES box below to determine the scope of the search.

SEARCH NOTES				
Search Notes	Date	Examiner		
See attached notes	2/1/2016			

INTERFERENCE SEARCH							
US Class/ CPC Symbol	US Subclass / CPC Group	Date	Examiner				

/I.1./ Examiner.Art Unit 3685	

U.S. Patent and Trademark Office

Part of Paper No. : 20170917

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s):	Xiangzhen Xie et al
Title:	Method and apparatus for emulating multiple cards in mobile
	devices
Serial No.:	13/782,948
Filing Date:	03/01/2013
Confirmation	5348
Examiner:	Isidora I. Immanuel
Group Art Unit:	3685
Docket No.:	RFID-084
Docket No.:	RFID-084

January 9, 2018

Mail Stop: No-Fee Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Response to First OA after Appeal

Dear Sir:

In response to Office Action dated 10/10/2017, the Applicant respectfully requests the Examiner to enter the following amendments before reconsidering the above-referenced application:

AMENDMENTS TO THE SPECIFICATION begin on page 2 of this Response

AMENDMENTS TO THE CLAIMS are reflected in the listing of claims which begins on page 3 of this Response.

REMARKS/ARGUMENTS begin on page 10 of this Response.

AMENDMENTS TO THE SPECIFICATION

1. Please amend Paragraph [0054] as follows:

[0054] According to one embodiment of the present invention, FIG. 1A shows a simplified system 100 in which two exemplary computing devices 102 and 104 are being configured to support multiple contactless cards or used in lieu of multiple contactless cards. Instead of bringing a number of cards, each for one purpose, one embodiment of the current invention allows a user to bring only one mobile device for all uses for the cards. Unless otherwise explicitly indicated, the term of "computing device", "mobile device", "smart phone", "portable device" or "handset" will be interchangeably used herein, but those skilled in the art will understand the description herein shall be equally applicable to other devices such as a smart phone, a tablet, a laptop computer, and other portable device with the capability of near field communication.

2. Please amend Paragraph [0089] as follows:

[0089] In the real-time approach, the server is configured to communicate with the manufacturer (i.e., its server thereof) when an SE by the manufacturer is being personalized by the TSM server. The default key set is, thus, retrieved on demand from the server of the manufacturer. In one embodiment, the TSM server includes a plug_z in module for each of the manufacturers to communicate therewith.

AMENDMENTS TO THE CLAIMS

Please amend Claims 1-2, 4-13 and 17-19 as follows:

- (*Currently amended*) A mobile device for emulating a plurality of cards, the mobile device comprising:
 - a display screen showing a list of the cards for a user of the mobile device to choose one therefrom, a display of the list of the cards provided by a module downloaded from a designated server;
 - a storage device for storing a plurality of applications, each <u>of the applications</u> corresponding to one of the cards<u>, wherein each of the applications is</u> <u>provisioned remotely with the designated server that subsequently installs</u> <u>corresponding data and keys for the one of the cards in the mobile device, the</u> <u>data can only be modified by the designated server over a secured channel;</u>
 - an emulator, coupled to the storage, for receiving one-of-the-<u>a first</u> applications <u>corresponding to a first card, the first application being one of the applications</u>, wherein-each of the applications corresponde to one-of-the-cards;
 - a communication interface to facilitate data exchange <u>wirelessly</u> between a reader and the <u>first one-of-the-applications</u> being executed in the emulator, wherein the reader is external to the mobile device, and the <u>first one-of-the</u> applications in the emulator is replaceable in entirety or in part by another-one of-the-a second applications corresponding to a second card; and
 - a processor, in communication with the emulator and the storage device, performing an operation of causing the another one of the second applications to be loaded into the emulator to replace the one-of-the first applications when the second card is selected via the display screen and the second application is unlocked by the designated server, wherein said causing the second application loaded into the emulator to replace the first application fails when the second card is selected via the display screen but the second application fails when the second card is selected via the display screen but the second application is locked by the designated server, and wherein

- functions of the mobile device related to one-of-the <u>first</u> cards offered by the <u>first</u> application are changed to functions offered by the another one-of-the <u>second</u> applications related to another one-of-the <u>second</u> cards when the another one of the <u>second</u> applications is activated and executed in the emulator.
- 2. (Currently amended) The mobile device as recited in claim 1, further comprising a secure element that has been personalized by operations of: initiating data communication between by the mobile device and a with the designated server providing trusted service management (TSM); receiving sending device information of the secure element in responding to a request from the designated server after the designated server determines that the secure element is registered therewith, wherein the device information is a sequence of characters uniquely identifying the secure element, and the request is a command causing the mobile device to retrieve the device information from the secure element therein; and
 - sending a set of instruction to cause the mobile device to receive receiving in the secure element at least a set of keys from a the designated serverplace, wherein the keys are generated in accordance with the device information of the secure element, wherein the set of keys in the secure element facilitates a subsequent transaction between the portable mobile device and a service provider.
- 3. (*Original*) The mobile device as recited in claim 2, wherein the emulator is implemented in the secure element, the secure element is enclosed in the mobile device or in a detachable card to the mobile device.
- 4. (Currently amended) The mobile device as recited in claim 3, wherein each of the applications emulating functions of one of the cards provided respectively to perform a function related to a monetary transaction, the mobile device is used to emulate each of the cards when one of the accorresponding applications is loaded into and executed in the emulator.

- 5. (*Currently amended*) The mobile device as recited in claim 4, wherein at least one of the cards is a Millare-contactless card.
- 6. (*Currently amended*) The mobile device as recited in claim 3, wherein the secure element further includes a module configured to provide Trusted Mifare Service Management (TMSM) and to store a plurality of service objects along with a plurality of key indexes, each of the service objects corresponding to one of the applications.
- (Currently amended) The mobile device as recited in claim 6, wherein each of the applications has been remotely provisioned by the server configured to provide trusted service management (TSM), and the mobile device further includes:
 - a card manager proxy for facilitating communication between the **ASSM** designated server and the TMSM module in the secure element,
 - a user interface (UI) application provided to query one or more of the applications on information stored therein but not to modify the information; and
 - a transaction UI application for conducting operations that modify one or more sectors in one or more of the applications.
- 8. (*Currently amended*) The mobile device as recited in claim 6, wherein the TMSM module is configured to:

provide a set of Application Programming Interfaces so that one of the applications, when instructed by an user, is caused to swap an application in and out the emulator;

provide a set of Application Programming Interfaces to one of the applications to read certain data therefrom;

enable the TSM server to remotely provision each of the applications by installing application keys and application data to the TMSM module and later on swapping another one of the applications to the emulator;

- enable the TSM-<u>designated</u> server to manage each of the applications by locking or unlocking one of the applications;
- provide a trusted environment such that an application provider modifies a designated application and meta data thereof owned by the application provider; and
- provide a mechanism to make baseband storage as an extension for storing some or all of the applications swapped out from the emulator to the TMSM module.
- (*Currently amended*) The mobile device as recited in claim 2, wherein the secure element is preloaded with default Issuer Security Domain (ISD) information determined to be updated entirely or partially subject to retrieved corresponding default ISD information from a party originating the secure element.
- 10. (*Currently amended*) The mobile device as recited in claim 2, wherein the mobile device is a smartphone, <u>or</u> a portable computer-and a smart card.
- 11. (*Currently amended*) The mobile device as recited in claim 1, wherein each of the applications has been remotely provisioned by the TSM-<u>designated</u> server with operations of:
 - receiving a request to provision an application installed in the mobile device, wherein the application to be<u>being</u> provisioned with the secure element is distributed by an application provider;
 - establishing a secured channel with the secure element<u>between the mobile</u> device and the designated server using a set of keys;
 - preparing receiving data for the application being provisioned, wherein the data includes supplemental security domains (SSD) to be associated with the application; and
 - notifying the application provider of a status of the application with the portable mobile device.

12. (*Currently amended*) A method for a mobile device to emulate a plurality of cards, the method comprising:

installing a plurality of applications in a storage device of the mobile device <u>a</u> plurality of applications downloaded from a designated server, each of the applications <u>being managed by the designated server</u> pertaining to one of the cards, wherein each of the applications is provisioned remotely with the designated server that subsequently installs corresponding data and keys for the one of the cards in the mobile device, the data can only be modified by the designated server over a secured channel, the mobile device is used communicates wirelessly with an external reader provided to read one in-lieu of the cards;

showing a list of the cards on a display of the mobile device for a user to choose one therefrom, wherein the display is provided by a module downloaded from the designated server and executed in the mobile device;

providing-receiving an emulator in the mobile device to-receive-a first application corresponding to a first card;

- facilitating data exchange between <u>a the external</u> reader and the first application being executed in the emulator, wherein the first application in the emulator is replaceable in entirety or in part by a second application <u>corresponding to a</u> <u>second card</u>;
- causing the second application to replace the first application being-loaded and executed in the emulator, wherein <u>said causing the second application to</u> replace the first application loaded and executed in the emulator fails when the second card is selected via the display but the second application is locked by the designated server, and wherein functions of the mobile device related to one-of-the first cards offered by the first application are changed to functions offered by the <u>second</u> application is activated and executed in the emulator.

7

13. (Currently amended) The method as recited in claim 12, wherein the mobile device is associated with a secure element, and the method further comprises: initiating data communication <u>between-by</u> the mobile device <u>and-with a the</u> designated server providing trusted service management (TSM);

receiving sending device information of the secure element in responding to a request from the <u>designated</u> server after the server determines that the secure element is registered therewith, wherein the device information is a sequence of characters uniquely identifying the secure element, and the request is a command causing the mobile device to retrieve the device information from the secure element therein; and

- conding a set of instruction to cause the mobile device to receive receiving in the secure element at least a set of keys from a the designated placeserver, wherein the keys are generated in accordance with the device information of the secure element, wherein the set of keys in the secure element facilitates a subsequent transaction between the portable mobile device and a service provider.
- 14. (*Original*) The method as recited in claim 13, wherein the emulator is implemented in the secure element, the secure element is enclosed in the mobile device or in a detachable card to the mobile device.
- 15. (*Previously amended*) The method as recited in claim 14, wherein the secure element further includes a module configured to provide Trusted Mifare Service Management (TMSM) and to store a plurality of service objects along with a plurality of key indexes, each of the service objects corresponding to one of the applications.
- 16. (*Previously amended*) The mobile device as recited in claim 15, further comprising facilitating communication between the TSM server and the TMSM module in the secure element;

querying via a user interface (UI) one or more of the applications in detail; and conducting operations that modify one or more sectors in one or more of the applications.

- 17. (*Currently amended*) The method as recited in claim 13, wherein the secure element is preloaded with default Issuer Security Domain (ISD) information <u>updatable</u> that is determined to be updated entirely or partially subject to retrieved corresponding default ISD information from a party originating the secure element.
- 18. (*Currently amended*) The method as recited in claim 12, wherein the mobile device is a smartphone, <u>or</u> a portable computer and a smart-bard.
- 19. (*Currently amended*) The method as recited in claim 12, wherein each of the applications has been remotely provisioned by the **TSM**-<u>designated</u> server with operations of:

receiving a request to provision an application installed in the mobile device, wherein the application to be provisioned with the secure element is distributed by an application provider;

establishing a secured channel with the secure element using a set of keys; preparing data for the application being provisioned, wherein the data includes supplemental security domains (SSD) to be associated with the application; and

notifying the application provider of a status of the application with the portable device.

REMARKS

Claims 1 - 19 were examined again. In the Office Action dated 10/10/2017, Claims 1-19 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter, Claims 1-19 are rejected under 35 U.S.C. 112(a) or 35 U.S.C. 112 (pre-AIA), first paragraph, as failing to comply with the written description requirement, Claim(s) 12-19 are rejected under pre-AIA 35 U.S.C. 102(a) as being anticipated by Gernert et al. (7,206,849) ("Gernert"), Claims 1, 4, and 12 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Davis et al. (7,908,216) ("Davis"), and in view of Vayssiere (2006/00657 41) ("Vayssiere"), Claims 2 and 13 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Davis in view of Vayssiere in view of Wentker et al. (6,481,632) ("Wentker") and further in view of De Groot (2006/0141987) ("Groot"), Claims 3, 5, 10, 14 and 18 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Davis in view of Vayssiere and further in view of Huomo et al. (8,005,426) ("Huomo"), Claims 6, 7, 9, 11, 15-17 and 19 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Davis in view of Vayssiere and further in view of Wentker, Claims 12-19 are rejected under pre-AIA 35 U.S.C. 102(b) as being anticipated by Wentker, and Claims 1, 3-7, 9-12, and 14-19 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Wentker, and further in view of Huomo, Claim 2 is rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Wentker in view of Huomo and further in view of Groot, and Claim 8 is rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Wentker in view of Huomo and further in view of Vayssiere.

The Applicant appreciates the Examiner for providing detailed comments in the Office Action. In the foregoing amendments, Claims 1-2, 4-13 and 17-19 have been amended to further distinguish from the cited references. No new matters have been introduced. Reconsideration of pending claims is respectfully requested.

Re: Examiner's Comments

On page 5, Section 13, the Examiner alleges that the phrases "device for storing ... ", "emulator is replaceable ... ", "applications to be loaded into the emulator
to replace ... ", etc. recite intended use and therefore are not given patentable weight. The Examiner even cites MPEP 2114. The Applicant respectfully disagrees and submits that the Examiner has misinterprets MPEP 2114.

MPEP 2114 explicitly states "Features of an apparatus may be recited either structurally or functionally. *In re Schreiber,* 128 F.3d 1473, 1478, 44 USPQ2d 1429, 1432 (Fed. Cir. 1997)". Claim 1 recites "*a storage device for storing a plurality of applications*". There is nothing wrong with the functional language used to define what a storage does. The Applicant believes that the Examiner renders the conclusion of "not given patentable weight" by only looking at a sentence structure without reading the sentence completely in Claim 1.

MPEP 2173.05(g) states clearly a claim term is functional when it recites a feature "by what it does rather than by what it is" (e.g., as evidenced by its specific structure or specific ingredients). In re Swinehart, 439 F.2d 210, 212, 169 USPQ 226, 229 (CCPA 1971). There is nothing inherently wrong with defining some part of an invention in functional terms. Functional language does not, in and of itself, render a claim improper. As another example, Claim 1 recites "*an emulator, coupled to the storage, for receiving a first application*", it means explicitly what function the emulator is performing, there is nothing implied that the function being performed by the emulator is only an intended use. It is believed that the Examiner fails to read the claims in whole but focuses only on the certain structure of the claim language.

On page 5, Section 14, the Examiner alleges Regarding claim 1, the language "storage device for storing ... ", "processor, ..., causing ... ", recites functional language, and therefore does not have patentable weight. MPEP 2114 explicitly states "Features of an apparatus may be recited either structurally or functionally. *In re Schreiber,* 128 F.3d 1473, 1478, 44 USPQ2d 1429, 1432 (Fed. Cir. 1997)." Claim 1 recites "*a storage device for storing a plurality of applications*". There is nothing wrong with the functional language according to MPEP 2114 and MPEP 2173.05(g).

On page 5, Section 15, the Examiner alleges claims 2 and 13 reciting "information is a sequence ... ", "request is a command ... ", claims 11 and 19, "the data

11

includes ... ", claim 13, "information is a sequence ... ", and claim 15, "secure element further includes ... " are nonfunctional descriptive material and therefore do not have patentable weight. The Examiner even cites MPEP 2106.01 and MPEP 2111.05 III. The Applicant respectfully advises the Examiner that there is not such section titled as MPEP 2106.01 while MPEP 2111.05 III is related to Machine-Readable Media. It is believed that the Examiner rendered the conclusion of "not given patentable weight" based on improper sections in MPEP.

Claim Rejections - 35 USC§ 101

On Page 7, Section 21, of this Office Action, Claims 1-19 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter under 35 U.S.C. 101. The Examiner alleges Claim 1 recites "the mobile device comprising: a storage device ... ", in this case, the mobile device is transitory and the storage device is directed to a signal.

The Applicant respectfully disagrees with the Examiner on the ground of rejection on Claims 1-19 under 35 USC 101 and submits the Examiner is conceptually and technically wrong when considering that <u>the mobile device is transitory and the storage device is directed to a signal</u>.

Both a mobile device and a storage device are tangible and physical things while a signal in general is intangible. A mobile device or a storage device can process or store a signal. Given the fact that the Examiner admits "*A signal is a carrier wave or other propagation media*", which is non-physical, the Examiner still misclassifies the physical elements as non-physical and then applies MPEP 2106 II IV to reject Claims 1-11. The Applicant respectfully challenges the Examiner to show how a mobile device or a storage device becomes a "signal" in the real world. The rejections of Claims 1-11 under 101 shall be withdrawn.

On Page 8, Section 25, of this Office Action, the Examiner alleges that the claim is directed towards an idea of itself as it is directed to the acts of a user, specifically, the acts of loading software (applications, emulator) onto a device. The Applicant respectfully disagrees and challenges the Examiner to show how

"installing in a storage device of the mobile device a plurality of applications downloaded from a designated server" and "facilitating data exchange between the external reader and the first application being executed in the emulator" could be performed mentally or by human activities. It is believed that the Examiner renders the conclusion of the claim being abstract without considering all the elements in a whole. The rejections of Claims 12-19 under USC 101 shall be withdrawn.

On Page 9, Section 26, of this Office Action, the Examiner alleges the functions performed by the machine at each step of the process are purely conventional. Given the amendments in the foregoing entered, the Applicant respectfully challenges the Examiner to show a reference that teaches or suggests every element recited in Claim 1 or 12.

On Page 9, Section 27, of this Office Action, the Examiner alleges instructions/method claims simply recite the concept of receiving, sending and automating data processing, as performed by a generic computer. First of all, the Applicant wishes to call the attention of the Examiner, neither Claim 1 nor Claim 12 recites the concept of receiving, sending and automating data processing. The claim is directed to emulating different physical cards by a mobile device that can wirelessly communicate with an external reader that otherwise reads one of these cards. It is believed that the Examiner has rendered the statement without fully understanding what is being recited in Claim 1 or Claim 12.

With regard to the present application, the Applicant respectfully submits that the rejection of the claims under 35 USC 101 is defective in view of the USPTO's MEMORANDUM dated May 19, 2016, for the reason that the Office Action: 1) fails to compare the claim to claims already found to be directed to an abstract idea in a previous court decision when determining whether a claim is directed to an abstract idea, 2) fails to apply a filter to the claims, when interpreted in view of the specification, based on whether their character as a whole is directed to a patent ineligible concept, 3) interprets or describes a claim at a high level of abstraction untethered from the language of the claim when determining the focus of the claimed invention, and 4) fail to realize the fact that an invention's ability to run on a general purpose computer does not automatically doom the claim.

Accordingly, the Applicant respectfully requests the Examiner to withdraw the rejection of Claims 1-19 under 35 USC 101 in view of the amendments thereto.

Claim Rejections - 35 USC § 112

On Page 11 Section 34, of this Office Action, Claims 1-19 are rejected under 35 U.S.C. 112(b) or 35 U.S.C. 112 (pre-AIA), second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which the inventor or a joint inventor, or for pre-AIA the applicant regards as the invention.

In the foregoing amendments, Claims 1-2, 4-7, 9, 12-13 and 15-16 have been amended. It is believed that most of the claim rejections under 35 U.S.C. 112 shall have been overcome.

On Page 11, Section 35, of this Office Action, the Examiner alleges The specification does not provide for an algorithm that gives "a processor", or non-human entity the ability or operation to cause an application "to be loaded into the emulator to replace the one of the applications ... " without user instruction. Claim 1 explicitly recites "a processor, in communication with the emulator and the storage device, performing an operation of causing the second application loaded into the emulator to replace the first application when the second card is selected via the display screen and the second application is unlocked by the designated server". Claim 1 does not imply that there is an algorithm used to control the operation. The Applicant respectfully challenges the Examiner to show where in Claim 1 or 12 that an algorithm or non-human entity controls the operation.

On Page 11, Section 36, of this Office Action, the Examiner alleges There is no support for the server to determine the secure element is registered, the specification simply states "the NFC device is registered with the server." The Applicant respectfully believes that the Examiner has misunderstood the invention. A secure element can be verified by a server even if the secure element has not been registered. It is the mobile device that carries the secure element, where the mobile device has to be registered with the server first regardless whether the secure element has been registered or not. There is nothing wrong in that operation. It appears that the unique operation is indeed misunderstood by the Examiner, which leads the Examiner to the erroneous rejections of the claims. Accordingly, withdrawal of the rejection under 35 USC § 112 is respectfully requested.

On Page 13, Section 40, of this Office Action, the Examiner questions Claim 1 recites "a storage device for storing ... ", similarly, claim 12 recites "installing a plurality of applications in a storage device " It is unclear whether the device refers to a secure element that stores the applications, as described by the specification. The Applicant submits both Claims 1 and 12 explicitly recite it is <u>the storage device</u> that stores the application as shown FIG. 1A, which is described in paragraph [0011].

Other issues raised by the Examiner in Sections 41-51 have been either answered in addressing similar issues above or rectified in the amendments in the foregoing. The Applicant submits all rejections under 35 USC § 112 shall be withdrawn.

Claim Rejections - 35 USC § 102

On Page 19, Section 53, of this Office Action, Claims 12-19 are rejected under pre-AIA 35 U.S.C. 102(a) as being anticipated by Gernert. The Applicant respectfully traverses the rejections of Claims 12-19 under 35 USC 102, assuming the foregoing amendments are entered. A cited prior art reference anticipates a claimed invention under 35 USC 102 only if every element of the claimed invention is identically shown in the single reference, arranged as they are in the claim. MPEP 2131; in re Bond, 910 F.2d 831, 832, 15 USPQ2d 1566, 1567 (Fed. Cir. 1990). Each and every limitation of the claimed invention is significant and must be found in the single cited prior reference. In re Donohue, 766 F2.d 531, 534, 266 USPQ 619, 621 (Feb. Cir. 1985). As set forth more fully below, Gernert neither discloses nor suggests each and every element of the claimed invention.

As amended, Claim 12 now recites:

- installing in a storage device of the mobile device a plurality of applications downloaded from a designated server, each of the applications being managed by the designated server pertaining to one of the cards, wherein each of the applications is provisioned remotely with the designated server that subsequently installs corresponding data and keys for the one of the cards in the mobile device, the data can only be modified by the designated server over a secured channel, the mobile device communicates wirelessly with an external reader provided to read one of the cards;
- showing a list of the cards on a display of the mobile device for a user to choose one therefrom, wherein <u>the display is provided by a module downloaded from</u> <u>the designated server</u> and executed in the mobile device;
- receiving an emulator in the mobile device a first application corresponding to a first card;
- facilitating data exchange between the external reader and the first application being executed in the emulator, wherein the first application in the emulator is replaceable in entirety or in part by a second application corresponding to a second card;
- causing the second application to replace the first application loaded and executed in the emulator, wherein said causing the second application to replace the first application loaded and executed in the emulator fails <u>when the</u> <u>second card is selected via the display but the second application is locked by</u> <u>the designated server</u>, and wherein functions of the mobile device related to the first card offered by the first application are changed to functions offered by the second application related to the second cards when the second application is activated and executed in the emulator.

(emphasis added)

One of the purposes in the instant application is to emulate multiple cards in a mobile device to interact with an external reader that otherwise reads one of the cards directly. As shown in FIG. 1A and described in paragraphs [0060], a mobile device can be stored with a plurality of applications controlled and managed by a designated (TSM) server, each of the applications pertaining to one of cards. When a card is needed, a user can select one from a display showing a list of cards available in the mobile device. A corresponding application is loaded into an emulator that turns the mobile device to function as the card. One of the important features is that the data for one of the cards can be accessed by the designated control (e.g., to lock or unlock an application).

In contrast, Gernert teaches a mobile device sending a message to a host when the mobile device is unreachable. As explicitly described in Col. 5, lines 60-67, Gernert states "this embodiment allows the host computer application to switch from application to application, and to implement new applications, without having the mobile computer terminal set up in advance to handle a specific formatting scheme". Besides being silent on "*the data can only be modified by the designated server over a secured channel* ", Gernert neither teaches nor suggests "*showing a list of the cards on a display of the mobile device for a user to choose one therefrom*".

The Examiner further states the remaining limitations "causing the second application to replace ... " are intended use, as the function is associated with what the computer is implemented to perform and therefore does not have patentable weight. The Applicant respectfully disagrees. "*causing the second application to replace the first application loaded and executed in the emulator*" is one of the inventative steps or limitation, which should be given the patentable weight. Nevertheless, the Applicant submits Claim 12 as amended shall be allowable over Gernert as Gernert neither discloses nor suggests each and every element of the claimed invention. Reconsideration of Claims 12-19 is kindly requested.

Claim Rejections - 35 USC § 103

On Page 20, Section 56, of this Office Action, Claims 1, 4, and 12 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Davis in view of Vayssiere. The Applicant traverses the rejections, assuming the foregoing amendments are entered.

As amended, Claim 1 now recites:

- a display screen showing a list of the cards for a user of the mobile device to choose one therefrom, a display of the list of the cards provided by a module downloaded from a designated server;
- a storage device for storing a plurality of applications, each of the applications corresponding to one of the cards, wherein each of the applications is provisioned remotely with the designated server that subsequently installs

corresponding data and keys for the one of the cards in the mobile device, the data can only be modified by the designated server over a secured channel;

- an emulator, coupled to the storage, for receiving a first application corresponding to a first card, the first application being one of the applications;
- a communication interface to facilitate data exchange wirelessly between a reader and the first application being executed in the emulator, wherein <u>the reader is external to the mobile device</u>, and the first application in the emulator is replaceable in entirety or in part by a second application corresponding to a second card; and
- a processor, in communication with the emulator and the storage device, performing an operation of causing the second application loaded into the emulator to replace the first application when the second card is selected via the display screen and the second application is unlocked by the designated server, wherein said causing the second application loaded into the emulator to replace the first application fails when the second card is selected via the display screen but the second application is locked by the designated server, and wherein
- functions of the mobile device related to the first card offered by the first application are changed to functions offered by the second application related to the second card when the second application is activated and executed in the emulator.

(emphasis added)

As shown in FIG. 1A, there are at least four entities involved to achieve what Claim 1 recites, a trusted service manager (a designated server) 114, a mobile device 102 or 104 and a (external) reader 110. One of the purposes in the instant application is to emulate multiple cards in the mobile device. Instead of using a physical card to be read by the reader, a user can now use the mobile device to communicate with the reader. When dealing with multiple cards, as described in [0057] - [0060], all cards being supported are shown in a display and the user can choose one of them from the display, where the display is supplied from a module downloaded from a server (trusted service manager 114). When a card is selected, a corresponding application is loaded into an emulator that turns the mobile device to function as the card. When another card is selected, another corresponding application is loaded into the emulator, essentially replacing the already loaded

application in the emulator, turning the mobile device to act as the another card. The subtle limitations recited in Claim 1 as amended distinguish from cited references.

Davis teaches a virtual smart card for payment of goods and/or services purchased on-line over the Internet. When purchasing something online, Davis allows a server to include a smart card emulator that emulates a smart card by using a card data base and a hardware security module, thus a user can settle a transaction with the emulated card. However, the user must store the card information on the server. In other words, Davis does not allow other device(s) to access the card information stored by the user on the server, which teaches away from "the data can only be modified by the designated server over a secured channel". In another perspective, David teaches away from "said causing the second application loaded into the emulator to replace the first application fails when the second card is selected via the display screen but the second application is locked by the designated server" as recited in Claim 1 as amended. The Applicant wishes to call the attention of the Examiner that Davis allows the emulated card to be read by a pseudo card reader module 264, both of the emulated card and the card reader module are within the same device while Claim 1 recites "a communication interface to facilitate data exchange wirelessly between a reader and the first application being executed in the emulator, wherein the reader is external to the mobile device". Accordingly, Claim 1 as amended shall be allowable over Davis.

On Page 21, the Examiner admits Davis does not teach "wherein the one of the applications in the emulator is replaceable in entirety or in part by another one of the applications" and then cites Vayssiere to suggest the teaching in combination.

Vayssiere teaches a smartcard having a dynamic display portion that changes when an application is switched. As described in [0038], Vayssiere explicitly describes that when the user completes the use [of] the smartcard as a calling card, Application 2 (410) terminates, and OS 406 activates Display Chooser application 422 again. First of all, Vayssiere is silent about "*the one of the applications in the emulator is replaceable in entirety or in part by another one of the applications*". Even if the Examiner insists Vayssiere may imply the replacement action, the modification of

19

David with Vayssiere would still not cure the deficiency of "*the data can only be modified by the designated server over a secured channel*" as the card itself in Vayssiere does not allow another device to remotely control an application therein. In fact, Vayssiere has no such need. Accordingly, the Applicant submits Claim 1 as amended shall be allowable over Davis and Vayssiere, viewed alone or in combination. Reconsideration of Claims 1-11 is kindly requested.

The patentability of the independent claims has been argued specifically as set forth above and thus the Applicant will not take this opportunity to argue further the merits of the rejection with regard to each dependent claim. However, Applicant does not concede that the dependent claims are not independently patentable and reserves the right to argue the patentability of the dependent claims at a later date if necessary.

In view of the above amendments and remark, the Applicant believes that Claims 1-19 shall be in condition for allowance over the cited references. Early and favorable action is being respectfully solicited.

If there are any issues remaining which the Examiner believes could be resolved through either a Supplementary Response or an Examiner's Amendment, the Examiner is respectfully requested to contact the undersigned at (408)777-8873.

I hereby certify that this correspondence is
being deposited with the United States Postal
Service as first class mail in an envelope
addressed to "Commissioner of Patents and
Trademarks, Washington, DC 20231",
January 9, 2018. e-filed.

Name: Joe Zheng

Signature: / joe zheng /

Respectfully submitted;

/ joe zheng / Joe Zheng Reg.: No. 39,450

Electronic Acknowledgement Receipt					
EFS ID:	31452532				
Application Number:	13782948				
International Application Number:					
Confirmation Number:	5348				
Title of Invention:	Method and apparatus for emulating multiple cards in mobile devices				
First Named Inventor/Applicant Name:	Xiangzhen Xie				
Customer Number:	26797				
Filer:	Joe Zheng				
Filer Authorized By:					
Attorney Docket Number:	RFID-084				
Receipt Date:	09-JAN-2018				
Filing Date:	01-MAR-2013				
Time Stamp:	17:57:19				
Application Type:	Utility under 35 USC 111(a)				

Payment information:

Submitted wi	th Payment	n	no							
File Listing:										
Document Number	Document Description		File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)				
1				204438		20				
	Amendment/Req. Reconsideration-After Non-Final Reject	r Respo	nseTo1stOAAfterAppeal. pdf	b3c4ff8ec4688a508c26b8a58e5080446e63 62f3	no					
Warnings:		•		•						

Information:		
Tota	l Files Size (in bytes):	204438

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course. New International Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application. UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
13/782,948	03/01/2013	03/01/2013 Xiangzhen Xie		5348	
26797 LogicPatents L	7590 06/12/201	EXAM	1INER		
21701 Stevens	Creek Boulevard, #284	IMMANUEL	., ISIDORA I		
UNITED STAT	TES OF AMERICA		ART UNIT	PAPER NUMBER	
			3685		
			NOTIFICATION DATE	DELIVERY MODE	
			06/12/2018	ELECTRONIC	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

uspatents@sbcglobal.net

	Application No. 13/782,948	Applicant(s	5)					
Office Action Summary	Examiner	Art Unit	AIA Status					
	ISIDORA I IMMANUEL	3685	No					
The MAILING DATE of this communication app	pears on the cover sheet with the c	l corresponde	nce address					
Period for Reply								
 A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE <u>3</u> MONTHS FROM THE MAILING DATE OF THIS COMMUNICATION. Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). 								
Status								
1) Responsive to communication(s) filed on 01/09	9/2018.							
A declaration(s)/affidavit(s) under 37 CFR 1.	130(b) was/were filed on							
2a) This action is FINAL . 2b)] This action is non-final.							
3) An election was made by the applicant in resp	onse to a restriction requirement	set forth dur	ring the interview on					
; the restriction requirement and election	have been incorporated into this	action.						
4) Since this application is in condition for allowal closed in accordance with the practice under A	nce except for formal matters, pro <i>Ex parte Quayle</i> , 1935 C.D. 11, 4	53 O.G. 213	to the merits is					
Disposition of Claims*								
5) Claim(s) <u>1-19</u> is/are pending in the applic	ation.							
5a) Of the above claim(s) is/are withdra	wn from consideration.							
6) 🔲 Claim(s) is/are allowed.								
7) 🗹 Claim(s) <u>1-19</u> is/are rejected.								
8) Claim(s) is/are objected to.								
9) Claim(s) are subject to restriction and	d/or election requirement							
* If any claims have been determined allowable, you may be el	igible to benefit from the Patent Pro	secution Hig	hway program at a					
participating intellectual property office for the corresponding a	pplication. For more information, plea	ase see						
http://www.uspto.gov/patents/init_events/pph/index.jsp or send	an inquiry to PPHteedback@usptc	<u>.gov.</u>						
Application Papers								
10) The specification is objected to by the Examine	er.							
11) The drawing(s) filed on is/are: a) ac	cepted or b) cobjected to by th	e Examiner.						
Applicant may not request that any objection to the d	lrawing(s) be held in abeyance. See 3	37 CFR 1.85(a	a).					
Replacement drawing sheet(s) including the correction	on is required if the drawing(s) is obje	cted to. See a	37 CFR 1.121(d).					
Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign Certified copies:	ı priority under 35 U.S.C. § 119(a	a)-(d) or (f).						
a) All b) Some** c) None of th	ne:							
1. Certified copies of the priority docum	ents have been received.							
2. Certified copies of the priority docum	ents have been received in Appl	ication No.						
3. Copies of the certified copies of the papelication from the International Bu	3. Copies of the certified copies of the priority documents have been received in this National Stage							
** See the attached detailed Office action for a list of the certified conies not received								
Attachment(s)								
1) Votice of References Cited (PTO-892)	3) 🔲 Interview Summar	y (PTO-413)						
2) Information Disclosure Statement(s) (PTO/SB/08a and/or PTO/S Paper No(s)/Mail Date	Paper No(s)/Mail [\$B/08b) 4) Other:	Date						
U.S. Patent and Trademark Office PTOL-326 (Rev. 11-13) Office A	ction Summary P	art of Paper No./I	Mail Date 20180522					

DETAILED ACTION

Acknowledgements

- 1. This office action is in response to the claims filed 01/09/2018.
- 2. Claims 1, 2, 4-13, and 17-19 amended.
- 3. Claims 1-19 are pending.
- 4. Claims 1-19 have been examined.

Notice of Pre-AIA or AIA Status

5. The present application is being examined under the pre-AIA first to invent provisions.

Claim Objections

6. Claim 12 is objected to because of the following informalities: the claim recites "receiving an emulator in the mobile device a first application...." Appropriate correction is required.

Response to Arguments

7. Applicant's arguments filed 01/09/2018 have been fully considered but they are not persuasive.

8. <u>112</u>

9. Claim 1 recites "a display screen showing a list of the cards…" According to the specification (Figure 9; \P 238), "FIG. 9, it shows a snapshot of a screen display of an account for a personalized SE. As shown in the menu **902**, the account maintains detailed information **904** about the SE that has been personalized. In addition, the

account includes a list of provisioned applications as well as security keys." Neither the

drawings nor the specification provide a display screen that shows a list of cards or

written description for displaying a list of cards on the mobile device.

10. <u>103</u>

11. Applicant's arguments with respect to the claims have been considered but are

moot because the arguments do not apply to the combination of references being used

in the current rejection.

Claim Rejections - 35 USC § 112

12. The following is a quotation of the first paragraph of 35 U.S.C. 112(a):

(a) IN GENERAL.—The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same, and shall set forth the best mode contemplated by the inventor or joint inventor of carrying out the invention.

The following is a quotation of the first paragraph of pre-AIA 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same, and shall set forth the best mode contemplated by the inventor of carrying out his invention.

13. Claims 1-19 are rejected under 35 U.S.C. 112(a) or 35 U.S.C. 112 (pre-AIA), first

paragraph, as failing to comply with the written description requirement. The claim(s)

contains subject matter which was not described in the specification in such a way as to

reasonably convey to one skilled in the relevant art that the inventor or a joint inventor,

or for pre-AIA the inventor(s), at the time the application was filed, had possession of

the claimed invention.

14. Claim 1 recites "a display screen showing a list of the cards…" According to the specification (Figure 9; ¶ 238), "FIG. 9, it shows a snapshot of a screen display of an account for a personalized SE. As shown in the menu **902**, the account maintains detailed information **904** about the SE that has been personalized. In addition, the account includes a list of provisioned applications as well as security keys." Neither the drawings nor the specification provide a display screen that shows a list of cards or written description for displaying a list of cards on the mobile device. Dependent claims 2-11 are rejected as each depend on rejected claim 1.

15. Claim 1 recites "causing the second application loaded into the emulator... wherein said causing the second application...", similarly, claim 12 recites "causing the second application to replace...." The specification (¶ 62-69) explains that "when instructed by a user, can be caused to swap (i.e. Activate on an emulator) an application in and out the Mifare emulator...." The specification provides support for a user command being the catalyst for the application replacement. The specification does not provide for an algorithm that gives "a processor", or non-human entity the ability or operation to cause an application "to be loaded into the emulator to replace the one of the applications..." without user instruction, as directed by the specification. Dependent claims 2-11 and 13-19 are rejected as each depend on rejected claims 1 and 12.

16. Claim 13 recites "after the server determines that the secure element is registered therewith...." To satisfy the written description requirement, the specification must describe the claimed invention in sufficient detail that one skilled in the art can reasonably conclude that the inventor had possession of the claimed invention.

LizardTech, Inc. v. Earth Res. Mapping, Inc., 424 F.3d 1336, 1344-45, 76 USPQ2d1724, 1731-32 (Fed. Cir. 2005). Enzo Biochem, Inc. v. Gen-Probe, Inc., 323 F.3d956, 968, 63 USPQ2d 1609, 1616 (Fed. Cir. 2002)(holding that generic claim language appearing in ipsis verbis in the original specification did not satisfy the written description requirement because it failed to support the scope of the genus claimed). The specification at (¶ 60, 61) explains " the new NFC device is determined if it is a genuine NFC device. One example is to check a serial number associated with the NFC device. The serial number may be verified with a database associated with a TSM server. In the example of a NFC mobile device, the device serial number of the mobile device may be used for verification. It is now assumed that the NFC device is a genuine device (recognizable by a mobile operator). The process110 goes to 114 to have the NFC device communicated with a dedicated server... the NFC device is registered with the server. Once the NFC device becomes part of the system, various services or data may be communicated to the device via the network. As part of the personalization process, the server requests device information of the SE at **118**. In one embodiment, the server is configured to send a data request (e.g., a WAP PUSH) to the device." The specification does not provide support for the limitation "after the server determines that the secure element is registered therewith...". There is no support for the server to determine the secure element is registered, the specification simply states " the NFC device is registered with the server." The server never verifies the secure element is registered. There is a regurgitation of the exact same language in the claims and specification (¶ 15, 16) but the body of the specification does not provide any support of the scope of the genus claimed.

17. The following is a quotation of 35 U.S.C. 112(b):

(b) CONCLUSION.—The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the inventor or a joint inventor regards as the invention.

The following is a quotation of 35 U.S.C. 112 (pre-AIA), second paragraph: The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

18. Claims 1-19 are rejected under 35 U.S.C. 112(b) or 35 U.S.C. 112 (pre-AIA), second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which the inventor or a joint inventor, or for pre-AIA the applicant regards as the invention.

19. The claim(s) are narrative in form and replete with indefinite language. The structure which goes to make up the device must be clearly and positively specified. The structure must be organized and correlated in such a manner as to present a complete operative device. The claim(s) must be in one sentence form only.

20. Claim 1 recites "a storage device for storing…", similarly, claim 12 recites "installing in a storage device… a plurality of applications…." It is unclear whether the device refers to a secure element that stores the applications, as described by the specification (¶ 133-138), a secure element in the mobile device that could be software and without structure (¶ 58, 101), or whether the device refers to the secured memory space of the mobile device (Figure 1C, element 137; ¶ 101) or whether the storage device refers to the computer readable medium that could also be software and without structure (¶ 239), which says "the computer readable medium is any data storage device that can store data which can thereafter be read by a computer system. Examples of the computer readable medium include read-only memory, random-access

memory, CD-ROMs, DVDs, magnetic tape, optical data storage devices, and carrier waves," explaining that the storage device can be a carrier wave. Dependent claims 2-11 and 13-19 are rejected as each depend on rejected claims 1 and 12.

21. Claim 12 recites " facilitating data exchange between the external reader and the first application being executed in the emulator, wherein the first application in the emulator...." It is unclear how applications exist in the emulator to be executed when no applications are located nor have been received in or by the emulator. As explained by Applicant's limitation, the applications are located in the "storage device", not the emulator, and while "an emulator in the mobile device" can receive an application, one has not yet been received. Dependent 13-19 are rejected as each depend on rejected claim 12.

22. As per claims 1, 6, 7, 8 the claims recite the following means plus functions limitations:

- a. storage device for storing (claim 1)
- b. an emulator... for receiving (claim 1)
- c. communication interface to facilitate data exchange (claim 1)
- d. Module configured to provide... to store (claim 6)
- e. Card manager proxy for facilitating (claim 7)
- f. user interface application provided to query (claim 7)
- g. UI application for conducting (claim 7)
- h. Interfaces...to read (claim 8)
- i. TMSM module is configured to (claim 8)
- j. Mechanism to make ... for storing (claim 8)

23. This limitation invokes 35 USC § 112, ¶ 6 because it meets the 3-prong analysis set forth in MPEP 2181 as it recites a generic placeholder (also called a nonce term or a non-structural term having no specific structural meaning) and the phrase is modified by functional language and it is not modified by sufficient structure, material, or acts for performing the recited function. When the claim limitation does not use the term "means," examiners should determine whether the presumption that 35 U.S.C.112(f) or pre-AIA 35 U.S.C. 112, paragraph 6 does not apply is overcome. The presumption may be overcome if the claim limitation uses a generic placeholder (a term that is simply a substitute for the term "means"). The following is a list of non-structural generic placeholders that may invoke35 U.S.C. 112(f) or pre-AIA 35 U.S.C. 112, paragraph 6: "mechanism for," "module for," "device for," "unit for," "component for," "element for," "member for," "apparatus for," "machine for," or "system for." This list is not exhaustive, and other generic placeholders may invoke 35 U.S.C. 112(f)or pre-AIA 35 U.S.C. 112, paragraph 6. Welker BearingCo., v. PHD, Inc., 550 F.3d 1090, 1096, 89 USPQ2d1289, 1293-94 (Fed. Cir. 2008); Massachusetts Inst.of Tech. v. Abacus Software, 462 F.3d 1344, 1354,80 USPQ2d 1225, 1228 (Fed. Cir. 2006); Personalized Media, 161 F.3d at 704, 48 USPQ2dat 1886–87; Mas-Hamilton Group v. LaGard, Inc., 156 F.3d 1206, 1214-1215, 48 USPQ2d 1010, 1017(Fed. Cir. 1998). The terms are "used as a substitute for 'means' that is a generic placeholder (also called a nonce term or a nonstructural term having no specific structural meaning)" MPEP 2181.

In the instant application, the following portions of the specification and drawings may appear to describe the corresponding structure for performing the claimed function: specification \P 5, 7, 11, 56, 57, 59-61, 75, 76, 91 and 92.

However, the specification and drawings do not disclose sufficient corresponding structure, material or acts for performing the claimed function. ¶ 91 and 92 describe purse provisioned with the secure element is personalized with keys. The specification does not "send a set of instructions to cause" and does not have a corresponding structure that are the instructions. ¶ 5, 7, 56, 57, 61, 75, 76 describe the module interchangeable with software modules, applications and applets but there is no indication of what structure is used. ¶ 59 describes the "card manager proxy" as a "software module". ¶ 61 describes "a mechanism to make baseband storage as an extension for storing the software-based or logical smart cards" but there is no indication of what structure is used. As a result, corresponding structure to support the means for the functions has not been clearly provided. Dependent claims 2-11 are rejected.

24. Claim 1 is directed to a product. Specifically, the claim is directed to "A mobile device...." However, the body of the claim and following dependent claims also recite method steps including "cards provided by a module downloaded from a designated server... wherein the reader is external to the mobile device... the second application is unlocked by the designated server... the second application is locked by the designated server ", claim 2 recites "... responding to a request from the designated server after the designated server determines that the secure element is registered ...", and claim 11, "wherein each of the application has been remotely provisioned by the designated server with operations of:..." However, claim 1, from which claims 2, and 11 depends, is directed to a mobile device. The claim is a hybrid claim as the cited language is not directed to the mobile device but to functions of claimed structural elements, for

example the designated server is not a part of the claimed mobile device, but functions of the designated server are claimed within the scope of the mobile device. Therefore, it would be unclear whether infringement of claims 1, 2, and 11 occurs based on possession of the mobile device. *In re Katz Interactive Call Processing Patent Litigation*, 639 F.3d 1303 (Fed. Cir. 2011). *IPXL Holdings v. Amazon.com, Inc.*, 430 F.2d 1377, 1384, 77 USPQ2d 1140, 1145 (Fed. Cir. 2005). *Ex parte Lyell*, 17 USPQ2d 1548 (Bd. Pat. App. & Inter. 1990). Dependent claims 2-11 are rejected.

25. Claim 1 recites "and the first applications being executed...", there are no previous first applications that were executed, claim 19 recites the limitation "the portable device", similarly, claims 7, and 16 recite the limitation "the TMSM module", claim 8 recites "TSM server", claim 12, "the first cards offered", there is no recitation for offering cards, claim 16 recites the TMSM module", and "TSM server" There is insufficient antecedent basis for this limitation in the claim. Dependent claims 2-11 and 13-19 are rejected as each depends on rejected claims 1 and 12, respectively.

26. Claim 1 is directed to "a mobile device" However, the body of the claim recites "user of the mobile device... cards in the mobile device... external to the mobile device... functions of the mobile device...",, therefore, the scope of the claim is unclear as a mobile device cannot comprise itself. Similarly, claim 2 recites "command causing the mobile device... between the mobile device", "claim 4, "the mobile device is used to emulate...", claim 11, "between the mobile device...". See *In re Zletz*, 13 USPQ2d 1320 (Fed. Cir. 1989)("An essential purpose of patent examination is to fashion claims that are precise, clear, correct, and unambiguous. Only in this way can uncertainties of claim scope be removed..."). Dependent claims 2-11 are rejected.

27. Claims 2 and 13 recite "after the designated server determines that the secure element...," claim 8 recites "enable the TSM server to remotely provision..." and "enable the TSM server to manage...", and claims 11 and 19 recite "applications has been remotely provisioned by the designated server with operations of: receiving... establishing... preparing... notifying..." The scope of the claims are unclear as to whether the server or the TSM server or designated server are part of the claimed mobile device or the claimed method for a mobile device.

28. Claim 16 recites "querying via a user interface (UI) one or more of the applications in detail..." The term "in detail" in claim 16 is a relative term which renders the claim indefinite. The term "in detail" is not defined by the claim, the specification does not provide a standard for ascertaining the requisite degree, and one of ordinary skill in the art would not be reasonably apprised of the scope of the invention.

29. Claim 19 recites "has been remote provisioned by the designated server", and "distributed by an application provider". The claim has an unclear scope. The claim is directed to "a method for a mobile device..." but it is unclear whether the claim limitations recited are directed to the mobile device or combination of a mobile device/designated server/Application provider.

Claim Rejections - 35 USC § 103

30. The following is a quotation of pre-AIA 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained through the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would

Page 11

have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1, 4, 6-9, 11, 12, 15-17 and 19 are rejected under pre-AIA 35 U.S.C.
103(a) as being unpatentable over Davis et al. (7,908,216) ("Davis"), in view of
Vayssiere (2006/0065741) ("Vayssiere") and further in view of Wentker et al.
(6,481,632) ("Wentker").

32. Regarding claims 1 and 12, Davis teaches a display

screen showing a list of the cards for a user of the mobile device to choose one therefrom, a display of the list of the cards provided by a module downloaded from a designated server (Figure 5; column 9, line 2-13, column 13, line 62-67, column 14, line 1-7); a storage device for storing a plurality of applications, each of the applications corresponding to one of the cards, wherein each of the applications is provisioned remotely with the designated server that subsequently installs corresponding data and keys for the one of the cards in the mobile device, the data can only be modified by the designated _server over a secured channel (column 6, line 60-67, column 7, line 31-38, column 8, line 53-59, column 28, line 20-36, column 33, line 48-64); an emulator, coupled to the storage, for receiving a first application corresponding to a first card, the first application being one of the applications (Abstract; column 6, line 60-63, column 12, line 24-37, column 25, line 6-13, column 29, line 23-31), a communication interface to facilitate data exchange wirelessly between a reader and the first applications being executed in the emulator, wherein the reader is external to the mobile device, and the first application in the emulator is replaceable in entirety or in part by a second application: corresponding to a second card (Abstract; column 7, line 52-67, column 10, line 57-60, column 25, line 6-13, column 29, line 23-31; claim 1, 22); and

a processor, in communication with the emulator and the storage device (column 10, line 33-60, column 25, line 6-13, column 29, line 23-31; claim 1, 22); into the emulator(Abstract; column 6, line 60-63, column 12, line 24-37, column 25, line 6-13, column 29, line 23-31).

Davis does not teach performing an operation of causing the second applications loaded to replace the first applications when the second card is selected via the display screen and the second application is unlocked by the designated server, wherein said causing the second application loaded to replace the first application fails when the second card is selected via the display screen but the second application is locked by the designated server, and wherein functions of the mobile device related the first card offered by the first application are changed to functions offered by the second application related to the second cards when the second applications is activated and executed. Vayssiere teaches performing an operation of causing the second applications loaded to replace the first applications (\P 22, 35, 38), wherein said causing the second application loaded to replace the first application fails when the second card is selected via the display screen and wherein functions of the mobile device related the first card offered by the first application are changed to functions offered by the second application related to the second cards when the second applications is activated and executed (¶ 22, 26, 30, 31, 35, 37, 38, 41, 43). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Davis and Vayssiere in order to provide a smartcard to perform multiple functions (Vayssiere; ¶ 3).

Wentker teaches when the second card is selected via the display screen and the second application is unlocked by the designated server but the second application is locked by the designated server (Figure 5; column 9, line 34-44, column 10, line 31-44, column 16, line 11-24, column 17, line 4-20), Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Davis, Vayssiere and Wentker in order to provide efficient management of card applications (Wentker; column 1, line 12-67).

33. Regarding claim 4, Davis teaches wherein each of the applications emulating functions of one of the cards provided respectively to perform a function related to a monetary transaction (column 25, line 6-13), the mobile device is used to emulate each of the cards when a corresponding applications is loaded into and executed in the emulator (column 7, line 39-67).

34. Regarding claims 6 and 15, Neither Davis nor Vayssiere teaches wherein the secure element further includes a module configured to provide Trusted Mifare Service Management (TMSM) and to store a plurality of service objects along with a plurality of key indexes, each of the service objects corresponding to one of the applications. Wentker teaches wherein the secure element further includes a module configured to provide Trusted Mifare Service Management (TMSM) and to store a plurality of service objects along with a plurality of service objects along with a plurality of key indexes, each of the service objects corresponding to one of the applications to one of the applications (column 9, line 1-33, column 13, line 11-39, column 14, line 24-43, column 21, line 17-31). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Davis, Vayssiere and Wentker in

order to provide efficient management of card applications (Wentker; column 1, line 12-67).

35. Regarding claims 7 and 16, Davis teaches a user interface (UI) (column 10, line 10-32). Wentker teaches wherein the mobile device further includes a card manager proxy for facilitating communication between the designated server and the TMSM module in the secure element, interface application provided to query one or more of the applications on information stored therein but not to modify the information (column 6, line 13-67, column 8, line 17-32, column 21, line 1-31) and a transaction UI application for conducting operations that modify one or more sectors in one or more of the applications (column 10, line 8-56). Wentker does not teach a user interface (UI). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Davis, Vayssiere and Wentker in order to provide efficient management of card applications (Wentker; column 1, line 12-67).

36. Regarding claim 8, Davis teaches to the emulator (Abstract; column 25, line 6-13, column 29, line 23-31; claim 1). Vayssiere and later on swapping another one of the applications (¶ 35). Wentker teaches provide a set of Application Programming Interfaces so that one of the applications, when instructed by an user, is caused to swap an application in and out the emulator (column 6, line 36-55, column 7, line 1-7, column 8, line 17-32); provide a set of Application Programming Interfaces to one of the applications to read certain data therefrom (column 6, line 36-55, column 8, line 17-32); enable the designated server to remotely provision each of the applications by installing application keys and application data to the TMSM module (column 7, line 15-37, column 16, line 3-23, column 17, line 21-35, column 22, line 17-31) enable the TSM

server to manage each of the applications by locking or unlocking one of the applications (column 7, line 1-7, column 9, line 34-44, column 10, line 24-44); provide a trusted environment such that an application provider modifies a designated application and meta data thereof owned by the application provider; and provide a mechanism to make baseband storage as an extension for storing some or all of the applications swapped out from the emulator to the TMSM module (column 22, line 51-67, column 23, line 1-24).

37. Regarding claims 9 and 17, Wentker teaches wherein the secure element is preloaded with default Issuer Security Domain (ISD) information updated entirely or partially subject to retrieved corresponding default ISD information from a party originating the secure element (column 7, line 38-56, column 13, line 11-39, column 19, line 1-8).

38. Regarding claims 11 and 19, Wentker teaches receiving a request to provision an application installed in the mobile device, wherein the application being provisioned is distributed by an application provider (column 7, line 15-37, column 8, line 1-10, column 14, line 24-43, column 15, line 1-19, column 16, line 25-35, 49-67, column 17, line 21-35); establishing a secured channel between the mobile device and the designated server using a set of keys (column 7, line 15-37, column 10, line 15-23, column 13, line 11-39, column 15, line 52-67, receiving data for the application being provisioned, wherein the data includes supplemental security domains (SSD) to be associated with the application (column 11, line 21-62, column 14, line 24-43, column 16, 49-67); and notifying the application provider of a status of the application with

the mobile device (column 12, line 58-67, column 13, line 1-10, column 17, line 4-20, column 18, line 62-67, column 19, line 44-46).

39. Claims 2 and 13 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Davis et al. (7,908,216) ("Davis"), in view of Vayssiere (2006/0065741) ("Vayssiere"), in view of Wentker et al. (6,481,632) ("Wentker") and further in view of De Groot (2006/0141987) ("Groot").

40. Regarding claims 2 and 13, Neither Davis nor Vayssiere teaches initiating data communication by the mobile device with the designated server; sending device information of the secure element from the mobile device in responding to a request from the designated server after the designated server determines that the secure element is registered therewith, wherein the device information is a sequence of characters uniquely identifying the secure element, and the request is a command causing the mobile device to retrieve the device information from the secure element therein: and receiving in the secure element at least a set of keys from the designated server, wherein the keys are generated in accordance with the device information of the secure element, wherein the set of keys in the secure element facilitates a subsequent transaction between the mobile device and a service provider and a designated server providing trusted service management. Wentker teaches and with designated server providing trusted service management (TSM) (column 6, line 13-67, column 8, line 17-32, column 21, line 1-31). Groot teaches initiating data communication by the mobile device (¶ 36, 40, 44); sending device information of the secure element from the mobile device in responding to a request from the designated server after the designated server determines that the secure element is registered therewith, wherein the device

information is a sequence of characters uniquely identifying the secure element, and the request is a command causing the mobile device to retrieve the device information from the secure element therein (¶ 30, 34, 36, 37, 39, 40, 43, 47, 48, 53); receiving in the secure element at least a set of keys from the designated server, wherein the keys are generated in accordance with the device information of the secure element, wherein the set of keys in the secure element facilitates a subsequent transaction between the mobile device and a service provider (Figure 1, element M1-3; ¶ 30, 31, 34, 40-45, 47-49, 53). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Davis, Vayssiere, Wentker, and Groot in order to provide secure transmissions with a terminal and a server using an identifier (Groot; ¶ 1-7).

41. Claims 3, 5, 10, 14 and 18 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Davis et al. (7,908,216) ("Davis"), in view of Vayssiere (2006/0065741) ("Vayssiere"), in view of Wentker et al. (6,481,632) ("Wentker") and further in view of Huomo et al. (8,005,426) ("Huomo").

42. Regarding claims 3 and 14, Davis teaches the emulator (Abs-tract; column 25, line 6-13, column 29, line 23-31; claim 1). Vayssiere teaches implemented in the secure element (¶ 22, 23, 30). Neither Davis nor Vayssiere teaches the secure element is enclosed in the mobile device or in a detachable card to the mobile device. Huomo teaches the secure element is enclosed in the secure element is enclosed in the mobile device or in a detachable card to the mobile device. Huomo teaches the secure element is enclosed in the mobile device or in a detachable card to the mobile device (column 8, line 3-23). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Davis, Vayssiere and

Huomo in order to provide transactions with mobile devices equipped with a smartcard (Huomo; column 1, line 7-23, 54-67).

43. Regarding claim 5, Huomo teaches wherein at least one of the cards is a contactless card (column 2, line 27-61, column 8, line 3-37).

44. Regarding claims 10 and 18, Huomo teaches wherein the mobile device is a smartphone, or a portable computer (column 16, line 26-36, 43-67, column 17, line 1-5).

Conclusion

45. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

46. Any inquiry concerning this communication or earlier communications from the examiner should be directed to ISIDORA I IMMANUELEL whose telephone number is (469)295-9094. The examiner can normally be reached on Monday-Friday 9:00 am to 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, NEHA PATEL can be reached on 571-270-1492. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/I. I./ Examiner, Art Unit 3685/

/NEHA PATEL/ Supervisory Patent Examiner, Art Unit 3685

Nation of Pafaranaan Citad					Application/Control No. 13/782,948	Applicant(s)/Pate Reexamination Xie et al.	ent Under	
Notice of References Ched					Examiner ISIDORA I IMMANUEL	Art Unit 3685	Page 1 of 1	
U.S. PATENT DOCUMENTS								
		Document Number	Date					

*		Country Code-Number-Kind Code	MM-YYYY	Name	CPC Classification	US Classification
*	А	6,481,632 B2	11-2002	Wentker; David C.	G06F8/60	235/376
*	В	2006/0065741 A1	03-2006	Vayssiere; Julien JP.	G06K19/07703	235/492
*	С	2006/0141987 A1	06-2006	De Groot; Max	H04L63/0414	455/411
*	D	7,206,849 B1	04-2007	Gernert; Alex M.	G06F1/3203	370/249
*	Е	7,908,216 B1	03-2011	Davis; Virgil M.	G06Q20/02	705/41
*	F	8,005,426 B2	08-2011	Huomo; Heikki	G06Q20/20	235/441
	G					
	Т					
	-					
	J					
	к					
	L					
	М					

FOREIGN PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	CPC Classification
	Ν					
	0					
	Р					
	Q					
	R					
	S					
	Т					

	NON-PATENT DOCUMENTS								
*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)							
	U								
	V								
	w								
	x								

*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).) Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.

U.S. Patent and Trademark Office PTO-892 (Rev. 01-2001)

Notice of References Cited

Part of Paper No. 20180522

			Application/Control No.	Applicant(s)/Patent Under Reexamination			
Index of Claims			13/782,948	Xie et al.			
			Examiner	Art Unit			
			ISIDORA I IMMANUEL	3685			
			·				
√ F	Rejected	-	Cancelled	N Noi	n-Elected	A	Appeal

•				•				
=	Allowed		÷	Restricted	I	Interference	ο	Objected
		_					 	

CLAIMS										
Claims renumbered in the same order as presented by applicant CPA T.D. R.1.47										
CL	AIM					DATE				
Final	Original	02/01/2016	09/16/2016	09/17/2017	05/22/2018					
	1	√	√	1	✓					
	2	✓	✓	✓	✓					
	3	✓	✓	1	1					
	4	✓	✓	1	1					
	5	1	✓	✓	✓					
	6	1	1	 ✓ 	✓					
	7	1	1	1	✓					
	8	1	1	1	✓ ✓					
	9	1	1	1	✓ ✓					
	10		1	1	1					
	11	1	1	✓	✓ ✓					
	12	1	1	 ✓ 	<i>√</i>					
	13		✓	_ ✓	\checkmark					
	14	✓	<i>√</i>	_ ✓	<i>✓</i>					
	15		1	1	<i>√</i>					
	16	1	1	✓ ✓	1					
	17		<i>√</i>	✓ ✓	\checkmark					
	18	✓	 ✓ 	_ ✓	\checkmark					
	19	✓	✓	_ ✓	<i>✓</i>					
										ļ
										ļ

U.S. Patent and Trademark Office

Part of Paper No.: 20180522

Page 1 of 1

Samsung Ex. 1016, Page 323 of 699 Samsung Electronics America, Inc. v. RFCyber Corp. IPR2021-00980

	Application/Control No.	Applicant(s)/Patent Under Reexamination
Search Notes	13/782,948	Xie et al.
	Examiner	Art Unit
	ISIDORA I IMMANUEL	3685

CPC - Searched*			
Symbol	Date	Examiner	
G06Q	2/1/2016	II	

CPC Combination Sets - Searched*				
Symbol	Date	Examiner		

US Classification - Searched*				
Class	Subclass	Date	Examiner	
705				

* See search history printout included with this form or the SEARCH NOTES box below to determine the scope of the search.

Search Notes			
Search Notes	Date	Examiner	
See attached notes	2/1/2016	П	
101 withdrawal - Weinhart	06/06/2018	Ш	

Interference Search				
US Class/CPC Symbol	US Subclass/CPC Group	Date	Examiner	

	/I.I./ Examiner.Art Unit 36	685
U.S. Patent and Trademark Office	Pogo 1 of 1	Part of Paper No.: 20180522

Samsung Ex. 1016, Page 324 of 699 Samsung Electronics America, Inc. v. RFCyber Corp. IPR2021-00980
PTO/AIA/31 (03-14) Approved for use through 07/31/2016. OMB 0651-0031 U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE offection of information unless it displays a valid OMB control number

Under the Paperwork Reduction Act of 1995, no persons are required to re	espond to a collection of inform	nation unles	s it displays a valid OMB control number.
NOTICE OF APPEAL FROM THE EXAM	INER TO		Number (Optional)
	JAKU	13 23	
I hereby certify that this correspondence is being facsimile transmitted to the USPTO, EFS-Web transmitted to the USPTO, or	In re Application of Xiangzhen Xie et al		
deposited with the United States Postal Service with sufficient postage in an envelope addressed to "Commissioner for Patents, P.O.	Application Number 13/782,948		Filed 03/01/2013
on <u>02/27/2017</u>	For Method and apparatus f	or emulatii	ng multiple cards in mobile devices
Signature / joe zheng /	Art Unit		Examiner
Typed or printed name	3685		Isidora I. luonakhamhe
Applicant hereby appeals to the Patent Trial and Appeal Board from the The fee for this Notice of Appeal is (37 CFR 41.20(b)(1))	e last decision of the exami	ner.	ç 800.00
Applicant asserts small entity status. See 37 CFR 1.27. Therefore, t	he fee shown above is red	uced	ç 400.00
 by 75%, and the resulting fee is: Form PTO/SB/15A or B or equivalent must either be enclosed or have been A check in the amount of the fee is enclosed. Payment by credit card. Form PTO-2038 is attached. ✓ The Director is hereby authorized to charge any fees which may b to Deposit Account No. 502436 ✓ Payment made via EFS-Web. A petition for an extension of time under 37 CFR 1.136(a) (PTO/AI For extensions of time in reexamination proceedings, see 37 CFR 1.550. 	submitted previously. e required, or credit any ov A/22 or equivalent) is enclo	verpaymen osed.	\$ t
WARNING: Information on this form may become public. Credit on this form. Provide credit card information and authorization of Lam the	card information should r on PTO-2038.	lot be inclu	ided
applicant applicant attorney or agent of record Registration number 39,450	attorn Registra	ey or agent ation numbe	: acting under 37 CFR 1.34 r
Signature / joe zheng /			
Typed or printed name Joe Zheng			
Telephone Number (408)777-8873 or (408)891-9381			
Date 09/12/2018			
NOTE: This form must be signed in accordance with 37 CFR 1.33. See 37	CFR 1.4 for signature regu	irements a	and certifications. Submit multiple
forms if more than one signature is required, see below*.			
✓ * Total of <u>1</u> forms are submitted.			
This collection of information is required by 37 CFR 41.20(b)(1) and 41.31. The info	ormation is required to obtain	or retain a b	penefit by the public which is to file (and

This collection of information is required by 37 CFR 41.20(b)(1) and 41.31. The information is required to obtain of retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11, 1.14 and 41.6. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Privacy Act Statement

The **Privacy Act of 1974 (P.L. 93-579)** requires that you be given certain information in connection with your submission of the attached form related to a patent application or patent. Accordingly, pursuant to the requirements of the Act, please be advised that: (1) the general authority for the collection of this information is 35 U.S.C. 2(b)(2); (2) furnishing of the information solicited is voluntary; and (3) the principal purpose for which the information is used by the U.S. Patent and Trademark Office is to process and/or examine your submission related to a patent application or patent. If you do not furnish the requested information, the U.S. Patent and Trademark Office may not be able to process and/or examine your submission, which may result in termination of proceedings or abandonment of the application or expiration of the patent.

The information provided by you in this form will be subject to the following routine uses:

- The information on this form will be treated confidentially to the extent allowed under the Freedom of Information Act (5 U.S.C. 552) and the Privacy Act (5 U.S.C 552a). Records from this system of records may be disclosed to the Department of Justice to determine whether disclosure of these records is required by the Freedom of Information Act.
- A record from this system of records may be disclosed, as a routine use, in the course of presenting evidence to a court, magistrate, or administrative tribunal, including disclosures to opposing counsel in the course of settlement negotiations.
- 3. A record in this system of records may be disclosed, as a routine use, to a Member of Congress submitting a request involving an individual, to whom the record pertains, when the individual has requested assistance from the Member with respect to the subject matter of the record.
- 4. A record in this system of records may be disclosed, as a routine use, to a contractor of the Agency having need for the information in order to perform a contract. Recipients of information shall be required to comply with the requirements of the Privacy Act of 1974, as amended, pursuant to 5 U.S.C. 552a(m).
- 5. A record related to an International Application filed under the Patent Cooperation Treaty in this system of records may be disclosed, as a routine use, to the International Bureau of the World Intellectual Property Organization, pursuant to the Patent Cooperation Treaty.
- A record in this system of records may be disclosed, as a routine use, to another federal agency for purposes of National Security review (35 U.S.C. 181) and for review pursuant to the Atomic Energy Act (42 U.S.C. 218(c)).
- 7. A record from this system of records may be disclosed, as a routine use, to the Administrator, General Services, or his/her designee, during an inspection of records conducted by GSA as part of that agency's responsibility to recommend improvements in records management practices and programs, under authority of 44 U.S.C. 2904 and 2906. Such disclosure shall be made in accordance with the GSA regulations governing inspection of records for this purpose, and any other relevant (*i.e.*, GSA or Commerce) directive. Such disclosure shall not be used to make determinations about individuals.
- 8. A record from this system of records may be disclosed, as a routine use, to the public after either publication of the application pursuant to 35 U.S.C. 122(b) or issuance of a patent pursuant to 35 U.S.C. 151. Further, a record may be disclosed, subject to the limitations of 37 CFR 1.14, as a routine use, to the public if the record was filed in an application which became abandoned or in which the proceedings were terminated and which application is referenced by either a published application, an application open to public inspection or an issued patent.
- A record from this system of records may be disclosed, as a routine use, to a Federal, State, or local law enforcement agency, if the USPTO becomes aware of a violation or potential violation of law or regulation.

Doc Code: AP.PRE.REQ

PTO/AIA/33 (03-13)
Approved for use through 07/31/2013. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

		Docket Number (Optional)			
PRE-APPEAL BRIEF REQUEST FOR REVI	PRE-APPEAL BRIEF REQUEST FOR REVIEW		RFID-084		
I hereby certify that this correspondence is being facsimile transmitted to	Application N	umber	Filed		
United States Postal Service with sufficient postage as first class mail in an envelope addressed to "Mail Stop AF, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450" [37 CFR 1.8(a)]		13/782,948 03/01/2013			
^{on} 9/12/2018	First Named I	inventor			
	Xiangzhen	Xie			
Signature	Art Unit		Examiner		
Typed or printed Joe Zheng name	3685		Isidora I. Immanuel		
Applicant requests review of the final rejection in the above- with this request.	identified ap	plication. No a	amendments are being filed		
This request is being filed with a notice of appeal.					
The review is requested for the reason(s) stated on the attac Note: No more than five (5) pages may be provided	ched sheet(s I.	»).			
l am the	/ joe z	heng /			
			Signature		
applicant.	Joe Z	Cheng			
		Турес	or printed name		
attorney or agent of record. Registration number 39,450	(408)	777-8873			
		Tele	phone number		
attorney or agent acting under 37 CFR 1.34.	9/12/	2018			
Registration number if acting under 37 CFR 1.34			Date		
NOTE: This form must be signed in accordance with 37 CFR 1.33. See 3 Submit multiple forms if more than one signature is required, see below*.	7 CFR 1.4 for s	ignature requirem	ents and certifications.		
*Total of One forms are submitted.					

This collection of information is required by 35 U.S.C. 132. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11, 1.14 and 41.6. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Mail Stop AF, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s):	Xiangzhen Xie et al
Title:	Method and apparatus for emulating multiple cards in mobile
	devices
Serial No.:	13/782,948
Filing Date:	03/01/2013
Confirmation:	5348
Examiner:	Isidora I. Immanuel
Group Art Unit:	3685
Docket No.:	RFID-084

Mail Stop: APPEAL

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Pre-Appeal Brief Request for Review

Dear Sir:

Claims 1-19 are currently pending. In the final Office Action dated 06/12/2018,

- A. Claims 1-19 are rejected under 35 U.S.C. 112(a) or 35 U.S.C. 112 (pre-AIA), first paragraph, as failing to comply with the written description requirement.
- B. Claims 1-19 are rejected under 35 U.S.C. 112(b) or 35 U.S.C. 112 (pre-AIA), second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which the inventor or a joint inventor, or for pre-AIA the applicant regards as the invention;
- C. Claims 1, 4, 6-9, 11, 12, 15-17 and 19 are rejected under pre-AIA 35 U.S.C.
 103(a) as being unpatentable over Davis et al. (7,908,216) ("Davis"), in view of Vayssiere (2006/00657 41) ("Vayssiere") and further in view of Wentker et al. (6,481,632) ("Wentker").

The Appellant respectfully disagrees with the Examiner on these rejections.

1. Arguments with respect to Issue A:

On Page 4, in Section 14, the Examiner alleges "Neither the drawings nor the specification provide a display screen that shows a list of cards or written description for displaying a list of cards on the mobile device". At the very first, Para [0001] states "*the present*

Page 1 of 5

invention is related to a mobile device configured to support multiple cards (e.g., Mifare) or applications of similar type". Para [0057] describes a mechanism (UI) to show multiple cards (applications), see "The readonly wallet UI 116 provides an interface to ...". Further, Para [0060] describes "providing a set of APIs so that a wallet application (e.g., simulating a Mifare card), when instructed by an user, can be caused to swap (i.e., activate on an emulator) an application in and out ...". Since a user initiates the swapping (changing from one card to another), the user has to see what is being swapped. Accordingly, it is believed that the rejection under 35 USC § 112 is erroneous.

On Page 4, in Section 15, the Examiner alleges "The specification does not provide for an algorithm that gives "a processor", or non-human entity the ability or operation to cause an application "to be loaded into the emulator to replace the one of the applications ...". The Appellant respectfully argues that the Examiner has either misread or mischaracterized Claim 1 as Claim 1 recites "<u>causing</u> the second application loaded into the emulator ... ", because "anything" including human intervention can "cause" the recited act to happen. The Appellant respectfully challenges the Examiner to show where in Claim 1 or 12 that an algorithm or nonhuman entity <u>is required</u> to control the operation. The Appellant submits the rejection under 35 USC § 112 is erroneous.

On Page 4, in Section 15, the Examiner alleges further "The specification does not provide support for the limitation "after the server determines that the secure element is registered therewith ... ". The Appellant believes that the Examiner has misunderstood the invention or is confused with the technical aspects of the operation. It is well known in the art that a secure element has to be verified first by a server before the server can do any anything with the secure element. In Claim 13, it recites "sending device information of the secure element in responding to a request from the designated server after the server determines that the secure element is registered therewith ". There is nothing wrong in the operation by itself in the art. Accordingly, withdrawal of the rejection under 35 USC § 112 is respectfully requested.

2. Arguments with respect to Issue B:

On Page 6, Section 20, the Examiner asks whether the device refers to a secure element that stores the applications in reference to Claim 1. The claim itself explicitly recites "a storage device for storing a plurality of applications, each of the applications corresponding to one of the cards". Paragraph [0070] clearly describes a persistent storage device and the need for it. The Appellant is wondering why the Examiner raises this question by interpreting the

storage device as a secure element in the mobile device, a secured memory space or something else. The Appellant has to conclude that the Examiner has not reviewed the Specification in detail or simply misunderstood what is being described. The rejection under 35 U.S.C. 112(b) or 35 U.S.C. 112 (pre-AIA), second paragraph, shall be withdrawn.

On Page 7, Section 21, the Examiner asks how applications exist in the emulator to be executed when no applications are located nor have been received in or by the emulator. The Appellant respectfully points out that the Examiner has mischaracterized or simply misunderstands the claim. Claim 12 explicitly recites " <u>receiving [in] an emulator in the mobile</u> <u>device a first application corresponding to a first card</u>" and "facilitating data exchange between the external reader and the first application being executed in the emulator, wherein <u>the first</u> <u>application in the emulator</u>.... ", which states clearly the first application is loaded in the emulator. Accordingly, the rejection under 35 U.S.C. 112(b) or 35 U.S.C. 112 (pre-AIA), second paragraph, shall be reversed.

On Page 7, Section 22, the Examiner states claims 1, 6, 7, 8 recite the following means plus functions and alleges that the specification and drawings do not disclose sufficient corresponding structure, material or acts for performing the claimed function. The Appellant respectfully disagrees. Each of the cited names on Page 7 is a recognized term for a structure. They are introduced not for their internal structure but for what they do. Each of the claims 1, 6, 7, 8 recites a feature "by what it does rather than by what it is" (e.g., as evidenced by its specific structure or specific ingredients), See 2173.05(g). The specification and drawings provide sufficient description of "acts for performing the claimed function". Accordingly, the rejection under 35 U.S.C. 112(b) or 35 U.S.C. 112 (pre-AIA), second paragraph, shall be reversed.

On Page 9, Section 24, the Examiner states Claim 1 is a hybrid claim as the cited language is not directed to the mobile device but to functions of claimed structural elements. The Appellant respectfully disagrees. There is nothing inherently wrong with defining some part of an invention in functional terms. Functional language does not, in and of itself, render a claim improper. Claim 1 is an apparatus claim reciting common elements uniquely combined to perform uniquely designed functions. A functional limitation is just like any other limitation of a claim, for what it fairly conveys to a person of ordinary skill in the pertinent art in the context in which it is used, defining a particular capability or purpose that is served by the recited element. Therefore, the apparatus claim is properly presented.

3. Arguments with respect to Issue C:

Page 3 of 5

On Page 12, In Section 21, the Examiner rejects Claims 1, 4, 6-9, 11, 12, 15-17 and 19 under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Davis in view of Vayssiere and further in view of Wentker. The Appellant respectfully disagrees with the Examiner.

One of the purposes in the instant application is to emulate multiple cards in a mobile device to interact with an external reader. As shown in FIG. 1A and described in paragraphs [0060], a mobile device can be stored with a plurality of applications controlled and managed by a designated (TSM) server, each of the applications pertaining to one of cards (e.g., Bank of America Visa, Chase Visa, and American Express). When a card is needed for payment, a user can select one of the cards available in the mobile device. A corresponding application is loaded into an emulator that turns the mobile device as the selected card. One of the additional features is that the data for the selected card can be accessed by the designated control (e.g., to lock or unlock the application or card, if there is a need).

In contrast, Davis teaches a payment system having a mobile device 204 AND a card reader 210 which accepts a smart card having a stored-value application. Even if the mobile device 204 and the card read card reader 210 were viewed as a single unit, the card reader 210 would only accept one card at a time, which immediately teaches away from "*storing a plurality of applications, each of the applications corresponding to one of the cards* " recited in Claim 1. Next, Davis does teach an emulator but the emulator is located in a OPAL server 260, which again teaches away from Claim 1 that recites the mobile device comprising: ... an emulator. In fact, there is no need for an emulator in Davis as Davis accommodates only one card in the card reader 210. Accordingly, Claim 1 shall be allowable over Davis.

On Page 13, the Examiner admits Davis does not teach a number of elements recited in Claim 1 and thus cites Vayssiere to show the teaching in combination. Vayssiere in fact teaches a smartcard having a dynamic display portion that changes when an application is switched. As described in [0038], Vayssiere explicitly describes that when the user completes the use [of] the smartcard as a calling card, Application 2 (410) terminates, and OS 406 activates Display Chooser application 422 again. First of all, Vayssiere is silent about "the one of the applications in the emulator is replaceable in entirety or in part by another one of the applications". Even if the Examiner insists Vayssiere may imply the replacement action, the modification of David with Vayssiere would still not cure the deficiency of "the data can only be modified by the designated server over a secured channel " as the card itself in Vayssiere has no such need. Accordingly, the Appellant submits Claim 1 as amended shall be allowable over Davis and Vayssiere, viewed alone or in combination.

On Page 14, the Examiner cites Wentker to show the teaching of an application unlocked by a server. The Appellant contests the combination of Davis, Vayssiere and Wentker as it is believed that there is no motivation to combine these three references in the manner proposed by the Examiner. Wentker teaches a smart card architecture by APIs to allow the management of an application in the smart card. The functions of the smart card CANNOT be replaced by another application so that the smart card would function as a different card. To emulate a number of different cards, an emulator is needed. Wentker is completely silent about an emulator. In other words, Wentker neither teaches nor suggests a mobile device to emulate a plurality of cards. In a perspective, Wentker teaches away from Claim 1 by managing only one card via the provided APIs. Accordingly, the Appellant submits Claim 1 as amended shall be allowable over avis, Vayssiere and Wentker.

The patentability of the independent claims has been argued specifically as set forth above and thus Appellant will not take this opportunity to argue further the merits of the rejection with regard to each dependent claim. However, the Appellant does not concede that the dependent claims are not independently patentable and reserves the right to argue the patentability of the dependent claims at a later date if necessary.

The undersigned can be reached at (408)777-8873 if there is a need to respond to any inquiry from the Panel.

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to "Commissioner of Patents and Trademarks, Washington, DC 20231", on Sept. 12, 2018

Name: Joe Zheng Signature: / joe zheng / Respectfully submitted; / joe zheng / Reg. No.: 39,450

Page 5 of 5

Electronic Patent Application Fee Transmittal						
Application Number:	13782948					
Filing Date:	01-	Mar-2013				
Title of Invention:	Method and apparatus for emulating multiple cards in mobile devices					
First Named Inventor/Applicant Name:	Xia	ngzhen Xie				
Filer:	Joe	e Zheng				
Attorney Docket Number:	RFI	D-084				
Filed as Small Entity						
Filing Fees for Utility under 35 USC 111(a)						
Description		Fee Code	Quantity	Amount	Sub-Total in USD(\$)	
Basic Filing:						
Pages:						
Claims:						
Miscellaneous-Filing:						
Petition:						
Patent-Appeals-and-Interference:						
NOTICE OF APPEAL 2401 1 400 400						
Post-Allowance-and-Post-Issuance:						

Description	Fee Code	Quantity	Amount	Sub-Total in USD(\$)
Extension-of-Time:				
Miscellaneous:				
	Tot	al in USD) (\$)	400

Electronic Acknowledgement Receipt				
EFS ID:	33706077			
Application Number:	13782948			
International Application Number:				
Confirmation Number:	5348			
Title of Invention:	Method and apparatus for emulating multiple cards in mobile devices			
First Named Inventor/Applicant Name:	Xiangzhen Xie			
Customer Number:	26797			
Filer:	Joe Zheng			
Filer Authorized By:				
Attorney Docket Number:	RFID-084			
Receipt Date:	12-SEP-2018			
Filing Date:	01-MAR-2013			
Time Stamp:	23:10:34			
Application Type:	Utility under 35 USC 111(a)			

Payment information:

Submitted with Payment	yes				
Payment Type	CARD				
Payment was successfully received in RAM	\$400				
RAM confirmation Number	091318INTEFSW23125400				
Deposit Account	502436				
Authorized User Joe Zheng					
The Director of the USPTO is hereby authorized to charge	The Director of the USPTO is hereby authorized to charge indicated fees and credit any overpayment as follows:				
37 CFR 1.16 (National application filing, search, and examination fees)					
37 CFR 1.17 (Patent application and reexamination proc	37 CFR 1.17 (Patent application and reexamination processing fees)				

37 CFR 1.19 (Document supply fees)

37 CFR 1.20 (Post Issuance fees)

37 CFR 1.21 (Miscellaneous fees and charges)

File Listin	g:				
Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
			233840		
1	Appeal Brief Filed	NoticeOfAppeal.pdf	d645e73a595f1f7aac4e2f8239aa4bf41590 dd10	no	2
Warnings:			•		
Information:					
			226812		
2	Pre-Brief Conference request	PreAppealBriefRequest.pdf	b51c5a8eb8cfce1f94180b472fde44a1ff5e8 930	no	6
Warnings:		ł	I		
Information:					
			30394		
3	Fee Worksheet (SB06)	fee-info.pdf	b9e6be75670769b3f3b060bde8f3f08275e 2dc63	no	2
Warnings:		ł	ł		
Information:					
		Total Files Size (in bytes)	49	91046	
This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503. New Applications Under 35 U.S.C. 111 If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application. National Stage of an International Application under 35 U.S.C. 371 If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course. New International Application is being filed and the international application includes the necessary components for an international application filed with the USPTO as a Receiving Office If a new international application is being filed and the international application of the International Application Number an international Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.					



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
13/782,948	03/01/2013	Xiangzhen Xie	RFID-084	5348
26797 LogicPatents I	7590 11/14/201	8	EXAM	IINER
21701 Stevens (CUPERTINO, (Creek Boulevard, #284 CA 95015		IMMANUEL	., ISIDORA I
			ART UNIT	PAPER NUMBER
			3685	
			NOTIFICATION DATE	DELIVERY MODE
			11/14/2018	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

uspatents@sbcglobal.net

Notice of Panel Decisio	Application No).	Applicant(s)		
from Dro Anneal Drie	r 13/782,948		Xie et al.		
Irom Pre-Appeal Brie	Examiner		Art Unit	AIA Status	
Review	ISIDORA I IMM	IANUEL	3685	Νο	
This is in response to the Pre-Appeal Brief Request for Review filed 12 September 2018 . 1. Improper Request - The Request is improper and a conference will not be held for the following reason(s): Improper Request - The Request is improper and a conference will not be held for the following reason(s): Improper Request does not include reasons why a review is appropriate. Improper Request does not include reasons why a review is appropriate. Improper Request does not include vith the Pre-Appeal Brief request. Improper Request does not include vith the Pre-Appeal Brief request. Improper Request does not include vith the Pre-Appeal Brief request. Improper Request does not include vith the Pre-Appeal Brief request. Improper Request does not include vith the Pre-Appeal Brief request. Improper Request does not include vith the Pre-Appeal Brief request. Improper Request does not include vith the Pre-Appeal Brief request. Improper Request does not include vith the Pre-Appeal Brief request. Improper Request does not include vith the Pre-Appeal Brief request. Improper Request does not include vith the Pre-Appeal Brief request. Improper Request does not include vith the Pre-Appeal Brief request. Improper Request does not include vith the Pre-Appeal Brief request. Improper Request does not not form mailing the does of Appeal has been received. Improper Request to be note the a					
4. ☑ Reopen Prosecution - A conference has been held. The rejection is withdrawn and a new Office action will be mailed. No further action is required by applicant at this time.					
All participants:		1			
(1) <u>ISIDORA I IMMANUEL</u> . (3) <u>Traci Casler</u> .					
(2) <u>Neha Patel</u> .		(4) <u>·</u>			
/ISIDORA I IMMANUEL/ Examiner, Art Unit 3685	/NEHA PATEL/ Supervisory Patent Unit 3685	Examiner, Art	/TRACI CAS RQAS, OPQ	SLER/ A	
U.S. Patent and Trademark Office			 Part of	Paper No. 20181101	

PTOL-2297 (Rev. 02/11)

Paper

UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
13/782,948	03/01/2013	Xiangzhen Xie	RFID-084	5348	
26797 LogicPatents I	7590 04/18/201 L.C	9	EXAN	IINER	
21701 Stevens Creek Boulevard, #284 CUPERTINO, CA 95015		_	IMMANUEL, ISIDORA I		
			ART UNIT	PAPER NUMBER	
			3685		
			NOTIFICATION DATE	DELIVERY MODE	
			04/18/2019	ELECTRONIC	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

uspatents@sbcglobal.net

	Application No. Applicant(s)		5)
Office Action Summany	13/782,948	Xie et al.	
Once Action Summary		Art Unit	AIA (FITF) Status
Period for Reply			
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE <u>3</u> MONTHS FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).			
Status			
1) Responsive to communication(s) filed on <u>01/09/2018</u> .			
A declaration(s)/affidavit(s) under 37 CFR 1.130(b) was/were filed on			
2a) This action is FINAL. 2b) ∨ This action is non-final.			
3) An election was made by the applicant in response to a restriction requirement set forth during the interview on; the restriction requirement and election have been incorporated into this action.			
4) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.			
Disposition of Claims*			
5) Solution Claim(s) 1-19 is/are pending in the application.			
5a) Of the above claim(s) is/are withdrawn from consideration.			
6) Claim(s) is/are allowed.			
7) \checkmark Claim(s) 1-19 is/are rejected.			
8) \Box Claim(s) is/are objected to.			
9) Claim(s) are subject to restriction and/or election requirement			
* If any claims have been determined <u>allowable</u> , you may be eligible to benefit from the Patent Prosecution Highway program at a			
participating intellectual property office for the corresponding application. For more information, please see			
http://www.uspto.gov/patents/init_events/pph/index.jsp or send an inquiry to PPHfeedback@uspto.gov.			
Application Papers			
10) The specification is objected to by the Examiner.			
11) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.			
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).			
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).			
Certified copies:			
a) All b) Some** c) None of th	ie:		
1. Certified copies of the priority documents have been received.			
2. Certified copies of the priority documents have been received in Application No.			
3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).			
** See the attached detailed Office action for a list of the certified copies not received.			
Attachment(s)			
1) Motice of Heterences Cited (PTO-892)	3) [] Interview Summar	y (PTO-413) Doto	
2) Information Disclosure Statement(s) (PTO/SB/08a and/or PTO/S Paper No(s)/Mail Date	Paper (No(s)//Mail L SB/08b) 4) Other:	Jale	
U.S. Patent and Trademark Office PTOL-326 (Rev. 11-13) Office A	ction Summary	art of Paper No./I	Mail Date 20181231

DETAILED ACTION

Acknowledgements

- 1. This office action is in response to the claims filed 01/09/2018.
- 2. Claims 1, 2, 4-13, and 17-19 amended.
- 3. Claims 1-19 are pending.
- 4. Claims 1-19 have been examined.

Notice of Pre-AIA or AIA Status

5. The present application is being examined under the pre-AIA first to invent provisions.

Claim Objections

Claim 12 is objected to because of the following informalities: the claim recites
 "receiving an emulator in the mobile device a first application...." Appropriate correction is required.

Response to Arguments

- 7. Applicant's arguments filed 01/09/2018 have been fully considered.
- 8. <u>112</u>
- 9. The prior 112(a) rejections have been withdrawn.
- 10. <u>103</u>

11. Applicant argues Davis teaches an emulator but it is located in the Opal server. Although Davis does not explicitly place an emulator within the client terminal, Davis does claim the client terminal is capable of emulation, stating "alternatively, **the**

emulation of the card commands can be done by the payment server using the terminal as a card reader, or **may even be performed by client terminal 204.**" (column 8, line 49-52). Davis's client terminal is capable of emulation of the cards, hence the combination with Vitikainen to explicitly teach an emulator.

12. Applicant also argues Vayssiere is silent about "the first application is replaceable in entirety or in part by a second application". Examiner disagrees. Vayssiere states- The smartcard, in one embodiment, may be loaded with multiple applications ... When used for a particular application (e.g., as a payphone calling card), the smartcard is first powered through the interface with a smartcard reader, ... With the proper display data retrieved, the dynamic display portion is changed or updated with the image associated with the application(Abstract; ¶ 26, 30, 42, 43).

13. Applicant then argues neither Davis nor Vayssiere teach "the data can only be modified by the designated _server over a secured channel". Examiner disagrees. Davis states - the consumer is able to download value from bank server 860 onto his virtual card. OPAL server 260 communicates with load server 862 to receive authorization for the load and for higher security. The virtual card may then be used to make purchases over the Internet as described above. Once the bank has downloaded value to the virtual card, a corresponding amount of funds is transferred from the bank to card issuer 108. Additionally, the same consumer account at the bank can be used to fund multiple OPAL accounts. **Preferably card 5 includes any number of keys known to the card issuer** that are used during the course of a payment or load transaction to generate signatures for validation of the stored value card, validation of the security card or module, and validation of the system itself. HSM **268** would include

not only cryptographic keys normally held within OPAL server, but also the issuer keys normally held within HSM **864**. (Alternatively, HSM **268**may hold only a master key, while all other keys are passed from an encrypted database.) (column 6, line 60-67, column 7, line 31-38, column 8, line 53-59, column 28, line 20-50, column 29, line 50-65, column 33, line 48-64).

14. Applicant argues against the combination of the prior art including Wentker, citing "to emulate a number of different card, an emulator is needed." Davis teaches emulation

is maybe done by the client terminal and Vitikainen explicitly teaches an emulator.

Wentker teaches "delegated management of smart card applications... The card issuer

empowers application providers to initiate changes to the issuer's smart

cards" (Abstract). Furthermore, one cannot show nonobviousness by attacking

references individually where the rejections are based on combinations of references.

See In re Keller, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); In re Merck & Co., 800

F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986).

Claim Interpretation

15. The following is a quotation of 35 U.S.C. 112(f):

(f) Element in Claim for a Combination. – An element in a claim for a combination may be expressed as a means or step for performing a specified function without the recital of structure, material, or acts in support thereof, and such claim shall be construed to cover the corresponding structure, material, or acts described in the specification and equivalents thereof.

The following is a quotation of pre-AIA 35 U.S.C. 112, sixth paragraph:

An element in a claim for a combination may be expressed as a means or step for performing a specified function without the recital of structure, material, or acts in support thereof, and such claim shall be construed to cover the corresponding structure, material, or acts described in the specification and equivalents thereof.

16. This application includes one or more claim limitations that do not use the word "means," but are nonetheless being interpreted under 35 U.S.C. 112(f) or pre-AIA 35 U.S.C. 112, sixth paragraph, because the claim limitation(s) uses a generic placeholder that is coupled with functional language without reciting sufficient structure to perform the recited function and the generic placeholder is not preceded by a structural modifier. Such claim limitation(s) is/are:

- a. storage device for storing (claim 1)
- b. an emulator... for receiving (claim 1)
- c. communication interface to facilitate data exchange (claim 1)
- d. Module configured to provide... to store (claim 6)
- e. Card manager proxy for facilitating (claim 7)
- f. user interface application provided to query (claim 7)
- g. UI application for conducting (claim 7)
- h. Interfaces...to read (claim 8)
- i. TMSM module is configured to (claim 8)
- j. Mechanism to make ... for storing (claim 8)

Because this/these claim limitation(s) is/are being interpreted under 35 U.S.C.

112(f) or pre-AIA 35 U.S.C. 112, sixth paragraph, it/they is/are being interpreted to cover the corresponding structure described in the specification as performing the claimed function, and equivalents thereof.

If applicant does not intend to have this/these limitation(s) interpreted under 35 U.S.C. 112(f) or pre-AIA 35 U.S.C. 112, sixth paragraph, applicant may: (1) amend the

Application/Control Number: 13/782,948 Art Unit: 3685 claim limitation(s) to avoid it/them being interpreted under 35 U.S.C. 112(f) or pre-AIA 35 U.S.C. 112, sixth paragraph (e.g., by reciting sufficient structure to perform the claimed function); or (2) present a sufficient showing that the claim limitation(s) recite(s) sufficient structure to perform the claimed function so as to avoid it/them being interpreted under 35 U.S.C. 112(f) or pre-AIA 35 U.S.C. 112, sixth paragraph.

Claim Rejections - 35 USC § 112

17. The following is a quotation of 35 U.S.C. 112(b):

> (b) CONCLUSION.—The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the inventor or a joint inventor regards as the invention.

The following is a quotation of 35 U.S.C. 112 (pre-AIA), second paragraph: The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

18. Claims 1-19 are rejected under 35 U.S.C. 112(b) or 35 U.S.C. 112 (pre-AIA),

second paragraph, as being indefinite for failing to particularly point out and distinctly

claim the subject matter which the inventor or a joint inventor, or for pre-AIA the

applicant regards as the invention.

19. As per claims 1, 6, 7, 8 the claims recite the following means plus functions

limitations:

- k. storage device for storing (claim 1)
- I. an emulator... for receiving (claim 1)
- communication interface to facilitate data exchange (claim 1) m.
- Module configured to provide... to store (claim 6) n.

- o. Card manager proxy for facilitating (claim 7)
- p. user interface application provided to query (claim 7)
- q. UI application for conducting (claim 7)
- r. Interfaces...to read (claim 8)
- s. TMSM module is configured to (claim 8)
- t. Mechanism to make ... for storing (claim 8)

20. This limitation invokes 35 USC § 112, ¶ 6 because it meets the 3-prong analysis set forth in MPEP 2181 as it recites a generic placeholder (also called a nonce term or a non-structural term having no specific structural meaning) and the phrase is modified by functional language and it is not modified by sufficient structure, material, or acts for performing the recited function. When the claim limitation does not use the term "means," examiners should determine whether the presumption that 35 U.S.C.112(f) or pre-AIA 35 U.S.C. 112, paragraph 6 does not apply is overcome. The presumption may be overcome if the claim limitation uses a generic placeholder (a term that is simply a substitute for the term "means"). The following is a list of non-structural generic placeholders that may invoke35 U.S.C. 112(f) or pre-AIA 35 U.S.C. 112, paragraph 6: "mechanism for," "module for," "device for," "unit for," "component for," "element for," "member for," "apparatus for," "machine for," or "system for." This list is not exhaustive, and other generic placeholders may invoke 35 U.S.C. 112(f)or pre-AIA 35 U.S.C. 112, paragraph 6. Welker BearingCo., v. PHD, Inc., 550 F.3d 1090, 1096, 89 USPQ2d1289, 1293-94 (Fed. Cir. 2008); Massachusetts Inst.of Tech. v. Abacus Software, 462 F.3d 1344, 1354,80 USPQ2d 1225, 1228 (Fed. Cir. 2006); Personalized Media, 161 F.3d at 704, 48 USPQ2dat 1886–87; Mas-Hamilton Group v. LaGard, Inc., 156 F.3d 1206,

1214-1215, 48 USPQ2d 1010, 1017(Fed. Cir. 1998). The terms are "used as a substitute for 'means' that is a generic placeholder (also called a nonce term or a non-structural term having no specific structural meaning)" MPEP 2181.

In the instant application, the following portions of the specification and drawings may appear to describe the corresponding structure for performing the claimed function: specification \P 5, 7, 11, 56, 57, 59-61, 75, 76, 91 and 92.

However, the specification and drawings do not disclose sufficient corresponding structure, material or acts for performing the claimed function. ¶ 91 and 92 describe purse provisioned with the secure element is personalized with keys. The specification does not "send a set of instructions to cause" and does not have a corresponding structure that are the instructions. ¶ 5, 7, 56, 57, 61, 75, 76 describe the module interchangeable with software modules, applications and applets but there is no indication of what structure is used. ¶ 59 describes the "card manager proxy" as a "software module". ¶ 61 describes "a mechanism to make baseband storage as an extension for storing the software-based or logical smart cards" but there is no indication of what structure is used. As a result, corresponding structure to support the means for the functions has not been clearly provided. Dependent claims 2-11 are rejected.

21. Claim 1 recites "and the first applications being executed...", there are no previous first applications that were executed, claim 19 recites the limitation "the portable device", similarly, claims 7, and 16 recite the limitation "the TMSM module", claim 8 recites "TSM server", claim 12, "the first cards offered", there is no recitation for offering cards, claim 16 recites the TMSM module", and "TSM server" There is

insufficient antecedent basis for this limitation in the claim. Dependent claims 2-11 and 13-19 are rejected as each depends on rejected claims 1 and 12, respectively.

22. Claim 1 recites "application is unlocked by the designated server", claim 2 recites "after the designated server determines that the secure element...," and claim 11 recites "applications has been remotely provisioned by the designated server with operations of: receiving... establishing... preparing... notifying..." A designated server is not recited as an element of the mobile device of independent claim 1, but claims 1, 2 and 11 claim the functions of a designated server. The scope of the claims are unclear as to whether the designated server is part of the claimed mobile device. Dependent claims 2-11 are rejected.

23. Claim 16 recites "querying via a user interface (UI) one or more of the applications in detail..." The term "in detail" in claim 16 is a relative term which renders the claim indefinite. The term "in detail" is not defined by the claim, the specification does not provide a standard for ascertaining the requisite degree, and one of ordinary skill in the art would not be reasonably apprised of the scope of the invention.

Claim Rejections - 35 USC § 103

24. The following is a quotation of pre-AIA 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained through the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1, 4, 6-9, 11, 12, 15-17 and 19 are rejected under pre-AIA 35 U.S.C.
103(a) as being unpatentable over Davis et al. (7,908,216) ("Davis"), in view of
Vitikainen et al. (2006/0052080) ("Vitikainen"), in view of Vayssiere (2006/0065741)
("Vayssiere") and further in view of Wentker et al. (6,481,632) ("Wentker").
26. Regarding claims 1 and 12, Davis teaches a display

screen showing a list of the cards for a user of the mobile device to choose one therefrom, a display of the list of the cards provided by a module downloaded from a designated server (Figure 5; column 6, line 47-49, column 7, line 45-51, column 9, line 2-13, column 13, line 62-67, column 14, line 1-7, column 28, line 39-46, column 29, line 32-36);

Davis states - client terminal 204 may also be embodied in any portable device such as a laptop computer, a cellular telephone... Local cardholder functions including a consumer card interface, display and accept/ cancel options are performed at client terminal 204. A security card also stores signature algorithms for all Smart cards in use. A security card may also contain a transaction identifier for the current transaction, a financial Sum of all transactions remaining to be settled, a session key, and master keys for all Smart cards in use. At this point a load amount screen is presented to the user. The funding account number, expiration date, the virtual card number, maximum load amount and current balance of the virtual card are displayed and the user is directed to enter the value to be loaded onto the card. (column 6, line 47-49, column 7, line 45-51 column 9, line 2-13, column 29, line 32-36)

a storage device for storing a plurality of applications, each of the applications corresponding to one of the cards, wherein each of the applications is provisioned remotely with the designated server that subsequently installs corresponding data and keys for the one of the cards in the mobile device, the data can only be modified by the designated _server over a secured channel (column 6, line 60-67, column 7, line 31-38, column 8, line 53-59, column 28, line 20-50, column 29, line 50-65, column 33, line 48-64);

Davis states - the consumer is able to download value from bank server 860 onto his virtual card. OPAL server 260 communicates with load server 862 to receive authorization for the load and for higher security. The virtual card may then be used to make purchases over the Internet as described above. Once the bank has downloaded value to the virtual card, a corresponding amount of funds is transferred from the bank to card issuer 108. Additionally, the same consumer account at the bank can be used to fund multiple OPAL accounts. Preferably card 5 includes any number of keys known to the card issuer that are used during the course of a payment or load transaction to generate signatures for validation of the stored value card, validation of the security card or module, and validation of the system itself. (column 7, line 31-38, column 28, line 41-50)

a communication interface to facilitate data exchange wirelessly between a reader and wherein the reader is external to the mobile device, (Abstract; Figure 2; column 7, line 52-67, column 8, line 49-52, column 10, line 10-14, 57-60, column 25, line 6-13, column 29, line 23-31; claim 1, 22); and

Davis states - Concurrently, or at a later date when smart cards and readers are more common, system **250** is then easily upgradeable to make use of the physical card and reader attached to client terminal **204**. Client terminal 204 includes client code module 224 and card reader module 226. Reader module 226 may be implemented using any Suitable software and libraries for communicating with card reader 210 and its actual implementation will depend upon the type of card reader used. Client module 224 controls communication between the client terminal, the card reader, Client code module 224 is now functionally part of OPAL server 260 instead of being part of client terminal 204. Further, the functionality of card reader module 226 of FIG. 2 is now included within client code module 224 to allow communication with pseudo card reader module 264. (column 7, line 52-67, column 10, line 10-14.)

a processor, in communication and the storage device (column 7, line 45-51, column 10, line 33-60, column 25, line 6-13, column 29, line 23-31; column 34, line 21-23, claim 1, 22);

 Davis states - client terminal 204 may also be embodied in any portable device such as a laptop computer, a cellular telephone (including GSM tele phones), or any variety of a personal digital assistant (PDA). Processor(s) 922 (also referred to as central processing units, or CPUs) are coupled to storage devices including memory 924. (column 7, line 45-51, column 34, line 21-23)

Davis does not teach an emulator, coupled to the storage, for receiving a first application corresponding to a first card, the first application being one of the

applications; into the emulator; the first applications being executed in the emulator, performing an operation of causing the second applications loaded to replace the first applications when the second card is selected via the display screen and the second application is unlocked by the designated server, wherein said causing the second application loaded to replace the first application fails when the second card is selected via the display screen but the second application is locked by the designated server, and the first application in the emulator is replaceable in entirety or in part by a second application: corresponding to a second card and wherein functions of the mobile device related the first card offered by the first application are changed to functions offered by the second application related to the second cards when the second applications is activated and executed.

Vitikainen teaches an emulator, coupled to the storage, for receiving a first application corresponding to user information, the first application being one of the applications; into the emulator, in the emulator the first applications being executed in the emulator, (¶ 85, 86, 88; claim 16)

Vitikainen states - the emulator 50 comprises a CPU 51, which is connected to each of a voice UI 52, a graphical user interface (GUI) 53, a voice UI profile storage device 54, an application storage device 55 and an emulator software storage device 56. Of course, the storage devices 55, 54and 56 could form part of the same physical device, the application is loaded into the

application storage device **55** at step **62**. the modified application tested using the emulator apparatus **50** (\P 85, 86, 88)

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Davis and Vitikainen in order to determine whether an application is compatible with a mobile device in order to refrain from using inappropriate features (Vitikainen; \P 1-3).

Vayssiere teaches performing an operation of causing the second applications loaded to replace the first applications (\P 22, 35, 37, 38, 41, 43),

Vayssiere states-When the reader of the public phone detects the smartcard, OS 406 first activates Display Chooser application 422.
OS 406 sends to Display Chooser application 422 a command that indicates "Application 2 (410) is to be activated next." In one method, Application 2 (610) sends complete pictures to Display Chooser application 618, which then updates the dynamic display portion similar to that of an image obtained from Display Data 620. In an alternative method, Application 2 (610) may send text which is displayed line by line to generate a complete image. (¶ 37, 41)

wherein said causing the second application loaded to replace the first application fails when the second card is selected via the display screen and wherein functions of the mobile device related the first card offered by the first application are changed to

functions offered by the second application related to the second cards when the second applications is activated and executed (\P 22, 26, 30, 31, 33, 35-39, 41, 43),

 Vayssiere states- In particular, OS 306 is responsible for the isolation of the different applications, i.e., making sure that the applications stored on the smartcard do not engage in cross-talk or read, write, modify, or delete data from each other. With multi-application features for smartcard 200, one physical appearance is associated with each application stored on the smartcard 200, and that particular physical appearance could automatically change depending on the context in which smartcard 200 is used. (¶ 26, 33)

and the first application is replaceable in entirety or in part by a second application: corresponding to a second card (Abstract; \P 26, 30, 42, 43).

 Vayssiere states- The smartcard, in one embodiment, may be loaded with multiple applications ... When used for a particular application (e.g., as a payphone calling card), the smartcard is first powered through the interface with a smartcard reader, ... With the proper display data retrieved, the dynamic display portion is changed or updated with the image associated with the application,(¶ 42, 43)

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Davis Vitikainen and Vayssiere in order to provide a smartcard to perform multiple functions (Vayssiere; \P 3).

Wentker teaches when the second card is selected via the display screen and the second application is unlocked by the designated server but the second application is locked by the designated server (Figure 5; column 9, line 34-44, column 10, line 31-44, column 16, line 11-24, column 17, line 4-20).

 Wentker states - Card Manager (CM) Locked state 210 is used to tell card manager 104 to temporarily disable all applications on the card except for the card manager. This State provides the issuer with the ability to detect security threats either internal or external to the card and to be able to temporarily disable the functionality of the card. While in this state, there is an option to determine that the threat is either no longer present or is of limited Severity Such that the issuer can reset the card to the normal operating State of Secured. (column 9, line 34-44)

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Davis, Vitikainen, Vayssiere and Wentker in order to provide efficient management of card applications (Wentker; column 1, line 12-67).

27. Regarding claim 4, Davis teaches wherein each of the applications emulating functions of one of the cards provided respectively to perform a function related to a monetary transaction (column 25, line 6-13), the mobile device is used to emulate each of the cards when a corresponding applications is loaded into and executed in the emulator (column 7, line 39-67).

28. Regarding claims 6 and 15, Neither Davis, Vitikainen nor Vayssiere teaches wherein the secure element further includes a module configured to provide Trusted Mifare Service Management (TMSM) and to store a plurality of service objects along

with a plurality of key indexes, each of the service objects corresponding to one of the applications. Wentker teaches wherein the secure element further includes a module configured to provide Trusted Mifare Service Management (TMSM) and to store a plurality of service objects along with a plurality of key indexes, each of the service objects corresponding to one of the applications (column 9, line 1-33, column 13, line 11-39, column 14, line 24-43, column 21, line 17-31). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Davis, Vitikainen, Vayssiere and Wentker in order to provide efficient management of card applications (Wentker; column 1, line 12-67).

29. Regarding claims 7 and 16, Davis teaches a user interface (UI) (column 10, line 10-32). Wentker teaches wherein the mobile device further includes a card manager proxy for facilitating communication between the designated server and the TMSM module in the secure element, interface application provided to query one or more of the applications on information stored therein but not to modify the information (column 6, line 13-67, column 8, line 17-32, column 21, line 1-31) and a transaction UI application for conducting operations that modify one or more sectors in one or more of the applications (column 10, line 8-56). Wentker does not teach a user interface (UI). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Davis, Vitikainen, Vayssiere and Wentker in order to provide efficient management of card applications (Wentker; column 1, line 12-67).

30. Regarding claim 8, Davis teaches to the emulator (Abstract; column 25, line 6-13, column 29, line 23-31; claim 1). Vayssiere and later on swapping another one of the applications (¶ 35). Wentker teaches provide a set of Application Programming

Interfaces so that one of the applications, when instructed by an user, is caused to swap an application in and out the emulator (column 6, line 36-55, column 7, line 1-7, column 8, line 17-32); provide a set of Application Programming Interfaces to one of the applications to read certain data therefrom (column 6, line 36-55, column 8, line 17-32); enable the designated server to remotely provision each of the applications by installing application keys and application data to the TMSM module (column 7, line 15-37, column 16, line 3-23, column 17, line 21-35, column 22, line 17-31) enable the TSM server to manage each of the applications by locking or unlocking one of the applications (column 7, line 1-7, column 9, line 34-44, column 10, line 24-44); provide a trusted environment such that an application provider modifies a designated application and meta data thereof owned by the application provider; and provide a mechanism to make baseband storage as an extension for storing some or all of the applications swapped out from the emulator to the TMSM module (column 22, line 51-67, column 23, line 1-24).

31. Regarding claims 9 and 17, Wentker teaches wherein the secure element is preloaded with default Issuer Security Domain (ISD) information updated entirely or partially subject to retrieved corresponding default ISD information from a party originating the secure element (column 7, line 38-56, column 13, line 11-39, column 19, line 1-8).

32. Regarding claims 11 and 19, Wentker teaches receiving a request to provision an application installed in the mobile device, wherein the application being provisioned is distributed by an application provider (column 7, line 15-37, column 8, line 1-10, column 14, line 24-43, column 15, line 1-19, column 16, line 25-35, 49-67, column 17,

line 21-35); establishing a secured channel between the mobile device and the designated server using a set of keys (column 7, line 15-37, column 10, line 15-23, column 13, line 11-39, column 15, line 52-67, receiving data for the application being provisioned, wherein the data includes supplemental security domains (SSD) to be associated with the application (column 11, line 21-62, column 14, line 24-43, column 16, 49-67); and notifying the application provider of a status of the application with the mobile device (column 12, line 58-67, column 13, line 1-10, column 17, line 4-20, column 18, line 62-67, column 19, line 44-46).

33. Claims 2 and 13 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Davis et al. (7,908,216) ("Davis"), in view of Vitikainen et al. (2006/0052080) ("Vitikainen"), in view of Vayssiere (2006/0065741) ("Vayssiere"), in view of Wentker et al. (6,481,632) ("Wentker") and further in view of De Groot (2006/0141987) ("Groot").

34. Regarding claims 2 and 13, Neither Davis, Vitikainen nor Vayssiere teaches initiating data communication by the mobile device with the designated server; sending device information of the secure element from the mobile device in responding to a request from the designated server after the designated server determines that the secure element is registered therewith, wherein the device information is a sequence of characters uniquely identifying the secure element, and the request is a command causing the mobile device to retrieve the device information from the secure element therein; and receiving in the secure element at least a set of keys from the designated server, wherein the keys are generated in accordance with the device information of the secure element, wherein the set of keys in the secure element facilitates a subsequent

transaction between the mobile device and a service provider and a designated server providing trusted service management. Wentker teaches and with designated server providing trusted service management (TSM) (column 6, line 13-67, column 8, line 17-32, column 21, line 1-31). Groot teaches initiating data communication by the mobile device (¶ 36, 40, 44); sending device information of the secure element from the mobile device in responding to a request from the designated server after the designated server determines that the secure element is registered therewith, wherein the device information is a sequence of characters uniquely identifying the secure element, and the request is a command causing the mobile device to retrieve the device information from the secure element therein (¶ 30, 34, 36, 37, 39, 40, 43, 47, 48, 53); receiving in the secure element at least a set of keys from the designated server, wherein the keys are generated in accordance with the device information of the secure element, wherein the set of keys in the secure element facilitates a subsequent transaction between the mobile device and a service provider (Figure 1, element M1-3; ¶ 30, 31, 34, 40-45, 47-49, 53). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Davis, Vitikainen, Vayssiere, Wentker, and Groot in order to provide secure transmissions with a terminal and a server using an identifier (Groot; ¶ 1-7).

35. Claims 3, 5, 10, 14 and 18 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Davis et al. (7,908,216) ("Davis"), in view of Vitikainen et al. (2006/0052080) ("Vitikainen"), in view of Vayssiere (2006/0065741) ("Vayssiere"), in view of Wentker et al. (6,481,632) ("Wentker") and further in view of Huomo et al. (8,005,426) ("Huomo").

36. Regarding claims 3 and 14, Davis teaches the emulator (Abs-tract; column 25, line 6-13, column 29, line 23-31; claim 1). Vayssiere teaches implemented in the secure element (¶ 22, 23, 30). Neither Davis, Vitikainen nor Vayssiere teaches the secure element is enclosed in the mobile device or in a detachable card to the mobile device. Huomo teaches the secure element is enclosed in the mobile device or in a detachable device or in a detachable card to the mobile device (column 8, line 3-23). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Davis, Vitikainen, Vayssiere and Huomo in order to provide transactions with mobile devices equipped with a smartcard (Huomo; column 1, line 7-23, 54-67).

37. Regarding claim 5, Huomo teaches wherein at least one of the cards is a contactless card (column 2, line 27-61, column 8, line 3-37).

38. Regarding claims 10 and 18, Huomo teaches wherein the mobile device is a smartphone, or a portable computer (column 16, line 26-36, 43-67, column 17, line 1-5).

Conclusion

39. Any inquiry concerning this communication or earlier communications from the examiner should be directed to ISIDORA I IMMANUELEL whose telephone number is (469)295-9094. The examiner can normally be reached on Monday-Friday 9:00 am to 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, NEHA PATEL can be reached on 571-270-1492. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.
Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/ISIDORA I IMMANUEL/ Examiner, Art Unit 3685

Notice of References Cited	Application/Control No. 13/782,948	Applicant(s)/Pa Reexamination Xie et al.	Applicant(s)/Patent Under Reexamination Xie et al.		
	Examiner ISIDORA I IMMANUEL	Art Unit 3685	Page 1 of 1		
U.S. PATENT DOCUMENTS					

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	CPC Classification	US Classification
*	А	6,481,632 B2	11-2002	Wentker; David C.	G06F8/60	235/376
*	В	2006/0065741 A1	03-2006	Vayssiere; Julien JP.	G06K19/07703	235/492
*	С	2006/0141987 A1	06-2006	De Groot; Max	H04L63/0414	455/411
*	D	US-20060052080-A1	03-2006	Vitikainen; Timo	G10L15/30	455/403
*	Е	7,908,216 B1	03-2011	Davis; Virgil M.	G06Q20/02	705/41
*	F	8,005,426 B2	08-2011	Huomo; Heikki	G06Q20/20	235/441
	G					
	Τ					
	-					
	J					
	к					
	L					
	М					

FOREIGN PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	CPC Classification
	N					
	0					
	Р					
	Q					
	R					
	s					
	т					

	NON-PATENT DOCUMENTS					
*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)				
	U					
	v					
	w					
	x					

*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).) Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.

U.S. Patent and Trademark Office PTO-892 (Rev. 01-2001)

Notice of References Cited

Part of Paper No. 20181231

			Application/Control No.			Applicant(s)/Patent Under Reexamination			
Index of Claims			13/782,948			Xie et al.			
			Examiner			Art Unit			
			ISIDORA I IMMANUEL			3685			
	1		11						
✓	Rejected	-	Cancelled	N	Non-	Elected	A	Appeal	

v	nejecieu	-	Cancelleu		Non-Liecleu	~	Арреаі
=	Allowed	÷	Restricted	Ι	Interference	0	Objected

CLAIMS										
🗌 Clain	Claims renumbered in the same order as presented by applicant CPA T.D. R.1.47									
CLAIM DATE										
Final	Original	02/01/2016	09/16/2016	09/17/2017	05/22/2018	04/15/2019				
	1	1	1	1	1	1				
	2	√	✓	✓	✓	1				
	3	✓	✓	✓	✓	1				
	4	✓	✓	✓	✓	1				
	5	✓	✓	✓	✓	✓				
	6	1	1	1	1	1				
	7	1	1	1	1	1				
	8	1	1	1	1	~				
	9	1	~	✓ ✓	~	1				
	10	✓ ✓	1	✓ ✓	 ✓ 	1				
	11	1	1	✓ ✓	1	1				
	12	1	1	✓ ✓	✓ ✓	1				
	13	✓	1	✓ ✓	✓ ✓	1				
	14	1	1	<i>✓</i>	✓ ✓	1				
	15	✓ ✓	1	 ✓ 		1				
	16	<i>√</i>	✓	✓	✓	√				
	17		✓ ✓	✓	\checkmark	\checkmark				
	18	✓ ✓	✓	✓	✓	1				
	19		✓	_ ✓	_ ✓	\checkmark				

Part of Paper No.: 20181231

Page 1 of 1

	Application/Control No.	Applicant(s)/Patent Under Reexamination
Search Notes	13/782,948	Xie et al.
	Examiner	Art Unit
	ISIDORA I IMMANUEL	3685

CPC - Searched*						
Symbol	Date	Examiner				
G06Q	2/1/2016	П				

CPC Combination Sets - Searched*						
Symbol	Date Examiner					

US Classification - Searched*							
Class	Subclass	Date	Examiner				
705							

* See search history printout included with this form or the SEARCH NOTES box below to determine the scope of the search.

Search Notes						
Search Notes	Date	Examiner				
See attached notes	2/1/2016	П				
101 withdrawal - Weinhart	06/06/2018	Ш				
See attached notes (EAST)	04/15/2019	III				

Interference Search				
US Class/CPC Symbol	US Subclass/CPC Group	Date	Examiner	

	/I.I./ Examiner.Art Unit 36	85
U.S. Patent and Trademark Office	Dens 1 of 1	Part of Paper No.: 20181231

Part of Paper No.: 20181231

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(2006/0052080).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2019/04/15 08:09
L2	3	("20060052080"). PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2019/04/15 08:09
S1	635	(emulat\$4 near4 application) with card	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2019/04/14 19:12
S2	635	(emulat\$4 near4 application) with card	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2019/04/15 02:18
S3	65	(emulat\$4 with application near3 (run or running or execut\$4)) and S2 and (mobile adj device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2019/04/15 02:18
S4	150	(emulat\$4 with application near3 (run or running or execut\$4)) and S2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2019/04/15 02:20
S5	8	(online adj purchase adj load adj4 (device or comput\$4 or mobile or phone or machine or server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2019/04/15 04:13
S6	8	(online adj2 purchase adj2 load adj4 (device or comput\$4 or mobile or phone or machine or server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2019/04/15 04:14
S7	146	(((online adj2 purchase adj2 load) or opal)adj4 (device or comput\$4 or mobile or phone or machine or server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2019/04/15 04:15
S8	8	((online adj2 purchase adj2 load) adj4 (device or comput\$4 or mobile or phone or machine or server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2019/04/15 04:15
S 9	146	((opal)adj4 (device or comput\$4 or mobile or phone or machine or server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2019/04/15 04:16
S10	8	S9 and (online adj2 purchase adj2 load)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2019/04/15 04:16

4/ 15/ 2019 8:10:20 AM C:\ Users\ iimmanuel\ Documents\ EAST\ Workspaces\ 13782948.wsp

Electronic Patent Application Fee Transmittal					
Application Number:	13	13782948			
Filing Date:	01-	Mar-2013			
Title of Invention:	Method and apparatus for emulating multiple cards in mobile devices				
First Named Inventor/Applicant Name:	Xiangzhen Xie				
Filer:	Joe Zheng				
Attorney Docket Number:	RFID-084				
Filed as Small Entity					
Filing Fees for Utility under 35 USC 111(a)					
Description		Fee Code	Quantity	Amount	Sub-Total in USD(\$)
Basic Filing:					
Pages:					
Claims:					
Miscellaneous-Filing:					
Petition:					
Patent-Appeals-and-Interference:					
Post-Allowance-and-Post-Issuance:					
Extension-of-Time:					

Description	Fee Code	Quantity	Amount	Sub-Total in USD(\$)	
Extension - 2 months with \$0 paid	2252	1	300	300	
Miscellaneous:					
	Tot	al in USD) (\$)	300	

Electronic Acknowledgement Receipt			
EFS ID:	37205525		
Application Number:	13782948		
International Application Number:			
Confirmation Number:	5348		
Title of Invention:	Method and apparatus for emulating multiple cards in mobile devices		
First Named Inventor/Applicant Name:	Xiangzhen Xie		
Customer Number:	26797		
Filer:	Joe Zheng		
Filer Authorized By:			
Attorney Docket Number:	RFID-084		
Receipt Date:	18-SEP-2019		
Filing Date:	01-MAR-2013		
Time Stamp:	17:25:00		
Application Type:	Utility under 35 USC 111(a)		

Payment information:

Submitted with Payment	yes			
Payment Type	CARD			
Payment was successfully received in RAM	\$300			
RAM confirmation Number	E20199HH25350382			
Deposit Account	502436			
Authorized User	Joe Zheng			
The Director of the USPTO is hereby authorized to charge indicated fees and credit any overpayment as follows:				
37 CFR 1.21 (Miscellaneous fees and charges)				

File Listing:							
Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)		
			170506				
1	Amendment/Req. Reconsideration-After Non-Final Reject	ResponseTo1stOAAfter2ndApp eal.pdf	611b85e5f4f7c84593fdfa7bbb4982f632c54 114	no	15		
Warnings:	•						
Information:							
			30324				
2	Fee Worksheet (SB06)	fee-info.pdf	8df0bec435d643fdae62ece70a91d31e339 b27c9	no	2		
Warnings:							
Information:							
		Total Files Size (in bytes)	20	00830			
This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503. <u>New Applications Under 35 U.S.C. 111</u> If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application. <u>National Stage of an International Application under 35 U.S.C. 371</u> If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course. <u>New International Application Filed with the USPTO as a Receiving Office</u> If a new international application is being filed and the international application includes the necessary components for an international filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.							

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s):	Xiangzhen Xie et al
Title:	Method and apparatus for emulating multiple cards in mobile
	devices
Serial No.:	13/782,948
Filing Date:	03/01/2013
Confirmation	5348
Examiner:	Isidora I. Immanuel
Group Art Unit:	3685
Docket No.:	RFID-084
Docket No.:	RFID-084

Sept. 15, 2019

Mail Stop: No-Fee Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Response to First OA after 2nd Appeal

Dear Sir:

In response to Office Action dated 04/18/2019, the Applicant respectfully requests the Examiner to enter the following amendments before reconsidering the above-referenced application:

AMENDMENTS TO THE CLAIMS are reflected in the listing of claims which begins on page 2 of this Response.

REMARKS/ARGUMENTS begin on page 9 of this Response.

AMENDMENTS TO THE CLAIMS

Please amend Claims 1-2, 7-8, 11-12, 16 and 19 as follows:

- 1. (*Currently amended*) A mobile device for emulating a plurality of cards, the mobile device comprising:
 - a display screen showing a list of the cards for a user of the mobile device to choose one therefrom, a display of the list of the cards provided by a module downloaded from via a designated server;
 - a storage device for storing a plurality of applications, each of the applications corresponding to one of the cards, wherein each of the applications is provisioned remotely with the designated server that subsequently installs corresponding data and keys for the one of the cards in the mobile device, the data can only be modified by the designated server over a secured channel; an emulator, coupled to the storage, for receiving a first application

corresponding to a first card, the first application being one of the applications;

- a communication interface to facilitate data exchange wirelessly between a reader and the first application being executed in the emulator, wherein the reader is external to the mobile device, and the first application in the emulator is replaceable in entirety or in part by a second application corresponding to a second card; and
- a processor, in communication with the emulator and the storage device, performing an operation of causing the second application loaded into the emulator to replace the first application when the second card is selected via the display screen <u>and when</u> the second application is unlocked by the designated server, wherein said causing the second application loaded into the emulator to replace the first application fails when the second card is selected via the display screen but the second application is locked by the designated server, and wherein
- functions of the mobile device related to the first card offered by the first application are changed to functions offered by the second application related

to the second card when the second application is activated and executed in the emulator.

 (*Currently amended*) The mobile device as recited in claim 1, further comprising a secure element that has been personalized by operations of: initiating data communication by the mobile device with the designated server providing trusted service management (TSM);

sending device information of the secure element in responding to a request from the designated server <u>after when</u> the designated server determines that the secure element is registered therewith, wherein the device information is a sequence of characters uniquely identifying the secure element, and the request is a command causing the mobile device to retrieve the device information from the secure element therein; and

receiving in the secure element at least a set of keys from the designated server, wherein the keys are generated in accordance with the device information of the secure element, wherein the set of keys in the secure element facilitates a subsequent transaction between the mobile device and a service provider.

- 3. (*Original*) The mobile device as recited in claim 2, wherein the emulator is implemented in the secure element, the secure element is enclosed in the mobile device or in a detachable card to the mobile device.
- 4. (*Previously amended*) The mobile device as recited in claim 3, wherein each of the applications emulating functions of one of the cards provided respectively to perform a function related to a monetary transaction, the mobile device is used to emulate each of the cards when a corresponding application is loaded into and executed in the emulator.
- 5. (*Previously amended*) The mobile device as recited in claim 4, wherein at least one of the cards is a contactless card.

- 6. (Previously amended) The mobile device as recited in claim 3, wherein the secure element further includes a module configured to provide Trusted Mifare Service Management (TMSM) and to store a plurality of service objects along with a plurality of key indexes, each of the service objects corresponding to one of the applications.
- 7. (*Currently amended*) The mobile device as recited in claim 6, wherein the mobile device further includes:
 - a card manager proxy for facilitating communication between the designated server and the TMSM-module in the secure element,
 - a user interface (UI) application provided to query one or more of the applications on information stored therein but not to modify the information; and
 - a transaction UI application for conducting operations that modify one or more sectors in one or more of the applications.
- 8. (*Currently amended*) The mobile device as recited in claim 6, wherein the TMSM module is configured to:
 - provide a set of Application Programming Interfaces so that one of the applications, when instructed by an user, is caused to swap an application in and out the emulator;
 - provide a set of Application Programming Interfaces to one of the applications to read certain data therefrom;
 - enable the TSM-designated server to remotely provision each of the applications by installing application keys and application data to the TMSM-module and later on swapping another one of the applications to the emulator;
 - enable the designated server to manage each of the applications by locking or unlocking one of the applications;

- provide a trusted environment such that an application provider modifies a designated application and meta data thereof owned by the application provider; and
- provide a mechanism to make baseband storage as an extension for storing some or all of the applications swapped out from the emulator to the TMSM module.
- (*Previously amended*) The mobile device as recited in claim 2, wherein the secure element is preloaded with default Issuer Security Domain (ISD) information updated entirely or partially subject to retrieved corresponding default ISD information from a party originating the secure element.
- 10. (*Previously amended*) The mobile device as recited in claim 2, wherein the mobile device is a smartphone or a portable computer.
- 11. (*Currently amended*) The mobile device as recited in claim 1, wherein each of the applications has been remotely provisioned by the designated server with operations of:
 - receiving-sending a request from the mobile device to the designated server to provision an application installed in the mobile device, wherein the application being provisioned is distributed by an application provider;
 - establishing a secured channel between the mobile device and the designated server using a set of keys received from the designated server;
 - receiving data for the application being provisioned from the designated server, wherein the data includes supplemental security domains (SSD) to be associated with the application; and
 - notifying the application provider of a status of the application with the mobile device.
- 12. (*Currently amended*) A method for a mobile device to emulate a plurality of cards, the method comprising:

- installing in a storage device of the mobile device a plurality of applications downloaded from a designated server, each of the applications being managed by the designated server pertaining to one of the cards, wherein each of the applications is provisioned remotely with the designated server that subsequently installs corresponding data and keys for the one of the cards in the mobile device, the data can only be modified by the designated server over a secured channel, the mobile device communicates wirelessly with an external reader provided to read one of the cards;
- showing a list of the cards on a display of the mobile device for a user to choose one therefrom, wherein the display is provided by a module downloaded from the designated server and executed in the mobile device;
- receiving in an emulator of the mobile device a first application corresponding to a first card;
- facilitating data exchange between the external reader and the first application being executed in the emulator, wherein the first application in the emulator is replaceable in entirety or in part by a second application corresponding to a second card;
- causing the second application to replace the first application loaded and executed in the emulator, wherein said causing the second application to replace the first application loaded and executed in the emulator fails when the second card is selected via the display but the second application is locked by the designated server, and wherein functions of the mobile device related to the first card offered by the first application are changed to functions offered by the second application related to the second card[®] when the second application is activated and executed in the emulator.
- 13. (*Previously amended*) The method as recited in claim 12, wherein the mobile device is associated with a secure element, and the method further comprises: initiating data communication by the mobile device with the designated server providing trusted service management (TSM);

- sending device information of the secure element in responding to a request from the designated server after the server determines that the secure element is registered therewith, wherein the device information is a sequence of characters uniquely identifying the secure element, and the request is a command causing the mobile device to retrieve the device information from the secure element therein; and
- receiving in the secure element at least a set of keys from the designated server, wherein the keys are generated in accordance with the device information of the secure element, the set of keys in the secure element facilitates a subsequent transaction between the mobile device and a service provider.
- 14. (Original) The method as recited in claim 13, wherein the emulator is implemented in the secure element, the secure element is enclosed in the mobile device or in a detachable card to the mobile device.
- 15. (*Previously amended*) The method as recited in claim 14, wherein the secure element further includes a module configured to provide Trusted Mifare Service Management (TMSM) and to store a plurality of service objects along with a plurality of key indexes, each of the service objects corresponding to one of the applications.
- 16. (*Currently amended*) The mobile device as recited in claim 15, further comprising facilitating communication between the TSM-<u>designated</u> server and the TMSM module <u>configured to provide (TMSM)</u> in the secure element; querying via a user interface (UI) one or more of the applications-in-detail; and conducting operations that modify one or more sectors in one or more of the applications.
- 17. (*Previously amended*) The method as recited in claim 13, wherein the secure element is preloaded with default Issuer Security Domain (ISD) information

updatable entirely or partially subject to retrieved corresponding default ISD information from a party originating the secure element.

- 18. (*Previously amended*) The method as recited in claim 12, wherein the mobile device is a smartphone or a portable computer.
- 19. (*Currently amended*) The method as recited in claim 12, wherein each of the applications has been remotely provisioned by the designated server with operations of:

receiving a request to provision an application installed in the mobile device, wherein the application to be provisioned with the secure element is distributed by an application provider;

establishing a secured channel with the secure element using a set of keys;

preparing data for the application being provisioned, wherein the data includes supplemental security domains (SSD) to be associated with the application; and

notifying the application provider of a status of the application with the portable mobile device.

REMARKS

Claims 1 - 19 were examined again. In the Office Action dated 04/18/2019, Claims 1-19 are rejected under 35 U.S.C. 112(b) or 35 U.S.C. 112 (pre-AIA), second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which the inventor or a joint inventor, or for pre-AIA the applicant regards as the invention, Claims 1, 4, 6-9, 11, 12, 15-17 and 19 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Davis et al. (7,908,216) ("Davis") in view of Vitikainen et al. (2006/0052080) ("Vitikainen") in view of Vayssiere (2006/0065741) ("Vayssiere") and further in view of Wentker et al. (6,481,632) ("Wentker"), Claims 2 and 13 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Davis in view of Vitikainen in view of Vayssiere in view of Wentker and further in view of De Groot (2006/0141987) ("Groot"), and Claims 3, 5, 10, 14 and 18 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Davis in view of Vitikainen in view of Wentker and further in view of Huomo et al. (8,005,426) ("Huomo").

In the foregoing amendments, Claims 1-2, 7-8, 11-12, 16 and 19 have been amended to correct some informalities. No new matters are introduced. Claims 1-19 are still pending.

Claim Objections

On page 2, Section 6, of the Office Action, the Examiner objects to Claim 12. In the foregoing amendments, Claim 12 has been amended. It is believed that the claim objections shall be withdrawn.

Re: Examiner's Comments

On page 2, Section 11, the Examiner argues, although Davis does not explicitly place an emulator within the client terminal, Davis does claim the client terminal is capable of emulation, stating "alternatively, the emulation of the card commands can be done by the payment server using the terminal as a card reader, or may even be performed by client terminal 204." (column 8, line 49-52). The Applicant respectfully points out that the Examiner has mischaracterized Davis. As described in column 8, line 49-52, David explicitly teaches the **emulation of the card commands**. Conceptually, the Examiner is mistaken "emulation of the card commands" with an emulator in a mobile device, one being receiving the card commands and the other being a particular processor. These are two very different concepts.

On page 3, Section 12, the Examiner argues that Vayssiere states "The smartcard, in one embodiment, may be loaded with multiple applications ... When used for a particular application (e.g., as a payphone calling card), the smartcard is first powered through the interface with a smartcard reader, ... With the proper display data retrieved, the dynamic display portion is changed or updated with the image associated with the application (Abstract; ~ 26, 30, 42, 43). It appears that the Examiner misunderstands Claim 1 of the instant application or mischaracterizes Vayssiere. Claim 1 recites "causing the second application loaded into the emulator to replace the first application when the second card is selected via the display screen and the second application is unlocked by the designated server". There is a subtle difference between an emulator and a microprocessor. FIG. 1C of the instant application explicitly shows the use of a processor or microprocessor 135. One of the important features in the instant application is the use of an emulator that functions solely as a first type of card when a first application is running therein and functions solely as a second type of card when a second application is running therein. The first application and the second application DO NOT co-exist in the emulator. In other words, the first application is replaced by the second application when the second type of card is selected. Vayssiere is silent about "the first application is replaceable in entirety or in part by the second application" because Vayssiere teaches a multi-application smartcard, each of the loaded applications can be executed by a microprocessor, there is no need to replace one application with another in the microprocessor.

Claim Rejections - 35 USC § 112

On page 8, Section 21, of the Office Action, the Examiner lists some examples of claims that are lack of antecedent basis. For example, Claim 1 recites "and the first applications being executed ... ", there are no previous first applications that were executed. The Applicant wishes to refer the Examiner to Claim 1 that does not seem to use "the first applications", accordingly there are no previous first applications that were executed. Should the Examiner question "the first application", "an emulator, coupled to the storage, for receiving a first application corresponding to a first card, the first application being one of the applications;" is used first.

Claim Rejections - 35 USC § 112

On Page 11 Section 34, of this Office Action, Claims 1-19 are rejected under 35 U.S.C. 112(b) or 35 U.S.C. 112 (pre-AIA), second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which the inventor or a joint inventor, or for pre-AIA the applicant regards as the invention.

In the foregoing amendments, Claims 1-2, 7-8, 11-12, 16 and 19 have been amended. It is believed that most of the claim rejections under 35 U.S.C. 112 shall have been overcome.

Claim Rejections - 35 USC § 103

On Page 10, Section 25, of this Office Action, Claims 1, 4, 6-9, 11, 12, 15-17 and 19 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Davis in view of Vitikainen in view of Vayssiere and further in view of Wentker. The Applicant respectfully traverses the rejections of Claims 1, 4, 6-9, 11, 12, 15-17 and 19 under pre-AIA 35 U.S.C. 103(a).

In the Pre-Appeal Brief Request for Review dated Sept. 12, 2018, the Applicant presents the arguments why the combination Davis, Vayssiere and Wentker does not render Claim 1 obvious. The Applicant appreciates the Examiner for returning the instant application to prosecution. In the This Office Action, the Examiner adds another reference Vitikainen to show the teaching and rejects Claims 1, 4, 6-9, 11, 12, 15-17 and 19 under pre-AIA 35 U.S.C. 103(a). As previously reasoned, one of the purposes in the instant application is to emulate multiple cards using an emulator in a mobile device to interact with an external reader. As shown in FIG. 1A and described in paragraphs [0060], a mobile device can be stored with a plurality of applications controlled and managed by a designated (TSM) server, each of the applications pertaining to one of cards (e.g., Bank of America Visa, Chase Visa, and American Express). When a card is needed for payment, a user can select one of the cards available in the mobile device. A corresponding application is loaded into the emulator that turns the mobile device as the corresponding selected card. The loaded application is replaced in part or entirety with another application when another card is selected. One of the additional features is that the data for a selected card is accessed and controlled by a designated server (e.g., to lock or unlock an application or card, if there is a need).

In contrast, Davis teaches a payment system having a mobile device 204 **AND** a card reader 210 which accepts a smart card having a stored-value application. Even if the mobile device 204 and the card reader 210 were viewed as a single unit, the card reader 210 would only accept one card at a time, which immediately teaches away from "*storing a plurality of applications, each of the applications corresponding to one of the cards*" recited in Claim 1. Next, Davis does teach an emulator but the emulator is located in an OPAL server 260, which again teaches away from Claim 1 reciting "the mobile device comprising: ... an emulator". In fact, there is no need for an emulator in the mobile device 204 in Davis as Davis accommodates only one card in the card reader 210. Accordingly, Claim 1 shall be allowable over Davis.

On Pages 12-13 of this Office Action, the Examiner admits Davis does not teach a number of elements recited in Claim 1 and thus cites Vitikainen (a new reference) to show the teaching in combination. The Applicant respectfully contests the combination of Davis and Vitikainen as it is believed that there is no motivation to combine these two references in the manner proposed by the Examiner. In order to establish a *prima facie* case of obviousness under 35 USC 103, *Graham v. John Deer Co. of Kansas City*, 383 US 1 (1966) requires determining, respectively, the scope and content of the prior art, the difference between the prior art and the claims

12

at issue, and the level of ordinary skilled in the art. Rejections on obviousness grounds cannot be sustained by mere conclusory statements; instead, there must be some articulated reasoning with some rational underpinning, to support the legal conclusion of obviousness. *KSR v. Teleflex*, No. 04-1350 (US Apr. 30, 2007) (citing In re Kahn, 441 F. 3d 977, 988 (Canada Fed. 2006)). The suggestion to make the claim combination must be found in the prior art, not in the Applicant's disclosure. In re Vaek, 20 USPQ2d 1438 (Fed. Cir. 1991). Moreover, in accordance with MPEP 2142.02, each prior art reference must be considered in its entirety, i.e., as a whole, including portions that would lead away from the claimed invention. *W.L.Gore & Associates Inc. v. Garlock, Inc.* 220 USPQ 303 (Fed. Cir. 1993). A third essential requirement for establishing a *prima facie* case, set forth in MPEP 2143.01 is that the proposed modification cannot render the prior art unsatisfactory for its intended purpose.

Vitikainen teaches a mobile device having voice user interface used to test the compatibility of an application with the mobile device. Vitikainen has nothing to do with or is remotely related to mobile payments. As shown in FIG. 2, Vitikainen explicitly teaches that an application is downloaded to a terminal device 11 for testing in the terminal device, which clearly teaches away from "[a mobile device comprising] *a storage device for storing a plurality of applications, each of the applications corresponding to one of the cards*". As Vitikainen is in the subject of testing an application in a mobile device, it is impractical for Vitikainen to pre-store all the applications in the mobile device. In contrast, the subject in the instant application is to run locally one of the stored applications so the mobile device functions as one of the cards (e.g., Visa card, American Express or Discovery). Accordingly, the Applicant submits Claim 1 as amended shall be allowable over Davis and Vitikainen, viewed along or in combination.

On Page 14 of this Office Action, the Examiner adds Vayssiere to show the teaching in combination with Davis and Vitikainen. The Applicant respectfully contests the combination of Davis, Vitikainen and Vayssiere as it is believed that there is no motivation to combine these three references in the manner proposed by the Examiner. Vayssiere teaches a smartcard having a dynamic display portion that

13

changes when an application is switched. As described in [0038], Vayssiere explicitly describes that when the user completes the use [of] the smartcard as a calling card, Application 2 (410) terminates, and OS 406 activates Display Chooser application 422 again. As reasoned above, Vayssiere is silent about "*the one of the applications in the emulator is replaceable in entirety or in part by another one of the applications*". In fact, Vayssiere has no such need. Accordingly, the Applicant submits Claim 1 as previously amended shall be allowable over Davis, Vitikainen and Vayssiere, viewed alone or in combination.

On Page 16, the Examiner cites Wentker to show the teaching of an application unlocked by a server. The Appellant again contests the combination of Davis, Vitikainen, Vayssiere and Wentker as it is believed that there is no motivation to combine these four references in the manner proposed by the Examiner. Wentker teaches a smart card architecture by APIs to allow the management of an application in the smart card. The functions of the smart card CANNOT be replaced by another application so that the smart card would function as a different card. To emulate a number of different cards, an emulator is needed. Wentker is completely silent about an emulator. In other words, Wentker neither teaches nor suggests a mobile device to emulate a plurality of cards. In a perspective, Wentker teaches away from Claim 1 by managing only one card via the provided APIs. Accordingly, the Appellant submits Claim 1 as previously amended shall be allowable over Davis, Vitikainen, Vayssiere and Wentker. Reconsideration of Claims 1-11 is kindly requested.

Claim 12 was amended similarly to Claim 1. Without repeating the same, the Applicant wishes to rely upon the above arguments supporting Claim 1 to support Claim 12 and submits the combination of Davis, Vitikainen, Vayssiere and Wentker is improper. The combination of Davis, Vitikainen, Vayssiere and Wentker fails to suggest "*installing in a storage device of the mobile device a plurality of applications downloaded from a designated server*" (vs. one at a time in Vitikainen) and "*said causing the second application to replace the first application loaded and executed in the emulator fails when the second card is selected via the display but the second application is locked by the designated server*". Accordingly, the Appellant submits

14

Claim 12 as previously amended shall be allowable over Davis, Vitikainen, Vayssiere and Wentker. Reconsideration of Claims 12-19 is kindly requested.

The patentability of the independent claims has been argued specifically as set forth above and thus the Applicant will not take this opportunity to argue further the merits of the rejection with regard to each dependent claim. However, Applicant does not concede that the dependent claims are not independently patentable and reserves the right to argue the patentability of the dependent claims at a later date if necessary.

In view of the above amendments and remark, the Applicant believes that Claims 1-19 shall be in condition for allowance over the cited references. Early and favorable action is being respectfully solicited.

If there are any issues remaining which the Examiner believes could be resolved through either a Supplementary Response or an Examiner's Amendment, the Examiner is respectfully requested to contact the undersigned at (408)777-8873.

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to "Commissioner of Patents and Trademarks, Washington, DC 20231", Sept. 18, 2019. e-filed.

Name: Joe Zheng

Signature: / joe zheng /

Respectfully submitted;

/ joe zheng /

Joe Zheng Reg.: No. 39,450

PTO/SB/06 (09-11)

Approved for use through 1/31/2014. OMB 0651-0032 U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number Application or Docket Number Filing Date PATENT APPLICATION FEE DETERMINATION RECORD 13/782.948 03/01/2013 To be Mailed Substitute for Form PTO-875 ENTITY: LARGE SMALL MICRO **APPLICATION AS FILED - PART I** (Column 1) (Column 2) NUMBER EXTRA FOR NUMBER FILED BATE (\$) FEE (\$) BASIC FEE N/A N/A N/A (37 CEB 1.16(a), (b), or (c)) SEARCH FEE N/A N/A N/A (37 CFR 1.16(k), (i), or (m)) EXAMINATION FEE N/A N/A N/A (37 CFR 1.16(o), (p), or (g) TOTAL CLAIMS x \$31 = minus 20 (37 CFR 1.16(i)) INDEPENDENT CLAIMS x \$125 = minus 3 (37 CFR 1.16(h)) If the specification and drawings exceed 100 sheets of paper, the application size fee due is \$310 (\$155 **MAPPLICATION SIZE FEE (37** for small entity) for each additional 50 sheets or CFR 1.16(s)) fraction thereof. See 35 U.S.C. 41(a)(1)(G) and 37 CFR 1.16(s) MULTIPLE DEPENDENT CLAIM PRESENT (37 CFR 1.16(j)) If the difference in column 1 is less than zero, enter "0" in column 2. TOTAL **APPLICATION AS AMENDED - PART II** (Column 1) (Column 2) (Column 3) CLAIMS HIGHEST REMAINING NUMBER 09/18/2019 PRESENT EXTRA RATE (\$) ADDITIONAL FEE (\$) AFTER PREVIOUSLY ENDMENT AMENDMENT PAID FOR Total * 19 ** 20 = 0 $x \pm 50 =$ 0 Minus . FR 1.16(i) Independent (37 CFR 1.16(h)) * 2 *** 3 = 0x \$230 = Minus 0 ¥ Application Size Fee (37 CFR 1.16(s)) FIRST PRESENTATION OF MULTIPLE DEPENDENT CLAIM (37 CFR 1.16(j)) TOTAL ADD'L FEE 0 (Column 1) (Column 2) (Column 3) CLAIMS HIGHEST REMAINING NUMBER PRESENT EXTRA RATE (\$) ADDITIONAL FEE (\$) AFTER PREVIOUSLY AMENDMENT PAID FOR E Total x \$0 = Minus AMENDM . B 1 16/i) Independent (37 CFR 1.16(h)) x \$0 *** Minus = Application Size Fee (37 CFR 1.16(s)) FIRST PRESENTATION OF MULTIPLE DEPENDENT CLAIM (37 CFR 1.16(j)) TOTAL ADD'L FEE LIE * If the entry in column 1 is less than the entry in column 2, write "0" in column 3. /ROCHELLE C. GETER/ ** If the "Highest Number Previously Paid For" IN THIS SPACE is less than 20, enter "20" *** If the "Highest Number Previously Paid For" IN THIS SPACE is less than 3, enter "3" The "Highest Number Previously Paid For" (Total or Independent) is the highest number found in the appropriate box in column 1

This collection of information is required by 37 CFR 1.16. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
13/782,948	03/01/2013	Xiangzhen Xie	RFID-084	5348
26797 LogicPatents L	7590 12/26/201 L.C	9	EXAN	IINER
21701 Stevens Creek Boulevard, #284 CUPERTINO, CA 95015		Ļ	IMMANUEL	., ISIDORA I
			ART UNIT	PAPER NUMBER
			3685	
			NOTIFICATION DATE	DELIVERY MODE
			12/26/2019	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

uspatents@sbcglobal.net

Application No. Applicant(s)					
Office Action Summary	13/782,948				
		Art Unit	AIA (FITF) Status		
		3000			
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the c	corresponde	nce address		
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE <u>3</u> MONTHS FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term					
Status					
1) Responsive to communication(s) filed on 09	/ <u>18/2019</u> .				
A declaration(s)/affidavit(s) under 37 CFR	1.130(b) was/were filed on				
2a) This action is FINAL . 2b)	This action is non-final.				
3) An election was made by the applicant in res	sponse to a restriction requirem ection have been incorporated ir	ent set forth nto this actio	n during the interview		
4) Since this application is in condition for allow closed in accordance with the practice under	vance except for formal matters r <i>Ex parte Quayle</i> , 1935 C.D. 1	, prosecutio 1, 453 O.G.	n as to the merits is 213.		
Disposition of Claims*					
5) 🗹 Claim(s) 1-19 is/are pending in the app	blication.				
5a) Of the above claim(s) is/are withd	rawn from consideration.				
6) \Box Claim(s) is/are allowed.					
7) \checkmark Claim(s) 1-19 is/are rejected.					
8) \Box Claim(s) is/are objected to.					
9) \Box Claim(s) are subjected to restriction a	nd/or election requirement				
* If any claims have been determined allowable, you may be el	igible to benefit from the Patent Pro	secution Hig	hway program at a		
participating intellectual property office for the corresponding a	opplication. For more information, plea	ase see	J T 0		
http://www.uspto.gov/patents/init_events/pph/index.jsp or send	an inquiry to PPHfeedback@uspto	.gov.			
Application Papers					
10) The specification is objected to by the Exami	iner.				
11) The drawing(s) filed on is/are: a) □ a	accepted or b) objected to by	/ the Exami	ner.		
Applicant may not request that any objection to the d	Irawing(s) be held in abeyance. See 3	, 37 CFR 1.85(a).		
Replacement drawing sheet(s) including the correction	on is required if the drawing(s) is obje	cted to. See 3	, 7 CFR 1.121(d).		
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for forei	gn priority under 35 U.S.C. § 1	19(a)-(d) or	(f).		
a) All b) Some** c) None of	the:				
$1.\square$ Certified copies of the priority documents have been received.					
2.□ Certified copies of the priority documents have been received in Application No.					
3. Copies of the certified copies of the priority documents have been received in this National Stage					
** See the attached detailed Office action for a list of the certified copies not received.					
Attachment(s)					
1) V Notice of Beferences Cited (PTO-892)	3) 🔲 Interview Summar	v (PTO-413)			
Paper No(s)/Mail Date					
2) ☐ Information Disclosure Statement(s) (PTO/SB/08a and/or PTO/S Paper No(s)/Mail Date	GB/08b) 4) Other:				
PTOL-326 (Rev. 11-13) Office A	ction Summary P	art of Paper No./I	Mail Date 20191218		

DETAILED ACTION

Acknowledgements

- 1. This office action is in response to the claims filed 09/18/2019.
- 2. Claims 1, 2, 7, 8, 11, 12, 16, and 19 amended.
- 3. Claims 1-19 are pending.
- 4. Claims 1-19 have been examined.

Notice of Pre-AIA or AIA Status

5. The present application is being examined under the pre-AIA first to invent provisions.

Claim Objections

6. Claim 12 is objected to because of the following informalities: the claim recites "receiving <u>in</u> an emulator **of** the mobile device a first application...", first the limitation is grammatically incorrect and secondly, the previous claim recited "receiving an emulator **in the** mobile device a first application...", the amendment is improper as Applicant did not designate/underline to highlight other amendments made to the claim. Appropriate correction is required.

Response to Arguments

- 7. Applicant's arguments filed 09/18/2019 have been fully considered.
- 8. <u>112</u>
- 9. The prior 112(b) 'means for' rejection was not addressed.
- 10. <u>103</u>

11. Applicant argues Davis does not teach "the mobile device comprising....an emulator...." First, this is not in contention. Davis is not being used to teach an emulator and the storage device in claim 1 is claimed "**for storing** a plurality of applications". Davis neither claims that only a single card can be used with the mobile device nor the card reader only accepts one card at a time.

12. In response to applicant's argument that there is no teaching, suggestion, or motivation to combine the references, the examiner recognizes that obviousness may be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988), *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992), and *KSR International Co. v. Teleflex, Inc.*, 550 U.S. 398, 82 USPQ2d 1385 (2007).

13. The combination of Davis and Vitikainen teach the emulator. Vitikainen states "the emulator **50** comprises a CPU **51**, which is connected to each of a voice UI **52**, a graphical user interface (GUI) **53**, a voice UI profile storage device **54**, an application storage device **55** and an emulator software storage device **56**. Of course, the storage devices **55**, **54**and **56** could form part of the same physical device, the application is loaded into the application storage device **55** at step **62**. The modified application tested using the emulator apparatus **50**" (¶ 85, 86, 88).

14. Applicant argues against the combination of Davis and Vitikainen, arguing "Vitikainen has nothing to do with or is remotely related to mobile payments". First,

Applicant's claims do not perform a single mobile payment, the limitations are focused on emulating card applications. Davis discloses smart card emulation and whilst Davis does not explicitly teach an emulator in a mobile device, Vitikainen teaches an application emulator, hence the motivation to combine.

15. Applicant next argues against the combination of Davis, Vitikainen and Vayssiere, arguing "Vayssiere is silent about 'the one of the applications in the emulator is replaceable in entirety or in part by another one of the applications." First, Vayssiere (¶35) states "only one application (e.g., Application 2 (310)) may be active at a time. Application 2 (310) is active as illustrated by its connection to external interface 302 through OS 3.06 and firewall 304. As such, when a new application (e.g., Application 1 (308)) is initiated by OS 306, Application 2 (310) first shuts down." To clarify, this means, one application runs at a time and when one runs the other shuts down. Again, the application that was once running is replaced by another. Vayssiere is not silent on that limitation, furthermore, Applicant's argument on Vayssiere's silence is not a sound argument in relation to combine Davis, Vitikainen and Vayssiere.

16. Next, Applicant argues against the combination of Davis, Vitikainen, Vayssiere and Wentker, arguing Wentker does not teach switching cards with an emulator. Again, Davis teaches an emulator, emulating multiple cards, but the emulator is not located in a mobile device, Vitikainen teaches an emulator in a mobile device, Vayssiere teaches an application replacing another application, and Wentker (Abstract; column 8, line 12-16) teaches multi-application smart cards and the installing and

provisioning of these applications. Therefore, it would've been obvious to one of ordinary skill in the art to combine Davis, Vitikainen, Vayssiere and Wentker.

17. Applicant argues in Claim 12 that the combination of Davis, Vitikainen, Vayssiere and Wentker does not teach "installing in a storage device of the mobile device a plurality of applications ... (vs. one at a time in Vitikainen)". First, Applicant has highlighted a limitation without support in the disclosure, as there is no recitation of bulk installation of applications. But Wentker does teach installing and loading multiple applications into memory (column 8, line 1-16, column 9, line 2-9, column 20, line 15-64) *See load files.*

18. Furthermore, one cannot show nonobviousness by attacking references

individually where the rejections are based on combinations of references. See In re

Keller, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); In re Merck & Co., 800 F.2d 1091,

231 USPQ 375 (Fed. Cir. 1986).

Claim Interpretation

19. The following is a quotation of 35 U.S.C. 112(f):

(f) Element in Claim for a Combination. – An element in a claim for a combination may be expressed as a means or step for performing a specified function without the recital of structure, material, or acts in support thereof, and such claim shall be construed to cover the corresponding structure, material, or acts described in the specification and equivalents thereof.

The following is a quotation of pre-AIA 35 U.S.C. 112, sixth paragraph:

An element in a claim for a combination may be expressed as a means or step for performing a specified function without the recital of structure, material, or acts in support thereof, and such claim shall be construed to cover the corresponding structure, material, or acts described in the specification and equivalents thereof.

20. This application includes one or more claim limitations that do not use the word "means," but are nonetheless being interpreted under 35 U.S.C. 112(f) or pre-AIA 35 U.S.C. 112, sixth paragraph, because the claim limitation(s) uses a generic placeholder that is coupled with functional language without reciting sufficient structure to perform the recited function and the generic placeholder is not preceded by a structural modifier. Such claim limitation(s) is/are:

- a. storage device for storing (claim 1)
- b. an emulator... for receiving (claim 1)
- c. communication interface to facilitate data exchange (claim 1)
- d. Module configured to provide... to store (claim 6)
- e. Card manager proxy for facilitating (claim 7)
- f. user interface application provided to query (claim 7)
- g. UI application for conducting (claim 7)
- h. Interfaces...to read (claim 8)
- i. Mechanism to make ... for storing (claim 8)

Because this/these claim limitation(s) is/are being interpreted under 35 U.S.C. 112(f) or pre-AIA 35 U.S.C. 112, sixth paragraph, it/they is/are being interpreted to cover the corresponding structure described in the specification as performing the claimed function, and equivalents thereof.

If applicant does not intend to have this/these limitation(s) interpreted under 35 U.S.C. 112(f) or pre-AIA 35 U.S.C. 112, sixth paragraph, applicant may: (1) amend the claim limitation(s) to avoid it/them being interpreted under 35 U.S.C. 112(f) or pre-AIA

35 U.S.C. 112, sixth paragraph (e.g., by reciting sufficient structure to perform the

claimed function); or (2) present a sufficient showing that the claim limitation(s) recite(s)

sufficient structure to perform the claimed function so as to avoid it/them being

interpreted under 35 U.S.C. 112(f) or pre-AIA 35 U.S.C. 112, sixth paragraph.

Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112(a):

(a) IN GENERAL.—The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same, and shall set forth the best mode contemplated by the inventor or joint inventor of carrying out the invention.

The following is a quotation of the first paragraph of pre-AIA 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same, and shall set forth the best mode contemplated by the inventor of carrying out his invention.

21. Claim 11 is rejected under 35 U.S.C. 112(a) or 35 U.S.C. 112 (pre-AIA), first

paragraph, as failing to comply with the written description requirement. The claim(s)

contains subject matter which was not described in the specification in such a way as to

reasonably convey to one skilled in the relevant art that the inventor or a joint inventor,

or for pre-AIA the inventor(s), at the time the application was filed, had possession of

the claimed invention.

22. Claim 11 recites "establishing a secured channel between the mobile device and the designated server using a set of keys from the designated server.". According to the specification (¶ 110-112, 121), "depending on the arrangement between an SE and a

service provider, an application can either be downloaded/ installed/personalized using

the ISD keyset of the SE or a specific SSD keyset of the service provider. If a SSD

keyset has not been installed on the SE, it can be installed during an application

installation... the server is configured to include an interface to retrieve a derived SE

key set from the mobile device. According to one embodiment, the derived key set is

generated with the device information (e.g., ISD) of the SE." The disclosure does not

provide support for the mobile device receiving keys from the designated server and

using those keys to establish a secure channel.

23. The following is a quotation of 35 U.S.C. 112(b):

(b) CONCLUSION.—The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the inventor or a joint inventor regards as the invention.

The following is a quotation of 35 U.S.C. 112 (pre-AIA), second paragraph: The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

24. Claims 1-11 are rejected under 35 U.S.C. 112(b) or 35 U.S.C. 112 (pre-AIA),

second paragraph, as being indefinite for failing to particularly point out and distinctly

claim the subject matter which the inventor or a joint inventor, or for pre-AIA the

applicant regards as the invention.

25. As per claims 1, 6, 7, 8 the claims recite the following means plus functions limitations:

- j. storage device for storing (claim 1)
- k. an emulator... for receiving (claim 1)
- I. communication interface to facilitate data exchange (claim 1)

- m. Module configured to provide... to store (claim 6)
- n. Card manager proxy for facilitating (claim 7)
- o. user interface application provided to query (claim 7)
- p. UI application for conducting (claim 7)
- q. Interfaces...to read (claim 8)
- r. Mechanism to make ... for storing (claim 8)

26. This limitation invokes 35 USC § 112, ¶ 6 because it meets the 3-prong analysis set forth in MPEP 2181 as it recites a generic placeholder (also called a nonce term or a non-structural term having no specific structural meaning) and the phrase is modified by functional language and it is not modified by sufficient structure, material, or acts for performing the recited function. When the claim limitation does not use the term "means," examiners should determine whether the presumption that 35 U.S.C.112 (f) or pre-AIA 35 U.S.C. 112, paragraph 6 does not apply is overcome. The presumption may be overcome if the claim limitation uses a generic placeholder (a term that is simply a substitute for the term "means"). The following is a list of non-structural generic placeholders that may invoke35 U.S.C. 112(f) or pre-AIA 35 U.S.C. 112, paragraph 6: "mechanism for," "module for," "device for," "unit for," "component for," "element for," "member for," "apparatus for," "machine for," or "system for." This list is not exhaustive, and other generic placeholders may invoke 35 U.S.C. 112(f) or pre-AIA 35 U.S.C. 112, paragraph 6. Welker BearingCo., v. PHD, Inc., 550 F.3d 1090, 1096, 89 USPQ2d1289, 1293-94 (Fed. Cir. 2008); Massachusetts Inst.of Tech. v. Abacus Software, 462 F.3d 1344, 1354, 80 USPQ2d 1225, 1228 (Fed. Cir. 2006); Personalized Media, 161 F.3d at 704, 48 USPQ2dat 1886–87; Mas-Hamilton Group v. LaGard, Inc., 156 F.3d 1206,
1214-1215, 48 USPQ2d 1010, 1017(Fed. Cir. 1998). The terms are "used as a substitute for 'means' that is a generic placeholder (also called a nonce term or a non-structural term having no specific structural meaning)" MPEP 2181.

In the instant application, the following portions of the specification and drawings may appear to describe the corresponding structure for performing the claimed function: specification \P 5, 7, 11, 56, 57, 59-61, 75, 76, 91 and 92.

However, the specification and drawings do not disclose sufficient corresponding structure, material or acts for performing the claimed function. ¶ 91 and 92 describe purse provisioned with the secure element is personalized with keys. The specification does not "send a set of instructions to cause" and does not have a corresponding structure that are the instructions. ¶ 5, 7, 56, 57, 61, 75, 76 describe the module interchangeable with software modules, applications and applets but there is no indication of what structure is used. ¶ 59 describes the "card manager proxy" as a "software module". ¶ 61 describes "a mechanism to make baseband storage as an extension for storing the software-based or logical smart cards" but there is no indication of what structure is used. As a result, corresponding structure to support the means for the functions has not been clearly provided. Dependent claims 2-11 are rejected.

27. Claim 8 recites "the TMSM module". There is insufficient antecedent basis for this limitation in the claim.

28. Claim 1 recites "application is unlocked by the designated server", claim 2 recites "when the designated server determines that the secure element...," and claim 11 recites "applications has been remotely provisioned by the designated server with Application/Control Number: 13/782,948 Art Unit: 3685 operations of: notifying..." See disclosure ¶ 112, 143. A designated server is not recited as an element of the mobile device of independent claim 1, but claims 1, 2 and 11 claim the functions of a designated server. The scope of the claims are unclear as to whether the designated server is part of the claimed mobile device. Dependent claims 2-11 are rejected.

Claim Rejections - 35 USC § 103

29. The following is a quotation of pre-AIA 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained through the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

30. Claims 1, 4, 6-9, 11, 12, 15-17 and 19 are rejected under pre-AIA 35 U.S.C.

103(a) as being unpatentable over Davis et al. (7,908,216) ("Davis"), in view of

Vitikainen et al. (2006/0052080) ("Vitikainen"), in view of Vayssiere (2006/0065741)

("Vayssiere") and further in view of Wentker et al. (6,481,632) ("Wentker").

31. Regarding claims 1 and 12, Davis discloses a display

screen showing a list of the cards for a user of the mobile device to choose one

therefrom, a display of the list of the cards provided via a designated server (Figure

5; column 6, line 47-49, column 7, line 45-51, column 9, line 2-13, column 13, line 62-

67, column 14, line 1-7, column 28, line 39-46, column 29, line 32-36);

• Davis states - client terminal 204 may also be embodied in any portable device such as a laptop computer, a cellular telephone... Local cardholder functions

> including a consumer card interface, display and accept/ cancel options are performed at client terminal 204. A security card also stores signature algorithms for all Smart cards in use. A security card may also contain a transaction identifier for the current transaction, a financial Sum of all transactions remaining to be settled, a session key, and master keys for all Smart cards in use. At this point a load amount screen is presented to the user. The funding account number, expiration date, the virtual card number, maximum load amount and current balance of the virtual card are displayed and the user is directed to enter the value to be loaded onto the card. (column 6, line 47-49, column 7, line 45-51, column 9, line 2-13, column 29, line 32-36)

a storage device for storing a plurality of applications, each of the applications corresponding to one of the cards, wherein each of the applications is provisioned remotely with the designated server that subsequently installs corresponding data and keys for the one of the cards in the mobile device, the data can only be modified by the designated _server over a secured channel (column 6, line 60-67, column 7, line 31-38, column 8, line 53-59, column 28, line 20-50, column 29, line 50-65, column 33, line 48-64);

• **Davis states** - the consumer is able to download value from bank server 860 onto his virtual card. OPAL server 260 communicates with load server 862 to receive authorization for the load and for higher security. The virtual card may then be used to make purchases over the Internet as described above. Once the bank has downloaded value to the virtual card, a corresponding amount of funds

> is transferred from the bank to card issuer 108. Additionally, the same consumer account at the bank can be used to fund multiple OPAL accounts. Preferably card 5 includes any number of keys known to the card issuer that are used during the course of a payment or load transaction to generate signatures for validation of the stored value card, validation of the security card or module, and validation of the system itself. (column 7, line 31-38, column 28, line 41-50)

a communication interface to facilitate data exchange wirelessly between a reader and wherein the reader is external to the mobile device, (Abstract; Figure 2; column 7, line 52-67, column 8, line 49-52, column 10, line 10-14, 57-60, column 25, line 6-13, column 29, line 23-31; claim 1, 22); and

Davis states - Concurrently, or at a later date when smart cards and readers are more common, system 250 is then easily upgradeable to make use of the physical card and reader attached to client terminal 204. Client terminal 204 includes client code module 224 and card reader module 226. Reader module 226 may be implemented using any Suitable software and libraries for communicating with card reader 210 and its actual implementation will depend upon the type of card reader used. Client module 224 controls communication between the client terminal, the card reader, Client code module 224 is now functionally part of OPAL server 260 instead of being part of client terminal 204. Further, the functionality of card reader module 226 of FIG. 2 is now included within client code module 224 to allow communication with pseudo card reader module 264. (column 7, line 52-67, column 10, line 10-14,)

a processor, in communication and the storage device (column 7, line 45-51, column 10, line 33-60, column 25, line 6-13, column 29, line 23-31; column 34, line 21-23, claim 1, 22);

Davis states - client terminal 204 may also be embodied in any portable device such as a laptop computer, a cellular telephone (including GSM tele phones), or any variety of a personal digital assistant (PDA). Processor(s) 922 (also referred to as central processing units, or CPUs) are coupled to storage devices including memory 924. (column 7, line 45-51, column 34, line 21-23)

Davis does not disclose an emulator, coupled to the storage, for receiving a first application corresponding to a first card, the first application being one of the applications; into the emulator; the first applications being executed in the emulator, performing an operation of causing the second applications loaded to replace the first applications when the second card is selected via the display screen when the second application is unlocked by the designated server, wherein said causing the second application loaded to replace the first application fails when the second card is selected via the display screen but the second application is locked by the designated server, and the first application in the emulator is replaceable in entirety or in part by a second application: corresponding to a second card and wherein functions of the mobile device related the first card offered by the first application are changed to functions offered by the second application related to the second cards when the second applications is activated and executed.

Vitikainen teaches an emulator, coupled to the storage, for receiving a first application corresponding to user information, the first application being one of the applications; into the emulator, in the emulator the first applications being executed in the emulator, (¶ 85, 86, 88; claim 16)

Vitikainen states - the emulator 50 comprises a CPU 51, which is connected to each of a voice UI 52, a graphical user interface (GUI) 53, a voice UI profile storage device 54, an application storage device 55 and an emulator software storage device 56. Of course, the storage devices 55, 54 and 56 could form part of the same physical device, the application is loaded into the application storage device 55 at step 62. the modified application tested using the emulator apparatus 50 (¶ 85, 86, 88)

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Davis and Vitikainen in order to determine whether an application is compatible with a mobile device in order to refrain from using inappropriate features (Vitikainen; \P 1-3).

Vayssiere teaches performing an operation of causing the second applications loaded to replace the first applications (Figure 11, 12; ¶ 22, 35, 37, 38, 41, 43),

• Vayssiere states- only one application (e.g., Application 2 (310)) may be active at a time. Application 2 (310) is active as illustrated by its connection to external interface 302 through OS 3.06 and firewall 304. As

such, when a new application (e.g., Application 1 (308)) is initiated by OS 306, Application 2 (310) first shuts down... When the reader of the public phone detects the smartcard, OS **406** first activates Display Chooser application **422**. OS **406** sends to Display Chooser application **422** a command that indicates "Application 2 (**410**) is to be activated next." In one method, Application **2 (610)** sends complete pictures to Display Chooser application **518**, which then updates the dynamic display portion similar to that of an image obtained from Display Data **620**. In an alternative method, Application **2 (610)** may send text which is displayed line by line to generate a complete image. (¶ 35, 37, 41)

wherein said causing the second application loaded to replace the first application fails when the second card is selected via the display screen and wherein functions of the mobile device related the first card offered by the first application are changed to functions offered by the second application related to the second cards when the second applications is activated and executed (¶ 22, 26, 30, 31, 33, 35-39, 41, 43),

Vayssiere states- only one application (e.g., Application 2 (310)) may be active at a time. Application 2 (310) is active as illustrated by its connection to external interface 302 through OS 3.06 and firewall 304. As such, when a new application (e.g., Application 1 (308)) is initiated by OS 306, Application 2 (310) first shuts down. ... In particular, OS 306 is responsible for the isolation of the different applications, i.e., making sure that the applications stored on the smartcard do not engage in cross-talk

> or read, write, modify, or delete data from each other. With multiapplication features for smartcard **200**, one physical appearance is associated with each application stored on the smartcard **200**, and that particular physical appearance could automatically change depending on the context in which smartcard **200** is used. (¶ 26, 33, 35)

and the first application is replaceable in entirety or in part by a second application: corresponding to a second card (Abstract; Figure 11; ¶ 26, 30, 42, 43).

• Vayssiere states- The smartcard, in one embodiment, may be loaded with multiple applications so that the Smartcard may be used as, for example, a calling card, bank card, health card, etc. ... When used for a particular application (e.g., as a payphone calling card), the smartcard is first powered through the interface with a smartcard reader, ... With the proper display data retrieved, the dynamic display portion is changed or updated with the image associated with the application,(¶ 42, 43)

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Davis Vitikainen and Vayssiere in order to provide a smartcard to perform multiple functions (Vayssiere; \P 3).

Wentker teaches when the second card is selected via the display screen when the second application is unlocked by the designated server but the second application is locked by the designated server (Figure 5; column 9, line 34-44, column 10, line 31-44, column 16, line 11-24, column 17, line 4-20).

• Wentker states - Card Manager (CM) Locked state 210 is used to tell card manager 104 to temporarily disable all applications on the card except for the card manager. This State provides the issuer with the ability to detect security threats either internal or external to the card and to be able to temporarily disable the functionality of the card. While in this state, there is an option to determine that the threat is either no longer present or is of limited Severity Such that the issuer can reset the card to the normal operating State of Secured. (column 9, line 34-44)

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Davis, Vitikainen, Vayssiere and Wentker in order to provide efficient management of card applications (Wentker; column 1, line 12-67).

32. Regarding claim 4, Davis teaches wherein each of the applications emulating functions of one of the cards provided respectively to perform a function related to a monetary transaction (column 25, line 6-13), the mobile device is used to emulate each of the cards when a corresponding applications is loaded into and executed in the emulator (column 7, line 39-67).

33. Regarding claims 6 and 15, Neither Davis, Vitikainen nor Vayssiere teaches wherein the secure element further includes a module configured to provide Trusted Mifare Service Management (TMSM) and to store a plurality of service objects along with a plurality of key indexes, each of the service objects corresponding to one of the applications. Wentker teaches wherein the secure element further includes a module configured to provide Trusted Mifare Service Management (TMSM) and to store a plurality of service objects along with a plurality of key indexes, each of the service

objects corresponding to one of the applications (column 9, line 1-33, column 13, line 11-39, column 14, line 24-43, column 21, line 17-31). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Davis, Vitikainen, Vayssiere and Wentker in order to provide efficient management of card applications (Wentker; column 1, line 12-67).

34. Regarding claim 7, Davis discloses a user interface (UI) (column 10, line 10-32). Wentker teaches wherein the mobile device further includes a card manager proxy for facilitating communication between the designated server and the module in the secure element, interface application provided to query one or more of the applications on information stored therein but not to modify the information (column 6, line 13-67, column 8, line 17-32, column 21, line 1-31) and a transaction UI application for conducting operations that modify one or more sectors in one or more of the applications (column 10, line 8-56). Wentker does not teach a user interface (UI). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Davis, Vitikainen, Vayssiere and Wentker in order to provide efficient management of card applications (Wentker; column 1, line 12-67).

35. Regarding claim 8, Davis discloses to the emulator (Abstract; column 25, line 6-13, column 29, line 23-31; claim 1). Vayssiere and later on swapping another one of the applications (¶ 35). Wentker teaches provide a set of Application Programming Interfaces so that one of the applications, when instructed by an user, is caused to swap an application in and out the emulator (column 6, line 36-55, column 7, line 1-7, column 8, line 17-32); provide a set of Application Programming Interfaces to one of the applications to read certain data therefrom (column 6, line 36-55, column 8, line 17-32);

enable the designated server to remotely provision each of the applications by installing application keys and application data to the module (column 7, line 15-37, column 16, line 3-23, column 17, line 21-35, column 22, line 17-31) enable the designated server to manage each of the applications by locking or unlocking one of the applications (column 7, line 1-7, column 9, line 34-44, column 10, line 24-44); provide a trusted environment such that an application provider modifies a designated application and meta data thereof owned by the application provider; and provide a mechanism to make baseband storage as an extension for storing some or all of the applications swapped out from the emulator to the TMSM module (column 22, line 51-67, column 23, line 1-24).

36. Regarding claims 9 and 17, Wentker teaches wherein the secure element is preloaded with default Issuer Security Domain (ISD) information updated entirely or partially subject to retrieved corresponding default ISD information from a party originating the secure element (column 7, line 38-56, column 13, line 11-39, column 19, line 1-8).

37. Regarding claim 11, Wentker teaches sending a request from the mobile device to the designated sever to provision an application installed in the mobile device, wherein the application being provisioned is distributed by an application provider (column 7, line 15-37, column 8, line 1-10, column 14, line 24-43, column 15, line 1-19, column 16, line 25-35, 49-67, column 17, line 21-35); establishing a secured channel between the mobile device and the designated server using a set of keys received from the designated server(column 7, line 15-37, column 10, line 15-23, column 13, line 11-39, column 15, line 52-67, receiving data for the application being provisioned from the designated server, wherein the data includes supplemental security domains (SSD) to

be associated with the application (column 11, line 21-62, column 14, line 24-43, column 16, 49-67); and notifying the application provider of a status of the application with the mobile device (column 12, line 58-67, column 13, line 1-10, column 17, line 4-20, column 18, line 62-67, column 19, line 44-46).

38. Regarding claim 16, Davis discloses a user interface (UI) (column 10, line 10-32). Wentker teaches facilitating communication between the designated server and the TMSM module configured to provide (TMSM) in the secure element (column 6, line 13-67, column 8, line 17-32, column 21, line 1-31); querying via a user interface (UI) one or more of the applications (column 6, line 13-67, column 8, line 17-32, column 21, line 1-31) and conducting operations that modify one or more sectors in one or more of the applications (column 10, line 8-56). Wentker does not teach a user interface (UI). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Davis, Vitikainen, Vayssiere and Wentker in order to provide efficient management of card applications (Wentker; column 1, line 12-67).

39. Regarding claim 19, Wentker teaches receiving a request to provision an application installed in the mobile device, wherein the application being provisioned is distributed by an application provider (column 7, line 15-37, column 8, line 1-10, column 14, line 24-43, column 15, line 1-19, column 16, line 25-35, 49-67, column 17, line 21-35); establishing a secured channel with the secure element using a set of keys (column 7, line 15-37, column 10, line 15-23, column 13, line 11-39, column 15, line 52-67, preparing data for the application being provisioned, wherein the data includes supplemental security domains (SSD) to be associated with the application (column 11, line 21-62, column 14, line 24-43, column 16, 49-67); and notifying the application

provider of a status of the application with the mobile device (column 12, line 58-67, column 13, line 1-10, column 17, line 4-20, column 18, line 62-67, column 19, line 44-46).

40. Claims 2 and 13 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Davis et al. (7,908,216) ("Davis"), in view of Vitikainen et al. (2006/0052080) ("Vitikainen"), in view of Vayssiere (2006/0065741) ("Vayssiere"), in view of Wentker et al. (6,481,632) ("Wentker") and further in view of De Groot (2006/0141987) ("Groot").

41. Regarding claims 2 and 13, Neither Davis, Vitikainen nor Vayssiere teaches initiating data communication by the mobile device with the designated server; sending device information of the secure element from the mobile device in responding to a request from the designated server when the designated server determines that the secure element is registered therewith, wherein the device information is a sequence of characters uniquely identifying the secure element, and the request is a command causing the mobile device to retrieve the device information from the secure element therein; and receiving in the secure element at least a set of keys from the designated server, wherein the keys are generated in accordance with the device information of the secure element, wherein the set of keys in the secure element facilitates a subsequent transaction between the mobile device and a service provider and a designated server providing trusted service management. Wentker teaches and with designated server providing trusted service management (TSM) (column 6, line 13-67, column 8, line 17-32, column 21, line 1-31). Groot teaches initiating data communication by the mobile device (¶ 36, 40, 44); sending device information of the secure element from the mobile

device in responding to a request from the designated server when the designated server determines that the secure element is registered therewith, wherein the device information is a sequence of characters uniquely identifying the secure element, and the request is a command causing the mobile device to retrieve the device information from the secure element therein (¶ 30, 34, 36, 37, 39, 40, 43, 47, 48, 53); receiving in the secure element at least a set of keys from the designated server, wherein the keys are generated in accordance with the device information of the secure element, wherein the set of keys in the secure element facilitates a subsequent transaction between the mobile device and a service provider (Figure 1, element M1-3; ¶ 30, 31, 34, 40-45, 47-49, 53). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Davis, Vitikainen, Vayssiere, Wentker, and Groot in order to provide secure transmissions with a terminal and a server using an identifier (Groot; ¶ 1-7).

42. Claims 3, 5, 10, 14 and 18 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Davis et al. (7,908,216) ("Davis"), in view of Vitikainen et al. (2006/0052080) ("Vitikainen"), in view of Vayssiere (2006/0065741) ("Vayssiere"), in view of Wentker et al. (6,481,632) ("Wentker") and further in view of Huomo et al. (8,005,426) ("Huomo").

43. Regarding claims 3 and 14, Davis discloses the emulator (Abs-tract; column 25, line 6-13, column 29, line 23-31; claim 1). Vayssiere teaches implemented in the secure element (¶ 22, 23, 30). Neither Davis, Vitikainen nor Vayssiere teaches the secure element is enclosed in the mobile device or in a detachable card to the mobile device. Huomo teaches the secure element is enclosed in the secure element is enclosed in the mobile device or in a detachable card to the mobile device.

Application/Control Number: 13/782,948 Art Unit: 3685 card to the mobile device (column 8, line 3-23). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Davis, Vitikainen, Vayssiere and Huomo in order to provide transactions with mobile devices equipped with a smartcard (Huomo; column 1, line 7-23, 54-67).

44 Regarding claim 5, Huomo teaches wherein at least one of the cards is a contactless card (column 2, line 27-61, column 8, line 3-37).

45. Regarding claims 10 and 18, Huomo teaches wherein the mobile device is a smartphone, or a portable computer (column 16, line 26-36, 43-67, column 17, line 1-5).

Conclusion

46. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

47. Any inquiry concerning this communication or earlier communications from the examiner should be directed to ISIDORA I IMMANUEL whose telephone number is

Application/Control Number: 13/782,948 Art Unit: 3685 (469)295-9094. The examiner can normally be reached on Monday-Friday 9:00 am to 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, NEHA PATEL can be reached on 571-270-1492. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/1.1.1./ Examiner, Art Unit 3685

/JAMES D NIGH/ Primary Examiner, Art Unit 3685

Nation of Potoromone Cited	Application/Control No. 13/782,948	Applicant(s)/Pa Reexamination Xie et al.	atent Under	
Nolice of neierences ched	Examiner ISIDORA I IMMANUEL	Art Unit 3685	Page 1 of 1	
U.S. PATENT DOCUMENTS				

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	CPC Classification	US Classification
*	А	6,481,632 B2	11-2002	Wentker; David C.	G06F8/60	235/376
*	В	2006/0065741 A1	03-2006	Vayssiere; Julien JP.	G06K19/07703	235/492
*	С	2006/0141987 A1	06-2006	De Groot; Max	H04L63/0414	455/411
*	D	US-20060052080-A1	03-2006	Vitikainen; Timo	G10L15/30	455/403
*	Е	7,908,216 B1	03-2011	Davis; Virgil M.	G06Q20/02	705/41
*	F	8,005,426 B2	08-2011	Huomo; Heikki	G06Q20/20	235/441
	G					
	Τ					
	-					
	J					
	к					
	L					
	М					

FOREIGN PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	CPC Classification
	N					
	0					
	Р					
	Q					
	R					
	s					
	т					

	NON-PATENT DOCUMENTS				
*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)			
	U				
	v				
	w				
	x				

*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).) Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.

U.S. Patent and Trademark Office PTO-892 (Rev. 01-2001)

Notice of References Cited

Part of Paper No. 20191218

	Application/Control No.	Applicant(s)/Patent Under Reexamination
Search Notes	13/782,948	Xie et al.
	Examiner	Art Unit
	ISIDORA I IMMANUEL	3685

CPC - Searched*			
Symbol	Date	Examiner	
G06Q	2/1/2016	II	

CPC Combination Sets - Searched*			
Symbol	Date	Examiner	

US Classification - Searched*			
Class	Subclass	Date	Examiner
705			

* See search history printout included with this form or the SEARCH NOTES box below to determine the scope of the search.

Search Notes			
Search Notes	Date	Examiner	
See attached notes	2/1/2016	II	
101 withdrawal - Weinhart	06/06/2018	III	
See attached notes (EAST)	04/15/2019	III	

Interference Search				
US Class/CPC Symbol	US Subclass/CPC Group	Date	Examiner	

	/I.I./ Examiner.Art Unit 3685
U.S. Patent and Trademark Office	Part of Paper No : 20191218

ар

			Application/Control No.	Applicant(s)/Patent Under Reexamination	
Index of Claims		15	13/782,948	Xie et al.	
			Examiner	Art Unit	
			ISIDORA I IMMANUEL	3685	
			· · · · · ·		
✓	Rejected	-	Cancelled N No	on-Elected A Appeal	

•	nejecieu	-	Cancelleu			Non-Elected	A	Appear
=	Allowed	÷	Restricted		I	Interference	0	Objected
				-				

CLAIMS									
Claims renumbered in the same order as presented by applicant CPA T.D. R.1.47									
CL	AIM					DATE			
Final	Original	02/01/2016	09/16/2016	09/17/2017	05/22/2018	04/15/2019	12/18/2019		
	1	1	1	1	1	✓	1		
	2	1	1	~	✓	~	\checkmark		
	3	1	1	1	✓	~	\checkmark		
	4	✓	✓	✓	✓	~	\checkmark		
	5	1	✓	✓	✓	✓	\checkmark		
	6	1	✓	✓	✓	✓	✓		
	7	1	1	✓ ✓	1	1	✓ ✓		
	8	1	1	1	1	1	✓ ✓		
	9	1	1	1	1	✓	1		
	10	1	1	✓ ✓	1	1	1		
	11	1	1	1	1	1	1		
	12	1	1	✓ ✓	1	✓ ✓	1		
	13	1	~	✓	✓ ✓	✓ ✓	~		
	14	✓ ✓	✓ ✓	✓	✓ <i>✓</i>	✓ ✓	~		
	15	1	1	✓ ✓	✓ ✓	✓ ✓	~		
	16	1	1	✓ ✓	✓ ✓	✓ ✓	~		
	17	1	✓	✓	<i>✓</i>	✓	✓		
	18		\checkmark	\checkmark	\checkmark	\checkmark	\checkmark		
	19	✓ ✓	✓ ✓	✓	✓ <i>✓</i>	<i>✓</i>	✓		
		L							

UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
13/782,948	03/01/2013 Xiangzhen Xie		RFID-084	5348
26797 LogicPatents, L	7590 01/22/202 LC	EXAMINER		
21701 Stevens	Creek Boulevard, #284 CA 95015	IMMANUEL, ISIDORA I		
eer birnin,		ART UNIT	PAPER NUMBER	
		3685		
		NOTIFICATION DATE DELIVERY MO		
		01/22/2020	ELECTRONIC	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

uspatents@sbcglobal.net

	Application No.	Applicant(s) Xie et al.					
Applicant-Initiated Interview Summary	13/782,948 Examiner ISIDORA I IMMANUEL	Art Unit 3685	AIA (First Inventor to File) Status No	Page 1 of 2			
All participants (applicant, applicants representative,	PTO personne	l):					
1. ISIDORA I IMMANUEL (Examiner); Telephonic	2. NEHA P	ATEL (S	PE); Telephonic				
3. JOE ZHENG (Attorney); Telephonic	4. LIANGS	ENG KO	H (Inventor); Telepho	onic			
Claims Discussed: Discussed claim 1. No agreeme	ents reached.						
Prior Art Discussed: Discussed Davis and Vavssie	re. No agreeme	ents read	hed.				
Brief Description of the main topic(s) of discussion: Discussed claim background and 103 rejection. No agreements reached.							
Issues Discussed:							
Item(s) under 35 U.S.C. 103: Discussed the Davis reference. No agreements reached.							
Attachment(s): Agenda, Proposed Arguments,							

/I.I.I./ Examiner, Art Unit 3685	/NEHA PATEL/ Supervisory Patent Examiner, Art Unit 3685
Applicant is reminded that a complete written statement as to the application file. It is the applicants responsibility to provi- by the Examiner and the Examiner has indicated that a writte Please further see: MPEP 713.04 Title 37 Code of Federal Regulations (CFR) § 1.133 Interviews, paragraph 37 CFR § 1.2 Business to be transacted in writing	b the substance of the interview must be made of record in de the written statement, unless the interview was initiated n summary will be provided. See MPEP 713.04
LLS Patent and Trademark Office	

PTOL-413/413b (Rev. 01/01/2015)

Interview Summary

Paper No. 20200116

Applicant recordation instructions: The formal written reply to the last Office action must include the substance of the interview. (See MPEP section 713.04). If a reply to the last Office action has already been filed, applicant is given a non-extendable period of the longer of one month or thirty days from this interview date, or the mailing date of this interview summary form, whichever is later, to file a statement of the substance of the interview.

Examiner recordation instructions: Examiners must summarize the substance of any interview of record. A complete and proper recordation of the substance of an interview should include the items listed in MPEP 713.04 for complete and proper recordation including the identification of the general thrust of each argument or issue discussed, a general indication of any other pertinent matters discussed regarding patentability and the general results or outcome of the interview, to include an indication as to whether or not agreement was reached on the issues raised.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s):	Xiangzhen Xie et al
Title:	Method and apparatus for emulating multiple cards in mobile
	devices
Serial No.:	13/782,948
Filing Date:	03/01/2013
Confirmation	5348
Examiner:	Isidora I. Immanuel
Group Art Unit:	3685
Docket No.:	RFID-084

1. The Applicant has authorized the communication with the Examiner via the Internet

2. This is for informal discussion with the Examiner, content of which is not intended for entry as record.

Interview Agenda

Time: 02:00PM EST (11:00 AM PST)								
Date: Thursday	Date: Thursday, January 15, 2020							
Participants: SPE: Neha Patel								
Examiner: Isidora I. Immanuel								
	Inventor: Liangseng Koh							
	Representative: Joe Zheng (Reg. No.: 39,450, Cell: 408-891-9381)							
Connection:	Dialing in: (415)363-6338, and conference ID:987987							

Agenda:

- 1. Clarification on Claim Objections to Claim 12;
- 2. Joe briefly describes what this invention is about with respect to Claim 1;

3. Joe presents the distinctions between Claim 1 and four cited references Davis et al. (7,908,216) ("Davis"), Vitikainen et al. (2006/0052080) ("Vitikainen"), Vayssiere (2006/0065741)("Vayssiere") and Wentker et al. (6,481,632) ("Wentker").

- 4. Examiner presents her view on the distinctions;
- 5. Examiner suggests possible amendments to overcome the references;
- 6. Conclusion (Interview Summary)

Explanation of Claim 1

One of the purposes in the instant application is to emulate multiple cards in a mobile device to interact with an external reader. As shown in FIG. 1A and described in paragraphs [0060], a mobile device can be stored with a plurality of applications controlled and managed by a designated (TSM) server, each of the applications pertaining to one of cards (e.g., Visa and transportation card). So the mobile device can be used as a Visa Card to pay for purchased items or a ticket for riding a bus, which requires the user to do something on the mobile device to act such. When a credit card is needed for payment, the user can select one of the applications available in the mobile device to act as Visa. A corresponding application is loaded into an emulator that turns the mobile device as the selected card. When a ticket is needed for transaction, the user can again select another application available in the mobile device to act as a ticket, in which case a corresponding application is loaded into the emulator that turns the mobile device as the ticket. The data or modules for each of the applications can be accessed by the designated server (e.g., to lock or unlock the application or card, if needed), all of the installed applications must be provisioned remotely with the designated server that subsequently installs corresponding data and keys for each of the installed applications.

Combination of the four references is improper

In the Pre-Appeal Brief Request for Review dated Sept. 12, 2018, the Applicant presents the arguments why the combination Davis, Vayssiere and Wentker does not render Claim 1 obvious. The Examiner returns the instant application back to prosecution but uses the same combination + 4th reference Vitikainen to show the teaching and rejects Claims 1, 4, 6-9, 11, 12, 15-17 and 19 under pre-AIA 35 U.S.C. 103(a).

Review of the four references in view of Claim 1

Davis:

teaches a virtual smart card for payment of goods and/or services purchased online over the Internet. As shown in FIG. 2, there are a merchant server 208, a mobile device 204 **AND** a card reader 210 which accepts a smart card having a stored-value application. Even if the mobile device 204 and the card reader 210 were viewed as a single unit, the card reader 210 would only accept a physical card <u>at a time</u>, which immediately teaches away from "*storing a plurality of applications, each of the applications corresponding to one of the cards*" recited in Claim 1. Next, Davis does teach an emulator but the emulator is located in an OPAL server 260 (FIG. 4), which is not in the mobile device 204, again teaching away from Claim 1 that recites the mobile device comprising: ... an emulator. In fact, there is no need for an emulator in Davis as Davis uses the card reader 210 to accommodate a physical card, where the card reader 210 transports the card payment info to the payment server 206. Davis is remotely related to Claim 1 of the instant application.

Vitikainen

is related to a voice user interface for testing the compatibility of an application with the mobile device. Vitikainen does teach an emulator but it is used to emulate the voice user interface features of the device. It is believed that this reference only cited because it uses the word "emulator". On Page 15 of the OA, the Examiner states that Davis and Vitikainen are combined in order to determine whether an application is compatible with a mobile device in order to refrain from using inappropriate features, which has nothing to do with Claim 1. The Examiner fails to demonstrate how to modify Davis with Vitikainen. The combination of Davis and Vitikainen is improper.

Vayssiere

teaches a smartcard having a dynamic display portion that changes when an application is switched. As described in [0038], Vayssiere explicitly describes that when the user completes the use [of] the smartcard as a calling card, Application 2 (410) terminates, and OS 406 activates Display Chooser application 422 again. First of all, Vayssiere is silent about "*the one of the applications in the emulator is replaceable in entirety or in part by another one of the applications*". Even if the Examiner insists Vayssiere may imply the replacement action, the modification of

Davis and Vitikainen with Vayssiere would still not cure the deficiency of "*the data can only be modified by the designated server over a secured channel*" as the card itself in Vayssiere does not allow another device to remotely control an application therein. In fact, Vayssiere has no such need. Accordingly, the Appellant submits the combination of Davis, Vitikainen and Vayssiere is improper and Claim 1 shall be allowable over Davis, Vitikainen and Vayssiere.

Wentker:

Wentker is cited to show the teaching of an application unlocked by a server. Wentker teaches a smart card architecture by APIs to allow the management of an application in the smart card. The functions of the smart card CANNOT be replaced by another application so that the smart card would function as a different card. To emulate a number of different cards, an emulator is needed. Wentker is completely silent about an emulator. In other words, Wentker neither teaches nor suggests a mobile device to emulate a plurality of cards. In a perspective, Wentker teaches away from Claim 1 by managing only one card via the provided APIs.

AMENDMENTS TO THE CLAIMS

- 1. (*Currently amended*) A mobile device for emulating a plurality of cards, the mobile device comprising:
 - a display screen showing a list of the cards for a user of the mobile device to choose one therefrom, a display of the list of the cards provided via a designated server;
 - a storage device for storing a plurality of applications, each of the applications corresponding to one of the cards, wherein each of the applications is provisioned remotely with the designated server that subsequently installs corresponding data and keys for the one of the cards in the mobile device, the data can only be modified by the designated server over a secured channel; an emulator, coupled to the storage, for receiving a first application

corresponding to a first card, the first application being one of the applications;

- a communication interface to facilitate data exchange wirelessly between a reader and the first application being executed in the emulator, wherein the reader is external to the mobile device, and the first application in the emulator is replaceable in entirety or in part by a second application corresponding to a second card; and
- a processor, in communication with the emulator and the storage device, performing an operation of causing the second application loaded into the emulator to replace the first application when the second card is selected via the display screen when the second application is unlocked by the designated server, wherein said causing the second application loaded into the emulator to replace the first application fails when the second card is selected via the display screen but the second application is locked by the designated server, and wherein functions of the mobile device related to the first card offered by the first application are changed to functions offered by the second application related to the second card when the second application is activated and executed in the emulator.

- 2. (*Currently amended*) The mobile device as recited in claim 1, further comprising a secure element that has been personalized by operations of:
 - initiating data communication by the mobile device with the designated server providing trusted service management (TSM);

sending device information of the secure element in responding to a request from the designated server when the designated server determines that the secure element is registered therewith, wherein the device information is a sequence of characters uniquely identifying the secure element, and the request is a command causing the mobile device to retrieve the device information from the secure element therein; and

- receiving in the secure element at least a set of keys from the designated server, wherein the keys are generated in accordance with the device information of the secure element, wherein the set of keys in the secure element facilitates a subsequent transaction between the mobile device and a service provider.
- 3. (*Original*) The mobile device as recited in claim 2, wherein the emulator is implemented in the secure element, the secure element is enclosed in the mobile device or in a detachable card to the mobile device.
- 4. (*Previously amended*) The mobile device as recited in claim 3, wherein each of the applications emulating functions of one of the cards provided respectively to perform a function related to a monetary transaction, the mobile device is used to emulate each of the cards when a corresponding application is loaded into and executed in the emulator.
- 5. (*Previously amended*) The mobile device as recited in claim 4, wherein at least one of the cards is a contactless card.

- 6. (*Previously amended*) The mobile device as recited in claim 3, wherein the secure element further includes a module configured to provide Trusted Mifare Service Management (TMSM) and to store a plurality of service objects along with a plurality of key indexes, each of the service objects corresponding to one of the applications.
- 7. (*Currently amended*) The mobile device as recited in claim 6, wherein the mobile device further includes:
 - a card manager proxy for facilitating communication between the designated server and the module in the secure element,
 - a user interface (UI) application provided to query one or more of the applications on information stored therein but not to modify the information; and
 - a transaction UI application for conducting operations that modify one or more sectors in one or more of the applications.
- 8. (*Currently amended*) The mobile device as recited in claim 6, wherein the module is configured to:
 - provide a set of Application Programming Interfaces so that one of the applications, when instructed by an user, is caused to swap an application in and out the emulator;
 - provide a set of Application Programming Interfaces to one of the applications to read certain data therefrom;
 - enable the designated server to remotely provision each of the applications by installing application keys and application data to the module and later on swapping another one of the applications to the emulator;
 - enable the designated server to manage each of the applications by locking or unlocking one of the applications;
 - provide a trusted environment such that an application provider modifies a designated application and meta data thereof owned by the application provider; and

provide a mechanism to make baseband storage as an extension for storing some or all of the applications swapped out from the emulator to the TMSM module.

- (*Previously amended*) The mobile device as recited in claim 2, wherein the secure element is preloaded with default Issuer Security Domain (ISD) information updated entirely or partially subject to retrieved corresponding default ISD information from a party originating the secure element.
- 10. (*Previously amended*) The mobile device as recited in claim 2, wherein the mobile device is a smartphone or a portable computer.
- 11. (*Currently amended*) The mobile device as recited in claim 1, wherein each of the applications has been remotely provisioned by the designated server with operations of:
 - sending a request from the mobile device to the designated server to provision an application installed in the mobile device, wherein the application being provisioned is distributed by an application provider;
 - establishing a secured channel between the mobile device and the designated server using a set of keys received from the designated server;
 - receiving data for the application being provisioned from the designated server, wherein the data includes supplemental security domains (SSD) to be associated with the application; and
 - notifying the application provider of a status of the application with the mobile device.
- 12. (*Currently amended*) A method for a mobile device to emulate a plurality of cards, the method comprising:
 - installing in a storage device of the mobile device a plurality of applications downloaded from a designated server, each of the applications being managed by the designated server pertaining to one of the cards, wherein

each of the applications is provisioned remotely with the designated server that subsequently installs corresponding data and keys for the one of the cards in the mobile device, the data can only be modified by the designated server over a secured channel, the mobile device communicates wirelessly with an external reader provided to read one of the cards;

- showing a list of the cards on a display of the mobile device for a user to choose one therefrom, wherein the display is provided by a module downloaded from the designated server and executed in the mobile device;
- receiving in an emulator of the mobile device a first application corresponding to a first card;
- facilitating data exchange between the external reader and the first application being executed in the emulator, wherein the first application in the emulator is replaceable in entirety or in part by a second application corresponding to a second card;
- causing the second application to replace the first application loaded and executed in the emulator, wherein said causing the second application to replace the first application loaded and executed in the emulator fails when the second card is selected via the display but the second application is locked by the designated server, and wherein functions of the mobile device related to the first card offered by the first application are changed to functions offered by the second application related to the second card when the second application is activated and executed in the emulator.

Claim Objections to Claim 12

- The Examiner states "receiving in an emulator of the mobile device a first application" is grammatically incorrect. The Applicant is unsure why it is grammatically incorrect
- 13. (*Previously amended*) The method as recited in claim 12, wherein the mobile device is associated with a secure element, and the method further comprises: initiating data communication by the mobile device with the designated server providing trusted service management (TSM);

- sending device information of the secure element in responding to a request from the designated server after the server determines that the secure element is registered therewith, wherein the device information is a sequence of characters uniquely identifying the secure element, and the request is a command causing the mobile device to retrieve the device information from the secure element therein; and
- receiving in the secure element at least a set of keys from the designated server, wherein the keys are generated in accordance with the device information of the secure element, the set of keys in the secure element facilitates a subsequent transaction between the mobile device and a service provider.
- 14. (*Original*) The method as recited in claim 13, wherein the emulator is implemented in the secure element, the secure element is enclosed in the mobile device or in a detachable card to the mobile device.
- 15. (*Previously amended*) The method as recited in claim 14, wherein the secure element further includes a module configured to provide Trusted Mifare Service Management (TMSM) and to store a plurality of service objects along with a plurality of key indexes, each of the service objects corresponding to one of the applications.
- 16. (*Currently amended*) The mobile device as recited in claim 15, further comprising facilitating communication between the designated server and the module configured to provide (TMSM) in the secure element; querying via a user interface (UI) one or more of the applications; and conducting operations that modify one or more sectors in one or more of the applications.
- 17. (*Previously amended*) The method as recited in claim 13, wherein the secure element is preloaded with default Issuer Security Domain (ISD) information

updatable entirely or partially subject to retrieved corresponding default ISD information from a party originating the secure element.

- 18. (*Previously amended*) The method as recited in claim 12, wherein the mobile device is a smartphone or a portable computer.
- 19. (*Currently amended*) The method as recited in claim 12, wherein each of the applications has been remotely provisioned by the designated server with operations of:

receiving a request to provision an application installed in the mobile device, wherein the application to be provisioned with the secure element is distributed by an application provider;

establishing a secured channel with the secure element using a set of keys;

preparing data for the application being provisioned, wherein the data includes supplemental security domains (SSD) to be associated with the application; and

notifying the application provider of a status of the application with the mobile device.

Doc Code: A.NE.AFCP Document Description: After Final Consideration Pilot Program Request

		308808088888888888888888888888888888888	P10/SB/434 (05-13)				
CERTIFICATION AND REQUEST FOR CONSIDERATION UNDER THE AFTER FINAL CONSIDERATION PILOT PROGRAM 2.0							
Practitioner Docket No.:	Application No.:	Filing Da	ite:				
RFID-084	13/782,948	03/01	1/2013				
First Named Inventor:	Title:	t					
Xiangzhen Xie	Method and apparatus	for emulating multi	ple cards in mobile devices				
APPLICANT HEREBY CERTIFIES THE FOLLOWING AND REQUESTS CONSIDERATION UNDER THE AFTER FINAL CONSIDERATION PILE PROGRAM 2.0 (AFCP 2.0) OF THE ACCOMPANYING RESPONSE UNDER 37 CFR 1.116.							
1. The above-identified application i 35 U.S.C. 111(a) [a continuing app eligible under (i)], or (ii) an interna	s (i) an original utility, plant, or lication (<i>e.g.</i> , a continuation or ational application that has ente	lesign nonprovisional ap divisional application) is red the national stage in	plication filed under filed under 35 U.S.C. 111(a) and is compliance with 35 U.S.C. 371(c).				
2. The above-identified application of	ontains an outstanding final re	ection.					
 Submitted herewith is a response amendment to at least one indep any aspect. 	under 37 CFR 1.116 to the outs endent claim, and the amendm	anding final rejection. T ent does not broaden the	he response includes an e scope of the independent claim in				
 This certification and request for response to the outstanding final 	consideration under AFCP 2.0 is rejection.	the only AFCP 2.0 certifi	tation and request filed in				
5. Applicant is willing and available t	o participate in any interview n	quested by the examine	r concerning the present response.				
This certification and request is be	ing filed electronically using th	Office's electronic filing	; system (EFS-Web).				
 Any fees that would be necessary 1.116, e.g., extension of time fees consideration under AFCP 2.0.] 	Any fees that would be necessary consistent with current practice concerning responses after final rejection under 37 CFR 1.116, e.g., extension of time fees, are being concurrently filed herewith. [There is no additional fee required to request consideration under AFCP 2.0.]						
8. By filing this certification and requ	iest, applicant acknowledges th	e following:					
 Reissue applications and reexamination proceedings are not eligible to participate in AFCP 2.0. The examiner will verify that the AFCP 2.0 submission is compliant, <i>i.e.</i>, that the requirements of the program have been met (see items 1 to 7 above). For compliant submissions: The examiner will review the response under 37 CFR 1.116 to determine if additional search and/or consideration (i) is necessitated by the amendment and (ii) could be completed within the time allotted under AFCP 2.0. If additional search and/or consideration is required but cannot be completed within the allotted time, the examiner will process the submission consistent with current practice concerning responses after final rejection under 37 CFR 1.116, <i>e.g.</i>, by mailing an advisory action. If the examiner determines that the amendment does not necessitate additional search and/or consideration, or if the examiner determines that additional search and/or consideration is required and could be completed within the allotted time, then the examiner will consider whether the amendment places the application in condition for allowance (after completing the additional search and/or consideration, if required). If the examiner will contact the applicant and request an interview. The interview will be conducted by the examiner, and if the examiner does not have negotiation authority, a primary examiner and/or supervisory patent examiner will also participate. If the applicant declines the interview, or if the interview cannot be scheduled within ten (10) calendar days from the date that the examiner first contacts the applicant, then the examiner will proceed examiner will proceed for the interview in the examiner will proceed to the participate applicant with the examiner will proceed examiner will proceed to the the time proceed for first contacts the applicant, then the examiner will for examiner will proceed in the time proced							
Signature	Date						
/ joe zheng /	1/2)/2020					
^{Name} ^(Print/Typed) Joe Zheng	Vame (Print/Typed) Joe Zheng Practitioner Registration No. 39,450						
Note: This form must be signed in accordance forms if more than one signature is required, se	with 37 CFR 1.33. See 37 CFR 1.4(e below*.) for signature requirement	nts and certifications. Submit multiple				
Total of forms are submitted.							

Privacy Act Statement

The **Privacy Act of 1974 (P.L. 93-579)** requires that you be given certain information in connection with your submission of the attached form related to a patent application or patent. Accordingly, pursuant to the requirements of the Act, please be advised that: (1) the general authority for the collection of this information is 35 U.S.C. 2(b)(2); (2) furnishing of the information solicited is voluntary; and (3) the principal purpose for which the information is used by the U.S. Patent and Trademark Office is to process and/or examine your submission related to a patent application or patent. If you do not furnish the requested information, the U.S. Patent and Trademark Office may not be able to process and/or examine your submission, which may result in termination of proceedings or abandonment of the application or expiration of the patent.

The information provided by you in this form will be subject to the following routine uses:

- The information on this form will be treated confidentially to the extent allowed under the Freedom of Information Act (5 U.S.C. 552) and the Privacy Act (5 U.S.C 552a). Records from this system of records may be disclosed to the Department of Justice to determine whether disclosure of these records is required by the Freedom of Information Act.
- A record from this system of records may be disclosed, as a routine use, in the course of presenting evidence to a court, magistrate, or administrative tribunal, including disclosures to opposing counsel in the course of settlement negotiations.
- 3. A record in this system of records may be disclosed, as a routine use, to a Member of Congress submitting a request involving an individual, to whom the record pertains, when the individual has requested assistance from the Member with respect to the subject matter of the record.
- 4. A record in this system of records may be disclosed, as a routine use, to a contractor of the Agency having need for the information in order to perform a contract. Recipients of information shall be required to comply with the requirements of the Privacy Act of 1974, as amended, pursuant to 5 U.S.C. 552a(m).
- 5. A record related to an International Application filed under the Patent Cooperation Treaty in this system of records may be disclosed, as a routine use, to the International Bureau of the World Intellectual Property Organization, pursuant to the Patent Cooperation Treaty.
- A record in this system of records may be disclosed, as a routine use, to another federal agency for purposes of National Security review (35 U.S.C. 181) and for review pursuant to the Atomic Energy Act (42 U.S.C. 218(c)).
- 7. A record from this system of records may be disclosed, as a routine use, to the Administrator, General Services, or his/her designee, during an inspection of records conducted by GSA as part of that agency's responsibility to recommend improvements in records management practices and programs, under authority of 44 U.S.C. 2904 and 2906. Such disclosure shall be made in accordance with the GSA regulations governing inspection of records for this purpose, and any other relevant (*i.e.*, GSA or Commerce) directive. Such disclosure shall not be used to make determinations about individuals.
- 8. A record from this system of records may be disclosed, as a routine use, to the public after either publication of the application pursuant to 35 U.S.C. 122(b) or issuance of a patent pursuant to 35 U.S.C. 151. Further, a record may be disclosed, subject to the limitations of 37 CFR 1.14, as a routine use, to the public if the record was filed in an application which became abandoned or in which the proceedings were terminated and which application is referenced by either a published application, an application open to public inspection or an issued patent.
- A record from this system of records may be disclosed, as a routine use, to a Federal, State, or local law enforcement agency, if the USPTO becomes aware of a violation or potential violation of law or regulation.

Electronic Acknowledgement Receipt					
EFS ID:	38360117				
Application Number:	13782948				
International Application Number:					
Confirmation Number:	5348				
Title of Invention:	Method and apparatus for emulating multiple cards in mobile devices				
First Named Inventor/Applicant Name:	Xiangzhen Xie				
Customer Number:	26797				
Filer:	Joe Zheng				
Filer Authorized By:					
Attorney Docket Number:	RFID-084				
Receipt Date:	22-JAN-2020				
Filing Date:	01-MAR-2013				
Time Stamp:	02:16:45				
Application Type:	Utility under 35 USC 111(a)				

Payment information:

Submitted with Payment no							
File Listing:							
Document Number	Document Description		File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)	
	Response After Final Action			170068		15	
1		Res	ponse To Final OAAfter 2 nd A ppeal.pdf	182faeceec4a52927e4cb9efc4d0403a8bd0 6211	no		
Warnings:		•					
Information							
--	--	---	---	--	--		
2	After Final Consideration Program Request	After Final Consideration Program Request AfterFinalConsideration.pdf		no	2		
Warnings:							
Information							
		Total Files Size (in bytes)	: 3	31116			
This Acknow characterize Post Card, as <u>New Applica</u> If a new appl 1.53(b)-(d) a Acknowledg <u>National Sta</u> If a timely su U.S.C. 371 ar national stag <u>New Interna</u> If a new inter an internatic and of the In national secu- the applicati	ledgement Receipt evidences receip d by the applicant, and including page described in MPEP 503. <u>tions Under 35 U.S.C. 111</u> ication is being filed and the applica nd MPEP 506), a Filing Receipt (37 CF ement Receipt will establish the filin ge of an International Application ur bmission to enter the national stage ad other applicable requirements a F ge submission under 35 U.S.C. 371 wi tional Application Filed with the USP mational application is being filed an onal filing date (see PCT Article 11 an ternational Filing Date (Form PCT/RC urity, and the date shown on this Ack on.	t on the noted date by the U ge counts, where applicable. The first state of the application. The first state of the application of the first state of the addition to the TO as a Receiving Office and the international application. The first state of the addition of the application. The first state of the addition of the application. The first state of the addition of the addition of the addition. The addition of the addition of the addition of the addition. The addition of the addition of the addition of the addition. The addition of the addition of the addition of the addition. The addition of the addition of the addition of the addition. The addition of the addition o	SPTO of the indicated It serves as evidence components for a filin course and the date s ion is compliant with ing acceptance of the e Filing Receipt, in du ion includes the nece of the International ourse, subject to pres establish the internat	l document of receipt s og date (see hown on th the condition application e course. ssary comp Application scriptions co tional filing	s, imilar to a 37 CFR is ons of 35 as a onents for Number oncerning date of		

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s):	Xiangzhen Xie et al
Title:	Method and apparatus for emulating multiple cards in mobile
	devices
Serial No.:	13/782,948
Filing Date:	03/01/2013
Confirmation	5348
Examiner:	Isidora I. Immanuel
Group Art Unit:	3685
Docket No.:	RFID-084

January 22, 2020

Mail Stop: After Final Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Response to Final OA after 2nd Appeal Under After Final Consideration Pilot Program 2.0

Dear Sir:

In response to the Final Office Action dated 12/26/2019, the Applicant encloses herewith Certification and Request for Consideration under After Final Consideration Pilot Program 2.0 and respectfully requests the Examiner to enter the following amendments before reconsidering the above-referenced application:

AMENDMENTS TO THE CLAIMS are reflected in the listing of claims which begins on page 2 of this Response.

REMARKS/ARGUMENTS begin on page 9 of this Response.

1

AMENDMENTS TO THE CLAIMS

Please amend Claims 1 and 12 as follows:

- 1. (*Currently amended*) A mobile device for emulating a plurality of cards, the mobile device comprising:
 - a display screen showing a list of the cards for a user of the mobile device to choose one therefrom, a display of the list of the cards provided via a designated server;
 - a storage device for storing a plurality of applications, each of the applications corresponding to one of the cards, wherein each of the applications is provisioned remotely with the designated server that subsequently installs corresponding data and keys for the one of the cards in the mobile device, the data can only be modified by the designated server over a secured channel; an emulator, coupled to the storage, for receiving a first application

corresponding to a first card, the first application being one of the applications;

- a communication interface to facilitate data exchange wirelessly between a reader and the first application being executed in the emulator, wherein the reader is external to the mobile device and reads the corresponding data and keys of the first card from the mobile device, and the first application in the emulator is replaceable in entirety or in part by a second application corresponding to a second card when another one of the cards is selected by the user, wherein the first application is out of the emulator when replaced by the second application; and
- a processor, in communication with the emulator and the storage device, performing an operation of causing the second application loaded into the emulator to replace the first application when the second card is selected via the display screen when the second application is unlocked by the designated server, wherein said causing the second application loaded into the emulator to replace the first application fails when the second card is selected via the

display screen but the second application is locked by the designated server, and wherein

- functions of the mobile device related to the first card offered by the first application are changed to functions offered by the second application related to the second card when the second application is activated and executed in the emulator.
- 2. (*Previously amended*) The mobile device as recited in claim 1, further comprising a secure element that has been personalized by operations of:

initiating data communication by the mobile device with the designated server providing trusted service management (TSM);

sending device information of the secure element in responding to a request from the designated server when the designated server determines that the secure element is registered therewith, wherein the device information is a sequence of characters uniquely identifying the secure element, and the request is a command causing the mobile device to retrieve the device information from the secure element therein; and

- receiving in the secure element at least a set of keys from the designated server, wherein the keys are generated in accordance with the device information of the secure element, wherein the set of keys in the secure element facilitates a subsequent transaction between the mobile device and a service provider.
- 3. (*Original*) The mobile device as recited in claim 2, wherein the emulator is implemented in the secure element, the secure element is enclosed in the mobile device or in a detachable card to the mobile device.
- 4. (*Previously amended*) The mobile device as recited in claim 3, wherein each of the applications emulating functions of one of the cards provided respectively to perform a function related to a monetary transaction, the mobile device is used to

emulate each of the cards when a corresponding application is loaded into and executed in the emulator.

- 5. (*Previously amended*) The mobile device as recited in claim 4, wherein at least one of the cards is a contactless card.
- 6. (Previously amended) The mobile device as recited in claim 3, wherein the secure element further includes a module configured to provide Trusted Mifare Service Management (TMSM) and to store a plurality of service objects along with a plurality of key indexes, each of the service objects corresponding to one of the applications.
- 7. (*Previously amended*) The mobile device as recited in claim 6, wherein the mobile device further includes:
 - a card manager proxy for facilitating communication between the designated server and the module in the secure element,
 - a user interface (UI) application provided to query one or more of the applications on information stored therein but not to modify the information; and
 - a transaction UI application for conducting operations that modify one or more sectors in one or more of the applications.
- 8. (*Previously amended*) The mobile device as recited in claim 6, wherein the module is configured to:
 - provide a set of Application Programming Interfaces so that one of the applications, when instructed by an user, is caused to swap an application in and out the emulator;
 - provide a set of Application Programming Interfaces to one of the applications to read certain data therefrom;

- enable the designated server to remotely provision each of the applications by installing application keys and application data to the module and later on swapping another one of the applications to the emulator;
- enable the designated server to manage each of the applications by locking or unlocking one of the applications;
- provide a trusted environment such that an application provider modifies a designated application and meta data thereof owned by the application provider; and
- provide a mechanism to make baseband storage as an extension for storing some or all of the applications swapped out from the emulator to the TMSM module.
- (*Previously amended*) The mobile device as recited in claim 2, wherein the secure element is preloaded with default Issuer Security Domain (ISD) information updated entirely or partially subject to retrieved corresponding default ISD information from a party originating the secure element.
- 10. (*Previously amended*) The mobile device as recited in claim 2, wherein the mobile device is a smartphone or a portable computer.
- 11. (*Previously amended*) The mobile device as recited in claim 1, wherein each of the applications has been remotely provisioned by the designated server with operations of:

sending a request from the mobile device to the designated server to provision an application installed in the mobile device, wherein the application being provisioned is distributed by an application provider;

establishing a secured channel between the mobile device and the designated server using a set of keys received from the designated server;

receiving data for the application being provisioned from the designated server, wherein the data includes supplemental security domains (SSD) to be associated with the application; and notifying the application provider of a status of the application with the mobile device.

- 12. (*Currently amended*) A method for a mobile device to emulate a plurality of cards, the method comprising:
 - installing in a storage device of the mobile device a plurality of applications downloaded from a designated server, each of the applications being managed by the designated server pertaining to one of the cards, wherein each of the applications is provisioned remotely with the designated server that subsequently installs corresponding data and keys for the one of the cards in the mobile device, the data can only be modified by the designated server over a secured channel, the mobile device communicates wirelessly with an external reader provided to read one of the cards from the mobile device;
 - showing a list of the cards on a display of the mobile device for a user to choose one therefrom, wherein the display is provided by a module downloaded from the designated server and executed in the mobile device;
 - receiving in an emulator <u>worf</u> the mobile device a first application corresponding to a first card;
 - facilitating data exchange between the external reader and the first application being executed in the emulator, wherein the first application in the emulator is replaceable in entirety or in part by a second application corresponding to a second card when another one of the cards is selected by the user, wherein the first application is out of the emulator when replaced by the second application in the emulator;
 - causing the second application to replace the first application loaded and executed in the emulator, wherein said causing the second application to replace the first application loaded and executed in the emulator fails when the second card is selected via the display but the second application is locked by the designated server, and wherein functions of the mobile device related to the first card offered by the first application are changed to functions offered by the

second application related to the second card when the second application is activated and executed in the emulator.

- 13. (Previously amended) The method as recited in claim 12, wherein the mobile device is associated with a secure element, and the method further comprises: initiating data communication by the mobile device with the designated server providing trusted service management (TSM);
 - sending device information of the secure element in responding to a request from the designated server after the server determines that the secure element is registered therewith, wherein the device information is a sequence of characters uniquely identifying the secure element, and the request is a command causing the mobile device to retrieve the device information from the secure element therein; and
 - receiving in the secure element at least a set of keys from the designated server, wherein the keys are generated in accordance with the device information of the secure element, the set of keys in the secure element facilitates a subsequent transaction between the mobile device and a service provider.
- 14. (*Original*) The method as recited in claim 13, wherein the emulator is implemented in the secure element, the secure element is enclosed in the mobile device or in a detachable card to the mobile device.
- 15. (*Previously amended*) The method as recited in claim 14, wherein the secure element further includes a module configured to provide Trusted Mifare Service Management (TMSM) and to store a plurality of service objects along with a plurality of key indexes, each of the service objects corresponding to one of the applications.
- 16. (*Previously amended*) The mobile device as recited in claim 15, further comprising

- facilitating communication between the designated server and the module configured to provide (TMSM) in the secure element;querying via a user interface (UI) one or more of the applications; and conducting operations that modify one or more sectors in one or more of the applications.
- 17. (*Previously amended*) The method as recited in claim 13, wherein the secure element is preloaded with default Issuer Security Domain (ISD) information updatable entirely or partially subject to retrieved corresponding default ISD information from a party originating the secure element.
- 18. (*Previously amended*) The method as recited in claim 12, wherein the mobile device is a smartphone or a portable computer.
- 19. (*Previously amended*) The method as recited in claim 12, wherein each of the applications has been remotely provisioned by the designated server with operations of:

receiving a request to provision an application installed in the mobile device, wherein the application to be provisioned with the secure element is distributed by an application provider;

establishing a secured channel with the secure element using a set of keys; preparing data for the application being provisioned, wherein the data includes supplemental security domains (SSD) to be associated with the application; and

notifying the application provider of a status of the application with the mobile device.

REMARKS

Claims 1 - 19 were examined again. In the Office Action dated 04/18/2019, Claims 1-19 are rejected under 35 U.S.C. 112(b) or 35 U.S.C. 112 (pre-AIA), second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which the inventor or a joint inventor, or for pre-AIA the applicant regards as the invention, Claims 1, 4, 6-9, 11, 12, 15-17 and 19 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Davis et al. (7,908,216) ("Davis") in view of Vitikainen et al. (2006/0052080) ("Vitikainen") in view of Vayssiere (2006/0065741) ("Vayssiere") and further in view of Wentker et al. (6,481,632) ("Wentker"), Claims 2 and 13 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Davis in view of Vitikainen in view of Vayssiere in view of Wentker and further in view of De Groot (2006/0141987) ("Groot"), and Claims 3, 5, 10, 14 and 18 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Davis in view of Vitikainen in view of Wentker and further in view of Huomo et al. (8,005,426) ("Huomo").

In the foregoing amendments, Claims 1 and 12 have been amended to further distinguish from the cited references. No new matters are introduced. Claims 1-19 are still pending.

Interview Summary

The Applicant appreciates the Examiner for granting a conference call among the Examiner herself, her Supervisor Neha Patel, co-inventor Liang Seng Koh and the undersigned. The call took place on January 16, 2020. The Applicant had the opportunity to argue that the combination of Davis, Vitikainen, Vayssiere and Wentker is improper and listen to the interpretation by the Examiner on Claim 1 in view of the cited references. Possible amendments to Claim 1 were discussed. No agreement was reached. The Examiner would reconsider proposed amendments when a formal response is filed.

Claim Objections

On page 2, Section 6, of the Office Action, the Examiner objects to Claim 12. In the foregoing amendments, Claim 12 has been amended. It is believed that the claim objections shall be withdrawn.

Claim Rejections - 35 USC § 112

On page 7, Section 21, of the Office Action, Claim 11 is rejected under 35 U.S.C. 112(a) or 35 U.S.C. 112 (pre-AIA), first paragraph, as failing to comply with the written description requirement. The Examiner alleges the disclosure does not provide support for the mobile device receiving keys from the designated server and using those keys to establish a secure channel.

The Applicant respectfully disagrees and wished to refer the Examiner to the quoted section in the OA. "*an application can either be downloaded/ installed/personalized using the ISO keyset of the SE or a specific SSO keyset of the service provider*" and also shown as 234 in FIG. 2B clearly describes that a secured channel is established per the keys from the service provider to download the applications. The claim rejection of Claim 11 under 35 U.S.C. 112 shall be withdrawn.

Claim Rejections - 35 USC § 112

On Page 8, Section 24, of this Office Action, Claims 1-11 are rejected under 35 U.S.C. 112(b) or 35 U.S.C. 112 (pre-AIA), second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which the inventor or a joint inventor, or for pre-AIA the applicant regards as the invention.

The Applicant respectfully disagrees and traverses the rejection as follows.

Before the Examiner can assert that "storage device", "emulator", or "communication interface" and etc. is a single means, the Examiner must determine whether the claim limitation invokes the sixth paragraph of 35 U.S.C. § 112. MPEP § 2181(I) states that a claim feature will be presumed to invoke the sixth paragraph of 35 U.S.C. § 112 if the feature meets the following 3-prong analysis:

- (A) the claim limitations must use the phrase "means for" or "step for";
- (B) the "means for" or "step for" must be modified by functional language; and

(C) the phrase "means for" or "step for" must not be modified by sufficient structure, material, or acts for achieving the specified function.

In this case, Claim 1 does not include the recitation "means for" or "step for" and, therefore, cannot be considered to invoke the sixth paragraph of 35 U.S.C. § 112. In addition, the claim features are not written as a function to be performed, but instead recited as sufficient structure to preclude application of the sixth paragraph of 35 U.S.C. § 112. Because these terms cannot be interpreted to invoke the sixth paragraph of 35 U.S.C. § 112, the Applicant respectfully submits that Claim 1 does not recite a single means, as alleged by the Examiner. Rejections of Claims 1-11 under 35 U.S.C. 112(b) or 35 U.S.C. 112 (pre-AIA), second paragraph, shall be withdrawn.

Claim Rejections - 35 USC § 103

On Page 11, Section 30, of this Office Action, Claims 1, 4, 6-9, 11, 12, 15-17 and 19 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Davis in view of Vitikainen in view of Vayssiere and further in view of Wentker. The Applicant respectfully traverses the rejections of Claims 1, 4, 6-9, 11, 12, 15-17 and 19 under pre-AIA 35 U.S.C. 103(a).

One of the purposes in the instant application is to emulate multiple cards using an emulator in a mobile device to interact with an external reader. It should be noted that this external reader operated by a merchant reads **from** the mobile device one of the cards represented by an application being executed in an emulator of the mobile device. As shown in FIG. 1A and described in paragraphs [0060], a mobile device can be stored with a plurality of applications controlled and managed by a designated (TSM) server, each of the applications pertaining to one of cards (e.g., Bank of America Visa, Chase Visa, and American Express). When a card is needed for payment, a user can select one of the cards available in the mobile device. A corresponding application is then loaded into the emulator that turns the mobile device as the corresponding selected card. Such a card is to be read off by the external reader. The loaded application in the emulator is replaced in part or entirety with another application when another card is selected. In other words, the loaded

11

application is now out of the emulator. The emulator is now loaded with the another application. One of the important features is that the data for a selected card is accessed and controlled by a designated server (e.g., to lock or unlock an application or card, if there is a need).

In contrast, Davis teaches a payment system having a mobile device 204 **AND** a card reader 210 which accepts a smart card having a stored-value application. The Applicant wished to call the Examiner's attention to the structure and conceptual differences between the external reader recited in Claim 1 and the card reader 210 in Davis. As shown in FIG. 2, Davis explicitly shows that the card reader 210 is provided to read payment information from a smartcard 5 and **send the info to the mobile device 204** while the external reader recited in Claim 1 is a merchant's device (e.g., Reader 296 in FIG. 2F) **reading data (card) from the mobile device**.

In a perspective, there is no such reader 210 in Claim 1 as the mobile device is recited to function as a card to be read by others (i.e., an external reader). Davis teaches away from "the reader is external to the mobile device and reads the corresponding data and keys of the first card from the mobile device". Even if the mobile device 204 and the card reader 210 were viewed as a single unit, the card reader 210 "is any suitable interface device that functions to transfer information and commands between client terminal 204 and card 5" in Davis, which technically teaches away from "storing a plurality of applications, each of the applications corresponding to one of the cards" recited in Claim 1. Next, Davis does teach an emulator but the emulator is explicitly located in an OPAL server 260 as shown in FIG. 3, which again teaches away from Claim 1 reciting "the mobile device comprising: ... an emulator". In fact, there is no need for an emulator in the mobile device 204 in Davis as Davis uses it as a terminal to transfer card information from a reader to a payment server. Accordingly, Claim 1 shall be allowable over Davis.

On Pages 14-15 of this Office Action, the Examiner admits Davis does not teach a number of elements recited in Claim 1, including "*an emulator, coupled to the storage, for receiving a first application corresponding to a first card, the first*

12

application being one of the applications; into the emulator" but cites Vitikainen to show the teaching in combination. The Applicant respectfully contests the combination of Davis and Vitikainen as it is believed that there is no motivation to combine these two references in the manner proposed by the Examiner. Vitikainen does teach an emulator but it is used to emulate the voice user interface features of the device.

The Examiner admits that Davis does not teach an emulator in the mobile device but tries to modify Davis with Vitikainen's emulator. The Applicant respectfully challenges the Examiner to demonstrate how Davis' architecture could be modified to include the emulator from Vitikainen without causing Davis to malfunction. It is believed that Vitikainen is only cited because it uses an "emulator". The Applicant submits there are no technical bases to combine Davis with Vitikainen, and the combination of Davis and Vitikainen is improper.

On Page 15 of the Office Action, Vayssiere is cited to show the teaching of performing an operation of causing the second applications loaded to replace the first applications. The Applicant respectfully contests the combination of Davis, Vitikainen and Vayssiere as it is believed that there is no motivation to combine these three references in the manner proposed by the Examiner. Vayssiere explicitly describes an OS to run multiple applications. It is believed that the Examiner mischaracterizes the emulator recited in Claim 1 with an OS. None of the applications in an OS would be moved out from the OS while an application can be moved out from an emulator. An emulator is a special piece of hardware or software provided in the mobile device to enable the mobile device (called the *host*) to behave like another computing device (called the *guest*), see Wikipedia (<u>https://en.wikipedia.org/wiki/Emulator</u>). Conceptually, a mobile device works fine without an emulator but delivers something unique when equipped with such an emulator as described in the instant application.

The rejections of Claim 1 under Davis, Vitikainen and Vayssiere on obviousness grounds are believed made by mere conclusory statements without articulated reasoning to support the legal conclusion of obviousness. *KSR v.*

Teleflex, No. 04-1350 (US Apr. 30, 2007) (citing In re Kahn, 441 F. 3d 977, 988 (Canada Fed. 2006)). As reasoned above, Vayssiere is futher silent about "*the one of the applications in the emulator is replaceable in entirety or in part by another one of the applications*". In fact, Vayssiere has no such need in an OS. Accordingly, the Applicant submits Claim 1 as previously amended shall be allowable over Davis, Vitikainen and Vayssiere, viewed alone or in combination.

On Page 17, the Examiner cites Wentker to show the teaching of an application unlocked by a server. The Appellant again contests the combination of Davis, Vitikainen, Vayssiere and Wentker as it is believed that there is no motivation to combine these four references in the manner proposed by the Examiner. Wentker teaches a smart card architecture by APIs to allow the management of an application in the smart card. The functions of the smart card CANNOT be replaced by another application so that the smart card would function as a different card. To emulate a number of different cards, an emulator is needed. Wentker is completely silent about an emulator. In other words, Wentker neither teaches nor suggests a mobile device to emulate a plurality of cards. Accordingly, the Appellant submits Claim 1 as previously amended shall be allowable over Davis, Vitikainen, Vayssiere and Wentker. Reconsideration of Claims 1-11 is kindly requested.

Claim 12 was amended similarly to Claim 1. Without repeating the same, the Applicant wishes to rely upon the above arguments supporting Claim 1 to support Claim 12 and submits the combination of Davis, Vitikainen, Vayssiere and Wentker is improper. The combination of Davis, Vitikainen, Vayssiere and Wentker fails to suggest "*installing in a storage device of the mobile device a plurality of applications downloaded from a designated server*" (vs. one at a time in Vitikainen) and "*said causing the second application to replace the first application loaded and executed in the emulator fails when the second card is selected via the display but the second application is locked by the designated server*". Accordingly, the Appellant submits Claim 12 as previously amended shall be allowable over Davis, Vitikainen, Vayssiere and Wentker. Reconsideration of Claims 12-19 is kindly requested. The patentability of the independent claims has been argued specifically as set forth above and thus the Applicant will not take this opportunity to argue further the merits of the rejection with regard to each dependent claim. However, Applicant does not concede that the dependent claims are not independently patentable and reserves the right to argue the patentability of the dependent claims at a later date if necessary.

In view of the above amendments and remark, the Applicant believes that Claims 1-19 shall be in condition for allowance over the cited references. Early and favorable action is being respectfully solicited.

If there are any issues remaining which the Examiner believes could be resolved through either a Supplementary Response or an Examiner's Amendment, the Examiner is respectfully requested to contact the undersigned at (408)777-8873.

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to "Commissioner of Patents and Trademarks, Washington, DC 20231", 1/22/2020. e-filed.

Name: Joe Zheng

Signature: / joe zheng /

Respectfully submitted;

/ joe zheng /

Joe Zheng Reg.: No. 39,450

PTO/SB/06 (09-11)

Approved for use through 1/31/2014. OMB 0651-0032 U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number Application or Docket Number Filing Date PATENT APPLICATION FEE DETERMINATION RECORD 13/782.948 03/01/2013 To be Mailed Substitute for Form PTO-875 ENTITY: LARGE SMALL MICRO **APPLICATION AS FILED - PART I** (Column 1) (Column 2) NUMBER EXTRA FOR NUMBER FILED BATE (\$) FEE (\$) BASIC FEE N/A N/A N/A (37 CEB 1.16(a), (b), or (c)) SEARCH FEE N/A N/A N/A (37 CFR 1.16(k), (i), or (m)) EXAMINATION FEE N/A N/A N/A (37 CFR 1.16(o), (p), or (g) TOTAL CLAIMS x \$31 = minus 20 (37 CFR 1.16(i)) INDEPENDENT CLAIMS x \$125 = minus 3 (37 CFR 1.16(h)) If the specification and drawings exceed 100 sheets of paper, the application size fee due is \$310 (\$155 **MAPPLICATION SIZE FEE (37** for small entity) for each additional 50 sheets or CFR 1.16(s)) fraction thereof. See 35 U.S.C. 41(a)(1)(G) and 37 CFR 1.16(s) MULTIPLE DEPENDENT CLAIM PRESENT (37 CFR 1.16(j)) If the difference in column 1 is less than zero, enter "0" in column 2. TOTAL **APPLICATION AS AMENDED - PART II** (Column 1) (Column 2) (Column 3) CLAIMS HIGHEST REMAINING NUMBER 01/22/2020 PRESENT EXTRA RATE (\$) ADDITIONAL FEE (\$) AFTER PREVIOUSLY ENDMENT AMENDMENT PAID FOR Total * 19 ** 20 = 0 $x \pm 50 =$ 0 Minus . FR 1.16(i) Independent (37 CFR 1.16(h)) * 2 *** 3 = 0x \$230 = Minus 0 ¥ Application Size Fee (37 CFR 1.16(s)) FIRST PRESENTATION OF MULTIPLE DEPENDENT CLAIM (37 CFR 1.16(j)) TOTAL ADD'L FEE 0 (Column 1) (Column 2) (Column 3) CLAIMS HIGHEST REMAINING NUMBER PRESENT EXTRA RATE (\$) ADDITIONAL FEE (\$) AFTER PREVIOUSLY AMENDMENT PAID FOR E Total x \$0 = Minus AMENDM . B 1 16/i) Independent (37 CFR 1.16(h)) x \$0 *** Minus = Application Size Fee (37 CFR 1.16(s)) FIRST PRESENTATION OF MULTIPLE DEPENDENT CLAIM (37 CFR 1.16(j)) TOTAL ADD'L FEE LIE * If the entry in column 1 is less than the entry in column 2, write "0" in column 3. /TARA A WASHINGTON/ ** If the "Highest Number Previously Paid For" IN THIS SPACE is less than 20, enter "20" *** If the "Highest Number Previously Paid For" IN THIS SPACE is less than 3, enter "3" The "Highest Number Previously Paid For" (Total or Independent) is the highest number found in the appropriate box in column 1

This collection of information is required by 37 CFR 1.16. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Approved for use through 10/31/2002. OMB 0651-0031 * U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. Application Number 13/782.948 REQUEST FOR Filing Date 03/01/2013 **CONTINUED EXAMINATION (RCE)** First Named Inventor Xiangzhen Xie TRANSMITTAL Group Art Unit 3685 Subsection (b) of 35 U.S.C. § 132, effective on May 29, 2000, Examiner Name Isidora I. Immanuel provides for continued examination of an utility or plant application filed on or after June 8, 1995. RFID-084 Attomev Docket Number See The American Inventors Protection Act of 1999 (AIPA). This is a Request for Continued Examination (RCE) under 37 C.F.R. § 1.114 of the above-identified application. 37 C.F.R. § 1.114 is effective on May 29, 2000. If the above-identified application was filed prior to May 29, 2000, applicant may NOTE: wish to consider filing a continued prosecution application (CPA) under 37 C.F.R. § 1.53 (d) (PTO/SB/29) instead of a RCE to be eligible for the patent term adjustment provisions of the AIPA. See Changes to Application Examination and Provisional Application Practice, Final Rule, 65 Fed. Reg. 50092 (Aug. 16, 2000); interim Rule, 65 Fed. Reg. 14865 (Mar. 20, 2000), 1233 Off. Gaz. Pat. Office 47 (Apr. 11, 2000), which established RCE practice Submission required under 37 C.F.R. § 1.114 1. Previously submitted а. П Consider the amendment(s)/reply under 37 C.F.R. § 1.116 previously filed on Π i. (Any unentered amendment(s) referred to above will be entered). ii. Consider the arguments in the Appeal Brief or Reply Brief previously filed on iii. Other b. X Enclosed i. X Amendment/Reply Affidavit(s)/Declaration(s) ü. iii. Information Disclosure Statement (IDS) iv. Other 2. Miscellaneous a. Suspension of action on the above-identified application is requested under 37 C.F.R. § 1.103(c) for a period of ______ months. (Period of suspension shall not exceed 3 months; Fee under 37 C.F.R. § 1.17(i) required) b. | | Other 3. Fees The RCE fee under 37 C.F.R. § 1.17(e) is required by 37 C.F.R. § 1.114 when the RCE is filed. The Director is hereby authorized to charge the following fees, or credit any overpayments, to a. Deposit Account No. i **X** RCE fee required under 37 C.F.R. § 1.17(e) Small Entity ü. Extension of time fee (37 C.F.R. §§ 1.136 and 1.17) iii. Other b. Check in the amount of \$ enclosed C. X Payment by credit card (Form PTO-2038 enclosed) paid via PAIR SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT REQUIRED Joe Zheng 39.450 (Print /Type) Name Registration No. (Attorney/Agent) Signature / joe zheng / 02/19/2020 Date CERTIFICATE OF MAILING OR TRANSMISSION I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner For Patents, Box RCE, Washington, DC 20231, or facsimile transmitted to the U.S. Patent and Trademark Office on: Joe Zheng Name (Print/Type) 02/19/2020 / joe zheng / Date Sianature

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND Fees and Completed Forms to the following address: Assistant Commissioner for Patents, Box RCE, Washington, DC 20231.

Electronic Patent Application Fee Transmittal					
Application Number:	13782948				
Filing Date:	01-	01-Mar-2013			
Title of Invention:	Method and apparatus for emulating multiple cards in mobile devices				
First Named Inventor/Applicant Name:	Xiangzhen Xie				
Filer:	Joe	e Zheng			
Attorney Docket Number:	RF	D-084			
Filed as Small Entity					
Filing Fees for Utility under 35 USC 111(a)					
Description		Fee Code	Quantity	Amount	Sub-Total in USD(\$)
Basic Filing:					
Pages:					
Claims:					
Miscellaneous-Filing:					
Petition:					
Patent-Appeals-and-Interference:					
Post-Allowance-and-Post-Issuance:					
Extension-of-Time:					

Description	Fee Code	Quantity	Amount	Sub-Total in USD(\$)	
Miscellaneous:					
RCE- 1ST REQUEST	2801	1	650	650	
	Tot	al in USD) (\$)	650	

Electronic Acknowledgement Receipt			
EFS ID:	38635340		
Application Number:	13782948		
International Application Number:			
Confirmation Number:	5348		
Title of Invention:	Method and apparatus for emulating multiple cards in mobile devices		
First Named Inventor/Applicant Name:	Xiangzhen Xie		
Customer Number:	26797		
Filer:	Joe Zheng		
Filer Authorized By:			
Attorney Docket Number:	RFID-084		
Receipt Date:	19-FEB-2020		
Filing Date:	01-MAR-2013		
Time Stamp:	19:24:03		
Application Type:	Utility under 35 USC 111(a)		

Payment information:

Submitted with Payment	yes		
Payment Type	CARD		
Payment was successfully received in RAM	\$650		
RAM confirmation Number	E20202IJ44426087		
Deposit Account	502436		
Authorized User Joe Zheng			
The Director of the USPTO is hereby authorized to charge indicated fees and credit any overpayment as follows:			
37 CFR 1.16 (National application filing, search, and examination fees)			
37 CFR 1.17 (Patent application and reexamination processing fees)			

37 CFR 1.19 (Document supply fees)

37 CFR 1.20 (Post Issuance fees)

37 CFR 1.21 (Miscellaneous fees and charges)

File Listin	g:				
Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
1	Request for Continued Examination (RCE)	RCEReqTrns.pdf	124537 eb6a950ccfbb861ca04695c01c7d42c246dc 25f9	no	1
Warnings:					
This is not a US	PTO supplied RCE SB30 form.				
Information:					
			172022		
2	Amendment Submitted/Entered with Filing of CPA/RCE	Response To Final OAA fter 2 nd A ppeal.pdf	1643c0472a3a4a242903aead13df7b7dd13 da103	no	15
Warnings:					
Information:					
3	Fee Worksheet (SB06)	fee-info.pdf	30439 899cdcbe714453ad849a3de9af1aa98eee5 3025c	no	2
Warnings: Information:					
		Total Files Size (in bytes)	32	26998	
This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503. New Applications Under 35 U.S.C. 111 If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application. National Stage of an International Application under 35 U.S.C. 371 If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course. New International Application Filed with the USPTO as a Receiving Office If a new international application is being filed and the international application includes the necessary components for an international Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.					

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s):	Xiangzhen Xie et al
Title:	Method and apparatus for emulating multiple cards in mobile
	devices
Serial No.:	13/782,948
Filing Date:	03/01/2013
Confirmation	5348
Examiner:	Isidora I. Immanuel
Group Art Unit:	3685
Docket No.:	RFID-084

February 19, 2020

Mail Stop: AF/RCE Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Response to Final OA & Preliminary amendments in a RCE filed concurrently

Dear Sir:

In response to the Final Office Action dated 12/26/2019, the Applicant respectfully requests the Examiner to enter the following amendments before reconsidering the above-referenced application:

AMENDMENTS TO THE CLAIMS are reflected in the listing of claims which begins on page 2 of this Response.

REMARKS/ARGUMENTS begin on page 9 of this Response.

AMENDMENTS TO THE CLAIMS

Please cancel Claim 8 and amend Claims 1-3, 6-7, 11-13 and 15-16 as follows:

- 1. (*Currently amended*) A mobile device for emulating a plurality of cards, the mobile device comprising:
 - a display screen showing a list of the cards for a user of the mobile device to choose one therefrom, <u>wherein</u> a display of the list of the cards <u>is provided via</u> a designated server;
 - a storage device for storing a plurality of applications, each of the applications corresponding to one of the cards, wherein each of the applications is provisioned remotely with the designated server that subsequently installs corresponding data and keys for the one of the cards in the mobile device, the data can only be modified by the designated server over a secured channel; an emulator, coupled to the storage <u>device and implemented in a secure</u>

<u>element</u>, for receiving a first application corresponding to a first card, the first application being one of the <u>plurality of applications</u>;

- a communication interface to facilitate data exchange wirelessly between a reader and the first application <u>being received and</u> executed in the emulator, wherein the reader is external to the mobile device, and the first application in the emulator is replaceable in entirety <u>or in part</u> by a second application corresponding to a second card when another one of the cards is selected by the user, wherein the first application is out of the emulator and replaced by the second application; and
- a processor, in communication with the emulator and the storage device, performing an operation of causing the second application loaded into the emulator to replace the first application when the second card is selected via the display screen when the second application is has been unlocked by the designated server, wherein said causing the second application loaded into the emulator to replace the first application fails when the second card is selected

via the display screen but the second application <u>whas been</u> locked by the designated server, and wherein

- functions of the mobile device related to the first card offered by the first application are changed to functions offered by the second application related to the second card when the first application is out of the emulator and the second application is activated and executed in the emulator.
- (*Currently amended*) The mobile device as recited in claim 1, further comprising
 <u>the</u> secure element that has been personalized by operations of:

initiating data communication by the mobile device with the designated server providing trusted service management (TSM);

sending device information of the secure element in responding to a request from the designated server when the designated server determines that the secure element is registered therewith, wherein the device information is a sequence of characters uniquely identifying the secure element, and the request is a command causing the mobile device to retrieve the device information from the secure element therein; and

- receiving in the secure element at least a set of keys from the designated server, wherein the <u>set of keys</u> are generated in accordance with the device information of the secure element, wherein the set of keys in the secure element facilitates a subsequent transaction between the mobile device and a service provider.
- (*Currently*) The mobile device as recited in claim 2, wherein the emulator is implemented in the secure element, the secure element is enclosed in the mobile device or in a detachable card to the mobile device.
- 4. (*Previously amended*) The mobile device as recited in claim 3, wherein each of the applications emulating functions of one of the cards provided respectively to perform a function related to a monetary transaction, the mobile device is used to

emulate each of the cards when a corresponding application is loaded into and executed in the emulator.

- 5. (*Previously amended*) The mobile device as recited in claim 4, wherein at least one of the cards is a contactless card.
- 6. (Currently amended) The mobile device as recited in claim 3, wherein the secure element further includes a module-configured to provide Trusted Mifare Service Management (TMSM) and to store a plurality of service objects along with a plurality of key indexes, each of the service objects corresponding to one of the applications.
- 7. (*Currently amended*) The mobile device as recited in claim 6, wherein the mobile device further includes provides:
 - a card-manager-proxy for facilitating communication between the designated server and the module in the secure element.
 - a user interface (UI) application provided to query one or more of the applications on information stored therein but not to modify the information; and
 - a transaction UI application for conducting operations <u>and to</u> modify one or more sectors in one or more of the applications.
- 8. (Cancelled)
- (*Previously amended*) The mobile device as recited in claim 2, wherein the secure element is preloaded with default Issuer Security Domain (ISD) information updated entirely or partially subject to retrieved corresponding default ISD information from a party originating the secure element.
- 10. (*Previously amended*) The mobile device as recited in claim 2, wherein the mobile device is a smartphone or a portable computer.

- 11. (*Currently amended*) The mobile device as recited in claim 1, wherein each of the applications has been remotely provisioned by the designated server with operations of:
 - sending a request from the mobile device to the designated server to provision an application installed in the mobile device, wherein the application being provisioned is distributed by an application provider;
 - establishing a secured channel between the mobile device and the designated server using a set of keys received from the designated server;
 - receiving data for the application being provisioned from the designated server, wherein the data <u>for the application</u> includes supplemental security domains (SSD) to be associated with the application; and
 - notifying the application provider of a status of the application with the mobile device.
- 12. (*Currently amended*) A method for a mobile device to emulate a plurality of cards, the method comprising:
 - installing in a storage device of the mobile device a plurality of applications downloaded from a designated server, each of the applications being managed by the designated server pertaining to one of the cards, wherein each of the applications is provisioned remotely with the designated server that subsequently installs corresponding data and keys for the one of the cards in the mobile device, the data can only be modified by the designated server over a secured channel, the mobile device communicates wirelessly with an external reader provided to read one of the cards <u>on the mobile device</u>;
 - showing a list of the cards on a display of the mobile device for a user to choose one therefrom, wherein the display is provided by a module downloaded from the designated server and executed in the mobile device;
 - receiving in an emulator in <u>of</u> the mobile device a first application corresponding to a first card;

- facilitating data exchange between the external reader and the first application being executed in the emulator, wherein the first application in the emulator is replaceable in entirety enimport by a second application corresponding to a second card when another one of the cards is selected by the user, wherein the first application is out of the emulator when the second card is selected by the and the first and replaced by the second application in the emulator;
- causing the second application to replace the first application loaded and executed in the emulator, wherein said causing the second application to replace the first application loaded and executed in the emulator fails when the second card is selected via the display but the second application is <u>has been</u> locked by the designated server, and wherein functions of the mobile device related to the first card offered by the first application are changed to functions offered by the second application related to the second application second card when the second application is activated and executed in the emulator.
- 13. (Currently amended) The method as recited in claim 12, wherein the mobile device is associated with a secure element, and the method further comprises: initiating data communication by the mobile device with the designated server; providing trusted service management (TSM);
 - sending device information of the secure element in responding to a request from the designated server after the <u>designated</u> server determines that the secure element is registered therewith, wherein the device information is a sequence of characters uniquely identifying the secure element, and the request is a command causing the mobile device to retrieve the device information from the secure element therein; and
 - receiving in the secure element at least a set of keys from the designated server, wherein the keys are generated in accordance with the device information of the secure element, the set of keys in the secure element facilitates a subsequent transaction between the mobile device and a service provider.

- 14. (*Original*) The method as recited in claim 13, wherein the emulator is implemented in the secure element, the secure element is enclosed in the mobile device or in a detachable card to the mobile device.
- 15. (*Currently amended*) The method as recited in claim 14, wherein the secure element further includes a module configured to provide Trusted Mifare Service Management (TMSM) and to store a plurality of service objects along with a plurality of key indexes, each of the service objects corresponding to one of the applications.
- 16. (*Currently amended*) The mobile device as recited in claim 15, further comprisingproviding:

facilitating communication between the designated server and the module configured to provide (TMSM) in the secure element:

querying via a user interface (UI) one or more of the applications; and conducting operations that modify one or more sectors in one or more of the applications.

- 17. (*Previously amended*) The method as recited in claim 13, wherein the secure element is preloaded with default Issuer Security Domain (ISD) information updatable entirely or partially subject to retrieved corresponding default ISD information from a party originating the secure element.
- 18. (*Previously amended*) The method as recited in claim 12, wherein the mobile device is a smartphone or a portable computer.
- 19. (*Previously amended*) The method as recited in claim 12, wherein each of the applications has been remotely provisioned by the designated server with operations of:

- receiving a request to provision an application installed in the mobile device, wherein the application to be provisioned with the secure element is distributed by an application provider;
- establishing a secured channel with the secure element using a set of keys;
- preparing data for the application being provisioned, wherein the data includes supplemental security domains (SSD) to be associated with the application; and
- notifying the application provider of a status of the application with the mobile device.

REMARKS

Claims 1 - 19 were examined again. In the Office Action dated 04/18/2019, Claims 1-19 are rejected under 35 U.S.C. 112(b) or 35 U.S.C. 112 (pre-AIA), second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which the inventor or a joint inventor, or for pre-AIA the applicant regards as the invention, Claims 1, 4, 6-9, 11, 12, 15-17 and 19 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Davis et al. (7,908,216) ("Davis") in view of Vitikainen et al. (2006/0052080) ("Vitikainen") in view of Vayssiere (2006/0065741) ("Vayssiere") and further in view of Wentker et al. (6,481,632) ("Wentker"), Claims 2 and 13 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Davis in view of Vitikainen in view of Vayssiere in view of Wentker and further in view of De Groot (2006/0141987) ("Groot"), and Claims 3, 5, 10, 14 and 18 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Davis in view of Vitikainen in view of Wentker and further in view of Huomo et al. (8,005,426) ("Huomo").

In the foregoing amendments, Claim 8 has been cancelled and Claims 1-3, 6-7, 11-13 and 15-16 have been amended to further distinguish from the cited references. No new matters are introduced. Claims 1-19 are still pending.

Interview Summary

The Applicant appreciates the Examiner for granting a conference call among the Examiner herself, her Supervisor Neha Patel, co-inventor Liang Seng Koh and the undersigned. The call took place on January 16, 2020. The Applicant had the opportunity to argue that the combination of Davis, Vitikainen, Vayssiere and Wentker is improper and listen to the interpretation by the Examiner on Claim 1 in view of the cited references. Possible amendments to Claim 1 were discussed. No agreement was reached. The Examiner would reconsider proposed amendments when a formal response is filed.

Claim Objections

On page 2, Section 6, of the Office Action, the Examiner objects to Claim 12. In the foregoing amendments, Claim 12 has been amended. It is believed that the claim objections shall be withdrawn.

Claim Rejections - 35 USC § 112

On page 7, Section 21, of the Office Action, Claim 11 is rejected under 35 U.S.C. 112(a) or 35 U.S.C. 112 (pre-AIA), first paragraph, as failing to comply with the written description requirement. The Examiner alleges the disclosure does not provide support for the mobile device receiving keys from the designated server and using those keys to establish a secure channel.

The Applicant respectfully disagrees and wished to refer the Examiner to the quoted section in the OA. "*an application can either be downloaded/ installed/personalized using the ISO keyset of the SE or a specific SSO keyset of the service provider*" and also shown as 234 in FIG. 2B clearly describes that a secured channel is established per the keys from the service provider to download the applications. The claim rejection of Claim 11 under 35 U.S.C. 112 shall be withdrawn.

Claim Rejections - 35 USC § 112

On Page 8, Section 24, of this Office Action, Claims 1-11 are rejected under 35 U.S.C. 112(b) or 35 U.S.C. 112 (pre-AIA), second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which the inventor or a joint inventor, or for pre-AIA the applicant regards as the invention.

The Applicant respectfully disagrees and traverses the rejection as follows.

Before the Examiner can assert that "storage device", "emulator", or "communication interface" and etc. is a single means, the Examiner must determine whether the claim limitation invokes the sixth paragraph of 35 U.S.C. § 112. MPEP § 2181(I) states that a claim feature will be presumed to invoke the sixth paragraph of 35 U.S.C. § 112 if the feature meets the following 3-prong analysis:

- (A) the claim limitations must use the phrase "means for" or "step for";
- (B) the "means for" or "step for" must be modified by functional language; and

(C) the phrase "means for" or "step for" must not be modified by sufficient structure, material, or acts for achieving the specified function.

In this case, Claim 1 does not include the recitation "means for" or "step for" and, therefore, cannot be considered to invoke the sixth paragraph of 35 U.S.C. § 112. In addition, the claim features are not written as a function to be performed, but instead recited as sufficient structure to preclude application of the sixth paragraph of 35 U.S.C. § 112. Because these terms cannot be interpreted to invoke the sixth paragraph of 35 U.S.C. § 112, the Applicant respectfully submits that Claim 1 does not recite a single means, as alleged by the Examiner. Rejections of Claims 1-11 under 35 U.S.C. 112(b) or 35 U.S.C. 112 (pre-AIA), second paragraph, shall be withdrawn.

Claim Rejections - 35 USC § 103

On Page 11, Section 30, of this Office Action, Claims 1, 4, 6-9, 11, 12, 15-17 and 19 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Davis in view of Vitikainen in view of Vayssiere and further in view of Wentker. The Applicant respectfully traverses the rejections of Claims 1, 4, 6-9, 11, 12, 15-17 and 19 under pre-AIA 35 U.S.C. 103(a).

One of the purposes in the instant application is to emulate multiple cards using an emulator in a mobile device to interact with an external reader. It should be noted that this external reader operated by a merchant reads **from** the mobile device one of the cards represented by an application being executed in an emulator of the mobile device. As shown in FIG. 1A and described in paragraphs [0060], a mobile device can be stored with a plurality of applications controlled and managed by a designated (TSM) server, each of the applications pertaining to one of cards (e.g., Bank of America Visa, Chase Visa, and American Express). When a card is needed for payment, a user can select one of the cards available in the mobile device. A corresponding application is then loaded into the emulator that turns the mobile device as the corresponding selected card. Such a card is to be read off by the external reader. The loaded application in the emulator is replaced in part or entirety with another application when another card is selected. In other words, the loaded

11

application is now out of the emulator. The emulator is now loaded with the another application. One of the important features is that the data for a selected card is accessed and controlled by a designated server (e.g., to lock or unlock an application or card, if there is a need).

In contrast, Davis teaches a payment system having a mobile device 204 **AND** a card reader 210 which accepts a smart card having a stored-value application. The Applicant wished to call the Examiner's attention to the structure and conceptual differences between the external reader recited in Claim 1 and the card reader 210 in Davis. As shown in FIG. 2, Davis explicitly shows that the card reader 210 is provided to read payment information from a smartcard 5 and **send the info to the mobile device 204** while the external reader recited in Claim 1 is a merchant's device (e.g., Reader 296 in FIG. 2F) **reading data (card) from the mobile device**.

In a perspective, there is no such reader 210 in Claim 1 as the mobile device is recited to function as a card to be read by others (i.e., an external reader). Davis teaches away from "the reader is external to the mobile device and reads the corresponding data and keys of the first card from the mobile device". Even if the mobile device 204 and the card reader 210 were viewed as a single unit, the card reader 210 "is any suitable interface device that functions to transfer information and commands between client terminal 204 and card 5" in Davis, which technically teaches away from "storing a plurality of applications, each of the applications corresponding to one of the cards" recited in Claim 1. Next, Davis does teach an emulator but the emulator is explicitly located in an OPAL server 260 as shown in FIG. 3, which again teaches away from Claim 1 reciting "the mobile device comprising: ... an emulator". In fact, there is no need for an emulator in the mobile device 204 in Davis as Davis uses it as a terminal to transfer card information from a reader to a payment server. Accordingly, Claim 1 shall be allowable over Davis.

On Pages 14-15 of this Office Action, the Examiner admits Davis does not teach a number of elements recited in Claim 1, including "*an emulator, coupled to the storage device and implemented in a secure element, receiving a first application*

12

corresponding to a first card, the first application being one of the applications; into the emulator" but cites Vitikainen to show the teaching in combination. The Applicant respectfully contests the combination of Davis and Vitikainen as it is believed that there is no motivation to combine these two references in the manner proposed by the Examiner. Vitikainen does teach an emulator but it is used to emulate the voice user interface features of the device.

The Examiner admits that Davis does not teach an emulator in the mobile device but tries to modify Davis with Vitikainen's emulator. The Applicant respectfully challenges the Examiner to demonstrate how Davis' architecture could be modified to include the emulator from Vitikainen without causing Davis to malfunction. It is believed that Vitikainen is only cited because it uses an "emulator". The Applicant submits there are no technical bases to combine Davis with Vitikainen, and the combination of Davis and Vitikainen is improper.

On Page 15 of the Office Action, Vayssiere is cited to show the teaching of performing an operation of causing the second applications loaded to replace the first applications. The Applicant respectfully contests the combination of Davis, Vitikainen and Vayssiere as it is believed that there is no motivation to combine these three references in the manner proposed by the Examiner. Vayssiere explicitly describes an OS to run multiple applications. It is believed that the Examiner mischaracterizes the emulator recited in Claim 1 with an OS. None of the applications in an OS would be moved out from the OS while an application can be moved out from an emulator. An emulator is a special piece of hardware or software provided in the mobile device to enable the mobile device (called the *host*) to behave like another computing device (called the *guest*), see Wikipedia (<u>https://en.wikipedia.org/wiki/Emulator</u>). Conceptually, a mobile device works fine without an emulator but delivers something unique when equipped with such an emulator as described in the instant application.

The rejections of Claim 1 under Davis, Vitikainen and Vayssiere on obviousness grounds are believed made by mere conclusory statements without articulated reasoning to support the legal conclusion of obviousness. *KSR v.*

Teleflex, No. 04-1350 (US Apr. 30, 2007) (citing In re Kahn, 441 F. 3d 977, 988 (Canada Fed. 2006)). As reasoned above, Vayssiere is futher silent about "*the one of the applications in the emulator is replaceable in entirety or in part by another one of the applications*". In fact, Vayssiere has no such need in an OS. Accordingly, the Applicant submits Claim 1 as previously amended shall be allowable over Davis, Vitikainen and Vayssiere, viewed alone or in combination.

On Page 17, the Examiner cites Wentker to show the teaching of an application unlocked by a server. The Appellant again contests the combination of Davis, Vitikainen, Vayssiere and Wentker as it is believed that there is no motivation to combine these four references in the manner proposed by the Examiner. Wentker teaches a smart card architecture by APIs to allow the management of an application in the smart card. The functions of the smart card CANNOT be replaced by another application so that the smart card would function as a different card. To emulate a number of different cards, an emulator is needed. Wentker is completely silent about an emulator. In other words, Wentker neither teaches nor suggests a mobile device to emulate a plurality of cards. Accordingly, the Appellant submits Claim 1 as previously amended shall be allowable over Davis, Vitikainen, Vayssiere and Wentker. Reconsideration of Claims 1-7, 9-11 is kindly requested.

Claim 12 was amended similarly to Claim 1. Without repeating the same, the Applicant wishes to rely upon the above arguments supporting Claim 1 to support Claim 12 and submits the combination of Davis, Vitikainen, Vayssiere and Wentker is improper. The combination of Davis, Vitikainen, Vayssiere and Wentker fails to suggest "*installing in a storage device of the mobile device a plurality of applications downloaded from a designated server*" (vs. one at a time in Vitikainen) and "*said causing the second application to replace the first application loaded and executed in the emulator fails when the second card is selected via the display but the second application is locked by the designated server*". Accordingly, the Appellant submits Claim 12 as previously amended shall be allowable over Davis, Vitikainen, Vayssiere and Wentker. Reconsideration of Claims 12-19 is kindly requested.
The patentability of the independent claims has been argued specifically as set forth above and thus the Applicant will not take this opportunity to argue further the merits of the rejection with regard to each dependent claim. However, Applicant does not concede that the dependent claims are not independently patentable and reserves the right to argue the patentability of the dependent claims at a later date if necessary.

In view of the above amendments and remark, the Applicant believes that Claims 1-7, and 9-19 shall be in condition for allowance over the cited references. Early and favorable action is being respectfully solicited.

If there are any issues remaining which the Examiner believes could be resolved through either a Supplementary Response or an Examiner's Amendment, the Examiner is respectfully requested to contact the undersigned at (408)891-9381.

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to " Mail Stop: AF/RCE Commissioner for Patents, P.O. Box 1450 Alexandria, VA 22313-1450", 02/19/2020.

e-filed. Name:<u>Joe Zheng</u> Signature: / joe zheng / Respectfully submitted;

/ joe zheng /

Joe Zheng Reg.: No. 39,450

PTO/SB/06 (09-11)

Approved for use through 1/31/2014. OMB 0651-0032 U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number Application or Docket Number Filing Date PATENT APPLICATION FEE DETERMINATION RECORD 13/782.948 03/01/2013 To be Mailed Substitute for Form PTO-875 ENTITY: LARGE SMALL MICRO **APPLICATION AS FILED - PART I** (Column 1) (Column 2) NUMBER EXTRA FOR NUMBER FILED BATE (\$) FEE (\$) BASIC FEE N/A N/A N/A (37 CEB 1.16(a), (b), or (c)) SEARCH FEE N/A N/A N/A (37 CFR 1.16(k), (i), or (m)) EXAMINATION FEE N/A N/A N/A (37 CFR 1.16(o), (p), or (g) TOTAL CLAIMS x \$31 = minus 20 (37 CFR 1.16(i)) INDEPENDENT CLAIMS x \$125 = minus 3 (37 CFR 1.16(h)) If the specification and drawings exceed 100 sheets of paper, the application size fee due is \$310 (\$155 **MAPPLICATION SIZE FEE (37** for small entity) for each additional 50 sheets or CFR 1.16(s)) fraction thereof. See 35 U.S.C. 41(a)(1)(G) and 37 CFR 1.16(s) MULTIPLE DEPENDENT CLAIM PRESENT (37 CFR 1.16(j)) If the difference in column 1 is less than zero, enter "0" in column 2. TOTAL **APPLICATION AS AMENDED - PART II** (Column 1) (Column 2) (Column 3) CLAIMS HIGHEST REMAINING NUMBER 02/19/2020 PRESENT EXTRA RATE (\$) ADDITIONAL FEE (\$) AFTER PREVIOUSLY ENDMENT AMENDMENT PAID FOR Total * 18 ** 20 = 0 $x \pm 50 =$ 0 Minus . FR 1.16(i) Independent (37 CFR 1.16(h)) * 2 *** 3 = 0x \$230 = Minus 0 ¥ Application Size Fee (37 CFR 1.16(s)) FIRST PRESENTATION OF MULTIPLE DEPENDENT CLAIM (37 CFR 1.16(j)) TOTAL ADD'L FEE 0 (Column 1) (Column 2) (Column 3) CLAIMS HIGHEST REMAINING NUMBER PRESENT EXTRA RATE (\$) ADDITIONAL FEE (\$) AFTER PREVIOUSLY AMENDMENT PAID FOR E Total x \$0 = Minus AMENDM . B 1 16/i) Independent (37 CFR 1.16(h)) x \$0 *** Minus = Application Size Fee (37 CFR 1.16(s)) FIRST PRESENTATION OF MULTIPLE DEPENDENT CLAIM (37 CFR 1.16(j)) TOTAL ADD'L FEE LIE * If the entry in column 1 is less than the entry in column 2, write "0" in column 3. /MARGARET R BYARS/ ** If the "Highest Number Previously Paid For" IN THIS SPACE is less than 20, enter "20" *** If the "Highest Number Previously Paid For" IN THIS SPACE is less than 3, enter "3" The "Highest Number Previously Paid For" (Total or Independent) is the highest number found in the appropriate box in column 1

This collection of information is required by 37 CFR 1.16. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
13/782,948	03/01/2013	Xiangzhen Xie	RFID-084	5348
26797 LogicPatents, L	7590 02/26/202 LC	0	EXAM	IINER
21701 Stevens Creek Boulevard, #284 CUPERTINO, CA 95015			IMMANUEL, ISIDORA I	
cor birthino,			ART UNIT	PAPER NUMBER
			3685	
			NOTIFICATION DATE	DELIVERY MODE
			02/26/2020	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

uspatents@sbcglobal.net

	Applicatio	n No.	Applicant(s)			
Advisory Action	13/782,948		Xie et al.			
Before the Filing of an Appeal Brief	Examiner	IMMANUEL	Art Unit 3685	AIA (FITF) Status		
The MAILING DATE of this communication appears on the cover sheet with the correspondence address						
THE REPLY FILED <u>22 January 2020</u> FAILS TO PLACE THIS APPLICATION IN CONDITION FOR ALLOWANCE. NO NOTICE OF APPEAL FILED						
 The reply was filed after a final rejection. No Notice of A one of the following replies: (1) an amendment, affidavit. (2) a Notice of Appeal (with appeal fee) in compliance w 37 CFR 1.114 if this is a utility or plant application. Note the following time periods: 	ppeal has been , or other evide rith 37 CFR 41 that RCEs are	n filed. To avoid abandoni ence, which places the ap 31; or (3) a Request for C not permitted in design a	ment of this appl olication in condi continued Exami pplications. The	ication, applicant must timely file ition for allowance; nation (RCE) in compliance with reply must be filed within one of		
a) The period for reply expires months from the m	alling date of t	the final rejection.	t forth in the fine	l rejection, whichover is later		
 a) a prior Advisory Action was mailed more than 3 mon within 2 months of the mailing date of the final rejection the prior Advisory Action or SIX MONTHS from the n Examiner Note: If box 1 is checked, check eit FIRST RESPONSE TO APPLICANTS FIRST REJECTION. ONLY CHECK BOX (c) IN THE 	In this Advisory ly expire later ths after the m ion.The curren nailing date of her box (a), (b AFTER-FINA LIMITED SIT	than SIX MONTHS from the alling date of the final rejet the final rejection, whicher or (c). ONLY CHECK BC L REPLY WHICH WAS FI UATION SET FORTH UN	ection in respons months fro ver is earlier. DX (b) WHEN TH LED WITHIN TV DER BOX (c). S	of the final rejection. Se to a first after-final reply filed m the mailing date of HIS ADVISORY ACTION IS THE NO MONTHS OF THE FINAL Se MPEP 706.07(f).		
Extensions of time may be obtained under 37 CFR 1.136(a). The extension fee have been filed is the date for purposes of determ appropriate extension fee under 37 CFR 1.17(a) is calculated friset in the final Office action; or (2) as set forth in (b) or (c) above mailing date of the final rejection, even if timely filed, may reduce NOTICE OF APPEAL	Extensions of time may be obtained under 37 CFR 1.136(a). The date on which the petition under 37 CFR 1.136(a) and the appropriate extension fee have been filed is the date for purposes of determining the period of extension and the corresponding amount of the fee. The appropriate extension fee under 37 CFR 1.17(a) is calculated from: (1) the expiration date of the shortened statutory period for reply originally set in the final Office action; or (2) as set forth in (b) or (c) above, if checked. Any reply received by the Office later than three months after the mailing date of the final rejection, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).					
 L The Notice of Appeal was filed on A brief in com of Appeal (37 CFR 41.37(a)), or any extension thereof (3 Appeal has been filed, any reply must be filed within the <u>AMENDMENTS</u> 	npliance with 3 37 CFR 41.37(6 time period se	7 CFR 41.37 must be filed e)), to avoid dismissal of tl t forth in 37CFR 41.37(a).	l within two mon ne appeal. Since	ths of the date of filing the Notice a Notice of		
3. In proposed amendments filed after a final rejection, but	ut prior to the c	late of filing a brief, will <u>no</u>	t be entered bed	cause		
 a) They raise new issues that would require further c b) They raise the issue of new matter (see NOTE be 	onsideration a low);	nd/or search (see NOTE b	pelow);			
 c) I They are not deemed to place the application in be appeal; and/or 	c) 🗹 They are not deemed to place the application in better form for appeal by materially reducing or simplifying the issues forappeal; and/or					
d) L They present additional claims without canceling a NOTE: (See 37CFR 1.116 and 41.33(a)).	a corresponding	g number of finally rejecte	d claims.			
4. I he amendments are not in compliance with 3/CFR 1.12	21. See attach	ed Notice of Non-Complia	nt Amendment (PTOL-324).		
 6. Newly proposed or amended claim(s) would be a claim(s) 	 5. Applicants reply has overcome the following rejection(s): 6. Newly proposed or amended claim(s) would be allowable if submitted in a separate, timely filed amendment canceling the non-allowable allowable if submitted in a separate. 					
 7. To For purposes of appeal, the proposed amendment(s):(a) will not be entered, or (b) will be entered, and an explanation of how the new or amended claims would be rejected is provided below or appended. AFEIDAVIT OR OTHER EVIDENCE 						
8. A declaration(s)/affidavit(s) under 37 CFR 1.130(b) was/	were filed on _					
 The affidavit or other evidence filed after final action, but failed to provide a showing of good and sufficient reason CFR 1.116(e). 	before or on th s why the affid	ne date of filing a Notice o avit or other evidence is n	f Appeal will <u>not</u> ecessary and w	be entered because applicant as not earlier presented. See 37		
10. The affidavit or other evidence filed after the date of filir the affidavit or other evidence failed to overcome <u>all</u> reju- reasons why it is necessary and was not earlier present	10. The affidavit or other evidence filed after the date of filing the Notice of Appeal, but prior to the date of filing a brief, will <u>not</u> be entered because the affidavit or other evidence failed to overcome <u>all</u> rejections under appeal and/or appellant fails to provide a showing of good and sufficient reasons why it is necessary and was not earlier presented. See 37 CFR 41.33(d)(1).					
11. [.] The affidavit or other evidence is entered. An explanation REQUEST FOR RECONSIDERATION/OTHER	on of the status	s of the claims after entry i	s below or attac	hed.		
 12. If The request for reconsideration has been considered by See Continuation Sheet. 10. When the head by the second secon	ut does NOT p	lace the application in cor	idition for allowa	nce because:		
 13. Note the attached information <i>Disclosure Statement</i>(s). 14. Other: <u>PTO 2323</u>, Interview and Annotated claims. 	(PTO/SB/08)	Paper No(s).				
15. The status of the claim(s) is (or will be) as follows:						
Claim(s) and weu Claim(s) objected to: Claim(s) rejected:1-19.						
Examiner, Art Unit 3685		Supervisory Patent Exar	niner, Art Unit 36	685		
.S. Patent and Trademark Office						

PTOL-303 (Rev. 08-2013)

Advisory Action Before the Filing of an Appeal Brief

Paper No. 20200217

Continuation of REQUEST FOR RECONSIDERATION/OTHER 12. The request for reconsideration has been considered but does NOT place the application in condition for allowance because: The after final amendment would not overcome all of the rejections in the most recent final Office action. An interview was had with Applicant's representation Joe Zheng and Inventor Liangseng Koh detailing possible allowance language that adds, corrects and deletes some of the language of the after final submission by Applicant. There was an agreement about the proposed allowable claims, but the current after final submission(01/22/2020) would not overcome the current rejection nor is it allowable.

	Application No. 13/782,948	Applica Xie et al.	nt(s)	
Examiner-Initiated Interview Summary	Examiner ISIDORA I IMMANUEL	Art Unit 3685	AIA (First Inventor to File) Status No	Page 1 of 2

All participants (applicant, applicants representative, PTO personnel):

1. ISIDORA I IMMANUEL (Examiner); Telephonic

2. JOE ZHENG (Attorney); Telephonic

3. LIANGSENG KOH (Inventor); Telephonic

Date of Interview: 12 February 2020

Claims Discussed: Claims that needed language modifications towards an allowance were discussed.

Amendment proposed: Examiner proposed claim amendments that clarify, overcome rejections and place the application in condition for an allowance.

Brief Description of the main topic(s) of discussion: Examiner, Zheng and Koh discussed proposed allowable claims and reached a consensus on the claim language.

Issues Discussed:

Proposed Amendments:

Claim amendments were proposed to Applicant that will place the application in condition for an allowance.

/ISIDORA I IMMANUEL/		A-+ 11 + 2005
Examiner, Art Unit 3685	Supervisory Patent Examiner	, Art Unit 3685
Applicant is reminded that a complete written statemen the application file. It is the applicants responsibility to by the Examiner and the Examiner has indicated that a Please further see: MPEP 713.04 Title 37 Code of Federal Regulations (CFR) § 1.133 Interviews, par 37 CFR § 1.2 Business to be transacted in writing	t as to the substance of the inte provide the written statement, u written summary will be provide	rview must be made of record in Inless the interview was initiated ed. See MPEP 713.04
U.S. Patent and Trademark Office		
PTOL-413/413b (Rev. 01/01/2015) Inte	erview Summary	Paper No. 20200217

Applicant recordation instructions: It is not necessary for applicant to provide a separate record of the substance of interview

Examiner recordation instructions: Examiners must summarize the substance of any interview of record. A complete and proper recordation of the substance of an interview should include the items listed in MPEP 713.04 for complete and proper recordation including the identification of the general thrust of each argument or issue discussed, a general indication of any other pertinent matters discussed regarding patentability and the general results or outcome of the interview, to include an indication as to whether or not agreement was reached on the issues raised.

	Application No.	Applicant(s)				
AFCP 2.0	13/782,948	Xie et al.					
Decision	Examiner	Art Unit	AIA (FITF) Status				
	ISIDORA I IMMANUEL	3685	No				
This is in response to the After Final Consideration Pilot re-	This is in response to the After Final Consideration Pilot request filed <u>22 January 2020</u> .						
1. Improper Request – The AFCP 2.0 request is improper for the following reason(s) and the after final amendment submitted with the request will be treated under pre-pilot procedure.							
An AFCP 2.0 request form PTO/S	SB/434 (or equivalent document) wa	s not submitt	ed.				
A non-broadening amendment to at least one independent claim was not submitted.							
The request is not the first proper AFCP 2.0 request submitted in response to the most recent final rejection.							
□ Other:							
2. Proper Request							
A. After final amendment submitted with the requ The after final amendment cannot be revie	est will not be treated under AFCP awwed and a search conducted within	2.0. the guidelines	s of the pilot program.				
The after final amendment will be treated under pre-pilot procedure.							

B. Updated search and/or completed additional consideration.

The examiner performed an updated search and/or completed additional consideration of the after final amendment within the time authorized for the pilot program. The result(s) of the updated search and/or completed additional consideration are:

- □ 1. All of the rejections in the most recent final Office action are overcome and a Notice of Allowance is issued herewith.
- 2. The after final amendment would not overcome all of the rejections in the most recent final Office action
 See attached interview summary for further details.
- □ 3. The after final amendment was reviewed, and it raises a new issue(s). See attached interview summary for further details.
- □ 4. The after final amendment raises new issues, but would overcome all of the rejections in the most recent final Office action. A decision on determining allowability could not be made within the guidelines of the pilot. See attached interview summary for further details, including any newly discovered prior art.
- 5. Other:

Examiner Note: Please attach an interview summary when necessary as described above.

AFCP 2.0 Decision

AMENDMENTS TO THE CLAIMS

Please amend Claims 1 and 12 as follows:

- 1. (*Currently amended*) A mobile device for emulating a plurality of cards, the mobile device comprising:
 - a display screen showing a list of the cards for a user of the mobile device to choose one therefrom, a display of the list of the cards provided via a designated server;
 - a storage device for storing a plurality of applications, each of the applications corresponding to one of the cards, wherein each of the applications is provisioned remotely with the designated server that subsequently installs corresponding data and keys for the one of the cards in the mobile device, the data can only be modified by the designated server over a secured channel; an emulator, coupled to the storage, for receiving a first application

corresponding to a first card, the first application being one of the applications;

- a communication interface to facilitate data exchange wirelessly between a reader and the first application being executed in the emulator, wherein the reader is external to the mobile device and reads the corresponding data and keys of the first card from the mobile device, and the first application in the emulator is replaceable in entirety or in part by a second application corresponding to a second card when another one of the cards is selected by the user, wherein the first application is out of the emulator when replaced by the second application; and
- a processor, in communication with the emulator and the storage device, performing an operation of causing the second application loaded into the emulator to replace the first application when the second card is selected via the display screen when the second application is unlocked by the designated server, wherein said causing the second application loaded into the emulator to replace the first application fails when the second card is selected via the

display screen but the second application is locked by the designated server, and wherein

- functions of the mobile device related to the first card offered by the first application are changed to functions offered by the second application related to the second card when the second application is activated and executed in the emulator.
- 2. (*Previously amended*) The mobile device as recited in claim 1, further comprising a secure element that has been personalized by operations of:

initiating data communication by the mobile device with the designated server providing trusted service management (TSM);

sending device information of the secure element in responding to a request from the designated server when the designated server determines that the secure element is registered therewith, wherein the device information is a sequence of characters uniquely identifying the secure element, and the request is a command causing the mobile device to retrieve the device information from the secure element therein; and

- receiving in the secure element at least a set of keys from the designated server, wherein the keys are generated in accordance with the device information of the secure element, wherein the set of keys in the secure element facilitates a subsequent transaction between the mobile device and a service provider.
- 3. (*Original*) The mobile device as recited in claim 2, wherein the emulator is implemented in the secure element, the secure element is enclosed in the mobile device or in a detachable card to the mobile device.
- 4. (*Previously amended*) The mobile device as recited in claim 3, wherein each of the applications emulating functions of one of the cards provided respectively to perform a function related to a monetary transaction, the mobile device is used to

emulate each of the cards when a corresponding application is loaded into and executed in the emulator.

- 5. (*Previously amended*) The mobile device as recited in claim 4, wherein at least one of the cards is a contactless card.
- 6. (Previously amended) The mobile device as recited in claim 3, wherein the secure element further includes a module configured to provide Trusted Mifare Service Management (TMSM) and to store a plurality of service objects along with a plurality of key indexes, each of the service objects corresponding to one of the applications.
- 7. (*Previously amended*) The mobile device as recited in claim 6, wherein the mobile device further includes:
 - a card manager proxy for facilitating communication between the designated server and the module in the secure element,
 - a user interface (UI) application provided to query one or more of the applications on information stored therein but not to modify the information; and
 - a transaction UI application for conducting operations that modify one or more sectors in one or more of the applications.
- 8. (*Previously amended*) The mobile device as recited in claim 6, wherein the module is configured to:
 - provide a set of Application Programming Interfaces so that one of the applications, when instructed by an user, is caused to swap an application in and out the emulator;
 - provide a set of Application Programming Interfaces to one of the applications to read certain data therefrom;

- enable the designated server to remotely provision each of the applications by installing application keys and application data to the module and later on swapping another one of the applications to the emulator;
- enable the designated server to manage each of the applications by locking or unlocking one of the applications;
- provide a trusted environment such that an application provider modifies a designated application and meta data thereof owned by the application provider; and
- provide a mechanism to make baseband storage as an extension for storing some or all of the applications swapped out from the emulator to the TMSM module.
- (*Previously amended*) The mobile device as recited in claim 2, wherein the secure element is preloaded with default Issuer Security Domain (ISD) information updated entirely or partially subject to retrieved corresponding default ISD information from a party originating the secure element.
- 10. (*Previously amended*) The mobile device as recited in claim 2, wherein the mobile device is a smartphone or a portable computer.
- 11. (*Previously amended*) The mobile device as recited in claim 1, wherein each of the applications has been remotely provisioned by the designated server with operations of:

sending a request from the mobile device to the designated server to provision an application installed in the mobile device, wherein the application being provisioned is distributed by an application provider;

establishing a secured channel between the mobile device and the designated server using a set of keys received from the designated server;

receiving data for the application being provisioned from the designated server, wherein the data includes supplemental security domains (SSD) to be associated with the application; and notifying the application provider of a status of the application with the mobile device.

- 12. (*Currently amended*) A method for a mobile device to emulate a plurality of cards, the method comprising:
 - installing in a storage device of the mobile device a plurality of applications downloaded from a designated server, each of the applications being managed by the designated server pertaining to one of the cards, wherein each of the applications is provisioned remotely with the designated server that subsequently installs corresponding data and keys for the one of the cards in the mobile device, the data can only be modified by the designated server over a secured channel, the mobile device communicates wirelessly with an external reader provided to read one of the cards from the mobile device;
 - showing a list of the cards on a display of the mobile device for a user to choose one therefrom, wherein the display is provided by a module downloaded from the designated server and executed in the mobile device;
 - receiving in an emulator <u>worf</u> the mobile device a first application corresponding to a first card;
 - facilitating data exchange between the external reader and the first application being executed in the emulator, wherein the first application in the emulator is replaceable in entirety or in part by a second application corresponding to a second card when another one of the cards is selected by the user, wherein the first application is out of the emulator when replaced by the second application in the emulator;
 - causing the second application to replace the first application loaded and executed in the emulator, wherein said causing the second application to replace the first application loaded and executed in the emulator fails when the second card is selected via the display but the second application is locked by the designated server, and wherein functions of the mobile device related to the first card offered by the first application are changed to functions offered by the

second application related to the second card when the second application is activated and executed in the emulator.

- 13. (Previously amended) The method as recited in claim 12, wherein the mobile device is associated with a secure element, and the method further comprises: initiating data communication by the mobile device with the designated server providing trusted service management (TSM);
 - sending device information of the secure element in responding to a request from the designated server after the server determines that the secure element is registered therewith, wherein the device information is a sequence of characters uniquely identifying the secure element, and the request is a command causing the mobile device to retrieve the device information from the secure element therein; and
 - receiving in the secure element at least a set of keys from the designated server, wherein the keys are generated in accordance with the device information of the secure element, the set of keys in the secure element facilitates a subsequent transaction between the mobile device and a service provider.
- 14. (*Original*) The method as recited in claim 13, wherein the emulator is implemented in the secure element, the secure element is enclosed in the mobile device or in a detachable card to the mobile device.
- 15. (*Previously amended*) The method as recited in claim 14, wherein the secure element further includes a module configured to provide Trusted Mifare Service Management (TMSM) and to store a plurality of service objects along with a plurality of key indexes, each of the service objects corresponding to one of the applications.
- 16. (*Previously amended*) The mobile device as recited in claim 15, further comprising

- facilitating communication between the designated server and the module configured to provide (TMSM) in the secure element;querying via a user interface (UI) one or more of the applications; and conducting operations that modify one or more sectors in one or more of the applications.
- 17. (*Previously amended*) The method as recited in claim 13, wherein the secure element is preloaded with default Issuer Security Domain (ISD) information updatable entirely or partially subject to retrieved corresponding default ISD information from a party originating the secure element.
- 18. (*Previously amended*) The method as recited in claim 12, wherein the mobile device is a smartphone or a portable computer.
- 19. (*Previously amended*) The method as recited in claim 12, wherein each of the applications has been remotely provisioned by the designated server with operations of:

receiving a request to provision an application installed in the mobile device, wherein the application to be provisioned with the secure element is distributed by an application provider;

establishing a secured channel with the secure element using a set of keys; preparing data for the application being provisioned, wherein the data includes supplemental security domains (SSD) to be associated with the application; and

notifying the application provider of a status of the application with the mobile device.

PLUS Search Results for S/N 13782948, Searched Wed May 27 17:11:37 EDT 2020 The Patent Linguistics Utility System (PLUS) is a USPTO automated search system for U.S. Patents from 1971 to the present PLUS is a query-by-example search system which produces a list of patents that are most closely related linguistically to the application searched. This search was prepared by the staff of the Scientific and Technical Information Center, SIRA.

7809578 70

Doc Code: ECOMM.AUTH/ECOMM.WTDW

Doc Description: Internet Communications Authorized/Internet Communications Authorization Withdrawn

***************************************		PTO/SB/439 (11-15)				
AUTHORIZATION FOR INTERNET	Application No.	13/782,948				
COMMUNICATIONS IN A PATENT	Filing Date	03/01/2013				
APPLICATION OR REQUEST TO	First Named Inventor	Xiangzhen Xie				
WITHDRAW AUTHORIZATION FOR	Art Unit	3685				
INTERNET COMMUNICATIONS	Examiner Name	Isidora I. Immanuel				
	Practitioner Docket No.	RFID-084				
To: Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450						
I. To authorize permission for Internet Com	munications.					
Recognizing that Internet communicat with the undersigned and practitioners in ac matter of this application via video conferen- these communications will be made of reco	ions are not secure, I cordance with 37 CFI ncing, instant messagi rd in the application f	hereby authorize the USPTO to communicate R 1.33 and 37 CFR 1.34 concerning any subject ng, or electronic mail. I understand that a copy of ile. (MPEP 502.03)				
m. To wandibw authorization for michaele	.onmancanons.					
any practitioner in accordance with 37 CFR 2 via Internet communications such as video of withdrawn. I understand that the withdrawa I am the	1.33 and 37 CFR 1.34 conferencing, instant al is effective when ap	concerning any subject matter of this application messaging, or electronic mail is hereby aproved rather than when received.				
applicant.						
attorney or agent of record. Reg	gistration number <u>39</u>	.,450				
attorney or agent acting under 3	37 CFR 1.34. Registrat	ion number				
/ joe zheng /	07	7/29/2020				
Signature		Date				
Joe Zheng	(4	08)891-9381				
Typed or printed name Telephone Number						
NOTE : This form must be signed in accordance with 37 must be represented by a patent practitioner (see 37 C presented on behalf of a juristic entity, regardless of ap below*.	7 CFR 1.33. See 37 CFR 1.4 f FR 1.31, which is applicabl pplication filing date). Subn	for signature requirements and certifications. Juristic entities e to any paper filed on or after September 16, 2012, that is hit multiple forms if more than one signature is required, see				
Total of forms are submitted.						

Electronic Acknowledgement Receipt			
EFS ID:	40131949		
Application Number:	13782948		
International Application Number:			
Confirmation Number:	5348		
Title of Invention:	Method and apparatus for emulating multiple cards in mobile devices		
First Named Inventor/Applicant Name:	Xiangzhen Xie		
Customer Number:	26797		
Filer:	Joe Zheng		
Filer Authorized By:			
Attorney Docket Number:	RFID-084		
Receipt Date:	29-JUL-2020		
Filing Date:	01-MAR-2013		
Time Stamp:	03:02:06		
Application Type:	Utility under 35 USC 111(a)		

Payment information:

Submitted with Payment			no			
File Listin	g:					
Document Number	Document Description		File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
				75632		
1	Internet Communications Authorized	InternetAuthorizationAsFiled. pdf		68cb8041b3e2a57235a20c7ecaef149ddb1 426a0	no	1
Warnings:				•		

Information:		
	Total Files Size (in bytes):	75632

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course. New International Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application. UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
13/782,948	03/01/2013	Xiangzhen Xie	RFID-084	5348
26797 LogicPatents L	7590 08/21/202 L.C	0	EXAN	IINER
21701 Stevens Creek Boulevard, #284 CUPERTINO, CA 95015			IMMANUEL, ISIDORA I	
0012111110,			ART UNIT	PAPER NUMBER
			3685	
			NOTIFICATION DATE	DELIVERY MODE
			08/21/2020	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

uspatents@sbcglobal.net

	Application	Applica	ant(s)			
	No. 13/782.948	Xie et a	ll.			
Applicant-Initiated Interview Summary	Examiner	Art	AIA (First Inventor	Page		
	ISIDORA I	Unit	to File) Status	1 of 2		
1	IMMANUEL	3065				
All participants (applicant, applicants representative, PTO personnel):						
1. ISIDORA I IMMANUEL (Examiner); Telephonic 2. JOE ZHENG(AGENT); Telephonic						
3. LIANG KOH (Inventor); Telephonic						
Date of Interview: 11 August 2020						
Claime Discussed. Discussed the proposed ellower		Changes	TCM converte ded	acted conver		
Claims Discussed: Discussed the proposed allowar	nce language. Adding the "w	Changeo /herein" (I ISM server to deduct a server to deduce to explain the	cated server		
dedicated server. Discussed the use of TMSM versus	the broader "	service m	nanager". No agreem	nents reached.		
Amendment area and Evening an area and along	mondmonto or	ما محمال	d the discussed also	ma ta		
Amendment proposed: Examiner proposed claim a Applicant. No agreements reached.	menuments ar	io emaile	ed the discussed clai	ins lo		
Brief Description of the main topic(s) of discussion support. Discussed the language of the TMSM and the	e disclosure su	the TSM	server based on spe r a broader term "ser	vice manager		
". Discussed the emulator "device" and the use of har	dware.			nee manage.		
Issues	Discussed:					
Dreneged Amendmenter						
Proposed Amendments: Potential allowable subject matter was discussed. No agreements reached.						
Attachment(s). Pronosed Amendments						
Attachment(s): Proposed Amendments,						

Examiner, Art Unit 3685	
Applicant is reminded that a complete written statement as to the state application file. It is the applicants responsibility to provide the by the Examiner and the Examiner has indicated that a written sum Please further see: MPEP 713.04 Title 37 Code of Federal Regulations (CFR) § 1.133 Interviews, paragraph (b) 37 CFR § 1.2 Business to be transacted in writing	substance of the interview must be made of record in e written statement, unless the interview was initiated nmary will be provided. See MPEP 713.04

U.S. Patent and Trademark Office PTOL-413/413b (Rev. 01/01/2015)

Interview Summary

Paper No. 20200528

Applicant recordation instructions: The formal written reply to the last Office action must include the substance of the interview. (See MPEP section 713.04). If a reply to the last Office action has already been filed, applicant is given a non-extendable period of the longer of one month or thirty days from this interview date, or the mailing date of this interview summary form, whichever is later, to file a statement of the substance of the interview.

Examiner recordation instructions: Examiners must summarize the substance of any interview of record. A complete and proper recordation of the substance of an interview should include the items listed in MPEP 713.04 for complete and proper recordation including the identification of the general thrust of each argument or issue discussed, a general indication of any other pertinent matters discussed regarding patentability and the general results or outcome of the interview, to include an indication as to whether or not agreement was reached on the issues raised.

1. (Currently amended) A mobile device for emulating a plurality of cards, the mobile device comprising:

a display screen showing a list of applications for a user of the mobile device to select one therefrom, each application corresponding to a card in the plurality of cards; (62-69, 180, 238)

a secure element (SE) comprising: (58)

an emulator device; (62-69)

a memory storing a Trusted Mifare Service Manager (TMSM), the TMSM, when executed by the secure element causes the secure element to perform: (58)

receiving and installing key sets of a Supplementary Secured Domain

(SSD); (65, 72, 80)

establishing, based on the key sets, a secure communication channel with a dedicated server; (80, 141-143)

receiving, a plurality of applications from the dedicated sever, each of the applications including corresponding application data sets and files and a locked or unlocked status, wherein an application with a locked status must be unlocked to be replaced; (63, 65, 80)

installing the plurality of applications; (62)

receiving, from the plurality of applications, a user selection of a first application; (180)

determining the first application has a locked or unlocked status and is activated, wherein an application status is locked or unlocked by the dedicated server; (83-95)

in response to determining the first application has an unlocked status and is activated, sending the first application, corresponding to a first card, to the emulator device, wherein sending the first application comprises sending the first application along with a corresponding first application data sets and files; (62-69)

receiving, from the plurality of applications, a user selection of a second application; (180)

determining the second application has a locked or unlocked status and is activated; (83-95)

in response to determining the second application has an unlocked status and is activated, replacing out of the emulator device, a portion of or in entirety, the first application, wherein replacing out a portion of the first application comprises retaining, in the emulator device, portions of the corresponding first application data sets and files to be utilized by the second application; (63)

sending the second application, corresponding to a second card, to the emulator device, wherein sending the second application comprises sending the second application along with a corresponding second application data sets and files; (62-69) updating an incrementing counter for each successful application replacement; (82)

wherein the mobile device performs functions of the second card, when the first card related to the first application are changed to functions of the second card related to the second application and the first application is out of the emulator device and the second application is received in the emulator device.

2. (Currently amended) The mobile device as recited in claim 1, further comprising a the secure element that has been personalized by operations of: initiating data communication by the mobile device with the designated server providing trusted service management (TSM);

receiving, by the mobile phone, a universal resource identifier (URI) from the dedicated server, when the mobile phone is registered with the dedicated server (106), wherein the dedicated server is a Trusted Service Manager (TSM) server;

sending device information of the secure element in responding to a request from the designated server dedicated server, wherein the device information is a sequence of characters uniquely identifying the secure element, and the request is a command causing the mobile device to retrieve the device information from the secure element therein; and

receiving in the secure element at least a set of keys from designated server the **dedicated server**, wherein the <u>set of</u> keys are generated in accordance with the device information of the secure element, wherein the set of keys in the secure element facilitates a subsequent transaction between the mobile device and a service provider. UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
13/782,948	03/01/2013	Xiangzhen Xie	RFID-084	5348
26797 LogicPatents I	7590 08/24/202 L C	0	EXAM	IINER
21701 Stevens Creek Boulevard, #284 CUPERTINO, CA 95015			IMMANUEL, ISIDORA I	
			ART UNIT	PAPER NUMBER
			3685	
			NOTIFICATION DATE	DELIVERY MODE
			08/24/2020	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

uspatents@sbcglobal.net

	Application No. Applicant(s)		3)			
Office Action Summary	13/782,948	Xie et al.				
Once Action Summary		Art Unit	AIA (FITF) Status			
		3005				
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the c	corresponder	nce address			
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE <u>3</u> MONTHS FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) \square Responsive to communication(s) filed on <u>02/19/2020</u> .						
A declaration(s)/affidavit(s) under 37 CFR 1.130(b) was/were filed on						
2a) ☐ This action is FINAL. 2b) ☑ This action is non-final.						
3) An election was made by the applicant in response to a restriction requirement set forth during the interview						
on; the restriction requirement and election have been incorporated into this action.						
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims*						
5) 🗹 Claim(s) <u>1-7 and 9-19</u> is/are pending in the application.						
5a) Of the above claim(s) is/are withdrawn from consideration.						
6) Claim(s) is/are allowed.						
7) 💟 Claim(s) 1-7 and 9-19 is/are rejected.						
8) Claim(s) is/are objected to.						
9) Claim(s) are subject to restriction and/or election requirement						
* If any claims have been determined allowable, you may be eligible to benefit from the Patent Prosecution Highway program at a						
participating intellectual property office for the corresponding a	oplication. For more information, plea	ase see				
http://www.uspto.gov/patents/init_events/pph/index.jsp or send	an inquiry to PPHteedback@uspto	<u>.gov.</u>				
Application Papers						
10) The specification is objected to by the Examiner.						
11) I he drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
hepracement drawing sneet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
Priority under 35 U.S.C. § 119						
I∠) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). Certified copies:						
a) All b) Some** c) None of the:						
1.□ Certified copies of the priority documents have been received.						
2.□ Certified copies of the priority documents have been received in Application No.						
$3 \square$ Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)).						
** See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)						
1) 🔽 Notice of References Cited (PTO-892)	3) 🔲 Interview Summar	y (PTO-413)				
2) Information Disclosure Statement(s) (PTO/SB/08a and/or PTO/S	B/08b) Paper No(s)/Mail E	Date				
Paper No(s)/Mail Date	4) [] Other:					
U.S. Patent and Trademark Office PTOL-326 (Rev. 11-13) Office A	ction Summary P	art of Paper No./N	/ail Date 20200618			

DETAILED ACTION

Acknowledgements

- 1. This office action is in response to the claims filed 02/19/2020.
- 2. Claims 1-3, 6, 7, 11-13, 15 and 16 amended.
- 3. Claim 8 is cancelled.
- 4. Claims 1-7, and 9-19 are pending.
- 5. Claims 1-7, and 9-19 have been examined.

Notice of Pre-AIA or AIA Status

6. The present application is being examined under the pre-AIA first to invent provisions.

Priority

7. Applicant has not complied with one or more conditions for receiving the benefit of an earlier filing date of 09/24/2006. The emulator is mentioned in App. No. 13/350,832 with a priority date of 01/16/2012, but the use of the emulator in replacing applications is claimed in the provisional 61/606,451, the 9 page specification, giving the application the priority date of 03/04/2012.

Response to Arguments

- 8. Applicant's arguments filed 02/19/2020 have been fully considered.
- 9. <u>112</u>

10. The prior 112(b) 'means for' rejection was not properly addressed. Applicant has not shown specification support for the "sufficient structure" applicant refers to. The

claims recite software applications performing steps. Claims do not need to recite "means for" or "step for" to invoke a 112(f) interpretation. Additionally, courts have argued that "Our consideration of this case has led us to conclude that such a heightened burden is unjustified and that we should abandon characterizing as "strong" the presumption that a limitation lacking the word "means" is not subject to § 112, para. 6. That characterization is unwarranted, is uncertain in meaning and application, and has the inappropriate practical effect of placing a thumb on what should otherwise be a balanced analytical scale. It has shifted the balance struck by Congress in passing § 112, para. 6 and has resulted in a proliferation of functional claiming untethered to § 112, para. 6 and free of the strictures set forth in the statute. Henceforth, we will apply the presumption as we have done prior to *Lighting World*, without requiring any heightened evidentiary showing and expressly overrule the characterization of that presumption as "strong." We also overrule the strict requirement of "a showing that the limitation essentially is devoid of anything that can be construed as structure." *Williamson v. Citrix Online, LLC*, 115 USPQ2d 1105 (Fed. Cir. 2015).

11. <u>103</u>

12. Applicant's arguments with respect to the claims have been considered but are moot because the arguments do not apply to the references being used in the current rejection.

Claim Interpretation

13. The following is a quotation of 35 U.S.C. 112(f):

(f) Element in Claim for a Combination. – An element in a claim for a combination may be expressed as a means or step for performing a specified function without the recital of structure, material, or acts in support thereof, and such claim shall be construed to cover the

Samsung Ex. 1016, Page 498 of 699 Samsung Electronics America, Inc. v. RFCyber Corp. IPR2021-00980

corresponding structure, material, or acts described in the specification and equivalents thereof.

The following is a quotation of pre-AIA 35 U.S.C. 112, sixth paragraph:

An element in a claim for a combination may be expressed as a means or step for performing a specified function without the recital of structure, material, or acts in support thereof, and such claim shall be construed to cover the corresponding structure, material, or acts described in the specification and equivalents thereof.

14. This application includes one or more claim limitations that do not use the word "means," but are nonetheless being interpreted under 35 U.S.C. 112(f) or pre-AIA 35 U.S.C. 112, sixth paragraph, because the claim limitation(s) uses a generic placeholder that is coupled with functional language without reciting sufficient structure to perform the recited function and the generic placeholder is not preceded by a structural modifier. Such claim limitation(s) is/are:

- a. an emulator... for receiving (claim 1)
- b. communication interface to facilitate data exchange (claim 1)
- c. user interface application provided to query (claim 7)
- d. UI application for conducting (claim 7)

Because this/these claim limitation(s) is/are being interpreted under 35 U.S.C.

112(f) or pre-AIA 35 U.S.C. 112, sixth paragraph, it/they is/are being interpreted to cover the corresponding structure described in the specification as performing the claimed function, and equivalents thereof. ¶ 59 explains "a card manager proxy **112** that facilitates the communication between a Trusted Service Manager (i.e., TSM server) **114** and the TMSM **106**, a set of readonly wallet user interface (UI) applications **116** and transaction wallet applications **118**. .. The readonly wallet

UI **116** provides an interface to query one or more Mifare applications on information ", the claimed interfaces are software applications but are currently claimed in a mobile device and claimed to be performing functions. **¶** 61 describes "a mechanism to make baseband storage as an extension for storing the software-based or logical smart cards" but there is no indication of what structure is used. . **¶** 62 explains "Once the emulator **122** (implemented in hardware or software) is installed, it responds exactly like a native Mifare chip to an interface". According to the disclosure, the emulator can be either software or hardware, applicant is claiming a machine and the claim is unclear as to whether the emulator written in claim 1 is hardware or software. A software emulator cannot be claimed in the mobile device to be performing functions. As a result, corresponding structure to support the means for the functions has not been clearly provided.

If applicant does not intend to have this/these limitation(s) interpreted under 35 U.S.C. 112(f) or pre-AIA 35 U.S.C. 112, sixth paragraph, applicant may: (1) amend the claim limitation(s) to avoid it/them being interpreted under 35 U.S.C. 112(f) or pre-AIA 35 U.S.C. 112, sixth paragraph (e.g., by reciting sufficient structure to perform the claimed function); or (2) present a sufficient showing that the claim limitation(s) recite(s) sufficient structure to perform the claimed function so as to avoid it/them being interpreted under 35 U.S.C. 112(f) or pre-AIA 35 U.S.C. 112, sixth paragraph.

Claim Rejections - 35 USC § 112

15. The following is a quotation of the first paragraph of 35 U.S.C. 112(a):

Page 5

(a) IN GENERAL.—The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same, and shall set forth the best mode contemplated by the inventor or joint inventor of carrying out the invention.

The following is a quotation of the first paragraph of pre-AIA 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same, and shall set forth the best mode contemplated by the inventor of carrying out his invention.

16. Claims 1-7, and 9-19 are rejected under 35 U.S.C. 112(a) or 35 U.S.C. 112 (pre-AIA), first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor or a joint inventor, or for pre-AIA the inventor(s), at the time the application was filed, had possession of the claimed invention.

17. Claim 1 recites "the designated server that subsequently installs corresponding data and keys for the one of the cards in the mobile device, the data can only be modified by the designated server over a secured channel", similarly, claim 12 recites "wherein each of the applications is provisioned remotely with the designated server that subsequently installs corresponding data and keys for the one of the cards in the mobile device." According to the specification (¶ 65, 67), "enabling the TSM 114 to remotely personalize? provision multiple Milfare applications, which includes installing application keys and application data to the TMSM 106 and later on swapping an activated one to the emulator 122. ... providing a trusted environment such that an application provider can only modify its application and meta data thereof that is owned by the application provider." The TSM is not the same entity as the application provider.

The TSM provides application data and keys not the application owner. The term "designated server" is used to encompass the functions of the different entity. There is no written description support for the designated server performing the functions of the claimed TSM server and an application provider. Dependent claims 2-7, 9-11 and 13-19 are rejected.

18. Claim 1 recites "a display screen showing a list of the cards for a user of the mobile device to choose one therefrom... when another one of the cards is selected by the user, wherein the first application is out of the emulator and replaced by the second application... when the second card is selected via the display screen", similarly claim 12 recites "showing a list of the cards on a display of the mobile device for a user to choose one therefrom... ". According to the specification (Figure 9; ¶ 180, 191), "It is assumed that the user has chosen one of the applications from the displayed directory." The displayed information are applications, not cards, the applications can correspond to cards, but the disclosure explains that the user chooses an application not a card. The disclosure does not provide support for a display of cards that the user chooses from. Dependent claims 2-7, 9-11 and 13-19 are rejected.

19. Claim 1 recites "a storage device for storing a plurality of applications wherein each of the applications is provisioned remotely with the designated server... an emulator, coupled to the storage device and implemented in a secure element". According to the specification (Figure 1; ¶ 58-63, 117, 120, 143), "To download/install the application to the SE, the server is configured to establish a secure channel with the SE using this derived SSD at **242...** it is assumed that an installed application, e-purse or a Mifare card, has been provisioned with the SE... an on-card Trusted Mifare

Service Manager **106** (implemented as a module or an applet) is provided in a secure element (SE) **108**... the TMSM 106 is a component or applet configured to be responsible for installing and personalizing the applications, and Swapping one or another application into or out an emulator 122," the emulator (122) is part of the secure element and the secure element(108) is the storage device that stores the plurality of applications(applet #1-N). The secure element, is not a generic "storage device" that stores the plurality of applications. The applications are not provisioned in a "storage device", they are provisioned in a secure element. Neither the figures nor the specification describe a device other than the secure element that is used to store both the plurality of applications and the emulator. The specification does not provide support for these three entities being different. Dependent claims 2-7, and 9-11 are rejected.



20. Claims 9 and 17 recite "wherein the secure element is preloaded with default Issuer Security Domain (ISD) information updated entirely or partially subject to retrieved corresponding default ISD information from a party originating the secure element". According to the disclosure (Figure 1; ¶ 61, 62), " the SE **132** of FIG. 1C may be perceived as a preload operating system in a smart card, providing a platform for PIN management and security channels (security domains) for card personalization.

The SE **132** combines the interests of smart card issuers, vendors, industry groups, public entities and technology companies to define requirements and technology standards for multiple applications running in the smart cards." The same language is regurgitated in original claims 9 and 17. According to MPEP 2163, " issues of adequate written description may arise even for original claims, for example, when an aspect of the claimed invention has not been described with sufficient particularity such that one skilled in the art would recognize that the applicant had possession of the claimed invention at the time of filing." In this case, the specification does not describe or mention the SE being preloaded with and ISD (entirely or partially updated) or that these are based on a retrieved default ISD information from an entity that created the secure element. The claims assertions require more adequate description than is provided in the original claims or the disclosure. The specification does not provide support for these assertions and the original claims do not provide sufficient written description.

21. The following is a quotation of 35 U.S.C. 112(b):

(b) CONCLUSION.—The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the inventor or a joint inventor regards as the invention.

The following is a quotation of 35 U.S.C. 112 (pre-AIA), second paragraph: The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

22. Claims 1-7, and 9-19 are rejected under 35 U.S.C. 112(b) or 35 U.S.C. 112 (pre-AIA), second paragraph, as being indefinite for failing to particularly point out and
Application/Control Number: 13/782,948 Art Unit: 3685 distinctly claim the subject matter which the inventor or a joint inventor, or for pre-AIA the applicant regards as the invention.

23. As per claims 1, 7 the claims recite the following means plus functions

- limitations:
 - e. an emulator... for receiving (claim 1)
 - f. communication interface to facilitate data exchange (claim 1)
 - user interface application provided to query (claim 7) g.
 - h. UI application for conducting (claim 7)

24. This limitation invokes 35 USC § 112, ¶ 6 because it meets the 3-prong analysis set forth in MPEP 2181 as it recites a generic placeholder (also called a nonce term or a non-structural term having no specific structural meaning) and the phrase is modified by functional language and it is not modified by sufficient structure, material, or acts for performing the recited function. When the claim limitation does not use the term "means," examiners should determine whether the presumption that 35 U.S.C.112 (f) or pre-AIA 35 U.S.C. 112, paragraph 6 does not apply is overcome. The presumption may be overcome if the claim limitation uses a generic placeholder (a term that is simply a substitute for the term "means"). The following is a list of non-structural generic placeholders that may invoke35 U.S.C. 112(f) or pre-AIA 35 U.S.C. 112, paragraph 6: "mechanism for," "module for," "device for," "unit for," "component for," "element for," "member for," "apparatus for," "machine for," or "system for." This list is not exhaustive, and other generic placeholders may invoke 35 U.S.C. 112(f) or pre-AIA 35 U.S.C. 112, paragraph 6. Welker BearingCo., v. PHD, Inc., 550 F.3d 1090, 1096, 89 USPQ2d1289, 1293-94 (Fed. Cir. 2008); Massachusetts Inst. of Tech. v. Abacus Software, 462 F.3d

1344, 1354, 80 USPQ2d 1225, 1228 (Fed. Cir. 2006); *Personalized Media*, 161 F.3d at 704, 48 USPQ2dat 1886–87; *Mas-Hamilton Group v. LaGard, Inc.*,156 F.3d 1206, 1214-1215, 48 USPQ2d 1010, 1017(Fed. Cir. 1998). The terms are "used as a substitute for 'means' that is a generic placeholder (also called a nonce term or a nonstructural term having no specific structural meaning)" MPEP 2181.

In the instant application, the following portions of the specification and drawings may appear to describe the corresponding structure for performing the claimed function: specification \P 5, 7, 11, 56, 57, 59-61, 75, 76, 91 and 92.

However, the specification and drawings do not disclose sufficient corresponding structure, material or acts for performing the claimed function. ¶ 91 and 92 describe purse provisioned with the secure element is personalized with keys. The specification does not "send a set of instructions to cause" and does not have a corresponding structure that are the instructions. ¶ 5, 7, 56, 57, 61, 75, 76 describe the module interchangeable with software modules, applications and applets but there is no indication of what structure is used, ¶ 59 explains "a card manager proxy **112** that facilitates the communication between a Trusted Service Manager (i.e., TSM server) **114** and the TMSM **106**, a set of readonly wallet user interface (UI) applications **116** and transaction wallet applications **118**. .. The readonly wallet UI **116** provides an interface to query one or more Mifare applications on information ", the claimed interfaces are software applications but are currently claimed in a mobile device and claimed to be performing functions. ¶ 61 describes "a mechanism to make baseband storage as an extension for storing the software-based or logical smart cards" but there is no indication of what structure is used. . ¶ 62 explains "Once the

emulator **122** (implemented in hardware or software) is installed, it responds exactly like a native Mifare chip to an interface". According to the disclosure, the emulator can be either software or hardware, applicant is claiming a machine and the claim is unclear as to whether the emulator written in claim 1 is hardware or software. A software emulator cannot be claimed in the mobile device to be performing functions. As a result, corresponding structure to support the means for the functions has not been clearly provided. Dependent claims 2-7, and 9-11 are rejected.

25. Claim 1 recites "wherein a display of the list of the cards s provided via a designated server". The designated server is not a part of the claimed mobile device, the limitation is therefore unclear and indefinite as to the display on the mobile device being provided through a designated server. Dependent claims 2-7, and 9-11 are rejected.

26. Claim 1 recites "the designated server that subsequently installs corresponding data and keys for the one of the cards in the mobile device, the data can only be modified by the designated server over a secured channel... application is unlocked by the designated server", claims 2 and 13 recites "in responding to a request from the designated server when the designated server determines that the secure element is registered therewith...," claim 11 recites "wherein the application being provisioned is distributed by an application provider...applications has been remotely provisioned by the designated server with operations of: notifying...", claim 12 recites ", wherein each of the applications is provisioned remotely with the designated server that subsequently installs corresponding data and keys for the one of the cards in the mobile device,." See disclosure

¶ 112, 143. A designated server, external reader and application providers are not recited as an elements of the mobile device of independent claims 1, and 12 but claims 1, 2 and 11 claim the functions or intended functions of a designated server, reader and/or an application provider, which are both remote to the claimed mobile device. The scope of the claims are unclear and indefinite as Applicant has claimed functions outside the scope of the mobile device's functions. Dependent claims 2-11 are rejected. Dependent claims 2-7, 9-11 and 13-19 are rejected.

27. Claim 2 and 13 recite "sending device information of the secure element in responding to a request from the designated server when the designated server determines that the secure element is registered therewith." The claims are unclear and indefinite. The claim is directed to the mobile device, not the functions of the designated server. But the recites functions are dependent on the designated server. Given that the designated server is remote to the mobile device, it would be impossible for the mobile device to know for example, that the designated server has determined the secure element is registered with it without receiving such communication. Therefore the claims is unclear as the functions of the mobile device are written to also claim knowledge of the functions of the designated server.

28. Claim 4 recites the limitation "the cards provided respectively". There is insufficient antecedent basis for this limitation in the claim.

Claim Rejections - 35 USC § 103

29. The following is a quotation of pre-AIA 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained through the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

30. Claims 1-7, 9, 10, and 13-18 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over von Behren et al. (8,646,059) ("Behren"), in view of Corda et al. (9,128,829) ("Corda"), and further in view of Hosogoe et al. (2003/0151125) ("Hosogoe").

31. Regarding claim 1, Behren discloses a display screen showing a list of the cards for a user of the mobile device to choose one therefrom, wherein a display of the list of the cards s provided via a designated server (Figure 1; column 5, line 41-67, column 7, line 38-42, column 9, line 3-27, column 10, line 13-49, column 13, line 18-26, column 18, line 27-35, column 20, line 48-61)

Behren - the user may choose from different card types (for example, PayPass, Paywave, debit cards, or other types) from different credit card companies (for example, MasterCard, Visa, Discover, or other companies), as well as different bank instances (for example, Bank A, B, C, and D) for each card type on the user-interface... the wallet application can be used by the contactless payment device user to select certain card Software applications as preferred applications via a user-inter face, thereby creating an order based on the type of card Software application. ... When a full sized AID is selected, the directory software application then routes payment transaction commands according to user selected settings, directly to the selected instance... Here, all the data in the PPSE may not be distributed to merchants' reader by default, but is available to

the user for selection via the user-interface. The user may choose to use the access functionality for specific payments on short distance contactless communication with a specific merchant terminal. T (column 5, line 41-67, column 7, line 38-42, column 9, line 14-18, column 18, line 27-32)

a storage device for storing a plurality of applications, each of the applications corresponding to one of the cards, wherein each of the applications is provisioned remotely with the designated server that subsequently installs corresponding data and keys for the one of the cards in the mobile device, the data can only be modified by the designated server over a secured channel (Figure 2, 3; column 4, line 49-67, column 5, line 11-67, column 7, line 22-67, column 8, line 1-14, column 13, line 45-62, column 19, line 27-38, column 22, line 25-53, column 26, line 1-43) ;



 Behren - An external trusted service manager (TSM) 108 controlled by a near field communications (NFC) service provider 104 hosts and transmits card software applications for installation within the secure element 152 of a contactless Smart card in mobile device 140. The NFC service provider 104

provides a secure key encrypted Software card application for decryption and installation in the Secure element 152. ... The term "card software application' and "card applet" are used interchangeably in this disclosure to refer to a software applications running within the secure element of a Smart card... to instantiate a Trusted Service Manager (TSM) Security Domain for download of payment and other card Software applications, to lock/unlock card Software applications, and to terminate secure element Software applications.,... The payment applications may be loaded on the mobile device as a card Software application package, where each package, for example, a MasterCard package, typically contains Software code for all Supported payment applications within MasterCards' offerings, e.g., Mstripe, Mchip, and any other Suitable payment application. (column 4, line 63-66, column 5, line 11-33, column 7, line 62-67, column 8, line 1, 2)

emulation mode implemented in a secure element, (column 8, line 38-53, column 21, line 1-21);

Behren- an application host OS 144 on the mobile device 140 provides the user of the mobile device with the capability to manage multiple card Software applications and its instances 160-164 using a wallet Software application 148,... The management of the card software applications may be performed via a control software application 156, which communicates with the wallet Software application 148 using APDUs, transmitted and received, through a secure and encrypted communication channel. The control Software application may freely

> communicate with the multiple card software applications and its instances 160-164 because each of the card and control software applications are resident within the same secure element 152. (column 8, line 38-53)

a communication interface to facilitate data exchange wirelessly between a reader and the first application ; and (Figurer 2, 3; column 7, line 49-57, column 20, line 48-61, column 21, line 34-65)

• **Behren** - The proximity payment service environment (PPSE) is a directory software application that is selected by the terminal reader when the contactless payment device is presented to the reader...The control software application can prevent the reader terminal from applying certain forceful methods to select a payment card Software application from a list of available options. (column 7, line 49-52, column 20, line 56-59)

wherein said causing the second application loaded fails when the second card is selected via the display screen but the second application has been locked by the designated server, and (column 5, line 11-17, column 9, line 28-65, column 15, line 36-63, column 16, line 55- 67, column 17, line 1-60, column 19, line 8-17, column 24, line 1-67)

 Behren - Alter natively, the TSM may issue pre-defined instructions for such exemplary external functions, as blocking/unblocking a card Software application... to instantiate a Trusted Service Manager (TSM) Security Domain for download of payment and other card Software applications, to lock/unlock

> card Software applications, and to terminate secure element Software applications... The control software application includes a list 232 of the activate/inactive/non-activatable card Software application AIDs in certain format...When a card Software application 240,252,260, and 268 is enabled, the SIO is active and is accessed by the client mode control Software application 224.... In certain exemplary embodiments, for the UNBLOCKED/BLOCKED functions from the JCRE 316, based on requests from the TSA 304 may be rendered on a selected AID of the card software application 360 for blocking. The instruction for blocking or unblocking may be defined by the control software application 328 using APIs from the JCRE that causes a selected card software application 360 to trigger an event to the control software application 328... In certain exemplary embodiments, the internal method calls applicable may include Such custom functions as, a enableSelection (byte aid): Boolean, for enabling selection of a payment card Software application and returning values as true if enabled or false for a general error (for example, the applet is locked). Another exemplary method call includes the disableSelection (byte aid): Void, which disables selection of a payment type card Software application... (column 5, line 11-17, column 9, line 41-65, column 15, line 36-43, column 16, line 66, 67, column 17, line 1-7, column 24, line 41-44)

Behren does not disclose an emulator, coupled to the storage device and receiving a first application corresponding to a first card, the first application being one of the plurality of applications; the first application received and executed in the emulator,

wherein the reader is external to the mobile device, and the first application in the emulator is replaceable in entirety by a second application corresponding to a second card when another one of the cards is selected by the user, wherein the first application is out of the emulator and replaced by the second application; a processor, in communication with the emulator and the storage device, performing an operation of causing the second application loaded into the emulator to replace the first application when the second card is selected via the display screen when the second application has been unlocked by the designated server, wherein said causing the second application loaded into the emulator to replace the first application the mobile device related to the first card offered by the first application are changed to functions offered by the second application related to the second card when the first application is out of the emulator and the second application is activated and executed in the emulator.

Corda teaches an emulator, coupled to the storage device and receiving a first application corresponding to a first card, the first application being one of the plurality of applications (column 5, line 24-67, column 7, line 33-37, column 8, line 10-18)

 Corda - The mobile communication device further comprises a MIFARE memory MM which can either be configured as a MIFARE Classic card or a MIFARE Emulation card... The mobile communication device 1 further comprises a swap memory SM. ... For instance, the Swap memory SM is located in a secure memory of a Smartcard 4, e.g. a SmartMX card, being schematically represented in FIG. 4 by dotted lines. In the present example the Smartcard 4 also comprises

> a memory portion that emulates the MIFARE memory MM. However, it should be emphasized that the MIFARE memory MM can also be a MIFARE Classic card, e.g. 1 kB or 4 kB card... by enabling the user to manage MIFARE applications Swapping the user will be able to choose which coupons he needs to be located in the MIFARE memory MM at the moment.... The MIFARE applications manager MAM first stores this MIFARE application "Ticket 7' in the swap memory SM and then searches for a free sector in the MIFARE memory MM. A free sector (sector 0x2) is found and swapping can be done between the free MIFARE memory sector 0x2 and the "Ticket 7", meaning the MIFARE application "Ticket 7' is written into sector 0x2 of the MIFARE memory MM by the MIFARE applications manager MAM. (column 5, line 24-67, column 7, line 33-37, column 8, line 10-18)

the first application received and executed in the emulator, wherein the reader is external to the mobile device, and the first application in the emulator is replaceable in entirety by a second application corresponding to a second card when another one of the cards is selected by the user, wherein the first application is out of the emulator and replaced by the second application (column 5, line 58-67, column 8, line 40-49);

 Corda - or by means of a NFC reader/writer when the mobile communication device 1 has NFC capabilities and is located within the range of such a NFC reader/writer... the MIFARE applications manager MAM carries out swapping between these two tickets "Ticket1 and "Ticket7". The final state (FIG. 8C) shows the result of the Swapping operation. In the Swap memory SM "Ticket1 is still

> stored, but has no longer a sector indication (meaning that it is no longer located in the MIFARE memory MM). On the other hand, a sector indication (sector 0x2) has been added to the "Ticket 7' in the swap memory SM and this MIFARE application "Ticket 7' is now also stored in sector 0x2 of the MIFARE memory MM. (column 5, line 58-67, column 8, line 40-49)

a processor, in communication with the emulator and the storage device, performing an operation of causing the second application loaded into the emulator to replace the first application when the second card is selected via the display screen when the second application has been unlocked by the designated server, wherein said causing the second application loaded into the emulator to replace the first application (Figure 1; column 5, line 9-67, column 6, line 35-67, column 7, line 1-37, Column 9, line 50-67; claim 1, 18)

• **Corda** - The mobile communication device 1 has a user interface comprising a keyboard 3 and a display 2. It further comprises a processor and memory... The trigger signals TS that are detectable by the MIFARE applications manager MAM may also be signals generated by the user interface of the mobile communication device 1, particularly by the keyboard 3. Thereby the MIFARE applications manager MAM offers an interface to the user of the mobile communication device 1 to enable him/her to trigger a MIFARE applications swapping by himself/herself. ... A swapping instruction sent by a Service Provider etc. to the mobile communication device of a Mobile Network Operator or via RFID reader/writers which are connected to the

Service Provider via a communication network. For the implementation of this feature the MIFARE applications manager MAM comprises an interface to the SMS stack in order to give the mobile communication device 1 being configured as a NFC phone the ability to trigger MIFARE application Swapping operation on reception of a "Swapping-SMS which contains all the information about the Swapping operation to be done. (Figure 1; column 5, line 13-15, 58-67, column 6, line 35-67, column 7, line 1-37, Column 9, line 50-67; claim 1, 18)

wherein functions of the mobile device related to the first card offered by the first application are changed to functions offered by the second application related to the second card when the first application is out of the emulator and the second application is activated and executed in the emulator (column 5, line 56, 57, column 6, line 35-67; claim 1, 18)

• **Corda** - MIFARE applications are for instance tickets, coupons, access controls, e-purse functions, etc... in order to instruct the MIFARE applications manager MAM to perform a Swap and put the right concert ticket into the MIFARE memory MM. ... an applications manager configured to Swap applications between the first memory and the Swap memory Such that a first application that is stored at a first location on the first memory prior to Swapping replaces a second application that is store data second location on the Swap memory, and Such that the second application replaces the first application at the first location on the first memory, wherein the first application is different from the second application. (column 5, line 56, 57, column 6, line 35-67; claim 1) Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Behren(column 1, line 16-21), which teaches "*systems, methods, and devices for controlling multiple card Software applications using a control Software application, the control and card Software applications resident in a secure element of a con tactless Smart card*" and Corda(column 1, line 10-13), which teaches "*managing MIFARE applications in a mobile communication device that comprises a MIFARE Classic card or an emulated MIFARE Classic memory and a Swap memory*" in order to provide enough memory for multiple applications and store them in a secure way (Corda; column 3, line 43-67).

Neither Behren nor Corda use the term "emulator". Hosogoe uses the term "emulator" (Abstract; ¶44-51).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Behren(column 1, line 16-21), which teaches "*systems, methods, and devices for controlling multiple card Software applications using a control Software application, the control and card Software applications resident in a secure element of a con tactless Smart card*", Corda(column 1, line 10-13), which teaches "*managing MIFARE applications in a mobile communication device that comprises a MIFARE Classic card or an emulated MIFARE Classic memory and a Swap memory*" and Hosogoe(¶1), which teaches "*a multi-application type IC card having a plurality of functions including credit card and electronic money functions*" in order to ensure higher

security and great data volume to enact more monetary functions than a conventional magnetic card (Hosogoe; ¶ 2-4).

32. Regarding claims 2 and 13, Behren discloses further comprising a the secure element that has been personalized by operations of: initiating data communication by the mobile device with the designated server providing trusted service management (TSM) (column 5, line 11-33, column 7, line 59-67, column 8, line 1-14, column 23, line 33-67, column 24, line 1-56, column 26, line 1-16); sending device information of the secure element in responding to a request from the designated server when the designated server determines that the secure element is registered therewith (column 23, line 33-67, column 24, line 1-56, column 26, line 1-16), wherein the device information is a sequence of characters uniquely identifying the secure element, and the request is a command causing the mobile device to retrieve the device information from the secure element therein (column 7, line 1-21); and receiving in the secure element at least a set of keys from the designated server, wherein the set of keys are generated in accordance with the device information of the secure element, the set of keys in the secure element facilitates a subsequent transaction between the mobile device and a service provider (column 19, line 28-67, column 25, line 1-26, column 26, line 1-16).

• Claim Interpretation- The claim is directed to the mobile device, not the functions of the designated server, Therefore, it would be impossible for the mobile device to know for example, that the designated server has determined the secure element is registered with it. For the purpose of claim interpretations, the limitation will be understood to mean the secure element, comprised in the phone is sending device information.

33. Regarding claims 3 and 14, Behren discloses wherein the secure element is enclosed in the mobile device or in a detachable card to the mobile device (column 4, line 38-67).

34. Regarding claim 4, Corda teaches wherein each of the applications emulating functions of one of the cards provided respectively to perform a function related to a monetary transaction, the mobile device is used to emulate each of the cards when a corresponding application is loaded into and executed in the emulator (Figure 1; column 5, line 9-67, column 6, line 35-67, column 7, line 1-37, Column 9, line 50-67; claim 1, 18).

35. Regarding claim 5, Behren discloses wherein at least one of the cards is a contactless card (Figure 1; column 4, line (38-66).

36. Regarding claims 6 and 15, Behren discloses wherein the secure further includes a plurality of service objects along with a plurality of key indexes, each of the service objects corresponding to one of the applications (column 6, line 37-67, column 19, line 28-67, column 23, line 1-32, column 25, line 1-26).

Claim Interpretation – According to the specification(¶ 69, 72), "a service provider can access to all Mifare service objects (i.e., Mifare applications)... the TMSM 106 includes a set of service objects and corresponding key indexes. Each logical Mifare card in the TMSM 106 is called a service object... Each application can be associated with a key set index (also called key version number) of the installed SSD (Supplementary Secured Domain) key. " For the purpose of claim interpretation, the service objects will be understood to mean the applications and/or cards they correspond to.

37. Regarding claims 7 and 16, Behren discloses wherein the mobile device further provides: a user interface (UI) application provided to query one or more of the applications on information stored therein but not to modify the information (Figure 1; column 5, line 41-67, column 7, line 38-42, column 9, line 3-27, column 10, line 13-49, column 13, line 18-26, column 18, line 27-35, column 20, line 48-61); and a transaction UI application for conducting operations to modify one or more sectors in one or more of the applications (column 5, line 7-33, column 8, line 1-59, column 21, line 6-21).

38. Regarding claims 9 and 17, Behren discloses wherein the secure element is preloaded with default Issuer Security Domain (ISD) information updated entirely or partially subject to retrieved corresponding default ISD information from a party originating the secure element (column 5, line 11-33, column 7, line 59-67, column 19, line 28-67, column 25, line 1-26, column 26, line 1-16).

39. Regarding claims 10 and 18, Behren discloses wherein the mobile device is a smartphone or a portable computer (column 4, line 38-67).

40. Claims 11 and 19 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over von Behren et al. (8,646,059) ("Behren"), in view of Corda et al. (9,128,829) ("Corda"), in view of Hosogoe et al. (2003/0151125) ("Hosogoe") and further in view of Wentker et al. (6,481,632) ("Wentker").

41. Regarding claim 11, Behren discloses wherein each of the applications has been remotely provisioned by the designated server with operations of: sending a request from the mobile device to the designated server to provision an application installed in the mobile device, wherein the application being provisioned is distributed by an application provider (column 5, line 11-33, column 7, line 59-67, column 8, line 1-14,

column 23, line 33-67, column 24, line 1-56, column 26, line 1-16); establishing a secured channel between the mobile device and the designated server using a set of keys received from the designated server; receiving data for the application being provisioned from the designated server (Figure 3; column 5, line 11-33, column 7, line 59-67, column 8, line 1-14, column 23, line 33-67, column 24, line 1-56, column 26, line 1-16), and notifying the application provider of a status of the application with the mobile device (column 24, line 1-56, column 25, line 8-26).

Neither Behren, Corda nor Hosogoe teaches wherein the data for the application includes supplemental security domains (SSD) to be associated with the application. Wentker teaches wherein the data for the application includes supplemental security domains (SSD) to be associated with the application (column 11, line 21-62, column 14, line 24-43, column 16, 49-67). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Behren, Corda, Hosogoe and Wentker in order to provide efficient management of card applications (Wentker; column 1, line 12-67).

42. Claim 12 is rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over von Behren et al. (8,646,059) ("Behren"), in view of Corda et al. (9,128,829) ("Corda"), and further in view of Hosogoe et al. (2003/0151125) ("Hosogoe").

43. Regarding claim 12, Corda discloses installing in a storage device of the mobile device a plurality of applications downloaded from a designated server, each of the applications being managed by the designated server pertaining to one of the cards, wherein each of the applications is provisioned remotely with the designated server (column 5, line 24-67, column 7, line 33-37, column 8, line 10-18)

> **Corda -** The mobile communication device further comprises a MIFARE memory MM which can either be configured as a MIFARE Classic card or a MIFARE Emulation card... The mobile communication device 1 further comprises a swap memory SM. ... For instance, the Swap memory SM is located in a secure memory of a Smartcard 4, e.g. a SmartMX card, being schematically represented in FIG. 4 by dotted lines. In the present example the Smartcard 4 also comprises a memory portion that emulates the MIFARE memory MM. However, it should be emphasized that the MIFARE memory MM can also be a MIFARE Classic card, e.g. 1 kB or 4 kB card... by enabling the user to manage MIFARE applications Swapping the user will be able to choose which coupons he needs to be located in the MIFARE memory MM at the moment.... The MIFARE applications manager MAM first stores this MIFARE application "Ticket 7' in the swap memory SM and then searches for a free sector in the MIFARE memory MM. A free sector (sector 0x2) is found and swapping can be done between the free MIFARE memory sector 0x2 and the "Ticket 7", meaning the MIFARE application "Ticket 7' is written into sector 0x2 of the MIFARE memory MM by the MIFARE applications manager MAM. (column 5, line 24-67, column 7, line 33-37, column 8, line 10-18)

receiving in an emulator of the mobile device a first application corresponding to a first card(column 5, line 58-67, column 8, line 40-49);

Corda - or by means of a NFC reader/writer when the mobile communication device 1 has NFC capabilities and is located within the range of such a NFC reader/writer... the MIFARE applications manager MAM carries out swapping between these two tickets "Ticket1 and "Ticket7". The final state (FIG. 8C) shows the result of the Swapping operation. In the Swap memory SM "Ticket1 is still stored, but has no longer a sector indication (meaning that it is no longer located in the MIFARE memory MM). On the other hand, a sector indication (sector 0x2) has been added to the "Ticket 7' in the swap memory SM and this MIFARE application "Ticket 7' is now also stored in sector 0x2 of the MIFARE memory MM. (column 5, line 58-67, column 8, line 40-49)

facilitating data exchange between the external reader and the first application being executed in the emulator, wherein the first application in the emulator is replaceable in entirety by a second application corresponding to a second card when another one of the cards is selected by the user, wherein the first application is out of the emulator when the second card is selected by the and the first and replaced by the second application in the emulator(Figure 1; column 5, line 9-67, column 6, line 35-67, column 7, line 1-37, Column 9, line 50-67; claim 1, 18)

 Corda - The mobile communication device 1 has a user interface comprising a keyboard 3 and a display 2. It further comprises a processor and memory...The trigger signals TS that are detectable by the MIFARE applications manager MAM may also be signals generated by the user interface of the mobile communication

> device 1, particularly by the keyboard 3. Thereby the MIFARE applications manager MAM offers an interface to the user of the mobile communication device 1 to enable him/her to trigger a MIFARE applications swapping by himself/herself. ... A swapping instruction sent by a Service Provider etc. to the mobile communication device either as an SMS via the over-the-air service of a Mobile Network Operator or via RFID reader/writers which are connected to the Service Provider via a communication network. For the implementation of this feature the MIFARE applications manager MAM comprises an interface to the SMS stack in order to give the mobile communication device 1 being configured as a NFC phone the ability to trigger a MIFARE application Swapping operation on reception of a "Swapping-SMS which contains all the information about the Swapping operation to be done. (Figure 1; column 5, line 13-15, 58-67, column 6, line 35-67, column 7, line 1-37, Column 9, line 50-67; claim 1, 18)

causing the second application to replace the first application loaded and executed in the emulator, wherein said causing the second application to replace the first application loaded and executed in the emulator fails when the second card is selected via the display and wherein functions of the mobile device related to the first card offered by the first application are changed to functions offered by the second application related to the second card when the second application is activated and executed in the emulator(column 5, line 56, 57, column 6, line 35-67; claim 1, 18)

• **Corda** - MIFARE applications are for instance tickets, coupons, access controls, e-purse functions, etc... in order to instruct the MIFARE applications manager MAM to perform a Swap and put the right concert ticket into the MIFARE memory MM. ... an applications manager configured to Swap applications between the first memory and the Swap memory Such that a first application that is stored at a first location on the first memory prior to Swapping replaces a second application that is store data second location on the Swap memory, and Such that the second application replaces the first application at the first location on the first memory, wherein the first application is different from the second application. (column 5, line 56, 57, column 6, line 35-67; claim 1)

Corda does not disclose that subsequently installs corresponding data and keys for the one of the cards in the mobile device, the data can only be modified by the designated server over a secured channel, the mobile device communicates wirelessly with an external reader provided to read one of the cards on the mobile device; showing a list of the cards on a display of the mobile device for a user to choose one therefrom; but the second application has been locked by the designated server.

Behren teaches that subsequently installs corresponding data and keys for the one of the cards in the mobile device, the data can only be modified by the designated server over a secured channel, the mobile device communicates wirelessly with an external reader provided to read one of the cards on the mobile device(Figure 2, 3; column 4, line 49-67, column 5, line 11-67, column 7, line 22-67, column 8, line 1-14, column 13,



line 45-62, column 19, line 27-38, column 22, line 25-53, column 26, line 1-43);

Behren - An external trusted service manager (TSM) 108 controlled by a near field communications (NFC) service provider 104 hosts and transmits card software applications for installation within the secure element 152 of a contactless Smart card in mobile device 140. The NFC service provider 104 provides a secure key encrypted Software card application for decryption and installation in the Secure element 152... The term "card software application' and "card applet" are used interchangeably in this disclosure to refer to a software applications running within the secure element of a Smart card... to instantiate a Trusted Service Manager (TSM) Security Domain for download of payment and other card Software applications, to lock/unlock card Software applications, and to terminate secure element Software applications..... The payment applications may be loaded on the mobile device as a card Software application package, where each package, for example, a MasterCard package, typically contains Software code for all Supported payment applications within MasterCards'

> offerings, e.g., Mstripe, Mchip, and any other Suitable payment application. (column 4, line 63-66, column 5, line 11-33, column 7, line 62-67, column 8, line 1, 2)

showing a list of the cards on a display of the mobile device for a user to choose one therefrom(Figure 1; column 5, line 41-67, column 7, line 38-42, column 9, line 3-27, column 10, line 13-49, column 13, line 18-26, column 18, line 27-35, column 20, line 48-61)

Behren - the user may choose from different card types (for example, PayPass, Paywave, debit cards, or other types) from different credit card companies (for example, MasterCard, Visa, Discover, or other companies), as well as different bank instances (for example, Bank A, B, C, and D) for each card type on the user-interface... the wallet application can be used by the contactless payment device user to select certain card Software applications as preferred applications via a user-inter face, thereby creating an order based on the type of card Software application. ... When a full sized AID is selected, the directory software application then routes payment transaction commands according to user selected settings, directly to the selected instance... Here, all the data in the PPSE may not be distributed to merchants' reader by default, but is available to the user for selection via the user-interface. The user may choose to use the access functionality for specific payments on short distance contactless communication with a specific merchant terminal. T (column 5, line 41-67, column 7, line 38-42, column 9, line 14-18, column 18, line 27-32)

but the second application has been locked by the designated server(column 5, line 11-17, column 9, line 28-65, column 15, line 36-63, column 16, line 55- 67, column 17, line 1-60, column 19, line 8-17, column 24, line 1-67)

Behren - Alter natively, the TSM may issue pre-defined instructions for such exemplary external functions, as blocking/unblocking a card Software application... to instantiate a Trusted Service Manager (TSM) Security Domain for download of payment and other card Software applications, to lock/unlock card Software applications, and to terminate secure element Software applications... The control software application includes a list 232 of the activate/inactive/non-activatable card Software application AIDs in certain format...When a card Software application 240,252,260, and 268 is enabled, the SIO is active and is accessed by the client mode control Software application 224.... In certain exemplary embodiments, for the UNBLOCKED/BLOCKED functions from the JCRE 316, based on requests from the TSA 304 may be rendered on a selected AID of the card software application 360 for blocking. The instruction for blocking or unblocking may be defined by the control software application 328 using APIs from the JCRE that causes a selected card software application 360 to trigger an event to the control software application 328... In certain exemplary embodiments, the internal method calls applicable may include Such custom functions as, a enableSelection (byte aid): Boolean, for enabling selection of a payment card Software application and returning values as true if enabled or false for a general error (for example, the applet is locked). Another exemplary method call includes the disableSelection (byte aid): Void, which

disables selection of a payment type card Software application... (column 5, line 11-17, column 9, line 41-65, column 15, line 36-43, column 16, line 66, 67, column 17, line 1-7, column 24, line 41-44)

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Corda(column 1, line 10-13), which teaches "*managing MIFARE applications in a mobile communication device that comprises a MIFARE Classic card or an emulated MIFARE Classic memory and a Swap memory*" and Behren(column 1, line 16-21), which teaches "*systems, methods, and devices for controlling multiple card Software applications using a control Software application, the control and card Software applications resident in a secure element of a con tactless Smart card*" in order to provide a device owner access to several types of services that range from financial transactions to secure authentication (Behren; column 1, line 43-66).

Neither Corda nor Behren use the term "emulator". Hosogoe uses the term "emulator" (Abstract; ¶44-51). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Corda(column 1, line 10-13), which teaches "managing MIFARE applications in a mobile communication device that comprises a MIFARE Classic card or an emulated MIFARE Classic memory and a Swap memory" and Behren(column 1, line 16-21), which teaches "systems, methods, and devices for controlling multiple card Software applications using a control Software application, the control and card Software applications resident in a secure element of a con tactless Smart card" and Hosogoe(¶1), which teaches "a multi-application type IC card having a plurality of functions including credit card and electronic money functions" Application/Control Number: 13/782,948 Pag Art Unit: 3685 in order to ensure higher security and great data volume to enact more monetary functions than a conventional magnetic card (Hosogoe; ¶ 2-4).

Conclusion

44. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

- Hisano et al., (US 20060034043) teaches emulating first information and converting to second information.
- Spodak et al. (US 20130134216) teaches a universal card with multiple cards that emulates the different cards.
- Sklovsky et al (US 20090247077) teaches switching between applications on a mobile device.
- Tang et al. (US 20130331029) teaches secure elements with emulating functions for multiple applications.
- Finkenzeller et al. (US 20090199206) teaches switching between applications and utilizing a reading device to communicate with the applications.

45. Any inquiry concerning this communication or earlier communications from the examiner should be directed to ISIDORA I IMMANUEL whose telephone number is (469)295-9094. The examiner can normally be reached on Monday-Friday 9:00 am to 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, NEHA PATEL can be reached on 571-270-1492. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/ISIDORA I IMMANUEL/ Examiner, Art Unit 3685

Nation of Pafaranaan Citad	Application/Control No. 13/782,948	Applicant(s)/Pater Reexamination Xie et al.	Applicant(s)/Patent Under Reexamination Xie et al.			
Notice of neterences cheu	Examiner ISIDORA I IMMANUEL	Art Unit 3685	Page 1 of 1			
U.S. PATENT DOCUMENTS						

Date MM-YYYY Document Number Name **CPC** Classification US Classification Country Code-Number-Kind Code * US-20030151125-A1 08-2003 G06Q20/3574 257/679 А Hosogoe, Takashi * В US-9128829-B2 09-2015 Corda; Alexandre G06F12/0638 1/1 * С 02-2014 G06Q20/3574 726/9 US-8646059-B1 von Behren; Rob * US-6481632-B2 11-2002 Wentker; David C. G06F8/60 235/376 D Е F G Н T J κ L М

FOREIGN PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	CPC Classification
	Ν					
	0					
	Р					
	Q					
	R					
	S					
	Т					

NON-PATENT DOCUMENTS

*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)
	U	
	V	
	v	
	x	

*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).) Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.

U.S. Patent and Trademark Office PTO-892 (Rev. 01-2001)

Notice of References Cited

Part of Paper No. 20200618

	Application/Control No.	Applicant(s)/Patent Under Reexamination
Search Notes	13/782,948	Xie et al.
	Examiner	Art Unit
	ISIDORA I IMMANUEL	3685

CPC - Searched*					
Symbol	Date	Examiner			
G06Q20	08/17/2020	III			
G06Q2220	08/17/2020	III			

CPC Combination Sets - Searched*						
Symbol	Date	Examiner				

US Classification - Searched*						
Class	Subclass	Date	Examiner			
705						

* See search history printout included with this form or the SEARCH NOTES box below to determine the scope of the search.

Search Notes					
Search Notes	Date	Examiner			
See attached notes	2/1/2016	П			
101 withdrawal - Weinhart	06/06/2018	III			
See attached notes (EAST)	04/15/2019	III			
EAST search report	08/17/2020	III			
NPL search	08/17/2020				

Interference Search							
US Class/CPC Symbol	US Subclass/CPC Group	Date Examiner					

/ISIDORA I IMMANUEL/ Examiner, Art Unit 3685	

		Application/Control No.	Applicant(s)/Patent Under Reexamination		
Index of Claims		13/782,948	Xie et al.		
		Examiner	Art Unit		
		ISIDORA I IMMANUEL	3685		
✓ Rejected	-	Cancelled N No	on-Elected A Appeal		

~	Rejected	-	Cancelled			NON-Elected	A	Appear
=	Allowed	÷	Restricted		I	Interference	0	Objected
				-				

CLAIMS									
Claims renumbered in the same order as presented by applicant CPA T.D. R.1.47									
CLAIM DATE									
Final	Original	02/01/2016	09/16/2016	09/17/2017	05/22/2018	04/15/2019	12/18/2019	08/17/2020	
	1	√	√	1	1	√	~	1	
	2	1	1	1	1	~	~	1	
	3	√	~	1	✓	✓	~	1	
	4	1	1	1	✓	1	~	1	
	5	1	1	1	1	1	~	1	
	6	1	1	1	1	✓ ✓	1	1	
	7	1	1	1	1	✓ ✓	~	1	
	8	✓ ✓	1	✓ ✓	1	✓ ✓	~	-	
	9	1	1	1	✓	1	1	1	
	10		1			1	1	1	
	11						<i>\</i>	1	
	12		<i></i>			<i>✓</i>	<i></i>	1	
	13		<i></i>		<i>✓</i>	<i>✓</i>	∕	<i>√</i>	
	14		<i></i>			<i>✓</i>		<i>✓</i>	
	15		- V	- <i>·</i>	- <i>·</i> · · ·	<i>✓</i>		1	l
	16		- <i>·</i>	- <i>·</i> ·	- <i>·</i> · · ·	<i>✓</i>	~	<i>√</i>	l
	17		<u> </u>	- V	- V	<i>✓</i>	~	~	
	18	√		- V		<i>✓</i>		~	
	19	↓ ✓			↓ ✓	~	~	~	
		l							

Page 1 of 1

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	10	(("9128829") or ("8646059") or ("20030151125") or ("6481632")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2020/08/17 13:45
S2	178	(("(6101543") or ("20130178159") or ("20170323301") or ("20170372321") or ("20200034849") or ("5249218") or ("553334") or ("5367563") or ("5530703") or ("5640444") or ("5937421") or ("5963650") or ("5995839") or ("6078314") or ("6108003") or ("6137791") or ("6373820") or ("6802058") or ("6853851") or ("6912389") or ("7006964") or ("7039434") or ("7006964") or ("7039434") or ("7151931") or ("7155381") or ("7162408") or ("7165191") or ("7317912") or ("7319874") or ("7319948") or ("7324588") or ("7334162") or ("7324588") or ("7502626") or ("7512402") or ("7506451") or ("7545386") or ("756451") or ("7545386") or ("7548804") or ("7577887") or ("760261") or ("7698121") or ("7734288") or ("7738426") or ("7783261") or ("7809578") or (").pn.")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2020/08/17 11:43
S3	596	(emulat\$4 with application) and (secure adj element)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2020/08/17 12:32
S4	272	(emulat\$4 with application) same (secure adj element)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2020/08/17 12:32

S5	245	S3 AND ((G06Q20/3278 OR G06Q20/3829 OR G06Q20/3821 OR G06Q2220/00 OR G06Q20/3226 OR G06Q20/3825 OR G06Q2220/14).CPC.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2020/08/17 12:34
S6	108	S4 AND ((G06Q20/3278 OR G06Q20/3829 OR G06Q20/3821 OR G06Q2220/00 OR G06Q20/3226 OR G06Q20/3825 OR G06Q2220/14).CPC.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2020/08/17 12:34
S7	6	(("9128829") or ("8646059") or ("20030151125")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2020/08/17 12:36

EAST Search History (Interference)

<This search history is empty>

8/17/2020 1:46:43 PM

C:\Users\iimmanuel\Documents\EAST\Workspaces\13782948.wsp

STIC Scientific & Technical Information Center

EIC 3600 Search Report

Requester	Immanuel, Isidora Emp#: 90925 TAB-55086 (469) 295-9094 isidora.immanuel@uspto.gov
Case Serial Number:	13/782948
Access Search Log Number:	619540

Searcher:	Sylvia Keys
Location:	EIC 3600, Knox 4B68
Phone:	571-272-3534
Email:	sylvia.keys@uspto.gov
Date Completed:	6/11/2020

This search report contains the following content:

Search Histories

Keyword/synonym strings and search strategies used by the EIC Searcher in completing the prior art search are included. The search history for each database or resource utilized appears at the top of each database/resource section, indicated by the database/resource section headings.

Search Results

Only on-topic results are included in the search report. On-topic results include all references found that are related to the art area being searched. These references may not necessarily be useful for a rejection or other office action, but are included for the Examiner's review. Off-topic, unrelated, or irrelevant search results ("false drops" or "false hits") were removed by the Searcher. Off-topic results include all references that are unrelated to the art area being searched.

If you have any questions about this search, or about how to interpret this search report, please do not hesitate to contact the Searcher using the contact information listed above.

If you need assistance retrieving the full text of any of the references contained in this report, please contact the Searcher listed above, or the EIC 3600 Reference Desk at 571-272-3488 (x23488) or <u>STIC-EIC3600@uspto.gov</u>.

1

Thank you for using the EIC, and we look forward to your next search!

6/11/2020

Potential References of Interest



System for developing and deploying radio frequency identification enabled software applications

Koh, Liang Seng; Cho, Fu-Liang; Cho, Fu-Tong; Fung, Daniel; Pan, Hsin (Inventors). RFCyber Corporation (Assignee). US 20060161878 A1. (Published 20 Jul 2006).

... system 10, alternatively termed RFCyberWork, is a platform for ...



System for developing and deploying radio frequency identification enabled software applications

Koh, Liang Seng; Fu-Tong, Cho; Fu-Liang, Cho; PAN HSIN (Inventors). RFCYBER CORP (Assignee). TW 200632705 A. (Published 16 Sep 2006).

• 1

NFC - The intuitive contactless technology becomes reality

Dachs, C., Elektrotechnik und Informationstechnik 122.12: 466-471. Springer Wien. (Dec 2005)

EnglishENGEnglish

Near Field Communication (NFC) is opening-up completely new ... mobile communication industry. It enables contactless peer-to-peer communication, reading/writing of contactless ...

Dialog – Patent Files and Inventors

Search Strategy

Databases: Argentina Patents Fulltext, Australia Patents Fulltext, Austria Patents Fulltext, Belgium Patents Fulltext, Brazil Patents Fulltext, Canada Patents Fulltext, China Patents Fulltext, Denmark Patents Fulltext, Derwent Chemistry Resource, Derwent Patents Citation Index®, Derwent World Patents Index®, Eurasia Patents Fulltext, European Patents Fulltext, Finland Patents Fulltext, France Patents Fulltext, Germany Patents Fulltext, Global Patents Bibliographic, Great Britain Patents Fulltext, IFI CLAIMS® US Patents and Legal Status, IMS Patent Focus, India Patents Fulltext[™], INPADOC / Family and Legal Status, Ireland Patents Fulltext, Italy Patents Fulltext, Japan Patents Fulltext, JAPIO - Patent Abstracts of Japan, Korea Patents Fulltext, LitAlert®, Luxembourg Patents Fulltext, Mexico Patents Fulltext, Monaco Patents Fulltext, Netherlands Patents Fulltext, Norway Patents Fulltext, Portugal Patents Fulltext, Russia Patents Fulltext, Spain Patents Fulltext, Sweden Patents Fulltext, Switzerland Patents Fulltext, United States Patents Fulltext, WIPO PCT Patents Fulltext

Set#	Searched for	Results
S1	au((xie or koh or pan))	2732377
S2	rfcyber*	633
S3	s1 and s2	132
S4	py(2006) and s3	8

EIC 3600 Search Report

6/11/2020



SYSTEM FOR DEVELOPING AND DEPLOYING RADIO FREQUENCY IDENTIFICATION ENABLED SOFTWARE APPLICATIONS

Koh, Liang Seng; Fu-Liang, Cho; Fung, Daniel; PAN HSIN (Inventors). RFCYBER CORP (Assignee). WO 2006074096 A2. (Published 13 Jul 2006).



System for developing and deploying radio frequency identification enabled software applications

Koh, Liang Seng; Cho, Fu-Liang; Cho, Fu-Tong; Fung, Daniel; Pan, Hsin (Inventors). RFCyber Corporation (Assignee). US 20060161878 A1. (Published 20 Jul 2006).

... system 10, alternatively termed RFCyberWork, is a platform for ...



System for developing and deploying radio frequency identification enabled software applications

Koh, Liang Seng; Fu-Tong, Cho; Fu-Liang, Cho; PAN HSIN (Inventors). RFCYBER CORP (Assignee). TW 200632705 A. (Published 16 Sep 2006).

Dialog – NPL and Inventor(s)

Search Strategy

Databases: ABI/INFORM® Professional Advanced, Abstracts in New Technology & Engineering, AdisInsight: Drugs, AdisInsight: Trials, Adis Pharmacoeconomics & Outcomes News, AGRICOLA, AGRIS, Allied & Complementary Medicine[™], Analytical Abstracts, APA PsycInfo[®], Aqualine, Aquatic Science & Fisheries Abstracts (ASFA), Australian Education Index, BIOSIS® Toxicology, BIOSIS Previews®, British Library Inside Conferences, British Nursing Index, Business & Industry, CAB ABSTRACTS, Chemical Business Newsbase, Chemical Engineering & Biotechnology Abstracts, Chemical Safety Newsbase, Civil Engineering Abstracts, Current Contents® Search, DH-DATA: Health Administration, Medical Toxicology & Environmental Health, DIOGENES® FDA Regulatory Updates, Drug Information Fulltext, Earthquake Engineering Abstracts, Ei Compendex®, Embase®, EMCare®, ESPICOM Pharmaceutical & Medical Device News, FDAnews, FLUIDEX (Fluid Engineering Abstracts), Foodline®: MARKET, Foodline®: PRODUCT, Foodline®: SCIENCE, FSTA®, Gale Group Computer Database™, Gale Group Health Periodicals Database, Gale Group New Product Announcements / Plus®, Gale Group Newsletter Database[™], Gale Group PharmaBiomed Business Journals, Gale Group PROMT®, Gale Group Trade & Industry Database™, GEOBASE™, GeoRef, HSELINE: Health and Safety, ICONDA - International Construction Database, IMS Company Profiles, IMS New Product Focus, IMS Pharma Trademarks, IMS R&D Focus, IMS R&D Focus Drug News, Inspec®, International Pharmaceutical Abstracts, Jane's Defense & Aerospace News, King's Fund, KOSMET: Cosmetic Science, Lancet Titles, Material Safety Datasheets -OHS[™], Mechanical & Transportation Engineering Abstracts, MEDLINE®, Meteorological & Geoastrophysical Abstracts, New England Journal of Medicine, NTIS: National Technical Information Service, Oceanic Abstracts, PAIS International, Paperbase, PAPERCHEM, ProQuest Advanced Tech & Aerospace Professional, ProQuest Biological & Health Science Professional, ProQuest Environmental Science Professional, ProQuest Materials Research Professional, ProQuest Newsstand Professional, ProQuest Technology Research Professional, Prous Science Daily Essentials, Prous Science Drug Data Report, Prous Science Drugs Of The Future™,

EIC 3600 Search Report

6/11/2020
Registry of Toxic Effects of Chemical Substances (RTECS®), SciSearch®: a Cited Reference Science Database, Social SciSearch®, ToxFile®, Transport Research International Documentation, TULSA[™] (Petroleum Abstracts), UBM Computer Full Text, Weldasearch®, Zoological Record Plus

Set#	Searched for	Results
S1	"smart card\$1" or smartcard\$1	369847*
S2	contactless and ("smart card\$1" or smartcard or card\$1)	101277*
S3	card\$ and (transaction\$1 or interact\$3 or payment\$1 or "monetary function\$1")	4099506*
S4	mifare* or "micron fare collection system"	3361°
S5	(s1 or s2 or s3 or s4) and (switch\$3 or replac\$3 or substitute\$1 or substitution or "back\$3 up")	696777*
S6	(s1 or s2 or s3 or s4) and (activate\$1 or activation or activating)	159179*
S7	(s1 or s2 or s3 or s4) and emulat* or imitat* or copy or copies or mimic or mirror or match	56927115*
S8	(nfc or "near field communication\$1") and interface\$1	34616*
S9	smartphone (mobile or web or smart or cell or cellular or wireless or cordless or handheld or "hand held" or media or user) n/5 (phone or telephone or fone or device or apparatus or equipment)	640291*
S10	pda or "personal digital assistant" or wireless or cellphone or webphone or palmpilot or "palm pilot" or ipad or iphone or smartphone or tablet or android or pc or "personal computer\$1"	26128177*
S11	au((xie or koh or pan))	2541829*
S12	rfcyber*	34°
S13	(s5 or s6 or s7) and s8	11622*
S14	s13 and (s9 or s10)	9968*
S15	su(contactless*) and s14	12°
S16	py(2006) and s14	36°
S17	su(contactless) and s16	0°
S18	su(emulat*) and s14	16°
S19	su("smartcard*") and s14	3°
S20	su("smart card*") and s14	244°
S21	s20 not s19	243°
S22	su(emulat*) and s21	2°
S23	py(2006) and s21	6°
S24	(s11 or s12) and s21	1°
S25	(s11 and s12) and contactless	0°

8

.

> 1 🖤

NFC - The intuitive contactless technology becomes reality

4

Dachs, C., Elektrotechnik und Informationstechnik 122.12: 466-471. Springer Wien. (Dec 2005)

EnglishENGEnglish

Near Field Communication (NFC) is opening-up completely new ... mobile communication industry. It enables contactless peer-to-peer communication, reading/writing of contactless ...

er already carries around (e. g. ...



CASHLESS PAYMENTS: Contactless cuts out cash and cards

Electronic Payments International: 8-9. London: Lafferty Ltd. (Feb 2006)

... major trials using MasterCard International's **contactless payment** technology PayPass. The Royal Bank ... on a Maestro or MasterCard **card** or be offered as a ...

5

Electronic Acknowledgement Receipt		
EFS ID:	41220781	
Application Number:	13782948	
International Application Number:		
Confirmation Number:	5348	
Title of Invention:	Method and apparatus for emulating multiple cards in mobile devices	
First Named Inventor/Applicant Name:	Xiangzhen Xie	
Customer Number:	26797	
Filer:	Joe Zheng	
Filer Authorized By:		
Attorney Docket Number:	RFID-084	
Receipt Date:	24-NOV-2020	
Filing Date:	01-MAR-2013	
Time Stamp:	21:49:29	
Application Type:	Utility under 35 USC 111(a)	

Payment information:

Submitted with Payment no		no				
File Listing:						
Document Number	Document Description		File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
1	Drawings-only black and white line F drawings		Response To1st OAA fter 2nd App eal.pdf	167607		
		Res		4c6dd618765dc7b377cef5aaf466f6ce3eb9 Saa1	, ,	14
Warnings:		•				

Information:		
	Total Files Size (in bytes):	167607

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course. New International Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s):	Xiangzhen Xie et al
Title:	Method and apparatus for emulating multiple cards in mobile
	devices
Serial No.:	13/782,948
Filing Date:	03/01/2013
Confirmation	5348
Examiner:	Isidora I. Immanuel
Group Art Unit:	3685
Docket No.:	RFID-084

November 24, 2020

Mail Stop: No-Fee Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Response to 1st OA (in RCE proceeding)

Dear Sir:

In response to the Final Office Action dated 08/24/2020, the Applicant respectfully requests the Examiner to enter the following amendments before reconsidering the above-referenced application:

AMENDMENTS TO THE CLAIMS are reflected in the listing of claims which begins on page 2 of this Response.

REMARKS/ARGUMENTS begin on page 9 of this Response.

AMENDMENTS TO THE CLAIMS

Please amend Claims 1-2, 11-13 and 19 as follows:

- 1. (*Currently amended*) A mobile device for emulating a plurality of cards, the mobile device comprising:
 - a display screen showing a list of <u>applications</u> the cards for a user of the mobile device to choose one therefrom, <u>each of the applications corresponding to one</u> <u>of the cards</u> wherein a display of the list of the cards is provided via a designated server;
 - a storage device for storing a plurality of applications, each of the applications corresponding to one of the cards<u>a secure element including a memory for</u> <u>storing the application and executing a service manager to manage the</u> <u>applications, wherein the service manager includes a table to keep track of the</u> <u>applications and cause the applications provisioned remotely via</u>-wherein each of the applications is provisioned remotely with the designated<u>dedicated</u> server that subsequently installs corresponding data and keys for the each of the cards in the mobile device, the data <u>can-is</u> only be modified by the designated<u>dedicated</u> server over a secured channel;
 - an emulator, coupled to the storage device and coupled to the memory implemented in a secure element, receiving a first application corresponding to a first card in accordance with the service manager, the first application being one of the plurality of applications, wherein the table in the service manager updates a counter when the first application is successfully loaded in the emulator;
 - a communication interface, <u>coupled to the secure element</u>, to facilitatinge data exchange wirelessly between a reader and the first application received and executed in the emulator, wherein the reader is external to the mobile device, <u>the secure element communicates with the reader via the communication</u> <u>interface</u>, and the first application in the emulator is replacedable in entirety or <u>partially</u> by a second application corresponding to a second card when another

one of the cards is selected by the user, wherein the service manager receives a request to activate the second application and performs a validation to the second application, the first application is out of the emulator and replaced by the second application with the table updated per the second application; and the service manager conducts a processor, in communication with the emulator and the storage device, performing an operation of causing the second application loaded into the emulator to replace the first application when the second card is selected via the display screen and when the second application has been unlocked by the designated dedicated server, wherein said operation of causing the second application loaded into the emulator to replace the first application fails when the second card is selected via the display screen but the second application has been locked remotely by the designated dedicated server, and wherein functions of the mobile device related to the first card offered by the first application are changed to functions offered by the second application related to the second card when the first application is out of the emulator and the second application is activated and executed in the emulator.

2. (Currently amended) The mobile device as recited in claim 1, further comprising the secure element that has been personalized by operations of: initiating data communication by the mobile device with the designated<u>dedicated</u> server providing trusted service management (TSM); sending device information of the secure element in responding to a request from the designated<u>dedicated</u> server when the designated<u>dedicated</u> server determines that the secure element is registered therewith, wherein the device information is a sequence of characters uniquely identifying the secure element, and the request is a command causing the mobile device to retrieve the device information from the secure element therein; and receiving in the secure element at least a set of keys from the designated<u>dedicated</u> server, wherein the set of keys are generated in accordance with the device information of the secure element, the set of keys

in the secure element facilitates a subsequent transaction between the mobile device and a service provider.

- 3. (*Previously amended*) The mobile device as recited in claim 2, wherein the secure element is enclosed in the mobile device or in a detachable card to the mobile device.
- 4. (*Previously amended*) The mobile device as recited in claim 3, wherein each of the applications emulating functions of one of the cards provided respectively to perform a function related to a monetary transaction, the mobile device is used to emulate each of the cards when a corresponding application is loaded into and executed in the emulator.
- 5. (*Previously amended*) The mobile device as recited in claim 4, wherein at least one of the cards is a contactless card.
- (*Previously amended*) The mobile device as recited in claim 3, wherein the secure element further includes a plurality of service objects along with a plurality of key indexes, each of the service objects corresponding to one of the applications.
- 7. (*Previously amended*) The mobile device as recited in claim 6, wherein the mobile device further provides:

a user interface (UI) application provided to query one or more of the applications on information stored therein but not to modify the information; and

a transaction UI application for conducting operations to modify one or more sectors in one or more of the applications.

8. (Cancelled)

- (Currently amended) The mobile device as recited in claim 2, wherein the secure element is preloaded with default Issuer Security Domain (ISD) information updated entirely or partially subject to retrieved corresponding default-ISD information from a party originating the secure element.
- 10. (*Previously amended*) The mobile device as recited in claim 2, wherein the mobile device is a smartphone or a portable computer.
- 11. (*Currently amended*) The mobile device as recited in claim 1, wherein each of the applications has been remotely provisioned by the designated<u>dedicated</u> server with operations of:
 - sending a request from the mobile device to the <u>designateddedicated</u> server to provision an application installed in the mobile device, wherein the application being provisioned is distributed by an application provider;
 - establishing a secured channel between the mobile device and the designated<u>dedicated</u> server using a set of keys received from the designated<u>dedicated</u> server;
 - receiving data for the application being provisioned from the designated<u>dedicated</u> server, wherein the data for the application includes supplemental security domains (SSD) to be associated with the application; and
 - notifying the application provider of a status of the application with the mobile device.
- 12. (*Currently amended*) A method for a mobile device to emulate a plurality of cards, the method comprising:

installing in a <u>memory</u>eterage device of the mobile device a plurality of applications downloaded from a designated<u>dedicated</u> server, each of the applications being managed by <u>a service manager executed in a secure</u> <u>element in communication with the memory</u>the designated server pertaining to one of the eards, wherein the memory is included in the secure element. the service manager includes a table to keep track of the applications and cause the applications provisioned remotely via each of the applications is provisioned remotely with the designated<u>dedicated</u> server that subsequently installs corresponding data and keys for the one<u>each</u> of the cards in the mobile device, the data <u>can-is</u> only be modified by the <u>designated<u>dedicated</u> dedicated</u> server over a secured channel, the mobile device communicates wirelessly with an external reader provided to read one of the cards on the mobile device;

- showing a list of the applications the cards on a display of the mobile device for a user to choose one therefrom, each of the applications corresponding to one of the cards;
- receiving in an emulator of the mobile device a first application corresponding to a first card, wherein the table in the service manager updates a counter when the first application is successfully loaded in the emulator;
- facilitating data exchange between the external reader and the first application being executed in the emulator, wherein the first application in the emulator is replacedable in entirety by a second application corresponding to a second card when another one of the cards is selected by the user, wherein the first application is out of the emulator when the second card is selected by the <u>user</u>, and the first <u>application is and</u> replaced by the second application in the emulator;
- causing the second application to replace the first application loaded and executed in the emulator, wherein the table is updated per the second application, said causing the second application to replace the first application loaded and executed in the emulator fails when the second card is selected via the display but the second application has been locked by the designated<u>dedicated</u> server, and wherein functions of the mobile device related to the first card offered by the first application are changed to functions offered by the second application related to the second card when the second application is activated and executed in the emulator.

- 13. (*Currently amended*) The method as recited in claim 12, wherein the mobile device is associated with a secure element, and the method further comprises: initiating data communication by the mobile device with the designated<u>dedicated</u> server;
 - sending device information of the secure element in responding to a request from the designated<u>dedicated</u> server after the designated<u>dedicated</u> server determines that the secure element is registered therewith, wherein the device information is a sequence of characters uniquely identifying the secure element, and the request is a command causing the mobile device to retrieve the device information from the secure element therein; and receiving in the secure element at least a set of keys from the designated<u>dedicated</u> server, wherein the keys are generated in accordance with the device information of the secure element, the set of keys in the secure element facilitates a subsequent transaction between the mobile device and a service provider.
- 14. (*Original*) The method as recited in claim 13, wherein the emulator is implemented in the secure element, the secure element is enclosed in the mobile device or in a detachable card to the mobile device.
- 15. (*Previously amended*) The method as recited in claim 14, wherein the secure element further includes a plurality of service objects along with a plurality of key indexes, each of the service objects corresponding to one of the applications.
- 16. (Previously amended) The mobile device as recited in claim 15, further providing:

querying via a user interface (UI) one or more of the applications; and conducting operations that modify one or more sectors in one or more of the applications.

- 17. (*Currently amended*) The method as recited in claim 13, wherein the secure element is preloaded with default Issuer Security Domain (ISD) information updatable entirely or partially subject to retrieved corresponding default-ISD information from a party originating the secure element.
- 18. (*Previously amended*) The method as recited in claim 12, wherein the mobile device is a smartphone or a portable computer.
- 19. (*Currently amended*) The method as recited in claim 12, wherein each of the applications has been remotely provisioned by the designated<u>dedicated</u> server with operations of:
 - receiving a request to provision an application installed in the mobile device, wherein the application to be provisioned with the secure element is distributed by an application provider;
 - establishing a secured channel with the secure element using a set of keys; preparing data for the application being provisioned, wherein the data includes supplemental security domains (SSD) to be associated with the application; and
 - notifying the application provider of a status of the application with the mobile device.

REMARKS

Claims 1 – 7 and 9 - 19 were examined again. In the Office Action dated 08/24/2020, Claims 1-7, 9, 10, and 13-18 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over van Behren et al. (8,646,059) ("Behren"), in view of Corda et al. (9, 128,829) ("Corda"), and further in view of Hosogoe et al. (2003/0151125) ("Hosogoe"), Claims 11 and 19 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Behren in view of Corda in view of Hosogoe et al. (2003/0151125) ("Hosogoe") and further in view of Corda in view of Hosogoe et al. (2003/0151125) ("Hosogoe") and further in view of Section View of View of Hosogoe et al. (2003/0151125) ("Hosogoe") and further in view of Wentker et al. (6,481,632) ("Wentker"), and Claim 12 is rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Behren in view of Corda and further in view of Hosogoe.

In the foregoing amendments, Claims 1-2, 11-13 and 19 have been amended to further distinguish from the cited references. No new matters are introduced. Claims 1 - 7 and 9 - 19 are still pending.

Interview Summary

The Applicant appreciates the Examiner for granting a conference call among the Examiner herself, co-inventor Liang Seng Koh and the undersigned. The call took place on August 11, 2020. The Applicant and the Examiner had the opportunity to discuss proposed allowable claims by the Examiner on Claim 1. No agreement was reached. The Examiner will reconsider proposed amendments when a formal response is filed.

Claim Interpretation

Claim Rejections - 35 USC § 112

On page 4, Section 14, of the Office Action, the Examiner states that this application includes one or more claim limitations that do not use the word "means," but are nonetheless being interpreted under 35 U.S.C. 112(f) or pre-AIA 35 U.S.C. 112, sixth paragraph, because the claim limitation(s) uses a generic placeholder that is coupled with functional language without reciting sufficient structure to perform the recited function.

Assuming the foregoing amendments are entered, the Applicant respectfully disagrees with the interpretation by the Examiner under 35 U.S.C. 112(f) or pre-AIA 35 U.S.C. 112, sixth paragraph. Claim 1 as amended recites explicitly the sufficient structure, such as "a secure element including a memory for storing the application and executing a service manager to manage the applications" and "an emulator, coupled to the memory...". Other terms such as "a communication interface facilitating data exchange wirelessly between a reader and the first application received and executed in the emulator" are well known structural. It is believed that the interpretation under 35 U.S.C. 112(f) or pre-AIA 35 U.S.C. 112, sixth paragraph is moot.

Claim Rejections - 35 USC § 112

On Page 6, Section 16, of this Office Action, Claims 1-7, and 9-19 are rejected under 35 U.S.C. 112(a) or 35 U.S.C. 112 (pre-AIA), first paragraph, as failing to comply with the written description requirement. The Applicant respectfully disagrees and traverses the rejections as follows.

In Section 17, the Examiner alleges "There is no written description support for the designated server performing the functions of the claimed TSM server and an application provider." The Applicant wishes to refer the Examiner to FIG. 1D, Block 154 that explicitly uses "a dedicated server". It is believed that there is no difference between "dedicated server" and "designated server" in meaning. Nevertheless, the Applicant has amended the claims to recite "dedicated server".

In Section 18, the Examiner alleges "*The displayed information are applications, not cards*". The Applicant wishes to state that a mobile device or a display device would not be able to display a physical card. When a card is being displayed, it is well known to those skilled in the art that the card is an electronic representation of an application. Nevertheless, the Applicant has amended Claim 1 to clarify the wording.

In Section 19, the Examiner alleges "Neither the figures nor the specification describe a device other than the secure element that is used to store both the plurality of applications and the emulator." The Applicant respectfully points out that

a secure element shown in FIG. 1A is a type of processor that includes a store (e.g., memory) for storing data and applications. The store (often RAM devices) acts as memory or storage and is certainly not a generic storage device (e.g., a hard disk). Accordingly, the Applicant has amended Claim 1 to refer such a store as memory.

In Section 20, the Examiner alleges "the specification does not describe or mention the SE being preloaded with and ISO (entirely or partially updated) or that these are based on [a] retrieved default ISO information from an entity that created the secure element". The Applicant has amended Claims 9 and 17 to clarify the wording.

On Page 9, Section 22, of this Office Action, Claims 1-7, and 9-19 are rejected under 35 U.S.C. 112(a) or 35 U.S.C. 112 (pre-AIA), second paragraph, as failing to particularly point out and distinctly claim the subject matter which the inventor or a joint inventor, or for pre-AIA the applicant regards as the invention.

The Applicant respectfully disagrees and traverses the rejections. As reasoned above, the foregoing amendments are believed to have made the interpretation under 35 U.S.C. 112(f) or pre-AIA 35 U.S.C. 112 moot. The Drawings show the structural details, together with the Specification. On Page 11, the Examiner admits "In the instant application, the following portions of the specification and drawings may appear to describe the corresponding structure for performing the claimed function: specification [paragraphs] 5, 7, 11, 56, 57, 59-61, 75, 76, 91 and 92." Accordingly, the rejections under 35 U.S.C. 112(a) or 35 U.S.C. 112 (pre-AIA) shall be withdrawn.

Claim Rejections - 35 USC § 103

On Page 14, Section 30, of this Office Action, Claims 1-7, 9, 10, and 13-18 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Behren in view of Corda and further in view of Hosogoe.

As amended, Claim 1 recites:

...

- an emulator, coupled to the memory, receiving a first application corresponding to a first card in accordance with the service manager, the first application being one of the plurality of applications, wherein <u>the table in the service</u> <u>manager updates a counter when the first application is successfully loaded in</u> <u>the emulator;</u>
- a communication interface, coupled to the secure element, facilitating data exchange wirelessly between a reader and the first application received and executed in the emulator, wherein the reader is external to the mobile device, the secure element communicates with the reader via the communication interface, ...

(emphasis added)

As shown in FIG. 1A, the secure element 108 includes an emulator 122, a memory to store the applications (applets) and a service manager 106 managing these applications. The emulator 122 executes one of the applications at a time to emulate one of the cards supported in a mobile device, where a table is provided to track which one of the applications is being executed in the emulator. As admitted by the Examiner on Pages 18-19, Behren does not disclose an emulator and several other limitations recited in Claim 1. Another important distinction between Claim 1 as amended and Behren is that it is the emulator that communicates with a reader (external to the mobile device) while Behren uses an NFC reader to interact directly with individual card software to communicate with an external reader.

On Page 19, the Examiner admits cites Corda to be combined with Behren to show the teaching of an emulator. The Applicant respectfully contests the combination of Behren and Corda as it is believed that there is no motivation to combine these two references in the manner proposed by the Examiner. Corda teaches managing sectors of a memory card with controlling software. As explicitly shown in FIG. 7 - FIGS. 10C and described in corresponding specification, Corda shows how all features of an application are enabled by managing sectors of a memory. The subtle difference between Corda and the instant application is that Corda teaches utilizing all features of an application by swapping relevant data into certain sectors of a

memory card while the instant application recites emulating a card (running a loaded application entirely by unloading another application from the emulator). The Applicant submits the modification of Behren with Corda would not cure the deficiency in Behren as stated above. The combination of Behren with Corda is improper. Claim 1 as amended shall be allowed over Behren and Corda, viewed alone or in combination.

On Page 23, the Examiner admits "Neither Behren nor Corda use the term "emulator" and then cites Hosogoe to show the use of the term "emulator". Again the Applicant respectfully contests the combination of Behren, Corda and Hosogoe as it is believed that there is no motivation to combine these three references in the manner proposed by the Examiner. Hosogoe teaches a multi-application type IC card that runs emulator programs to process commands from an external terminal. As the name explicitly suggest and shown in FIG. 1(b), this IC card is loaded with multiple programs, an emulator for each of the programs is needed to access ALL of the programs, which contradicts "the table in the service manager updates a counter when the first application is successfully loaded in the emulator^a and "the first application is out of the emulator and replaced by the second application with the table updated per the second application". In a perspective, the emulator is loaded with and executes only one application. Accordingly, the Applicant submits the modification of Behren nor Corda with Hosogoe would not cure the deficiency in Behren combined with Corda as stated above. The combination of Behren, Corda and Hosogoe is improper. Claim 1 as amended shall be allowed over Behren, Corda and Hosogoe, viewed alone or in combination.

Claim 12 was amended similarly to Claim 1. Without repeating the same, the Applicant wishes to rely upon the above arguments supporting Claim 1 to support Claim 12 and submits the combination of Behren, Corda and Hosogoe is improper. Even if they were combined, the combination of Behren, Corda and Hosogoe fails to suggest "the first application in the emulator is replaced in entirety by a second application corresponding to a second card when another one of the cards is selected by the user, wherein the first application is out of the emulator when the second card is selected by the user, the first application is replaced by the second application in the emulator". Accordingly, the Appellant submits Claim 12 as

13

amended shall be allowable over Behren, Corda and Hosogoe. Reconsideration of Claims 12-19 is kindly requested.

The patentability of the independent claims has been argued specifically as set forth above and thus the Applicant will not take this opportunity to argue further the merits of the rejection with regard to each dependent claim. However, Applicant does not concede that the dependent claims are not independently patentable and reserves the right to argue the patentability of the dependent claims at a later date if necessary.

In view of the above amendments and remark, the Applicant believes that Claims 1-7, and 9-19 shall be in condition for allowance over the cited references. Early and favorable action is being respectfully solicited.

If there are any issues remaining which the Examiner believes could be resolved through either a Supplementary Response or an Examiner's Amendment, the Examiner is respectfully requested to contact the undersigned at (408)891-9381.

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to " Mail Stop: AF/RCE Commissioner for Patents, P.O. Box 1450 Alexandria, VA 22313-1450", 11/24/2020.

e-filed. Name:<u>Joe Zheng</u> Signature: / joe zheng / Respectfully submitted;

/ joe zheng /

Joe Zheng Reg.: No. 39,450

PTO/SB/06 (09-11)

Approved for use through 1/31/2014. OMB 0651-0032 U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number Application or Docket Number Filing Date PATENT APPLICATION FEE DETERMINATION RECORD 13/782,948 03/01/2013 To be Mailed Substitute for Form PTO-875 ENTITY: 🗹 LARGE 🗌 SMALL 🗌 MICRO **APPLICATION AS FILED - PART I** (Column 1) (Column 2) NUMBER EXTRA FOR NUMBER FILED BATE (\$) FEE (\$) BASIC FEE N/A N/A N/A (37 CEB 1.16(a), (b), or (c)) SEARCH FEE N/A N/A N/A (37 CFR 1.16(k), (i), or (m)) EXAMINATION FEE N/A N/A N/A (37 CFR 1.16(o), (p), or (g) TOTAL CLAIMS x \$62 = minus 20 (37 CFR 1.16(i)) INDEPENDENT CLAIMS x \$250 = minus 3 (37 CFR 1.16(h)) If the specification and drawings exceed 100 sheets of paper, the application size fee due is \$310 (\$155 **MAPPLICATION SIZE FEE (37** for small entity) for each additional 50 sheets or CFR 1.16(s)) fraction thereof. See 35 U.S.C. 41(a)(1)(G) and 37 CFR 1.16(s) MULTIPLE DEPENDENT CLAIM PRESENT (37 CFR 1.16(j)) If the difference in column 1 is less than zero, enter "0" in column 2. TOTAL **APPLICATION AS AMENDED - PART II** (Column 1) (Column 2) (Column 3) CLAIMS HIGHEST REMAINING NUMBER 11/24/2020 PRESENT EXTRA RATE (\$) ADDITIONAL FEE (\$) AFTER PREVIOUSLY ENDMENT AMENDMENT PAID FOR Total * 18 ** 20 = 0 x \$100 = 0 Minus . FR 1.16(i) Independent (37 CFR 1.16(h)) * 2 *** 3 = 0x \$480 = Minus 0 ¥ Application Size Fee (37 CFR 1.16(s)) FIRST PRESENTATION OF MULTIPLE DEPENDENT CLAIM (37 CFR 1.16(j)) TOTAL ADD'L FEE 0 (Column 1) (Column 2) (Column 3) CLAIMS HIGHEST REMAINING NUMBER PRESENT EXTRA RATE (\$) ADDITIONAL FEE (\$) AFTER PREVIOUSLY AMENDMENT PAID FOR E Total x \$0 = Minus AMENDM . B 1 16/i) Independent (37 CFR 1.16(h)) x \$0 *** Minus = Application Size Fee (37 CFR 1.16(s)) FIRST PRESENTATION OF MULTIPLE DEPENDENT CLAIM (37 CFR 1.16(j)) TOTAL ADD'L FEE LIE * If the entry in column 1 is less than the entry in column 2, write "0" in column 3. /VENICE M WILLIAMS/ ** If the "Highest Number Previously Paid For" IN THIS SPACE is less than 20, enter "20" *** If the "Highest Number Previously Paid For" IN THIS SPACE is less than 3, enter "3" The "Highest Number Previously Paid For" (Total or Independent) is the highest number found in the appropriate box in column 1

This collection of information is required by 37 CFR 1.16. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
13/782,948	03/01/2013	Xiangzhen Xie	RFID-084	5348
26797 LogicPatents, L	7590 03/04/202 L.C.	1	EXAM	IINER
21701 Stevens	Creek Boulevard, #284 CA 95015	Ļ	IMMANUEL	., ISIDORA I
eer birnin,			ART UNIT	PAPER NUMBER
			3685	
			NOTIFICATION DATE	DELIVERY MODE
			03/04/2021	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

uspatents@sbcglobal.net

	Application No. Applicant(s) 13/782 048 Xio ot al				
Office Action Summarv	13/762,946				
	ISIDORA I IMMANUEL	3685	No		
The MAILING DATE of this communication app Period for Beoly	pears on the cover sheet with the o	corresponde	nce address		
A SHORTENED STATUTORY PERIOD FOR REPL	Y IS SET TO EXPIRE 3 MONTH	IS FROM TH	IE MAILING		
 Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). 					
Status					
1) Responsive to communication(s) filed on <u>11</u>	<u>/24/2020</u> .				
A declaration(s)/affidavit(s) under 37 CFR	1.130(b) was/were filed on				
2a) This action is FINAL.2b)	This action is non-final.				
3) An election was made by the applicant in res	sponse to a restriction requirem ction have been incorporated in	ent set forth nto this actio	n during the interview		
4) Since this application is in condition for allow closed in accordance with the practice under	vance except for formal matters r <i>Ex parte Quayle</i> , 1935 C.D. 1	, prosecutio 1, 453 O.G.	n as to the merits is 213.		
Disposition of Claims*					
5) 🗹 Claim(s) 1-7 and 9-19 is/are pending ir	the application.				
5a) Of the above claim(s) is/are withd	rawn from consideration.				
6) \Box Claim(s) is/are allowed.					
7) \square Claim(s) 1-7 and 9-19 is/are rejected.					
8) \Box Claim(s) is/are objected to					
9) \Box Claim(s) are subject to restriction a	nd/or election requirement				
* If any claims have been determined <u>allowable</u> , you may be el	igible to benefit from the Patent Pro	secution Hig	hway program at a		
participating intellectual property office for the corresponding a	oplication. For more information, plea	ase see			
http://www.uspto.gov/patents/init_events/pph/index.jsp or send	an inquiry to PPHfeedback@usptc	o.gov.			
Application Papers					
10) The specification is objected to by the Exami	ner.				
11) The drawing(s) filed on is/are: a)	accepted or b) cobjected to by	, the Exami	ner.		
Applicant may not request that any objection to the d	rawing(s) be held in abeyance. See 3	37 CFR 1.85(a	a).		
Replacement drawing sheet(s) including the correction	on is required if the drawing(s) is obje	ected to. See 3	37 CFR 1.121(d).		
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).					
a) All b) Some** c) None of the:					
1. Certified copies of the priority documents have been received.					
2. Certified copies of the priority documents have been received in Application No.					
3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).					
** See the attached detailed Office action for a list of the certified copies not received.					
Attachment(s)					
1) 🖌 Notice of References Cited (PTO-892)	3) 🔲 Interview Summar	y (PTO-413)			
2) Information Disclosure Statement(s) (PTO/SB/08a and/or PTO/S	B/08b) Paper No(s)/Mail [Date			
Paper No(s)/Mail Date	4) Other:				
PTOL-326 (Rev. 11-13) Office A	ction Summary	art of Paper No./I	Mail Date 20210202		

DETAILED ACTION

Acknowledgements

- 1. This office action is in response to the claims filed 11/24/2020.
- 2. Claims 1, 2, 9, 11-13, 17 and 19 amended.
- 3. Claim 8 is cancelled.
- 4. Claims 1-7, and 9-19 are pending.
- 5. Claims 1-7, and 9-19 have been examined.

Notice of Pre-AIA or AIA Status

6. The present application is being examined under the pre-AIA first to invent provisions.

Priority

7. Applicant has not complied with one or more conditions for receiving the benefit of an earlier filing date of 09/24/2006. The emulator is mentioned in App. No. 13/350,832 with a priority date of 01/16/2012, but the use of the emulator in replacing applications is claimed in the provisional 61/606,451, the 9 page specification, giving the application the priority date of 03/04/2012.

Claim Objections

8. Claims 1 and 12 are objected to because of the following informalities: the limitation in claim 1, "cause the applications provisioned remotely via the dedicated server that subsequently installs corresponding data and keys for each of the cards in the mobile device" is in comprehensible, claim 12 recites "wherein the memory is

included in the secure element." The punctuation is improper. Appropriate correction is required.

Response to Arguments

9. Applicant's arguments filed 11/24/2020 have been fully considered.

10. <u>112</u>

The prior 112(b) 'means for' rejection was not properly addressed. Applicant argues Examiner admits that there are paragraphs that may show support but that is completely incorrect and a misrepresentation of the statement. Reading further shows that this is not the case. The office action clearly states, "In the instant application, the following portions of the specification and drawings may appear to describe the corresponding structure for performing the claimed function: specification ¶ 5, 7, 11, 56-61, 75, 76, 91 and 92. **However**, the specification and drawings do not disclose sufficient corresponding structure, material or acts for performing the claimed function." The rejection has not been properly addressed as Applicant has yet to provide evidence of the structures of the entities performing structural functions.

11. <u>103</u>

12. Applicant argues Behren does not disclose that "the emulator that communicates with a reader (external to the mobile device) while Behren uses an NFC reader to interact directly with individual card software to communicate with an external reader." Neither the claims, nor the specification provide support for the emulator communicating with an external reader.

13. Next, Applicant argues against the combination of Behren and Corda. Both Behren and Corda are directed to emulation applications and cards. Behren teaches

emulation and switching applications, for example, "In case the mobile is powered off and running in virtual card emulation mode where the secure element is powered by the field, the control software application may not access the control functions defined within the device." See Behren (column 10, line 1-26). Secondly, Corda also teaches emulation and swapping application "The invention relates to a mobile communication device comprising a MIFARE Classic card or an emulated MIFARE Classic memory and a swap memory." See Corda (column 1, line 7-21). Both art provide systems that perform emulation on applications and cards as claimed in Applicant's limitations, but just the specific term "emulator" is not used. Simply considering the scope of these art, they both teach the functions of an emulator and also it would be obvious to one of ordinary skill in the art at the time of the invention to combine them.

Claim Interpretation

14. The following is a quotation of 35 U.S.C. 112(f):

(f) Element in Claim for a Combination. – An element in a claim for a combination may be expressed as a means or step for performing a specified function without the recital of structure, material, or acts in support thereof, and such claim shall be construed to cover the corresponding structure, material, or acts described in the specification and equivalents thereof.

The following is a quotation of pre-AIA 35 U.S.C. 112, sixth paragraph:

An element in a claim for a combination may be expressed as a means or step for performing a specified function without the recital of structure, material, or acts in support thereof, and such claim shall be construed to cover the corresponding structure, material, or acts described in the specification and equivalents thereof.

15. This application includes one or more claim limitations that do not use the word "means," but are nonetheless being interpreted under 35 U.S.C. 112(f) or pre-AIA 35 U.S.C. 112, sixth paragraph, because the claim limitation(s) uses a generic placeholder

that is coupled with functional language without reciting sufficient structure to perform the recited function and the generic placeholder is not preceded by a structural modifier. Such claim limitation(s) is/are:

- a. an emulator... receiving (claim 1)
- b. the service manager... cause the applications provisioned remotely (claim
- 1)
- c. communication interface ... facilitating data exchange (claim 1)
- d. the table in the service manager updates a counter (claim 1)
- e. the service manager receives a request (claim 1)
- f. user interface application provided to query (claim 7)
- g. UI application for conducting (claim 7)

Because this/these claim limitation(s) is/are being interpreted under 35 U.S.C. 112(f) or pre-AIA 35 U.S.C. 112, sixth paragraph, it/they is/are being interpreted to cover the corresponding structure described in the specification as performing the claimed function, and equivalents thereof. ¶ 59 explains "a card manager proxy **112** that facilitates the communication between a Trusted Service Manager (i.e., TSM server) **114** and the TMSM **106**, a set of readonly wallet user interface (UI) applications **116** and transaction wallet applications **118**. .. The readonly wallet UI **116** provides an interface to query one or more Mifare applications on information ", the claimed interfaces are software applications but are currently claimed in a mobile device and claimed to be performing functions. ¶ 61 describes "a mechanism to make baseband storage as an extension for storing the software-based or logical smart cards"

but there is no indication of what structure is used. . ¶ 62 explains "Once the emulator **122** (implemented in hardware or software) is installed, it responds exactly like a native Mifare chip to an interface". According to the disclosure, the emulator can be either software or hardware, applicant is claiming a machine and the claim is unclear as to whether the emulator written in claim 1 is hardware or software. A software emulator cannot be claimed in the mobile device to be performing functions. As a result, corresponding structure to support the means for the functions has not been clearly provided.

If applicant does not intend to have this/these limitation(s) interpreted under 35 U.S.C. 112(f) or pre-AIA 35 U.S.C. 112, sixth paragraph, applicant may: (1) amend the claim limitation(s) to avoid it/them being interpreted under 35 U.S.C. 112(f) or pre-AIA 35 U.S.C. 112, sixth paragraph (e.g., by reciting sufficient structure to perform the claimed function); or (2) present a sufficient showing that the claim limitation(s) recite(s) sufficient structure to perform the claimed function so as to avoid it/them being interpreted under 35 U.S.C. 112(f) or pre-AIA 35 U.S.C. 112(f) or pre-AIA 35 U.S.C. 112(f) or pre-AIA 35 U.S.C. 112, sixth paragraph.

Claim Rejections - 35 USC § 112

16. The following is a quotation of the first paragraph of 35 U.S.C. 112(a):

(a) IN GENERAL.—The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same, and shall set forth the best mode contemplated by the inventor or joint inventor of carrying out the invention.

The following is a quotation of the first paragraph of pre-AIA 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly

connected, to make and use the same, and shall set forth the best mode contemplated by the inventor of carrying out his invention.

17. Claims 1-7, and 9-19 are rejected under 35 U.S.C. 112(a) or 35 U.S.C. 112 (pre-AIA), first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor or a joint inventor, or for pre-AIA the inventor(s), at the time the application was filed, had possession of the claimed invention.

18. Claim 1 recites "an emulator, coupled to the memory". According to the specification (Figure 1; ¶ 58-63, 117, 120, 143), "To download/install the application to the SE, the server is configured to establish a secure channel with the SE using this derived SSD at 242... it is assumed that an installed application, e-purse or a Mifare card, has been provisioned with the SE... an on-card Trusted Mifare Service Manager **106** (implemented as a module or an applet) is provided in a secure element (SE) **108**... the TMSM 106 is a component or applet configured to be responsible for installing and personalizing the applications, and Swapping one or another application into or out an emulator 122," the emulator (122) is part of the secure element and the secure element(108) is the storage device that stores the plurality of applications (applet #1-N). The secure element, is not a generic "storage device" that stores the plurality of applications. The applications are not provisioned in a "storage device", they are provisioned in a secure element. Neither the figures nor the specification describe a device other than the secure element that is used to store both the plurality of applications and the emulator. The specification does not provide support for the

> Samsung Ex. 1016, Page 567 of 699 Samsung Electronics America, Inc. v. RFCyber Corp. IPR2021-00980

emulator being coupled to the memory of the secure device and as written be a



separate structure in the mobile device. Dependent claims 2-7, and 9-11 are rejected.

19. Claims 9 and 17 recite "wherein the secure element is preloaded with default Issuer Security Domain (ISD) information updated entirely or partially subject to retrieved corresponding default ISD information from a party originating the secure element". According to the disclosure (Figure 1; ¶ 61, 62), " the SE 132 of FIG. 1C may be perceived as a preload operating system in a smart card, providing a platform for PIN management and security channels (security domains) for card personalization. The SE **132** combines the interests of smart card issuers, vendors, industry groups, public entities and technology companies to define requirements and technology standards for multiple applications running in the smart cards." The same language is regurgitated in original claims 9 and 17. According to MPEP 2163, " issues of adequate written description may arise even for original claims, for example, when an aspect of the claimed invention has not been described with sufficient particularity such that one skilled in the art would recognize that the applicant had possession of the claimed invention at the time of filing." In this case, the specification does not describe or mention the SE being preloaded with and ISD information.

20. The following is a quotation of 35 U.S.C. 112(b):

(b) CONCLUSION.—The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the inventor or a joint inventor regards as the invention.

The following is a quotation of 35 U.S.C. 112 (pre-AIA), second paragraph: The specifications hall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

21. Claims 1-7, and 9-19 are rejected under 35 U.S.C. 112(b) or 35 U.S.C. 112 (pre-AIA), second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which the inventor or a joint inventor, or for pre-AIA the applicant regards as the invention.

22. Claim 1 recites "wherein the service manager includes a table to keep track of the applications and <u>cause the applications provisioned remotely via the dedicated</u> <u>server that subsequently installs corresponding data and keys for each of the cards in the mobile device</u>, the data is only be modified by the dedicated server over a secured channel." The claim is unclear and indefinite. The claim does not make logical or grammatical sense. It is unclear whether Applicant is claiming the service manager causes Application to be provisioned or what the service manager cause the applications to do. Dependent claims 2-7, and 9-11 are rejected.

23. As per claims 1, 7 the claims recite the following means plus functions limitations:

- h. an emulator... receiving (claim 1)
- i. the service manager... cause the applications provisioned remotely (claim
- 1)

j. communication interface ... facilitating data exchange (claim 1)

k. the table in the service manager updates a counter (claim 1)

I. the service manager receives a request (claim 1)

m. user interface application provided to query (claim 7)

n. UI application for conducting (claim 7)

24. This limitation invokes 35 USC § 112, ¶ 6 because it meets the 3-prong analysis set forth in MPEP 2181 as it recites a generic placeholder (also called a nonce term or a non-structural term having no specific structural meaning) and the phrase is modified by functional language and it is not modified by sufficient structure, material, or acts for performing the recited function. When the claim limitation does not use the term "means," examiners should determine whether the presumption that 35 U.S.C.112 (f) or pre-AIA 35 U.S.C. 112, paragraph 6 does not apply is overcome. The presumption may be overcome if the claim limitation uses a generic placeholder (a term that is simply a substitute for the term "means"). The following is a list of non-structural generic placeholders that may invoke35 U.S.C. 112(f) or pre-AIA 35 U.S.C. 112, paragraph 6: "mechanism for," "module for," "device for," "unit for," "component for," "element for," "member for," "apparatus for," "machine for," or "system for." This list is not exhaustive, and other generic placeholders may invoke 35 U.S.C. 112(f) or pre-AIA 35 U.S.C. 112, paragraph 6. Welker BearingCo., v. PHD, Inc., 550 F.3d 1090, 1096, 89 USPQ2d1289, 1293-94 (Fed. Cir. 2008); Massachusetts Inst.of Tech. v. Abacus Software, 462 F.3d 1344, 1354, 80 USPQ2d 1225, 1228 (Fed. Cir. 2006); Personalized Media, 161 F.3d at 704, 48 USPQ2dat 1886-87; Mas-Hamilton Group v. LaGard, Inc., 156 F.3d 1206, 1214-1215, 48 USPQ2d 1010, 1017(Fed. Cir. 1998). The terms are "used as a

substitute for 'means' that is a generic placeholder (also called a nonce term or a nonstructural term having no specific structural meaning)" MPEP 2181.

In the instant application, the following portions of the specification and drawings may appear to describe the corresponding structure for performing the claimed function: specification \P 5, 7, 11, 56-61, 75, 76, 91 and 92.

However, the specification and drawings do not disclose sufficient corresponding structure, material or acts for performing the claimed function. ¶91 and 92 describe purse provisioned with the secure element is personalized with keys. The specification does not "send a set of instructions to cause" and does not have a corresponding structure that are the instructions. ¶ 5, 7, 56-58, 61, 75, 76 describe the module interchangeable with software modules, applications and applets but there is no indication of what structure is used, ¶ 58, 59 explains, the "on-card Trusted Mifare Service Manager 106 (implemented as a module or an applet) is provided in a secure element (SE) 108" and "a card manager proxy 112 that facilitates the communication between a Trusted Service Manager (i.e., TSM server) 114 and the TMSM 106, a set of readonly wallet user interface (UI) applications **116** and transaction wallet applications 118. .. The readonly wallet UI 116 provides an interface to query one or more Mifare applications on information ", the claimed interfaces are software applications but are currently claimed in a mobile device and claimed to be performing functions. ¶ 61 describes "a mechanism to make baseband storage as an extension for storing the software-based or logical smart cards" but there is no indication of what structure is used. . ¶ 62 explains "Once the emulator 122 (implemented in hardware or software) is installed, it responds exactly like a native Mifare chip to an interface".

According to the disclosure, the emulator can be either software or hardware, applicant is claiming a machine and the claim is unclear as to whether the emulator written in claim 1 is hardware or software. A software emulator cannot be claimed in the mobile device to be performing functions. As a result, corresponding structure to support the means for the functions has not been clearly provided. Dependent claims 2-7, and 9-11 are rejected.

25. Claim 1 recites "receiving a first application corresponding to a first card In accordance with the service manager". The claim is unclear and indefinite as to what Applicant intends "In accordance with the service manager" and how a computing device recognizes this command. Dependent claims 2-7, and 9-11 are rejected.

26. Claim 1 recites "the dedicated server that subsequently installs corresponding data and keys for each of the cards in the mobile device, the data is only be modified by the dedicated server over a secured channel ... application is unlocked by the dedicated server", claims 2 and 13 recites "in responding to a request from the dedicated server when the dedicated server determines that the secure element is registered therewith...," claim 11 recites "wherein the application being provisioned is distributed by an application provider... applications has been remotely provisioned by the dedicated server that subsequently installs corresponding data and keys for each of the cards in the mobile device, the data can only be modified by the dedicated server over a secured channel ... an external reader provided to read one of the cards on the mobile device," See disclosure ¶ 112, 143. A dedicated server, external reader and application providers are not recited as an elements of the mobile device of independent claims 1,

and 12 but claims 1, 2 and 11 claim the functions or intended functions of a dedicated server, reader and/or an application provider, which are both remote to the claimed mobile device. The scope of the claims are unclear and indefinite as Applicant has claimed functions of entities outside the scope of the mobile device's functions. Dependent claims 2-7, 9-11 and 13-19 are rejected.

27. Claim 1 recites "wherein the table in the service manager updates a counter when the first application is successfully loaded in the emulator". The claim is unclear and indefinite as the table is not recited as a structural entity but Applicant claims the table performs the function of updating a counter. The claim is unclear and indefinite as to the functionality of the claim limitation and the metes and bounds of what a list(table) is capable of. Dependent claims 2-7, and 9-11 are rejected.

28. Claim 2 and 13 recite "sending device information of the secure element in responding to a request from the dedicated server when the dedicated server determines that the secure element is registered therewith." The claims are unclear and indefinite. The claim is directed to the mobile device, not the functions of the dedicated server. But the recites functions are dependent on the dedicated server. Given that the dedicated server is remote to the mobile device, it would be impossible for the mobile device to know for example, that the dedicated server has determined the secure element is registered with it without receiving such communication. Therefore the claims is unclear as the functions of the mobile device are written to also claim knowledge of the functions of the dedicated server.

29. Claim 4 recites the limitation "the cards provided respectively". There is insufficient antecedent basis for this limitation in the claim.

Claim Rejections - 35 USC § 103

30. The following is a quotation of pre-AIA 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained through the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

31. Claims 1-7, 9, 10, and 13-18 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over von Behren et al. (8,646,059) ("Behren"), in view of Corda et al. (9,128,829) ("Corda"), and further in view of Hosogoe et al. (2003/0151125) ("Hosogoe").

32. Regarding claim 1, Behren discloses a display screen showing a list of application for a user of the mobile device to choose one therefrom, each of the applications corresponding to one of the cards(Figure 1; column 5, line 41-67, column 7, line 38-42, column 9, line 3-27, column 10, line 13-49, column 13, line 18-26, column 18, line 27-35, column 20, line 48-61)

Behren - the user may choose from different card types (for example, PayPass, Paywave, debit cards, or other types) from different credit card companies (for example, MasterCard, Visa, Discover, or other companies), as well as different bank instances (for example, Bank A, B, C, and D) for each card type on the user-interface... the wallet application can be used by the contactless payment device user to select certain card Software applications as preferred applications via a user-inter face, thereby creating an order based on the type of card Software application. ... When a full sized AID is selected, the directory software

application then routes payment transaction commands according to user selected settings, directly to the selected instance... Here, all the data in the PPSE may not be distributed to merchants' reader by default, but is available to the user for selection via the user-interface. The user may choose to use the access functionality for specific payments on short distance contactless communication with a specific merchant terminal. T (column 5, line 41-67, column 7, line 38-42, column 9, line 14-18, column 18, line 27-32)

a secure element including a memory for storing the application and executing a service manager to manage applications, wherein the service manager includes a table to keep track of the applications and cause the applications provisioned remotely via the dedicated server that subsequently installs corresponding data and keys for each of the cards in the mobile device, the data is only be modified by the dedicated server over a secured channel (Figure 2, 3; Table 1; column 4, line 49-67, column 5, line 11-67, column 7, line 22-67, column 8, line 1-58, column 9, line 49-67, column 10, 1-67 column 13, line 45-62, column 19, line 27-38, column 22, line 25-53, column 26, line 1-43)

• Claim Interpretation- According to the disclosure(¶ 58, 59), the "on-card Trusted Mifare <u>Service Manager</u> 106 (implemented as a module or an applet) is provided in a secure element (SE) 108.... the NFC device 102 or 104 includes a card manager proxy 112 that facilitates the communication between a Trusted Service Manager (i.e., TSM server) 114 and the TMSM 106." The TSM server is remote to the secure element and the TMSM that is a module or application inside the secure element. Additionally, the limitation starting with "cause..." is

> incomprehensible, given the dedicated server is not a part of the claimed limitations, and it's functions are outside the scope of the mobile device claimed, and for purposes of claim interpretation, the limitation will be understood to mean the mobile device has applications installed with corresponding data and keys for each card.



Behren - An external trusted service manager (TSM) 108 controlled by a near field communications (NFC) service provider 104 hosts and transmits card software applications for installation within the secure element 152 of a contactless Smart card in mobile device 140. The NFC service provider 104 provides a secure key encrypted Software card application for decryption and installation in the Secure element 152. ... The term "card software application' and "card applet" are used interchangeably in this disclosure to refer to a software applications running within the secure element of a Smart card... to instantiate a Trusted Service Manager (TSM) Security Domain for download of payment and other card Software applications, to lock/unlock card Software applications, and to terminate secure element Software applications.,... The payment applications may be loaded on the mobile device as a card Software application package,
> where each package, for example, a MasterCard package, typically contains Software code for all Supported payment applications within MasterCards' offerings, e.g., Mstripe, Mchip, and any other Suitable payment application. .. The control software application may freely communicate with the multiple card software applications and its instances 160-164 because each of the card and control software applications are resident within the same secure element 152. Alternatively, multiple secure elements providing a secure communication channels will provide the same functionality as disclosed herein. The user may engage the control software application **156** (SERVICE MANAGER) using commands to activate, deactivate, prioritize, delete, and install card software applications within the secure element... the active AIDs from the control Software application 224 typically updates the directory software application 212... The control Software application maintains a UPL 228 of a list 232 of card software applications and their status from each card software application server SIOS 236. (column 4, line 63-66, column 5, line 11-33, column 7, line 62-67, column 8, line 1, 2, 49-58, column 9, line 49-67)





Samsung Ex. 1016, Page 577 of 699 Samsung Electronics America, Inc. v. RFCyber Corp. IPR2021-00980



receiving a first application corresponding to a first card ln accordance with the service manager, the first application being one of the plurality of applications, wherein the table In the service manager updates a counter when the first application is successfully loaded in the mobile device (column 7, line 1-48, column 8, line 38-53, column 9, line 49-67, column 12, line 31-67, column 18, line 1-67, column 21, line 1-21);

Behren - an application host OS 144 on the mobile device 140 provides the user of the mobile device with the capability to manage multiple card Software applications and its instances 160-164 using a wallet Software application 148,... The management of the card software applications may be performed via a control software application 156, which communicates with the wallet Software application 148 using APDUs, transmitted and received, through a secure and encrypted communication channel. The control Software application may freely communicate with the multiple card software applications and its instances 160-164 because each of the card and control software applications are resident within the same secure element 152... Alternatively, multiple secure elements providing a secure communication channels will provide the same functionality as

disclosed herein. The user may engage the control software application **156** (SERVICE MANAGER) using commands to activate, deactivate, prioritize, delete, and install card software applications within the secure element... the active AIDs from the control Software application 224 typically updates the directory software application 212... The control Software application maintains a UPL 228 of a list 232 of card software applications and their status from each card software application server SIOS 236..., the server-client SIO definition within the JCRE allows a "wallet" software application to track all instances of the card software applications in the secure element via the control software application in the Smart card. (column 7, line 22-26, column 8, line 38-58, column 9, line 49-67)

a communication interface, coupled to the secure element, facilitating data exchange wirelessly between a reader and the first application (Figurer 2, 3; column 7, line 49-57, column 20, line 48-61, column 21, line 34-65)

Behren - The proximity payment service environment (PPSE) is a directory software application that is selected by the terminal reader when the contactless payment device is presented to the reader... The control software application can prevent the reader terminal from applying certain forceful methods to select a payment card Software application from a list of available options. (column 7, line 49-52, column 20, line 56-59)

wherein the service manager receives a request to activate the second application and performs a validation to the second application, with the table updated per the second application (column 8, line 55-58, column 9, line 3-48, column 10, line 3-12)

Behren - The user may engage the control software application 156 using commands to activate, deactivate, prioritize, delete, and install card Software applications within the secure element.... The list of available card software applications 216 are displayed by the AIDS 220 to the reader. The reader then chooses or is defaulted to one of the multiple available card software applications. Accordingly, if the reader 280 chooses s AID2 220B, then the corresponding full AID is retrieved from the control software application. The selected full AID will be f AID21 232F. The corresponding card Software application 268 is triggered and the application itself, or its instance 272, in this case, is activated to the NFC controller for radio transmission of data to the reader. (column 8, line 55-58, column 10, line 3-12)

wherein said operation of causing the second application loaded into the emulator to replace the first application fails when the second card is selected via the display screen but the second application has been locked remotely by the dedicated server, and (column 5, line 11-17, column 9, line 28-65, column 15, line 36-63, column 16, line 55-67, column 17, line 1-60, column 19, line 8-17, column 24, line 1-67)

• **Behren -** Alter natively, the TSM may issue pre-defined instructions for such exemplary external functions, as blocking/unblocking a card Software application... to instantiate a Trusted Service Manager (TSM) Security Domain

> for download of payment and other card Software applications, to lock/unlock card Software applications, and to terminate secure element Software applications... The control software application includes a list 232 of the activate/inactive/non-activatable card Software application AIDs in certain format...When a card Software application 240,252,260, and 268 is enabled, the SIO is active and is accessed by the client mode control Software application 224.... In certain exemplary embodiments, for the UNBLOCKED/BLOCKED functions from the JCRE 316, based on requests from the TSA 304 may be rendered on a selected AID of the card software application 360 for blocking. The instruction for blocking or unblocking may be defined by the control software application 328 using APIs from the JCRE that causes a selected card software application 360 to trigger an event to the control software application 328... In certain exemplary embodiments, the internal method calls applicable may include Such custom functions as, a enableSelection (byte aid): Boolean, for enabling selection of a payment card Software application and returning values as true if enabled or false for a general error (for example, the applet is locked). Another exemplary method call includes the disableSelection (byte aid): Void, which disables selection of a payment type card Software application... (column 5, line 11-17, column 9, line 41-65, column 15, line 36-43, column 16, line 66, 67, column 17, line 1-7, column 24, line 41-44)

Behren does not disclose an emulator, coupled to the memory, in the emulator;

Samsung Ex. 1016, Page 581 of 699 Samsung Electronics America, Inc. v. RFCyber Corp. IPR2021-00980

received and executed in the emulator, wherein the reader is external to the mobile device, the secure element communicates with the reader via the communication interface, the first application in the emulator is replaced in entirety or partially by a second application corresponding to a second card when another one of the cards is selected by the user, the first application is out of the emulator and replaced by the second application; and the service manager conducts an operation of causing the second application loaded into the emulator to replace the first application when the second card is selected via the display screen and when the second application has been unlocked by the first application are changed to functions offered by the second application related to the second card when the first application is out of the emulator and the second application is activated and executed in the emulator.

Corda teaches an emulator, coupled to the memory, in the emulator (column 5, line 24-67, column 7, line 33-37, column 8, line 10-18)

 Corda - The mobile communication device further comprises a MIFARE memory MM which can either be configured as a MIFARE Classic card or a MIFARE Emulation card... The mobile communication device 1 further comprises a swap memory SM. ... For instance, the Swap memory SM is located in a secure memory of a Smartcard 4, e.g. a SmartMX card, being schematically represented in FIG. 4 by dotted lines. In the present example the Smartcard 4 also comprises a memory portion that emulates the MIFARE memory MM. However, it should be

> emphasized that the MIFARE memory MM can also be a MIFARE Classic card, e.g. 1 kB or 4 kB card... by enabling the user to manage MIFARE applications Swapping the user will be able to choose which coupons he needs to be located in the MIFARE memory MM at the moment.... The MIFARE applications manager MAM first stores this MIFARE application "Ticket 7' in the swap memory SM and then searches for a free sector in the MIFARE memory MM. A free sector (sector 0x2) is found and swapping can be done between the free MIFARE memory sector 0x2 and the "Ticket 7", meaning the MIFARE application "Ticket 7' is written into sector 0x2 of the MIFARE memory MM by the MIFARE applications manager MAM. (column 5, line 24-67, column 7, line 33-37, column 8, line 10-18)

received and executed in the emulator, wherein the reader is external to the mobile device, the secure element communicates with the reader via the communication interface, the first application in the emulator is replaced in entirety or partially by a second application corresponding to a second card when another one of the cards is selected by the user, (column 5, line 58-67, column 8, line 40-49);

 Corda - or by means of a NFC reader/writer when the mobile communication device 1 has NFC capabilities and is located within the range of such a NFC reader/writer... the MIFARE applications manager MAM carries out swapping between these two tickets "Ticket1 and "Ticket7". The final state (FIG. 8C) shows the result of the Swapping operation. In the Swap memory SM "Ticket1 is still stored, but has no longer a sector indication (meaning that it is no longer located

in the MIFARE memory MM). On the other hand, a sector indication (sector 0x2) has been added to the "Ticket 7' in the swap memory SM and this MIFARE application "Ticket 7' is now also stored in sector 0x2 of the MIFARE memory MM. (column 5, line 58-67, column 8, line 40-49)

the first application is out of the emulator and replaced by the second application; and the service manager conducts an operation of causing the second application loaded into the emulator to replace the first application when the second card is selected via the display screen and when the second application has been unlocked by the dedicated server, (Figure 1; column 5, line 9-67, column 6, line 35-67, column 7, line 1-37, Column 9, line 50-67; claim 1, 18)

• **Corda** - The mobile communication device 1 has a user interface comprising a keyboard 3 and a display 2. It further comprises a processor and memory... The trigger signals TS that are detectable by the MIFARE applications manager MAM may also be signals generated by the user interface of the mobile communication device 1, particularly by the keyboard 3. Thereby the MIFARE applications manager MAM offers an interface to the user of the mobile communication device 1 to enable him/her to trigger a MIFARE applications swapping by himself/herself. ... A swapping instruction sent by a Service Provider etc. to the mobile communication device or via RFID reader/writers which are connected to the Service Provider via a communication network. For the implementation of this feature the MIFARE applications manager MAM comprises an interface to the

> SMS stack in order to give the mobile communication device 1 being configured as a NFC phone the ability to trigger MIFARE application Swapping operation on reception of a "Swapping-SMS which contains all the information about the Swapping operation to be done. (Figure 1; column 5, line 13-15, 58-67, column 6, line 35-67, column 7, line 1-37, Column 9, line 50-67; claim 1, 18)

wherein functions of the mobile device related to the first card offered by the first application are changed to functions offered by the second application related to the second card when the first application is out of the emulator and the second application is activated and executed in the emulator (column 5, line 56, 57, column 6, line 35-67; claim 1, 18)

• **Corda** - MIFARE applications are for instance tickets, coupons, access controls, e-purse functions, etc... in order to instruct the MIFARE applications manager MAM to perform a Swap and put the right concert ticket into the MIFARE memory MIM. ... an applications manager configured to Swap applications between the first memory and the Swap memory Such that a first application that is stored at a first location on the first memory prior to Swapping replaces a second application that is store data second location on the Swap memory, and Such that the second application replaces the first application at the first location on the first memory, wherein the first application is different from the second application. (column 5, line 56, 57, column 6, line 35-67; claim 1)

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Behren(column 1, line 16-21), which teaches "*systems, methods, and devices for controlling multiple card Software applications using a control Software application, the control and card Software applications resident in a secure element of a con tactless Smart card*" and Corda(column 1, line 10-13), which teaches "*managing MIFARE applications in a mobile communication device that comprises a MIFARE Classic card or an emulated MIFARE Classic memory and a Swap memory*" in order to provide enough memory for multiple applications and store them in a secure way (Corda; column 3, line 43-67).

Neither Behren nor Corda use the term "emulator". Hosogoe uses the term "emulator" (Abstract; ¶44-51). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Behren(column 1, line 16-21), which teaches "systems, methods, and devices for controlling multiple card Software applications using a control Software application, the control and card Software applications resident in a secure element of a con tactless Smart card", Corda(column 1, line 10-13), which teaches "managing MIFARE applications in a mobile communication device that comprises a MIFARE Classic card or an emulated MIFARE Classic memory and a Swap memory" and Hosogoe(¶1), which teaches "a multi-application type IC card having a plurality of functions including credit card and electronic money functions" in order to ensure higher security and great data volume to enact more monetary functions than a conventional magnetic card (Hosogoe; ¶ 2-4).

33. Regarding claims 2 and 13, Behren discloses further comprising a the secure element that has been personalized by operations of: initiating data communication by the mobile device with the dedicated server providing trusted service management (TSM) (column 5, line 11-33, column 7, line 59-67, column 8, line 1-14, column 23, line 33-67, column 24, line 1-56, column 26, line 1-16); sending device information of the secure element in responding to a request from the dedicated server when the dedicated server determines that the secure element is registered therewith (column 23, line 33-67, column 24, line 1-56, column 26, line 1-16), wherein the device information is a sequence of characters uniquely identifying the secure element, and the request is a command causing the mobile device to retrieve the device information from the secure element therein (column 7, line 1-21); and receiving in the secure element at least a set of keys from the dedicated server, wherein the set of keys are generated in accordance with the device information of the secure element, the set of keys in the secure element facilitates a subsequent transaction between the mobile device and a service provider (column 19, line 28-67, column 25, line 1-26, column 26, line 1-16).

• Claim Interpretation- The claim is directed to the mobile device, not the functions of the designated server, Therefore, it would be impossible for the mobile device to know for example, that the designated server has determined the secure element is registered with it. For the purpose of claim interpretations, the limitation will be understood to mean the secure element, comprised in the phone is sending device information.

34. Regarding claims 3 and 14, Behren discloses wherein the secure element is enclosed in the mobile device or in a detachable card to the mobile device (column 4, line 38-67).

35. Regarding claim 4, Corda teaches wherein each of the applications emulating functions of one of the cards provided respectively to perform a function related to a monetary transaction, the mobile device is used to emulate each of the cards when a corresponding application is loaded into and executed in the emulator (Figure 1; column 5, line 9-67, column 6, line 35-67, column 7, line 1-37, Column 9, line 50-67; claim 1, 18).

36. Regarding claim 5, Behren discloses wherein at least one of the cards is a contactless card (Figure 1; column 4, line (38-66).

37. Regarding claims 6 and 15, Behren discloses wherein the secure further includes a plurality of service objects along with a plurality of key indexes, each of the service objects corresponding to one of the applications (column 6, line 37-67, column 19, line 28-67, column 23, line 1-32, column 25, line 1-26).

Claim Interpretation – According to the specification(¶ 69, 72), "a service provider can access to all Mifare service objects (i.e., Mifare applications)... the TMSM 106 includes a set of service objects and corresponding key indexes. Each logical Mifare card in the TMSM 106 is called a service object... Each application can be associated with a key set index (also called key version number) of the installed SSD (Supplementary Secured Domain) key. " For the purpose of claim interpretation, the service objects will be understood to mean the applications and/or cards they correspond to.

38. Regarding claims 7 and 16, Behren discloses wherein the mobile device further provides: a user interface (UI) application provided to query one or more of the applications on information stored therein but not to modify the information (Figure 1; column 5, line 41-67, column 7, line 38-42, column 9, line 3-27, column 10, line 13-49, column 13, line 18-26, column 18, line 27-35, column 20, line 48-61); and a transaction UI application for conducting operations to modify one or more sectors in one or more of the applications (column 5, line 7-33, column 8, line 1-59, column 21, line 6-21).

39. Regarding claims 9 and 17, Behren discloses wherein the secure element is preloaded with default Issuer Security Domain (ISD) information (column 5, line 11-33, column 7, line 59-67, column 19, line 28-67, column 25, line 1-26, column 26, line 1-16).

40. Regarding claims 10 and 18, Behren discloses wherein the mobile device is a smartphone or a portable computer (column 4, line 38-67).

41. Claims 11 and 19 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over von Behren et al. (8,646,059) ("Behren"), in view of Corda et al. (9,128,829) ("Corda"), in view of Hosogoe et al. (2003/0151125) ("Hosogoe") and further in view of Wentker et al. (6,481,632) ("Wentker").

42. Regarding claim 11, Behren discloses wherein each of the applications has been remotely provisioned by the dedicated server with operations of: sending a request from the mobile device to the dedicated server to provision an application installed in the mobile device, wherein the application being provisioned is distributed by an application provider (column 5, line 11-33, column 7, line 59-67, column 8, line 1-14, column 23, line 33-67, column 24, line 1-56, column 26, line 1-16); establishing a secured channel

between the mobile device and the dedicated server using a set of keys received from the dedicated server; receiving data for the application being provisioned from the dedicated server (Figure 3; column 5, line 11-33, column 7, line 59-67, column 8, line 1-14, column 23, line 33-67, column 24, line 1-56, column 26, line 1-16), and notifying the application provider of a status of the application with the mobile device (column 24, line 1-56, column 25, line 8-26).

Neither Behren, Corda nor Hosogoe teaches wherein the data for the application includes supplemental security domains (SSD) to be associated with the application. Wentker teaches wherein the data for the application includes supplemental security domains (SSD) to be associated with the application (column 11, line 21-62, column 14, line 24-43, column 16, 49-67). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Behren, Corda, Hosogoe and Wentker in order to provide efficient management of card applications (Wentker; column 1, line 12-67).

43. Claim 12 is rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over von Behren et al. (8,646,059) ("Behren"), in view of Corda et al. (9,128,829) ("Corda"), and further in view of Hosogoe et al. (2003/0151125) ("Hosogoe").

44. Claim 12 is rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Corda et al. (9,128,829) ("Corda"), in view of von Behren et al. (8,646,059) ("Behren"), and further in view of Hosogoe et al. (2003/0151125) ("Hosogoe").

45. Regarding claim 12, Corda discloses installing in a memory of the mobile device a plurality of applications downloaded from a dedicated server, each of the applications Application/Control Number: 13/782,948 Art Unit: 3685 being managed by a service manager executed in a secure element in communication with the memory, wherein the memory is included in the secure element. (column 5, line 24-67, column 7, line 33-37, column 8, line 10-18)

Corda - The mobile communication device further comprises a MIFARE memory MM which can either be configured as a MIFARE Classic card or a MIFARE Emulation card... The mobile communication device 1 further comprises a swap memory SM. ... For instance, the Swap memory SM is located in a secure memory of a Smartcard 4, e.g. a SmartMX card, being schematically represented in FIG. 4 by dotted lines. In the present example the Smartcard 4 also comprises a memory portion that emulates the MIFARE memory MM. However, it should be emphasized that the MIFARE memory MM can also be a MIFARE Classic card, e.g. 1 kB or 4 kB card... by enabling the user to manage MIFARE applications Swapping the user will be able to choose which coupons he needs to be located in the MIFARE memory MM at the moment.... The MIFARE applications manager MAM first stores this MIFARE application "Ticket 7' in the swap memory SM and then searches for a free sector in the MIFARE memory MM. A free sector (sector 0x2) is found and swapping can be done between the free MIFARE memory sector 0x2 and the "Ticket 7", meaning the MIFARE application "Ticket 7' is written into sector 0x2 of the MIFARE memory MM by the MIFARE applications manager MAM. (column 5, line 24-67, column 7, line 33-37, column 8, line 10-18)

receiving in an emulator of the mobile device a first application corresponding to a first card(column 5, line 58-67, column 8, line 40-49);

Corda - or by means of a NFC reader/writer when the mobile communication device 1 has NFC capabilities and is located within the range of such a NFC reader/writer... the MIFARE applications manager MAM carries out swapping between these two tickets "Ticket1 and "Ticket7". The final state (FIG. 8C) shows the result of the Swapping operation. In the Swap memory SM "Ticket1 is still stored, but has no longer a sector indication (meaning that it is no longer located in the MIFARE memory MM). On the other hand, a sector indication (sector 0x2) has been added to the "Ticket 7' in the swap memory SM and this MIFARE application "Ticket 7' is now also stored in sector 0x2 of the MIFARE memory MM. (column 5, line 58-67, column 8, line 40-49)

facilitating data exchange between the external reader and the first application being executed in the emulator, wherein the first application in the emulator is replaced in entirety by a second application corresponding to a second card when another one of the cards is selected by the user, wherein the first application is out of the emulator when the second card is selected by the user, the first application is replaced by the second application in the emulator (Figure 1; column 5, line 9-67, column 6, line 35-67, column 7, line 1-37, Column 9, line 50-67; claim 1, 18)

 Corda - The mobile communication device 1 has a user interface comprising a keyboard 3 and a display 2. It further comprises a processor and memory... The trigger signals TS that are detectable by the MIFARE applications manager MAM

> may also be signals generated by the user interface of the mobile communication device 1, particularly by the keyboard 3. Thereby the MIFARE applications manager MAM offers an interface to the user of the mobile communication device 1 to enable him/her to trigger a MIFARE applications swapping by himself/herself. ... A swapping instruction sent by a Service Provider etc. to the mobile communication device either as an SMS via the over-the-air service of a Mobile Network Operator or via RFID reader/writers which are connected to the Service Provider via a communication network. For the implementation of this feature the MIFARE applications manager MAM comprises an interface to the SMS stack in order to give the mobile communication device 1 being configured as a NFC phone the ability to trigger a MIFARE application Swapping operation on reception of a "Swapping-SMS which contains all the information about the Swapping operation to be done. (Figure 1; column 5, line 13-15, 58-67, column 6, line 35-67, column 7, line 1-37, Column 9, line 50-67; claim 1, 18)

causing the second application to replace the first application loaded and executed in the emulator, said causing the second application to replace the first application loaded and executed in the emulator fails when the second card is selected via the display and wherein functions of the mobile device related to the first card offered by the first application are changed to functions offered by the second application related to the second card when the second application is activated and executed in the emulator(column 5, line 56, 57, column 6, line 35-67; claim 1, 18)

• **Corda** - MIFARE applications are for instance tickets, coupons, access controls, e-purse functions, etc... in order to instruct the MIFARE applications manager MAM to perform a Swap and put the right concert ticket into the MIFARE memory MM. ... an applications manager configured to Swap applications between the first memory and the Swap memory Such that a first application that is stored at a first location on the first memory prior to Swapping replaces a second application that is store data second location on the Swap memory, and Such that the second application replaces the first application at the first location on the first memory, wherein the first application is different from the second application. (column 5, line 56, 57, column 6, line 35-67; claim 1)

Corda does not disclose the service manager includes a table to keep track of the applications and cause the applications provisioned remotely via the dedicated server that subsequently installs corresponding data and keys for each of the cards in the mobile device, the data can only be modified by the dedicated server over a secured channel, the mobile device communicates wirelessly with an external reader provided to read one of the cards on the mobile device; showing the applications on a display of the mobile device for a user to choose one therefrom, each of the application corresponding to one of the cards; wherein the table in the service manager updates a counter when the first application is successfully loaded in the device; wherein the table Is updated per the second application; but the second application has been locked by the dedicated server.

Behren teaches the service manager includes a table to keep track of the applications and cause the applications provisioned remotely via the dedicated server that subsequently installs corresponding data and keys for each of the cards in the mobile device, the data can only be modified by the dedicated server over a secured channel, the mobile device communicates wirelessly with an external reader provided to read one of the cards on the mobile device(Figure 2, 3; Table 1; column 4, line 49-67, column 5, line 11-67, column 7, line 22-67, column 8, line 1-58, column 9, line 49-67, column 10, 1-67 column 13, line 45-62, column 19, line 27-38, column 22, line 25-53, column 26, line 1-43)

• Claim Interpretation- According to the disclosure(¶ 58, 59), the "on-card Trusted Mifare <u>Service Manager</u> 106 (implemented as a module or an applet) is provided in a secure element (SE) 108.... the NFC device 102 or 104 includes a card manager proxy 112 that facilitates the communication between a Trusted Service Manager (i.e., TSM server) 114 and the TMSM 106." The TSM server is remote to the secure element and the TMSM that is a module or application inside the secure element. Additionally, the limitation starting with "cause..." is incomprehensible, given the dedicated server is not a part of the claimed limitations, and it's functions are outside the scope of the mobile device claimed, and for purposes of claim interpretation, the limitation will be understood to mean the mobile device has applications installed with corresponding data and keys for each card.



Behren - An external trusted service manager (TSM) 108 controlled by a near field communications (NFC) service provider 104 hosts and transmits card software applications for installation within the secure element 152 of a contactless Smart card in mobile device 140. The NFC service provider 104 provides a secure key encrypted Software card application for decryption and installation in the Secure element 152. .. The term "card software application' and "card applet" are used interchangeably in this disclosure to refer to a software applications running within the secure element of a Smart card... to instantiate a Trusted Service Manager (TSM) Security Domain for download of payment and other card Software applications, to lock/unlock card Software applications, and to terminate secure element Software applications..... The payment applications may be loaded on the mobile device as a card Software application package, where each package, for example, a MasterCard package, typically contains Software code for all Supported payment applications within MasterCards' offerings, e.g., Mstripe, Mchip, and any other Suitable payment application. .. The control software application may freely communicate with the multiple card software applications and its instances **160-164** because each of the card and

> control software applications are resident within the same secure element **152**. Alternatively, multiple secure elements providing a secure communication channels will provide the same functionality as disclosed herein. The user may engage the control software application **156** (SERVICE MANAGER) using commands to activate, deactivate, prioritize, delete, and install card software applications within the secure element... the active AIDs from the control Software application 224 typically updates the directory software application 212... The control Software application maintains a UPL 228 of a list 232 of card software applications and their status from each card software application server SIOS 236. (column 4, line 63-66, column 5, line 11-33, column 7, line 62-67, column 8, line 1, 2, 49-58, column 9, line 49-67)





showing the applications on a display of the mobile device for a user to choose one therefrom, each of the application corresponding to one of the cards (Figure 1; column 5, line 41-67, column 7, line 38-42, column 9, line 3-27, column 10, line 13-49, column 13, line 18-26, column 18, line 27-35, column 20, line 48-61)

 Behren - the user may choose from different card types (for example, PayPass, Paywave, debit cards, or other types) from different credit card companies (for example, MasterCard, Visa, Discover, or other companies), as well as different bank instances (for example, Bank A, B, C, and D) for each card type on the user-interface... the wallet application can be used by the contactless payment device user to select certain card Software applications as preferred applications via a user-inter face, thereby creating an order based on the type of card Software application. ... When a full sized AID is selected, the directory software application then routes payment transaction commands according to user selected settings, directly to the selected instance... Here, all the data in the PPSE may not be distributed to merchants' reader by default, but is available to

the user for selection via the user-interface. The user may choose to use the access functionality for specific payments on short distance contactless communication with a specific merchant terminal. T (column 5, line 41-67, column 7, line 38-42, column 9, line 14-18, column 18, line 27-32)

wherein the table in the service manager updates a counter when the first application is successfully loaded in the device...wherein the table Is updated per the second application, (column 7, line 1-48, column 8, line 38-53, column 9, line 49-67, column 12, line 31-67, column 18, line 1-67, column 21, line 1-21);

Behren - an application host OS 144 on the mobile device 140 provides the user of the mobile device with the capability to manage multiple card Software applications and its instances 160-164 using a wallet Software application 148,... The management of the card software applications may be performed via a control software application 156, which communicates with the wallet Software application 148 using APDUs, transmitted and received, through a secure and encrypted communication channel. The control Software application may freely communicate with the multiple card software applications and its instances 160-164 because each of the card and control software applications are resident within the same secure element 152... Alternatively, multiple secure elements providing a secure communication channels will provide the same functionality as disclosed herein. The user may engage the control software application 156 (SERVICE MANAGER) using commands to activate, deactivate, prioritize, delete, and install card software applications within the secure element... the

active AIDs from the control Software application 224 typically updates the directory software application 212... The control Software application maintains a UPL 228 of a list 232 of card software applications and their status from each card software application server SIOS 236..., the server-client SIO definition within the JCRE allows a "wallet" software application to track all instances of the card software applications in the secure element via the control software application in the Smart card. (column 7, line 22-26, column 8, line 38-58, column 9, line 49-67)

but the second application has been locked by the dedicated server, (column 5, line 11-17, column 9, line 28-65, column 15, line 36-63, column 16, line 55- 67, column 17, line 1-60, column 19, line 8-17, column 24, line 1-67)

Behren - Alter natively, the TSM may issue pre-defined instructions for such exemplary external functions, as blocking/unblocking a card Software application... to instantiate a Trusted Service Manager (TSM) Security Domain for download of payment and other card Software applications, to lock/unlock card Software applications, and to terminate secure element Software applications... The control software application includes a list 232 of the activate/inactive/non-activatable card Software application AIDs in certain format... When a card Software application 240,252,260, and 268 is enabled, the SIO is active and is accessed by the client mode control Software application 224.... In certain exemplary embodiments, for the UNBLOCKED/BLOCKED functions from the JCRE 316, based on requests from the TSA 304 may be rendered on a selected AID of the card software application 360 for blocking. The

instruction for blocking or unblocking may be defined by the control software application 328 using APIs from the JCRE that causes a selected card software application360 to trigger an event to the control software application 328... In certain exemplary embodiments, the internal method calls applicable may include Such custom functions as, a enableSelection (byte aid): Boolean, for enabling selection of a payment card Software application and returning values as true if enabled or false for a general error (for example, the applet is locked). Another exemplary method call includes the disableSelection (byte aid): Void, which disables selection of a payment type card Software application... (column 5, line 11-17, column 9, line 41-65, column 15, line 36-43, column 16, line 66, 67, column 17, line 1-7, column 24, line 41-44)

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Corda(column 1, line 10-13), which teaches "*managing MIFARE* applications in a mobile communication device that comprises a MIFARE Classic card or an emulated MIFARE Classic memory and a Swap memory" and Behren(column 1, line 16-21), which teaches "*systems*, methods, and devices for controlling multiple card Software applications using a control Software application, the control and card Software applications resident in a secure element of a con tactless Smart card" in order to provide a device owner access to several types of services that range from financial transactions to secure authentication (Behren; column 1, line 43-66).

Neither Corda nor Behren use the term "emulator". Hosogoe uses the term "emulator" (Abstract; ¶44-51). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine Corda(column 1, line 10-13), which teaches "*managing MIFARE applications in a mobile communication device that comprises a MIFARE Classic card or an emulated MIFARE Classic memory and a Swap memory*" and Behren(column 1, line 16-21), which teaches "*systems, methods, and devices for controlling multiple card Software applications using a control Software application, the control and card Software applications resident in a secure element of a con tactless Smart card*" and Hosogoe(¶1), which teaches "*a multi-application type IC card having a plurality of functions including credit card and electronic money functions*" in order to ensure higher security and great data volume to enact more monetary functions than a conventional magnetic card (Hosogoe; ¶ 2-4).

Conclusion

46. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

- Hisano et al., (US 20060034043) teaches emulating first information and converting to second information.
- Spodak et al. (US 20130134216) teaches a universal card with multiple cards that emulates the different cards.
- Sklovsky et al (US 20090247077) teaches switching between applications on a mobile device.

- Tang et al. (US 20130331029) teaches secure elements with emulating functions for multiple applications.
- Finkenzeller et al. (US 20090199206) teaches switching between applications and utilizing a reading device to communicate with the applications.

47. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

48. Any inquiry concerning this communication or earlier communications from the examiner should be directed to ISIDORA I IMMANUEL whose telephone number is (469)295-9094. The examiner can normally be reached on Monday-Friday 9:00 am to 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, NEHA PATEL can be reached on 571-270-1492. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/ISIDORA I IMMANUEL/ Examiner, Art Unit 3685

/OLUSEYE IWARERE/ Primary Examiner, Art Unit 3687

Nation of Pataranaas Citad	Application/Control No. 13/782,948	Applicant(s)/Patent Under Reexamination Xie et al.	
Notice of neterences ched	Examiner ISIDORA I IMMANUEL	Art Unit 3685	Page 1 of 1

U.S. PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	CPC Classification	US Classification
*	А	US-20030151125-A1	08-2003	Hosogoe, Takashi	G06Q20/3574	257/679
*	В	US-9128829-B2	09-2015	Corda; Alexandre	G06F12/0638	1/1
*	С	US-8646059-B1	02-2014	von Behren; Rob	G06Q20/3574	726/9
*	D	US-6481632-B2	11-2002	Wentker; David C.	G06F8/60	235/376
	Е					
	F					
	G					
	Τ					
	-					
	J					
	К					
	L					
	М					

FOREIGN PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	CPC Classification
	Ν					
	0					
	Р					
	Q					
	R					
	S					
	Т					

NON-PATENT DOCUMENTS * Image: Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages) U U V V V V X V

*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).) Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.

U.S. Patent and Trademark Office PTO-892 (Rev. 01-2001)

Notice of References Cited

Part of Paper No. 20210202

	Application/Control No.	Applicant(s)/Patent Under Reexamination
Search Notes	13/782,948	Xie et al.
	Examiner	Art Unit
	ISIDORA I IMMANUEL	3685

CPC - Searched*		
Symbol	Date	Examiner
G06Q20	08/17/2020	III
G06Q2220	08/17/2020	III
H04L41	02/27/2021	III
G06F8	02/27/2021	III

CPC Combination Sets - Searched*		
Symbol	Date	Examiner

US Classification - Searched*			
Class	Subclass	Date	Examiner
705			

* See search history printout included with this form or the SEARCH NOTES box below to determine the scope of the search.

Search Notes		
Search Notes	Date	Examiner
See attached notes	2/1/2016	=
101 withdrawal - Weinhart	06/06/2018	III
See attached notes (EAST)	04/15/2019	III
EAST search report	08/17/2020	III
NPL search	08/17/2020	III
EAST	02/27/2021	III

/ISIDORA I IMMANUEL/ Examiner, Art Unit 3685	
U.S. Patent and Trademark Office	Part of Paper No.: 20210202

	Application/Control No.	Applicant(s)/Patent Under Reexamination
Search Notes	13/782,948	Xie et al.
	Examiner	Art Unit
	ISIDORA I IMMANUEL	3685

Interference Search			
US Class/CPC Symbol	US Subclass/CPC Group	Date	Examiner

/ISIDORA I IMMANUEL/ Examiner, Art Unit 3685	
U.S. Patent and Trademark Office Page 2	Part of Paper No.: 20210202 of 2

			Application/Control No).	Applicant(s)/Patent Under Reexamination		
Index of Claims			13/782,948		Xie et al.		
			Examiner		Art Unit		
			ISIDORA I IMMANUE	EL	3685		
			1				
✓	Rejected	-	Cancelled	N No	n-Elected	A	Appeal

=		Allowed	1	÷	Re	stricted		I	Inter	ference		ο	Obje	cted
	CLAIMS													
	Claims renumbered in the same order as presented by applicant CPA T.D. R.1.47													
	CL	AIM							DATE					
F	inal	Original	02/01/20	16 09	0/16/2016	09/17/2017	05/22/201	8 0)4/15/2019	12/18/2019	08/17	/2020	02/27/2021	
		1	√		1	1	√		\checkmark	~	•	/	1	
		2	√		\checkmark	1	\checkmark		\checkmark	~		/	1	
		3	 ✓ 		\checkmark	✓ ✓	✓		\checkmark	~	,	/	✓ ✓	
		4	1		1	1	√		✓	1		/	✓	
		5	1		√	1	√		√	✓		/	1	
		6	1		√	1	✓		✓	<i>√</i>		/	1	
		7	1		\checkmark	✓ ✓	✓		√	<i>√</i>		/	1	
		8	1		\checkmark	\checkmark	√		√	1		-	-	
		9			<u>√</u>	<i>√</i>	✓		✓	1	, ,	/		
		10			<u> </u>	✓ ✓		_	✓ ✓	<u> </u>	、 、	<u>/</u>	✓	
		11			<u> </u>				✓ ✓	1	•	/		
		12			<u> </u>	<i>✓</i>			✓ ✓		•	/		
		13			✓	✓ ✓	✓		1	✓ ✓	•	/	✓ ✓	
		14			<u> </u>		∕	_	✓ ✓		, ,	<u>/</u>		
		15		_	<u> </u>	<i>✓</i>	∕		✓ ✓		<u> </u>	/		
		16		_	<u> </u>	<i>✓</i>	∕		✓ ✓	- V	<u> </u>	/	- <i>·</i> ·	
		1/			<u> </u>	_ ✓	∕		∕	<i></i>	•	<u>/</u>	<i></i>	
—		18			<u>√</u>				✓ ✓		, ,	/		
<u> </u>		19	└ ∕	+	√	√	√	+	✓	✓	`	/	√	
-		+						+						
				+				+						

Part of Paper No.: 20210202

Page 1 of 1

Samsung Ex. 1016, Page 608 of 699 Samsung Electronics America, Inc. v. RFCyber Corp. IPR2021-00980

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	207	(service adj manager) and emulator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2021/02/27 09:34
L2	2,850,311	counter or tracker emulator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2021/02/27 09:34
L3	16,062	(counter or track\$4) and emulator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2021/02/27 09:34
L4	47	1 AND ((H04L41/0806 OR H04L47/70 OR G06F8/65).CPC.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2021/02/27 09:35

EAST Search History (Interference)

<This search history is empty>

2/27/2021 9:36:02 AM

C:\Users\iimmanuel\Documents\EAST\Workspaces\13782948.wsp

UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
13/782,948	03/01/2013	03/01/2013 Xiangzhen Xie		5348
26797 LogicPatents, L	7590 03/22/202 L.C.	EXAMINER		
21701 Stevens CUPERTINO.	Creek Boulevard, #284 CA 95015	Ļ	IMMANUEL	., ISIDORA I
eer birnin,			ART UNIT	PAPER NUMBER
			3685	
			NOTIFICATION DATE	DELIVERY MODE
			03/22/2021	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

uspatents@sbcglobal.net

	Application No. 13/782,948	Applicar Xie et al.	nt(s)	
Applicant-Initiated Interview Summary	Examiner ISIDORA I IMMANUEL	Art Unit 3685	AIA (First Inventor to File) Status NO	Page 1 of 1

All Participants (applicant, applicants representative, PTO personnel)	Title	Туре
ISIDORA I IMMANUEL	Examiner	Telephonic
JOE ZHENG	PATENT AGENT	

Date of Interview: 16 March 2021

Issues Discussed:

Other

Second attempt proposing allowable subject matter. Discussed specification support (module and claims 9, 17), language clarifications to make ("in response to", "load", function vs replaced, emulator device) and honoring agreed on claims (claim 2 and 13). Applicant will respond with a final draft of the discussed claim language. No agreements finalized.

Attachment

/ISIDORA I IMMANUEL/ Examiner, Art Unit 3685	
Applicant is reminded that a complete written statement as to the application file. It is the applicants responsibility to provi by the Examiner and the Examiner has indicated that a writte Please further see: MPEP 713.04 Title 37 Code of Federal Regulations (CFR) § 1.133 Interviews, paragraph 37 CFR § 1.2 Business to be transacted in writing	b the substance of the interview must be made of record in de the written statement, unless the interview was initiated on summary will be provided. See MPEP 713.04

Applicant recordation instructions: The formal written reply to the last Office action must include the substance of the interview. (See MPEP section 713.04). If a reply to the last Office action has already been filed, applicant is given a non-extendable period of the longer of one month or thirty days from this interview date, or the mailing date of this interview summary form, whichever is later, to file a statement of the substance of the interview.

Examiner recordation instructions: Examiners must summarize the substance of any interview of record. A complete and proper recordation of the substance of an interview should include the items listed in MPEP 713.04 for complete and proper recordation including the identification of the general thrust of each argument or issue discussed, a general indication of any other pertinent matters discussed regarding patentability and the general results or outcome of the interview, to include an indication as to whether or not agreement was reached on the issues raised.

Interview Summary

Paper No. 20210316

Applicant(s):	Xiangzhen Xie et al
Title:	Method and apparatus for emulating multiple cards in mobile
	devices
Serial No.:	13/782,948
Filing Date:	03/01/2013
Confirmation	5348
Examiner:	Isidora I. Immanuel
Group Art Unit:	3685
Docket No.:	RFID-084

1. The Applicant has authorized the communication with the Examiner via the internet

2. This is for informal discussion with the Examiner, content of which is not intended for entry as record.

Interview Agenda

Time: 04:00PM EST (3:00PM CDT, 1:00 PM PDT)

Date: Tuesday, March 16, 2021

Participants:	Examiner: Isidora I. Immanuel				
	Representative: Joe Zheng (Reg. No.: 39,450, Cell: 408-891-9381)				
Connection:	Joe will call (469)295-9094				

Agenda:

- 1. Discussion of amendments to proposed allowable claims
- 2. Examiner suggests further amendments;
- 3. Conclusion (Interview Summary)

1
AMENDMENTS TO THE CLAIMS

- 1. (*Currently amended*) A mobile device for emulating a plurality of cards, the mobile device comprising:
 - a display screen showing a list <u>of a plurality</u> of <u>applications</u> the cards for a user of the mobile device to select choose one therefrom, <u>each application</u> <u>corresponding to a card in the plurality of cards</u>wherein a display of the list of the cards is provided via a designated server;
 - a storage device for storing a plurality of applications, each of the applications corresponding to one of the cards, wherein each of the applications is provisioned remotely with the designated server that subsequently installs corresponding data and keys for the one of the cards in the mobile device, the data can only be modified by the designated server over a secured channel;
 - a secure element (SE) including:
 - an emulator device; coupled to the storage device and implemented in a secure element, receiving a first application corresponding to a first card, the first application being one of the plurality of applications;
 - a memory storing at least one <u>a module</u>, when the at least one <u>module is</u> executed by the secure element, the secure element configured to: receive and install key sets of a Supplementary Secured Domain (SSD); establish, based on the key sets, a secure communication channel with a dedicated server;
 - receive and install an application from the dedicated sever, each the application including corresponding application data sets and files and a locked or unlocked status, wherein an the application with a locked status must be unlocked to function be replaced;
 - receive, from the plurality of applications, a user selection of a first application corresponding to a first card;

- determine that the first application has a locked or unlocked status and is activated, wherein an application status is locked or unlocked by the dedicated server;
- in response to said determining that the first application has an unlocked status and is activated, send load the first application to the emulator device, along with corresponding first application data sets;
- receive, from the plurality of applications, a user selection of a second application corresponding to a second card;
- determine that the second application has a locked or unlocked status and is activated;

in response to said determining that the second application has an unlocked status and is activated, replace out of the emulator device, a portion of or in entirety, the first application, wherein said replacing out of the emulator device a portion of the first application further comprises retaining, in the emulator device, portions of the corresponding first application data sets to be utilized by the second application;

send load the second application to the emulator device along with corresponding second application data sets; and

increment a counter for each successful application replacement;

a communication interface to facilitate data exchange wirelessly between a reader and the first application received and executed in the emulator, wherein the reader is external to the mobile device, and the first application in the emulator is replaceable in entirety by a second application corresponding to a second card when another one of the cards is selected by the user, wherein the first application is out of the emulator and replaced by the second application; and

- a processor, in communication with the emulator and the storage device, performing an operation of causing the second application leaded into the emulator to replace the first application when the second card is selected via the display screen when the second application has been unlocked by the designated server, wherein said causing the second application leaded into the emulator to replace the first application fails when the second card is selected via the display screen but the second application has been locked by the designated server, and wherein
- wherein functions of the mobile device performs functions of the second card when the first application is replaced out of the emulator device and the second application is received load in the emulator device related to the first eard offered by the first application are changed to functions offered by the second application related to the second card when the first application is out of the emulator and the second application is activated and executed in the emulator.

2. (Cancelled)

- (*Currently amended*) The mobile device as recited in claim 21, wherein the secure element is enclosed in the mobile device or in a detachable card to the mobile device.
- 4. (*Previously amended*) The mobile device as recited in claim 3, wherein each of the applications emulating functions of one of the cards provided respectively to perform a function related to a monetary transaction, the mobile device is used to emulate each of the cards when a corresponding application is loaded into and executed in the emulator.

- 5. (*Previously amended*) The mobile device as recited in claim 4, wherein at least one of the cards is a contactless card.
- 6. (Cancelled)
- 7. (Cancelled)
- 8. (Cancelled)
- (*Currently amended*) The mobile device as recited in claim 21, wherein the secure element is preloaded with default Issuer Security Domain (ISD) information updated entirely or partially subject to retrieved corresponding default ISD information from a party originating the secure element.
- 10. (*Currently amended*) The mobile device as recited in claim 21, wherein the mobile device is a smartphone or a portable computer.
- 11. (*Currently amended*) The mobile device as recited in claim 1, wherein each of the applications has been remotely provisioned by <u>the the designated a</u> <u>corresponding dedicated</u> server with operations of:
 - sending a request from the mobile device to the designated <u>corresponding</u> <u>dedicated</u> server to provision an <u>said each of the</u> applications installed in the mobile device, wherein <u>said each of</u> the applications being provisioned is <u>are</u> distributed by an application provider;
 - establishing-a-secured-channel-between-the-mobile-device-and-the-designated server-using-a-set-of-keys-received-from-the-designated-server;
 - receiving data for the application being provisioned from the designated <u>dedicated</u> server, wherein the data for <u>said-each-of</u> the applications includes supplemental security domains (the SSD) to be associated with <u>said-each-of</u> the applications; and
 - notifying the application provider of a status of <u>said each of</u> the applications with the mobile device.

12. (*Currently amended*) A method for a mobile device to emulate a plurality of cards, the method comprising:

installing in <u>an emulator</u> a storage device of <u>a secure element in the mobile</u> device a plurality of applications, <u>each of the applications</u> downloaded from a designated <u>dedicated</u> server and corresponding to one of the cards, each of the applications being managed by the designated server pertaining to one of the cards, wherein each of the applications is provisioned remotely with the designated <u>a corresponding dedicated</u> server that subsequently installs corresponding data and keys for the one of the cards in the mobile device, the data can only be modified by the <u>corresponding dedicated</u> designated server over a secured channel established with key sets of a <u>Supplementary</u> <u>Secured Domain (SSD)</u>, the mobile device communicates wirelessly with an external reader provided to read one of the cards on the mobile device;

showing <u>displaying</u> a list of the cards a <u>plurality of applications</u> on a display of the mobile device for a user to choose select one therefrom;

receiving in an the emulator of the mobile device a first application corresponding to a first card;

- facilitating data exchange between the external reader and the first application being executed in the emulator, wherein the first application in the emulator is replaceable in <u>a portion or entirety</u> by a second application corresponding to a second card when another one of the cards is selected by the user, wherein the first application is out of the emulator when the second card is selected by the <u>user</u> and the first <u>application is and replaced</u> by the second application in the emulator;
- causing the second application to replace the first application loaded and executed in the emulator, wherein said causing the second application to replace the first application loaded and executed in the emulator fails when the second card is selected via the display but the second application has been locked by the designated server, and wherein functions of the mobile device

related to the first card offered by the first application are changed to functions

offered by the second application related to the second card when the second application is activated and executed in the emulator.

receiving and installing, by a secure element on the mobile device, key sets of a Supplementary Secured Domain (SSD);

establishing, by the secure element and based on the key sets, a secure communication channel with a dedicated server;

receiving and installing, by the secure element, an application from the dedicated sever, each application including corresponding application data sets and files and a locked or unlocked status, wherein an the application with a locked status must be unlocked to function be replaced;

receiving, by the mobile device, a user selection of a first application corresponding to a first card;

determining, by the secure element, that the first application has a locked or unlocked status and is activated, wherein an application status is locked or unlocked by the dedicated server;

in response to said determining that the first application has an unlocked status and is activated, sending, by the secure element, loading the first application to an emulator device in the secure element, along with corresponding first application data sets;

receiving, by the mobile device, from the plurality of applications, a user selection of a second application corresponding to a second card; determining, by the secure element, that the second application has a locked or unlocked status and is activated;

in response to said determining that the second application has an unlocked status and is activated, replacing out of the emulator device, by the secure element, a portion of or in entirety, the first application, wherein said replacing out of the emulator device a portion of the first application further comprises retaining, in the emulator device, portions of the corresponding first application data sets to be utilized by the second application;

<u>sending, by the secure element, loading the second application to the</u> <u>emulator device along with corresponding second application data sets;</u>

incrementing, by the secure element, a counter for each successful application replacement;

wherein the mobile device performs functions of the second card when the first application is replaced out of the emulator device and the second application is received in the emulator device.

13. (*Currently amended*) The method as recited in claim 12, wherein the mobile device is associated with a secure element, and the method further comprises: initiating data communication by the mobile device with <u>the</u> the designated<u>another</u> <u>dedicated</u> server, <u>wherein the dedicated server is a</u> <u>Trusted Service Manager(TSM)</u>; and

- sending device information of the secure element in responding to a request from the designated <u>another</u> <u>dedicated</u> server after the designated <u>another</u> <u>dedicated</u> server determines that the secure element is <u>mobile device has</u> <u>been</u> registered therewith, wherein the device information is a sequence of characters uniquely identifying the secure element, and the request is a command causing the mobile device to retrieve the device information from the secure element therein.
- receiving in the secure element at least a set of keys from the designated server, wherein the keys are generated in accordance with the device information of the secure element, the set of keys in the secure element facilitates a subsequent transaction between the mobile device and a service provider.
- 14. (*Currently amended*) The method as recited in claim 13, wherein the emulator is implemented in the secure element, the secure element is enclosed in the mobile device or in a detachable card to the mobile device.
- 15. (Cancelled)
- 16.(Cancelled)
- 17. (*Previously amended*) The method as recited in claim 13, wherein the secure element is preloaded with default Issuer Security Domain (ISD) information updatable entirely or partially subject to retrieved corresponding default ISD information from a party originating the secure element.
- 18. (*Previously amended*) The method as recited in claim 12, wherein the mobile device is a smartphone or a portable computer.
- 19.(Cancelled)

UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

NOTICE OF ALLOWANCE AND FEE(S) DUE

26797 7590 04/05/2021 LogicPatents, LLC 21701 Stevens Creek Boulevard, #284 CUPERTINO, CA 95015

EXAMINER IMMANUEL, ISIDORA I

ART UNIT PAPER NUMBER 3685

DATE MAILED: 04/05/2021

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	FIRST NAMED INVENTOR ATTORNEY DOCKET NO.	
13/782,948	03/01/2013	Xiangzhen Xie	RFID-084	5348

TITLE OF INVENTION: Method and apparatus for emulating multiple cards in mobile devices

APPLN. TYPE	ENTITY STATUS	ISSUE FEE DUE	PUBLICATION FEE DUE	PREV. PAID ISSUE FEE	TOTAL FEE(S) DUE	DATE DUE
nonprovisional	SMALL	\$600	\$0.00	\$0.00	\$600	07/06/2021

THE APPLICATION IDENTIFIED ABOVE HAS BEEN EXAMINED AND IS ALLOWED FOR ISSUANCE AS A PATENT. **PROSECUTION ON THE MERITS IS CLOSED. THIS NOTICE OF ALLOWANCE IS NOT A GRANT OF PATENT RIGHTS.** THIS APPLICATION IS SUBJECT TO WITHDRAWAL FROM ISSUE AT THE INITIATIVE OF THE OFFICE OR UPON PETITION BY THE APPLICANT. SEE 37 CFR 1.313 AND MPEP 1308.

THE ISSUE FEE AND PUBLICATION FEE (IF REQUIRED) MUST BE PAID WITHIN THREE MONTHS FROM THE MAILING DATE OF THIS NOTICE OR THIS APPLICATION SHALL BE REGARDED AS ABANDONED. THIS STATUTORY PERIOD CANNOT BE EXTENDED. SEE 35 U.S.C. 151. THE ISSUE FEE DUE INDICATED ABOVE DOES NOT REFLECT A CREDIT FOR ANY PREVIOUSLY PAID ISSUE FEE IN THIS APPLICATION. IF AN ISSUE FEE HAS PREVIOUSLY BEEN PAID IN THIS APPLICATION (AS SHOWN ABOVE), THE RETURN OF PART B OF THIS FORM WILL BE CONSIDERED A REQUEST TO REAPPLY THE PREVIOUSLY PAID ISSUE FEE TOWARD THE ISSUE FEE NOW DUE.

HOW TO REPLY TO THIS NOTICE:

I. Review the ENTITY STATUS shown above. If the ENTITY STATUS is shown as SMALL or MICRO, verify whether entitlement to that entity status still applies.

If the ENTITY STATUS is the same as shown above, pay the TOTAL FEE(S) DUE shown above.

If the ENTITY STATUS is changed from that shown above, on PART B - FEE(S) TRANSMITTAL, complete section number 5 titled "Change in Entity Status (from status indicated above)".

For purposes of this notice, small entity fees are 1/2 the amount of undiscounted fees, and micro entity fees are 1/2 the amount of small entity fees.

II. PART B - FEE(S) TRANSMITTAL, or its equivalent, must be completed and returned to the United States Patent and Trademark Office (USPTO) with your ISSUE FEE and PUBLICATION FEE (if required). If you are charging the fee(s) to your deposit account, section "4b" of Part B - Fee(s) Transmittal should be completed and an extra copy of the form should be submitted. If an equivalent of Part B is filed, a request to reapply a previously paid issue fee must be clearly made, and delays in processing may occur due to the difficulty in recognizing the paper as an equivalent of Part B.

III. All communications regarding this application must give the application number. Please direct all communications prior to issuance to Mail Stop ISSUE FEE unless advised to the contrary.

IMPORTANT REMINDER: Maintenance fees are due in utility patents issuing on applications filed on or after Dec. 12, 1980. It is patentee's responsibility to ensure timely payment of maintenance fees when due. More information is available at www.uspto.gov/PatentMaintenanceFees.

Page 1 of 3

PTOL-85 (Rev. 02/11)

PART B - FEE(S) TRANSMITTAL

Complete and send this form, together with applicable fee(s), by mail or fax, or via EFS-Web.

By mail, send to:	Mail Stop ISSUE I Commissioner for P.O. Box 1450 Alexandria, Virgin	FEE Patents nia 22313-1450	,, , , ,		By fax, send t	0: (571)-273-2885	
INSTRUCTIONS: This further correspondence below or directed other	form should be used for tr including the Patent, advar wise in Block 1, by (a) spe	ansmitting the ISSUE FE nce orders and notificatio ecifying a new correspor	E and PUBLICATION FE on of maintenance fees will idence address; and/or (b)	E (if required). Blocks 1 three be mailed to the current con ndicating a separate "FEE.	ough 5 should be comp rrespondence address a ADDRESS" for mainte	leted where appropriate. All s indicated unless corrected enance fee notifications.	
CURRENT CORRESPONI	DENCE ADDRESS (Note: Use Bl	ock 1 for any change of address)	No Fee par hay	Fee(s) Transmittal. This certificate cannot be used for any other accompa papers. Each additional paper, such as an assignment or formal drawing, have its own certificate of mailing or transmission.			
26797 LogicPatents, 21701 Stevens (CUPERTINO, (7590 04/05. LLC Creek Boulevard, #2 CA 95015	/2021 84	I hu Sta add the	Certificate ereby certify that this Fee(tes Postal Service with suf ressed to the Mail Stop IS USPTO via EFS-Web or b	e of Mailing or Trans s) Transmittal is being ficient postage for firs SUE FEE address abo y facsimile to (571) 27	mission deposited with the United t class mail in an envelope ve, or being transmitted to '3-2885, on the date below. (Typed or printed name) (Signature)	
			L			(Date)	
APPLICATION NO.	FILING DATE		FIRST NAMED INVENTO	R ATTO	RNEY DOCKET NO.	CONFIRMATION NO.	
13/782,948 03/01/2013			Xiangzhen Xie		RFID-084	5348	
TITLE OF INVENTION	N: Method and apparatus f	for emulating multiple ca	ards in mobile devices				
APPLN. TYPE	ENTITY STATUS	ISSUE FEE DUE	PUBLICATION FEE DUE	PREV. PAID ISSUE FEE	TOTAL FEE(S) DUE	DATE DUE	
nonprovisional	SMALL	\$600	\$0.00	\$0.00	\$600	07/06/2021	
EXAI	MINER	ART UNIT	CLASS-SUBCLASS	1			
IMMANUE	L, ISIDORA I	3685	705-050000]			
CFR 1.363). Change of corresp Address form PTO/S Fee Address" ind SB/47; Rev 03-09 or Number is required 3. ASSIGNEE NAME / PLEASE NOTE: Uni recorded, or filed for (A) NAME OF ASSI	pondence address (or Cha B/122) attached. dication (or "Fee Address' more recent) attached. Us L AND RESIDENCE DATA less an assignee is identifie recordation, as set forth in IGNEE	nge of Correspondence ' Indication form PTO/ se of a Customer A TO BE PRINTED ON ed below, no assignee da n 37 CFR 3.11 and 37 C	 (1) The names of up t or agents OR, alternat (2) The name of a sing registered attorney or 2 registered patent attd listed, no name will be THE PATENT (print or ty ta will appear on the patent) FR 3.81(a). Completion of (B) RESIDENCE: (CIT 	o 3 registered patent attorn ively, gle firm (having as a memb agent) and the names of u orneys or agents. If no nam e printed. pe) this form is NOT a substit Y and STATE OR COUNT	eys 1 er a p to 2 te is 3 d below, the document ute for filing an assign (RY)	must have been previously ment.	
Please check the approp	riate assignee category or	categories (will not be p	printed on the patent) : 🖵 I	ndividual 🖵 Corporation of	or other private group of	entity 🖵 Government	
 4a. Fees submitted: 4b. Method of Payment: 4b. Electronic Payment: 4b. The Director is here. 	☐Issue Fee ☐Pub : (<i>Please first reapply any</i> ent via EFS-Web ☐ : ereby authorized to charge	lication Fee (if required) previously paid fee show Enclosed check	Advance Order - <i>vn above</i>) Non-electronic payment by deficiency, or credit any o	# of Copies y credit card (Attach form I verpayment to Deposit Acc	PTO-2038) count No		
 5. Change in Entity Sta Applicant certifyi Applicant assertin Applicant changin 	atus (from status indicate ing micro entity status. Se ng small entity status. See ng to regular undiscounted	d above) e 37 CFR 1.29 37 CFR 1.27 d fee status.	<u>NOTE:</u> Absent a valid cr fee payment in the micro <u>NOTE:</u> If the application to be a notification of los <u>NOTE:</u> Checking this be entity status, as applicab	ertification of Micro Entity entity amount will not be i was previously under mic ss of entitlement to micro e ox will be taken to be a noti le.	Status (see forms PTC accepted at the risk of ro entity status, checki ntity status. fication of loss of entit	O/SB/15A and 15B), issue application abandonment. ng this box will be taken lement to small or micro	
NOTE: This form must	be signed in accordance w	vith 37 CFR 1.31 and 1.3	33. See 37 CFR 1.4 for sign	ature requirements and cer	tifications.		
Authorized Signature	e			Date			
Typed or printed nan	ne			Registration No.			
PTOL-85 Part B (08-18) Approved for use throug	h 01/31/2020	Page 2 of 3 OMB 0651-0033	U.S. Patent and Trademark	GOffice; U.S. DEPAR	TMENT OF COMMERCE	

PTOL-85 Part B (08-18) Approved for use through 01/31/2020

Samsung Ex. 1016, Page 622 of 699 Samsung Electronics America, Inc. v. RFCyber Corp. IPR2021-00980

UNITED STATES PATENT AND TRADEMARK OFFICE UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Address: OMMISSIONER FOR PATENTS P.O. Box 1450 P.O. Box 1450					
APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
13/782,948	13/782,948 03/01/2013 Xiangzhen Xie		RFID-084	5348	
26797 74	590 04/05/2021		EXAMINER		
LogicPatents, LL	.C		IMMANUEL, ISIDORA I		
21701 Stevens Cre	ek Boulevard, #284		ART UNIT	PAPER NUMBER	
COLLATINO, CA	22012		3685		
			DATE MAILED: 04/05/2021	l	

Determination of Patent Term Adjustment under 35 U.S.C. 154 (b)

(Applications filed on or after May 29, 2000)

The Office has discontinued providing a Patent Term Adjustment (PTA) calculation with the Notice of Allowance.

Section 1(h)(2) of the AIA Technical Corrections Act amended 35 U.S.C. 154(b)(3)(B)(i) to eliminate the requirement that the Office provide a patent term adjustment determination with the notice of allowance. See Revisions to Patent Term Adjustment, 78 Fed. Reg. 19416, 19417 (Apr. 1, 2013). Therefore, the Office is no longer providing an initial patent term adjustment determination with the notice of allowance. The Office will continue to provide a patent term adjustment determination Letter that is mailed to applicant approximately three weeks prior to the issue date of the patent, and will include the patent term adjustment on the patent. Any request for reconsideration of the patent term adjustment determination (or reinstatement of patent term adjustment) should follow the process outlined in 37 CFR 1.705.

Any questions regarding the Patent Term Extension or Adjustment determination should be directed to the Office of Patent Legal Administration at (571)-272-7702. Questions relating to issue and publication fee payments should be directed to the Customer Service Center of the Office of Patent Publication at 1-(888)-786-0101 or (571)-272-4200.

OMB Clearance and PRA Burden Statement for PTOL-85 Part B

The Paperwork Reduction Act (PRA) of 1995 requires Federal agencies to obtain Office of Management and Budget approval before requesting most types of information from the public. When OMB approves an agency request to collect information from the public, OMB (i) provides a valid OMB Control Number and expiration date for the agency to display on the instrument that will be used to collect the information and (ii) requires the agency to inform the public about the OMB Control Number's legal significance in accordance with 5 CFR 1320.5(b).

The information collected by PTOL-85 Part B is required by 37 CFR 1.311. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 30 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, Virginia 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450. Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Privacy Act Statement

The Privacy Act of 1974 (P.L. 93-579) requires that you be given certain information in connection with your submission of the attached form related to a patent application or patent. Accordingly, pursuant to the requirements of the Act, please be advised that: (1) the general authority for the collection of this information is 35 U.S.C. 2(b) (2); (2) furnishing of the information solicited is voluntary; and (3) the principal purpose for which the information is used by the U.S. Patent and Trademark Office is to process and/or examine your submission related to a patent application or patent. If you do not furnish the requested information, the U.S. Patent and Trademark Office may not be able to process and/or examine your submission, which may result in termination of proceedings or abandonment of the application or expiration of the patent.

The information provided by you in this form will be subject to the following routine uses:

- The information on this form will be treated confidentially to the extent allowed under the Freedom of Information Act (5 U.S.C. 552) and the Privacy Act (5 U.S.C 552a). Records from this system of records may be disclosed to the Department of Justice to determine whether disclosure of these records is required by the Freedom of Information Act.
- 2. A record from this system of records may be disclosed, as a routine use, in the course of presenting evidence to a court, magistrate, or administrative tribunal, including disclosures to opposing counsel in the course of settlement negotiations.
- 3. A record in this system of records may be disclosed, as a routine use, to a Member of Congress submitting a request involving an individual, to whom the record pertains, when the individual has requested assistance from the Member with respect to the subject matter of the record.
- 4. A record in this system of records may be disclosed, as a routine use, to a contractor of the Agency having need for the information in order to perform a contract. Recipients of information shall be required to comply with the requirements of the Privacy Act of 1974, as amended, pursuant to 5 U.S.C. 552a(m).
- 5. A record related to an International Application filed under the Patent Cooperation Treaty in this system of records may be disclosed, as a routine use, to the International Bureau of the World Intellectual Property Organization, pursuant to the Patent Cooperation Treaty.
- 6. A record in this system of records may be disclosed, as a routine use, to another federal agency for purposes of National Security review (35 U.S.C. 181) and for review pursuant to the Atomic Energy Act (42 U.S.C. 218(c)).
- 7. A record from this system of records may be disclosed, as a routine use, to the Administrator, General Services, or his/her designee, during an inspection of records conducted by GSA as part of that agency's responsibility to recommend improvements in records management practices and programs, under authority of 44 U.S.C. 2904 and 2906. Such disclosure shall be made in accordance with the GSA regulations governing inspection of records for this purpose, and any other relevant (i.e., GSA or Commerce) directive. Such disclosure shall not be used to make determinations about individuals.
- 8. A record from this system of records may be disclosed, as a routine use, to the public after either publication of the application pursuant to 35 U.S.C. 122(b) or issuance of a patent pursuant to 35 U.S.C. 151. Further, a record may be disclosed, subject to the limitations of 37 CFR 1.14, as a routine use, to the public if the record was filed in an application which became abandoned or in which the proceedings were terminated and which application is referenced by either a published application, an application open to public inspection or an issued patent.
- 9. A record from this system of records may be disclosed, as a routine use, to a Federal, State, or local law enforcement agency, if the USPTO becomes aware of a violation or potential violation of law or regulation.

	Application No. 13/782.948	Applicant(s	5)			
Notice of Allowability	Examiner ISIDORA I IMMANUEL	Art Unit 3685	AIA (FITF) Status No			
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313 1. This communication is responsive to 03/18/2021.	Pears on the cover sheet with the (OR REMAINS) CLOSED in this a or other appropriate communication IGHTS. This application is subject and MPEP 1308.	<i>corresponden</i> pplication. If no on will be mailed to withdrawal fr	t included d in due course. THIS om issue at the initiative			
 2. An election was made by the applicant in response to a r	striction requirement set forth durin d into this action.	g the interview	on; the			
3. The allowed claim(s) is/are See Continuation Sheet. As a Patent Prosecution Highway program at a participating in information, please see http://www.uspto.gov/patents/ini PPHfeedback@uspto.gov.	result of the allowed claim(s), you ntellectual property office for the cc it_events/pph/index.jsp or send a	may be eligible rresponding ap In inquiry to	to benefit from the plication. For more			
4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).						
Certified copies: a) All b) Some *c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the						
* Certified copies not received:						
Applicant has THREE MONTHS FROM THE "MAILING DATE noted below. Failure to timely comply will result in ABANDON THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	" of this communication to file a re MENT of this application.	oly complying w	ith the requirements			
5. CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted.	0.000				
Paper No./Mail Date	s Amendment / Comment or in the	Office action of	ſ			
Identifying indicia such as the application number (see 37 CFR sheet. Replacement sheet(s) should be labeled as such in the h	1.84(c)) should be written on the dra eader according to 37 CFR 1.121(d).	wings in the fror	nt (not the back) of each			
6. DEPOSIT OF and/or INFORMATION about the deposit of attached Examiner's comment regarding REQUIREMENT	BIOLOGICAL MATERIAL must be FOR THE DEPOSIT OF BIOLOGI	submitted. Note CAL MATERIAL	e the 			
 Attachment(s) 1. Notice of References Cited (PTO-892) 2. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 3. Examiner's Comment Regarding Requirement for Deposit of Biological Material 4. Interview Summary (PTO-413), Paper No./Mail Date 	5. ☑ Examiner's Ame 6. ☑ Examiner's State 7. ☑ Other <u>NPL sear</u> e	ndment/Commo ement of Reaso <u>ch</u> .	ent ns for Allowance			
/ISIDORA I IMMANUEL/	/NEHA PATEL/	Evominor Ar	t Init 2685			
U.S. Patent and Trademark Office	Supervisory Patent	Examiner, Ar				
PTOL-37 (Rev. 08-13) Notice	e of Allowability	Part of Paper No.	/Mail Date 20210323			

Continuation Sheet (PTOL-37)

Continuation of 3. The allowed claim(s) is/are: 1, 3,-5, 9-12, 14, 17,and 18

Notice of Pre-AIA or AIA Status

The present application is being examined under the pre-AIA first to invent provisions.

STATUS OF THE APPLICATION

This action is in response to the claims filed 11/24/2020. Claims 2, 6-8, 13, 15, and 16 have been cancelled. Claims 1, 3, 4, 9-12, 14 and 17 are amended as a result of the interview conducted March 16, 2021 and a call March 25, 2021 to discuss final changes. Claims 1, 3-5, 9-12, 14, 17 and 18 are therefore pending and currently under consideration for patentability.

EXAMINER'S AMENDMENT

- 1. (*Currently amended*) A mobile device for emulating a plurality of cards, the mobile device comprising:
 - a display screen showing a list of a plurality of applications for a user of the mobile device to select one therefrom, each application corresponding to one card in the plurality of cards;
 - a secure element (SE) including:

an emulator device;

a memory storing a module, when the module is executed by the secure element, the secure element configured to:

receive and install key sets of a Supplementary Secured Domain (SSD); establish, by the secure element based on the key sets, a secure

communication channel with a dedicated server;

receive and install an application from the dedicated server, each application including corresponding application data sets and a locked or unlocked status;

- receive, from the plurality of applications, a user selection of a first application corresponding to a first card;
- determine that the first application has a locked or unlocked status and is activated,
- in response to said determining that the first application has an unlocked status and is activated, load the first application to the emulator device, along with corresponding first application data sets;
- receive, from the plurality of applications, a user selection of a second application corresponding to a second card;
- determine that the second application has a locked or unlocked status and is activated;
- in response to said determining that the second application has an unlocked status and is activated, replace out of the emulator device, a portion of or in entirety, the first application, wherein said replacing out of the emulator device a portion of the first application further comprises retaining the portion of the corresponding first application data sets to be utilized by the second application;
- load the second application to the emulator device along with corresponding second application data sets; and
- increment a counter for each successful application replacement, wherein the mobile device performs functions of the second card when the first application is replaced out of the emulator device and the second application is loaded in the emulator device.
- 2. (Cancelled)
- 3. (*Currently amended*) The mobile device as recited in claim 1, wherein the secure element is enclosed in the mobile device or in a detachable card to the mobile device.

- 4. (*Currently amended*) The mobile device as recited in claim 3, wherein each of the applications emulating functions of one of the plurality of cards, performs a function related to a monetary transaction, the mobile device is used to emulate each of the cards when a corresponding application is loaded into and executed in the emulator device.
- 5. (*Previously amended*) The mobile device as recited in claim 4, wherein at least one of the cards is a contactless card.
- 6. (Cancelled)
- 7. (Cancelled)
- 8. (Cancelled)
- 9. (*Currently amended*) The mobile device as recited in claim 1, wherein the secure element is preloaded with default Issuer Security Domain (ISD) information and updated subject to retrieved corresponding default ISD information from a party originating the secure element.
- 10. (*Currently amended*) The mobile device as recited in claim 1, wherein the mobile device is a smartphone or a portable computer.
- 11. (*Currently amended*) The mobile device as recited in claim 1, wherein each of the applications has been remotely provisioned by a corresponding dedicated server with operations of:
 - sending a request from the mobile device to the corresponding dedicated server to provision each of the applications installed in the mobile device, wherein the applications are distributed by an application provider;
 - receiving data for each of the applications being provisioned from the dedicated server, wherein the data includes the SSD to be associated with the each of the applications; and

notifying the application provider of a status of each of the applications with the mobile device.

- 12. (*Currently amended*) A method for a mobile device to emulate a plurality of cards, the method comprising:
 - displaying a list of a plurality of applications on a display of the mobile device for a user to select one therefrom, each application corresponding to one card in the plurality of cards;
 - receiving and installing, by a secure element on the mobile device, key sets of a Supplementary Secured Domain (SSD);
 - establishing, by the secure element and based on the key sets, a secure communication channel with a dedicated server;
 - receiving and installing, by the secure element, an application from the dedicated sever, each application including corresponding application data sets and a locked or unlocked status,
 - receiving, by the mobile device, a user selection of a first application corresponding to a first card;
 - determining, by the secure element, that the first application has a locked or unlocked status and is activated;
 - in response to said determining that the first application has an unlocked status and is activated, loading the first application to an emulator device in the secure element, along with corresponding first application data sets;
 - receiving, by the mobile device, from the plurality of applications, a user selection of a second application corresponding to a second card;
 - determining, by the secure element, that the second application has a locked or unlocked status and is activated;
 - in response to said determining that the second application has an unlocked status and is activated, replacing out of the emulator device, by the secure element, a portion of or in entirety, the first application, wherein said replacing out of the emulator device a portion of the first application further comprises retaining, in the

- emulator device, the portion of the corresponding first application data sets to be utilized by the second application;
- loading the second application to the emulator device along with corresponding second application data sets;
- incrementing, by the secure element, a counter for each successful application replacement, wherein the mobile device performs functions of the second card when the first application is replaced out of the emulator device and the second application is loaded in the emulator device.
- 13.(Cancelled):
- 14. (*Currently amended*) The method as recited in claim 13, wherein the secure element is enclosed in the mobile device or in a detachable card to the mobile device.
- 15.(Cancelled)
- 16.(Cancelled)
- 17. (*Currently amended*) The method as recited in claim 13, wherein the secure element is preloaded with default Issuer Security Domain (ISD) information that is updatable subject to retrieved corresponding default ISD information from a party originating the secure element.
- 18. (*Previously amended*) The method as recited in claim 12, wherein the mobile device is a smartphone or a portable computer.
- 19.(Cancelled)

Reasons for Allowance

The following is an examiner's statement of reasons for allowance:

Claims 1, 3-5, 9-12, 14, 17 and 18 are allowed. The closest prior art of record is Behren et al. (US 8646059), and in view of Corda et al. (US9128829).

Behren describes managing multiple payment card applications on a mobile device, along with the use of multiple secure elements. Corda teaches an emulating device that swaps out tickets. The combination of prior art do not teach the elements of independent claims 1 and 12. The recited emulator device, located in the secure element which includes a tracker for each application replacement, has the ability to retain data from the previous replaced application for use in the current or most recently loaded application. This combination of elements/function/limitations would not have been obvious to one of ordinary skill in the art in light of the available prior art at the time of the invention. Dependent claims 3-5, 9-11, 14, 17 and 18, are also allowable for the same reasons.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to ISIDORA I IMMANUEL whose telephone number is (469)295-9094. The examiner can normally be reached on Monday-Friday 9:00 am to 5:00pm.

Page 7

Examiner interviews are available via telephone, in-person, and video conferencing using a USPTO supplied web-based collaboration tool. To schedule an interview, applicant is encouraged to use the USPTO Automated Interview Request (AIR) at http://www.uspto.gov/interviewpractice.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, NEHA PATEL can be reached on 571-270-1492. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see https://ppairmy.uspto.gov/pair/PrivatePair. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-

272-1000.

/ISIDORA I IMMANUEL/ Examiner, Art Unit 3685

/NEHA PATEL/ Supervisory Patent Examiner, Art Unit 3685

Natice of References Cited	Application/Control No. 13/782,948	Applicant(s)/Patent Under Reexamination Xie et al.	
Nonce of neierences cheu	Examiner ISIDORA I IMMANUEL	Art Unit 3685	Page 1 of 1

U.S. PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	CPC Classification	US Classification
*	А	US-20030151125-A1	08-2003	Hosogoe, Takashi	G06Q20/3574	257/679
*	В	US-9128829-B2	09-2015	Corda; Alexandre	G06F12/0638	1/1
*	С	US-8646059-B1	02-2014	von Behren; Rob	G06Q20/3574	726/9
*	D	US-6481632-B2	11-2002	Wentker; David C.	G06F8/60	235/376
	Е					
	F					
	G					
	Τ					
	-					
	J					
	K					
	L					
	М					

FOREIGN PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	CPC Classification
	N	WO-2009083679-A2	07-2009	WO	PICQUENOT DAVID	G06Q20/351
	0					
	Р					
	Q					
	R					
	S					
	Т					

	NON-PATENT DOCUMENTS					
*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)				
	U	Chameleon- A versatile emulator for contactless smart cards, Kasper Timo et al., Information and security cryptology, 2010, Berlin, Heidelberg, 189-206				
	v					
	w					
	x					

*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).) Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.

U.S. Patent and Trademark Office PTO-892 (Rev. 01-2001)

Notice of References Cited

Part of Paper No. 20210323

	Application/Control No.	Applicant(s)/Patent Under Reexamination
Issue Classification	13/782,948	Xie et al.
	Examiner	Art Unit
	ISIDORA I IMMANUEL	3685

CPC	CPC						
Symbol			Туре	Version			
H04B	/ 5	0056	F	2013-01-01			
G06Q	/ 20	/ 352	1	2013-01-01			
G06Q	/ 30	0601	1	2013-01-01			
G06Q	/ 20	3672	1	2013-01-01			
G06Q	/ 20	/ 3552	1	2013-01-01			
G06Q	20	/ 40	1	2013-01-01			
G06Q	/ 20	/ 322	1	2013-01-01			
G06Q	20	3278	1	2013-01-01			
G06Q	/ 20	/ 3572	1	2013-01-01			
G06Q	20	227	1	2013-01-01			

CPC Combination Sets							
Symbol	Туре	Set	Ranking	Version			

/ISIDORA I IMMANUEL/ Examiner, Art Unit 3685	23 March 2021	Total Claim	s Allowed:
(Assistant Examiner)	(Date)	1 ⁻	1
/NEHA PATEL/ Supervisory Patent Examiner, Art Unit 3685	26 March 2021	O.G. Print Claim(s)	O.G. Print Figure
(Primary Examiner)	(Date)	1	1A
U.S. Patent and Trademark Office		Pa	art of Paper No.: 20210323

Samsung Ex. 1016, Page 635 of 699 Samsung Electronics America, Inc. v. RFCyber Corp. IPR2021-00980

	Application/Control No.	Applicant(s)/Patent Under Reexamination
Issue Classification	13/782,948	Xie et al.
	Examiner	Art Unit
	ISIDORA I IMMANUEL	3685

INTERNATIONAL CLASSIFICATION							
CLAIMED							
H04B5/00	/ 5	/ 00					
G06Q30/06	30	06					
G06Q20/36	20	36					
G06Q20/40	20	40					
G06Q20/32	/ 20	32					
G06Q20/22	20	22					
NON-CLAIMED							
G06Q20/34	20	34					

US ORIGINAL CLASSIFICATION								
CLASS			SUBCLASS					
705			50					
CROSS REFERENCE	S(S)							
CLASS	SUBCLASS (ONE SUBCLASS PER BLOCK)							

/ISIDORA I IMMANUEL/ Examiner, Art Unit 3685	23 March 2021	Total Claims Allowed:		
(Assistant Examiner)	(Date)	11		
/NEHA PATEL/ Supervisory Patent Examiner, Art Unit 3685	26 March 2021	O.G. Print Claim(s)	O.G. Print Figure	
(Primary Examiner)	(Date)	1	1A	
U.S. Patent and Trademark Office		Pa	art of Paper No.: 20210323	

Page 2 of 3

	Application/Control No.	Applicant(s)/Patent Under Reexamination
Issue Classification	13/782,948	Xie et al.
	Examiner	Art Unit
	ISIDORA I IMMANUEL	3685

	□ Claims renumbered in the same order as presented by applicant □ CPA □ T.D. □ R.1.47														
CLAIM	CLAIMS														
Final	Original	Final	Original	Final	Original	Final	Original	Final	Original	Final	Original	Final	Original	Final	Original
1	1	6	10		19										
	2	7	11												
2	3	8	12												
3	4		13												
4	5	9	14												
	6		15												
	7		16												
	8	10	17												
5	9	11	18												

/ISIDORA I IMMANUEL/ Examiner, Art Unit 3685	23 March 2021	Total Claim	s Allowed:	
(Assistant Examiner)	(Date)	11		
/NEHA PATEL/ Supervisory Patent Examiner, Art Unit 3685	26 March 2021	O.G. Print Claim(s)	O.G. Print Figure	
(Primary Examiner)	(Date)	1	1 A	
U.S. Patent and Trademark Office		Pa	art of Paper No.: 20210323	

Part of Paper No.: 20210323

			Application/Control No.	Applicant(s)/Patent Under Reexamination			
	Index of Clain	7 S	13/782,948	Xie et al.			
			Examiner	Art Unit			
			ISIDORA I IMMANUEL		3685		
✓	Rejected	-	Cancelled		n-Elected	A	Appeal

+ Restricted I Interference

					CLAIMS					
Clain	Claims renumbered in the same order as presented by applicant CPA T.D. R.1.47									
CL	AIM					DATE				
Final	Original	02/01/2016	09/16/2016	09/17/2017	05/22/2018	04/15/2019	12/18/2019	08/17/2020	02/27/2021	03/23/2021
1	1	√	1	1	√	√	√	√	√	=
	2	1	1	1	√	1	1	1	√	-
2	3	1	1	1	√	1	1	~	1	=
3	4	✓	✓	✓	✓	✓	✓	✓	✓	=
4	5	✓	√	✓	√	✓	✓	✓	✓	=
	6	1	1	1	1	1	1	1	1	-
	7	1	1	1	1	1	1	1	1	-
	8	1	1	1	1	1	1	-	-	-
5	9	✓ ✓	1	1	<i>√</i>	✓ ✓	✓ ✓	<i>√</i>	✓ ✓	=
6	10		1	✓		1	✓	✓ ✓		=
7	11		✓	✓		✓		✓		=
8	12		✓			<i>√</i>		✓ ✓		=
	13		<i>√</i>	<i>✓</i>	_ ✓	<i>√</i>	<i></i>	<i>√</i>	✓ ✓	-
9	14		<i>✓</i>	- <u>-</u>		<i>✓</i>		<i></i>	- V	=
	15			- <i>·</i> ·			- <i>·</i> ·		- V	
	16		- <i>·</i>	- <i>·</i>	- <i>·</i>	- <i>·</i> ·	- <i>·</i> ·	- <i>·</i>	- V	
10	17		<i>✓</i>	- <i>·</i>		<i></i>	- <i>·</i>	<i></i>		=
11	18		<i>✓</i>	- V	- V	<i></i>	- V	- V	<i>✓</i>	=
ļ	19	↓ ✓	~		↓ ✓			~	√	-
										l
										<u> </u>

Allowed

| = |

Part of Paper No.: 20210323

O Objected

Page 1 of 1

Samsung Ex. 1016, Page 638 of 699 Samsung Electronics America, Inc. v. RFCyber Corp. IPR2021-00980

	Application/Control No.	Applicant(s)/Patent Under Reexamination
Search Notes	13/782,948	Xie et al.
	Examiner	Art Unit
	ISIDORA I IMMANUEL	3685

CPC - Searched*							
Symbol	Date	Examiner					
G06Q20	08/17/2020	Ш					
G06Q2220	08/17/2020	Ш					
H04L41	02/27/2021	III					
G06F8	02/27/2021	III					

CPC Combination Sets - Searched*		
Symbol	Date	Examiner

US Classification - Searched*					
Class	Subclass	Date	Examiner		
705					

* See search history printout included with this form or the SEARCH NOTES box below to determine the scope of the search.

/ISIDORA I IMMANUEL/ Examiner, Art Unit 3685		
U.S. Patent and Trademark Office	Page 1 of 2	Part of Paper No.: 20210323

	Application/Control No.	Applicant(s)/Patent Under Reexamination
Search Notes	13/782,948	Xie et al.
	Examiner	Art Unit
	ISIDORA I IMMANUEL	3685

Search Notes					
Search Notes	Date	Examiner			
See attached notes	2/1/2016	II			
101 withdrawal - Weinhart	06/06/2018	III			
See attached notes (EAST)	04/15/2019	III			
EAST search report	08/17/2020	III			
NPL search	08/17/2020	III			
EAST	02/27/2021	III			
STIC Search report from prior allowance discussions	03/23/2021	III			
EAST search report	03/23/2021	Ш			
NPL SEARCH	03/23/2021	III			

Interference Search					
US Class/CPC Symbol	US Subclass/CPC Group	Date	Examiner		
	See East search report	03/23/2021	Ш		

/ISIDORA I IMMANUEL/ Examiner, Art Unit 3685		
U.S. Patent and Trademark Office	Page 2 of 2	Part of Paper No.: 20210323



 avant l'expiration du délai prévu pour la modification des revendications, sera republiée si des modifications sont reçues (règle 48.2.K))

(88) Date de publication du rapport de recherche internationale

XX sePtembre 2009

par un terminal (T) muni d'un module de lecture (ML) radio courte distance et d'une application (AC) d'émulation de carte, associée audit identifiant (ID) et située dans un élément sécurisé (ES) dudit terminal (T), ledit procédé étant caractérisé en ce qu'il comporte les étapes de : - lecture par ledit module de lecture (ML) dudit identifiant (ID), - établissement d'une session de communication entre ladite application (AC) d'émulation de carte (ML) dudit étiquette électronique (TAG), ledit module de lecture (ML) étant utilisé comme serveur mandataire par ladite application d'émulation de carte (AC), ladite application d'émulation de carte (AC) ayant été préalablement authentifiée, - et lecture par ladite application (AC) d'émulation de carte de données (DS) stockées dans ladite étiquette électronique (TAG) et destinées à ladite application (AC) d'émulation de carte.

INTERNATIONAL SEARCH REPORT

International application No PCT/FR2008/052275

A. CLASSIFICATION OF SUBJECT MATTER , INV. H04L29/06 G06Q30/00						
According to International Patent Classification (IPC) orto both national classification and IPC						
B. FIELDS	SEARCHED					
Minimum do G07F	cumentation searched (classification System followed by classification	symbols)				
		<u></u>				
Documentatio	n searched other than minimum documentation to the extent that su	ch documents are included in the fields search	ed			
Electronic da	ata base consulted dunng the international search (name of data bas	e and, where practical, search terms used)				
EPO-Int	ernal					
C. DOCUME						
Category*	Citation of document, with indication, where approp π ate, of the rele	vant passages	Relevant to daim No			
Y	EP 1 798 867 A (INNOVISION RES &	TECH PLC	1-10			
	[GB]) 20 June 2007 (2007-06-20)	71				
	paragraph [0021] - paragraph [009 paragraph [0119] - paragraph [013	4];				
	figure 18					
Y	 US 2004/002305 Al (BYMAN-KIVIVUOR	I BIRGIT	1-10			
	[FI] ET AL) 1 January 2004 (2004-	01-01)				
	paragraphs [0008], [0009], [001	91				
	paragraph [0052] - paragraph [005	5]				
	paragraph [0067] - paragraph [006	8]				
	paragraph [0078] - paragraph [008 paragraph [0104] - paragraph [011	31				
А			1-7,9,10			
		1				
	_	/				
X Furth	er documents are listed in the continuation of Box C	X See patent family annex				
* Spécial c	atégories of cited documents	T" later document published afterthe internati or pno π ty date and not in conflict with the	onal filing date application but			
conside "E" βarlier o	locument but published on or after the international	cited to understand the principle or theory invention "X" document of particular relevance, the claim	underlying the			
filing d "L ¹ documer which	ate t which may throw doubts on pnoπty claum(s) or is cited to establish the publication date of another	cannot be considered novel or cannot be involve an inventive step when the docum	considered to ent is taken alone			
"V ¹ document of particular relevance, the claimed invention citation or other spécial reason (as specified) "O ¹ document refernng to an oral disclosure, use, exhibition or "Y ¹ document is combined with one or more other such docu-						
other means ments, such combination being obvious to a person skilled ' "P' document published prior to the international filing date but laterthan the priority date claimed " "B' document member of the same patent family						
Date of the	actual completion of the international search	Date of mailing of the international search	report			
10 jui l let 2009 27/07/2009						
Name and r	nailing address of the ISA/	Autho nzed officer				
	Européen Patent Office, P B. 5818 Patentlaan 2 NL- 2280 HV Rijswijk Tel (vol. 70) 240 200		-			
	Fax (+31-70) 340-2040, Fax (+31-70) 340-3016 Auplais, Brigitte					

Foim PCT/ISA/210 (second sheet) (April 2005)

INTERNATIONAL SEARCH REPORT

International application No PCT/FR2008/052275

C(Continua	tion). DOCUMENTS CONSIDERED TO BE RELEVANT	
Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to daim No.
X	Wo 2006/015617 A (TELECOM ITALIA SPA [IT]; ALESSIO ELISA [IT]; RICCIATO FABIO [IT]; TURO) 16 February 2006 (2006-02-16) page 4, Iine 21 - page 5, Iine 8 page 6, Iine 4 - page 6, une 35 page 7, une 14 - page 9, une 25 page 10, une 7 - page 10, une 26	1,2,4, 8-10
A	EP 1 837 781 A (NOKIA CORP [FI]) 26 September 2007 (2007-09-26) paragraph [0108] - paragraph [0146]	1-10
A	EP 1 855 229 A (INSIDE CONTACTLESS [FR]) 14 November 2007 (2007-11-14) paragraph [0041] - paragraph [0067]	1-10
A	EP 1 571 591 A (SWISSCOM MOBILE AG [CH]) 7 September 2005 (2005-09-07) paragraph [0014] - paragraph [0036]	1-10

Foπn PCT/ISA/210 (continuation of second sheet) (April 2005)

INTERNATIONAL	SEARCH REPORT
---------------	---------------

			mbore		International	application No
		on on patent ramity me	moers		PCT/FR2	2008/052275
Patent document clted in search report		Publication date		Patent famiiy member(s)		Publication date
EP 1798867	A	20-06-2007	GB	2433386	5 A	20-06-2007
US 2004002305	Al	01-01-2004	TW US	277002 200420394	2 B 4 Al	21-03-2007 14-10-2004
wo 2006015617	Α	16-02-2006	BR CN	PI0419000 10102769) A 9 A	11-12-2007 29-08-2007
			EP JP US	177667 2008509490 2008175390	5 Al) T) Al	25-04-2007 27-03-2008 24-07-2008
EP 1837781	A	26-09-2007	NONE	· •••• ••• ••• ••• ••• ••• ••• ••• •••		سه بننا ای به مناطق در به نتا می بود مکانت ما بو ه
EP 1855229	A	14-11-2007	CA CA EP JP JP US US	258711 258712 185538 200804709 200802253 200726359 200726359	9 Al 2 Al 9 Al 4 A 3 A 5 Al 5 Al	10-11-2007 10-11-2007 14-11-2007 28-02-2008 31-01-2008 15-11-2007 15-11-2007
EP 1571591	 A	07-09-2005	NONE	اگار سے اپنے پور سا کو بدہ میں امیر ہیں ۔		یسر سنا این پیچر سنا کرم سر که این سک بعا هار سر سه ه

Form PCT/ISA/21O (patentfamfly annßx) (April200B)

RAPPORT DE RECHERCHE INTERNATIONALE

Demande internationale n° PCT/FR2008/052275

a, classement de l'objet de la demande INV. H04L29/06 G06Q30/00					
Selon la clas	ssification Internationale des brevets (CIB) ou a la fois selon la classific	ation nationale et la CIB	~		
Documentati	ILS SUR LESQUELS LA RECHERCHE À PORTE	de classement)			
G07F					
Documentati recherche	ion consultée autre que la documentation minimale dans la mesure ou	ces documents relèvent des domaines :	sur lesquels a porte la		
Base de dor recherche u EPO-Int	nnées électronique consultée au cours de la recherche internationale (i tilises) ternal	nom de la base de données, et si cela es	t réalisable, termes de		
C. DOCUM	ENTS CONSIDERES COMME PERTINENTS				
Catégorie *	Identification des documents cites avec le cas échéant, lindication	des passages pertinents	no des revendications visées		
Y	EP 1 798 867 A (INNOVISION RES & 1 [GB]) 20 juin 2007 (2007-06-20) alinéa [0021] - alinéa [0097] alinéa [0119] - alinéa [0134]; fig	TECH PLC	1-10		
Y	US 2004/002305 Al (BYMAN-KIVIVUORI [FI] ET AL) 1 janvier 2004 (2004-C alinéas [0008], [0009], [0012] alinéa [0036] - alinéa [0039] alinéa [0052] - alinéa [0055] alinéa [0067] - alinéa [0068] alinéa [0078] - alinéa [0082] alinéa [0104] - alinéa [0113]	BIRGIT)1-01)	1-10		
A		/	1-7,9,10		
X Voir	la suite du cadre C pour la fin de la liste des documents	X Les documents de familles de br	evets sont indiques en annexe		
 Catégories spéciales de documents cités "A' document définissant l'état génerai dθ la technique non considère comme particulièrement pertinent particulièrement pertinent particulièrement pertinent particulièrement pertinent date de dépôt international ou la date de priorité et n appartenena mi pas à l'état de la date de dépôt international ou parès cette date "C' document pouvant jeter un doute sur une revθndication de promté ou cité pour déterminer la date de publication d'une autre citation ou pour une raison spéciale (telle qu'indiquée) "O' document publie avant la date de dépôt international, mais postérieurement à la date de priorité et na date de priorité et nappartenena mi pas à l'état de la date de priorité et nappartenena mi pas à l'état de la date de dépôt international ou la date de priorité et nappartenena mi pas à l'état de la date de principe ou la theo ræ constituant la base de l'invantion "C' document particulièrement particulière pour une personne du métier "C' document publie avant la date de dépôt international, mais postérieurement à la date de priorité revendiquée 					
Date à laqu	elle la recherche internationale a été effectivement achevée	Date d expédition du présent rapport	de recherche Internationale		
1	0 jui l let 2009	27/07/2009			
Nom et adresse postale de ladministration chargée de la recherche internationale Fonctionnaire autorisé Office Européen des Brevets, P B 5818 Patentlaa π2 Fonctionnaire autorisé NL -2280 HV Rijswijk Tel (+31-70) 340-2040, Teat (+31-70) 340-2040, Fars (+31-70) 340-2016					

Formulaire PCT/ISA/21 0 (deux eme feuille) (avril 2005)

RAPPORT DE RECHERCHE INTERNATIONALE

Demande internationale n° PCT/FR2008/052275

C(suite).	DOCUMENTS CONSIDERES COMME PERTINENTS	
Catégorie*	Identification des documents cités, avec, le cas échéant, l'Indication des passages pertinents	no. des revendications visées
X .	WO 2006/015617 A (TELECOM ITALIA SPA [IT]; ALESSIO ELISA [IT]; RICCIATO FABIO [IT]; TURO) 16 février 2006 (2006-02-16) page 4, ligne 21 - page 5, ligne 8 page 6, ligne 4 - page 6, ligne 35 page 7, ligne 14 - page 9, ligne 25 page 10, ligne 7 - page 10, ligne 26	1,2,4, 8-10
A	EP 1 837 781 A (NOKIA CORP [FI]) 26 septembre 2007 (2007-09-26) alinéa [0108] - alinéa [0146]	1-10
A	EP 1 855 229 A (INSIDE CONTACTLESS [FR]) 14 novembre 2007 (2007-11-14) alinéa [0041] - alinéa [0067]	1-10
А	EP 1 571 591 A (SWISSCOM MOBILE AG [CH]) 7 septembre 2005 (2005-09-07) alinéa [0014] - alinéa [0036] 	1-10

Formulaire PCT/1SA/210 (suite de la deuxième feuille) (avril 2005)

Renseignements relatifs aux membres de familles de brevets						Demande Internationale n° PCT/FR2008/052275		
Document brevet cité au rapport de recherche		Date de publication	Membre(s) de la famille de brevet(s)		3)	Date de publication		
EP	1798867	А	20-06-2007	GB	2433386	А	20-06-2007	
US	2004002305	Al	01-01-2004	TW	277002	В	· 21-03-2007	
				US	2004203944	Al	14-10-2004	
WO	2006015617	A	16-02-2006	BR	PI0419000	A	11-12-2007	
				CN	101027699	Α	29-08-2007	
				ΕP	1776675	Al	25-04-2007	
				JP	2008509490	Т	27-03-2008	
				US	2008175390	Al	24-07-2008	
ΕP	1837781	A	26-09-2007	AUCUN				
EP	1855229	A	14-11-2007	CA	2587119	Al	10-11-2007	
				CA	2587122	Al	10-11-2007	
				ΕP	1855389	Al	14-11-2007	
				JP	2008047094	A	28-02-2008	
				JP	2008022533	A	31-01-2008	
				US	2007263595	Al	15-11-2007	
				US	2007263596	Al	15-11-2007	
EP	1571591	A	07-09-2005	AUCUN				

Foirnulaire PCT/ISA/210 (annexe familles de brevets) (avril 2005)
EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	178	(("(6101543") or ("20130178159") or ("20170323301") or ("20170372321") or ("20200034849") or ("5249218") or ("5353334") or ("5367563") or ("5530703") or ("5640444") or ("5937421") or ("5963650") or ("5995839") or ("6078314") or ("6108003") or ("6137791") or ("6108003") or ("6137791") or ("6373820") or ("6802058") or ("6853851") or ("6912389") or ("7006964") or ("7039434") or ("7151931") or ("7155381") or ("7151931") or ("7155381") or ("7162408") or ("7165191") or ("7317912") or ("7319874") or ("7319948") or ("7324588") or ("7516451") or ("7545386") or ("7516451") or ("7512402") or ("7548804") or ("7577887") or ("7606261") or ("7698121") or ("7734288") or ("7738426") or ("7783261") or ("7809578") or ("7783261") or ("7809578") or (").pn.")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2020/08/17 11:43
S3	596	(emulat\$4 with application) and (secure adj element)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2020/08/17 12:32
S4	272	(emulat\$4 with application) same (secure adj element)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2020/08/17 12:32
S5	245	S3 AND ((G06Q20/3278 OR G06Q20/3829 OR G06Q20/3821 OR G06Q2220/00 OR G06Q20/3226 OR G06Q20/3825 OR G06Q2220/14).CPC.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	OR	OFF	2020/08/17 12:34

			DERWENT; IBM_TDB			
S6	108	S4 AND ((G06Q20/3278 OR G06Q20/3829 OR G06Q20/3821 OR G06Q2220/00 OR G06Q20/3226 OR G06Q20/3825 OR G06Q2220/14).CPC.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2020/08/17 12:34
S7	6	(("9128829") or ("8646059") or ("20030151125")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2020/08/17 12:36
S8	10	(("9128829") or ("8646059") or ("20030151125") or ("6481632")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2020/08/17 13:45
S9	207	(service adj manager) and emulator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2021/02/27 09:34
S10	2,850,311	counter or tracker emulator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2021/02/27 09:34
S11	16,062	(counter or track\$4) and emulator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2021/02/27 09:34
S12	47	S9 AND ((H04L41/0806 OR H04L47/70 OR G06F8/65).CPC.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	OR	OFF	2021/02/27 09:35

			DERWENT; IBM_TDB			
S13	180	(("(6101543") or ("20130178159") or ("20170323301") or ("20170372321") or ("20200034849") or ("5249218") or ("5353334") or ("5367563") or ("55977421") or ("5963650") or ("5995839") or ("6078314") or ("6108003") or ("6137791") or ("6108003") or ("6137791") or ("6373820") or ("6912389") or ("6853851") or ("6912389") or ("7006964") or ("7039434") or ("7151931") or ("7155381") or ("7162408") or ("7165191") or ("7317912") or ("7319874") or ("7334162") or ("7324588") or ("7334162") or ("7392060") or ("7502626") or ("7545386") or ("7516451") or ("7545386") or ("7560261") or ("7698121") or ("7602015") or ("7698121") or ("7783261") or ("7809578") or ("7783261") or ("7809578") or (").pn.")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2021/03/23 16:47
S14	0	((counter or track\$4) with emulator with (application or card)) same (secure adj element)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2021/03/23 18:34

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	((switch\$4 or replac\$4 or swap\$5) with emulator with (application or card)) same (secure adj element)	US- PGPUB; USPAT	OR	OFF	2021/03/23 19:50
L2	1	1 AND ((G06Q20/322 OR G06Q20/352 OR G06Q20/3552 OR G06Q20/3572 OR G06Q20/3672).CPC.)	US- PGPUB; USPAT	OR	OFF	2021/03/23 19:52
S15	0	((counter or track\$4) with emulator with (application or card)) same (secure adj element)	USPAT	OR	OFF	2021/03/23 18:34

S16 0	((counter or track\$4) with emulator with	US-	OR	OFF	2021/03/23
	(application or card)) same (secure adj	PGPUB;			18:34
	element)	USPAT		-	

3/23/2021 7:53:28 PM C:\Users\iimmanuel\Documents\EAST\Workspaces\13782948.wsp

STIC Scientific & Technical Information Center

EIC 3600 Search Report

Requester	Immanuel, Isidora Emp#: 90925 TAB-55086 (469) 295-9094 isidora.immanuel@uspto.gov
Case Serial Number:	13/782948
Access Search Log Number:	619540

Searcher:	Sylvia Keys
Location:	EIC 3600, Knox 4B68
Phone:	571-272-3534
Email:	sylvia.keys@uspto.gov
Date Completed:	6/11/2020

This search report contains the following content:

Search Histories

Keyword/synonym strings and search strategies used by the EIC Searcher in completing the prior art search are included. The search history for each database or resource utilized appears at the top of each database/resource section, indicated by the database/resource section headings.

Search Results

Only on-topic results are included in the search report. On-topic results include all references found that are related to the art area being searched. These references may not necessarily be useful for a rejection or other office action, but are included for the Examiner's review. Off-topic, unrelated, or irrelevant search results ("false drops" or "false hits") were removed by the Searcher. Off-topic results include all references that are unrelated to the art area being searched.

If you have any questions about this search, or about how to interpret this search report, please do not hesitate to contact the Searcher using the contact information listed above.

If you need assistance retrieving the full text of any of the references contained in this report, please contact the Searcher listed above, or the EIC 3600 Reference Desk at 571-272-3488 (x23488) or <u>STIC-EIC3600@uspto.gov</u>.

1

Thank you for using the EIC, and we look forward to your next search!

6/11/2020

Potential References of Interest



System for developing and deploying radio frequency identification enabled software applications

Koh, Liang Seng; Cho, Fu-Liang; Cho, Fu-Tong; Fung, Daniel; Pan, Hsin (Inventors). RFCyber Corporation (Assignee). US 20060161878 A1. (Published 20 Jul 2006).

... system 10, alternatively termed RFCyberWork, is a platform for ...



System for developing and deploying radio frequency identification enabled software applications

Koh, Liang Seng; Fu-Tong, Cho; Fu-Liang, Cho; PAN HSIN (Inventors). RFCYBER CORP (Assignee). TW 200632705 A. (Published 16 Sep 2006).

. 1

NFC - The intuitive contactless technology becomes reality

Dachs, C., Elektrotechnik und Informationstechnik 122.12: 466-471. Springer Wien. (Dec 2005)

EnglishENGEnglish

Near Field Communication (NFC) is opening-up completely new ... mobile communication industry. It enables contactless peer-to-peer communication, reading/writing of contactless ...

Dialog – Patent Files and Inventors

Search Strategy

Databases: Argentina Patents Fulltext, Australia Patents Fulltext, Austria Patents Fulltext, Belgium Patents Fulltext, Brazil Patents Fulltext, Canada Patents Fulltext, China Patents Fulltext, Denmark Patents Fulltext, Derwent Chemistry Resource, Derwent Patents Citation Index®, Derwent World Patents Index®, Eurasia Patents Fulltext, European Patents Fulltext, Finland Patents Fulltext, France Patents Fulltext, Germany Patents Fulltext, Global Patents Bibliographic, Great Britain Patents Fulltext, IFI CLAIMS® US Patents and Legal Status, IMS Patent Focus, India Patents Fulltext[™], INPADOC / Family and Legal Status, Ireland Patents Fulltext, Italy Patents Fulltext, Japan Patents Fulltext, JAPIO - Patent Abstracts of Japan, Korea Patents Fulltext, LitAlert®, Luxembourg Patents Fulltext, Mexico Patents Fulltext, Monaco Patents Fulltext, Netherlands Patents Fulltext, Norway Patents Fulltext, Portugal Patents Fulltext, Russia Patents Fulltext, Spain Patents Fulltext, Sweden Patents Fulltext, Switzerland Patents Fulltext, United States Patents Fulltext, WIPO PCT Patents Fulltext

Set#	Searched for	Results
S1	au((xie or koh or pan))	2732377
S2	rfcyber*	633
S3	s1 and s2	132
S4	py(2006) and s3	8

EIC 3600 Search Report

6/11/2020



SYSTEM FOR DEVELOPING AND DEPLOYING RADIO FREQUENCY IDENTIFICATION ENABLED SOFTWARE APPLICATIONS

Koh, Liang Seng; Fu-Liang, Cho; Fung, Daniel; PAN HSIN (Inventors). RFCYBER CORP (Assignee). WO 2006074096 A2. (Published 13 Jul 2006).



System for developing and deploying radio frequency identification enabled software applications

Koh, Liang Seng; Cho, Fu-Liang; Cho, Fu-Tong; Fung, Daniel; Pan, Hsin (Inventors). RFCyber Corporation (Assignee). US 20060161878 A1. (Published 20 Jul 2006).

... system 10, alternatively termed RFCyberWork, is a platform for ...



System for developing and deploying radio frequency identification enabled software applications

Koh, Liang Seng; Fu-Tong, Cho; Fu-Liang, Cho; PAN HSIN (Inventors). RFCYBER CORP (Assignee). TW 200632705 A. (Published 16 Sep 2006).

Dialog – NPL and Inventor(s)

Search Strategy

Databases: ABI/INFORM® Professional Advanced, Abstracts in New Technology & Engineering, AdisInsight: Drugs, AdisInsight: Trials, Adis Pharmacoeconomics & Outcomes News, AGRICOLA, AGRIS, Allied & Complementary Medicine[™], Analytical Abstracts, APA PsycInfo[®], Aqualine, Aquatic Science & Fisheries Abstracts (ASFA), Australian Education Index, BIOSIS® Toxicology, BIOSIS Previews®, British Library Inside Conferences, British Nursing Index, Business & Industry, CAB ABSTRACTS, Chemical Business Newsbase, Chemical Engineering & Biotechnology Abstracts, Chemical Safety Newsbase, Civil Engineering Abstracts, Current Contents® Search, DH-DATA: Health Administration, Medical Toxicology & Environmental Health, DIOGENES® FDA Regulatory Updates, Drug Information Fulltext, Earthquake Engineering Abstracts, Ei Compendex®, Embase®, EMCare®, ESPICOM Pharmaceutical & Medical Device News, FDAnews, FLUIDEX (Fluid Engineering Abstracts), Foodline®: MARKET, Foodline®: PRODUCT, Foodline®: SCIENCE, FSTA®, Gale Group Computer Database™, Gale Group Health Periodicals Database, Gale Group New Product Announcements / Plus®, Gale Group Newsletter Database[™], Gale Group PharmaBiomed Business Journals, Gale Group PROMT®, Gale Group Trade & Industry Database™, GEOBASE™, GeoRef, HSELINE: Health and Safety, ICONDA - International Construction Database, IMS Company Profiles, IMS New Product Focus, IMS Pharma Trademarks, IMS R&D Focus, IMS R&D Focus Drug News, Inspec®, International Pharmaceutical Abstracts, Jane's Defense & Aerospace News, King's Fund, KOSMET: Cosmetic Science, Lancet Titles, Material Safety Datasheets -OHS[™], Mechanical & Transportation Engineering Abstracts, MEDLINE®, Meteorological & Geoastrophysical Abstracts, New England Journal of Medicine, NTIS: National Technical Information Service, Oceanic Abstracts, PAIS International, Paperbase, PAPERCHEM, ProQuest Advanced Tech & Aerospace Professional, ProQuest Biological & Health Science Professional, ProQuest Environmental Science Professional, ProQuest Materials Research Professional, ProQuest Newsstand Professional, ProQuest Technology Research Professional, Prous Science Daily Essentials, Prous Science Drug Data Report, Prous Science Drugs Of The Future™,

EIC 3600 Search Report

6/11/2020

Registry of Toxic Effects of Chemical Substances (RTECS®), SciSearch®: a Cited Reference Science Database, Social SciSearch®, ToxFile®, Transport Research International Documentation, TULSA[™] (Petroleum Abstracts), UBM Computer Full Text, Weldasearch®, Zoological Record Plus

Set#	Searched for	Results
S1	"smart card\$1" or smartcard\$1	369847*
S2	contactless and ("smart card\$1" or smartcard or card\$1)	101277*
S3	card\$ and (transaction\$1 or interact\$3 or payment\$1 or "monetary function\$1")	4099506*
S4	mifare* or "micron fare collection system"	3361°
S5	(s1 or s2 or s3 or s4) and (switch\$3 or replac\$3 or substitute\$1 or substitution or "back\$3 up")	696777*
S6	(s1 or s2 or s3 or s4) and (activate\$1 or activation or activating)	159179*
S7	(s1 or s2 or s3 or s4) and emulat* or imitat* or copy or copies or mimic or mirror or match	56927115*
S8	(nfc or "near field communication\$1") and interface\$1	34616*
S9	smartphone (mobile or web or smart or cell or cellular or wireless or cordless or handheld or "hand held" or media or user) n/5 (phone or telephone or fone or device or apparatus or equipment)	640291*
S10	pda or "personal digital assistant" or wireless or cellphone or webphone or palmpilot or "palm pilot" or ipad or iphone or smartphone or tablet or android or pc or "personal computer\$1"	26128177*
S11	au((xie or koh or pan))	2541829*
S12	rfcyber*	34°
S13	(s5 or s6 or s7) and s8	11622*
S14	s13 and (s9 or s10)	9968*
S15	su(contactless*) and s14	12°
S16	py(2006) and s14	36°
S17	su(contactless) and s16	0°
S18	su(emulat*) and s14	16°
S19	su("smartcard*") and s14	3°
S20	su("smart card*") and s14	244°
S21	s20 not s19	243°
S22	su(emulat*) and s21	2°
S23	py(2006) and s21	6°
S24	(s11 or s12) and s21	1°
S25	(s11 and s12) and contactless	0°

8

NFC - The intuitive contactless technology becomes reality

EIC 3600 Search Report

4

Dachs, C., Elektrotechnik und Informationstechnik 122.12: 466-471. Springer Wien. (Dec 2005)

EnglishENGEnglish

Near Field Communication (NFC) is opening-up completely new ... mobile communication industry. It enables contactless peer-to-peer communication, reading/writing of contactless ...

er already carries around (e. g. ...



CASHLESS PAYMENTS: Contactless cuts out cash and cards

Electronic Payments International: 8-9. London: Lafferty Ltd. (Feb 2006)

... major trials using MasterCard International's **contactless payment** technology PayPass. The Royal Bank ... on a Maestro or MasterCard **card** or be offered as a ...

5

Chameleon: A Versatile Emulator for Contactless Smartcards^{*}

Timo Kasper, Ingo von Maurich, David Oswald, Christof Paar

Horst Görtz Institute for IT Security, Ruhr-University Bochum, Germany {timo.kasper, ingo.vonmaurich, david.oswald, christof.paar}@rub.de

Abstract. We develop a new, custom-built hardware for emulating contactless smartcards compliant to ISO 14443. The device is based on a modern low-cost microcontroller and can support basically all relevant (cryptographic) protocols used by contactless smartcards today, e.g., those based on AES or Triple-DES. As a proof of concept, we present a full emulation of Mifare Classic cards on the basis of our highly optimized implementation of the stream cipher Crypto1. The implementation enables the creation of exact clones of such cards, including the UID. We furthermore reverse-engineered the protocol of DESFire EV1 and realize the first emulation of DESFire and DESFire EV1 cards in the literature. We practically demonstrate the capabilities of our emulator by spoofing several real-world systems, e.g., creating a contactless payment card which allows an attacker to set the stored credit balance as desired and hence make an infinite amount of payments.

Keywords: RFID, contactless smartcards, payment systems, access control, efficient implementation

1 Introduction

Radio Frequency Identification (RFID) devices are deployed in a wide range of transportation and access control systems world-wide. If high privacy or security demands have to be met, typically contactless smartcards according to the ISO 14443 standard [13] are employed, as they offer sufficient computational power for cryptographic purposes. Moreover, a growing number of payment systems incorporates secure RFID cards [16], as they offer additional benefits in terms of flexibility and convenience over their contact-based counterpart. Stateof-the-art contactless cards, such as the electronic passport ePass [8], provide a high level of security by means of various cryptographic primitives.

In general, RFID technology implies new threats compared to contact-based systems, for instance, a card residing in a pocket or wallet could be read out or modified without the owner taking note of it. Due to the cost sensitivity of such high-volume applications, card manufacturers are tempted to use outdated but "cheap" cryptographic components, e.g., in Mifare Classic products.

Since the reverse-engineering of the Crypto1 cipher used in Mifare Classic cards and the subsequently published attacks (cf. Sect. 3.1), the cards have to be regarded as insecure, as the secret keys can be extracted in seconds by means of card-only attacks. Once all keys of the card are known to an attacker, cards can be modified or duplicated. As many systems in the real world still rely on these weak cards, severe security threats may arise.

Accordingly, recently installed contactless systems, especially those with high security demands, are based on the DESFire variant of the Mifare family, and system integrators

^{*} The work described in this paper has been supported in part by the European Commission through the ICT programme under contract ICT-2007-216676 ECRYPT II.

upgrade the old Mifare Classic technology to these newer cards wherever possible. While the 3DES cipher employed in these cards is secure from the mathematical point of view, the implementation on the card is vulnerable to side-channel analysis, so that it is again possible to extract the secret keys of a card¹, as detailed in Sect. 3.2. Hence, emulating these modern cards is also practical and renders various attacks in real-world scenarios possible.

The resulting security weaknesses can become very costly – one example is a widespread contactless payment system based on Mifare Classic cards as analyzed in [16], where the credit value on the cards can be modified by an adversary with minimal efforts. For many of these systems, the read-only Unique Identifier (UID) of each card constitutes the only means to detect fraud in the backend, as there are no cards available on the market where the UID can be altered. In this paper, we exhibit the possibility of emulating and cloning RFID-enabled smartcards compliant to ISO 14443, including their UID.

1.1 Background and Related Work

Several research groups have proposed custom devices to emulate and counterfeit RFID devices. However, virtually all emulators presented so far suffer from certain drawbacks, e.g., insufficient computational resources, high cost, or impractical dimensions, limiting the threat they pose in the context of attacking real-world systems.

A custom RFID emulation hardware called Ghost is presented in [24]. The Ghost is able to emulate Mifare Ultralight cards which do not use any encryption. Emulating contactless cards employing secure cryptography seems to be impossible using this device due to computational limitations. The OpenPICC project [20] is mainly an RFID sniffing device. There was an approach to offer support for ISO 14443A, but the project seems to be discontinued. The Proxmark III [21] enables sniffing, reading and cloning of RFID tags. Since the device is based on a Field Programmable Gate Array (FPGA), it is also capable of emulating Mifare Classic cards, but at a comparably high cost of \$399. The "HF Demo tag" [12] is based on an Atmel ATMega128 microcontroller which is not computationally powerful enough to perform encryptions with state-of-the-art ciphers in the time window given by the relevant protocols. An embedded system for analyzing the security of contactless smartcards was introduced in [14]. The attack hardware consists of a so-called Fake Tag and an RFID reader and can be used for, e.g., practical relay attacks. The device is based on a Atmel ATMega32 [1] processor with a constrained performance and is designed such that all important functionality is provided by the RFID reader. Hence, in addition to the lack of computational power, the Fake Tag cannot operate independently from the reader, which can be a major drawback for practical attacks. The authors also implemented an emulation of Mifare Classic, but similar to the HF Demo tag, the encryption runs too slow so that timing constraints of the protocol cannot be met. We used this work as a starting point for the development of our new standalone RFID emulator.

1.2 Contribution of this Paper

We built a freely programmable low-cost device that is capable of emulating various types of contactless smartcards, including those employing secure cryptography. The device operates autonomously without the need of a PC, can be powered from a battery, and possesses an Electronically Erasable Programmable Read-only Memory (EEPROM) for storing received bitstreams or other non-volatile information. An attacker using the presented hardware, which can be built for less than \$25, is in full control over all data stored on the emulated card, including its UID and the secret keys.

¹ Note that the effort for extracting secret keys from Mifare DESfire cards by means of side-channel analysis is much higher compared to the Mifare Classic attacks.

In order to demonstrate the capabilities of our emulator in the context of real-world attacks, we implemented optimized versions of the Cryptol stream cipher, the Data Encryption Standard (DES), Triple-DES (3DES) and the Advanced Encryption Standard (AES), as required for emulating the widespread Mifare Classic, Mifare DESFire and Mifare DESFire EV1 cards. With the developed software, it is possible to simulate the presence of one of these cards with an arbitrarily chosen content and identifier, and hence spoof real-world systems in various manners. For example, the emulator can behave as a card that automatically restores its credit value after a payment, or that possesses a new UID and card number on each payment, which impedes the detection of fraud. Besides the simulation of cards, our hardware allows for sniffing, e.g., reverse-engineering of protocols, relay attacks, and testing the vulnerability of RFID readers towards a behavior of the card that does not conform to the specifications, for instance, with respect to timing, intentionally wrong calculation of parity bits, or buffer overflows.

The remainder of this paper is structured as follows: in Sect. 2, we present our custom RFID hardware that serves as a basis for card emulations and attacks. After giving a brief summary of the relevant characteristics and protocols of Mifare Classic, Mifare DESFire and Mifare DESFire EV1 cards in Sect. 3, we detail on our implementations of the respective emulations in Sect. 4. Finally, practical real-world analyses performed with our hardware are described in Sect. 5.

2 Hardware Setup

In the following, we give a brief introduction to the physical characteristics of the RFID technology employed in contactless smartcards. Then, our freely programmable emulator for contactless smartcards is presented.

2.1 RFID Technology

In a typical setup for contactless smartcards, a reading device generates a strong Electro-Magnetic (EM) field at a frequency of 13.56 MHz for supplying the card with energy for its operation. The reader acts as master, while the card serves as slave, thus only the reader can start a communication and issue commands to the card. The ISO 14443 standard specifies the physical characteristics, the data modulation and other characteristics of contactless smartcards. For data transmission, the reader encodes the bits using a pulsed Miller code and transmits it by switching off the EM field for short periods of time. The data to be sent by the card is encoded using a Manchester-code and is afterwards transmitted via the EM field using load-modulation with a 847.5 kHz sub-carrier.

2.2 Our Emulator

For the security analyses in this paper, we developed a custom, freely programmable device termed "Chameleon", which can emulate contactless smartcards compliant to the ISO 14443 standard in a stand-alone manner. Our emulation device consists of off-the-shelf hardware and can be built for less than \$25. It is based on an Atmel ATxmega192A3 microcontroller [2, 3] which provides 192 kB of program memory, 16 kB SRAM and 4 kB EEPROM memory. Using an FTDI FT245RL chip [9], the ATxmega is able to communicate with a PC via the Universal Serial Bus (USB). This communication link can be used for debugging purposes and data manipulation at runtime. Figure 1 shows the first version of our RFID emulation device.

We chose the ATxmega because it features a hardware acceleration of both DES and AES-128. After loading the key and the data to the corresponding registers, the ATxmega is able



Fig. 1. Our stand-alone RFID emulation device.

to perform a DES en- or decryption in 16 clock cycles, i.e., one DES round per clock cycle, whereas the AES engine runs concurrently to the CPU and requires 375 clock cycles until an en- or decryption of one block is finished. The microcontroller is clocked by an external 13.56 MHz crystal, which is internally doubled using a high frequency Phase Locked Loop (PLL).

The coupling to the reader is established by a rectangular coil on the Printed Circuit Board (PCB). Variable capacitors are placed in parallel to form a parallel resonant circuit that is tuned to the carrier frequency. Analog circuitry assists the microcontroller in extracting the encoded data from the EM field and transmitting bitstreams. The design is similar to [14] and mainly shapes the signals according to the ISO 14443 standard and converts them to the appropriate voltage levels. Our emulation device can either be powered via the USB interface or run on battery. As all functionality is directly provided by the microcontroller, the Chameleon operates autonomously without the support of a PC. The full schematics of the developed hardware are given in the Appendix B.

3 Mifare Cards

This section covers the details of Mifare Classic, DESFire and DESFire EV1 cards. We present important facts required for the emulation of the cards and detail on the different authentication protocols, as implemented in Sect. 4.1 and Sect. 4.2. For reference, the complete protocols including the command codes and the low-level format are provided in Appendix A.

3.1 Mifare Classic

Since its introduction more than a decade ago, allegedly over 1 billion Mifare Classic ICs and 7 million reader components have been sold [18]. The cards provide data encryption and entity authentication based on the proprietary stream cipher Crypto1 for preventing from attacks like eavesdropping, cloning, replay and unauthorized reading or modification of the data stored on the card. Crypto1 is based on a Linear Feedback Shift Register (LFSR) with a length of 48 bit.

Basically, a Mifare Classic card can be regarded as a secured EEPROM memory with an RFID communication interface. In this work, we focus on the by far most widely employed Mifare Classic 1K version with 1024 byte EEPROM. All Mifare Classic variants comply to Parts 1-3 of ISO 14443A [13]. While the standard also allows for higher data rates, the cards communicate at a fixed data rate of 106 kBit/s. In addition, they feature a proprietary high-level protocol that diverges from Part 4 of ISO 14443A.

The memory of a Mifare Classic card is divided into sectors, whereas each sector consists of four blocks, as illustrated in Fig. 2. Each sector can be secured by means of two cryptographic



Fig. 2. The memory structure of a Mifare Classic 1K card.

keys A and B that are stored along with a set of access conditions in the last block of each sector. Before a sector can be accessed, a proprietary mutual authentication protocol with the appropriate secret key has to be carried out, cf. Protocol 1. The access conditions determine the commands that are allowed for each block of the sector (read, write, increment, decrement) and define the role of the keys [19]. The other blocks of each sector can be used for data storage. Note that the first block of the first sector differs from this scheme: it always contains a UID, along with some other manufacturer-specific data. The first block is written to the chip at manufacturing time, making it impossible to change the UID.

When a card is placed close to a reader, the anticollision and select procedure as defined in ISO 14443A is carried out. Then, an authentication command is issued by the reader that specifies for which sector the authentication is performed. The card replies with a 32-bit nonce n_C generated by its internal Pseudo-Random Number Generator (PRNG). The reader replies with an encrypted nonce n_R and an answer a_R , which is generated by loading n_C into the PRNG and clocking it 64 times. For the encryption, the keystream generated by the Crypto1 cipher is used in groups ks_1, ks_2, \ldots of 32 bit each. After the card has sent the encrypted answer a_C , both parties are mutually authenticated. From that point onwards, the reader can read, write or modify blocks in the chosen sector. If another sector has to be accessed, the authentication procedure must be repeated with a slightly modified protocol.



Protocol 1. The Mifare Classic authentication protocol.

Security of Mifare Classic Since its invention, the internal structure of Cryptol was kept secret and no open review process was performed. The cipher and its PRNG were later recovered by [17] using low-cost hardware reverse-engineering techniques. The authors

pointed out several design flaws, i.e., the short key length of 48 bit, mathematical weaknesses in the feedback functions of the LFSR, the weak 16-bit PRNG and the fact that the nonce generated by the PRNG depends on the time elapsed between power-up of the card and the authentication command. Subsequently, strong attacks on Mifare Classic were published: an attack described in [7] utilizes a fixed timing to generate the same nonces for repeated authentications and obtain parts of the keystream. A method to recover a secret sector key is proposed in [10], requiring two recorded genuine authentications to one sector. The most powerful attacks are card-only attacks as presented in [11] and [5]. They exploit amongst others the weakness that a card sends an encrypted NACK (0x5) each time the parity bits of the message $n_R \oplus ks_1 || a_R \oplus ks_2$ are correct but the decrypted a_R is not (cf. Protocol 1). This reveals four bits of keystream with a probability of $\frac{1}{256}$. Finally, a secret key of a Mifare Classic smartcard can be extracted within seconds using a combination of card-only attacks as proposed in [16], hence the cards can be considered fully broken.

3.2 Mifare DESFire and DESFire EV1

Mifare DESFire and Mifare DESFire EV1 cards are compliant to Parts 1-4 of ISO 14443A. Their UID is seven bytes long, and they support high baud rates of up to 848 kBit/s. A communication with the cards can be performed in plain, with an appended Message Authentication Code (MAC), or with full data encryption. Mifare DESFire cards offer 4 kByte of storage and data encryption by hardware DES and 3DES encryption. Mifare DESFire EV1 cards additionally provide AES-128 data encryption and are sold in three variants with 2 kByte, 4 kByte and 8 kByte of non-volatile memory, respectively. Each card holds up to 28 different applications with up to 14 different keys per application. For DESFire, each application may contain up to 16 files, while for DESFire EV1 the maximum number of files is 32. As in Mifare Classic cards, the UID is unchangeably programmed into the card at production time. Depending on the access rights for each application a mutual authentication protocol (see Protocol 2 / Protocol 3), ensuring that the symmetric key of the card K_C and of the reader K_R are identical, has to be completed before reading and manipulation of the data.

Reader		Card
	AUTH (02 0A 00)	$n_C \in \mathbb{R} \{0, 1\}^{64}$
= -(0, 1)64	b_0	$h = E_{\rm R} \left(0, 1 \right)$
$n_R \in_R \{0, 1\}^{**}$ $h_1 = Dec_K (n_R)$	<	$\theta_0 = Enc_{K_C}(n_C)$
$r_0 = Dec_{K_R}(n_R)$ $r_0 = Dec_{K_R}(b_0)$		
$r_1 = RotLeft_8(r_0)$		
$b_2 = Dec_{K_R}(r_1 \oplus b_1)$	$\xrightarrow{b_1, b_2}$	$r_2 = Enc_{K_C}(b_2)$
		$n'_C = RotRight_8(r_2 \oplus b_1)$
	$\stackrel{\text{ERROR (02 AE)}}{\longleftarrow}$	if $n'_C \neq n_C$
		else if $n'_C = n_C$
		$r_3 = Enc_{K_C}(b_1)$
	h_2	$r_4 = RotRight_8(r_3)$
$r_5 = Dec_{K_R}(b_3)$	~	$b_3 = Enc_{K_C}(r_4)$
$n_R = RotLeft_8(r_5)$		
verity $n'_{P} = n_{R}$		

Protocol 2. The Mifare DESFire authentication protocol [4].

Previous to the authentication, an application represented by its Application Identifier (AID) is selected. The reader starts the authentication protocol [4] with an authenticate command together with the key number that is to be used during the authentication. Note that Mifare DESFire cards only perform (3)DES *encryptions* $Enc_K(\cdot)$ employing the secret key K, hence, DESFire readers always have to use (3)DES *decryption* $Dec_K(\cdot)$.

As illustrated in Protocol 2, a DESF ire card responds to the authentication command with an encrypted 64-bit random nonce n_C . The reader likewise chooses a 64-bit random nonce n_R , decrypts the received n_C , rotates it eight bits to the left and decrypts n_R as well as the rotated n_C . The card verifies if the rotated value equals n_C after reverting the rotation. If so, the card encrypts the first value to obtain n_R , rotates it eight bits to the right and encrypts the result which is then sent to the reader. The rotated and encrypted nonce is verified by the reader and if this final step is successful, both parties are mutually authenticated.

We furthermore reverse-engineered the DESFire EV1 authentication protocol, as presented in Protocol 3, by eavesdropping on genuine protocol runs. We found that the protocol of Mifare DESFire EV1 cards using AES-128 diverges from Protocol 2 as follows. In Protocol 3, en- and decryption are used in the common sense, i.e., data that is to be sent is encrypted and data that was received has to be decrypted. The CBC mode is modified in a way that all en- or decryptions are chained, even though they operate on different cryptograms. The Initialization Vector (IV) is not reset when en- or decrypting a new message, but instead depends on the previous en- or decryption. The nonces are extended to a length of 128 bit to match the block size of AES-128 and the second rotation is executed in the opposite direction on both sides. Again, AES-128 en- and decryption involving the key K are denoted by $Enc_K(\cdot)$ and $Dec_K(\cdot)$, respectively. Apart from that, the protocol equals the authentication protocol of Mifare DESFire cards and thus mutually authenticates both parties on successful execution.



Protocol 3. The Mifare DESFire EV1 authentication protocol.

Security of Mifare DESFire / EV1 The non-invasive side-channel attacks on RFID devices presented in [15] allow to extract secret information from contactless cards by measuring the electromagnetic emanations of a card while it carries out a cryptographic operation. The

focus is on devices that make use of DES or 3DES and the first successful key-recovery attack on such devices is accomplished. In a discussion with the authors, we came to know that the attacks have been improved since and are applicable to Mifare DESFire cards. With about 1 000 000 measurements they are able to fully recover the 3DES key stored on a Mifare DESFire card. Note that their side-channel attack is currently *not* applicable to DESFire EV1, which has been certified according to Common Criteria EAL 4+. However, efficient attacks might come up in the future or the secret key could obtained by other means, e.g., by exploiting weaknesses of the backend system.

4 Software Implementations

In this section we detail on our software implementations for emulating several cards with Chameleon.

4.1 Mifare Classic Emulator

The attacks detailed in Sect. 3.1 imply that an adversary can easily read out the secret keys and all content of a Mifare Classic card. To produce a duplicate, the adversary can write all previously read data to a blank Mifare Classic card. This results in an almost perfect clone, differing from the original only in the single block containing the read-only UID of the blank card. If the UID is verified by a contactless system (compare with [16]), this type of card-cloning becomes useless in practice. To allow for perfect clones, we implemented the features of Mifare Classic on Chameleon. Thus, we have complete control of the content of every memory block, including the previously unchangeable manufacturer block.

Optimized Crypto1 A first approach to emulate a Mifare Classic card on an AVR ATmega32 microcontroller [22] revealed difficulties in complying to the timing requirements given in ISO 14443. After a command is issued by the reader, the card has to reply within 4.8 ms, or the reader will reach a timeout and abort the connection. Compiling the open-source Crypto1 C-library [6] for an 8-bit microcontroller results in inefficient code regarding the underlying platform. Hence, in [22] the time limit of 4.8 ms set in the protocol is exceeded with 11.7 ms for an 18-byte encryption, neglecting all other necessary computations, such as encoding the encrypted data. Since an 18-byte encryption is required every time when reading or writing a block with appended CRC checksum, the existing implementation is not suitable.

It became obvious that a significant speedup of Crypto1 is essential for a successful Mifare Classic emulation. Hence, we implemented the cipher from the scratch in AVR assembly. This allows to optimize the code for an 8-bit platform and make use of special commands that may not be considered by the C compiler. Using instructions to access bits of registers directly, the amount of clock cycles required for an encryption was reduced, amongst others by replacing inefficient shifting and masking operations to access single bits with instructions that allow accessing a particular bit in one clock cycle (e.g., SBRC, BST, BLD). We further implemented the non-linear filter functions f_a , f_b and f_c of Crypto1

with lookup tables to avoid time consuming boolean AND, OR and XOR operations. In the first stage, f_a is used two and f_b three times with a 4-bit input of the state LFSR. Their output is used to generate a 5-bit input to f_c , which in turn generates one bit of keystream. For both f_a and f_b , we created a dedicated lookup table that includes the respective shifting of the output. Thereby, the input of f_c can be easily obtained by ORing the five outputs of f_a and f_b . This speed advantage comes at the cost of storing one bit of information in one byte of memory. Finally, the lookup table f_c is a simple 5-bit input, 1-bit output table. The overall size of the lookup tables is 112 byte, formed by two 16-byte tables for f_a , three 16-byte tables for f_b and one 32-byte table for f_c . With respect to the 192 kByte size of the program memory, the tables are negligibly small.

Furthermore, we applied the idea of precomputation. When the nonce n_C is fixed before the authentication protocol is executed, the card is able to precompute the corresponding answers a_R and a_C which saves time during the authentication process. Precomputation of keystream bits is not possible because of two reasons. Firstly, since the sector to be accessed by the reader cannot be predicted, it is not clear which key has to be loaded into the LFSR. Secondly, the random reader nonce n_R that only becomes known during the authentication process is an input to the cipher.

4.2 Mifare DESFire (EV1) Emulator

Similarly to the Mifare Classic implementation, we additionally implemented the authentication protocols of both Mifare DESFire and Mifare DESFire EV1, as given in Sect. 3.2. For encryption, Mifare DESFire cards use DES/3DES in CBC mode, whereas Mifare DESFire EV1 cards can use either DES/3DES or AES-128 in CBC-mode.

4.3 Practical Results

Before carrying out security analyses in the real-world, we thoroughly tested our emulators in our laboratory. The reliability and accurate timing behaviour of our emulator was successfully verified with different RFID readers, including an ACG passport reader and a Touchatag [23] reader. Further tests with real-world systems are described in Sect.5.

Mifare Classic With the optimized implementation of Crypto1 detailed in Sect. 4.1, we successfully emulated Mifare Classic 1K cards with varying content. Table 4.3 summarizes the execution times for the relevant operations which are now all well within the limits specified in ISO 14443. All features, e.g., authentication, encrypted read and write of blocks, or specifying an arbitrary UID, are fully functional with the used readers.

Command	Execution time	Explanation
<pre>setup_crypto1()</pre>	$98\mu s$	Initializes the cipher
auth_crypto1()	$542\mu { m s}$	Keystream for the authentication
$crypto1_1()$	$8.3\mu{ m s}$	Generates 1 bit of keystream
$crypto1_8()$	$49\mu{ m s}$	Generates 8 bits of keystream
$crypto1_32()$	$186\mu{ m s}$	Generates 32 bits of keystream

 Table 1. Execution times of crucial Crypto1 functions.

Mifare DESFire (EV1) Likewise, we tested our DESFire (EV1) emulations from Sect. 4.2. Table 4.3 shows the execution times for the needed cryptographic functions using the hardware accelerators of the ATxmega. Note that the first call to an en-/decryption function involves some overhead for the initial setup. After that, subsequent blocks can be processed faster. For reference, we included the runtime both for a single block and for ten data blocks in Table 4.3.

According to [4], an original Mifare DESFire card answers $690 \,\mu s$ (9356 clock cycles at 13.56 MHz) after b_1, b_2 was received when Protocol 2 is executed. During this time, two 3DES

encryptions are performed (one encryption of two blocks and one encryption of a single block). Our implementation performs about three times faster than a genuine card, with $219 \,\mu s$ (5932 clock cycles at 27.12 MHz) to produce a valid answer b_3 after b_1, b_2 was received.

Command	Block count	Execution time	
TripleDES_CBC_Enc()	1 block	$14.1\mu s$	
$TripleDES_CBC_Enc()$	10 blocks	$85.1\mu{ m s}$	
AES128_CBC_Enc()	1 block	$35.9\mu{ m s}$	
AES128_CBC_Enc()	10 blocks	$270.2\mu{ m s}$	
$AES128_CBC_Dec()$	1 block	$58.4 \mu s$	
AES128_CBC_Dec()	10 blocks	$304.9\mu\mathrm{s}$	

Table 2. Execution times of 3DES and AES-128 en-/decryption functions.

A genuine DESFire EV1 card replies with b_3 approx. 2.2 ms after having received b_1, b_2 . In contrast, our implementation only consumes about 438 μ s and is thus faster by a factor of five. As we are able to en-/decrypt faster than both DESFire cards, encrypting or MACing data which is the most critical part for Mifare Classic does not pose a problem in the context of emulating DESFire (EV1) cards. For both Mifare DESFire and Mifare DESFire EV1, our implementation performed successfully with the readers in our laboratory. As with the emulation of Mifare Classic cards, we are able to equip our emulator with a UID that is free of choice.

We conclude that the ATxmega microcontroller on our current hardware revision is powerful enough to handle the amount of computation that is needed for the emulation of the simple Mifare Classic cards and also for more sophisticated contactless smartcards using 3DES or AES.

5 Real-World Attacks

We successfully employed the Chameleon to bypass the security mechanisms of several realworld systems, for example, we utilized the Mifare Classic emulation to fake a card that is accepted by a widespread payment system. In the following, we summarize the characteristics of this system and then detail on the attacks carried out with our hardware.

5.1 A Vulnerable Contactless Payment System

For the identification of a customer of the payment system analyzed in [16], in addition to the UID each card contains a card number chosen by the system integrator. The credit balance is stored in plain in a value block on the card, without any extra security measures. The credit can be increased by means of cash or a credit card at charging terminals, while the cash registers are equipped with RFID readers to decrease the credit according to the balance due. The contactless cards furthermore allow to open doors and grant access to restricted areas.

The system can be easily spoofed, because all cards issued have identical secret keys. Hence, once the secret keys of one card have been recovered, the content of any card in the system can be read out or modified. The authors were able to carry out payments by copying the content of original payment cards to blank Mifare Classic cards. The so obtained cards are not exact clones, since the UIDs of the blank cards are different from that of the genuine ones, as detailed in Sect. 4.1. Consequently, the fraud could be easily detected in the back-end by verifying the correctness of the UID of a card on each payment.

The authors of [16] mention that the existence of a device that can fully clone a card including the UID would allow for devastating attacks, but suppose that these devices, if available, will be very costly so buying and using them for micropayments would not be profitable. With our developed hardware, the presence of an arbitrary valid card, e.g., an exact clone including the UID, can be simulated with minimal effort and cost, as shown in the following.

5.2 Electronically Spoofing a Contactless Payment System

A powerful type of attack that can be conducted with the Chameleon is called state-restoration. Even if the credit value was stored encryptedly on the payment card, e.g., using AES with an individual key per card, the content can be simply reset to the original credit value by dumping the full content of the card before paying and reprogramming the card (respectively our card emulation device) with the previous content after the payment.

As a first step to conduct this attack, we extracted the secret keys using the methods described in Sect. 3.1. Then, we dumped the content of a genuine card, including the UID, and copied it to our emulation device, thereby creating an exact clone. Hiding the device in a wallet, we consequently were able to carry out contactless payments. The credit value was stored in the EEPROM of our emulator and is decreased according to the balance due. As a result, the remaining credit displayed to the cashier appears to be correct and our device was accepted as genuine. The Chameleon allows to recharge the balance to its original value by restoring the initial dump when the attacker presses a push button. Finally, unlimited payments could be carried out with our device. Our practical tests furthermore showed that the Chameleon allows to open doors when cloning a valid card of an employee. However, if the fraud occuring due to the state restoration attack would be detected on the long term, the card number and/or the UID could be blacklisted and blocked for future payments.

For a more powerful attack, we programmed the Chameleon to generate a new random UID and card number for each payment. In our practical tests with the payment system, our emulator now appeared like a new card every time. Again, we were able to carry out payments, but this time, the device cannot be blacklisted and blocked in the backend.

In a similar manner, we were able to spoof a copy-and-print service that relies on contactless smartcards. The printers and copy stations are equipped with RFID readers that decrease the credit stored on the Mifare Classic card according to the amount of copies or printings carried out. By repeatedly using the service and comparing the content of the card between the payments, we found the block in which the amount of remaining credit was stored, again without any encryption. We hence programmed our card emulator to simulate the original card such that the credit appears to be lowered on each payment. However, the previous state of the card, i.e., charged to a high credit value, can again be restored by pressing a button on our hardware. As a consequence, we gain an unlimited amount of copies with our hardware.

Since cards of other customers can be read out from a distance², the Chameleon can also be used to clone their cards in a real-world scenario. Reading out the relevant sectors takes less than 100 ms. Several cards of other customers can be stored in the Chameleon and hence payments can be carried out with cloned cards that already exist in the payment system. Note that the original card of the customer remains unmodified and thus still contains the original credit value. Accordingly, a financial damage will only occur for the payment institution, while the customer is not affected. Altogether, taking the above illustrated devastating attacks and its low cost into account, the Chameleon can clearly be profitable for a criminal.

 $^{^2}$ Modified RFID readers allow for reading distances up to $30\,\mathrm{cm}$

6 Conclusion

We present a microcontroller-based, freely programmable emulator for ISO 14443 compliant RFIDs that allows to simulate various contactless smartcards at a very low cost. The device works autonomously, operated from a battery, and its card-sized antenna fits into slots of most readers for contactless smartcards. Due to its small dimensions, the emulator can be used covertly, e.g., hidden in the purse, and is well-suited for real-world attacks. Our hardware can be connected to a PC by means of a USB interface and the non-volatile memory of the microcontroller allows amongst others to monitor the communication with an RFID reader and store the acquired data in order to reverse-engineer unknown protocols.

We exposed the protocol of Mifare DESFire EV1 cards, implemented the (3)DES and AES block ciphers as required, and present the first successful emulation of Mifare DESFire and DESFire EV1 cards in the literature. The current software further includes the emulation of Mifare Classic cards, based on a highly optimized variant of the Crypto1 stream cipher. The firmware of our device is not limited to Mifare cards but can be adapted to support other contactless smartcards and their respective protocols, e.g., the electronic passport and cards from other manufacturers.

We tested the emulations with different RFID readers and show that our implementations of the ciphers and protocols meet the timing requirements of all protocols and that the performance in most cases is even faster than that of original cards. In all our tests, the emulator could not be distinguished from a genuine card. The device proved to be a valuable tool for the security analysis of contactless technology and can be used to practically identify security weaknesses of real-world RFID systems.

Since secret keys of Mifare Classic cards and Mifare DESFire cards can be extracted by means of mathematical cryptanalysis and side-channel analysis, respectively, our emulator poses a severe threat for many commercial applications, if it was used by a criminal. To demonstrate the capabilities of our findings we perform several real-world attacks, amongst others on a contactless payment system. We emulate exact clones (including the UID) of Mifare cards, successfully spoofed an access control system and carried out payments. Furthermore, we implemented a mode of operation in which our emulator appears as a new card with a new UID and new content on every payment, which hinders detection of fraud in the backend.

With contactless payment, ticketing and access control systems being omnipresent today, it is crucial to realize that only strong cryptography, together with sound protocol design and protection against implementation attacks can ensure long-term security. Bug-fixes for broken systems based on false assumptions on certain device characteristics, e.g., UID-based protection schemes for Mifare Classic, are a fatal design choice, as we demonstrate that exact cloning of cards is feasible at a very low cost.

References

- Atmel. ATmega32 Data Sheet. http://www.atmel.com/dyn/resources/prod_documents/ doc2503.pdf.
- Atmel. ATxmega192A3 Data Sheet. http://www.atmel.com/dyn/resources/prod_documents/ doc8068.pdf.
- Atmel. AVR XMEGA A Manual. http://www.atmel.com/dyn/resources/prod_documents/ doc8077.pdf.
- 4. D. Carluccio. Electromagnetic Side Channel Analysis for Embedded Crypto Devices. Diplomarbeit, Ruhr-University Bochum, March 2005.
- N. Courtois. The Dark Side of Security by Obscurity and Cloning Mifare Classic Rail and Building Passes, Anywhere, Anytime. In SECRYPT 2009, pages 331–338. INSTICC Press.
- 6. Craptol. Open Implementation of Cryptol. http://code.google.com/p/craptol, 2008.

- G. de Koning Gans, J. Hoepman, and F. Garcia. A Practical Attack on the MIFARE Classic. In Smart Card Research and Advanced Applications 2008, volume 5189 of LNCS, pages 267–282. Springer.
- Federal Office for Information Security, Germany. Advanced Security Mechanisms for Machine Readable Travel Documents - Extended Access Control. http://www.bsi.de/fachthem/epass/ EACTR03110_v110.pdf.
- Future Technology Devices International Ltd., FT245R Datasheet. http://www.ftdichip.com/ Support/Documents/DataSheets/ICs/DS_FT245R.pdf.
- F. Garcia, G. de Koning Gans, R. Muijrers, P. Van Rossum, R. Verdult, R. Schreur, and B. Jacobs. Dismantling Mifare Classic. In *ESORICS 2008*, volume 5283 of *LNCS*, pages 97–114. Springer.
- F. Garcia, P. van Rossum, R. Verdult, and R. Schreur. Wirelessly Pickpocketing a Mifare Classic Card. In Symposium on Security and Privacy, pages 3–15. IEEE, 2009.
- IAIK Graz. HF Demo Tag. http://www.iaik.tugraz.at/content/research/rfid/tag_ emulators.
- ISO/IEC 14443-A. Identification Cards Contactless Integrated Circuit(s) Cards Proximity Cards - Part 1-4. www.iso.ch, 2001.
- T. Kasper, D. Carluccio, and C. Paar. An Embedded System for Practical Security Analysis of Contactless Smartcards. In WISTP 2007, volume 4462 of LNCS, pages 150–160. Springer.
- T. Kasper, D. Oswald, and C. Paar. EM Side-Channel Attacks on Commercial Contactless Smartcards Using Low-Cost Equipment. In WISA 2009, volume 5932 of LNCS, pages 79–93. Springer.
- T. Kasper, M. Silbermann, and C. Paar. All You Can Eat or Breaking a Real-World Contactless Payment System. In *Financial Cryptography 2010*, volume 6052 of *LNCS*, pages 343–350. Springer.
- K. Nohl and D. Evans. Reverse-engineering a Cryptographic RFID Tag. In USENIX Security Symposium, pages 185–193, 2008.
- 18. NXP. About MIFARE. http://mifare.net/about/, 2001.
- 19. NXP. Mifare Classic 1K MF1 IC S50 Functional Specification. www.nxp.com, 2008.
- 20. OpenPICC. Programmable RFID-tag. http://www.openpcd.org/openpicc.0.html.
- 21. Proxmark III. A Radio Frequency IDentification Tool. http://www.proxmark.org/.
- 22. M. Silbermann. Security Analysis of Contactless Payment Systems in Practice. Diplomarbeit, Ruhr-University Bochum, November 2009.
- 23. Touchatag. Touchatag RFID Reader. http://www.touchatag.com/.
- 24. R. Verdult. Proof of Concept, Cloning the OV-Chip Card. http://www.sos.cs.ru.nl/applications/rfid/2008-concept.pdf.

A Authentication Protocols

This appendix provides the commands and the exact binary format for the authentication protocols used in this paper. Note that for DESFire (EV1), the message format according to ISO 14443A part 4 (including the 16-bit CRC) is taken into account in the following.

A.1 Mifare Classic Authentication Protocol

#	Direction	Protocol Message	Explanation
1	$R \to C$	60, sector (1 byte), CRC1CRC2 (2 byte)	Auth sector CRC
2	$\mathbf{C} \to \mathbf{R}$	4 byte	n_C
3	$\mathbf{R} \to \mathbf{C}$	4 byte, 4 byte	$n_R \oplus \mathrm{ks}_1 \parallel a_R \oplus \mathrm{ks}_2$
4	$\mathrm{C} \to \mathrm{R}$	4 byte	$a_C \oplus \mathrm{ks}_3$

Table 3. Authentication protocol between a reader R and a Mifare Classic card C.

A.2 Mifare DESFire Authentication Protocol

#	Direction	Protocol Message	Explanation
1	$\mathbf{R} \to \mathbf{C}$	020A, key (1 byte), CRC1CRC2	Auth key number CRC
2	$\mathbf{C} \to \mathbf{R}$	02 AF, 8 byte, CRC1 CRC2	Card nonce $ b_0 $ CRC
3	$\mathbf{R} \to \mathbf{C}$	03 AF, 8 byte, 8 byte, CRC1 CRC2	Reader response $ b_1 b_2 CRC$
4	$\mathrm{C} \to \mathrm{R}$	0300, 8 byte, CRC1CRC2	Success $ b_3 $ CRC

Table 4. Authentication protocol between a reader R and a Mifare DESFire card C.

A.3 Mifare DESFire EV1 Authentication Protocol

#	Direction	Protocol Message	Explanation
1	$R \to C$	02AA, key (1 byte), CRC1CRC2	Auth key number CRC
2	$\mathrm{C} ightarrow \mathrm{R}$	02 AF, 16 byte, CRC1 CRC2	Card nonce $ b_0 $ CRC
3	$\mathbf{R} ightarrow \mathbf{C}$	03 AF, 16 byte, 16 byte, CRC1 CRC2	Reader response $ b_1 b_2 CRC$
4	$\mathrm{C} \to \mathrm{R}$	0300, 16 byte, CRC1CRC2	Success $ b_3 $ CRC

Table 5. Authentication protocol between a reader R and a Mifare DESFire EV1 card C.

B Schematics



Fig. 3. Schematics of the microcontroller and the USB interface.



Fig. 4. Schematics of the power supply and the (de)modulation circuitry.

Chameleon: A Versatile Emulator for Contactless Smartcards

- Creator: Kasper, Timo ; von Maurich, Ingo ; Oswald, David ; Paar, Christof
- Is Part Of: Information Security and Cryptology ICISC 2010, p.189-206
- Subject: RFID ; access control ; contactless smartcards ; efficient implementation ; payment systems
- **Description:** We develop a new, custom-built hardware for emulating contactless smartcards compliant to ISO 14443. The device is based on a modern low-cost microcontroller and can support basically all relevant (cryptographic) protocols used by contactless smartcards today, e.g., those based on AES or Triple-DES. As a proof of concept, we present a full emulation of Mifare Classic cards on the basis of our highly optimized implementation of the stream cipher Crypto1. The implementation enables the creation of exact clones of such cards, including the UID. We furthermore reverse-engineered the protocol of DESFire EV1 and realize the first emulation of DESFire and DESFire EV1 cards in the literature. We practically demonstrate the capabilities of our emulator by spoofing several real-world systems, e.g., creating a contactless payment card which allows an attacker to set the stored credit balance as desired and hence make an infinite amount of payments.
- Identifier: ISSN: 0302-9743; ISBN: 9783642242083; ISBN: 3642242081; EISSN: 1611-3349; EISBN: 9783642242090; EISBN: 364224209X; DOI: 10.1007/978-3-642-24209-0 13
- Publisher: Berlin, Heidelberg: Springer Berlin Heidelberg
- Source: Alma/SFX Local Collection

FPGA-Based Vehicular Channel Emulator for Real-Time Performance Evaluation of IEEE 802.11p Transceivers

- Creator: Fernández-Caramés, T M ; González-López, M ; Castedo, L
- Is Part Of: EURASIP journal on wireless communications and networking, 2010-12, Vol.2010 (1), p.1-18
- Subject: Engineering ; Communications Engineering, Networks ; Information Systems Applications (incl. Internet) ; Signal, Image and Speech Processing
- **Description:** IEEE 802.11p is one of the most promising future wireless standards due to the increasing demand of vehicular communication applications. At the time of writing, the document of the standard is in draft and much research is still required to study and improve the performance of transceivers in common vehicular scenarios. In this paper, we present a framework to evaluate the PHY layer of IEEE 802.11p systems in realistic situations. We detail the design and implementation of an FPGA-based real-time vehicular channel emulator. Contrarily to commercial emulators, ours is cheap, very flexible, and reconfigurable. We show its capabilities by evaluating performance in different high-speed scenarios. We also study the importance of coding and the benefits of using IEEE 802.11p instead of IEEE 802.11a in vehicular environments. Towards this aim, we developed a reference IEEE 802.11p PHY transceiver software model that can be taken as a convenient starting point for transceiver design.
- Identifier: ISSN: 1687-1499; ISSN: 1687-1472; EISSN: 1687-1499; DOI: 10.1155/2010/607467
- Publisher: Cham: Springer International Publishing
- Source: Engineering Source; Computers & Applied Sciences Complete; Applied Science & Technology Source; Academic Search Complete; Directory of Open Access Journals; Alma/SFX Local Collection; ProQuest Central

Emulator Express: A system for optimizing emulator performance for wireless networks

- Creator: Housel, B.C ; Shields, I
- Is Part Of: IBM systems journal, 2000-06-01, Vol.39 (2), p.384-402
- Subject: Emulators ; Usage ; Distributed processing ; Software ; Mobile communications networks ; Protocol

3/24/2021

- **Description:** IBM eNetwork Emulator Express is an IBM program product that optimizes the operation of Telnet 3270 and 5250 emulation over extremely low-bandwidth networks. These optimizations enable mobile workers using laptops, notebooks, or other mobile devices to access legacy host applications effectively over wide-area wireless networks as well as low-bandwidth wireline modem connections. How the Emulator Express system intercepts the data stream and optimizes it transparently to both the client emulator and the Telnet server is described. The optimizations include a new data stream caching technology, a new optimized protocol that reduces the number of Telnet negotiation flows, and traditional compression. The data stream caching technology is particularly significant because it may be applied to other distributed application domains. The results of several performance experiments are reported that illustrate the improvements in data transport volume and response time when using Emulator Express.
- Identifier: ISSN: 0018-8670; DOI: 10.1147/sj.392.0384; CODEN: IBMSA7
- **Publisher:** Armonk: IBM Corp
- Source: IEEE Conference Library Plus; IEEE Xplore IBM Journal of Research and Development; ProQuest Central; © ProQuest LLC All rights reserved ProQuest.

Emulation of mobile payment system

- Creator: Mohorko, J ; Chowdhury, A ; Planinsic, P
- Is Part Of: 2008 15th International Conference on Systems, Signals and Image Processing, 2008-06, p.21-24
- Subject: Load test ; Conferences ; Mobile communication ; Mobile handsets ; Servers ; Performance test ; Computer science ; Emulation ; Mobile payment system ; Region 8 ; Application ; Stress test ; Testing
- **Description:** Margento is a mobile payment system, enabling customers to purchase products from vending machines or in retail stores, using their mobile phones. It is designed to complement existing credit and debit card systems, by enabling all mobile phone users to turn their phones into the payment instruments of their choice. This system is based on Ultrapsilas patented mobile payment terminal using the one and only mature feature found with any of todaypsilas phones voice. It is very important to ensure secure and stable operation of such a system, under various loading conditions. For these reasons, we designed the Margento emulator equipment as the tool, which enables functional testing, performance testing, load testing and stress testing, of the Margento system.
- Identifier: ISSN: 2157-8672; ISBN: 9788022728560; ISBN: 802272856X; EISBN: 8022728802; EISBN: 9788022728805; DOI: 10.1109/IWSSIP.2008.4604357
- **Publisher:** IEEE
- Source: IEEE Conference Library Plus; IEEE Electronic Library (IEL) Conference Proceedings; IEEE Electronic Library (IEL)

An Example of Course Project of Real Time Multitask Programming

- Creator: Yu, Jianxin ; Zhao, Yinggong ; Li, You ; Kuang, Hongyu
- Is Part Of: International Journal of Education and Management Engineering, 2012-08-29, Vol.2 (8), p.65-71
- Subject: Vending machines
- **Description:** This paper states a multi-task programming course project experiment item of real time operating system VxWorks. The project is an emulator of railway ticket vending machine. Its research background is Wuhan-Guangzhou high speed railway line ticket vending machine. The contents of the paper includes process flow, function design and analysis, data flow analysis, task division and definition, semaphore control application, test results, etc.
- Identifier: ISSN: 2305-3623; EISSN: 2305-8463; DOI: 10.5815/ijeme.2012.08.11
- Publisher: Hong Kong: Modern Education and Computer Science Press

3/24/2021

• Source: ProQuest Central; © ProQuest LLC All rights reserved ProQuest.

Bibliographic Data

Application No: 13/	782,948		
Foreign Priority claimed:	Oyes	• No	
35 USC 119 (a-d) conditio	ons met: Yes	No	Met After Allowance
Verified and Acknowledge	ed: /ISIDORA	IMMANUEL/	
	Examiner's	Signature	Initials
Title:	Method an	d apparatus for emulating	g multiple cards in mobile devices

FILING or 371(c) DATE	CLASS	GROUP ART UNIT	ATTORNEY DOCKET NO.
03/01/2013	705	3685	RFID-084
RULE			

APPLICANTS

RFCYBER CORPORATION, Fremont, CA, UNITED STATES

INVENTORS

Xiangzhen Xie, Shenzhen, CHINA

Liang Seng Koh, Fremont, CA, UNITED STATES

Hsin Pan, Fremont, CA, UNITED STATES

CONTINUING DATA

This application has PRO of 61606451 03/04/2012

This application is a CIP of 13350832 01/16/2012ABN

13350832 is a CIP of 11534653 09/24/2006 PAT 8118218

FOREIGN APPLICATIONS

IF REQUIRED, FOREIGN LICENSE GRANTED**

03/22/2013

** SMALL ENTITY **

STATE OR COUNTRY

CHINA

ADDRESS

LogicPatents, LLC 21701 Stevens Creek Boulevard, #284 CUPERTINO, CA 95015 UNITED STATES

FILING FEE RECEIVED

\$533

EAST Search History

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	((switch\$4 or replac\$4 or swap\$5) with emulator with (application or card)) same (secure adj element)	US- PGPUB; USPAT	OR	OFF	2021/03/23 19:50
L2	1	1 AND ((G06Q20/322 OR G06Q20/352 OR G06Q20/3552 OR G06Q20/3572 OR G06Q20/3672).CPC.)	US- PGPUB; USPAT	OR	OFF	2021/03/23 19:52
S15	0	((counter or track\$4) with emulator with (application or card)) same (secure adj element)	USPAT	OR	OFF	2021/03/23 18:34
S16	0	((counter or track\$4) with emulator with (application or card)) same (secure adj element)	US- PGPUB; USPAT	OR	OFF	2021/03/23 18:34

3/23/2021 7:53:39 PM C:\Users\iimmanuel\Documents\EAST\Workspaces\13782948.wsp

Immanuel, Isidora

From:	Joe Zheng <joezheng88@sbcglobal.net></joezheng88@sbcglobal.net>
Sent:	Thursday, March 18, 2021 5:11 PM
To:	Immanuel, Isidora
Subject:	RE: 13/1782,948
Attachments:	Clear version.docx
Importance:	High

(Informal discussion, please do not enter)

Ms. Examiner Immanuel:

Attached is a copy of the clear version, I modified "a lock or unlock status" to "a lock/unlock status" and other minor words.

Let me know if you have any questions. Thanks Joe

```
From: Joe Zheng [mailto:joezheng88@sbcglobal.net]
Sent: Monday, March 15, 2021 12:34 PM
To: 'Immanuel, Isidora'
Subject: RE: 13/1782,948
```

(Informal discussion, please do not enter)

Ms. Examiner Immanuel:

Attached is a copy of the interview agenda for tomorrow.

It has the latest version of your proposed allowable claims sent on Aug. 17, 2020, I made some minor edits. Let us discuss them or further comments. Thanks

Joe

From: Joe Zheng [mailto:joezheng88@sbcglobal.net] Sent: Monday, March 8, 2021 11:43 PM To: 'Immanuel, Isidora' Subject: 13/1782,948

(Informal discussion, please do not enter)

Hi Ms. Examiner Immanuel:

This is the last version I believe I sent to you. Please have a quick look before I follow your instruction Monday. I will give you a call Tuesday.

Thanks

Joe

Privacy and Confidentiality Notice: The information contained in this electronic mail message is intended for the named recipient(s) only. It may contain privileged and confidential information If you are not an intended recipient, you must not copy, forward, distribute, or take any action in reliance on it. If you have received this

electronic mail message in error, please notify the sender immediately.

LogicPatents, LLC Tel: (408)777-8873 Fax: (408)677-5779 Email: <u>uspatents@sbculobal.net</u> <u>Samples</u> of the patents we prosecuted can be viewed from USPTO

To capitalize on your patents, visit:

www.LogicPatents.com

Please consider the environment before printing this e-mail

PART B - FEE(S) TRANSMITTAL

Complete and send this form, together with applicable fee(s), by mail or fax, or via EFS-Web.

	 Mail Stop ISSUE I Commissioner for P.O. Box 1450 Alexandria, Virgin 	ÆE Patenis ia 22313-1450			By fax, send tt): (571)-273-2885	
INSTRUCTIONS: This further correspondence below or directed other	form should be used for the including the Patent, advan wise in Black 1, by (a) spe	msmitting the ISSUE FE toe orders and notificatio cifying a new correspon	E and PUBLICATION FEE n of maintenance fees will I dence address; and/or (b) ir	(if required). Blocks I fin is mailed to the current of diciting a separate TFE	ough 5 should be comple rrespondence address as ADDRESS'' for mainter	ded where appropriate. All indicated unless corrected nance fee notifications.	
CHEREN & CORRESPONS	DENCH ADDRESS (Norr: Vox BR	nk I for my change of address)	Note Food page base	Note: A certificate of mailing can only be used for domestic mailings of the Fext(s) Transmittal. This certificate cannot be used for any other accompanying, papers. Each additional paper, such as an assignment or formal drawing, must			
26797 LogicPatents, 21701 Stevens CUPERTINO, 6	7590 0405 LLC Creek Boulevard, #25 CA 95015	2021 \$4	i her Stat adm the l	Certificat why certify that this Foet is Postal Service with an essed to the Mill Step 1 (SPTO via EFS-Web of 1	e of Mailing or Transn s) Transmittel is being Nicient protege for first SUE FEE address abov sy lacsimile to (371) 27:	tission deposited with the United class mail in an envelope e. or being transmitted to 5-2885, on the date below.	
				Joe Zhe / joe zhe 04/06/20	ng ing / i21	(Typed or promed assort (Signature (Date	
APPLICATION NO.	FILING DATE		FIRST NAMED INVENTOR		KNEY DOCKET NO.	CONFIRMATION NO.	
13/782.948			Xianozhen Xia				
TITLE OF UNDERVIEW	No Martinal and another the	a in the second seco	nte in matila dariene				
111110 51 AS 11334 AS	1	non as the res to	I II DI			1 N3 252 255 25	
	221123	BREEDEBLEE	POBLIKALIOS PER DOS	EXEX. POID ISSUE FEE.	TOTAL PERSILASE	1281E.130E	
IMMANCE	L. ISIDORA I	3683	705-050000				
CFR L363). Change of corres Address form PTO/S Prec Address 'i in SB/47; Rev 03-09 or Number is required ASSIGNEE NAME / PLEASE NAME / PLEASE NAME of ASSI RFCyber Co	pondence address for transator B/122) attached. dication (or 'Fee Address' more recent) attached. Us L AND RESIDENCE DATA less an assignce is identifie 'recontation, as set forth a IGNEE rp., Plano, Texa	i of Tee Address' (37 ige of Correspondence Indication form PTO/ e of a Customer TO BE PRINTED ON of balaw, no assignee dat 1 37 CFR 3.11 and 37 CI S	 For printing on the p (1) The names of up to or agents OR, alternativ (2) The name of a singli- ingustered afformacy or to 2 registered patent atto listed, no name will be THE PATENT (print or type as will appear on the patent, -R 3.81(a). Completion of (B) RESIDENCE: (CITY 	atent front page, list 3 registered pained stor edy. e firm (having as a memi geat) and the names of t meys or agents. If no nar printed. e) If an assignce is identifi- this form is NOT a substi- and STATE OR COUN	ners) Joe Zhe ers) 2	ng nust have been previously near	
CFR L363) Change of corres Address form PTO/S The Address form PTO/S Address form	poodume address for finite and B/122) attached. dication (or "Fee Address" more recent) attached. Us to the state of the state of the NND RESIDENCE DATA less an assignee is identifier recordation. as set forth a IONEE rp., Plano, Texa riste assignee category or	i of 'Fee Address' (37 igs of Correspondence ladication form PTO/ e of a Customer TO BE PRINTED ON of below, no assignee dat 137 CFR 3.11 and 37 Cl S categories (will not be p	2. For printing on the p (1) The names of up to or agents OR, alternati (2) The name of a singl registered affirmery or : 2 registered affirmery or 2 registered affirmery or 12 registered affirmery or 13 registered affirmery or 13 registered affirmery or 14 registered affirmery or 15 registered patent (B) RESIDENCE: (CITY risted on the patent) : The	atent front page, list 3 registered patient attor rely. e from thaving as a merning geuth and the names of transverse or agents. If no nate printed. e) If an assignce is identify this form is NOT a substi- and STATE OR COUNT dividual XI Corporation	1698) Joe Zhe ler a 2	ng nust have been previously nam.	
 Change of Orbespon Change of correspondences Address form PTO/S Pre Address' in SB/47; Rev 03-09 or Number is required ASSIONEE NAME / PLEASE NOTE: Unrecorded, or filed for (A) NAME OP ASSI RFCyber Co Please check the approp Fees submitted: Method of Payment: Electronic Payme The Director is to 	pondume address for function B/122) attached. dication (or 'Fee Address' more recent) attached. Us AND RESIDENCE DATA less an assignee is identific recondution. as set forth is ICNEE rp., Plano, Texa riste assignee category or lissue Fee IPobl : (<i>Please first compily ony</i> int via EFS-Web I	of Tree Address" (37 igs of Correspondence ladication form PTO/ e of a Customer TO BE PRINTED ON of below, no assignee dat 137 CFR 3.11 and 37 Cl S categories (will not be p ication Fee (if required) previously paid for show lactosed etack II the majiired foe(s), any	2. For printing on the p (1) The names of up to or agents OR, alternati- (2) The names of a singly registered attenacy or is 2 registered attenacy or is 3 registered attenacy or is 3 registered attenacy or is attenacy or is 3 registered attenacy or is 3 registered at	atent front page, list 3 registered patient stror- rely. e firm (having as a merifi- gent) and the names of c racys or agents. If no state printed. e) If an assignce is identifi- this form is NOT a substi- and STATE OR COUNT dividual XI Corporation of Copies credit and (Attach form erpayment to Deposit Ac	1698) Joe Zhe ler a 2	ng nust have been previously near.	
CFR L363) Change of corress Address form PTO/S Pre Address form PTO/S Address form PTO/S Address form PTO/S ASSIONEE NAME / FLEASE NOTE: Un recorded, or filed for (A) NAME OF ASSI RFCyber Co Please check the approp 4a, Pees submitted: A Method of Payment: At Electronic Payme The Director is ho Change in Entity St: Applicant assertii Applicant carrify	pondume address for function B/122) attached. dication (or 'Fee Address' more recent) attached. Os L AND RESIDENCE DATA less an assignee is identific recondution, as set forth a ICNEE rp., Plano, Texa riste assignee category or Lissue Fee Peub (<i>Please first coupply ony</i> at via EFS-Web 1) ereby authorized to charge attas (from status indicate- ing micro entity status. See ng small entity status. See	of Tee Address" (37 ige of Correspondence Indication form PTO/ e of a Customer TO BE PRINTED ON if helow, no assignee data (37 CFR 3.11 and 37 CI S categories (will not be p location fee (if required) previously paid for show lactosed chick the required fee(s), my i above) (37 CFR 1.29 37 CFR 1.27 If ce status.	2. For printing on the p (1) The names of up to or agents OR, alternati- (2) The name of a single registered attenues or is 2 registered patent atto- listed, no name will be THE PATENT (print or type is will appear on the patent, "K 3.81(a). Completion of (B) RESIDENCE: (CITY instead on the patent) : The Advance Order - 8 in allowe; Non-electronic phymeint by deficiency, or credit any ov <u>NOTE:</u> Absent a valid ec- fee phymeint in the microo <u>NOTE:</u> Checking this bos- entity status, as applicable	atent front page, list 3 registered patient stror- rely. e firm (having as a merifi- gent) and the names of c merys or agents. If no nati- printed. e) If an assignce is identifi- this form is NOT a substi- and STATE OR COUNT dividual X1 Corporation of Copies credit card (Attach form orphyment to Deposit Ac tification of Micro Entity entitlement to micro e- will be taken to be a not i	1000 Zhe ber a p to p to is 3 ad befow, the document in nue for filing an assigner (RY) or other private groups as PTO-2038) count Na. Status (see forms PTO- accepted at the risk of a to entity status, checkia mitty status, iffication of loss of entit)	ng nust have been previously nem. http:///////////////////////////////////	
CFR L.363). Change of correspond CFR L.363). Change of correspond Address form PTO/S Pre Address in SB/47); Key 03-09 or Manufacture of the Correspondence of the Correspo	pondence address for finitian in B/122) attached. dication (or 'Fee Address' more recent) attached. Os L AND RESIDENCE DATA less an austgnee is identifia recordiation, as set forth in iCNEE rp., Plano, Texa riste assignee category or lissue Fee Poble (Please first coupply ony int via EFS-Web 1) (Please first coupply ony mit via EFS-Web 1) areby authorized to charge atus (from status indicate ing micro entity status, See og small entity status, See og to regular undiscounted	of Tee Address' (37 ige of Correspondence Indication form PTO/ e of a Customer TO BE PRINTED ON id tashiw, no assignee dat 1 37 CFR 3.11 and 37 Cl S categories (will not be p ication Fee (if required) previously paid fee show laclosed ethick II the mapired fee(s), any 1 above) (37 CFR 1.29 37 CFR 1.29 37 CFR 1.21 life status, ith 37 CFR 1.31 and 1.3	2. For printing on the p (1) The names of up to or agents OR, alternativ (2) The name of a single registered afformacy or e 2 registered afformacy or e 2 registered patent atto listed, no name will be THE PATENT (print or typ a will appear on the patent, "R 3.81(a). Completion of (B) RESIDENCE: (CITY inited on the patent): The Advance Order - 8 a above; Non-electronic payment by deficiency, or credit any ov <u>NOTE:</u> Absent a valid ce for payment in the micro NOTE: Absent a valid ce for payment in the micro NOTE: Absent a valid ce for payment in the micro NOTE: Absent a valid ce for payment in the micro NOTE: Absent a valid ce for payment in the micro NOTE: Absent a valid ce for payment in the micro NOTE: Absent a valid ce for payment in the micro NOTE: Absent a valid ce for payment in the micro NOTE: Absent a valid ce for apayment in the micro NOTE: Absent a valid ce for an otification of lose NOTE: Checking this bor entity status, as applicable 3. Sec 37 CFR 1.4 for signification	atent front page, list 3. registered patient attor rely. e firm thaving as a metrif gent) and the names of c merys or agents. If no nate printed. e) If an assignce is identifi- this form is NOT a substi- and STATE OR COUNT dividual 21 Corporation of Copies curdit card (Attach form erpayment to Deposit Ac tiffication of Micro Entity entity amount will not be may previously under uni- or entitlement to micro of will be taken to be a not curdit requirements and co	1098) Joe Zhe ler a 2 p to 2 is is 3 of below, the document rule for filling an assigner (RY) or other private group or (RY) or other private group or (RY) Status (see forms PTO/ accepted at the task of a to entity status, checkin mity status. filteation of loss of entitity	ng nust have been previously nust have been previously nust and Government giftestion abandomment, giftestion abandomment, giftestion abandomment, giftestion abandomment, giftestion abandomment, giftestion abandomment, giftestion abandomment, giftestion abandomment, giftestion abandomment, giftestion abandomment,	
CFR 1.363): CFR 1.363): CFR 1.363): CFR 1.363): CFR 1.363): CFR 4.363): CFR 4.363): CFR 4.363): CFR 4.363): CFR 4.363] CFR 4.36	pondence address for function B/122) attached. dication (or 'Fee Address' more recent) attached. Us AND RESIDENCE DATA less an assignee is identifie recondution, as set forth is ICNEE rp., Plano, Texa riste assignee category or dissue Fee dipolo (<i>Please first compily only</i> int via EFS-Web difference reby authorized to charge atos (from status indicate- ing micro entity status. See ng small entity status. See ng small entity status. See ng to regular undiscounted be signed in accordance w e / joe zheng /	i of Tee Address' (37 age of Correspondence Indication form PTO/ e of a Customer TO BE PRINTED ON of below, no assignee dat 137 CFR 3.11 and 37 CF S categories (will not be p leation Fee (if required) previously paid for show inclosed chick in the required fee(s), any de required fee(s), any i above). c37 CFR 1.29 37 CFR 1.27 lifee status. idt 37 CFR 1.31 and 1.3	 For privating on the p The names of up to or agents OR, alternati- (2) The name of a single ingistered attention of ingistered attention indexed indexed	atent front page, list 3 registered patient stror- rely. e firm (having as a merifi- gent) and the names of c racys or agents. If no nate- printed. e) If an assignce is identifi- tis form is NOT a substi- and STATE OR COUNT dividual X1 Corporation of Copies credit card (Attach form erpsyment to Deposit Ac tiffication of Micro Entity entitlement to micro e- will be taken to be a not c Date <u>04/06/2</u>	1698) Joe Zhe ber a p to 2 3 3 ad befow, the document of note for filing an assigne (RY) or other private group of (RY) count No. PTO-2038) count No. Status (see forms PTO/ accepted at the risk of a to entity status, checkin mity status, indication of loss of entit! ritications. (021	ng must have been previously nent. SB/I3A and I5B), issue pplication abandomment. g this box will be taken amont to small or micro	

PTOL-85 Part B (08-18) Approved for use through 01/31/2020

Page 2 of 3 OMB 0651-0033

33 U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Samsung Ex. 1016, Page 680 of 699 Samsung Electronics America, Inc. v. RFCyber Corp. IPR2021-00980

Electronic Patent Application Fee Transmittal					
Application Number:	13782948				
Filing Date:	01-	01-Mar-2013			
Title of Invention:	Method and apparatus for emulating multiple cards in mobile devices				
First Named Inventor/Applicant Name:	Xiangzhen Xie				
Filer:	Joe Zheng				
Attorney Docket Number:	RFID-084				
Filed as Small Entity					
Filing Fees for Utility under 35 USC 111(a)					
Description		Fee Code	Quantity	Amount	Sub-Total in USD(\$)
Basic Filing:					
Pages:					
Claims:					
Miscellaneous-Filing:					
Petition:					
Patent-Appeals-and-Interference:					
Post-Allowance-and-Post-Issuance:					
UTILITY APPL ISSUE FEE		2501	1	600	600

Description	Fee Code	Quantity	Amount	Sub-Total in USD(\$)
Extension-of-Time:				
Miscellaneous:				
	Tot	al in USD:) (\$)	600

Electronic Acknowledgement Receipt			
EFS ID:	42372935		
Application Number:	13782948		
International Application Number:			
Confirmation Number:	5348		
Title of Invention:	Method and apparatus for emulating multiple cards in mobile devices		
First Named Inventor/Applicant Name:	Xiangzhen Xie		
Customer Number:	26797		
Filer:	Joe Zheng		
Filer Authorized By:			
Attorney Docket Number:	RFID-084		
Receipt Date:	06-APR-2021		
Filing Date:	01-MAR-2013		
Time Stamp:	03:41:44		
Application Type:	Utility under 35 USC 111(a)		

Payment information:

Submitted with Payment	yes			
Payment Type	CARD			
Payment was successfully received in RAM	\$600			
RAM confirmation Number	E202146442152097			
Deposit Account	502436			
Authorized User Joe Zheng				
The Director of the USPTO is hereby authorized to charge indicated fees and credit any overpayment as follows:				
37 CFR 1.16 (National application filing, search, and examination fees)				
37 CFR 1.17 (Patent application and reexamination pro-	cessing fees)			

37 CFR 1.19 (Document supply fees)

37 CFR 1.20 (Post Issuance fees)

37 CFR 1.21 (Miscellaneous fees and charges)

File Listing:					
Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
			323652	1	
1	lssue Fee Payment (PTO-85B)	FeeTransmittal.pdf	e07134316020271e28faddb989ecfb2dc5a 485e8	no	1
Warnings:					
Information:					
2	Fee Worksheet (SB06)	fee-info.pdf	30505		
			c7d32a3d3e5b0b80f24406e3f54057e03bc 58df2	no	2
Warnings:					
Information:					
Total Files Size (in bytes):			35	354157	
This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503. New Applications Under 35 U.S.C. 111 If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application. National Stage of an International Application under 35 U.S.C. 371 If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other application requirements a Form PCT/D0/E0/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course. New International Application is being filed and the international application includes the necessary components for an international Application is being filed and the international application includes the necessary components for an international application is being filed and the international application of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.					
UNITED STATES PATENT AND TRADEMARK OFFICE COMMISSIONER FOR PATENTS P.O.BOX 1450 ALEXANDRIA VA 22313-1451 PRESORTED FIRST-CLASS MAIL U.S. POSTAGE PAID POSTEDIGITAL NNNNN

LogicPatents, LLC 21701 Stevens Creek Boulevard, #284 CUPERTINO, CA 95015



Courtesy Reminder for Application Serial No: 13/782,948

Attorney Docket No: RFID-084 Customer Number: 26797 Date of Electronic Notification: 04/05/2021

This is a courtesy reminder that new correspondence is available for this application. If you have not done so already, please review the correspondence. The official date of notification of the outgoing correspondence will be indicated on the form PTOL-90 accompanying the correspondence.

An email notification regarding the correspondence was sent to the following email address(es) associated with your customer number: uspatents@sbcglobal.net

To view your correspondence online or update your email addresses, please visit us anytime at https://ppair-my.uspto.gov/pair/PrivatePair. If you have any questions, please email the Electronic Business Center (EBC) at EBC@uspto.gov or call 1-866-217-9197. UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
13/782,948	03/01/2013	Xiangzhen Xie	RFID-084	5348
26797 LogicPatents L	7590 04/21/202 J.C	1	EXAN	IINER
21701 Stevens	Creek Boulevard, #284 CA 95015	IMMANUEL, ISIDORA I		
0012111110,			ART UNIT	PAPER NUMBER
			3685	
			NOTIFICATION DATE	DELIVERY MODE
			04/21/2021	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

uspatents@sbcglobal.net

Corrected	Application No.	Applicant(s)
Notice of Allowability	Examiner ISIDORA I IMMANUEL	Art Unit 3685	AIA (FITF) Status No
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313 1. Im This communication is responsive to 04/07/2021. A declaration(s)/affidavit(s) under 37 CFR 1.130(b) was	ears on the cover sheet with the (OR REMAINS) CLOSED in this or other appropriate communication is subject and MPEP 1308.	te correspondent application. If no ition will be maile to withdrawal fr	t included d in due course. THIS om issue at the initiative
2. An election was made by the applicant in response to a res restriction requirement and election have been incorporated	striction requirement set forth dur d into this action.	ing the interview	on; the
3. The allowed claim(s) is/are <u>See Continuation Sheet</u> . As a patient Prosecution Highway program at a participating ir information, please see http://www.uspto.gov/patents/inipPPHfeedback@uspto.gov.	result of the allowed claim(s), yo ntellectual property office for the it_events/pph/index.jsp or send	u may be eligible corresponding ap I an inquiry to	to benefit from the plication. For more
4. Acknowledgment is made of a claim for foreign priority und	er 35 U.S.C. § 119(a)-(d) or (f).		
Certified copies:	······································		
a) All b) Some *c) None of the:			
$1 \square$ Certified copies of the priority documents have	re been received		
2. Certified copies of the priority documents hav	e been received in Application N	lo	
3. Copies of the certified copies of the priority de	ocuments have been received in	this national stac	e application from the
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	" of this communication to file a MENT of this application.	eply complying w	ith the requirements
5. CORRECTED DRAWINGS (as "replacement sheets") mus	t be submitted.		
including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or in th	ne Office action o	f
Identifying indicia such as the application number (see 37 CFR sheet. Replacement sheet(s) should be labeled as such in the h	1.84(c)) should be written on the d eader according to 37 CFR 1.121(d	rawings in the from).	nt (not the back) of each
6. DEPOSIT OF and/or INFORMATION about the deposit of f attached Examiner's comment regarding REQUIREMENT	BIOLOGICAL MATERIAL must b FOR THE DEPOSIT OF BIOLOG	e submitted. Note GICAL MATERIA	e the
Attachmont(s)			
1. Notice of References Cited (PTO-892)	5. 🗹 Examiner's An	nendment/Comm	ent
2. Information Disclosure Statements (PTO/SB/08),	6. 🗹 Examiner's St	atement of Reasc	ons for Allowance
Paper No./Mail Date 3. Examiner's Comment Regarding Requirement for Deposit of Biological Material	7. 🗋 Other		
4. Interview Summary (PTO-413),			
Paper No./Mail Date			
/ /ISIDUKA I IMMANUEL/ Examiner: Art Unit 3685	/NEHA PATEL/	t Examinor Ar	t Unit 3685
LATINEL, ALL UTIL 3003		n ⊑xanıner, Ar	
U.S. Patent and Trademark Office			
PTOL-37 (Rev. 08-13) Notice	of Allowability	Part of Paper No.	/Mail Date 20210415

Continuation Sheet (PTOL-37)

Continuation of 3. The allowed claim(s) is/are: 1, 3,-5, 9-12, 14, 17,and 18

Notice of Pre-AIA or AIA Status

The present application is being examined under the pre-AIA first to invent provisions.

STATUS OF THE APPLICATION

This action is in response to the claims filed 11/24/2020. Claims 2, 6-8, 13, 15, and 16 have been cancelled. Claims 1, 3, 4, 9-12, 14 and 17 are amended as a result of the interview conducted March 16, 2021 and a call March 25, 2021 to discuss final changes. Claims 1, 3-5, 9-12, 14, 17 and 18 are therefore pending and currently under consideration for patentability.

EXAMINER'S AMENDMENT

- 1. (*Currently amended*) A mobile device for emulating a plurality of cards, the mobile device comprising:
 - a display screen showing a list of a plurality of applications for a user of the mobile device to select one therefrom, each application corresponding to one card in the plurality of cards;
 - a secure element (SE) including:

an emulator device;

- a memory storing a module, when the module is executed by the secure element, the secure element configured to:
 - receive and install key sets of a Supplementary Secured Domain (SSD); establish, by the secure element based on the key sets, a secure
 - communication channel with a dedicated server;
 - receive and install an application from the dedicated server, each application including corresponding application data sets and a locked or unlocked status;

- receive, from the plurality of applications, a user selection of a first application corresponding to a first card;
- determine that the first application has a locked or unlocked status and is activated,
- in response to said determining that the first application has an unlocked status and is activated, load the first application to the emulator device, along with corresponding first application data sets;
- receive, from the plurality of applications, a user selection of a second application corresponding to a second card;
- determine that the second application has a locked or unlocked status and is activated;
- in response to said determining that the second application has an unlocked status and is activated, replace out of the emulator device, a portion of or in entirety, the first application, wherein said replacing out of the emulator device a portion of the first application further comprises retaining the portion of the corresponding first application data sets to be utilized by the second application;
- load the second application to the emulator device along with corresponding second application data sets; and
- increment a counter for each successful application replacement, wherein the mobile device performs functions of the second card when the first application is replaced out of the emulator device and the second application is loaded in the emulator device.
- 2. (Cancelled)
- 3. (*Currently amended*) The mobile device as recited in claim 1, wherein the secure element is enclosed in the mobile device or in a detachable card to the mobile device.

- 4. (*Currently amended*) The mobile device as recited in claim 3, wherein each of the applications emulating functions of one of the plurality of cards, performs a function related to a monetary transaction, the mobile device is used to emulate each of the cards when a corresponding application is loaded into and executed in the emulator device.
- 5. (*Previously amended*) The mobile device as recited in claim 4, wherein at least one of the cards is a contactless card.
- 6. (Cancelled)
- 7. (Cancelled)
- 8. (Cancelled)
- 9. (*Currently amended*) The mobile device as recited in claim 1, wherein the secure element is preloaded with default Issuer Security Domain (ISD) information and updated subject to retrieved corresponding default ISD information from a party originating the secure element.
- 10. (*Currently amended*) The mobile device as recited in claim 1, wherein the mobile device is a smartphone or a portable computer.
- 11. (*Currently amended*) The mobile device as recited in claim 1, wherein each of the applications has been remotely provisioned by a corresponding dedicated server with operations of:
 - sending a request from the mobile device to the corresponding dedicated server to provision each of the applications installed in the mobile device, wherein the applications are distributed by an application provider;
 - receiving data for each of the applications being provisioned from the dedicated server, wherein the data includes the SSD to be associated with the each of the applications; and

notifying the application provider of a status of each of the applications with the mobile device.

- 12. (*Currently amended*) A method for a mobile device to emulate a plurality of cards, the method comprising:
 - displaying a list of a plurality of applications on a display of the mobile device for a user to select one therefrom, each application corresponding to one card in the plurality of cards;
 - receiving and installing, by a secure element on the mobile device, key sets of a Supplementary Secured Domain (SSD);
 - establishing, by the secure element and based on the key sets, a secure communication channel with a dedicated server;
 - receiving and installing, by the secure element, an application from the dedicated sever, each application including corresponding application data sets and a locked or unlocked status,
 - receiving, by the mobile device, a user selection of a first application corresponding to a first card;
 - determining, by the secure element, that the first application has a locked or unlocked status and is activated;
 - in response to said determining that the first application has an unlocked status and is activated, loading the first application to an emulator device in the secure element, along with corresponding first application data sets;
 - receiving, by the mobile device, from the plurality of applications, a user selection of a second application corresponding to a second card;
 - determining, by the secure element, that the second application has a locked or unlocked status and is activated;
 - in response to said determining that the second application has an unlocked status and is activated, replacing out of the emulator device, by the secure element, a portion of or in entirety, the first application, wherein said replacing out of the emulator device a portion of the first application further comprises retaining, in the

- emulator device, the portion of the corresponding first application data sets to be utilized by the second application;
- loading the second application to the emulator device along with corresponding second application data sets;
- incrementing, by the secure element, a counter for each successful application replacement, wherein the mobile device performs functions of the second card when the first application is replaced out of the emulator device and the second application is loaded in the emulator device.
- 13.(Cancelled):
- 14. (*Currently amended*) The method as recited in claim <u>12</u>13, wherein the secure element is enclosed in the mobile device or in a detachable card to the mobile device.
- 15.(Cancelled)
- 16.(Cancelled)
- 17. (*Currently amended*) The method as recited in claim <u>12</u>13, wherein the secure element is preloaded with default Issuer Security Domain (ISD) information that is updatable subject to retrieved corresponding default ISD information from a party originating the secure element.
- 18. (*Previously amended*) The method as recited in claim 12, wherein the mobile device is a smartphone or a portable computer.
- 19.(Cancelled)

Reasons for Allowance

The following is an examiner's statement of reasons for allowance:

Claims 1, 3-5, 9-12, 14, 17 and 18 are allowed. The closest prior art of record is Behren et al. (US 8646059), and in view of Corda et al. (US9128829).

Behren describes managing multiple payment card applications on a mobile device, along with the use of multiple secure elements. Corda teaches an emulating device that swaps out tickets. The combination of prior art do not teach the elements of independent claims 1 and 12. The recited emulator device, located in the secure element which includes a tracker for each application replacement, has the ability to retain data from the previous replaced application for use in the current or most recently loaded application. This combination of elements/function/limitations would not have been obvious to one of ordinary skill in the art in light of the available prior art at the time of the invention. Dependent claims 3-5, 9-11, 14, 17 and 18, are also allowable for the same reasons.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to ISIDORA I IMMANUEL whose telephone number is (469)295-9094. The examiner can normally be reached on Monday-Friday 9:00 am to 5:00pm.

Examiner interviews are available via telephone, in-person, and video conferencing using a USPTO supplied web-based collaboration tool. To schedule an interview, applicant is encouraged to use the USPTO Automated Interview Request (AIR) at http://www.uspto.gov/interviewpractice.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, NEHA PATEL can be reached on 571-270-1492. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see https://ppairmy.uspto.gov/pair/PrivatePair. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-

272-1000.

/ISIDORA I IMMANUEL/ Examiner, Art Unit 3685

/NEHA PATEL/ Supervisory Patent Examiner, Art Unit 3685

Application/Control No.		Applicant(s)/Patent Under Reexamination			
13/782,948			Xie et al.		
Examiner			Art Unit		
ISIDORA I IMMANUEL			3685		
		-			
Cancelled	d N Noi		n-Elected	A	Appeal
	Application/Control No. 13/782,948 Examiner ISIDORA I IMMANUEL	Application/Control No. 13/782,948 Examiner ISIDORA I IMMANUEL Cancelled	Application/Control No. 13/782,948 Examiner ISIDORA I IMMANUEL Cancelled N	Application/Control No. Applicant(s)/Particular 13/782,948 Xie et al. Examiner Art Unit ISIDORA I IMMANUEL 3685 Cancelled N Non-Elected	Application/Control No. Applicant(s)/Patent U 13/782,948 Xie et al. Examiner Art Unit ISIDORA I IMMANUEL 3685 Cancelled N Non-Elected A

=	Allowe	ed	÷ Re	estricted	I	Inter	ference	0	Obje	cted	
CLAIMS											
	Claims renumbered in the same order as presented by applicant										
	CLAIM					DATE					
Fi	nal Origina	02/01/2016	6 09/16/2016	09/17/2017	05/22/2018	04/15/2019	12/18/2019	08/17/2020	02/27/2021	03/23/2021	
	1 1	1	1	1	1	1	1	1	1	=	
	2	1	1	1	1	1	1	1	1	-	
2	2 3	1	1	1	1	1	1	1	1	=	
	3 4	1	1	1	1	1	1	1	1	=	
4	4 5	1			1			1		=	
	6	1			1	1	1	1	1	_	
	7										

~

_

√ √ √

√ √

-

√ √ √

-

=

=

=

Ξ

-

=

-

-

Ξ

=

-

√ √ √

√ √

<u>\</u> \ \ \

Page 1 of 1

	Application/Control No.	Applicant(s)/Patent Under Reexamination
Issue Classification	13/782,948	Xie et al.
	Examiner	Art Unit
	ISIDORA I IMMANUEL	3685

CPC						
Symbol					Туре	Version
H04B	1	5	1	0056	F	2013-01-01
G06Q	1	20	1	352	I	2013-01-01
G06Q	1	30	1	0601	I	2013-01-01
G06Q	1	20	1	3672	I	2013-01-01
G06Q	1	20	1	3552	I	2013-01-01
G06Q	1	20	1	40	I	2013-01-01
G06Q	1	20	1	322	I	2013-01-01
G06Q	Ι	20	1	3278	I	2013-01-01
G06Q	1	20	1	3572	I	2013-01-01
G06Q	1	20	1	227	I	2013-01-01

CPC Combination Sets								
Symbol				Туре	Set	Ranking	Version	
	1		1					

/ISIDORA I IMMANUEL/ Examiner, Art Unit 3685	16 April 2021	Total Claim	s Allowed:
(Assistant Examiner)	(Date)	1'	1
/NEHA PATEL/ Supervisory Patent Examiner, Art Unit 3685	17 April 2021	O.G. Print Claim(s)	O.G. Print Figure
(Primary Examiner)	(Date)	1	1A
U.S. Patent and Trademark Office		Р	art of Paper No.: 2021041

Page 1 of 3

	Application/Control No.	Applicant(s)/Patent Under Reexamination	
Issue Classification	13/782,948	Xie et al.	
	Examiner	Art Unit	
	ISIDORA I IMMANUEL	3685	

INTERNATIONAL CLASSIFICATION							
CLAIMED							
	1		1				
H04B5/00	1	5	1	00			
G06Q30/06	1	30	1	06			
G06Q20/36	1	20	1	36			
G06Q20/40	1	20	1	40			
G06Q20/32	1	20	1	32			
G06Q20/22	1	20	1	22			
NON-CLAIMED							
G06Q20/34	1	20	1	34			

US ORIGINAL CLASSIFICATION								
	CLASS		SUBCLASS					
705			50					
CROSS REFERENCES(S)								
CLASS	SUBCLASS (ONE SUBCLASS PER BLOCK)							

/ISIDORA I IMMANUEL/ Examiner, Art Unit 3685	16 April 2021	Total Claims Allowed:		
(Assistant Examiner)	(Date)	1 [.]	1	
/NEHA PATEL/ Supervisory Patent Examiner, Art Unit 3685	17 April 2021	O.G. Print Claim(s)	O.G. Print Figure	
(Primary Examiner)	(Date)	1	1A	
U.S. Patent and Trademark Office		Р	art of Paper No.: 20210415	

Page 2 of 3

	Application/Control No.	Applicant(s)/Patent Under Reexamination				
Issue Classification	13/782,948	Xie et al.				
	Examiner	Art Unit				
	ISIDORA I IMMANUEL	3685				

	Claims renumbered in the same order as presented by applicant CPA T.D. R.1.47														
CLAIN	CLAIMS														
Final	Original	Final	Original	Final	Original	Final	Original	Final	Original	Final	Original	Final	Original	Final	Original
1	1	6	10		19										
	2	7	11												
2	3	8	12												
3	4		13												
4	5	9	14												
	6		15												
	7		16												
	8	10	17												
5	9	11	18												

/ISIDORA I IMMANUEL/ Examiner, Art Unit 3685	16 April 2021	Total Claims Allowed:		
(Assistant Examiner)	(Date)	11		
/NEHA PATEL/ Supervisory Patent Examiner, Art Unit 3685	17 April 2021	O.G. Print Claim(s)	O.G. Print Figure	
(Primary Examiner)	(Date)	1	1A	
U.S. Patent and Trademark Office		P	art of Paper No.: 20210415	

art of Paper No.: 2 415

Page 3 of 3