

## Appendix E International Word Lists

### Portuguese

1	<b>Acerca de</b>	seleccionar	109	caixa de listagem
2	tecla de acesso	ancorar	110	vista da lista ( controlo)
3	acessibilidade	documento	111	ligação manual
4	ponto de controlo de acção	duplo clique, fazer duplo clique	112	<b>Maximizar</b>
5	activo(s)/a(s)	(sobre)	113	botão Maximizar
6	extremidade activa	arrastar	114	menu
7	objecto activo	arrastar e largar	115	barra de menus
8	janela activa	caixa de combinação pendente	116	botão de menu
9	ornamento	caixa de listagem pendente	117	item de menu
10	<b>Sempre Visível</b>	menu pendente	118	título do menu
11	ponto de fixação	<b>Editar</b>	119	caixa da mensagem
12	<b>Aplicar</b>	<b>menu Editar</b>	120	<b>Minimizar</b>
13	saída automática	ellipse (if graphic object), reticências	121	botão Minimizar
14	repetição automática	(if punctuation)	122	valor misto
15	ligação automática	objecto incorporado	123	modal
16	rolamento automático	<b>Sair</b>	124	modo
17	<b>Retroceder</b>	expandir (um destaque)	125	sem modo
18		selecção alargada	126	tecla modificadora
19		caixa de listagem de selecção	127	rato
20		alargada	128	<b>Mover</b>
21	<b>Procurar</b>	ficheiro	129	<b>Mover Aqui</b>
22	<b>Cancelar</b>	menu Ficheiro	130	interface de múltiplos documentos
23	menu em cascata	<b>Localizar</b>		(MDI, multiple document interface)
24	caixa de verificação	<b>Localizar Seguinte</b>	131	caixa de listagem de selecção
25	marca de verificação	<b>Localizar</b>		múltipla
26	janela filha	pasta	132	O Meu Computador (ícone)
27	seleccionar	tipo de letra	133	Redondezas na Rede (ícone)
28	clique, fazer clique (sobre)	tamanho do tipo de letra	134	<b>Novo</b>
29	Área de Transferência	estilo do tipo de letra	135	<b>Seguinte</b>
30	<b>Fechar</b>	tecla de função	136	objecto
31	botão Fechar	caixa de grupo	137	<b>OK</b>
32	fechar (destaque)	ponto de controlo	138	OLE (ligação e incorporação de
33	título de coluna (controlo)	<b>Ajuda</b>		objectos)
34	caixa de combinação	menu Ajuda	139	arrastar e largar OLE
35	botão de comando	<b>Ocultar</b>	140	objecto incorporado por OLE
36	recipiente, depósito	selecção hierárquica	141	objecto ligado por OLE
37	ajuda contextual	manter premido(s)/a(s)	142	arrastar e largar OLE não
38	contextual	ponto interactivivo	143	predefinido
39	controlo	área interactiva	144	<b>Abrir</b>
40	<b>Copiar</b>	ícone	145	<b>Abrir Com</b>
41	Copiar Aqui	inactivo(s)/a(s)	146	botão de opção
42	<b>Criar Atalho</b>	janela inactiva	147	conjunto de opções
43	Criar Atalho Aqui	foco de introdução	148	conjunto de programas
44	<b>Cortar</b>	<b>menu Inserir</b>	149	<b>Configurar Página</b>
45	predefinir; predefinido;	Inserir Objecto		janela da paleta
	predefinição; predefinições	ponto de inserção	150	painel
46	botão predefinido	itálico	151	janela mãe
47	<b>Eliminar</b>	etiqueta/nome	152	palavra-passe
48	ambiente de trabalho	horizontal	153	<b>Colar</b>
49	destino	ligação	154	<b>Colar Ligação</b>
50	caixa de diálogo	ligar	155	<b>Colar Atalho</b>
51	incapacidade	Ligar Aqui	156	<b>Colar Especial</b>
52	selecção descontínua (n.),		157	caminho

## Portuguese

158	<b>Pausa/Interromper</b>	191	<b>Continuar</b>	225	botão Iniciar
159		192	<b>Repetir/Tentar de Novo</b>	226	pasta de Arranque
160	<b>Reproduzir</b>	193	caixa de texto melhorado	227	barra de estado
161	Plug and Play	194	<b>Executar</b>	228	<b>Parar</b>
162	ponto	195	<b>Guardar</b>	229	controlo de tabulação
163	ponteiro	196	<b>Guardar Como</b>	230	
164	menu de sobreposição	197	rolar	231	barra de tarefas
165	janela de sobreposição	198	seta de deslocamento	232	Ajuda relacionada com a tarefa
166	vertical	199	barra de deslocamento	233	modelo
167	premír (uma tecla)	200	caixa de deslocamento	234	caixa de texto
168	premír (e manter premido um botão do rato)	201	janela secundária	235	barra de título
169	recipiente principal	202	selecionar	236	texto do título
170	janela principal	203	<b>Seleccionar Tudo</b>	237	tecla de comutação
171	<b>Imprimir</b>	204	selecção	238	barra de ferramentas
172	impressora	205	ponto de controlo de selecção	239	descrição
173	indicador de progresso (controlo)	206	<b>Enviar Para</b>	240	controlo da vista da árvore
174	projeto	207	separador	241	tipo (n.)
175	<b>Propriedades</b>	208	<b>Definições</b>	242	escrever (v.)
176	inspector de propriedades	209	<b>Configurar</b>	243	indisponível
177	página de propriedades	210	atalho	244	<b>Anular</b>
178	folha de propriedades	211	botão de atalho	245	<b>Desinstalar</b>
179	controlo de folha de propriedades	212	ícone de atalho	246	<b>menu Ver</b>
180	<b>Apresentação</b>	213	tecla de atalho	247	edição visual
181	Só de Leitura	214	controlo de teclas de atalho	248	controlo de propriedades gráficas
182		215	<b>Mostrar</b>	249	<b>O Que É Isto?</b>
183	Reciclagem (ícone)	216	<b>Encerrar</b>	250	janela
184	<b>Repetir</b>	217	caixa de listagem de selecção única	251	<b>menu Janela</b>
185	selecção de grupo	218	<b>Dimensionar (v.), Tamanho (n.)</b>	252	Explorador do Windows
186	registo	219	controlo de dimensionamento	253	assistente
187	<b>Repetir</b>	220	controlo de escala	254	(o) livro
188	<b>Substituir</b>	221	caixa de controlo rotativo	255	grupo de trabalho
189	<b>Restaurar</b>	222	<b>Dividir</b>	256	área de trabalho
190	botão Restaurar	223	barra de divisão	257	<b>Sim</b>
		224	caixa de divisão		

## Appendix E International Word Lists

### Portuguese – Brazil

1	<b>Sobre</b>	52	seleção descontínua (n.), descontinuar seleção (v.)	rótulo paisagem
2	tecla de acesso	53	encaixar	104
3	acessibilidade	54	documento	105
4	alças de manipulação	55	clicar duas vezes	106
5	ativo(a)	56	arrastar	107
6	fim ativo	57	arrastar-e-soltar	108
7	objeto ativo	58	caixa de combinação suspensa	109
8	janela ativa	59	caixa de listagem suspensa	110
9	controle de opções gráficas	60	caixa de listagem suspenso	111
10	<b>Sempre Visível</b>	61	menu suspenso	112
11	ponto de âncora	62	<b>Editar</b>	113
12	<b>Aplicar</b>	63	<b>Menu Editar</b>	114
13	saída automática (n.), sair automaticamente (v.)	64	reticências	115
14	repetição automática (n.), repetir automaticamente (v.)	65	objeto incorporado	116
15	vínculo automático	66	<b>Sair</b>	117
16	rolagem automática	67	expandir (tópicos)	118
17	<b>Voltar</b>	68	<b>Explorar</b>	119
18		69	seleção estendida	120
19		70	caixa de listagem de seleção estendida	121
20		71	caixa de listagem de seleção estendida	122
21	<b>Procurar</b>	72	arquivo	123
22	<b>Cancelar</b>	73	<b>Menu Arquivo</b>	124
23	menu em cascata	74	<b>Localizar</b>	125
24	caixa de verificação	75	<b>Localizar Próxima</b>	126
25	marca de verificação	76	<b>Localizar</b>	127
26	janela filho	77	pasta	128
27	escolher	78	fonte	129
28	clicar	79	tamanho da fonte	130
29	Área de Transferência	80	estilo da fonte	131
30	<b>Fechar</b>	81	tecla de função	132
31	botão Fechar	82		Meu Computador (ícone)
32	ocultar (tópicos)	83	caixa de grupo	133
33	cabeçalho da coluna (controle)	84	alças	134
34	caixa de combinação	85	<b>Ajuda</b>	135
35	botão de comando	86	<b>Menu Ajuda</b>	136
36	recipiente	87	<b>Ocultar</b>	137
37	Ajuda relacionada ao contexto	88	seleção hierárquica	138
38	relacionado(a) ao contexto	89	manter pressionado(a)	139
39	controle	90	ponto interativo	140
40	<b>Copiar</b>	91	área interativa	141
41	<b>Copiar Aqui</b>	92	ícone	142
42	<b>Criar Atalho</b>	93	inativo(a)	143
43	<b>Criar Atalho Aqui</b>	94	janela inativa	144
44	<b>Recortar</b>	95		<b>Abrir</b>
45	padrão	96		<b>Abrir Com</b>
46	botão padrão	97	foco de entrada	145
47	<b>Excluir</b>	98	<b>Menu Inserir</b>	146
48	área de trabalho	99	<b>Inserir Objeto</b>	147
49	destino	100	ponto de inserção	148
50	caixa de diálogo	101	ítálico	149
51	incapacidade	102	according to context: nome, etiqueta,	150
				painel
				janela pai
				senha

## Portuguese – Brazil

153	<b>Colar</b>	188	<b>Substituir</b>	224	caixa de divisão
154	<b>Colar Vínculo</b>	189	<b>Restaurar</b>	225	botão Iniciar
155	<b>Colar Atalho</b>	190	botão Restaurar	226	pasta Iniciar
156	<b>Colar Especial</b>	191	<b>Continuar</b>	227	barra de status
157	caminho	192	<b>Repetir</b>	228	<b>Parar</b>
158	<b>Pausa</b>	193	caixa de rich-text	229	controle de tabulação (if it refers to tabul.), controle de guias (if it refers to ‘tabs’ in a dial. box)
159		194	<b>Executar</b>		
160	<b>Reproduzir; Jogar</b>	195	<b>Salvar</b>	230	
161	Plug and Play	196	<b>Salvar Como</b>	231	barra de tarefas
162	ponto	197	rolar	232	Ajuda relacionada à tarefa
163	ponteiro	198	seta de rolagem	233	modelo
164	menu pop-up	199	barra de rolagem	234	caixa de texto
165	janela pop-up	200	caixa de rolagem	235	barra de título
166	retrato	201	janela secundária	236	texto do título
167	pressione (uma tecla )	202	selecionar	237	tecla de alternância
168	pressione (e mantenha pressionado o botão do mouse)	203	<b>Selecionar Tudo</b>	238	barra de ferramentas
169	recipiente primário	204	seleção	239	descrição de ferramenta
170	janela primária	205	alças de seleção	240	modo de árvore (controle)
171	<b>Imprimir</b>	207	<b>Enviar Para</b>	241	tipo
172	impressora	208	separador	242	digitar
173	indicador de progresso (controle)	209	<b>Configurações</b>	243	não disponível
174	projeto	210	<b>Programa de Instalação</b>	244	<b>Desfazer</b>
175	<b>Propriedades</b>	211	atalho	245	<b>Desinstalar</b>
176	inspetor de propriedades	212	botão de atalho	246	<b>Menu Exibir</b>
177	página de propriedades	213	ícone de atalho	247	edição visual
178	folha de propriedades	214	tecla de atalho	248	controle de entalhe
179	controle de folha de propriedades	215	controle de tecla de atalho	249	<b>O Que É Isto?</b>
180	<b>Visualização Rápida</b>	216	<b>Mostrar</b>	250	janela
181	somente leitura	217	<b>Desligar</b>	251	<b>Menu Janela</b>
182		218	caixa de listagem de seleção única	252	Windows Explorer
183	Lixeira (ícone)	219	<b>Tamanho</b>	253	assistente
184	<b>Refazer</b>	220	alças de dimensionamento	254	pasta de trabalho
185	seleção de região	221	controle deslizante	255	grupo de trabalho
186	registro	222	caixa de rotação	256	área de trabalho
187	<b>Repetir</b>	223	<b>Divisão (n.), Dividir (v.)</b>	257	<b>Sim</b>

## Russian

1	О программе	46	основная кнопка	87	Скрыть
2	клавиша доступа	47	Удалить	88	Иерархическое выделение
3	доступность; легкость	48	рабочий стол	89	удерживать
	использования	49	место назначения, получатель	90	острие
4	ручка	50	диалоговое окно	91	область взаимодействия
5	активный	51	физический недостаток	92	значок
6	активный край	52	несвязанное выделение	93	неактивный
7	активный объект	53	закрепить; пристыковать	94	неактивное окно
8	активное окно	54	документ	95	
9	элемент обрамления	55	(в.) дважды щелкнуть; дважды	96	
10	Поверх остальных[окон]		нажать кнопку мыши; (п.)	97	фокус ввода
11	начало выделения		двойной щелчок; двойное	98	Вставка
12	Применить		нажатие кнопки мыши	99	Вставить объект
13	автопереход; поле с	56		100	курсор
	автоматическим переходом	57	1) перетащить (объект); 2)	101	наклонное (начертание);
14	самоповторяющийся (событие		протащить (указателем по		курсивное
	и т.п.)		списку, тексту и т.п.; линию); 3)	102	наклейка; подпись
15	автоматически обновляемая		выделить (фрагмент текста,	103	альбомная
	связь		элементы списка, объекты и	104	
16	автопрокрутка		т.п.); 4) переместить указатель	105	
17	Назад		при нажатой кнопке мыши	106	связь
18			(если ни одно из предыдущих	107	связать
19			выражений не подходит)	108	Связать здесь
20			перетащить [с помощью мыши]	109	список
21	Обзор (кнопка); обзор,	58	поле с раскрывающимся	110	список
	просмотр	59	списком	111	связь, обновляемая вручную
22	Отмена(кнопка)	60	раскрывающийся список	112	Развернуть
	Отменить(команда)	61	меню; раскрывающееся меню	113	кнопка развертывания окна
23	подменю	62	править, изменять	114	меню
24	флажок	63	Правка	115	строка меню
25	отметка; галочка	64	многоточие	116	кнопка раскрытия меню
26	дочернее окно	65	встроенный объект	117	пункт меню
27	выбрать	66	Выход	118	заглавие меню
28	(в.) щелкнуть; нажать кнопку	67	развернуть (иерархию,	119	окно сообщения
	мыши; выбрать с помощью		структурой)	120	Свернуть
	мыши; (п.) щелчок; нажатие		Просмотр	121	Кнопка свертывания [окна]
	кнопки мыши	68	расширенное выделение	122	смешанное (состояние элемента
29	Буфер обмена	69	списком с расширенным		интерфейса)
30	Закрыть	70	выделением	123	модальный
31	Кнопка закрытия окна	71	файл	124	режим
32	свернуть (структуру)	72	Документ; Файл	125	немодальный
33	заголовок столбца	73	Найти	126	преобразующая клавиша
34	поле со списком	74	Поискдалее	127	мыши
35	кнопка	75	Образец	128	Переместить
36	[объект-]контейнер	76	папка	129	Переместитьсюда
37	контекстная справка	77	шрифт	130	многодокументная среда
38	контекстный	78	размер шрифта		(MDI)
39	элемент управления	79	начертание	131	список с множественным
40	Копировать	80	функциональная клавиша		выбором
41	Копироватьсюда	81		132	Мой компьютер
42	Создатьярлык	82		133	Сетевая окрестность
43	Создатьярлыкздесь	83	рамка группы, группа	134	Создать
44	Вырезать	84	ручка	135	Далее(Next/Back), Следующий
45	используемый по умолчанию;	85	Справка		(Next/Previous)
	предустановленный	86	?	136	объект

## Russian

137	OK (русские буквы)	178	окно свойств	Показать
138	OLE	179	элемент управления из таблицы свойств	Завершениеработы
139	OLE-перетаскивание	180	Быстрыйпросмотр	217
140	внедренный OLE-объект	181	только для чтения, только чтение (флажок)	простой список
141	связанный OLE-объект			218
142	условное OLE-перетаскивание			Размер
143	Открыть	182		219
144	Открыть помошью	183	Корзина	ручка размера
145	переключатель	184	Вернуть	220
146	параметр установлен	185	хват	ползунок
147	сверток	186	[системный] реестр	221
148	Макетстраницы	187	Повторить	счетчик
149	окно палитры	188	Заменить	222
150	область (окна)	189	Восстановить	Разбить
151	родительское окно	190	Кнопка восстановления	223
152	пароль		размеров окна	линия разбивки
153	Вставить	191	Продолжить	224
154	Вставитьсвязь	192	Повтор(кнопка); повторить	кнопка Пуск
155	Вставитьярлык	193	форматируемое поле	225
156	Специальнаяставка	194	Выполнить	Загружаемые при запуске;
157	путь	195	Сохранить	Автозапуск
158	Пауза	196	Сохранитькак	227
159		197	прокручивать	строка состояния
160	Воспроизведение	198	кнопка прокрутки	228
161	[самонастраивающееся]	199	полоса прокрутки	Останов; Остановить Стоп
162	устройство (Plug and Play)	200	бегунок	ярлычок
163	указать на; подвести указатель к; установить указатель на	201	вспомогательное окно	
164	указатель	202	выбрать; выделить	панель задач
165	всплывающее меню	203	Выделитьвсе	справка по задачам
166	всплывающее окно	204	выделение; выделенные	шаблон
167	книжная (ориентация)	205	объекты	230
168	нажать (клавишу)	206	ручка выделения	помощник
169	нажать и удержать кнопку мыши	207	Отправить	231
170	главный контейнер	208	разделитель	справка
171	главное окно	209	Настройка	232
172	Печать	210	Установка	текст
173	принтер	211	ярлык	233
174	индикатор выполнения, показатель выполнения	212	кнопка действия	заголовок
175	проект	213	значок ярлыка, ярлык	234
176	Свойства	214	быстрая клавиша; сочетание клавиш	переключатель
177	инспектор свойств объекта	215	быстро	235
	карточка свойств		вызова	панель инструментов
			поля определения сочетания	236
			клавиш	всплывающая подсказка
			Вывести; Отобразитъ	237
				средство просмотра дерева
				типа
				тип
				вводить
				241
				недоступный
				242
				Отменить
				243
				Удалить
				244
				Вид
				245
				правка на месте
				246
				клетка
				247
				Что это такое?
				248
				окно
				249
				Окно
				250
				Проводник
				251
				мастер
				252
				рабочая книга
				253
				рабочая группа
				254
				рабочее пространство
				255
				256
				Да
				257

## Slovenian

1	<b>Vizitka</b>	53	združitev	105	povezava
2	tipka za dostop	54	dokument	106	povezati
3	Pripomočki za invalide	55	dvočlik	107	<b>Poveži sem</b>
4	oprimek dejanja	56		108	okence seznama
5	aktivno	57	povleči	109	seznamski pogled (krmilo)
6	aktivni konec	58	povleči in spustiti	110	ročna povezava
7	aktivni predmet	59	spustni kombinirani seznam	111	<b>Maksimiraj</b>
8	aktivno okno	60	okence za spustni seznam	112	gumb Maksimiraj
9	prirobnik	61	spustni meni	113	meni
10	<b>Vedno na vrhu</b>	62	<b>Uredi</b>	114	menijska vrstica
11	sidrišče	63	<b>meni Uredi</b>	115	menijski gumb
12	<b>Uporabi</b>	64	tri pike	116	menijski element
13	samodejni izhod	65	vdelani predmet	117	naslov menija
14	samodejna ponovitev	66	<b>Izhod</b>	118	sporočilno okno
15	samodejna povezava	67	razširiti (oris)	119	<b>Minimiraj</b>
16	samodejno drsenje (samodrsenje)	68	<b>Raziskuj</b>	120	gumb Minimiraj
17	<b>Nazaj</b>	69	razširjeni izbor	121	neenotno
18		70	okence seznama za razširjeni izbor	122	načinovno
19		71	datoteka	123	način
20		72	meni Datoteka	124	breznačinovno
21	<b>Prebrskaj</b>	73	<b>Najdi</b>	125	modifikacijska tipka
22	<b>Prekliči</b>	74	<b>Nadaljuj iskanje</b>	126	miška
23	stopničasti meni	75	<b>Najdi (Kaj)</b>	127	<b>Premakni</b>
24	potrditveno polje	76	mapa	128	Premakni sem
25	potrditveni znak	77	pisava	129	večdokumentni vmesnik (MDI)
26	podrejeno okno	78	velikost pisave	130	okence seznama za večkratni izbor
27	izbrati	79	slog pisave	131	Moj računalnik (ikona)
28	klikniti	80	funkcijska tipka	132	Omrežna soseščina (ikona)
29	odložišče	81		133	<b>Novi</b>
30	<b>Zapri</b>	82		134	<b>Naslednji / Naprej</b>
31	gumb Zapri	83	okvirček skupine	135	predmet
32	strnit (oris)	84	oprimek	136	<b>V redu</b>
33	naslov stolpca (krmilo)	85	<b>Pomoč</b>	137	OLE
34	kombinirani seznam	86	meni Pomoč	138	OLE povleci in spusti
35	ukazni gumb	87	<b>Skrij</b>	139	OLE vdelan predmet
36	vsebnik	88	hierarhični izbor	140	OLE povezan predmet
37	pomensko občutljiva pomoč	89	zadržati	141	OLE neprivzeto povleci in spusti
38	pomensko skladno	90	občutljiva točka	142	<b>Odpri</b>
39	krmilo	91	občutljivo področje	143	Odpri z
40	<b>Kopiraj</b>	92	ikona	144	izbirni gumb
41	<b>Kopiraj sem</b>	93	neaktivno	145	možnost je izbrana
42	<b>Ustvari bližnjico</b>	94	neaktivno okno	146	paket
43	<b>Ustvari bližnjico tu</b>	95		147	<b>Priprava strani</b>
44	<b>Izreži</b>	96		148	paletno okno
45	privzeto	97	vnosno žarišče	149	podokno
46	privzeti gumb	98	<b>meni Vstavi</b>	150	nadrejeno okno
47	<b>Izbrisi</b>	99	<b>Vstavi predmet</b>	151	geslo
48	namizje	100	mesto vstavljanja	152	<b>Prilepi</b>
49	cilj	101	ležeče (pisava)	153	Prilepi s povezavo
50	pogovorno okno	102	oznaka	154	Prilepi bližnjico
51	telesna okvara	103	ležeče (format)	155	Posebno lepljenje
52	nepovezani izbor	104		156	

## Slovenian

157	pot	191	<b>Nadaljuj</b>	225	gumb Start
158	<b>Premor / Začasna prekinitev</b>	192	<b>Poskusi znova</b>	226	Mapa - Zagon
159		193	vnosno polje za obogateno besedilo	227	statusna vrstica
160	<b>Predvajaj</b>	194	<b>Poženi</b>	228	<b>Ustavi</b>
161	Plug and Play	195	<b>Shrani</b>	229	jeziček
162	pokazati	196	<b>Shrani kot</b>	230	
163	kazalec	197	drseti	231	opravilna vrstica
164	pojavni meni	198	drsna puščica	232	opravilno usmerjena pomoč
165	pojavno okno	199	drsnski trak	233	predloga
166	pokončno	200	drsnik	234	vnosno polje
167	pritisniti (tipko)	201	dodatno okno	235	naslovna vrstica
168	pritisniti (in zadržati miškino tipko)	202	izbrati	236	besedilo naslova
169	osnovni vsebnik	203	<b>Izberi vse</b>	237	preklopna tipka
170	osnovno okno	204	izbor	238	orodna vrstica
171	<b>Tiskaj</b>	205	izbirni oprimek	239	opis orodja
172	tiskalnik	206	<b>Pošlji</b>	240	krmilo za dresnesi pogled
173	kazalnik poteka (krmilo)	207	ločilo	241	vrsta
174	projicirati	208	<b>Nastavitve</b>	242	natipkati
175	<b>Lastnosti</b>	209	<b>Priprava</b>	243	ni na voljo
176	prikaz lastnosti	210	bližnjica	244	<b>Razveljni</b>
177	stran z lastnostmi	211	gumb bližnjice	245	<b>Odstrani</b>
178	okno z lastnostmi	212	ikona bližnjice	246	<b>meni Pogled</b>
179	krmilo v oknu z lastnostmi	213	tipka bližnjice	247	neposredno urejanje
180	<b>Hitri vpogled</b>	214	krmilo za tipko bližnjice	248	krmilo za grafično izbiro
181	samo za branje	215	<b>Pokaži</b>	249	<b>Kaj je to?</b>
182		216	<b>Zaustavitev sistema</b>	250	okno
183	Koš (ikona)	217	okence seznama za enojno izbiro	251	<b>meni Okno</b>
184	<b>Uveljni</b>	218	<b>Velikost</b>	252	Raziskovalec
185	izbira področja	219	velikostni oprimek	253	čarovnik
186	register	220	drsnski letev	254	delovni zvezek
187	<b>Ponovi</b>	221	vrtilno polje	255	delovna skupina
188	<b>Zamenjaj</b>	222	<b>Razdeli</b>	256	delovni prostor
189	<b>Obnovi</b>	223	delilna črta	257	<b>Da</b>
190	gumb Obnovi	224	okenski delilnik		

## Appendix E International Word Lists

### Spanish

1	<b>Acerca de</b>	54	documento	106	vínculo (n.)
2	tecla de acceso	55	hacer doble clic	107	vincular (v.)
3	accesibilidad	56	puntear dos veces	108	<b>Vincular aquí</b>
4	controlador de acciones	57	arrastrar	109	cuadro de lista
5	activo	58	arrastrar y colocar	110	presentación de íconos or "ver lista"
6	fin de la selección activa	59	cuadro combinado desplegable		depending on context.
7	objeto activo	60	cuadro de lista desplegable	111	vínculo manual
8	ventana activa	61	menú desplegable	112	<b>Maximizar</b>
9	opción gráfica	62	<b>Edición</b>	113	botón de maximizar
10	<b>Siempre visible</b>	63	<b>menú Edición</b>	114	menú
11	inicio de la selección activa	64	puntos suspensivos	115	barra de menús
12	<b>Aplicar</b>	65	objeto incrustado	116	botón de menú
13	salida automática	66	<b>Salir</b>	117	elemento de menú
14	repetición automática	67	expandir (un esquema)	118	título de menú
15	vínculo automático	68	<b>Explorar</b>	119	cuadro de mensaje
16	desplazamiento automático	69	selección extendida	120	<b>Minimizar</b>
17	<b>Atrás</b>	70	cuadro de lista de selección	121	botón de minimizar
18	botón del lápiz	71	extendida	122	valores mezclados
19	puntear con el botón presionado	72	archivo	123	modal
20	edición en casilla (control)	73	menú Archivo	124	modo
21	<b>Examinar</b>	74	<b>Buscar</b>	125	sin modo
22	<b>Cancelar</b>	75	<b>Buscar siguiente</b>	126	tecla modificadora
23	menú en cascada	76	<b>Buscar</b>	127	mouse
24	casilla de verificación	77	fuente	128	<b>Mover</b>
25	marca de verificación	78	tamaño de fuente	129	<b>Mover aquí</b>
26	ventana secundaria	79	estilo de fuente	130	interfaz de documentos múltiples
27	elegir	80	tecla de función		(MDI)
28	hacer clic	81	signo	131	cuadro de lista de selección múltiple
29	Portapapeles	82	símbolo gráfico	132	Mi PC (ícono)
30	Cerrar	83	cuadro de grupo	133	Entorno de red (ícono)
31	botón "Cerrar"	84	controlar (v.) controlador (n.)	134	<b>Nuevo</b>
32	contraer (esquema)	85	<b>Ayuda</b>	135	<b>Siguiente</b>
33	encabezado de columna (control)	86	menú Ayuda	136	objeto
34	cuadro combinado	87	<b>Ocultar</b>	137	<b>Aceptar</b>
35	botón de comando	88	selección jerárquica	138	OLE
36	contenedor	89	mantener presionado	139	Arrastrar y colocar de OLE
37	ayuda interactiva	90	punto interactivo	140	Objeto incrustado de OLE
38	contextual	91	zona interactiva	141	Objeto vinculado de OLE
39	control	92	ícono	142	Arrastrar y colocar no
40	<b>Copiar</b>	93	inactivo		predeterminado de OLE
41	<b>Copiar aquí</b>	94	ventana inactiva	143	<b>Abrir</b>
42	<b>Crear acceso directo</b>	95	trazo	144	<b>Abrir con</b>
43	<b>Crear acceso directo aquí</b>	96	editor de trazos	145	botón de opción
44	<b>Cortar</b>	97	zona de entrada [de datos]	146	opción establecida
45	predeterminado	98	<b>Insertar</b>	147	paquete
46	botón predeterminado	99	<b>Insertar objeto</b>	148	<b>Preparar página</b>
47	<b>Eliminar</b>	100	punto de inserción	149	ventana de paleta
48	escritorio	101	cursiva	150	panel
49	destino	102	etiqueta	151	ventana principal
50	cuadro de diálogo	103	horizontal	152	contraseña
51	Discapacidades	104	punteo en la selección	153	<b>Pegar</b>
52	selección disjunta	105	lente (control)	154	<b>Pegar vínculo</b>
53	acoplar			155	<b>Pegar acceso directo</b>

## Spanish

156	<b>Pegado especial</b>	191	<b>Reanudar</b>	224	cuadro de división
157	ruta de acceso	192	<b>Reintentar</b>	225	botón "Inicio"
158	<b>Pausa</b>	193	cuadro de texto enriquecido	226	carpeta Inicio
159	lápiz	194	<b>Ejecutar</b>	227	barra de estado
160	<b>Reproducir</b>	195	<b>Guardar</b>	228	<b>Detener</b>
161	Plug and Play	196	<b>Guardar como</b>	229	control de fichas
162	señalar(v.) punto (n.)	197	desplazar	230	puntear
163	puntero	198	flecha de desplazamiento	231	barra de tareas
164	menú emergente	199	barra de desplazamiento	232	Ayuda relativa a la tarea
165	ventana emergente	200	cuadro de desplazamiento	233	plantilla
166	vertical	201	ventana secundaria	234	cuadro de texto
167	presionar (una tecla)	202	seleccionar	235	barra de título
168	presionar (y mantener presionado un botón del mouse)	203	<b>Seleccionar todo</b>	236	texto de título
169	contenedor primario	204	selección	237	tecla para alternar
170	ventana principal	205	controlador de selección	238	barra de herramientas
171	<b>Imprimir</b>	206	<b>Enviar a</b>	239	sugerencias
172	impresora	207	separador	240	control de visión en árbol
173	índicador de progreso (control)	208	<b>Configuración</b>	241	tipo (n.)
174	proyecto	209	<b>Instalar</b> for an application or <b>Configurar</b> for a device already installed	242	escribir (v.)
175	<b>Propiedades</b>	210	acceso directo	243	no disponible
176	monitor de propiedades	211	botón de acceso directo	244	<b>Deshacer</b>
177	página de propiedades	212	ícono de acceso directo	245	<b>Desinstalar</b>
178	hoja de propiedades	213	tecla de método abreviado	246	<b>menú Ver</b>
179	control de la hoja de propiedades	214	control de la tecla de método abreviado	247	edición visual
180	<b>Vista rápida</b>	215	<b>Mostrar</b>	248	control de opciones gráficas
181	sólo lectura	216	<b>Apagar el sistema</b>	249	<b>¿Qué es esto?</b>
182	reconocimiento	217	cuadro de lista de selección simple	250	ventana
183	Papelera de reciclaje (ícono)	218	<b>Tamaño</b>	251	<b>menú Ventana</b>
184	<b>Rehacer</b>	219	ajuste de tamaño	252	Explorador de Windows
185	selección de área	220	control deslizante	253	asistente
186	Registro de configuraciones	221	cuadro selector	254	libro [de trabajo]
187	<b>Repetir</b>	222	<b>Dividir</b>	255	grupo de trabajo
188	<b>Reemplazar</b>	223	barra de división	256	área de trabajo
189	<b>Restaurar</b>			257	<b>Sí</b>
190	botón "Restaurar"				

## Appendix E International Word Lists

### Swedish

1	<b>Om</b>	53	docka	106	länk
2	snabbtangent	54	dokument	107	länska
3	Hjälpmeld (ikonen Accessibility)/tillgänglighet	55	dubbelklicka på	108	<b>Länka hit</b>
4	funktionshandtag	56	dra	109	listruta
5	aktiv	58	dra och släpp	110	listvy
6	aktiv slutpunkt	59	nedrullningsbar kombinationsruta	111	manuell länk
7	aktivt objekt	60	nedrullningsbar listruta	112	<b>Maximera</b>
8	aktivt fönster	61	nedrullningsbar meny	113	maximeringsknapp
9	fönsterfält	62	<b>Redigera</b>	114	meny
10	Alltid överst	63	<b>Redigera-meny</b>	115	menyrad
11	startpunkt	64	punkter	116	menyknapp
12	Verkställ	65	inbäddat objekt	117	menyobjekt
13	flytta automatiskt	66	<b>Avtäta</b>	118	menytitel
14	upprepa automatiskt	67	expandera	119	meddelanderuta
15	automatisk länk	68	<b>Utforska</b>	120	<b>Minimera</b>
16	automatisk rullning	69	utökad markering	121	minimeringsknapp
17	Föregående	70	listruta för utökad markering	122	blandvärde
18		71	fil	123	modal
19		72	Arkiv-meny	124	läge
20		73	<b>Sök</b>	125	icke-modal
21	<b>Bläddra</b>	74	Sök nästa	126	ändringstangent
22	Avbryt	75	Sök efter	127	mus
23	undermeny	76	mapp	128	<b>Flytta</b>
24	kryssruta	77	teckensnitt	129	<b>Flytta hit</b>
25	markering	78	teckenstorlek	130	multiple document interface (MDI)
26	underfönster	79	teckenstil	131	listruta för multipel markering
27	välj	80	funktionstangent	132	Den här datorn
28	klicka	81		133	Nätverket
29	Urkipp	82		134	<b>Ny/nytt</b>
30	<b>Stäng</b>	83	gruppruta	135	<b>Nästa</b>
31	stängningsknapp	84	handtag	136	objekt
32	komprimera	85	<b>Hjälp</b>	137	<b>OK</b>
33	kolumnrubrik	86	Hjälp-meny	138	OLE
34	kombinationsruta	87	Dölj	139	dra och släpp (OLE)
35	kommandoknapp	88	hierarkisk markering	140	inbäddat objekt (OLE)
36	behållare	89	hälla ned	141	länkat objekt (OLE)
37	sammanhangsberoende hjälp	90	aktiv punkt	142	utökat dra och släpp (OLE)
38	sammanhangsberoende	91	aktiveringszon	143	<b>Öppna</b>
39	kontroll	92	ikon	144	<b>Öppna med</b>
40	Kopiera	93	inaktiv	145	alternativknapp
41	Kopiera hit	94	inaktivt fönster	146	valt alternativ
42	Skapa genväg	95		147	paket
43	Skapa genväg här	96		148	<b>Utskriftsformat</b>
44	Klipp ut	97	inmatningsfokus	149	palettfönster
45	standard	98	<b>Infoga-meny</b>	150	fönsterruta
46	standardknapp	99	<b>Infoga objekt</b>	151	moderfönster
47	Ta bort	100	insättningspunkt	152	lösenord
48	skrivbord	101	kursiv	153	<b>Klistra in</b>
49	mål	102	titel	154	<b>Klistra in länk</b>
50	dialogruta	103	liggande	155	<b>Klistra in genväg</b>
51	oförstå	104		156	<b>Klistra in special</b>
52	osammanhängande markering	105		157	sökväg
				158	<b>Paus</b>

## Swedish

159		193	rich text-ruta	226	mappen Autostart
160	<b>Spela upp</b>	194	<b>Kör</b>	227	statusfält
161	Plug and Play	195	<b>Spara</b>	228	<b>Stanna</b>
162	peka	196	<b>Spara som</b>	229	flik
163	pekare	197	rulla	230	
164	pop up-meny	198	rullningspil	231	Aktivitetsfältet
165	pop up-fönster	199	rullningslist	232	aktivitetsberoende hjälp
166	stående	200	rullningsruta	233	mall
167	tryck på	201	sekundärt fönster	234	textruta
168	håll ned	202	markera	235	namnlist
169	primär behållare	203	<b>Markera allt</b>	236	text i namnlist
170	primärt fönster	204	markering	237	växlingstangent
171	<b>Skriv ut</b>	205	markeringshandtag	238	verktygsfält
172	skrivare	206	<b>Skicka till</b>	239	funktionsbeskrivning
173	förloppsindikator	207	avgränsare	240	trädkontroll
174	projekt	208	<b>Inställningar</b>	241	typ
175	<b>Egenskaper</b>	209	<b>Inställningar/</b>	242	skriva
176	egenskapsgranskare		<b>installationsprogram</b>	243	ej tillgänglig
177	egenskapssida	210	genväg	244	<b>Ängra</b>
178	egenskapsförteckning	211	genvägsknapp	245	<b>Avinstallera</b>
179	kontroll i egenskapsförteckning	212	genvägsikon	246	<b>Visa-meny</b>
180	<b>Snabbgranskning</b>	213	kortkommando	247	direktrödigering
181	skrivskydd	214	kortkommandokontroll	248	grafikkontroll
182		215	<b>Visa</b>	249	<b>Förklaring</b>
183	Papperskorgen	216	<b>Avsluta</b>	250	fönster
184	<b>Gör om</b>	217	listruta för enkel markering	251	<b>Fönster-meny</b>
185	områdesmarkering	218	<b>Storlek/Andra storlek</b>	252	Utforskaren
186	Registret	219	storleksgrepp	253	guide
187	<b>Upprepa</b>	220	skjutreglage	254	arbetsbok
188	Ersätt	221	rotationsruta	255	arbetsgrupp
189	Återställ	222	<b>Dela</b>	256	arbetssyta
190	knappen Återställ	223	delningslist	257	<b>Ja</b>
191	<b>Fortsätt</b>	224	delningsruta		
192	Försök igen	225	startknappen		

## Appendix E International Word Lists

### Turkish

1	<b>Hakkında</b>	54	belge	107	bağla
2	erişim tuşu	55	çift tıklama	108	<b>Buraya Bağla</b>
3	erişilebilirlik	56		109	liste kutusu
4	eylem tutacağı	57	sürüklemek	110	liste görünümü (denetim)
5	etkin	58	sürükle ve bırak	111	el ile bağlantı
6	bitiş ucu	59	açılan bileşim kutusu	112	<b>Ekrani Kapla</b>
7	etkin nesne	60	açılan liste kutusu	113	ekranı kaplama düğmesi
8	etkin pencere	61	açılan menü	114	menü
9	takı	62	<b>Düzenle</b>	115	menü çubuğu
10	<b>Devamlı Üstte</b>	63	<b>Düzen menüsü</b>	116	menü düğmesi
11	başlangıç ucu	64	uç nokta	117	menü öğesi
12	<b>Uygula</b>	65	katılmış nesne	118	menü başlığı
13	otomatik çıkış	66	<b>Çıkar</b>	119	iletisi kutusu
14	otomatik yineleme	67	(seviye) genişlet	120	<b>Simgə Durumuna Küçült</b>
15	otomatik bağlantı	68	<b>Araştır</b>	121	simgə durumuna küçültme düğmesi
16	otomatik kaydırma	69	genişletilmiş seçim	122	karışık değer
17	<b>Geri</b>	70	genişletilmiş seçim listesi kutusu	123	kipsel
18		71	dosya	124	kıp
19		72	Dosya menüsü	125	kipsiz
20		73	<b>Bul</b>	126	değiştirici tuş
21	<b>Gözat</b>	74	<b>Sonrakini Bul</b>	127	fare
22	<b>İptal Et</b>	75	<b>Ne Bulunsun</b>	128	<b>Taşı</b>
23	basamaklı menü	76	klasör	129	<b>Buraya Taşı</b>
24	onay kutusu	77	yazıtımı	130	Çoklu Belge Arabiri
25	onay imi	78	yazıtımı boyutu	131	çoklu seçim listesi kutusu
26	alt pencere	79	yazıtımı böleme	132	Bilgisayarım (simgə)
27	seçmek	80	işlev tuşu	133	Ag Komşuları (simgə)
28	tıklamak	81		134	<b>Yeni</b>
29	Pano	82		135	<b>Sonraki</b>
30	<b>Kapat</b>	83	grup kutusu	136	nesne
31	Kapat düğmesi	84	tutaç	137	<b>Tamam</b>
32	(seviye) daralt	85	<b>Yardım</b>	138	OLE
33	sütun başlığı	86	Yardım menüsü	139	OLE sürükle ve bırak
34	bileşim kutusu	87	<b>Gizle</b>	140	OLE katılmış nesne
35	komut düğmesi	88	sırasal seçim	141	OLE bağlanmış nesne
36	kap	89	basılı tutmak	142	OLE varsayılan dışı sürükleme ve bırakma
37	iceriğe duyarlı yardım	90	sıcak nokta	143	<b>Aç</b>
38	iceriksel	91	sıcak bölge	144	<b>Birlikte Aç</b>
39	denetim	92	simge	145	seçenek düğmesi
40	<b>Kopyala</b>	93	etkin değil	146	seçim ayarı
41	<b>Buraya Kopyala</b>	94	etkin olmayan pencere	147	paket
42	<b>Kısıyol Yarat</b>	95		148	<b>Sayfa Yapısı</b>
43	<b>Burada Kısıyol Yarat</b>	96		149	palet penceresi
44	<b>Kes</b>	97	giriş odağı	150	yarı pencere
45	ön değer	98	<b>Ekle menüsü</b>	151	ana pencere
46	saptanan düğme	99	<b>Nesne Ekle</b>	152	parola
47	<b>Sil</b>	100	ekleme noktası	153	<b>Yapıştır</b>
48	masaüstü	101	italik	154	<b>Bağlantı Yapıştır</b>
49	hedef	102	etiket	155	<b>Kısıyol Yapıştır</b>
50	iletşim kutusu	103	yatay	156	<b>Özel Yapıştır</b>
51	engellilik	104		157	yol
52	düzensiz seçim	105			
53	yapışık	106	bağlantı		

## Turkish

158	<b>Durakla</b>	191	<b>Devam Et</b>	225	Başlat düğmesi
159		192	<b>Yeniden Dene</b>	226	Başlangıç klasörü
160	<b>Çal</b>	193	zengin metin kutusu	227	durum çubuğu
161	Tak ve Kullan	194	<b>Çalıştır</b>	228	<b>Dur</b>
162	yaztipi boyutu birimi (n.) / işaretleme (v.)	195	<b>Kaydet</b>	229	sekme denetimi
163	isaretçi	196	<b>Farklı Kaydet</b>	230	
164	açılır menü	197	kaydurmak	231	görev çubuğu
165	açılır pencere	198	kaydırma oku	232	göreve duyarlı Yardım
166	düsey	199	kaydırma çubuğu	233	şablon
167	basmak	200	kaydırma kutusu	234	metin kutusu
168	basın (ve basılı tutun)	201	ikincil pencere	235	başlık çubuğu
169	birincil kap	202	seçmek (n.) / Seç (v.)	236	başlık metni
170	ön pencere	203	<b>Tümünü Seç</b>	237	değiştirme tuşu
171	<b>Yazdır</b>	204	seçim	238	araç çubuğu
172	yazıcı	205	seçim tutacağı	239	araç bilgisi
173	durum göstergesi (denetim)	206	<b>Gönder</b>	240	araç görünümülü denetim
174	proje	207	ayırıcı	241	tür
175	<b>Özellikler</b>	208	<b>Ayarlar</b>	242	yaz
176	özellik denetleyicisi	209	<b>Kur</b>	243	kullanılamaz
177	özellik sayfası	210	kısayol	244	<b>Geri Al</b>
178	özellik tablosu	211	kısayol düğmesi	245	<b>Kaldır</b>
179	özellik tablosu denetimi	212	kısayol simgesi	246	<b>Görünüm mentisi</b>
180	<b>Hızlı Bakış</b>	213	kısayol tuşu	247	yerinde düzenleme
181	salt okunur	214	kısayol tuşu denetimi	248	görsel denetim
182		215	<b>Göster</b>	249	<b>Bu Nedir?</b>
183	Geri Dönüşüm Kutusu (simge)	216	<b>Oturumu Kapat</b>	250	pencere
184	<b>Yinele</b>	217	tek seçim listesi kutusu	251	<b>Pencere mentisi</b>
185	bölge seçimi	218	<b>Boyut</b>	252	Windows Gezginini
186	kayıt	219	boyutlandırma tutacağı	253	sihirbaz
187	<b>Yinele</b>	220	kaydırıcı	254	çalışma kitabı
188	<b>Değiştir</b>	221	fırıldak kutusu	255	çalışma grubu
189	<b>Eski Durumuna Getir</b>	222	<b>Böl</b>	256	çalışma alanı
190	Eski Durumuna Getir düğmesi	223	bölme çubuğu	257	<b>Evet</b>
		224	bölme kutusu		



# Glossary

## A

**accelerator key** *See* shortcut key.

**access bar** *See* desktop toolbar.

**access key** The key that corresponds to an underlined letter on a menu or control (also referred to as a mnemonic or mnemonic access key).

**accessibility** Designing software to be usable and accessible to the widest range of users, including users with disabilities.

**action handle** A special handle, primarily designed for pen-based interaction, that provides access to a selected object's operations, through a pop-up menu, drag and drop, or both.

**active** The state when an object is the focus of user input and its operations are available.

**active end** The ending point for a selected range of objects. It is usually established at the object logically nearest the hot spot of the pointer when a user releases a mouse button or lifts the tip of a pen from the input surface. *Compare* anchor point.

**active window** The window in which a user is currently working or directing input. An active window is typically at the top of the Z order and is distinguished by the color of its title bar. *Compare* inactive window.

**adornment** A control or status area that is attached to the edge of a pane or window, such as a toolbar or ruler.

**anchor point** The starting point for a selected range of objects. An anchor point is usually established at the object logically nearest the hot spot of the pointer when a user presses a mouse button or touches the tip of a pen to the input surface. *Compare* active end.

**anti-aliasing** A graphic design technique that involves adding colored pixels to smooth the jagged edges of a graphic.

**apply** To commit a set of changes or pending transactions made in a secondary window, typically without closing that window.

**auto-exit** A text box in which the input focus automatically moves to the next control as soon as a user types the last character.

**auto-joining** The movement of text to fill a remaining gap after a user deletes other text.

**automatic scrolling** A technique where a display area automatically scrolls without direct interaction with a scroll bar.

**auto-repeat** An event or interaction that is automatically repeated. Auto-repeat events usually occur when a user holds down a keyboard key or presses and holds a special control (for example, scroll bar buttons).

## Glossary

### B

**barrel-tap** A pen action that involves holding down the barrel button of a pen while tapping. It is the equivalent of clicking mouse button 2.

**box edit** A standard Microsoft Windows pen interface control that provides a discrete area for entering each character. A user can also edit text within the control.

### C

**cancel** To halt an operation or process and return to the state before it was invoked. *Compare* stop.

**caret** *See* insertion point.

**cascading menu** A menu that is a submenu of a menu item (also referred to as a hierarchical menu, child menu, or submenu).

**check box** A standard Windows control that displays a setting, either checked (set) or unchecked (not set). *Compare* option button.

**child menu** *See* cascading menu.

**child window** A document window used within an MDI window. *See also* multiple document interface.

**chord** To press more than one mouse button at the same time.

**click** (v.) To position the pointer over an object and then press and release a mouse button. (n.) The act of clicking. *See also* press.

**Clipboard** The area of storage for objects, data, or their references after a user carries out a Cut or Copy command.

**close** To remove a window.

**code page** A collection of characters that make up a character set.

**collection** A set of objects that share some common aspect.

**column heading** A standard Windows control that can be used to provide interactive column titles for a list.

**combo box** A standard Windows control that combines a text box and interdependent list box. *Compare* drop-down combo box.

**command button** A standard Windows control that initiates a command or sets an option (also referred to as a push button).

**composite** A set or group of objects whose aggregation is recognized as an object itself (for example, characters in a paragraph, a named range of cells in a spreadsheet, or a grouped set of drawing objects).

**constraint** A relationship between a set of objects, such that making a change to one object affects another object in the set.

**container** An object that holds other objects.

**context menu** *See* pop-up menu.

**context-sensitive Help** Information about an object and its current condition. It answers the questions “What is this” and “Why would I want to use it?” *Compare* reference Help and task-oriented Help.

**contextual** Specific to the conditions in which something exists or occurs.

**contiguous selection** A selection that consists of a set of objects that are logically sequential or adjacent to each other (also referred to as range selection). *Compare* disjoint selection.

**control** An object that enables user interaction or input, often to initiate an action, display information, or set values.

**Control menu** The menu, also referred to as the System menu, displayed on the left end of a title bar in Windows 3.1. A pop-up menu of a window replaces the Control menu.

**cursor** A generic term for the visible indication of where a user's interaction will occur. *See also* input focus, insertion point, and pointer.

## D

**data-centered design** A design in which users interact with their data directly without having to first start an appropriate editor or application.

**data link** A link that propagates a value between two objects or locations.

**default** An operation or value that the system or application assumes, unless a user makes an explicit choice.

**default button** The command button that is invoked when a user presses the ENTER key. A default button typically appears in a secondary window.

**delete** To remove an object or value.

**desktop** The visual work area that fills the display. The desktop is also a container and can be used as a convenient location to place objects stored in the file system.

**desktop toolbar** A toolbar that docks to the desktop, similar to the taskbar. *See also* taskbar.

**dialog base unit** A device-independent measure to use for layout. One horizontal unit is equal to one-fourth of the average character width for the current system font. One vertical unit is equal to one-eighth of an average character height for the current system font.

**dialog box** A secondary window that gathers additional information from a user. *Compare* message box, palette window, and property sheet.

**dimmed** *See* unavailable.

**disabled** *See* unavailable.

**disjoint selection** A selection that consists of a set of objects that are not logically sequential or physically adjacent to each other. *Compare* contiguous selection. *See also* extended selection.

**dock** To manipulate an interface element, such as a toolbar, such that it aligns itself with the edge of another interface element, typically a window or pane.

**document** A common unit of data (typically a file) used in user tasks and exchanged between users.

**document window** A window that provides a primary view of a document (typically its content).

**double-click** (v.) To press and release a mouse button twice in rapid succession. (n.) The act of double-clicking.

**double-tap** (v.) To press and lift the pen tip twice in rapid succession. It is typically interpreted as the double-click of the mouse. (n.) The act of double-tapping.

**drag** To press and hold a mouse button (or press the pen tip) while moving the mouse (or pen).

## Glossary

**drag and drop** A technique for moving, copying, or linking an object by dragging. The destination determines the interpretation of the operation. *Compare* nondefault drag and drop.

**drop-down combo box** A standard Windows control that combines the characteristics of a text box with a drop-down list box. *Compare* combo box.

**drop-down list box** A standard Windows control that displays a current setting, but can be opened to display a list of choices.

**drop-down menu** A menu that is displayed from a menu bar. *See also* menu and pop-up menu.

### E

**edit field** *See* text box.

**Edit menu** A common drop-down menu that includes general purpose commands for editing objects displayed within a window, such as Cut, Copy, and Paste.

**ellipsis** The “...” suffix added to a menu item or button label to indicate that the command requires additional information to be completed. When a user chooses the command, a dialog box is usually displayed for user input of this additional information.

**embedded object** *See* OLE embedded object.

**event** An action or occurrence to which an application can respond. Examples of events are clicks, key presses, and mouse movements.

**explicit selection** A selection that a user intentionally performs with an input device. *Compare* implicit selection.

**extended selection** A selection technique that is optimized for the selection of a single object or single range using contiguous selection techniques (that is, canceling any existing selection when a new selection is made). However, it also supports modifying an existing selection using disjoint selection techniques. *See also* disjoint selection.

**extended selection list box** A list box that supports multiple selection, but is optimized for a selection of a single object or single range. *See also* extended selection and list box. *Compare* multiple selection list box.

### F

**File menu** A common drop-down menu that includes commands for file operations, such as Open, Save, and Print.

**flat appearance** The recommended visual display of a control when it is nested inside another control or scrollable region.

**folder** A type of container for objects — typically files.

**font** A set of attributes for text characters.

**font size** The size of a font, typically represented in points.

**font style** The stylistic attributes of a font — such as bold, italic, and underline.

### G

**gesture** A set of lines or strokes (inking) drawn on the screen that is recognized and interpreted as a command or character. *See also* recognition and ink.

**glyph** A generic term used to refer to any graphic or pictorial image that can be used on a button or in a message box. *Compare icon.*

**grayed** *See* unavailable.

**group box** A standard Windows control that groups a set of controls.

## H

**handle** An interface element added to an object that provides a control point for moving, sizing, reshaping, or other operations pertaining to that object.

**Help menu** A common drop-down menu that includes commands that provide access to Help information or other forms of user assistance. *See also* context-sensitive Help and task-oriented Help.

**heterogeneous selection** A selection that includes objects with different properties or type. *Compare homogeneous selection.*

**hierarchical menu** *See* cascading menu.

**hold** To continue pressing a keyboard key, mouse button, or pen tip.

**homogeneous selection** A selection that includes objects with the same properties or type. *Compare heterogeneous selection.*

**hot spot** The specific portion of the pointer (or pointing device) that defines the exact location, or object, to which a user is pointing.

**hot zone** The interaction area of a particular object or location with which a pointer or pointing device's hot spot must come in contact.

## I

**icon** A pictorial representation of an object. *Compare glyph.*

**implicit selection** A selection that is the result of inference or the context of some other operation. *See also* explicit selection.

**inactive** The state of an object when it is not the focus of a user's input.

**inactive window** A window in which a user's input is not currently being directed. An inactive window is typically distinguished by the color of its title bar. *Compare active window.*

**indeterminate** *See* mixed-value appearance.

**ink** The unrecognized, freehand drawing of lines on the screen with a pen. *See also* gesture and ink edit.

**ink edit** A standard Windows control for input and editing of "ink." *See also* ink.

**input focus** The location where the user is currently directing input.

**input focus appearance** The visual display of a control or other object that indicates when it has the input focus.

**insertion point** The location where text or graphics will be inserted (also referred to as the caret). Also used for text box controls to indicate input focus.

**inside-out activation** A technique that allows a user to directly interact with the content of an OLE embedded object without executing an explicit activation command. *Compare outside-in activation.*

## Glossary

### J

**jump** A special form of a link that navigates to another location (also referred to as a hyperlink).

### L

**label** The text (or graphic) that identifies a control (also referred to as a caption).

**landscape** An orientation where the long dimension of a rectangular area (for example, screen or paper) is horizontal.

**lasso-tap** A pen gesture that results in a region selection by drawing a circle around the object to be selected and tapping within that circle.

**lens** *See* writing tool.

**link** (v.) To form a connection between two objects. (n.) A reference to an object that is linked to another object. *See also* OLE linked object.

**link path** The descriptive form of referring to the location of a link source (also referred to as a moniker).

**list box** A standard Windows control that displays a list of choices. *See also* extended selection list box.

**list view** A standard Windows list box control that displays a set of objects. The control also supports different views and drag and drop.

**locale** A collection of language-related user preferences for formatting information, such as time, currency, or dates.

**localization** The process of adapting software for different countries, languages, or cultures.

### M

**marquee** *See* region selection.

**maximize** To make a window its largest size. *See also* minimize.

**MDI** *See* multiple document interface.

**menu** A list of textual or graphical choices from which a user can choose. *See also* drop-down menu and pop-up menu.

**menu bar** A horizontal bar at the top of a window, below the title bar, that contains menus. *See also* drop-down menu.

**menu button** A command button that displays a menu.

**menu item** A choice on a menu.

**menu title** A text or graphic label that designates a particular menu. For drop-down menus, the title is the entry in the menu bar; for cascading menus the menu title is the name of its parent menu item.

**message box** A secondary window that is displayed to inform a user about a particular condition. *Compare* dialog box, palette window, and property sheet.

**minimize** To minimize the size of a window; in some cases this means to hide the window. *See also* maximize.

**mixed-value appearance** The visual display for a control when it reflects a mixed set of values.

**mnemonic** *See* access key.

**modal** A restrictive or limiting interaction because of operating in a mode. Modal often describes a secondary window that restricts a user's interaction with other windows. A secondary window can be modal with respect to its primary window or to the entire system. *Compare* modeless.

**mode** A particular state of interaction, often exclusive in some way to other forms of interaction.

**modeless** Not restrictive or limiting interaction. Modeless often describes a secondary window that does not restrict a user's interaction with other windows. *Compare* modal.

**modifier key** A keyboard key that, when pressed (and held), changes the actions of ordinary input.

**moniker** *See* link path.

**mouse** A commonly used input device that has one or more buttons used to interact with a computer. It is also used as a generic term to include other pointing devices that operate similarly (for example, trackballs and headpointers).

**multiple document interface (MDI)** A technique for managing a set of windows whereby documents are opened into windows (sometimes called child windows) that are constrained to a single primary (parent) window. *See also* child window and parent window.

**multiple selection list box** A list box that is optimized for making multiple, independent selections. *Compare* extended selection list box and single selection list box.

**My Computer** A standard Windows icon that represents a user's private, usually local, storage.

## N

**Network Neighborhood** A standard Windows icon that represents access to objects that are stored on the network file system.

**nondefault drag and drop** A drag (transfer) operation whose interpretation is determined by a user's choice of command. These commands are included in a pop-up menu displayed at the destination when the object is dropped. *Compare* drag and drop.

## O

**object** An entity or component identifiable by a user that can be distinguished by its properties, operations, and relationships.

**object-action paradigm** The basic interaction model for the user interface in which the object to be acted upon is specified first, followed by the command to be executed.

**OLE (Microsoft OLE)** The name that describes the technology and interface for implementing support for object interaction.

**OLE embedded object** A data object that retains the original editing and operating functionality of the application that created it, while physically residing in another document.

**OLE linked object** An object that represents or provides an access point to another object that resides at another location in the same container or a different, separate container. *See also* link.

**OLE visual editing** The ability to edit an OLE embedded object in place, without opening it into its own window.

## Glossary

**open appearance** The visual display of an object when the user opens the object into its own window.

**operation** A generic term that refers to the actions that can be done to or with an object.

**option button** A standard Windows control that allows a user to select from a fixed set of mutually exclusive choices (also referred to as a radio button). *Compare* check box.

**option-set appearance** The visual display for a control when its value is set.

**outside-in activation** A technique that requires a user to perform an explicit activation command to interact with the content of an OLE embedded object. *Compare* inside-out activation.

### P

**package** An OLE encapsulation of a file so that it can be embedded in an OLE container.

**palette window** A modeless secondary window that displays a toolbar or other choices, such as colors or patterns. *Compare* dialog box and message box. *See also* property sheet.

**pane** One of the separate areas in a split window.

**parent window** A primary window that provides window management for a set of child windows. *See also* child window and multiple document interface.

**pen** An input device that consists of a pen-shaped stylus that a user employs to interact with a computer.

**persistence** The principle that the state of an object is automatically preserved.

**point** (v.) To position the pointer over a particular object and location. (n.) A unit of measurement for type (1 point equals approximately 1/72 inch).

**pointer** A graphic image displayed on the screen that indicates the location of a pointing device (also referred to as a cursor).

**pop-up menu** A menu that is displayed at the location of a selected object (also referred to as a context menu or shortcut menu). The menu contains commands that are contextually relevant to the selection.

**pop-up window** A secondary window with no title bar that is displayed next to an object; it provides contextual information about that object.

**portrait** An orientation where the long dimension of a rectangular area (for example, screen or paper) is vertical.

**press** To press and release a keyboard key or to touch the tip of a pen to the screen. *See also* click.

**pressed appearance** The visual display for an object, such as a control, when it is being pressed.

**primary window** The window in which the main interaction takes place. *See also* secondary window and window.

**progress indicator** Any form of feedback that provides the user with information about the state of a process.

**progress indicator control** A standard Windows control that displays the percentage of completion of a particular process as a graphical bar.

**project** A window or task management technique that consists of a container holding a set of objects, such that when the container is opened, the windows of the contained objects are restored to their former positions.

**properties** Attributes or characteristics of an object that define its state, appearance, or value.

**property inspector** A dynamic properties viewer that displays the properties of the current selection, usually of a particular type of object. *Compare* property sheet.

**property page** A grouping of properties on a tabbed page of a property sheet. *See also* property sheet.

**property sheet** A secondary window that displays the properties of an object when a user chooses its Properties command. *Compare* dialog box and property inspector. *See also* property page.

**property sheet control** A standard Windows control used to create property sheet interfaces.

**proximity** The ability of some pen devices to detect the presence of the pen without touching the pen to the input surface.

**push button** *See* command button.

## R

**radio button** *See* option button.

**range selection** *See* contiguous selection.

**recognition** The interpretation of strokes or gestures as characters or operations. *See also* gesture.

**reference Help** A form of online Help information that can contain conceptual and explanatory information. *Compare* task-oriented Help and context-sensitive Help.

**region selection** A selection technique that involves dragging out a bounding outline (also referred to as a marquee) to define the selected objects.

**Recycle Bin** The standard Windows icon that represents the repository for deleted files.

**relationship** The context or way an object relates to its environment.

**rich-text box** A standard Windows control that is similar to a standard text box, except that it also supports individual character and paragraph properties.

## S

**scope** The definition of the extent that a selection is logically independent from other selections. For example, selections made in separate windows are typically considered to be independent of each other.

**scrap** An icon created when the user transfers a data selection from within a file to a shell container.

**scroll** To move the view of an object or information to make a different portion visible.

**scroll arrow button** A component of a scroll bar that allows the information to be scrolled by defined increments when the user clicks it. The direction of the arrow indicates the direction in which the information scrolls.

**scroll bar** A standard Windows control that supports scrolling.

## Glossary

**scroll box** A component of a scroll bar that indicates the relative position (and optionally the proportion) of the visible information relative to the entire amount of information. The user can drag the scroll box to view areas of information not currently visible. *See also* scroll bar shaft.

**scroll bar shaft** The component of a scroll bar that provides the visual context for the scroll box. Clicking (or tapping) in the scroll bar shaft scrolls the information by a screenful. *See also* scroll box.

**secondary window** A window that provides information or supplemental interaction related to objects in a primary window.

**select** To identify one or more objects upon which an operation can be performed.

**selection** An object or set of objects that have been selected.

**selection appearance** The visual display of an object when it has been selected.

**selection handle** A graphical control point of an object that provides direct manipulation support for operations of that object, such as moving, sizing, or scaling.

**separator** An entry in a menu used to group menu items together.

**shell** A generic term that refers to the interface that allows the user control over the system.

**shortcut** A generic term that refers to an action or technique that invokes a particular command or performs an operation with less interaction than its usual method.

**shortcut icon** A link presented as an icon that provides a user with access to another object.

**shortcut key** A keyboard key or key combination that invokes a particular command (also referred to as an accelerator key).

**shortcut menu** *See* pop-up menu.

**single selection list box** A list box that only supports selection of a single item in the list.

**size grip** A special control that appears at the junction of a horizontal and vertical scroll bar or the right end of a status bar and provides an area that a user can drag to size the lower right corner of a window.

**slider** A standard Windows control that displays and sets a value from a continuous range of possible values, such as brightness or volume.

**spin box** A control composed of a text box and increment and decrement buttons that allows a user to adjust a value from a limited range of possible values.

**split bar** A division between panes that appears where a window has been split; the split bar visually separates window panes.

**split box** A special control added to a window, typically adjacent to the scroll bar, that allows a user to split a window or adjust a window split.

**status bar** An area that allows the display of state information of the information being viewed in the window, typically placed at the bottom of a window.

**status bar control** A standard Windows control that provides the functionality of a status bar.

**stop** To halt a process or action, typically without restoring the state before the process began. *Compare* cancel.

**submenu** *See* cascading menu.

**System menu** *See* Control menu.

## T

**tab control** A standard Windows control that looks similar to a notebook or file divider and provides navigation between different pages or sections of information.

**tap** To press and lift the pen tip from the screen, usually interpreted as a mouse click.

**targeting** To determine where pen input is directed.

**taskbar** A special toolbar that docks on an edge of the desktop supplied by the system. The taskbar includes the Start button, buttons for each open primary window, and a status area.

**task-oriented Help** Information about the steps involved in carrying out a particular task. *Compare* context-sensitive Help and reference Help.

**template** An object that automates the creation of new objects of a particular type.

**text box** A standard Windows control in which a user can enter and edit text (also referred to as the edit field).

**thread** A process that is part of a larger process or program.

**title bar** The horizontal area at the top of a window that identifies the window. The title bar also acts as a handle for dragging the window.

**toggle key** A keyboard key that alternates between turning a particular operation, function, or mode on or off.

**toolbar** A frame or special area that contains a set of other controls.

**toolbar button** A command button used in a toolbar (or status bar).

**toolbar control** A standard Windows control designed with the same characteristics as the toolbar.

**tooltip** A standard Windows control that provides a small pop-up window that provides descriptive text, such as a label, for a control or graphic object.

**transfer appearance** The visual feedback displayed during a transfer operation.

**transaction** A unit of change to an object.

**tree control** A standard Windows control that allows a set of hierarchically related objects to be displayed as an expandable outline.

**type** (v.) To enter a character from the keyboard. (n.) A classification of an object based on its characteristics, behavior, and attributes.

## U

**unavailable** The state of a control whose normal functionality is not presently available to a user (also referred to as grayed, dimmed, and disabled).

**unavailable appearance** The visual display for a control when it is unavailable.

**undo** To reverse a transaction.

**unfold button** A command button used to expand a secondary window to a larger size to reveal additional controls or information.

## Glossary

### V

**visual editing** *See* OLE visual editing.

### W

**well control** A control that is used to display color or pattern choices, typically used like an option button.

**white space** The background area of a window. (The color need not literally be white.)

**window** A standard Windows object that displays information. A window is a separately controllable area of the screen that typically has a rectangular border. *See also* primary window and secondary window.

**wizard** A form of user assistance that automates a task through a dialog with the user.

**wordwrap** The convention where, as a user enters text, existing text is automatically moved from the end of a line to the next line.

**workbook** A window or task management technique that consists of a set of views that are organized like a tabbed notebook.

**workspace** A window or task management technique that consists of a container holding a set of objects, where the windows of the contained objects are constrained to a parent window. Similar to the multiple document interface, except that the windows displayed within the parent window are of objects that are also contained in the workspace.

**writing tool** A standard Windows pen interface control that supports text editing.

### Z

**Z order** The layered relationship of a set of objects, such as windows, on the display screen.

# Bibliography

## General Design

- Baecker, Ronald M., and Buxton, William A. S. *Readings in Human-Computer Interaction: A Multidisciplinary Approach*. Los Altos, Calif.: M. Kaufmann, 1987.
- Brooks, Frederick P. *The Mythical Man-Month: Essays on Software Engineering*. Reading, Mass.: Addison-Wesley Pub. Co., 1975.
- Heckel, Paul. *The Elements of Friendly Software Design*. New Ed., San Francisco: SYBEX, 1991.
- Lakoff, George, and Johnson, Mark. *Metaphors We Live By*. Chicago: University of Chicago Press, 1980.
- Laurel, Brenda, Ed. *The Art of Human-Computer Interface Design*. Reading, Mass.: Addison-Wesley Pub. Co., 1990.
- Norman, Donald A. *The Design of Everyday Things*. New York: Basic Books, 1990.
- Norman, Donald A., and Draper, Stephen, W., Eds. *User Centered System Design: New Perspectives on Human-Computer Interaction*. Hillsdale, N.J.: L. Erlbaum Associates, 1986.

Shneiderman, Ben. *Designing the User Interface: Strategies for Effective Human-Computer Interaction*. Reading, Mass.: Addison-Wesley, 1992.

Tognazzini, Bruce. *Tog on Interface*. Reading, Mass.: Addison-Wesley, 1992.

## Graphic Information Design

Blair, Preston. *Cartoon Animation*. How to Draw and Paint Series. Tustin, Calif.: Walter Foster Pub., 1989.

Dreyfuss, Henry. *Symbol Sourcebook: An Authoritative Guide to International Graphic Symbols*. New York: Van Nostrand Reinhold Co., 1984.

Thomas, Frank., and Johnston, Ollie. *Disney Animation: The Illusion of Life*. New York: Abbeville Press, 1984.

Tufte, Edward R. *Envisioning Information*. Cheshire, Conn.: Graphics Press, 1990.

Tufte, Edward R. *The Visual Display of Quantitative Information*. Cheshire, Conn.: Graphics Press, 1983.

## Bibliography

### Usability

Dumas, Joseph S., and Redish, Janice C. *A Practical Guide to Usability Testing*. Norwood, N.J.: Ablex Pub. Corp., 1993.

Nielsen, Jakob. *Usability Engineering*. Boston: Academic Press, 1993.

Rubin, Jeffrey. *Handbook of Usability Testing: How to Plan, Design, and Conduct Effective Tests*. New York: Wiley, 1994.

Whiteside, John, Bennett, John, and Holtzblatt, Karen. "Usability Engineering: Our Experience and Evolution." In *Handbook of Human-Computer Interaction*, Martin Helander (Ed.), Elsevier Science Pub. Co., Amsterdam, 1988.

Wiklund, Michael E., Ed. *Usability in Practice: How Companies Develop User-Friendly Products*. Boston: AP Professional, 1994.

### Object-Oriented Design

Booch, Grady. *Object-Oriented Analysis and Design with Applications*. Redwood City, Calif.: Benjamin/Cummings Pub. Co., 1994.

Peterson, Gerald E., Ed. *Tutorial: Object-Oriented Computing: Volume 2: Implementations*. Washington, D.C.: Computer Society Press of the IEEE, 1987.

Rumbaugh, James, et al. *Object-Oriented Modeling and Design*. Englewood Cliffs, N.J.: Prentice Hall, 1991.

### Organizations

The following organizations publish journals and sponsor conferences on topics related to user interface design.

SIGCHI (Special Interest Group in Computer Human Interaction)  
Association for Computing Machinery  
1515 Broadway  
New York, NY 10036-5701  
212-869-7440

SIGGRAPH (Special Interest Group on Graphics)  
Association for Computing Machinery  
1515 Broadway  
New York, NY 10036-5701  
212-869-7440

Human Factors and Ergonomics Society  
P.O. Box 1369  
Santa Monica, CA 90406-1369  
310-394-1811

## Bibliography

### Accessibility

For a list of accessibility aids available for Microsoft Windows, accessibility software vendors, potential test sites, or facilities for producing accessible documentation, contact:

Microsoft Sales Information Center  
One Microsoft Way  
Redmond, WA 98052-6399  
(800) 426-9400 (voice)  
(800) 892-5234 (text telephone)  
(206) 936-7329 (FAX)

An assistive technology program in your area can provide referrals to programs and services available to you. To locate the assistive technology program nearest to your location, contact:

National Information System  
Center for Development Disabilities  
University of South Carolina  
Benson Building  
Columbia, SC 29208  
(803) 777-4435 (voice or text telephone)  
(803) 777-6058 (FAX)

The Trace Research and Development Center publishes references and materials on accessibility, including:

Vanderheiden, Gregg C., and Vanderheiden, Katherine R. *Accessible Design of Consumer Products: Guidelines for the Design of Consumer Products to Increase Their Accessibility to People with Disabilities or Who Are Aging.* Madison, Wis.: Trace Research and Development Center, 1991.

Vanderheiden, Gregg C. *Application Software Design Guidelines: Increasing the Accessibility of Applications Software to People with Disabilities and Older Users (Version 1.1).* Madison, Wis.: Trace Research and Development Center, 1994.

Borden, Fatherly, Ford, and Vanderheiden, Eds. *Trace Resource Book: Assistive Technologies for Communication, Control and Computer Access.* Madison, Wis.: Trace Research and Development Center, 1993.

For information on these books and other resources available from the Trace Research and Development Center, contact them at:

Trace Research and Development Center  
University of Wisconsin - Madison  
S-151 Waisman Center  
1500 Highland Avenue  
Madison, WI 5705-2280  
(608) 263-2309 (voice)  
(608) 263-5408 (text telephone)  
(608) 262-8848 (FAX)



# Index

- 16-x 16-pixel icons 250, 392
- 32-x 32-pixel icons 250, 392
- 48-x 48-pixel icons 250, 392
- A**
- Abbreviating filenames 268
- Abbreviating window titles
  - in taskbar buttons 26
  - in title bars 101
- About command 126
- Absolute path to link source 90
- Accelerator keys *See* Shortcut keys
- Access bars *See* Desktop toolbars
- Access keys
  - assigning 34
  - defined 33
  - for active object menus 308
  - for controls in secondary windows 186
  - for MDI workspace menus 308
  - for menu items 138
  - for menu titles 134 – 135
  - for primary container menus 308
  - international considerations 418
  - nonunique 34
  - providing by using static text fields 162
  - setting in the registry 252
  - table of access key assignments 441
- Accessibility
  - accessibility aids 406 – 407
  - bibliography 525
  - color of interface elements 412
  - documentation, providing in alternative formats 414
  - ensuring compatibility with screen review utilities 408 – 410
  - High Contrast Mode 412
- Accessibility (*continued*)
  - keyboard and mouse interface 413
  - keys supporting Windows accessibility options 440
  - navigational interfaces 411
  - overview 403
  - packaging, making easy to remove 414
  - scalability of screen elements 412
  - ShowSounds option 402
  - summary of guidelines 449
  - support services, providing 414
  - time-based interfaces 411
  - types of disabilities 404 – 405
  - usability testing 414 – 415
  - user's point of focus 411
  - using sound in applications 401
- Action handles
  - See also* Handles
  - accessing operations for a selection 69
  - defined 37
  - displaying pop-up menus 69
  - replacing selected characters 68
  - using in boxed edit controls 170
  - using in ink edit controls 171
- Activating objects
  - inside-out activation 297, 299
  - outside-in activation 297 – 299
- Activating windows 103 – 104
- Active end of selection 48, 56
- Active hatched border 304 – 305
- Active object menus 307
- Active selection 395 – 396
- Active window 103
- Add mode key 57
- Adjusting mouse selections 49 – 54
- Adornments 300, 310 – 313

## Index

- Advanced users, designing for 15
- Aesthetics 7
- Alignment of interface elements 389
- ALT key
  - See also* Keyboard interface
  - accessing drop-down menus 123
  - activating menu bars 123
  - avoiding in shortcut key assignments 36
  - cancelling a drop-down menu 123
  - international considerations 418
  - using in modifier key combinations 35
  - using with access keys 33
- ALT+~ key combination 418
- ALT+arrow key combination 123, 130
- ALT+double-click 61
- ALT+ENTER key combination 61
- ALT+ESC key combination 36, 103
- ALT+F4 key combination 61
- ALT+F6 key combination 181
- ALT+HYPHEN key combination 130
- ALT+number key combinations 36
- ALT+SPACEBAR key combination 36, 130
- ALT+TAB key combination 35, 36, 103, 109
- Always on Top property
  - for application desktop toolbars 271
  - for palette windows 208
  - providing for secondary windows 181
- Anchor point
  - See also* Mouse interface summary
  - keyboard selection 56
  - mouse selection 48
- Animating pointers 395
- Animation, designing 400
- ANSI character sets 419
- Anti-aliasing 391
- Appbars *See* Desktop toolbars
- Application desktop toolbars *See* Desktop toolbars
- Application icons 392
- Application key 36, 129
- Application path information, registering 241
- Application shortcuts, placing in the Programs menu 260
- Application state information, registering 238 – 240
- Apply command 65, 190
- Arrow keys
  - accessing drop-down lists 153
  - accessing drop-down menus 123
  - accessing window pop-up menus 130
  - basic function of 45
  - navigating between controls 185
  - selecting items in list boxes 150
  - switching between tabs 165
  - using for contiguous selections 56
  - using for scrolling 115
  - using with the ALT key 123, 130
  - using with the SHIFT key 56
- Arrow pointers 30
- Assessment *See* Usability testing
- Attributes of objects *See* Properties
- Audio feedback
  - accessibility considerations 404
  - importance of 7
  - summary of guidelines 449
  - using sound as notification 401 – 402
- Auto-exit text boxes 158
- Auto-joining 63
- Auto-repeat 111
- Autoexec.bat file 259
- Automatic scrolling 82 – 83, 114 – 115
- AutoPlay feature, supporting 264 – 266
- Autorun.inf file 264

## B

- BACKSPACE key 63
- Barrel button
  - barrel-dragging 38, 77
  - barrel-tapping 38
- Basic elements of the Windows environment
  - desktop 23
  - icons 26
  - Start button 25
  - status area 26
  - taskbar 24
  - window buttons 26
  - windows 28
- Beginning users, designing for 15

Bibliography 523 – 526  
 Bitmaps *See* Graphic design  
 Bold text 386  
 Borders  
     color of control borders 373  
     illustrations  
         active hatched border 305  
         control border styles 372 – 376  
         OLE objects distinguished by use of borders 291  
         window border style 373  
     of active OLE embedded objects 304 – 305  
     of controls 372 – 376, 383  
     of OLE embedded or linked objects 290  
     of windows  
         border style 373  
         described 96  
         using to resize windows 107  
 Boxed edit controls 169 – 170  
 Breaking links 324  
 Browsing the file system 195  
 Buttons  
     *See also specific type of button*  
     avoiding the triangular arrow graphic 391  
     border styles 374 – 375  
     capitalization of labels for 387  
     check boxes 147 – 149  
     command buttons 141 – 145  
     default buttons in secondary windows 184  
     flat appearance 383  
     for displaying pop-up menus 144  
     for setting tool modes 144  
     layout and spacing of 388  
     menu buttons 144 – 145  
     mixed-value appearance 379 – 380  
     mouse buttons 31  
     option buttons 145 – 147  
     option-set appearance 378 – 379  
     pen barrel button 38  
     positioning in secondary windows 389  
     pressed appearance 377 – 378  
     shortcut buttons in Help 349 – 350  
     size of 386  
     title bar buttons 101 – 102  
     toolbar buttons 176 – 178  
     unavailable appearance 381 – 382

Buttons (*continued*)  
     unfold buttons 142, 182  
     using to support creation of objects 88  
     window buttons 26

## C

Cancel command  
     accessing in secondary windows 186  
     avoiding access key assignments for 34  
     canceling a drag and drop transfer 81  
     canceling the closing of a property sheet 191  
     discarding pending transactions 65  
     in dialog boxes 194  
     in message boxes 212 - 213  
     in property sheets 190  
     in the Open dialog box 196  
     in the Save As dialog box 200  
     vs. Close command 60  
 Capitalization  
     general guidelines for 387  
     of check box labels 148  
     of command buttons 142  
     of file type names 247  
     of group box labels 164  
     of list box labels 149  
     of menu items 139, 252  
     of option button labels 146  
     of tab labels 165  
     of text field labels 157  
 CAPS LOCK key 34  
 Captions for output of speech and sound 402  
 Caret *See* Insertion point  
 Cascade command 225  
 Cascading menus 133 – 134  
 Cascading secondary windows 182  
 CD-ROM AutoPlay feature, supporting 264 – 266  
 Change Icon dialog box 323  
 Character keys  
     assigning as access keys 33 – 34  
     assigning as shortcut keys 35 – 36  
     international considerations 418  
     text keys for text entry 33  
 Character sets 419  
 Characteristics of objects 18

## Index

- Check boxes
  - border style 375
  - capitalization of labels for 388
  - described 147 – 149
  - flat appearance 383
  - illustrations 147, 148, 377 – 383
  - labeling 147
  - layout of 388
  - mixed-value appearance 148, 379
  - option-set appearance 378
  - pressed appearance 377
  - unavailable appearance 381
- Check mark in menus 137
- Checklists for design guidelines 443 – 450
- Child menus *See* Cascading menus
- Child windows
  - See also* Multiple document interface (MDI)
  - defined 220
- Chording 32
- Clear command 86
- Clicking
  - See also* Mouse interface summary
  - button 1 31
  - button 2 31
  - CTRL+click 49 – 53, 435
  - defined 31
  - selecting objects with the mouse 48 – 53
  - SHIFT+click 50 – 53, 432
- Client-server applications
  - designing 421
  - installing 262
- Clipboard 74 – 77
- Close & Return To command 315
- Close button 102, 105
- Close command
  - closing windows 105
  - handling pending changes 61, 64
  - in the File menu 124
  - in the pop-up menu for title bar icons 98
  - in the window pop-up menu 129
  - vs. Cancel command 60
- Closing MDI windows 222
- Closing property sheets 191
- Closing windows 60 – 61, 105 – 106
- Code pages 419
- Cognitive disabilities, interface recommendations for 405
- Collection of objects, defined 19
- Colon, using with labels 408
- Color
  - accessibility considerations 404, 412
  - general guidelines for 368 – 370
  - international considerations 368
  - of borders for controls 373
  - of borders for OLE objects 291
  - of handles 397
  - of icons 392
  - of jumps in Help 353
  - of task Help topic windows 348
  - providing the option to customize 370
- Color dialog box 206 – 207
- Column heading controls 164
- Combo boxes
  - See also* Drop-down combo boxes
  - described 159
- Command buttons
  - accessing in secondary windows 185 – 186
  - appearance of
    - bold outline for default 386
    - flat appearance 383
    - mixed-value appearance 380
    - option-set appearance 378
    - pressed appearance 378
    - unavailable appearance 381
  - border styles 374 – 375
  - capitalization of labels for 387
  - default button 184
  - described 141 – 145
  - ellipsis in button labels 142
  - illustrations 141, 144, 378 – 383
  - in dialog boxes 194
  - in message boxes 212 – 213
  - in wizards 359
  - labeling 142
  - layout of
    - general guidelines 388, 389
    - in dialog boxes 194
    - in property sheets 190
  - menu buttons 144 – 145

- Command buttons (*continued*)
  - unfold buttons 142, 182
  - using to display pop-up menus 144 – 145
  - using to set tool modes 144
- Command method of transferring objects 74 – 77, 279 – 283
- Commands
  - See also* Menu items
  - registering 251 – 252
  - unavailable appearance 135
- Common dialog box interfaces *See* Dialog boxes
- Complexity, managing 8
- Composite, defined 19
- Composition, described 19
- Compound documents
  - See also* Object linking and embedding (OLE)
  - described 277 – 279
- Config.sys file 259
- Consistency
  - importance of 5
  - supporting standard system settings 275
  - with graphic images 391
  - with metaphors 5
- Constraint, defined 19
- Container, defined 19
- Containment, defined 19
- Contents page in Help Topics window 354 – 355
- Context (relationships) of objects, described 18
- Context-sensitive Help
  - guidelines for writing 342
  - illustrations 340 – 343
  - pointer for 340
  - pop-up menus for 342
  - pop-up windows for 215, 341
  - What's This? command
    - access to context-sensitive Help 339 – 342
    - including in icon pop-up menus 132
- Contextual operations 58
- Contextual user assistance
  - See also* Context-sensitive Help
  - Help command button 346
  - status bar messages 344 – 346
  - tooltips 343 – 344
- Contiguous selection
  - adjusting 50 – 54
  - defined 46
- Contiguous selection (*continued*)
  - hierarchical 47
  - keyboard selection 56
- Continuous scrolling *See* Automatic scrolling
- Control menu, replaced by window pop-up menu 129
- Control Panel
  - adding objects to 273
  - adding to the Passwords object 273 – 274
- Control, putting the user in 3
- Controls
  - See also specific type of control*
  - accessing in secondary windows 185 – 186
  - avoiding in the window title area 101
  - border styles 374 – 376
  - boxed edit controls 169 – 170
  - buttons 141 – 149
  - capitalization of labels for 387
  - check boxes 147 – 149
  - column headings 164
  - combo boxes 159
  - command buttons 141 – 145
  - compatibility with screen review utilities 408
  - default font for labels 384
  - defined 140
  - defining access keys for 34
  - drop-down combo boxes 160 – 161
  - drop-down list boxes 152 – 153
  - extended selection list boxes 153 – 154
  - for record-processing applications 422
  - frame adornments 310 – 313
  - group boxes 163 – 164
  - ink edit controls 170 – 171
  - labeling 141
  - labeling by using static text fields 162
  - layout of
    - general guidelines 388, 389
    - in dialog boxes 194
    - international considerations 420
  - list boxes 149 – 157
  - list view controls 155
  - multiple selection list boxes 153 – 154
  - nesting in a scrollable region or control 383
  - option buttons 145 – 147

## Index

- Controls (*continued*)  
    overview of 140 – 141  
    pen-specific controls 169 – 171  
    placing adjacent to scroll bars 116  
    pop-up menus for 128, 141  
    progress indicators 167 – 168  
    property sheet controls 166  
    rich-text boxes 159  
    scroll bars 166  
    shortcut key input controls 163  
    single selection list boxes 151 – 152  
    sliders 167  
    spin boxes 161 – 162  
    standard text boxes 158  
    static text fields 162  
    status bars 172 – 175  
    summary of guidelines 446  
    tabs 165  
    text fields 157 – 163  
    toolbars 172 – 178, 310 – 313  
    tooltip controls 168  
    tree view controls 156 – 157  
    using to support creation of objects 88  
    visual states 377 – 383  
    wells 169  
Conventions for supporting operations 58 – 61  
Convert dialog box 326 – 328  
Converting object types 326 – 328  
Copy command  
    creating new objects 87  
    described 74  
    feedback not required for 84  
    in icon pop-up menus 131, 132  
    replacing the last entry on the Clipboard 77  
Copy Here command 80  
Copy-hook handlers 254  
Copying files when installing applications 257 – 260  
Copying objects  
    *See also* Transfer operations  
    command method 74 – 77  
    described 73  
    direct manipulation method 77 – 81  
Create Shortcut command 131, 283  
Create Shortcut Here command 81  
Creation operations  
    *See also* Object linking and embedding (OLE)  
    using controls 88  
    using templates 88  
    using the Copy command 87  
    using the Insert command 88  
    using the New command 88  
Critical messages 210  
CTRL key  
    *See also* Keyboard interface  
    adjusting mouse selections 49  
    displaying CTRL key combinations in menus 139  
    guidelines for modifying mouse actions with 435 – 436  
    using for region selection 54  
    using for transfer operations 87  
    using in modifier key combinations 35  
    using in shortcut key combinations 35  
    using with navigation keys 44  
    CTRL+ALT key combination 418  
    CTRL+C key combination 87  
    CTRL+click 435  
    CTRL+double-click 436  
    CTRL+drag 49 – 53, 87, 435  
    CTRL+F6 key combination 225  
    CTRL+O key combination 61  
    CTRL+press 435  
    CTRL+SPACEBAR key combination 56  
    CTRL+TAB key combination 165, 225  
    CTRL+V key combination 87  
    CTRL+X key combination 87  
Cultural issues *See* Internationalization  
Cursors  
    *See also* Insertion point; Pointers  
    blinking cursor provided by the system 382  
    indicating the input focus 44, 62  
    mouse pointers 29  
    overtype cursor 63  
    role in keyboard selection 56  
Customizable interface, creating a sense of user control 3  
Cut command  
    described 74  
    feedback for 83  
    in icon pop-up menus 131, 132  
    replacing the last entry on the Clipboard 77

**D**

Data-centered design 17 – 21, 235

Deactivating windows 103 – 104

Default button in secondary windows 184

Default command 59

Default drag and drop

*See also* Transfer operations

overview of 78 – 79

Default menu items 138

Default operations

*See also* Transfer operations

shortcut techniques for 59

Delete command

in icon pop-up menus 131, 132

in the Edit menu 125

specialized form of 86

DELETE key 63

Deleting files to the Recycle Bin 273

Deleting text 63

Design concepts 17 – 21

Design cycle 9 – 12

Design guidelines

*See also* Design principles; Special design considerations; Visual design

checklists 443 – 450

extending xix

how to apply xix

relationship to other guidelines xx

supporting specific versions of Windows 451 – 454

Design methodology 9 – 14, 444

Design principles

*See also* Visual design

aesthetics 7

bibliography 531

consistency 5

directness 4

feedback 7

forgiveness 6

progressive disclosure 8

simplicity 8

user in control 3

visual communication 365 – 371

Design tradeoffs 16

Desktop toolbars

controls included with the system 175

integrating with the system 271 – 272

Desktop, described 23

Diacritical marks affecting spacing 420

Dialog base units 386

Dialog boxes

*See also* Secondary windows

avoiding an ellipsis in title text 193

Change Icon dialog box 323

Color dialog box 206 – 207

commands in 194

common interfaces 195

Convert dialog box 326 – 328

default button in 184

defining title text for 193

Find dialog box 202

Font dialog box 205

font usage in 384

Help button in 346

Insert Object dialog box 286 – 288

layout of 194

Links dialog box 324

Open dialog box 195 – 198

Page Setup dialog box 203 – 205

Paste Special dialog box 281, 282

Print dialog box 202

Print Setup dialog box 203

purpose of 193

Replace dialog box 202

Save As dialog box 198 – 201

Differences between Windows 95 and other versions of Windows 451 – 454

Dimmed items *See* Unavailable appearance

Direct manipulation

canceling a drag and drop transfer 81

creating OLE embedded or linked objects 283 – 284

default drag and drop 78

differentiating transfer and selection when dragging 81

feedback 84 – 86

importance of 4

nondefault drag and drop 79 – 81

overview 72 – 73

scrolling when transferring by dragging 82 – 83

## Index

- Disabilities *See* Accessibility  
Disabled items *See* Unavailable appearance  
Disjoint selection  
    adjusting 51–53  
    defined 46  
Display resolution, VGA 234  
Displaying linked or embedded objects 290–292  
Docking toolbars 174  
Document icons 392  
Document windows  
    *See also* Multiple document interface (MDI)  
    defined 220  
Document-centered design 17  
Documentation for products, designing for accessibility 414  
Double-clicking  
    *See also* Mouse interface summary  
    as a selection shortcut 57  
    default operations for 59  
    defined 31  
Double-tapping 38, 57  
Drag and drop  
    *See also* Transfer operations  
    canceling a drag and drop transfer 81  
    creating OLE embedded or linked objects 283  
    default operations for 59, 78  
    designing transfer appearance 398–399  
    differentiating transfer and selection when dragging 81  
    feedback 84–86  
    illustrations  
        automatic scrolling based on velocity of dragging 83  
        “no drop” pointer 86  
        nondefault drag and drop operation 79  
        pointers for transfer operations 85  
        translucent and outline appearance 398  
    nondefault drag and drop 79–81  
    nondefault transfer completion commands 80  
    scrolling when transferring by dragging 82–83  
    taskbar window buttons as destinations 268  
Drag handlers 254  
Dragging  
    *See also* Drag and drop; Mouse interface summary  
    CTRL+drag 49–53, 435  
    defined (mouse) 31  
    defined (pen) 38  
Dragging (*continued*)  
    selecting objects with the mouse 48–53  
    selecting objects with the pen 55  
    SHIFT+drag 50–53, 433  
Drop handlers 254  
Drop-down combo boxes 160–161  
Drop-down list boxes 152–153  
Drop-down menus  
    described 121  
    Edit menu 124–125  
    File menu 124  
    Help menu 125–126  
    interaction with 122–124  
    View menu 125  
    Window menu 125  
Duplicate command 86, 125

## E

- Edit command 296, 300, 316  
Edit menu  
    adding commands for selected objects 295  
    Copy command 74  
    Cut command 74  
    Delete command 125  
    described 124  
    Duplicate command 125  
    Find and Replace command 125  
    Links command 324  
    Paste command 74–77  
    Paste Link command 75  
    Paste Shortcut command 75  
    Paste Special command 75  
    Repeat command 125  
    Undo command 125  
Editing  
    committing transactions 64–65  
    deleting text 63  
    illustrations  
        handles for an object 64  
        pen action handle with alternative characters 69  
        pen action handle with pop-up menu 70  
        pen editing gestures 72  
        pen selection handle in a text box 67

- Editing (continued)**
- illustrations (*continued*)
    - pen Wordlist displayed for a selected word 69
    - pen writing tool button 67
    - pen writing tool on-screen keyboard 70
    - pen writing tool windows 68
    - selecting text with the pen selection handle 68
  - inserting text 62
  - OLE embedded objects
    - opening embedded objects 313 – 316
    - visual editing in place 300 – 313
    - OLE linked objects 316 – 320
  - providing access to properties 65 – 66
  - text 62 – 63
  - using a pen
    - editing in pen-enabled controls 66 – 71, 169 – 171
    - gestures for editing 71 – 72
  - using handles 63
  - using overtype mode 62
  - using the keyboard 62
  - using the mouse 62
- Ellipsis**
- avoiding in dialog box titles 193
  - in abbreviated path names 268
  - in command button labels 142
  - in list box entries 150
  - in menu items 136
  - in tab labels 386
  - in taskbar window buttons 26
  - in truncated filenames 267
- Embedded objects**
- See also* Object linking and embedding (OLE)
  - defined 279
- Enabling printing** 253
- END key** 45
- ENTER key**
- accessing controls 186
  - accessing the OK command 34, 186
  - activating OLE embedded objects 300
  - activating the default button in secondary windows 184
  - activating the default command 61
  - duplicate ENTER keys on the keyboard 33
  - using as a text entry key 33
  - using with the ALT key 61
- ESC key**
- accessing the Cancel command 34, 186
  - canceling a drag and drop transfer 81
  - closing a drop-down list box 153
  - closing a drop-down menu 123
  - closing a pop-up menu 128
  - function of 36
  - using with the ALT key 36, 103
- Evaluation** *See* Usability testing
- Exit & Return To command** 315
- Exit command** 124
- Expanding a secondary window by unfolding** 182
- Explicit selection** 45
- Extended selection**
- keyboard selection 56 – 57
  - mouse selection 49 – 54
- Extended selection list boxes** 153 – 155
- Extensions**
- avoiding in title bar text 100
  - file naming conventions 266
  - handling in the Save As dialog box 200 – 201
  - registering 242 – 246
  - table of common extensions 243 – 246
- F**
- F1 key** 61, 342
- F1 through F12 keys, assigning as shortcut keys** 35
- Feedback**
- See also* Audio feedback; Special design considerations; Visual design
  - changing the pointer to indicate a pop-up window 215
  - for activation of linked objects 90
  - for command method transfers 83
  - for direct manipulation transfers 84 – 86
  - for selection 46
  - importance of 7, 83
  - using message boxes for 209 – 214
  - using pointers for 394
  - using progress indicators for 168
  - using sound as notification 401 – 402
  - using status bar messages for 345
  - validating input in secondary windows 187

## Index

- Fields  
*See also* Text boxes  
aligning 389  
border styles 375, 376  
capitalization of labels for 388  
static text fields 162  
text fields 157
- File menu  
described 124  
primary container menu 306
- File types  
defining short type names 248  
defining type names 247  
file naming conventions 266  
handling in the Save As dialog box 200 – 201  
registering  
application identifier key 247 – 248  
filename extension key 242 – 246  
overview 242  
table of common filename extensions 243
- Filenames  
abbreviating 268  
browsing for 195  
capitalization of 387  
displaying title text for unsaved files 100  
ellipsis in 267, 268  
file naming conventions 266 – 268  
handling in the Save As dialog box 198 – 201  
registering extensions 242 – 246  
table of common extensions 243 – 246  
truncating 267
- Files  
browsing for 195  
copying when installing applications 257 – 260  
finding 133  
opening 195 – 198  
properties of 65
- Find and Replace command 125
- Find command 133
- Find dialog box 202
- Find page in Help Topics window 357 – 358
- Flashing taskbar window button 270
- Flat appearance for controls 383
- Folder for application shortcuts in Start menu 260
- Folder icons, illustrated 27
- Font dialog box 205
- Fonts  
avoiding italic and serif fonts 370  
guidelines for choosing 370  
illustrations  
default font usage in windows 385  
effective and ineffective choices 370  
installing 262  
international considerations 419, 420  
system font settings 384 – 387
- Forgiveness 6
- Frame adornments 300, 310 – 313
- Full-screen display 272
- Full-text search 357
- Function keys  
assigning as shortcut keys 35  
displaying in menus as shortcut keys 139
- G**
- Gestures  
advantages and disadvantages of 40  
for editing 71 – 72  
illustrations of 55, 72  
overview of 40  
recognition of 41  
selecting objects by using 55  
targeting 42  
when to avoid using 40
- Glossary 511
- Glyphs *See* Graphic design
- Graphic design  
*See also* Icons  
bibliography 523  
designing graphic images 390 – 395
- Grayed items *See* Unavailable appearance
- Green underlined text in Help 353
- Group boxes  
border style 376  
described 163 – 164  
flat appearance 383

Group boxes (*continued*)  
 illustrations 164, 388  
 labeling 164  
 layout of 388  
 Grouping related interface components 388 – 389  
 Guidelines  
*See also* Design principles; Special design considerations;  
 Visual design  
 checklists 443 – 450  
 extending xix  
 how to apply xix  
 relationship to other guidelines xx  
 supporting specific versions of Windows 451 – 454

**H**

Hand pointer 91  
 Handlers for shell extensions 254 – 256  
 Handles  
 action handles for pen interface  
   accessing operations for a selection 69  
   defined 37  
   displaying pop-up menus 69  
   replacing selected characters 68  
   using in boxed edit controls 170  
   using in ink edit controls 171  
 appearance of 397 – 398  
 color of 397  
 for OLE embedded or linked objects 329  
 illustrations  
   handles for an object 64, 329  
   pen action handle 69, 70  
   pen selection handle 67, 68  
   selected graphic object with handles 397  
   solid and hollow handles 397  
 overview of 63 – 64  
 selection handles for pen interface 67, 68, 170  
 size of 397  
 Handwriting, targeting input of 42  
 Hatched border for active OLE embedded objects 304 – 305  
 Header controls *See* Column heading controls  
 Hearing disabilities, interface recommendations for 404

Help  
*See also* Help Topics browser  
 context-sensitive 339 – 343  
 Help command button 346  
 illustrations  
   context-sensitive Help for an icon 343  
   Help button in a secondary window 346  
   methods of accessing What's This? 340  
   pointer for context-sensitive Help 340  
   pop-up menu for a control 342  
   pop-up window for context-sensitive Help 341  
   reference Help window 351  
   task topic with shortcut button 350  
   window for task Help topic 347  
 jumps 353  
 pop-up window for context-sensitive Help 215  
 reference Help 350 – 353  
 shortcut buttons in 349 – 350  
 summary of guidelines 448  
 task-oriented 347 – 350  
 Help button 212, 346  
 Help Contents 354 – 355  
 Help Index 356 – 357  
 Help menu 125 – 126, 351, 354  
 Help Topics browser  
   Contents page 354 – 355  
   Find page 357 – 358  
   guidelines for writing Help Contents entries 355  
   guidelines for writing Help Index keywords 357  
   illustrations 355 – 358  
   Index page 356 – 357  
   providing access to 348, 354  
 Heterogeneous selection 46  
 Hierarchical menus *See* Cascading menus  
 Hierarchical selection 47  
 High Contrast Mode 412  
 Highlighting selections 396  
 Holding down keyboard keys 33  
 HOME key 45  
 Homogeneous selection 46  
 Hot key controls *See* Shortcut key input controls  
 Hot spot  
   of mouse pointer 31, 394 – 395  
   of pen gestures 40, 71

## Index

- Hot zone
    - defined 31
    - for detecting a pen double-tap 38
    - for different types of controls 140
    - for drag operations 82
  - Hourglass pointer 30, 394
  - Hyperlinks *See* Jumps; Links
- I**
- I-beam pointer 30, 399
  - Icon handlers 254
  - Icons
    - 16 x 16 pixel 250, 392
    - 32 x 32 pixel 250, 392
    - 48 x 48 pixel 250, 392
    - accessibility considerations 410
    - anti-aliasing of graphic images 391
    - application icons 392
    - as the sole representation of an object 220
    - capitalization of labels for 387
    - changing for an OLE object 323
    - color 392
    - consistency of design 391, 393
    - context-sensitive Help for 343
    - described 26
    - designing 390 – 393
    - displaying OLE objects as 292, 294, 322
    - document icons 392
    - illustrations
      - application and supported document icons 392
      - icons for basic objects 27
      - system-supplied icon for file type 393
      - template icon 88
      - three sizes of icons 392
      - title bar icons 97 – 98
      - use of perspective and dimension in graphics 393
    - labeling 292
    - metaphors for 4, 393
    - monochrome 392
    - pop-up menus for 130 – 133
    - registering commands for 251
    - registering 250
    - size of 392
  - Icons (*continued*)
    - template icons 88
    - title bar icons 97 – 98
  - Implicit selection 45
  - Import File command 315
  - Inactive window 103
  - Index page in Help Topics window 356 – 357
  - Information services, designing 424 – 425
  - Informational messages 210
  - Ink edit controls 170 – 171
  - Inking 37, 41
  - Input focus
    - appearance of 382
    - defined 44
    - keyboard selection 56
    - targeting at text to be edited 62
  - Input techniques
    - See also* Navigation; Selection
    - keyboard input
      - access keys 33 – 34
      - common actions 33
      - mode keys 34 – 35
      - shortcut keys 35 – 36
      - text keys 33
    - mouse input
      - common actions 31 – 32
      - pointers 29 – 31
    - pen input
      - actions defined for a pen 38 – 39
      - gestures 40 – 41, 71 – 72
      - inking 37, 41
      - overview 37 – 39
      - recognition 41
      - targeting 42
      - summary of guidelines 444
  - Insert command 88
  - INSERT key 63
  - Insert Object command
    - creating OLE embedded or linked objects 285 – 289
    - descriptive text for 288
    - dialog box for, illustrated 286, 287
  - Inserting OLE embedded or linked objects 285 – 289
  - Inserting text 62

Insertion point  
 indicating the input focus 62, 382  
 moving with the keyboard 44  
 role in keyboard selection 56

Inside-out activation of objects 297

Installation  
 copying files 257 – 260  
 designing an installation program 260 – 262  
 installing applications on a network 262  
 installing fonts 262  
 installing information services 425  
 providing access to applications 260  
 supporting AutoPlay 264 – 266  
 uninstalling an application 263 – 264

Integrating with the system  
*See also* Object linking and embedding (OLE); Registry  
 application desktop toolbars 271 – 272  
 Control Panel integration 273 – 274  
 file naming conventions 266 – 268  
 full-screen display 272  
 installation  
     copying files 257 – 260  
     designing an installation program 260 – 262  
     installing applications on a network 262  
     installing fonts 262  
     providing access to applications 260  
     supporting AutoPlay 264 – 266  
     uninstalling an application 263 – 264  
 modeless interaction 276  
 Plug and Play support 275  
 Recycle Bin integration 273  
 summary of guidelines 447  
 system settings, supporting 275  
 taskbar integration 268 – 270

Interactivity of software, maximizing 4

Intermediate users, designing for 15

Internationalization  
 avoiding references to unsupported features 420  
 character sets 419  
 color, considerations in visual design 368  
 documenting terms and product changes 416  
 formats for categories of information 419 – 420  
 graphics 417 – 418  
 keyboards 418

Internationalization (*continued*)  
 layout of interface elements 420  
 overview 415  
 summary of guidelines 450  
 text translation 416 – 417  
 word lists for localization 455 – 510

Italic fonts, avoiding 370

**J**

Jumps  
 distinguishing with a hand pointer or button 90  
 using in reference Help 353

**K**

Keyboard accessibility aids 407  
 Keyboard characters, international considerations 418  
 Keyboard filters 407  
 Keyboard interface  
     access keys 33 – 34, 441  
     accessibility considerations 413  
     accessibility keys 440  
     common actions 33  
     for controls in secondary windows 185 – 186  
     for drop-down menus 123 – 124  
     for list boxes 150  
     for navigation 44 – 45, 437  
     for OLE active object menus 308 – 309  
     for pop-up menus 129, 130  
     for pop-up windows 215  
     for scrolling 45, 115  
     for selection 56 – 57  
     for sliders 167  
     for switching between windows 225  
     for tabs 165  
     for text fields 157  
     for toolbars and status bars 173  
     for well controls 169  
     input focus 44, 56  
     mode keys 34 – 35  
     shortcut keys 35 – 36, 438  
     summary 437 – 441

## Index

### Keyboard interface (*continued*)

- text keys 33
  - uses of keyboard input 32
  - Windows keys 439
- Keyboard layouts, international considerations 418
- Keys, registry *See* Registry
- Keywords for the Help Index, writing 357

## L

### Labels

- accessibility considerations 408 – 409
  - aligning 389
  - capitalization (general guidelines) 387
  - default font for control labels 384
  - for check boxes 147
  - for command buttons 142
  - for controls (general guidelines) 141
  - for group boxes 164
  - for list boxes 149
  - for menu items 138 – 139
  - for OLE embedded objects 292
  - for OLE linked objects 292
  - for option buttons 146
  - for sliders 167
  - for tabs 165
  - for text fields 157
  - for wells 169
  - using static text fields as labels 162
- Language disabilities, interface recommendations for 405
- Languages *See* Internationalization
- Lasso-tap gesture 55
- Layered order of windows *See* Z order
- Layout
- aligning interface elements 389
  - fonts 384 – 387
  - grouping and spacing 388 – 389
  - illustrations
    - default font usage in windows 385
    - layout of buttons 390
    - recommended layout of controls and text 388
  - impact of 384
  - international considerations 420

### Layout (*continued*)

- keyboards, international 418
  - positioning interface elements 389
  - size of interface components 384 – 387
- Lens *See* Writing tool for pen interface
- Light source 371
- Link Here command 80
- Linking objects, described 73, 89
- Links
- See also* Object linking and embedding (OLE)
  - absolute and relative paths to 90
  - activating 90
  - applying operations to linked objects 89 – 90
  - breaking 324
  - changing the source of 324 – 326
  - creating 279 – 289
  - described 89
  - properties of 320
  - updating 318, 324
  - ways of presenting in the interface 89
- Links command 324, 326
- Links dialog box 324
- List boxes
- border style 375
  - described 149 – 151
  - drop-down 152 – 153
  - ellipsis in text entries 150
  - extended selection 153 – 154
  - illustrations 151, 153, 154, 156
  - keyboard selection and scrolling 150
  - labeling by using static text fields 149
  - layout of 388
  - list view controls 155
  - multiple selection 153 – 154
  - scrolling entries in 150 – 151
  - single selection 151 – 152
  - supporting transfer operations 151
  - tree view controls 156 – 157
  - unavailable appearance 149
- List view controls 155
- Locale, defined 419

Localization  
*See also* Internationalization  
 defined 415  
 summary of guidelines 450  
 word lists 455 – 510  
 Long filenames  
 displayed in the Open dialog box 196  
 file naming conventions 266 – 268  
 naming shared application files 259

## M

MAPI (Messaging API) 424  
 Marquee *See* Region selection  
 Maximize button 102, 107  
 Maximize command 107, 129  
 Maximizing windows 107, 224  
 MDI *See* Multiple document interface  
 Menu bars  
 described 121  
 keyboard access to 123  
 Menu buttons 144 – 145  
 Menu items  
 alternating to indicate two states 138  
 bold text for default commands 386  
 capitalization of 139, 387  
 check mark next to 137  
 default 138  
 default font for 384  
 defining access keys for 138  
 defining shortcut keys for 35  
 disabling 136  
 displaying shortcut keys in 139  
 ellipsis in 136  
 formats for 135  
 illustrations 135, 136  
 labeling 138 – 139  
 registering commands 251 – 252  
 separators between 135  
 unavailable appearance 135  
 using for state settings 137  
 Menu titles  
 capitalization of 387  
 default font for 384

Menu titles (*continued*)  
 defining access keys for 134 – 135  
 defining text for 134  
 disabling 136  
 illustration of access keys in 135

Menus  
*See also specific type of menu*  
 active object 307  
 border style 373  
 cascading 133 – 134  
 drop-down 121 – 126  
 Edit menu 124 – 125  
 File menu 124  
 Help menu 125 – 126  
 illustrations  
 access keys in a menu bar 135  
 formats for menu items 135  
 inappropriate menu item separator 136  
 menu bar 122  
 pen access to pop-up menus 128  
 pop-up menu 126  
 pop-up 126 – 133  
 primary container 306  
 separators in 135  
 unavailable 136  
 View menu 125  
 Window menu 125  
 workspace 306

Message boxes  
 avoiding the question mark symbol in 211  
 command buttons in 212 – 213  
 defining text for 213 – 214  
 defining title bar text for 209  
 for opening files 197  
 for property sheets 191  
 Help button in 346  
 illustrations  
 information, warning, and critical message boxes 210  
 message box choices 213  
 progress message box 212  
 importance of 209  
 progress indicators in 168

## Index

### Message boxes (*continued*)

- symbols in 210
  - types of 209 – 212
- Message notification by the taskbar 270
- Messages
- See also* Message boxes
  - critical 210
  - for OLE objects
    - changing additional links with same source 326
    - invalid source 325
    - link source files unavailable 334
    - link source type changed 335
    - link updating 336
    - object's application busy 333
    - object's application cannot run standalone 332
    - object's application unavailable 333
    - status line messages 336 – 337
  - guidelines for writing 213 – 214
  - in status bars 344 – 346
  - informational 210
  - warning 210

### Messaging API (MAPI) 424

### Metaphors

- See also* Visual design
- applying object-based concepts 20
- consistency with 5
- international considerations 417
- objects as metaphor 18 – 20
- overview of design principles 4
- using in the design of icons 393

### Microsoft Exchange, interacting with 424 – 425

### Microsoft OLE *See* Object linking and embedding

### Minimize button 102, 108

### Minimize command 108, 129

### Minimizing MDI windows 223 – 224

### Minimizing windows 26, 108

### Mixed-value appearance for controls 379 – 380

### Mnemonics *See* Access keys

### Modal secondary windows 183

### Mode keys 34 – 35

### Modeless secondary windows 183, 276

### Modes, avoiding 4

### Modifier keys

- adjusting mouse selections 49 – 53
- avoiding multiple modifier assignments 35
- defined 35
- guidelines for modifying mouse actions with 431 – 434, 435 – 436
- using for contiguous selections 56
- using for disjoint selections 57
- using for region selection 54

### Monochrome icons 392

### Mouse accessibility 413

### Mouse actions

- button 1 vs. button 2 31
- clicking 31
- common, unmodified mouse actions 429 – 430
- double-clicking 31
- dragging 31
- modifying with the CTRL key 435 – 436
- modifying with the SHIFT key 431 – 434
- pointing 31
- pressing 31

### Mouse buttons 31

### Mouse interface summary 429 – 436

### Mouse navigation 44

### Mouse pointers

- See also* Pointers
- common forms 30

### Mouse selection

- active end 48
- anchor point 48
- basic selection 48
- region selection 54
- selection adjustment 49 – 54
- shortcut for 57

### Move command 106, 129

### Move Here command 80

### Movement disabilities, interface recommendations for 405

### Moving MDI windows 223 – 224

### Moving objects

- See also* Transfer operations
- command method 74 – 77
- described 73
- direct manipulation method 77 – 81

### Moving the taskbar 24

Moving windows 106  
 Multi-line text boxes 159  
 Multiple document interface (MDI)  
     advantage of using 220  
     alternatives to 225–232  
     displaying secondary windows 221  
     illustrations 221, 223, 224  
     limitations of 225  
     maximizing windows 108  
     minimizing windows 108  
     moving and sizing windows 223–224  
     opening and closing windows 222  
     pop-up menu for application icon 133  
     selecting a window model 233–235  
     switching between child windows 225  
     title bar icons 98  
     title bar text 99  
     Window menu 125  
     workspace menu 306  
 Multiple selection list boxes 153–154  
 Multiple selections 58  
 Multiple-clicking 32

**N**

Naming files  
     displaying title text for unsaved files 100  
     filename conventions 266–268  
     Save As dialog box 198–201  
     shared application files 259  
 Naming installation programs 262  
 Navigation  
     *See also* Scrolling  
     accessibility considerations 411, 413  
     in secondary windows 185–186  
     keyboard techniques 44–45, 437  
     mouse and pen techniques 44  
     switching between windows 225  
 Nested controls 383  
 Network computing  
     designing client-server applications 421  
     designing for network access 421

Network computing (*continued*)  
     designing shared data files 422  
     summary of guidelines 450  
 Network file access, using UNC names 267  
 Network installation of applications 262  
 New command  
     creating objects 88  
     for template objects 89  
     in pop-up menu for MDI application icon 133  
     registering file types for 249  
 “No drop” pointer 30, 86  
 Nondefault drag and drop handlers 254  
 Nondefault drag and drop  
     *See also* Transfer operations  
     overview of 79–81  
 Nonscrolling regions in reference Help 353  
 Notational conventions xx  
 Notification  
     *See also* Message boxes  
     of pending message for inactive application 270  
 NUM LOCK key 34

**O**

Object characteristics 18  
 Object linking and embedding (OLE)  
     access to commands for selected objects 295–296  
     access to properties of objects  
         Links command 324–326  
         Properties command 321–324  
     activating objects 297–299  
     appearance of open objects 314–316, 399  
     compound documents 277–279  
     considerations for window management 225  
     converting object type 326–328  
     creating objects  
         container offering different OLE link options 284  
         using direct manipulation 77–81, 283–284  
         using scraps 285  
         using the command method 74–77  
         using the Create Shortcut command 283  
         using the Insert Object command 285–289  
         using the Paste command 279–280  
         using the Paste Link command 283

## Index

- Object linking and embedding (OLE) (*continued*)  
    creating objects (*continued*)  
        using the Paste Shortcut command 283  
        using the Paste Special command 280–282  
        using toolbar buttons 289  
    displaying messages  
        linked object messages 334–336  
        object application messages 332–334  
        status line messages 336–337  
    displaying objects  
        as icons 292, 294  
        appearance of selected open embedded object 315  
        identifying objects by using borders 290–291  
    editing embedded objects  
        Convert dialog box 326  
        effect of scrolling increment on visual editing 313  
        frame adornment integration 310–313  
        handles for an active embedded object 329  
        hatched border for active object 304–305  
        keyboard interface integration 308–309  
        menu integration 305–308  
        opening embedded objects 313–316  
        overview 300–304  
        palette window integration 310–313  
        toolbar integration 310–313  
        viewing and changing properties 321–324  
        visual editing menu layout 306  
    editing linked objects  
        automatic and manual updating 318  
        Change Icon dialog box 323  
        editing a link source 317  
        Links dialog box 324  
        operations available for links 319  
        out-of-date links 320  
        overview 316–318  
        viewing and changing properties 320  
    handles for objects 329  
    linked objects  
        Link page in property sheet 323  
        linked object as an individual selection 294  
        linked object as part of multiple selection 293  
        Links dialog box 324  
        Paste link option in Paste Special dialog box 282
- menus  
    active object menus 307  
    drop-down menus for selected object 295  
    pop-up menu for active object 308  
    pop-up menu for selected OLE object 296  
    primary container menu 306  
    workspace menu 306  
messages for objects 325, 326, 332–336  
model of interaction 277–279  
property sheets for OLE objects 322  
registering 253  
selecting objects 293–296  
undo operations 330–332  
Object properties 18, 65  
Object type  
    *See also* File types  
    converting 326–328  
    defined 19  
Object-oriented design 17–21, 524  
Observing users  
    *See also* Usability testing  
    during initial product design 9  
OK command  
    accessing in secondary windows 186  
    avoiding access key assignments for 34  
    committing pending transactions 65  
    in dialog boxes 194  
    in message boxes 212  
    in property sheets 190  
OLE packages 287  
On-screen keyboards  
    accessibility aids 407  
    for the pen writing tool 70  
Online documentation *See* Help; Reference Help  
Open appearance of objects, designing 399  
Open command  
    editing OLE embedded objects 313  
    editing OLE linked objects 316  
    in icon pop-up menus 131, 132  
    in the File menu 124  
    in the Open dialog box 196  
    in the primary container menu 306

- Open dialog box 195–198
- Open With command 296
- Opening
  - files 195–198
  - MDI windows 222
  - OLE embedded objects 313–316
  - shortcut icons 196
  - windows 60, 104
- Operating environment, integrating with
  - See* Integrating with the system
- Operations, defined 18
- Option buttons
  - capitalization of labels for 388
  - described 145–147
  - flat appearance 383
  - illustrations 145, 146, 377–383
  - labeling 146
  - layout of 388
  - mixed-value appearance 146
  - option-set appearance 378
  - pressed appearance 377
  - unavailable appearance 381
- Option-set appearance for controls 378–379
- Order of windows *See* Z order
- Organizations involved in user interface design 525
- Outside-in activation of objects 297
- Overtype mode 62
  
- P**
- Packages 287
- Packaging of products, designing for accessibility 414
- PAGE DOWN key 45, 115
- Page Setup dialog box 203–205
- PAGE UP key 45, 115
- Palette windows
  - Always on Top property 208
  - defining 207–208
  - distinguished by size of title bar 207
  - illustrations 207, 208
  - integrating for active OLE objects 310–313
  - pop-up menu for 208
  - title text font and size 208
- Panes 116–119
- Parent windows
  - See also* Multiple document interface (MDI)
  - defined 220
- Passwords object, adding services to 273–274
- Paste command
  - embedding objects 279–280
  - feedback for 83
  - in icon pop-up menus 131
  - overview of transfer operations 74–77
- Paste Link command 75, 283
- Paste Shortcut command 75, 283
- Paste Special command
  - descriptive text for 282
  - dialog box, illustrated 281
  - overview of transfer operations 75–77
  - transferring OLE embedded or linked objects 280–282
- Path names
  - abbreviating by using an ellipsis in 268
  - avoiding in title bar text 100
- Paths for applications, registering 241
- Paths to link source, storing 90
- Pause command 65
- Pen-enabled controls
  - access to pop-up menus 69, 128
  - boxed edit controls 169–170
  - editing in 66–71
  - gestures for editing 71–72
  - illustrations
    - action handle with alternative characters 69
    - action handle with pop-up menu 70
    - boxed edit control 170
    - eraser toolbar button 171
    - gestures 72
    - ink edit control 171
    - pen writing tool button 67
    - selecting text with the selection handle 68
    - selection handle in a text box 67
    - Wordlist displayed for a selected word 69
    - writing tool button 67
    - writing tool on-screen keyboard 70
    - writing tool windows 68
  - ink edit controls 170–171

## Index

- Pen input
  - barrel-dragging 38, 77
  - barrel-tapping 38
  - direct manipulation of objects 77
  - double-tapping 38
  - dragging 38
  - editing in pen-enabled controls 66 – 71
  - gestures 40 – 41, 71 – 72
  - illustrations
    - common pen pointers 39
    - gestures 72
    - targeting handwritten input 42
  - inking 37, 41
  - pressing 38
  - recognition 41
  - support for proximity 39
  - tapping 38
  - targeting 42
- Pen navigation 44
- Pen pointers 39 – 40
- Pen proximity 39
- Pen selection 55, 57
- Persistence 20
- Physical movement disabilities, interface recommendations for 405
- Plug and Play, supporting 275
- Pointers
  - animating 395
  - common forms of 30
  - context-sensitive Help pointer 340
  - described 29
  - designing 394 – 395
  - displaying during transfer operations 85 – 86, 399
  - hot spot 31, 394 – 395
  - hourglass 30, 394
  - I-beam 30, 399
  - illustrations
    - common mouse pointers 30
    - common pen pointers 39
    - hand pointer 91
    - “no drop” pointer 86
    - pointer hot spots 395
    - pointers for transfer operations 85
- Pointers (*continued*)
  - indicating jumps in Help 353
  - pen 39 – 40
  - using to provide feedback 394
- Pointing devices *See* Mouse input
- Pointing, described 31
- Pop-up menu handlers 254
- Pop-up menus
  - access to 130
  - avoiding shortcut keys in 129, 140
  - described 126 – 127
  - for active OLE objects 308
  - for controls 128, 141
  - for icons 130 – 133
  - for palette windows 208
  - for primary windows 129 – 130
  - for secondary windows 129, 180
  - for selected OLE objects 295
  - illustrations 126, 128
  - interaction with 128 – 129
  - keyboard access to 129, 130
  - menu buttons for 144 – 145
  - order of commands in 127
  - pen access to 69, 128
- Pop-up windows
  - contextual Help 341
  - described 215
  - illustrations 215, 341, 343
  - tooltips 343
- Porting Windows 3.1 – based applications 21
- Power users, designing for 15
- Pressed appearance for controls 377 – 378
- Pressing
  - See also* Mouse interface summary
  - keyboard keys 33
  - mouse buttons 31
  - pen barrel button 38
  - pen tip 38
- Primary container menu 306
- Primary windows
  - See also* Windows
  - defined 95
  - illustration of common components 96

Principles of design *See* Design principles

Print command

- described 86
- in icon pop-up menus 132
- in the File menu 124
- in the primary container menu 306
- registering 253

Print dialog box 202

Print Here command 253

Print Setup dialog box 203

Print To command 253

Printing, enabling 253

Procedural Help *See* Task-oriented Help

Product integration *See* Integrating with the system

Programs menu, placing application shortcuts in 260

Progress indicators 167–168

Progressive disclosure 8

Projects 231–232

Properties

- See also* Properties command; Property sheets
- displaying for grouped items 193
- displaying for heterogeneous selections 193
- displaying for multiple selections 192
- object characteristics, described 18
- providing access to 65–66

Properties command

- described 65
- for OLE linked or embedded objects 295, 296, 321–324
- in icon pop-up menus 131, 132
- in palette windows 208
- providing feedback for implicit selections 46

Property inspectors 187, 191–192

Property pages 188–189

Property sheet handlers 254

Property sheets

- See also* Property inspectors
- adding pages to 254
- closing 191
- controls for 166
- defined 187
- for grouped items 193
- for heterogeneous selections 193
- for multiple selection of objects 192
- for OLE linked or embedded objects 321–323

Properties sheets (*continued*)

Help button in 346

illustrations

- drop-down list for tabbed pages 189
- Link page in property sheet of OLE linked object 323
- OLE embedded and linked object property sheets 322
- prompt for pending property changes 191
- tabbed pages 188
- including samples on property pages 191
- navigation in 188–189
- positioning command buttons in 190
- size of 386
- transaction commands in 190

Prototyping 10

Push buttons *See* Command buttons

## Q

Question mark button for What's This? command 340

Question mark symbol, avoiding in message boxes 211

Quick View command 132, 256

## R

Radio buttons *See* Option buttons

Range selection *See* Contiguous selection

Read-only text boxes 158

Recognition of pen strokes and gestures 41

Record-processing applications, designing 422

Recycle Bin, supporting 273

Redo command 65

Reference Help

- adding jumps to 353
- adding menus and toolbar buttons to 352
- defined 350
- guidelines for writing 352–353
- including nonscrolling regions in 353
- providing access to 351
- window for 351–352

Region selection 54

Registry

- adding property pages 254
- enabling printing 253
- hierarchical structure, described 238

## Index

### Registry (*continued*)

icons for unregistered file types, illustrated 242  
indicating inside-out activation of objects 298  
key names, conventions for 238  
purpose of 237  
registering application path information 241  
registering application state information 238 – 240  
registering commands 251 – 252  
registering filename extensions  
    application identifier key 247 – 248  
    filename extension key 242 – 246  
    overview 242  
        table of common extensions 243  
registering icons 250  
registering OLE 253  
registering services for the Passwords object 274  
registering shared files 258  
registering shell extensions 254 – 256  
registering sound events 257  
registering the location of System directory 258  
registering uninstall programs 263  
supporting creation 249 – 250  
supporting the Quick View command 256  
values, size limit for 238  
    vs. Win.ini file 259

Related Topics button in Help 349

Relationships between objects 18

Relative path to link source 90

Removing installed applications 263 – 264

Rename command 131, 132

Repeat command 65, 125

Replace command 125

Replace dialog box 202

Resizing windows  
    maximizing 107  
    MDI windows 223 – 224  
    minimizing 108  
    pointers used for 30  
    restoring to previous size 108  
    using a size grip 109  
    using sizing borders 107

Resolution, VGA 234

Restore button 102, 108

Restore command 108, 129

Restoring windows 108  
Resume command 65  
Rich-text boxes 159  
Right-click menus *See* Pop-up menus  
Right-clicking *See* Clicking

## S

Save All command 133  
Save As command 64  
Save As dialog box 198 – 201  
Save command  
    described 64  
    displaying the Save As dialog box 198  
    in the File menu 124  
    in the primary container menu 306  
Save Copy As command 315  
Saved Search icon, illustrated 27  
Scalability of screen elements 412  
Scope of selection 47  
Scraps 285  
Screen enlargement utilities 406  
Screen resolution, VGA 234  
Screen review utilities  
    compatibility with 408 – 410  
    described 406  
Scroll arrows 110 – 111  
Scroll bars  
    avoiding as an interface for setting values 166  
    components of 109 – 114  
    illustrations 110, 112  
    placing controls adjacent to 116  
    purpose of scroll bar controls 166  
Scroll boxes 111 – 113  
SCROLL LOCK key 45, 115  
Scrolling  
    automatic scrolling 82 – 83, 114 – 115  
    illustrations 83, 112, 114  
    in a single row of tabs 165  
    in container applications 313  
    in list boxes 150 – 151  
    keyboard scrolling 45, 115  
    nonscrolling regions in Help topics 353  
    providing scroll bars in windows 109 – 110

**Scrolling (continued)**

- using scroll arrows 110–111
- using the scroll bar shaft 113–114
- using the scroll box 111–113
  - when transferring objects by dragging 82–83

**Secondary windows**

- See also* Dialog boxes; Message boxes; Windows
  - activating 103
  - appearance and behavior of 179–180
  - button for What's This? command in title bar 180
  - cascading 182
  - closing 106
  - default button in 184
  - described 179
  - displayed by MDI parent or child window 221
  - Help button in 346
  - highlighting selections in 396
  - illustration of typical secondary window 180
  - interaction with other windows 180–182
  - layout of 388–390
  - modal 183
  - modeless 183, 276
  - navigation in 185–186
  - opening 104
  - palette windows 207–208
  - pop-up menu for 129, 180
  - pop-up windows 215
  - positioning 183
  - property inspectors 187, 191–192
  - property sheets 187–193
  - size of 386
  - summary of guidelines 445
  - taskbar window buttons for, avoiding 268
  - unfolding 182
  - validation of input 187

Seizure disorders, interface recommendations for 405

**Select key (SPACEBAR)**

- opening and closing pop-up windows 215
- using for disjoint selections 57
- using for explicit selections 56

**Selecting objects** 293–296, 315**Selection**

- See also* Mouse interface summary
- active end 48, 56
- active selection 395–396
- anchor point 48, 56
- appearance 395–398
- contiguous 46, 56
- described 45–46
- differentiating transfer and selection when dragging 81
- disjoint 46, 57
- explicit vs. implicit 45
- feedback for 46
- hierarchical 47
- highlighting 396
- homogeneous vs. heterogeneous 46
- illustrations
  - adjusting selections 49–53
  - examples of selection appearance 396
  - hierarchical selection 47
  - pen selection 55
  - selected graphic object with handles 397
  - selected OLE objects 293–294
- multiple 58
- pointer for selecting text 30
- region selection 54
- scope of 47
- shortcuts 57
- subselection 49
- using handles 63, 329, 397
- with the keyboard 56–57
- with the mouse 48–54
- with the pen 55

**Selection handles**

- See also* Handles
- for OLE embedded or linked objects 329
- for the pen interface 67, 68, 170

**Selection range** *See* Contiguous selection

- Send To** command
  - described 86
  - in icon pop-up menus 131, 132
  - in the File menu 124

**Separators** 135

## Index

- Serif fonts, avoiding 370
- Setting up applications *See* Installation
- Setup options, designing 260
- Shadow effect used in the interface 371
- Shared files
  - designing shared data files 422
  - installing 258–259
  - registering 258
- Shell extensions
  - handlers for 254
  - registering 254–256
- Shell, integrating with
  - using desktop toolbars 271
  - using the registry 254–256
- SHIFT key
  - See also* Keyboard interface
  - displaying SHIFT key combinations in menus 139
  - guidelines for modifying mouse actions with 431–434
  - international considerations 418
  - using for contiguous selections 56
  - using for disjoint selections 57
  - using for region selection 54
  - using in modifier key combinations 35
  - using in shortcut key combinations 35
  - using to adjust mouse selections 50–53
- SHIFT+ALT+TAB key combination 35, 103, 109
- SHIFT+arrow key combination 56
- SHIFT+click 432
- SHIFT+double-click 434
- SHIFT+drag 50–53, 433
- SHIFT+F1 key combination 61
- SHIFT+F10 key combination 129, 300
- SHIFT+F8 key combination 57
- SHIFT+press 431
- SHIFT+TAB key combination 185
- Short type names
  - registering 248
  - using with the Paste command 280
  - using with the Paste Special command 281
- Shortcut buttons in task Help topics 349–350
- Shortcut icons
  - defined 27
  - labeling icons for OLE linked objects 292
  - opening 196
- Shortcut icons (*continued*)
  - placing in the Programs menu 260
  - using UNC paths for 262
- Shortcut key input controls 163
- Shortcut keys
  - assigning 35–36
  - avoiding in pop-up menus 129
  - defined 35
  - displaying in menus 139
  - for active objects 309
  - for common viewing commands 61
  - for primary containers 309
  - for transfer operations 87
  - international considerations 418
  - providing an interface for customizing 36, 163
  - table of accessibility keys 440
  - table of common shortcut keys 438–439
  - table of Windows keys 439
- Shortcut menus *See* Pop-up menus
- Shortcuts
  - See also* Drag and drop; Shortcut icons; Shortcut keys
  - default operations for 59
  - for selection 57
  - for tasks in Help topics 349
  - for transfer operations 87
  - for viewing objects 61
  - keyboard 35–36, 438–440
  - mouse 57, 59
  - pen 57
- Show Objects command 290
- ShowSounds option 402
- Simplicity 8
- Single document interface 219–220
- Single selection list boxes 151–152
- Size command 107, 129
- Size grip 109
- Size of handles 397
- Size of icons 392
- Size of interface components 384–387
- Sizing windows
  - maximizing 107
  - MDI windows 223–224
  - minimizing 108

Sizing windows (*continued*)

- pointers used for 30
- restoring to previous size 108
- using a size grip 109
- using sizing borders 107

Sliders 167

Software integration *See* Integrating with the system

Sound

- accessibility considerations 401
- providing the option to customize 402
- registering sound events 257
- ShowSounds option 402
- SoundSentry option 402
- summary of guidelines 449
- supplementing with other forms of information 401
- uses of 401

SoundSentry option 402

SPACEBAR key

- opening and closing pop-up windows 215
- using as a text entry key 33
- using as the Select key 56
- using for disjoint selections 57
- using with the ALT key 36, 130
- using with the CTRL key 56

Spacing of interface components 388–389

Special design considerations

- accessibility
  - accessibility aids 406–407
  - color 412
  - compatibility with screen review utilities 408–410
  - documentation, packaging, and support 414
  - keyboard and mouse interface 413
  - navigational interfaces 411
  - overview 403
  - scalability of screen elements 412
  - time-based interfaces 411
  - types of disabilities 404–405
  - usability testing 414
  - user's point of focus 411
- information services 424–425
- internationalization
  - avoiding references to unsupported features 420
  - character sets 419
  - documenting terms and product changes 416

Special design considerations (*continued*)

- internationalization (*continued*)
  - formats for categories of information 419–420
  - graphics 417–418
  - keyboards 418
  - layout of interface elements 420
  - overview 415
  - text translation 416–417
- Microsoft Exchange 424–425
- network computing 421–422
- records processing 422
- sound 401–402
- telephony 423

Speech disabilities, interface recommendations for 405

Spin boxes 161–162

Split bars 118

Split boxes 117

Split command 118

Splitting windows 116–119

Start button 25

Start menu, placing application shortcuts in 260

State information for applications, registering 238–240

Static text fields

- described 162
- illustrations 162, 388
- layout of 388, 408
- using for compatibility with screen review utilities 408
- using to label list boxes 149
- using to label text fields 157

Status area of the taskbar, described 26

Status bars

- avoiding in secondary windows 180
- controls included with the system 175
- described 172
- illustrated 173
- interaction with 173
- providing messages in 344–346
- providing tooltips for 173, 343
- supporting user options 174–175
- using progress indicators in 168

Status field border style 376

Status message boxes 212

## Index

- Status notification  
    adding to the taskbar 269–270  
    for minimized windows 108
- Stop command 65
- Submenus *See* Cascading menus
- Support services, accessibility considerations 414
- Supporting operations for objects 58–61
- Switching between MDI child windows 225
- Switching between windows 103, 181
- Switching mouse buttons 31
- Symbols, using in graphics that will be localized 417
- System folder icons, illustrated 27
- System menu *See* Window pop-up menu
- System settings, supporting 275
- System, integrating with *See* Integrating with the system
- T**
- TAB key  
    basic function of 45  
    navigating in secondary windows 185  
    using as a text entry key 33  
    using with the ALT key 35, 36, 103, 109  
    using with the CTRL key 165, 225  
    using with the SHIFT key 185
- Tabs  
    capitalization of labels for 387  
    ellipsis in tab label 386  
    illustrations 165, 188  
    labeling 165  
    scrolling 165  
    single vs. multiple rows of 165  
    size of 386  
    switching between 165  
    tab controls 165  
    tabbed property pages 188–189
- TAPI (Telephony API) 423
- Tapping 38
- Targeting  
    *See also* Pen input  
    guidelines for 42
- Task-oriented Help  
    *See also* Help Topics browser  
    guidelines for writing 348–349
- Task-oriented Help (*continued*)  
    illustrations 347, 350  
    providing access to 348  
    shortcut buttons in 349–350  
    task topic windows 347–348
- Taskbar  
    as a drag and drop destination 268  
    avoiding buttons for certain types of windows 268  
    described 24  
    hiding to provide more screen space 272  
    illustrations  
        button indicating a pending message 270  
        status indicator in the taskbar 269  
        taskbar in a different location 25  
        tooltip showing full title for window button 26  
        window buttons on the taskbar 24  
    message notification 270  
    moving 24  
    obscuring with full-screen display of windows 272  
    removing buttons when windows are closed 106  
    representing minimized windows 108  
    representing open primary windows 104  
    Start button, described 25  
    status area 26  
    status notification 269–270  
    window buttons 26, 268
- Telephony API (TAPI) 423
- Telephony design considerations 423
- Template icons 88
- Templates for object creation 88
- Testing product design *See* Usability testing
- Text boxes  
    auto-exit 158  
    border style 375  
    capitalization of labels for 388  
    combo boxes 159  
    drop-down combo boxes 160–161  
    illustrations 158–161  
    read-only 158  
    rich-text boxes 159  
    shortcut key input controls 163  
    spin boxes 161–162  
    standard text box 158
- Text editing *See* Editing

- Text fields  
*See also* Text boxes  
 border style 375  
 capitalization of labels for 157, 388  
 described 157  
 labeling by using static text fields 157  
 static text fields 162
- Text keys 33
- Text labels *See* Labels
- Text selection *See* Selection
- Three-dimensional effects in visual design 371
- Tile command 225
- Title bar icons  
 accessing the pop-up menu for 98  
 defining the pop-up menu for 132  
 for documents or data files 97  
 for MDI application and document windows 98  
 for tool or utility applications 97  
 illustrations 97–98
- Title bars  
*See also* Title bar icons; Title text  
 accessing the window pop-up menu 130  
 avoiding drawing in or adding controls to 101  
 buttons in 101–102  
 described 96  
 dragging to move a window 106  
 illustrations 97–98
- Title text  
 abbreviating 101  
 avoiding path names and extensions in 100  
 capitalization of 387  
 default font for 384  
 defining 98–101  
 distinguishing multiple views of a file 100  
 for Help windows 348, 353  
 illustrations 99, 100  
 order of filename and application name 98
- Toggle keys 34
- Toolbars  
*See also* Palette windows  
 button appearance 380, 381, 382  
 button images for common functions 176–178  
 button size 386  
 controls included with the system 175
- Toolbars (*continued*)  
 described 172  
 desktop toolbars 271–272  
 docking 174  
 for reference Help 351  
 hiding or closing to provide more screen space 272  
 illustrations 172  
 integrating for active OLE objects 310–313  
 interaction with 173  
 obscuring with full-screen display of windows 272  
 providing tooltips for 173, 343  
 spacing of controls in 389  
 supporting user options 174–175  
 using to insert objects 289
- Tooltips  
 controls for 168  
 defined 343  
 displaying and removing 343  
 for toolbars and status bars 173  
 for window buttons on the taskbar 26  
 illustrations 168, 343  
 pop-up windows for 215
- Topic titles in Help, defining 348, 353
- Trackbar controls *See* Sliders
- Tradeoffs in design 16
- Transaction-based applications, designing 422
- Transactions 64–65
- Transfer operations  
*See also* Transferring OLE linked or embedded objects  
 canceling a drag and drop transfer 81  
 command method 74–77, 279–283  
 default drag and drop 78  
 designing transfer appearance 398–399  
 differentiating transfer and selection when dragging 81  
 direct manipulation method 77–83, 283–284  
 feedback 83–86  
 illustrations  
     automatic scrolling based on velocity of dragging 83  
     feedback for transfer operations 85  
     “no drop” pointer 86  
     nondefault drag and drop operation 79  
     pointers for transfer operations 85  
     translucent and outline appearance 398

## Index

### Transfer operations (*continued*)

- nondefault drag and drop 79–81
  - nondefault transfer completion commands 80
  - overview 72–73
  - scrolling when transferring by dragging 82–83
  - shortcut keys for 87
  - specialized transfer commands 86
  - supporting for list boxes 151
- Transferring OLE linked or embedded objects
- command method 74–77, 279–283
  - direct manipulation method 77–83, 283–284
  - paths to link source, storing 90
  - using scraps 285
  - using the Create Shortcut command 283
  - using the Paste command 279–280
  - using the Paste Link command 283
  - using the Paste Shortcut command 283
  - using the Paste Special command 280–282

### Translation of text

- considerations for 416–417
- word lists for localization 455–510

### Tree view controls 156–157

### Truncating filenames 267

### Type names *See* File types

### Type, object

- See also* File types
- converting 326–328
- defined 19

### Typing input with the keyboard 33

### Typographic conventions xx

## U

### Unavailable appearance

- list boxes 149
  - menu items 135, 136
  - menu titles 136
  - using for controls 381–382
- UNC paths, supporting 262, 267, 421
- Understanding users 15
- Undo command 65, 125
- Undo operations for OLE embedded objects 330–332
- Unfold buttons 142, 182
- Unfolding secondary windows 182

### Uninstalling an application 263–264

### Universal naming convention (UNC) 262, 267, 421

### Up-down controls *See* Spin boxes

### Update command 315

### Updating links 318, 324

### Usability testing

- accessibility considerations 414–415
- as part of the design process 12
- bibliography 524
- purpose of 11
- testing techniques 13–14

### User assistance

- See also* Accessibility; Help
- context-sensitive Help 339–343
- Help command button 346
- Help Topics browser 354–358
- reference Help 350–353
- status bar messages 344–345
- summary of guidelines 448
- task-oriented Help 347–350
- tooltips 343–344
- wizards 358–363

### Users

- characteristics of 15
- user-centered design principles 3–8
- user in control 3

## V

### Validation of input 187

### Verbs for commands 251–252

### VGA resolution 234

### View menu 125, 307

### Viewing objects

- common operations for 59
- shortcut techniques 61

### Views, managing *See* Window management

### Visual design

- accessibility considerations 404, 410, 412
- animation 400
- anti-aliasing of graphic images 391
- appearance of controls 377–383
- bibliography 532
- border styles 372–376

- Visual design (continued)**
- color 368–370
  - consistency of graphic images 391
  - dimensionality 371
  - fonts 370, 384–387
  - handles 397–398
  - icons 390–393
  - illustrations
    - application and supported document icons 392
    - border styles 372–376
    - default font usage in windows 385
    - drag transfer, translucent and outline appearance 398
    - fonts, effective and ineffective 370
    - handles, solid and hollow 397
    - icon sizes 392
    - layout of buttons 390
    - layout of controls and text 388
    - open appearance for an object 399
    - pointer hot spots 395
    - selected graphic object with handles 397
    - selection appearance 396
    - system-supplied icon for file type 393
    - use of perspective and dimension in graphics 393
  - importance of 365
  - international considerations 417, 420
  - layout 384–390
  - metaphors 4
  - open appearance 314–316, 399
  - pointer design 394–395
  - principles of composition and organization 366–368
  - secondary windows 386, 388–390
  - selection appearance 395–398
  - size of interface components 384–387
  - states for controls 377–383
  - summary of guidelines 448
  - transfer appearance 398–399
- Visual disabilities, interface recommendations for 404
- Voice input systems 407
- W**
- Walkthroughs, conducting 14
  - Warning messages 210
  - Well controls 169, 379
- What's This? command**
- access to context-sensitive Help 339–342
  - guidelines for writing context-sensitive Help 342
  - including in icon pop-up menus 132
- Win.ini file, avoiding use of 259
- Window borders**
- style of 373
  - using to resize windows 107
- Window buttons**
- as drag and drop destinations 268
  - avoiding for certain types of windows 268
  - described 26
  - ellipsis in 26
  - flashing to indicate pending message 270
  - for applications running in the background 268
  - placing on the taskbar 26, 268
- Window frames** 96
- Window management**
- illustrations
    - example of project design 232
    - example of workbook design 230
    - example of workspace design 227
    - maximized MDI child window 224
    - MDI parent and child window 221
    - minimized MDI child window 223
  - MDI alternatives 225–232
  - multiple document interface (MDI) 220–225
  - projects 231–232
  - selecting a window model 233–235
  - single document interface 219–220
  - workbooks 229–231
  - workspaces 227–229
- Window menu in MDI applications** 125, 225, 306
- Window panes** 116–119
- Window pop-up menu** 129–130
- Window Z order** *See Z order*
- Windows**
- See also* Dialog boxes; Message boxes; Secondary windows
  - activating 103–104
  - closing 60–61, 105–106, 222
  - components of 96–102
  - deactivating 103–104
  - default font usage in 384

## Index

### Windows (*continued*)

full-screen display 272  
illustrations  
    common window components 96  
    MDI parent and child window title bars 100  
    moving the split bar 118  
    scroll bar 110, 112  
    scrolling with the scroll bar shaft 114  
    split box location 117  
    split window 116  
    title bar icons 97–98  
    title text order 99  
maximizing 107, 223–224  
minimizing 108, 223–224  
moving 106, 223–224  
opening 60, 104, 222  
palette windows 207–208, 310–313  
pop-up menu for 129–130  
pop-up windows 215  
primary 95  
property inspectors 187, 191–192  
property sheets 187–193  
restoring 108  
scrolling 109–116  
size grip for 109  
size recommendations 386  
sizing 106–109, 223  
splitting 116–119  
summary of guidelines 445  
switching between 103, 181, 225  
use of windows, described 28

Windows 3.1–based applications, porting 21

Windows environment

*See also* Integrating with the system  
overview of 23–28

### Windows keys

    avoiding use with modifier keys 36  
    table of WINDOWS key combinations 439

Windows NT, supporting specific versions of 453–454  
Windows version 3.1, supporting 451–452  
Wizards 358–363  
Word lists for localization 455–510  
Word wrap 62  
Workbooks 229–231  
Workspace menu 306  
Workspaces 227–229  
Writing tool for pen interface 66–71

## Z

### Z order

    activating windows 103  
    for application desktop toolbars 271  
    for palette windows 208  
    for secondary windows 181  
    opening windows 60, 105  
    pasting objects in Z-ordered contexts 76  
    selecting objects in Z-ordered contexts 54

## THE WINDOWS® INTERFACE GUIDELINES FOR SOFTWARE DESIGN

Here are the Microsoft® guidelines for creating well-designed, visually and functionally consistent user interfaces for applications that run on the Microsoft Windows operating system. **THE WINDOWS INTERFACE GUIDELINES FOR SOFTWARE DESIGN** is an essential handbook for all programmers and designers working with the latest release of Windows, regardless of experience level or development tools used.

This book covers the basic principles of user interface design and design methodologies and specifies how data-centered concepts such as objects and properties can be applied to interface design. It includes detailed information on mouse, keyboard, and pen interaction and on how to use the common interface elements supplied by the system. This book also includes information about special considerations such as network computing, international users, and users with disabilities.

### Topics include:

- General input techniques—navigation, selection, viewing, editing, and creation, including both command and direct manipulation methods such as drag and drop.
- Windows—primary and secondary types and their components, including property sheets, dialog boxes, message boxes, palette windows, and pop-up windows.
- Menus, controls, and toolbars—types and their components and when to use them.
- Microsoft OLE—how to support design interfaces for OLE embedded and linked objects, visual editing, and other forms of activation.
- User assistance—how to use contextual forms of help, including tooltips and wizards.
- Integration with the system—designing your software so that its interface functions and operates consistently with Windows.
- Visual design—effective use of color, layout, fonts, and graphics.

If you are developing or are considering developing applications for Microsoft Windows,

**THE WINDOWS INTERFACE GUIDELINES FOR SOFTWARE DESIGN** is a key resource.

U.S.A. \$29.95  
U.K. £27.49  
Canada \$39.95

(Recommended)

**Microsoft® Press**

Operating Systems/Windows/Programming

ISBN 1-55615-679-0



9 0000

9 781556 156793