

United States Patent [19]

Ewertz et al.

[11] Patent Number:

5,479,639

[45] Date of Patent:

Dec. 26, 1995

[54] COMPUTER SYSTEM WITH A PAGED NON-VOLATILE MEMORY

[75] Inventors: James H. Ewertz; Orville H.

Christeson, both of Portland; Douglas L. Gabel, Aloha; Sean T. Murphy,

Portland, all of Oreg.

[73] Assignee: Intel Corporation, Santa Clara, Calif.

[21] Appl. No.: 279,692

[22] Filed: Aug. 26, 1994

Related U.S. Application Data

[63]	Continuation of Ser. No. 137,376, Oct. 14, 1993, Pat. No.
	5,371,876, which is a continuation of Ser. No. 698,318, May
	10, 1991, abandoned.

[51]	Int.	Cl.6		G06F	12/02
1501	TT C	CI	205/420, 205/4	70. 70	F/410.

[56] References Cited

U.S. PATENT DOCUMENTS

4,153,937	5/1979	Poland 364/706
4,290,104	9/1981	Holtey et al 395/400
4,374,417	2/1983	Bradley et al 395/400
4,441,155	4/1984	Fletcher et al 395/400
4,443,847	4/1984	Bradley et al 395/425
4,608,632	8/1986	Kummer 395/425
4,763,333	8/1988	Byrd 371/66
4,799,145	1/1989	Goss et al 395/700
4,831,522	5/1989	Henderson et al 395/425
4,862,349	4/1989	Foreman et al 395/700
5,034,915	7/1991	Styrna et al 395/275
5,053,990	10/1991	Kreifels et al 395/425
5,117,492	5/1992	Nash 395/400
5,126,808	6/1992	Montalvo et al 357/23.5
5,134,580	7/1992	Bertram et al 395/650
5,136,713	8/1992	Bealkowski et al 395/700
5,142,680	8/1992	Ottman et al 395/700
5,210,875	5/1993	Bealkowski et al 395/700

OTHER PUBLICATIONS

Markus A. Levy, "Designing with Flash Memory", Circuit Cellar Ink, Dec. 1990, pp. 50–58.

Jerry Jex, "Flash Memory BIOS For PC and Notebook Computers", IEEE, 1990, pp. 692–695.

Waite, et al., "Soul of CP/M", Howard W. Sams and Co., 1983, pp. 2-7, 177-182 and 279-322.

(List continued on next page.)

Primary Examiner—Tod R. Swann
Assistant Examiner—Hiep T. Nguyen
Attorney, Agent, or Firm—Blakely, Sokoloff, 7


Attorney, Agent, or Firm—Blakely, Sokoloff, Taylor & Zaf-man

[57]

ABSTRACT

A computer system wherein a paging technique is used to expand the useable non-volatile memory capacity beyond a fixed address space limitation. The computer system of the preferred embodiment includes a flash memory component for storing non-volatile code and data including a system BIOS in the upper 128K of memory. The useful BIOS memory space is effectively increased while maintaining the address boundary of the upper 128K region. The address space of the non-volatile memory device is logically separated into distinct pages of memory (Pages 1-4). Using the apparatus and techniques of the present invention, Page 1, Page 3 and Page 4 may be individually swapped into the address space originally occupied by Page 1 (the swappable page area). In the preferred embodiment, Page 2 is held static and thus is not used as a swap area. Each of the swappable pages, Page 1, Page 3, and Page 4, contain processing logic called swapping logic used during the swapping or paging operation. The swapping logic operates in conjunction with paging hardware to effect the swapping of pages into the swappable page area. The high order processor address lines are input by a page decoder. The page decoder is used to modify the address actually presented to the non-volatile memory device. A page register provides a means by which the processor may select a page in non-volatile memory. In an alternative embodiment of the present invention, several different forms of configuration or identification information may be stored in a page of nonvolatile memory.

14 Claims, 11 Drawing Sheets





OTHER PUBLICATIONS

Waite et al., "CP/M Bible", 1983, pp. 5–22 and 100. Brett Glass, "The IBM PC BIOS", *Byte*, Apr. 1989, pp. 303–310.

Gus Venditto, "Pipeline", *PC Magazine* vol. 9, No. 3, Feb. 1990, pp. 1–3.

Bill Machrone, "Bill Machrone", PC Magazine, vol. 9, No.

7, Apr. 1990, pp. 1-2.

Gus Venditto, "Intel's flash memory poised to give laptops their next great leap", *PC Magazine* vol. 9, No. 14, Aug. 1990, pp. 1–3.

John H. Wharton, "FLASH! memory technology marches on", *Microprocessor Report*, Aug. 1990, pp. 1-4.






FIGURE 2





FIGURE 3A



PAGE	PROCESSOR ADDRESS	NON-VOLATILE MEMORY ADDRESS
1	F0000h - FFFFFh (64K)	F0000h - FFFFFh (64K)
2 (STATIC)	2 (STATIC) E0000h - EFFFFh (64K)	E0000h - EFFFFh (64K)
3	F0000h - FFFFFh (64K)	OTHER ADDRESS RANGE (i.e. D0000h - DFFFFh)
4	F0000h - FFFFFh (64K)	OTHER ADDRESS RANGE (i.e. C0000h - CFFFFh)
N/A	E0000h - EFFFFh (64K)	E0000h - EPFFFh (64K)
N/A	00000h - DFFFFh (64K)	00000h - DFFFFh (64K)

DOCKET A L A R M

Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time** alerts and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.

