

Standard of Japan Electronics and Information Technology Industries Association

JEITA CP-3451

**Exchangeable image file format
for digital still cameras:
Exif Version 2.2**

Established in April, 2002

Prepared by

Technical Standardization Committee on AV & IT Storage Systems and Equipment

Published by

Japan Electronics and Information Technology Industries Association

Windows™ is a registered trademark of Microsoft Corporation in the United States and elsewhere. Flashpix™ is a registered trademark of I3A(International Imaging Industry Association).

Translation without guarantee in the event of any doubt arising, the original standard in Japanese is to be evidence.

JEITA standard are established independently to any existing patents on the products, materials or processes they cover.
JEITA assumes absolutely no responsibility toward parties applying these standards or toward patent owners.

Contents

1. Scope	1
2. Definition of Terms.....	1
3. General.....	1
3.1. Format Structure	1
3.2. Exif Image File Specification.....	2
3.3. Exif Audio File Specification.....	2
3.4. Relation between Image and Audio File Specification.....	3
3.5. Presupposed Systems and Compatibility	3
4. Exif Image File Specification	4
4.1. Outline of the Exif Image File Specification	4
4.2. Format Version.....	4
4.3. Definition of Glossary.....	4
4.4. Specifications Relating to Image Data.....	5
4.4.1. Number of Pixels.....	5
4.4.2. Pixel Aspect	5
4.4.3. Pixel Composition and Sampling.....	5
4.4.4. Image Data Arrangement	7
4.5. Basic Structure of Image Data.....	8
4.5.1. Basic Structure of Primary Image Data	8
4.5.2. Basic Structure of Uncompressed RGB Data.....	8
4.5.3. Basic Structure of YCbCr Uncompressed Data.....	10
4.5.4. Basic Structure of JPEG Compressed Data.....	11
4.5.5. Basic Structure of Thumbnail Data.....	12
4.6. Tags.....	13
4.6.1. Features of Attribute Information	13
4.6.2. IFD Structure.....	13
4.6.3. Exif-specific IFD.....	15
4.6.4. TIFF Rev. 6.0 Attribute Information.....	16
4.6.5. Exif IFD Attribute Information.....	24
4.6.6. GPS Attribute Information.....	46
4.6.7. Interoperability IFD Attribute Information.....	53
4.6.8. Tag Support Levels	54
4.7. JPEG Marker Segments Used in Exif.....	58
4.7.1. JPEG Marker Segments	58
4.7.2. Interoperability Structure of APP1 in Compressed Data	64

- 4.7.3. Interoperability Structure of APP2 in Compressed Data..... 65
- 4.8. Data Description 68
 - 4.8.1. Stipulations on Compressed Image Size 68
 - 4.8.2. Stipulations on Thumbnails 71
 - 4.8.3. File Name Stipulations 71
 - 4.8.4. Byte Order Stipulations 71
- 5. Exif Audio File Specification 72
 - 5.1. Outline of the Exif Audio File Specification 72
 - 5.2. Format Version 72
 - 5.3. Definition of Terms..... 72
 - 5.4. Specifications Relating to Audio Data 74
 - 5.4.1. Sampling Frequency 74
 - 5.4.2. Bit Size 74
 - 5.4.3. Channels 74
 - 5.4.4. Compression Schemes 74
 - 5.5. Basic Structure of Audio Data 74
 - 5.5.1. Basic Structure of WAVE Form Audio Files 74
 - 5.5.2. Basic Structure of PCM Audio Data 80
 - 5.5.3. Basic Structure of μ -Law Audio Data 83
 - 5.5.4. Basic Structure of IMA-ADPCM Audio Data 84
 - 5.6. Chunks Used 88
 - 5.6.1. WAVE Form Audio File Basic Chunks 88
 - 5.6.2. LIST Chunk and INFO List 89
 - 5.6.3. Chunks for Attribute Information Specific to Exif Audio Files..... 93
 - 5.7. Data Description 97
 - 5.7.1. File Naming Stipulation 97
 - 5.7.2. Typical Exif Audio File 97
- Normative References 100
- Annex A Image File Description Examples 101
 - A.1 Uncompressed RGB File..... 101
 - A.2 Uncompressed YCbCr File..... 104
 - A.3 JPEG Compressed (4:2:2) File 108
 - A.4 JPEG Compressed (4:2:0) File 112
- Annex B Audio File Description Examples 116
 - B.1 PCM Audio Data 116
 - B.2 μ -Law Audio Data 118
 - B.3 IMA-ADPCM Audio Data 120

Annex C APEX Units 122

Annex D Recommended Implementation Examples 123

Annex E Color Space Guidelines 124

Annex F Notes on Conversion to Flashpix 125

 F.1 Converting Image Data 126

 F.2 Converting Tag Data 128

 F.3 Converting to Flashpix Extensions (APP2)..... 131

Explication of Exchangeable image file format for digital still cameras: Exif Version 2.2 133

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.