

, 2:22 PM

view-source:https://web.archive.org/web/20100217035925/http://documentation.apple.com/en/aperture/usermanual/

wrap

```
<?xml version="1.0" encoding="utf-8"?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<html lang="en" xml:lang="en" xmlns="http://www.w3.org/1999/xhtml"><head><script src="//archive.org/includes/analytics.js?
v=cf34f82" type="text/javascript"></script>
<script type="text/javascript">window.addEventListener('DOMContentLoaded',function(){var
v=archive_analytics.values;v.service='wb';v.server_name='wwwb-
app203.us.archive.org';v.server_ms=4052;archive_analytics.send_pageview({});});</script>
<script type="text/javascript" src="/_static/js/bundle-playback.js?v=UfTkgsKx" charset="utf-8"></script>
<script type="text/javascript" src="/_static/js/wombat.js?v=UHA0icsw" charset="utf-8"></script>
<script type="text/javascript">
  __wm.init("https://web.archive.org/web");

  __wm.wombat("http://documentation.apple.com:80/en/aperture/usermanual/", "20100217035925", "https://web.archive.org/", "web", "/_static
/",
    "1266379165");
</script>
<link rel="stylesheet" type="text/css" href="/_static/css/banner-styles.css?v=omkqRugM" />
<link rel="stylesheet" type="text/css" href="/_static/css/iconochive.css?v=qtvMKcIJ" />
<!-- End Wayback Rewrite JS Include -->
<meta content="text/html; charset=utf-8" http-equiv="Content-Type"/><meta content="r37255-b616;10.5.8-9L30"
name="GutenbergVersion"/><meta content="300_002" name="ContentVersionNumber"/><meta content="Aperture" name="ApplicationName"/>
<meta content="3.0" name="ApplicationVersion"/><meta content="019-1468" name="PDFPartNumber"/><meta content="Comprehensive Apple
documentation for Aperture 3 User Manual" name="Description"/><title>Aperture 3 User Manual</title><link
href="/web/20100217035925cs_/http://documentation.apple.com/en/aperture/usermanual/Resources/CSS/book.css" rel="stylesheet"
type="text/css"/><link href="/web/20100217035925cs_/http://documentation.apple.com/SharedResources/CSS/outer_frame.css"
media="screen" rel="stylesheet" type="text/css"/><script type="text/javascript">var sharedResourcesURL='../..../SharedResources';
</script><script src="/web/20100217035925js_/http://documentation.apple.com/SharedResources/JavaScript/JSAN.js"
type="text/javascript"></script><script
src="/web/20100217035925js_/http://documentation.apple.com/SharedResources/JavaScript/jquery.js" type="text/javascript"></script>
<script src="/web/20100217035925js_/http://documentation.apple.com/SharedResources/JavaScript/content.js" type="text/javascript">
</script><script src="/web/20100217035925js_/http://documentation.apple.com/SharedResources/JavaScript/web.js"
type="text/javascript"></script></head><body id="all"><!-- BEGIN WAYBACK TOOLBAR INSERT -->
<style type="text/css">
body {
  margin-top:0 !important;
  padding-top:0 !important;
  /*min-width:800px !important;*/
}
</style>
<script>__wm.rw(0);</script>
<div id="wm-ipp-base" lang="en" style="display:none;direction:ltr;">
<div id="wm-ipp" style="position:fixed;left:0;top:0;right:0;">
<div id="wm-ipp-inside">
  <div style="position:relative;">
    <div id="wm-logo" style="float:left;width:110px;padding-top:12px;">
      <a href="/web/" title="Wayback Machine home page"></a>

```

rce:https://web.archive.org/web/20100217035925/http://documentation.apple.com/en/aperture/usermanual/

```
</div>
<div class="r" style="float:right;">
  <div id="wm-btns" style="text-align:right;height:25px;">
    <div id="wm-save-snapshot-success">success</div>
    <div id="wm-save-snapshot-fail">fail</div>
    <a id="wm-save-snapshot-open" href="#"
      title="Share via My Web Archive" >
      <span class="iconochive-web"></span>
    </a>
    <a href="https://archive.org/account/login.php"
      title="Sign In"
      id="wm-sign-in"
    >
      <span class="iconochive-person"></span>
    </a>
    <span id="wm-save-snapshot-in-progress" class="iconochive-web"></span>
    <a href="http://faq.web.archive.org/" title="Get some help using the Wayback Machine" style="top:-6px;"><span
class="iconochive-question" style="color:rgb(87,186,244);font-size:160%;"></span></a>
    <a id="wm-tb-close" href="#close" onclick="__wm.h(event);return false;" style="top:-2px;" title="Close the toolbar"><span
class="iconochive-remove-circle" style="color:#888888;font-size:240%;"></span></a>
  </div>
  <div id="wm-share">
    <a href="/web/20100217035925/http://web.archive.org/screenshot/http://documentation.apple.com/en/aperture/usermanual/"
      id="wm-screenshot"
      title="screenshot">
      <span class="wm-icon-screen-shot"></span>
    </a>
    <a href="#"
      id="wm-video"
      title="video">
      <span class="iconochive-movies"></span>
    </a>
    <a id="wm-share-facebook" href="#" data-
url="https://web.archive.org/web/20100217035925/http://documentation.apple.com:80/en/aperture/usermanual/" title="Share on
Facebook" style="margin-right:5px;" target="_blank"><span class="iconochive-facebook" style="color:#3b5998;font-size:160%;"></span>
</a>
    <a id="wm-share-twitter" href="#" data-
url="https://web.archive.org/web/20100217035925/http://documentation.apple.com:80/en/aperture/usermanual/" title="Share on Twitter"
style="margin-right:5px;" target="_blank"><span class="iconochive-twitter" style="color:#1dcaff;font-size:160%;"></span></a>
  </div>
</div>
<table class="c" style="">
  <tbody>
    <tr>
      <td class="u" colspan="2">
        <form target="_top" method="get" action="/web/submit" name="wmtb" id="wmtb"><input type="text" name="url" id="wmtbURL"
value="http://documentation.apple.com/en/aperture/usermanual/" onfocus="this.focus();this.select();" /><input type="hidden"
name="type" value="replay" /><input type="hidden" name="date" value="20100217035925" /><input type="submit" value="Go" /></form>
      </td>
    </tr>
  </tbody>
</table>
```

```
<td class="n" rowspan="2" style="width:110px;">
  <table>
    <tbody>
      <!-- NEXT/PREV MONTH NAV AND MONTH INDICATOR -->
      <tr class="m">
        <td class="b" nowrap="nowrap">Jan</td>
        <td class="c" id="displayMonthEl" title="You are here: 03:59:25 Feb 17, 2010">FEB</td>
        <td class="f" nowrap="nowrap"><a
href="https://web.archive.org/web/20100726152004/http://documentation.apple.com:80/en/aperture/usermanual/" title="26 Jul 2010">
<strong>Jul</strong></a></td>
      </tr>
      <!-- NEXT/PREV CAPTURE NAV AND DAY OF MONTH INDICATOR -->
      <tr class="d">
        <td class="b" nowrap="nowrap"><a
href="https://web.archive.org/web/20100213184342/http://documentation.apple.com:80/en/aperture/usermanual/" title="18:43:42 Feb 13,
2010"></a></td>
        <td class="c" id="displayDayEl" style="width:34px;font-size:24px;white-space:nowrap;" title="You are here: 03:59:25 Feb
17, 2010">17</td>
        <td class="f" nowrap="nowrap"><a
href="https://web.archive.org/web/20100726152004/http://documentation.apple.com:80/en/aperture/usermanual/" title="15:20:04 Jul 26,
2010"></a></td>
      </tr>
      <!-- NEXT/PREV YEAR NAV AND YEAR INDICATOR -->
      <tr class="y">
        <td class="b" nowrap="nowrap">2009</td>
        <td class="c" id="displayYearEl" title="You are here: 03:59:25 Feb 17, 2010">2010</td>
        <td class="f" nowrap="nowrap"><a
href="https://web.archive.org/web/20110727033834/http://documentation.apple.com:80/en/aperture/usermanual" title="27 Jul 2011">
<strong>2011</strong></a></td>
      </tr>
    </tbody>
  </table>
</td>
</tr>
<tr>
  <td class="s">
    <div id="wm-nav-captures">
      <a class="t" href="/web/20100217035925*/http://documentation.apple.com/en/aperture/usermanual/" title="See a list
of every capture for this URL">97 captures</a>
      <div class="r" title="Timespan for captures of this URL">13 Feb 2010 - 26 Jul 2018</div>
    </div>
  </td>
  <td class="k">
    <a href="" id="wm-graph-anchor">
      <div id="wm-ipp-sparkline" title="Explore captures for this URL" style="position: relative">
        <canvas id="wm-sparkline-canvas" width="650" height="27" border="0"></canvas>
      </div>
    </a>
  </td>
</tr>
```

2:22 PM

view-source:https://web.archive.org/web/20100217035925/http://documentation.apple.com/en/aperture/usermanual/

```
</tr>
</tbody>
</table>
<div style="position:absolute;bottom:0;right:2px;text-align:right;">
  <a id="wm-expand" class="wm-btn wm-closed" href="#expand" onclick="__wm.ex(event);return false;"><span id="wm-expand-icon"
class="iconochive-down-solid"></span> <span style="font-size:80%">About this capture</span></a>
</div>
</div>
<div id="wm-capinfo" style="border-top:1px solid #777;display:none; overflow: hidden">
  <div id="wm-capinfo-collected-by">
<div style="background-color:#666;color:#fff;font-weight:bold;text-align:center">COLLECTED BY</div>
<div style="padding:3px;position:relative" id="wm-collected-by-content">
  <div style="display:inline-block;vertical-align:top;width:50%;">
    <span class="c-logo" style="background-image:url(https://archive.org/services/img/alexacrawls);"></span>
    Organization: <a style="color:#33f;" href="https://archive.org/details/alexacrawls" target="_new"><span class="wm-
title">Alexa Crawls</span></a>
    <div style="max-height:75px;overflow:hidden;position:relative;">
      <div style="position:absolute;top:0;left:0;width:100%;height:75px;background:linear-gradient(to bottom,rgba(255,255,255,0)
0%,rgba(255,255,255,0) 90%,rgba(255,255,255,255) 100%);"></div>
      Starting in 1996, <a href="http://www.alexa.com/">Alexa Internet</a> has been donating their crawl data to the Internet
Archive. Flowing in every day, these data are added to the <a href="http://web.archive.org/">Wayback Machine</a> after an embargo
period.
    </div>
  </div>
  <div style="display:inline-block;vertical-align:top;width:49%;">
    <span class="c-logo" style="background-image:url(https://archive.org/services/img/alex_web_2010)"></span>
    <div>Collection: <a style="color:#33f;" href="https://archive.org/details/alex_web_2010" target="_new"><span class="wm-
title">alex_web_2010</span></a></div>
    <div style="max-height:75px;overflow:hidden;position:relative;">
      <div style="position:absolute;top:0;left:0;width:100%;height:75px;background:linear-gradient(to bottom,rgba(255,255,255,0)
0%,rgba(255,255,255,0) 90%,rgba(255,255,255,255) 100%);"></div>
      this data is currently not publicly accessible.
    </div>
  </div>
</div>
</div>
</div>
<div id="wm-capinfo-timestamps">
<div style="background-color:#666;color:#fff;font-weight:bold;text-align:center" title="Timestamps for the elements of this
page">TIMESTAMPS</div>
<div>
  <div id="wm-capresources" style="margin:0 5px 5px 5px;max-height:250px;overflow-y:scroll !important"></div>
  <div id="wm-capresources-loading" style="text-align:left;margin:0 20px 5px 5px;display:none"></div>
</div>
</div>
</div></div></div></div><div id="wm-ipp-print">The Wayback Machine -
https://web.archive.org/web/20100217035925/http://documentation.apple.com:80/en/aperture/usermanual/</div>
<div id="donato" style="position:relative;width:100%;">
  <div id="donato-base">
```

rce:https://web.archive.org/web/20100217035925/http://documentation.apple.com/en/aperture/usermanual/

, 2:22 PM

view-source:https://web.archive.org/web/20100217035925/http://documentation.apple.com/en/aperture/usermanual/

```
<iframe id="donato-if" src="https://archive.org/includes/donate.php?as_page=1&platform=wb&referrer=https%3A//web.archive.org/web/20100217035925/http%3A//documentation.apple.com/en/aperture/usermanual/" scrolling="no" frameborder="0" style="width:100%; height:100%">
</iframe>
</div>
</div><script type="text/javascript">
__wm.bt(650,27,25,2,"web","http://documentation.apple.com/en/aperture/usermanual/","20100217035925",1996,"/_static/",["/_static/css/banner-styles.css?v=omkqRugM","/_static/css/iconochive.css?v=qtvMKcIJ"], "False");
__wm.rw(1);
</script>
<!-- END WAYBACK TOOLBAR INSERT --><noscript><div class="watermark"><a href="/web/20100217035925/http://documentation.apple.com/">Help Library</a> - Comprehensive documentation for Apple's professional applications. Browse the documentation, search for help topics, or click links to additional resources and information.</div><div style="position:absolute;width:100%;height:100%; z-index:100; background-color:#fff;"><div id="js_error_container"><div id="js_error_container_text_javascript"><p class="js_error_message_title">The Help Library requires JavaScript.</p><p class="js_error_message_text">If JavaScript is not enabled, you will not <br/>
be able to view all the content.</p></div></div></div></noscript><div class="nav_bar" id="top_nav"></div><div class="nav_bar" id="bottom_nav"></div><div id="nav_box"><div id="grey_box"><a href="/web/20100217035925/http://documentation.apple.com/en/aperture/"><div id="title_box"><div id="product_name">Aperture 3</div><div id="book_title">User Manual</div></div></a></div><div id="search_container"></div><div id="alternate"></div><div id="help_dropdown"><select id="ProductMenu" onchange="pageRedirect(this.value)"></select></div><div id="TOC_wrapper"><ul class="toc"><li class="has-subsections"><div class="disclosure"></div><a href="chapter_preface_section_0.html">Welcome to Aperture</a><ul class="subsection"><li><a href="chapter_preface_section_1.html">About Aperture</a></li><li><a href="chapter_preface_section_2.html">About the Aperture Documentation</a></li><li><a href="chapter_preface_section_3.html">Additional Resources</a></li></ul></li><li class="has-subsections"><div class="disclosure"></div><a href="chapter_1_section_0.html">An Overview of Aperture</a><ul class="subsection"><li><a href="chapter_1_section_1.html">A First Look at Aperture</a></li><li><a href="chapter_1_section_2.html">Creating Projects and Importing Your Photos</a></li><li><a href="chapter_1_section_3.html">Photo Editing with Aperture</a></li><li><a href="chapter_1_section_4.html">Image Processing</a></li><li><a href="chapter_1_section_5.html">Sharing</a></li><li><a href="chapter_1_section_6.html">Sharing Images with iLife and iWork Applications</a></li><li><a href="chapter_1_section_7.html">Backing Up Your Work</a></li></ul></li><li class="has-subsections"><div class="disclosure"></div><a href="chapter_2_section_0.html">The Aperture Interface</a><ul class="subsection"><li><a href="chapter_2_section_1.html">The Aperture Main Window</a></li><li><a href="chapter_2_section_2.html">Browser</a></li><li><a href="chapter_2_section_3.html">Viewer</a></li><li><a href="chapter_2_section_4.html">Tool Strip</a></li><li><a href="chapter_2_section_5.html">Inspector Pane</a></li><li><a href="chapter_2_section_6.html">Toolbar</a></li><li><a href="chapter_2_section_7.html">Control Bar</a></li><li><a href="chapter_2_section_8.html">Full Screen View</a></li><li><a href="chapter_2_section_9.html">Projects View</a></li><li><a href="chapter_2_section_10.html">Faces View</a></li><li><a href="chapter_2_section_11.html">Places View</a></li><li><a href="chapter_2_section_12.html">Slideshow Editor</a></li><li><a href="chapter_2_section_13.html">Light Table</a></li><li><a href="chapter_2_section_14.html">Webpage Editor</a></li><li><a href="chapter_2_section_15.html">Book Layout Editor</a></li><li><a href="chapter_2_section_16.html">Heads-Up Displays</a></li><li><a href="chapter_2_section_17.html">Quickly Accessing Commands</a></li></ul></li><li class="has-subsections"><div class="disclosure"></div><a href="chapter_3_section_0.html">Working with the Aperture Library</a><ul class="subsection"><li><a href="chapter_3_section_1.html">Basic Components of Aperture</a></li><li><a href="chapter_3_section_2.html">Working with the Library Inspector</a></li><li><a href="chapter_3_section_3.html">Working with Library Files</a></li><li><a href="chapter_3_section_4.html">Working in Projects View</a></li></ul></li><li class="has-subsections"><div class="disclosure"></div><a href="chapter_4_section_0.html">Importing Images</a><ul class="subsection"><li><a href="chapter_4_section_1.html">An Overview of Importing Images</a></li><li><a href="chapter_4_section_2.html">File Formats You Can Import into the Library</a></li>
```

rce:https://web.archive.org/web/20100217035925/http://documentation.apple.com/en/aperture/usermanual/

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.