

U.S. PATENT NO. 10,142,810 CLAIM LISTING

No.	Limitation
1	A computer-implemented method for managing electronic communications using at least a network-based portal at least based on Internet protocol, the method comprising:
1.1	providing a plurality of communication options to a first user to be selected as a selected option of communication for a message from the first user to a second user via an electronic device associated with the second user, with the first user being identified at least depending on a prior registration process by the first user regarding the use of the network-based portal, and with the plurality of communication options provided to the first user to send messages to the electronic device associated with the second user,
1.2	wherein the plurality of communication options include text messaging and voice communication, and
1.3	wherein all of the communication options use one identifier associated with the second user for the second user to receive messages, at least in view of the network-based portal being based on the Internet protocol;
1.4	receiving an indication regarding one of the plurality of communication options, via the network-based portal, from an electronic device associated with the first user, the indication indicating the selected option of communication for the message from the plurality of communication options provided;
1.5	permitting the second user to block the first user from reaching the second user via the network-based portal; and
1.6	enabling, via the network-based portal, the message to be received by the second user through the electronic device associated with the second user, using the selected option of communication, based on the one identifier associated with the second user, in view of the second user not blocking the first user from reaching the second user, wherein a piece of information regarding the second user blocking the first user from reaching the second user is stored in a storage medium if the second user has blocked the first user from reaching the second user, with the piece of information being based on at least an input previously submitted by the second user,

No.	Limitation
1.7	wherein the method comprises determining availability of the second user,
1.8	wherein the method requires contact information associated with the second user to allow the second user to receive messages via the network-based portal,
1.9	wherein even when the message is received by the second user through the electronic device associated with the second user based on the one identifier associated with the second user, the contact information associated with the second user is not provided via the network-based portal to the first user through the electronic device associated with the first user, and
1.10	wherein the one identifier associated with the second user is distinct from the contact information associated with the second user.
2	A computer-implemented method as recited in claim 1, wherein the plurality of communication options include multimedia messaging using the one identifier associated with the second user for the second user to receive messages, at least in view of the network-based portal being based on the Internet protocol.
3	A computer-implemented method as recited in claim 1, wherein the plurality of communication options include group messaging using the one identifier associated with the second user for the second user to receive messages, at least in view of the network-based portal being based on the Internet protocol.
4	A computer-implemented method as recited in claim 3, wherein the one identifier associated with the second user includes a digital identity of the second user.
5	A computer-implemented method as recited in claim 4, wherein the contact information associated with the second user includes at least one of a phone number or an email address of the second user.
6	A computer-implemented method as recited in claim 5, wherein the electronic device associated with the second user is a wireless electronic device, and wherein the electronic device associated with the first user is a wireless electronic device.

No.	Limitation
7	A computer-implemented method as recited in claim 4, wherein the enabling the message to be received by the second user depends on a time.
8	A computer-implemented method as recited in claim 7, wherein the enabling the message to be received by the second user depends on a period of time.
9	A computer-implemented method as recited in claim 8, wherein the method comprises not presenting the message to the second user depending on the period of time.
10	A computer-implemented method as recited in claim 4, wherein the enabling the message to be received by the second user enables leaving a voice mail.
11.0	A computing apparatus for managing electronic communications using at least a network-based portal at least based on Internet protocol, the computing apparatus comprising:
11.1	at least one computing device; and
11.2	one or more storage devices coupled to the at least one computing device, with the one or more storage devices storing instructions that, when executed, cause the computing apparatus to:
11.3	providing a plurality of communication options to a first user to be selected as a selected option of communication for a message from the first user to a second user via an electronic device associated with the second user, with the first user being identified by the computing apparatus at least depending on a prior registration process by the first user regarding the use of the network-based portal, and with the plurality of communication options provided to the first user to send messages to the electronic device associated with the second user,
11.4	wherein the plurality of communication options include text messaging and voice communication, and
11.5	wherein all of the communication options use one identifier associated with the second user for the second user to receive messages, at least in view of the network-based portal being based on the Internet protocol;

No.	Limitation
11.6	receiving an indication regarding one of the plurality of communication options, via the network-based portal from an electronic device associated with the first user, the indication indicating the selected option of communication for the message from the plurality of communication options provided;
11.7	permitting the second user to block the first user from reaching the second user via the network-based portal; and
11.8	enabling, via the network-based portal, the message to be received by the second user through the electronic device associated with the second user, using the selected option of communication, based on the one identifier associated with the second user, in view of the second user not blocking the first user from reaching the second user, wherein a piece of information regarding the second user blocking the first user from reaching the second user is stored in a storage medium if the second user has blocked the first user from reaching the second user, with the piece of information being based on at least an input previously submitted by the second user,
11.9	wherein the instructions, when executed, cause the computing apparatus to determine availability of the second user, and to require contact information associated with the second user to allow the second user to receive messages via the network-based portal,
11.10	wherein even when the message is received by the second user through the electronic device associated with the second user based on the one identifier associated with the second user, the contact information associated with the second user is not provided via the network-based portal to the first user through the electronic device associated with the first user, and
11.11	wherein the one identifier associated with the second user is distinct from the contact information associated with the second user.
12	A computing apparatus as recited in claim 11, wherein the plurality of communication options include multimedia messaging using the one identifier associated with the second user for the second user to receive messages, at least in view of the network-based portal being based on the Internet protocol.

No.	Limitation
13	A computing apparatus as recited in claim 11, wherein the plurality of communication options include group messaging using the one identifier associated with the second user for the second user to receive messages, at least in view of the network-based portal being based on the Internet protocol.
14	A computing apparatus as recited in claim 13, wherein the one identifier associated with the second user includes a digital identity of the second user.
15	A computing apparatus as recited in claim 14, wherein the contact information associated with the second user includes at least one of a phone number or an email address of the second user.
16	A computing apparatus as recited in claim 15, wherein the method comprises not presenting the message to the second user depending on the period of time.
17	A computing apparatus as recited in claim 15, wherein the electronic device associated with the second user is a wireless electronic device, and wherein the electronic device associated with the first user is a wireless electronic device.
18	A computing apparatus as recited in claim 14, wherein the enabling the message to be received by the second user enables leaving a voice mail.
19.0	A non-transitory computer readable medium including at least executable computer program code stored therein for managing electronic communications using at least a network-based portal at least based on Internet protocol, said computer readable medium comprising:
19.1	computer program code for providing a plurality of communication options to a first user to be selected as a selected option of communication for a message from the first user to a second user via an electronic device associated with the second user, with the first user being identified at least depending on a prior registration process by the first user regarding the use of the network-based portal, and with the plurality of communication options provided to the first user to send messages to the electronic device associated with the second user,

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.