



US008642077B2

(12) **United States Patent**
Manku et al.

(10) **Patent No.:** **US 8,642,077 B2**
(45) **Date of Patent:** ***Feb. 4, 2014**

(54) **STABLE PHARMACEUTICAL COMPOSITION AND METHODS OF USING SAME**

(71) Applicant: **Amarin Pharmaceuticals Ireland Limited**, Dublin (IE)

(72) Inventors: **Mehar Manku**, Birmingham (GB); **Ian Osterloh**, Kent (GB); **Pierre Wicker**, Mystic, CT (US); **Rene Braeckman**, Richboro, PA (US); **Paresh Soni**, Mystic, CT (US)

(73) Assignee: **Amarin Pharmaceuticals Ireland Limited**, Dublin (IE)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **13/768,906**

(22) Filed: **Feb. 15, 2013**

(65) **Prior Publication Data**

US 2013/0165513 A1 Jun. 27, 2013

Related U.S. Application Data

(63) Continuation of application No. 13/685,291, filed on Nov. 26, 2012, which is a continuation of application No. 13/614,111, filed on Sep. 13, 2012, now Pat. No. 8,454,994, which is a continuation of application No. 13/458,496, filed on Apr. 27, 2012, now Pat. No. 8,445,003, which is a continuation of application No. 12/769,885, filed on Apr. 29, 2010, now Pat. No. 8,298,554.

(60) Provisional application No. 61/173,763, filed on Apr. 29, 2009.

(51) **Int. Cl.**
A61K 9/48 (2006.01)
A61K 31/232 (2006.01)
A61K 9/00 (2006.01)
A61P 9/00 (2006.01)
A61P 9/10 (2006.01)

(52) **U.S. Cl.**
USPC **424/451**; 424/400; 424/456; 514/549; 514/560

(58) **Field of Classification Search**
USPC 424/400, 451, 456; 514/549, 560
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,377,526 A 3/1983 Fujita et al.
4,526,902 A 7/1985 Rubin

(Continued)

FOREIGN PATENT DOCUMENTS

CA 2628305 5/2007
CA 2653787 12/2007

(Continued)

OTHER PUBLICATIONS

Anderson (The American Journal of Cardiology, 2008;101:23F-33F).*

(Continued)


Primary Examiner — Aradhana Sasan

(74) *Attorney, Agent, or Firm* — Perkins Coie LLP

(57) **ABSTRACT**

The present invention relates to, inter alia, pharmaceutical compositions comprising a polyunsaturated fatty acid and to methods of using the same to treat or prevent cardiovascular-related diseases.

19 Claims, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

4,920,098 A 4/1990 Cotter et al.
 4,935,243 A 6/1990 Borkan et al.
 5,013,443 A 5/1991 Higashidate et al.
 5,116,871 A 5/1992 Horrobin et al.
 5,178,873 A 1/1993 Horrobin et al.
 5,198,468 A 3/1993 Horrobin
 5,215,630 A 6/1993 Hata et al.
 5,252,333 A 10/1993 Horrobin
 5,457,130 A 10/1995 Tisdale et al.
 5,502,077 A 3/1996 Breivik et al.
 5,567,730 A 10/1996 Miyashita et al.
 5,589,508 A 12/1996 Schlotzer et al.
 5,603,959 A 2/1997 Horrobin et al.
 5,618,558 A 4/1997 Horrobin et al.
 5,656,667 A 8/1997 Breivik et al.
 5,698,594 A 12/1997 Breivik et al.
 5,760,081 A 6/1998 Leaf et al.
 5,776,978 A 7/1998 Bruzzese
 5,837,731 A 11/1998 Vaddadi
 5,840,944 A 11/1998 Furihata et al.
 5,888,541 A 3/1999 Horrobin et al.
 6,069,168 A 5/2000 Horrobin et al.
 6,193,999 B1 2/2001 Gennadios
 6,326,031 B1 12/2001 Hsia et al.
 6,331,568 B1 12/2001 Horrobin
 6,368,621 B1 4/2002 Engel et al.
 6,384,077 B1 5/2002 Peet
 6,479,544 B1 11/2002 Horrobin
 6,531,150 B1 3/2003 Sunohara et al.
 6,555,700 B1 4/2003 Horrobin et al.
 6,689,812 B2 2/2004 Peet
 7,119,118 B2 10/2006 Peet
 7,498,359 B2 3/2009 Yokoyama et al.
 8,188,146 B2 5/2012 Peet et al.
 8,293,727 B2 10/2012 Manku et al.
 8,293,728 B2 10/2012 Manku et al.
 8,298,554 B2 10/2012 Manku
 8,314,086 B2 11/2012 Manku et al.
 8,318,715 B2 11/2012 Manku et al.
 8,324,195 B2 12/2012 Manku et al.
 8,357,677 B1 1/2013 Manku et al.
 8,367,652 B2 2/2013 Manku et al.
 8,377,920 B2 2/2013 Manku et al.
 2002/0016312 A1 2/2002 Seed et al.
 2002/0035125 A1 3/2002 Shear
 2002/0055529 A1 5/2002 Bisgaier et al.
 2002/0055539 A1 5/2002 Bockow et al.
 2002/0077361 A1 6/2002 Peet
 2002/0183389 A1 12/2002 Peet
 2002/0193439 A1 12/2002 Peet
 2002/0198177 A1 12/2002 Horrobin et al.
 2003/0100610 A1 5/2003 Shibuya et al.
 2003/0104048 A1 6/2003 Patel et al.
 2003/0166614 A1 9/2003 Harrison, Jr.
 2004/0077723 A1 4/2004 Granata
 2004/0162348 A1 8/2004 Peet
 2005/0187292 A1 8/2005 Aoki et al.
 2006/0034815 A1 2/2006 Guzman et al.
 2006/0134178 A1 6/2006 Doisaki et al.
 2006/0135610 A1 6/2006 Bortz et al.
 2006/0141022 A1 6/2006 Kawamura et al.
 2006/0142390 A1 6/2006 Manku et al.
 2006/0211762 A1 9/2006 Rongen
 2006/0211763 A1 9/2006 Fawzy et al.
 2006/0217356 A1 9/2006 Wright et al.
 2006/0252833 A1 11/2006 Peet
 2007/0104779 A1 5/2007 Rongen et al.
 2007/0105954 A1 5/2007 Puri
 2007/0141138 A1 6/2007 Feuerstein et al.
 2007/0167520 A1 7/2007 Bruzzese
 2007/0191467 A1 8/2007 Rongen et al.
 2008/0020018 A1 1/2008 Moodley et al.
 2008/0089876 A1 4/2008 Cavazza
 2008/0113046 A1 5/2008 Gardette
 2008/0125490 A1 5/2008 Svensson et al.

2008/0200547 A1 8/2008 Peet et al.
 2008/0306154 A1 12/2008 Svensson et al.
 2008/0319077 A1 12/2008 Suzuki et al.
 2009/0012167 A1 1/2009 Rongen et al.
 2009/0182049 A1 7/2009 Opheim
 2009/0227602 A1 9/2009 Griffin et al.
 2009/0304784 A1 12/2009 Mane et al.
 2010/0021555 A1 1/2010 Geiringer et al.
 2010/0119598 A1 5/2010 Yoshinari et al.
 2010/0311834 A1 12/2010 Manku et al.
 2011/0034555 A1 2/2011 Osterloh et al.
 2011/0288171 A1 11/2011 Manku et al.
 2012/0100208 A1 4/2012 Manku

FOREIGN PATENT DOCUMENTS

CA 2675836 7/2008
 CA 2724983 11/2009
 EP 0 302 482 2/1989
 EP 0 460 917 12/1991
 EP 0 606 012 7/1994
 EP 0 610 506 8/1994
 EP 1 296 670 4/2003
 EP 1 157 692 10/2005
 EP 1 743 644 1/2007
 EP 2 022 495 2/2011
 FR 2 635 263 2/2009
 GB 2 148 713 6/1985
 GB 2 221 843 2/1990
 GB 2 229 363 9/1990
 GB 9 901 809.5 1/1999
 JP 04 182426 6/1992
 KR 10-2006-0109988 10/2006
 WO 90/04391 5/1990
 WO 92/21335 12/1992
 WO 94/28891 12/1994
 WO 97/39759 10/1997
 WO 98/16216 4/1998
 WO 99/29316 6/1999
 WO 00/44361 8/2000
 WO 00/51573 8/2000
 WO 01/15552 3/2001
 WO 02/02105 1/2002
 WO 02/058793 8/2002
 WO 02/089787 11/2002
 WO 02/096408 12/2002
 WO 03/068216 8/2003
 WO 2004/050913 6/2004
 WO 2004/078166 9/2004
 WO 2004/082402 9/2004
 WO 2007/016256 2/2007
 WO 2007/017240 2/2007
 WO 2007/073176 6/2007
 WO 2007/075841 7/2007
 WO 2007/128801 11/2007
 WO 2007/142118 12/2007
 WO 2008/004900 1/2008
 WO 2008/045465 4/2008
 WO 2008/106787 9/2008
 WO 2009/004999 1/2009

OTHER PUBLICATIONS

Aarsland, et al., "On the Effect of Peroxisomal β -Oxidation and Carnitine Palmitoyltransferase Activity by Eicosapentaenoic Acid in Live and Heart of Rats." *Lipids*, 25:546-548, (1990).
 Aas, V., et al., "Eicosapentaenoic acid (20:5 n-3) increases fatty acid and glucose uptake in cultured human skeletal muscle cells." *Journal of Lipid Research*, 47:366-374 (2006).
 Abbey, M., et al., "Effect of fish oil on lipoproteins, lecithin:cholesterol acyltransferase, and lipidtransfer protein activity in humans" *Arterioscler. Thromb. Vasc. Biol.* 10:85-94 (1990).
 Ackman et al., The "Basic" Fatty Acid Composition of Atlantic Fish Oils: Potential Similarities Useful for Enrichment of Polyunsaturated Fatty Acids by Urea Complexation, *JAOCS*, vol. 65, 1:136-138 (Jan. 1988).

(56)

References Cited

OTHER PUBLICATIONS

- Adan, Y., et al., "Effects of docosahexaenoic and eicosapentaenoic acid on lipid metabolism, eicosanoid production, platelet aggregation and atherosclerosis." *Biosci. Biotechnol. Biochem.* 63(1), 111-119 (1999).
- Adan, Y., et al., "Concentration of serum lipids and aortic lesion size in female and male apo E-deficient mice fed docosahexaenoic acid." *Biosci. Biotechnol. Biochem.* 63(2):309-313 (1999).
- Agren, J.J., et al., "Fatty acid composition of erythrocyte, platelet, and serum lipids in strict vegans." *Lipids* 30:365-369 (1995).
- Agren, J.J., et al., "Fish diet, fish oil and docosahexaenoic acid rich oil lower fasting and postprandial plasma lipid levels." *Eur J Clin Nutr.* 1996;50:765-771.
- Ait-Said, et al., "Inhibition by eicosapentaenoic acid of IL-1 β -induced PGHS-2 expression in human microvascular endothelial cells: involvement of lipoxygenase-derived metabolites and p38 MAPK pathway." *Biochimica et Biophysica Acta*, 1631:66-85 (2003).
- Alderman, J.D., et al., (1989) Effect of a modified, well-tolerated niacin regimen on serum total cholesterol, high density lipoprotein cholesterol and the cholesterol to high density lipoprotein ratio. *Am. J. Cardio.* 64: 725-729.A.
- Alessandri, J-M., et al., "Estradiol favors the formation of eicosapentaenoic acid (20:5n-3) and n-3 docosapentaenoic acid (22:5n-3) from alpha-linolenic acid (18:3n-3) in SH-SY5Y neuroblastoma cells." *Lipids* 43:19-28 (2008).
- Allred, C., et al., "PPAR γ 1 as a molecular target of eicosapentaenoic acid in human colon cancer (HT-29) cells." *J. Nutr.* 138:250-256 (2008).
- Amarin Corporation Announces First Patients Enrolled in Two Phase 3 Clinical Trials Assessing AMR101 for the Treatment of Cardiovascular Disease [online], Amarin Corporation, Jan. 11, 2010 [retrieved Apr. 27, 2011], Retrieved from the Internet: <<http://investor.amarincorp.com/releasedetail.cfm?ReleaseID=504380>>.
- Ando, M., et al., "Eicosapentaenoic acid reduces plasma levels of remnant lipoproteins and prevents in vivo peroxidation of LDL in dialysis patients." *J. Am. Soc. Nephrol.*, 10:2177-2184 (1999).
- Ando, Y., et al., "Positional distribution of highly unsaturated fatty acids in triacyl-sn-glycerols of *Artemia Nauplii* enriched with docosahexaenoic acid ethyl ester." *Lipids* 36:733-740 (2001).
- Andrade, S.E., et al., (1995) Discontinuation of antihyperlipidaemic drugs do rates reported in clinical trials reflect rates in primary care settings? *New Eng. J. Med.* 332: 1125-1131.
- Angerer, P., et al., "n-3 Polyunsaturated Fatty Acids and the Cardiovascular System", *Current Opinion in Lipidology*, 11(1):57-63, 2000.
- Anil, E., "The Impact of EPA and DHA on Blood Lipids and Lipoprotein Metabolism: Influence of ApoE Genoty[e]", *Proceedings of the Nutrition Society*, 66:60-68, 2007.
- Appelton, K.M., et al., "Effects of n-3 long-chain polyunsaturated fatty acids on depressed mood: systematic review of published trials." *Am. J. Clin. Nutr.* 84(6):1308-1316 (Dec. 2006).
- Arrol, S. et al., "The effects of fatty acids on apolipoprotein B secretion by human hepatoma cells (HEP G2)," *Atherosclerosis* 150 (2000) 255-264.
- Arshad, A., et al., "Sudden cardiac death and the role of medical therapy." *Progress in Cardiovascular Diseases*, vol. 50, No. 6, 420-438, (2008).
- Arterburn, L., et al., "Distribution, interconversion, and dose response of n-3 fatty acids in humans." *Am J Clin Nutr.*, 83:1467S-76S (2006).
- Asano, M., et al., "Eicosapentaenoic acid inhibits vasopressin-activated Ca $^{2+}$ influx and cell proliferation in rat aortic smooth muscle cell lines." *European Journal of Pharmacology* 379:199-209 (1999).
- Asano, M., et al., "Inhibitory effects of ω -3 polyunsaturated fatty acids on receptor-mediated non-selective cation currents in rat A7r5 vascular smooth muscle cells." *British Journal of Pharmacology* 120:1367-1375, (1997).
- ATP III guidelines, NIH publication No. 01-3305 (2001).
- Ayton, et al., "A pilot open case series of Ethyl-EPA supplementation in the treatment of anorexia nervosa," *Prostaglandins, Leukotrienes and Essential Fatty Acids* 71 (2004) pp. 205-209.
- Ayton, et al., "Rapid improvement of severe anorexia nervosa during treatment with ethyl-eicosapentaenoate and micronutrients," *European Psychiatry* 19 (2004) pp. 317-319.
- Baigent, C., et al., "Efficacy and safety of cholesterol-lowering treatment: prospective meta-analysis of data from 90,056 participants in 14 randomised trials of statins." *Lancet.* 2005;366:1267-1278.
- Balk, E.M., et al., "Effects of omega-3 fatty acids on serum markers of cardiovascular disease risk: a systematic review. *Atherosclerosis.*" 2006; 189:19-30.
- Ballantyne et al., Influence of low-high density lipoprotein cholesterol and elevated triglyceride on coronary heart disease events and response to simvastatin therapy in 4S, *Circulation* 2001, 104:3046-3051.
- Bang HO, Dyerberg J. "Plasma lipids and Lipoproteins in Greenlandic west coast Eskimos" *Acta Med Scand* 1972; 192:85-94.
- Banga, A., et al., "Adiponectin translation is increased by the PPAR γ agonists pioglitazone and ω -3 fatty acids." *Am J Physiol Endocrinol Metab* 296:480-489 (2009).
- Bansal S, Buring JE, Rifai N, Mora S, Sacks FM, Ridker PM, "Fast-ing Compared With Nonfasting Triglycerides and Risk of Cardiovascular Events in Women," *JAMA* 2007; 298:309-316.
- Basu, A., et al., "Dietary Factors That Promote or Retard Inflammation." *Arterioscler. Thromb. Vasc. Biol.* 26:995-1001 (2006).
- Bays HE et al. "Prescription omega-3 fatty acids and their lipid effects: physiologic mechanisms of action and clinical implications," *Expert Rev Cardiovasc Ther* 2008; 6:391-409.
- Bays, H., Clinical Overview of Omacor: A Concentrated Formulation of Omega-3 Polyunsaturated Fatty Acids, *Am J cardiol* 2006;98[suppl]:711-761.
- Bays, H., "Rationale for Prescription Omega-3-Acid Ethyl Ester Therapy for Hypertriglyceridemia: A Primer for Clinicians," *Drugs of Today* 2008,44(3); 205-246.
- Bays, H.E., et al., "Long-term up to 24-month efficacy and safety of concomitant prescription omega-3-acid ethyl esters and simvastatin in hypertriglyceridemic patients." *Curr Med Res Opin.* 2010;26:907-915.
- Bays, H.E., Eicosapentaenoic Acid Ethyl Ester (AMR101) Therapy in Patients With Very High Triglyceride Levels (from the Multi-center, placebo-controlled, Randomized, double-blind, 12-week study with an open-label Extension [MARINE] Trial) *Am J Cardiol* 2011;108:682-690.
- Beal, M.F. *Annals of Neurology*, vol. 38, No. 3, "Aging, Energy, and Oxidative Stress in . . ." , pp. 357-366, Sep. 1995.
- Belmaker, et al., "Addition of Omega-3 Fatty Acid to Maintenance Medication Treatment for Recurrent Unipolar Depressive Disorder," *Am J Psychiatry* 2002; 159:477-479.
- Belmaker, et al., "Omega-3 Eicosapentaenoic Acid in Bipolar Depression: Report of a Small Open-Label Study," *J Clin Psychiatry* 2005 66:726-729.
- Bénistant, C., et al., "Docosapentaenoic acid (22:5, n-3): metabolism and effect on prostacyclin production in endothelial cells." *Prostaglandins, Leukotrienes and Essential Fatty Acids*, 55(4):287-292, (1996).
- Berge, R.K., et al., "In contrast with docosahexaenoic acid, eicosapentaenoic acid and hypolipidaemic derivatives decrease hepatic synthesis and secretion of triacylglycerol by decreased diacylglycerol acyltransferase activity and stimulation of fatty acid oxidation." *Biochem J.* 1999; 343(Pt 1):191-197.
- Betteridge, D.J., "Diabetic dyslipidaemia: past, present and future." *Practical Diabetes Int*, 21(2): 78-85. (2004).
- Black, K.L., et al., "Effect of intravenous eicosapentaenoic acid on cerebral blood flow, edema, and brain prostaglandins in ischemic gerbils", *Prostaglandins* (1984), 28(4), pp. 545-546.
- Blankenhorn, D.H., et al., (1987) Beneficial effects of combined colestipol-naicin therapy on coronary atherosclerosis and coronary venous bypass grafts. *JAMA* 257: 3233-3240.
- Block, R. C., et al., "EPA and DHA in blood cell membranes from acute coronary syndrome patients and controls." *Atherosclerosis*, 197(2):821-828 (2007).
- Blumenthal (Advanced Studies in Medicine (2002) 2:148-157).

(56)

References Cited

OTHER PUBLICATIONS

- Bonaa, KH et al., Docosahexaenoic and Eicosapentaenoic acids in plasma phospholipids are divergently associated with high density lipoprotein in humans, *Arterioscler. Thromb. Vasc. Biol.* 1992;12:675-681.
- Bousserouel, S., et al., "Different effects of n-6 and n-3 polyunsaturated fatty acids on the activation of rat smooth muscle cells by interleukin-1 β ." *J. Lipid Res.* 44:601-611 (2003).
- Bousserouel, S., et al., "Modulation of cyclin D1 and early growth response factor-1 gene expression in interleukin-1 β -treated rat smooth muscle cells by n-6 and n-3 polyunsaturated fatty acids." *Eur. J. Biochem.* 271:4462-4473 (2004).
- Brady, L., et al., Increased n-6 polyunsaturated fatty acids do not attenuate the effects of long-chain n-3 polyunsaturated fatty acids on insulin sensitivity or triacylglycerol reduction in Indian Asians. *Am J Clin Nutr* 79:983-91 (2004).
- Breslow, J., "n-3 Fatty acids and cardiovascular disease." *Am J Clin Nutr.* 83:1477S-82S (2006).
- Brossard, N., et al., "Retroconversion and metabolism of [13C]22:6n-3 in humans and rats after intake of a single dose of [13C]22:6n-3-3-triacylglycerols." *Am. J. Clin. Nutr.* 64:577-86 (1996).
- Brouwer, I.A., et al., "Effect of fish oil on ventricular tachyarrhythmia and death in patients with implantable cardioverter defibrillators." *JAMA.* 295(22):2613-2619 (2006).
- Brown et al., Simvastatin and Niacin, Antioxidant Vitamins, or the Combination for the Prevention of Coronary Disease, *N Engl J Med.* vol. 345, No. 22, Nov. 29, 2001.
- Brown, A. J., et al., "Administration of n-3 Fatty Acids in the Diets of Rats or Directly to Hepatocyte Cultures Results in Different Effects on Hepatocellular ApoB Metabolism and Secretion." *Arterioscler. Thromb. Vasc. Biol.* 19:106-114 (1999).
- Brown, A. J., et al., "Persistent changes in the fatty acid composition of erythrocyte membranes after moderate intake of n-3 polyunsaturated fatty acids: study design and implications." *Am. J. Clin. Nutr.* 54:668-73 (1991).
- Brown, G., et al., (1990) Regression of coronary artery-disease as a result of intensive lipid-lowering therapy in men with high levels of apolipoprotein B., *N. Engl. J. Med.* 323:1289-1298.
- Bryhn, M., et al., "The bioavailability and pharmacodynamics of different concentrations of omega-3 acid ethyl esters." *Prostaglandins, Leukotrienes and Essential Fatty Acids* 75:19-24 (2006).
- Budavari, S., Editor, *The Merck Index*, 1989, Merck & Co., Inc., Rahway, N.J., entry 2417 on p. 379 and 4511 on p. 725.
- Bunting, et al., "Depression in Parkinson's Disease", *J. Neurosci Nurs.* Jun. 1991; 23(3):158-164, (Abstract Only).
- Burdge, G.C., et al., "Eicosapentaenoic and docosapentaenoic acids are the principal products of α -linolenic acid metabolism in young men." *British Journal of Nutrition* 88:355-363 (2002).
- Burdge, G.C., et al., "Lack of effect of meal fatty acid composition on postprandial lipid, glucose and insulin responses in men and women aged 50-65 years consuming their habitual diets." *British Journal of Nutrition*, 96:489-500 (2006).
- Burdge, G.C., et al., "The effect of altering the 20:5n-3 and 22:6n-3 content of a meal on the postprandial incorporation of n-3 polyunsaturated fatty acids into plasma triacylglycerol and non-esterified fatty acids in humans." *Prostaglandins, Leukotrienes and Essential Fatty Acids* 77:59-65 (2007).
- Burr, M. L., et al., "Effects of changes in fat, fish and fibre intakes on death and myocardial reinfarction: Diet and reinfarction trial." *The Lancet*, Sep. 30, 1989; 2(8666):757-61.
- Calabresi, L., et al., "Omacor in familial combined hyperlipidemia: effects on lipids and low density lipoprotein subclasses." *Atherosclerosis* 148:387-396 (2000).
- Campos, H., et al., "Low-density lipoprotein size, pravastatin treatment, and coronary events." *JAMA.* 2001;286:1468-1474.
- Canner, P.L., et al., (1986) Fifteen year mortality in Coronary Drug Project patients: long-term benefit with niacin, *J. Am. Coll. Cardiol.* 8. 1245-1255.
- Cao, J., et al., "Incorporation and Clearance of Omega-3 Fatty Acids in Erythrocyte Membranes and Plasma Phospholipids." *Clinical Chemistry* 52(12):2265-2272 (2006).
- Cao, Y., et al., *Genomics*, vol. 49, "Cloning, Expression, and Chromosomal Localization of Human Long-Chain Fatty Acid CoA Ligase 4 (FACL4)," pp. 327-330, 1998.
- Capuzzi, et al. "Efficacy and Safety of an Extended-Release Niacin (Niaspan): A Long-Term in Study," *Am J Cardiol* 1998;82:74U-81U.
- Carlson, L.A. & Rosenhamer G. (1988). Reduction of mortality in the Stockholm Ischaemic Heart Disease Secondary Prevention Study by combined treatment with clofibrate and nicotinic acid. *Acta Med. Scand.* 223, 405-418.
- Carlson, L.A., Nicotinic acid: the broad-spectrum lipid drug. A 50th anniversary review, *Journal of Internal Medicine*, 2005; 258: 94-114.
- Carrero et al., "Intake of Fish Oil, Oleic Acid, Folic Acid, and Vitamins B-6 and E for 1 Year Decreases Plasma C-Reactive Protein and Reduces Coronary Heart Disease Risk Factors in Male Patients in a Cardiac Rehabilitation Program", pp. 384-390, 2007.
- Carroll, D. N., et al., "Evidence for the Cardioprotective Effects of Omega-3 Fatty Acids." *Ann Pharmacother.* 36:1950-6 (2002).
- Cazzola, R., et al., "Age- and dose-dependent effects of an eicosapentaenoic acid-rich oil on cardiovascular risk factors in healthy male subjects." *Atherosclerosis* 193:159-167 (2007).
- Cefali, E.A, et al., "Aspirin reduces cutaneous flushing after administration of an optimized extended-release niacin formulation." *International Journal of Clinical Pharmacology and Therapeutics*, vol. 45—No. 2/2007 (78-88).
- Center for Drug Evaluation and Research. Omacor (Lovaza) Medical Reviews 2004 (last accessed May 29, 2008 at http://www.fda.gov/cder/foi/nda/2004/21-654_Omacor_Medr.pdf).
- Center for Drug Evaluation and Research. Application No. 21-853, 21654s016, (Omacor). Statistical Review and Evaluation: Clinical Studies, Omacor (omega-3 acid ethyl ester) Capsules, 4 grams/day; 2007. Available at: http://www.accessdata.fda.gov/drugsatfda_docs/nda/2007/021853s000;20021654s016_StatR.pdf. Accessed Jan. 26, 2012.
- Center for Drug Evaluation and Research. Approval Package for: 21-654 (Omacor/Lovaza). Statistical Review; 2004. Available at: http://www.accessdata.fda.gov/drugsatfda_docs/nda/2004/21-654_Omacor_AdminCorres_P1.pdf. Accessed Jan. 26, 2012.
- Chan et al., "Effect of Atorvastatin and Fish Oil on Plasma High-Sensitivity C-Reactive Protein Concentrations in Individuals with Visceral Obesity", *Clin. Chem.*, vol. 48, pp. 877-883 (2002).
- Chan, D.C., et al., "Randomized controlled trial of the effect of n-3 fatty acid supplementation on the metabolism of apolipoprotein B-100 and chylomicron remnants in men with visceral obesity." *Am J Clin Nutr* 77:300-7 (2003).
- Chapman, M.J., et al., "Cholesteryl ester transfer protein: at the heart of the action of lipid-modulating therapy with statins, fibrates, niacin, and cholesteryl ester transfer protein inhibitors." *Eur Heart J.* 2010;31:149-164.
- Chemical Book, Eicosapentaenoic acid ethyl ester, copyright 2010, printed Jun. 16, 2011 from www.chemicalbook.com.
- Chen, H., et al., "Eicosapentaenoic acid inhibits hypoxia-reoxygenation-induced injury by attenuating upregulation of MMP-1 in adult rat myocytes." *Cardiovascular Research* 59:7-13 (2003).
- Chen, H., et al., "EPA and DHA attenuate ox-LDL-induced expression of adhesion molecules in human coronary artery endothelial cells via protein kinase B pathway." *Journal of Molecular and Cellular Cardiology* 35:769-775 (2003).
- Chen, I.S., et al., "In vitro clearance of chylomicron triglycerides containing (ω -3) eicosapentaenoate." *Atherosclerosis*, 65:193-198 (1987).
- Childs, M.T., et al., "Divergent lipoprotein Responses to Fish Oils With Various Ratios of Eicosapentaenoic Acid and Docosahexaenoic Acid", *American Society for Clinical Nutrition*, 52:632-9, 1990.
- Christensen, J. H., et al., "Effect of fish oil on heart rate variability in survivors of myocardial infarction: a double blind randomised controlled trial." *BMJ*, 312:677-678 (1996).
- Christensen, M.S., et al., "Intestinal absorption and lymphatic transport of eicosapentaenoic (EPA), docosahexaenoic (DHA), and decanoic acids: dependence on intramolecular triacylglycerol structure." *Am J Clin Nutr* 61:56-61 (1995).

(56)

References Cited

OTHER PUBLICATIONS

- Cleland, L.G., et al., "A Biomarker of n-3 compliance in patients taking fish oil for rheumatoid arthritis." *Lipids* 38:419-424 (2003).
- Clinical Trial NCT01047501, Effect of AMR101 (Ethyl Icosapentate) on Triglyceride (Tg) Levels in Patients on Statins With High Tg Levels (>200 and <500 mg/dL) (ANCHOR), ClinicalTrials.gov [database online], U.S. National Institute of Health, Jan. 2010 [retrieved Apr. 27, 2011], Retrieved from the Internet: <<http://clinicaltrials.gov/ct2/show/NCT01047501>>.
- Cohen, J.D., et al., "30-year trends in serum lipids among United States adults: results from the National Health and Nutrition Examination Surveys II, III, and 1999-2006." *Am J Cardiol.* 2010;106:969-975.
- Cole et al., "Challenges and opportunities in the encapsulation of liquid and semi-solid formulations into capsules for oral administration." *Advanced Drug Delivery Reviews*, vol. 60, No. 6, Dec. 21, 2007, pp. 747-756.
- Colhoun, H. M., et al., "Primary prevention of cardiovascular disease with atorvastatin in type 2 diabetes in the Collaborative Atorvastatin Diabetes Study (CARDS): multicentre randomised placebo-controlled trial." *Lancet* 364: 685-9 (2004).
- Collins, N., et al., "Differences between Dietary Supplement and Prescription Drug Omega-3 Fatty Acid Formulations: A Legislative and Regulatory Perspective." *Journal of the American College of Nutrition*, 27 (6):659-666 (2008).
- Conklin, S. M., et al., "Serum ω -3 fatty acids are associated with variation in mood, personality and behavior in hypercholesterolemic community volunteers." *Psychiatry Research* 152: 1-10 (2007).
- Connor et al., "Seminars in thrombosis and hemostasis" (1988) 14:271-284.
- Connor, W.E., "Importance of n-3 Fatty Acids in Health and Disease", *Am. J. Clin. Nutr.*, 71(1(S)): 171S-175S, 2000.
- Conquer, J.A., et al., "Effect of supplementation with different doses of DHA on the levels of circulating DHA as non-esterified fatty acid in subjects of Asian Indian background." *J Lipid Res.* 1998;39:286-292.
- Conquer, J.A., et al., "Supplementation with an algae source of docosahexaenoic acid increases (n-3) fatty acid status and alters selected risk factors for heart disease in vegetarian subjects." *J Nutr.* 1996;126: 3032-3039.
- Contacos et al. Effect of pravastatin and omega-3 fatty acids on plasma lipids and lipoproteins in patients with combined hyperlipidemia, pp. 1755-1762, 1993.
- Criqui, M., "Triglycerides and Coronary Heart Disease Revisited (Again)," Sep. 18, 2007, vol. 147 No. 6, pp. 425-427.
- Crowe, F. L., et al., "Serum phospholipid n-3 long-chain polyunsaturated fatty acids and physical and mental health in a population-based survey of New Zealand adolescents and adults." *Am J Clin Nutr* 86:1278-85 (2007).
- Daggy, B., et al., Dietary fish oil decreases VLDL production rates. *Biochimica et Biophysica Acta* 920: 293-300 (1987).
- Das, U.N., Essential fatty acids as possible mediators of the actions of statins. Prostaglandins, Leukotrienes and Essential Fatty Acids 65(1):37-40, (2001).
- Davidson MH, Stein EA, Bays HE et al. "Efficacy and tolerability of adding prescription omega-3 fatty acids 4 g/d to simvastatin 40 mg/d in hypertriglyceridemic patients: an 8-week, randomized, double-blind, placebo-controlled study." *Clin Ther* 2007; 29:1354-1367.
- Davidson MH. (2006). "Mechanisms for the hypotriglyceridemic effect of marine omega-3 fatty acids." *Am J Cardiol* 98(4A):271-331.
- Davidson, M.H., et al., "Effects of docosahexaenoic acid on serum lipoproteins in patients with combined hyperlipidemia: a randomized, double-blind, placebo-controlled trial." *J Am Coll Nutr.* 1997;16:236-243.
- De Caterina, R., et al., "Control of Endothelial Leukocyte Adhesion Molecules by Fatty Acids." *Lipids*, vol. 31:S57-S63 (1996).
- De Caterina, R., et al., "The Omega-3 fatty acid docosahexaenoate reduces cytokine-induced expression of proatherogenic and proinflammatory proteins in human endothelial cells." *Arterioscler. Thromb. Vasc. Biol.* 14:1829-1836 (1994).
- Deckelbaum R. J., et al., "Conclusions and recommendations from the symposium, Beyond Cholesterol: Prevention and Treatment of Coronary Heart Disease with n-3 Fatty Acids." *Am J Clin Nutr* 87:2010S-12S (2008).
- Dewailly, E., et al., "n-3 Fatty acids and cardiovascular disease risk factors among the Inuit of Nunavik." *Am J Clin Nutr* 74:464-73 (2001).
- Diagnostic and Statistical Manual of Mental Disorders, 4.sup.th. Ed, published by the American Psychiatric Assoc., pp. 285-286, 1994.
- Diagnostic and Statistical Manual of Mental Disorders, 4.sup.th. Ed.text revision, published by the American Psychiatric Assoc., pp. 154-163, and 369-381, 2000.
- Dijan, P., et al., *Proc. Natl. Acad. Sci.*, vol. 93, "Codon repeats in genes associated . . .", pp. 417-421, Jan. 1996.
- Dijk, J. M., et al., "Carotid intima—media thickness and the risk of new vascular events in patients with manifest atherosclerotic disease: the SMART study." *European Heart Journal* 27:1971-1978 (2006).
- Dodin, S., et al., "Flaxseed on cardiovascular disease markers in healthy menopausal women: a randomized, double-blind, placebo-controlled trial." *Nutrition* 24:23-30 (2008).
- Dolecek, D.A., "Epidemiological Evidence of Relationships Between Dietary Polysaturated Fatty Acids and Morality in the Multiple Risk Factor Intervention Trial," Society of Experimental Biology and Medicine, 200(2):177-182, 1991.
- Dullenmeijer, C., et al., "n-3 Fatty acid proportions in plasma and cognitive performance in older adults." *Am J Clin Nutr* 86:1479-85 (2007).
- Duncan, R. E., et al., "Regulation of HMG-CoA reductase in MCF-7 cells by genistein, EPA, and DHA, alone and in combination with mevastatin." *Cancer Letters* 224:221-228 (2005).
- Durrington PN et al. "An omega-3 polyunsaturated fatty acid concentrate administered for one year decreased triglycerides in simvastatin treated patients with coronary heart disease and persistent Hypertriglyceridemia." *Heart* 2001; 85:544-48.
- Dwyer, J. H., et al., "Arachidonate 5-Lipoxygenase Promoter Genotype, Dietary Arachidonic Acid, and Atherosclerosis." *N. Engl. J. Med.*, 350:1 (2004).
- Dyerberg, J., et al., "Marine Oils and Thrombogenesis." *Prog. Lipid Res.* 21:255-269 (1982).
- Egert, S., et al., "Dietary alpha-linolenic acid, EPA, and DHA have differential effects on LDL fatty acid composition but similar effects on serum lipid profiles in normolipidemic humans." *J Nutr.* 2009;139:861-868.
- Eisenberg S, Bilheimer DW, Levy RI, Lindgren FT. "On the metabolic conversion of human plasma very low density lipoprotein to low density lipoprotein." *Biochim Biophys Acta* 1973; 326:361-77.
- Eisenberg S, Rachmilewitz D. "Metabolism of rat plasma very low density lipoprotein. I. Fate in circulation of the whole lipoprotein." *Biochim Biophys Acta* 1973; 326:378-90.
- Elam et al., Effect of Niacin on Lipid and Lipoprotein Levels and Glycemic Control in Patients With Diabetes and Peripheral Arterial Disease: The ADMIT Study: A Randomized Trial, *JAMA*, 2000;284(10); 1263-1270.
- El-Sohemy, A., et al., "Regulation of Mevalonate Synthesis in Low Density Lipoprotein Receptor Knockout Mice Fed n-3 or n-6 Polyunsaturated Fatty Acids." *Lipids*, 34 (10):1037-43 (1999).
- Engler, et al., "Docosahexaenoic acid restores endothelial function in children with hyperlipidemia: results from the EARLY Study." *International Journal of Clinical Pharmacology and Therapeutics*, vol. 42—No. 12/2004 (672-679).
- Engler, M.B., et al., "Mechanisms of vasorelaxation induced by eicosapentaenoic acid (20:5n-3) in WKY rat aorta." *British Journal of Pharmacology* 131:1793-1799 (2000).
- Engler, M.M., et al., "The effects of a diet rich in docosahexaenoic acid on organ and vascular fatty acid composition in spontaneously hypertensive rats." *Prostaglandins, Leukotrienes and Essential Fatty Acids* 61(5):289-295 (1999).
- Epadel® [Complete prescribing information]. Update (Version 5). Tokyo, Japan: Mochida Pharmaceutical; Jan. 2007. (English translation).
- Faggin, E., et al., "Fish Oil Supplementation Prevents Neointima Formation in Nonhypercholesterolemic Balloon-Injured Rabbit

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.