PacketShaper[®] Features

DOCKET

Δ

(for PacketWise 5.2)

Packeteer's PacketShaper product line enables organizations to control application performance and WAN costs. The PacketShaper/ISP product line enables providers of managed bandwidth services to provision and manage customized IP services. Brief, technical feature descriptions follow, divided into categories. If you'd like more complete introductions, consult PacketShaper's technical product overviews, "Four Steps to Application Performance" or "Innovative Bandwidth Farming."

Classification Features

Feature	Description	Examples
Traffic Categorization	Classify traffic by application, protocol, port number, URL or wildcard, host name, LDAP host lists, Diffserv setting, MPLS labels, IP precedence bits, IP or MAC address, subnet, travel direction (inbound/outbound), source, destination, host speed range, Mime type, web browser, Oracle database, Citrix published application, Citrix ICA priority tagging, VLAN varieties, and more.	 SAP traffic to/from a specific server Oracle traffic referencing the <i>Sales</i> database Web traffic to your e-commerce website from those using a Netscape Navigator browser WindowsMedia Traffic with an MPLS label of 9 Print traffic from MS Word running over Citrix with an MPLS label of 5.
Layer-Seven Classification	Detect dynamic port assignments, track transactions with migrating port assignments, and even differentiate among different applications using the same port	 Traffic requiring layer-seven classification technology: MP3 music downloads Passive FTP PeopleSoft running on Citrix

Application Discovery Chart, Partial List

Applications and protocols PacketShaper automatically detects, identifies, and classifies include:

			, ,		1	
Client/Server CORBA Folding@Home FIX (Finance) Java Rmt Mthd MATIP (Airline) MeetingMaker NetIQ AppMngr OpenConnect JCP SunRPC (dyn port) ERP Baan JavaClient JD Edwards Oracle (7,8,9i) SAP Internet ActiveX FTP, Passive FTP Gopher IP, IPIP, UDP, TCP IPv6 IRC Mime type NNTP SSHTCP SSL TFTP UUCP URL Web browser	Database FileMaker Pro MS SQL Oracle 7/8i Progress Directory Services CRS DHCP DNS DPA Finger Ident Kerberos LDAP RADIUS TACACS WINS whois E-mail, Collaboration Biff cc:MAIL IMAP LotusNotes MSSQ Microsoft DCOM (MS Exchange) Novell GroupWise POP3 Kerberos SMTP	File Server AFS CVSup Lockd NetBIOS-IP NFS Novell NetWare5 Games Asheron's Call Battle.net Diablo II Doom EverQuest Kali Half-Life MSN Zone Quake I, II, & III Tribes I,II Unreal Yahoo! Games Host Access ATSTCP Attachmate SHARESUDP Persoft Persona SMTBF TN3270 TN5250	Legacy LAN and Non-IP AFP AppleTalk DECnet IPX FNA LAT NetBEUI MOP-DL/RC PPPoE SNA Messaging AOL Instant Msging ICQ Chat MSN Messenger Yahoo! Messenger Internet Relay Chat Misc Time Server Date-Time Multi-Media Multi-cast NetShow NetMeeting QuickTime RTP Real Audio Streamworks RTSP MPEG ST2 SHOUTcast WebEx WindowsMedia	Music P2P Aimster AudioGalaxy DirectConntect eDonkey2000 Gnutella Groove Hotline Imesh KaZaA Napster Scour Tripnosis Network Management Cisco Discovery ICMP by packet type Microsoft SMS NTP RSVP SNMP SYSLOG Print LPR IPP TN5250p TN3287 Push Backweb EntryPoint Marimba PointCast	Routing AURP BGP CBT DRP EGP EIGRP IGP IGP MPLS (+tag, +app) OSPF PIM RARP RIP Spanning Tree VLAN (802.1q/p) Security Protocol DLS DPA GRE IPSEC ISAKMP/IKE key exchange LZTP PPTP SOCKS Proxy Session REXEC rlogin rsh Telnet Timbuktu VNC Xwindows	Thin Client or Server Based Citrix Published Apps and VideoFrame RDP/Terminal Server Voice over IP Clarent CUSeeMe Dialpad H.323 I-Phone MCK Commun. Micom VIP RTP RTCP T.120 VDOPhone

Feature	Description	Examples
Response-Time Management (not available in PS/ISP)	Gain access to performance statistics, threshold monitoring, high-level problem indicators, and performance graphs. Divide response times into components for time spent on the server, on the network, or on a portion of the network. Identify the clients and servers with the slowest performance.	 Microsoft Exchange response times: Total Delay: 630 ms Server Delay: 210 ms Network Delay: 420 ms MS Exchange, <i>later</i>: Total Delay: 2230 ms Server Delay: 190 ms Network Delay: 2040 ms Other features help isolate the cause of the jump in network delay and prevent future occurrences.
Top Talkers and Top Listeners	Answer your questions about who generates the most traffic or who receives the most traffic of a certain type.	 Top Talkers for http: yahoo.com, nasdaq.com, cnn.com, and espn.com Top Listeners for http: CfoPC, VpMarketingPC, DirEngineeringPC
Service-Level Agreements (not available in PS/ISP)	Set response-time commitments in milliseconds. Measure and track service-level compliance.	 99 percent of JD Edwards transactions should have end-to-end response times of less than 1100 milliseconds. Actual average response time is 867 milliseconds. But only 97 percent of transactions complete within limits, so SLA is in violation.
Network Efficiency and TCP Health	Expose hidden network inefficiencies: Calculate the percentage of bandwidth wasted by retransmissions. Correlate dropped packets with their corresponding applications, servers, or URLs. Compare the number of TCP connections that were started, aborted, and ignored or refused by the server. Group connection or retransmission statistics for a link, partition, or traffic class.	 12 percent of bandwidth goes to retransmissions The rate jumps to 37 percent for Oracle 8i traffic. The rate jumps to 78 percent for the Oracle traffic to a specific (and overburdened) server.
Top Ten	Zero in on the traffic types that are generating the most traffic. Top Ten is part of PacketShaper's easy-access features that help new users spot trouble and fix it quickly and without a big learning curve.	 46 percent of bandwidth goes to web browsing 22 percent of bandwidth goes to music downloads 12 percent goes to MS Exchange 07 percent goes to SAP and so on.
Host Accounting	Track historical usage levels for each IP address and retrieve statistics summed for each user, host list, or subnet. If you import this data into a tool such as MS Excel, you can sort the results, yielding top users, or even a fully ranked list of users from top to bottom.	 Departmental usage figures (Human Resources uses this much and Marketing uses that much) Per-user usage figures. Per-group usage (roll-ups of individual usage figures into grouped totals)

Analysis and Reporting Features

Matrica	Track over 50 metrics. Most on apply to all traffic on to just a metric with a section of the se		
metrics	Track over 50 metrics. Most can apply to all traffic or to just a portion, such as one application or a particular group of users. Metrics can reflect a flexible time interval.		
	 Throughput in units of bytes, packets, transactions, connections 		
	Byte throughput for any traffic class: counts, averages, and peaks		
	 Throughput counts for any IP address, host list, subnet 		
	 Counts and percentages of TCP connections that were denied by a policy, denied because of resource contention, ignored by servers, aborted by users, refused by servers 		
	Counts and percentages of retransmitted, received, tossed, dropped, and good TCP packets		
	 Number of HTTP response messages with 2xx success codes, 3xx redirection codes, 4xx client error codes, and 5xx server error codes. 		
	Largest number of simultaneous TCP connections		
	Connection-speed and packet-size histogram data for profiling users		
	Histograms, medians, and averages for components of transaction response time: network delay, server delay, total delay, round-trip time, and normalized network delay		
	Counts and percentages of transactions that satisfied (or did not satisfy) performance requirements		
	Time intervals within service-level compliance		
	Time intervals that a service was unavailable		
	Top applications, URLs, users; worst performing clients and servers		
	Number of users per dynamic partition, using dynamic partitions, and denied access to dynamic		
	partitions		
	Counts of traffic flows that were blocked after exceeding a configurable flow limit (suspected DoS attack involvement)		
	Autock involvement) Numbers of software licenses allowed and in use		
Graphs	Examine graphs describing current or historical network and application behavior. Apply graphs to the		
	whole link or to just one portion such as one application or URL.		
	Too 10 Classes		
	10 To Liass Bone Berrage Rate Oppi) (2)		
	37 1		
	4 //boox/fuent/filesting 4 //boox/fuent/filesting 4 //boox/fuent/filesting 5 //boox/fuent/fil		
	2990 All and a second s		
	The second later and a second later, decised to the second later and a		
	Change the street		
	ertest killige og inter killige og inter killige og		
	Britil Intel Peak Rate 200 Peak Rate 200 200		
	4.76		
	House House <th< th=""></th<>		
	IN r Decad 49177		

QoS and Performance-Control Features

Feature	Description	Examples	
Partitions	Protect or cap all the traffic in one class with a partition. You specify the size of the reserved virtual link, choose if it can exceed that size (called bursting), and optionally cap its growth. Partitions function like frame relay PVCs, but with the added important benefits that they cost less and they share unused bandwidth with other traffic.	 Limit Music downloads to 128 Kbps of a T1 WAN link. Reserve a minimum of 20 percent of the WAN link for Microsoft Exchange. Allow Exchange to exceed the minimum, but cap it at 60 percent of the link. 	
Dynamic Per-User Partitions	Create per-user subpartitions dynamically, as needed, when users initiate traffic of a given class. When the maximum number of subpartitions is reached, an inactive slot is released for each new active user. As always, unused bandwidth is available to others.	• Each dormitory student gets a minimum of 20 Kbps and a maximum of 60 Kbps to use in any way they wish. No tedious per-user configuration required.	
Rate Policies	Keep greedy traffic sessions in line or protect latency-sensitive sessions with a <i>rate</i> policy. Deliver a minimum rate (perhaps zero) for each individual session of traffic, allow that session prioritized access to excess bandwidth, and set a limit on the total bandwidth it can use.	 Reserve precisely 21 Kbps for each VoIP session to avoid jitter and static. Cap each FTP download at 28 Kbps. 	
Priority Policies	<i>Priority</i> policies allocate bandwidth based on a priority, 0 to 7. The priorities determine how prorated bandwidth allocation is scaled.	 Protect Telnet, which has small but latency-sensitive flows, with a priority of 6. Give games such as Doom and Quake a priority of 0 on a business network. People can play if the network is not otherwise busy. 	
Discard Policies	<i>Discard</i> policies intentionally block traffic. The packets are simply tossed and no feedback is sent back to the sender.	 Discard traffic from websites with questionable content. Block attempts to Telnet <i>into</i> your site. Block external FTP requests to your internal FTP server. 	
Never-Admit Policies	<i>Never-Admit</i> policies are similar to discard policies except that the policy informs the sender of the block.	Redirect music enthusiasts to a webpage explaining that streaming audio is allowed only between 10:00 p m. and 6:00 a.m.	
Ignore Policies	<i>Ignore</i> policies simply pass traffic on, not applying any bandwidth management at all.	Let any traffic pass unmanaged that is going to a destination that is not on the other side of the managed WAN access link.	
Easy Config	Instead of creating policies and partitions yourself, let PacketShaper do it for you. Assign your applications to categories, such as MissionCritical. PacketShaper automatically creates appropriate partitions and policies. This is an optional feature.	ApplicationsAssignmentSAPMissionCriticalOracleMissionCriticalCustomers' webMissionCriticalInternal webAverageMS ExchangeAverageEmail, FTPLowPriorityGnutella, ImeshProhibitedInternet RadioProhibited	

DOCKET ALARM Find authenticated court documents without watermarks at <u>docketalarm.com</u>.

TCP Rate Control	Overcome TCP's shortcomings with Packeteer's TCP rate control. It proactively prevents congestion on both inbound and outbound flows. It tells the end stations to slow down—it's no use sending packets any faster because they will be accepted only at a particular rate once they arrive. Rather than discarding packets from a congested queue, TCP rate control paces packets to prevent congestion. It forces a smooth, even flow rate that maximizes throughput.	 Packeteer's TCP rate control has four key steps: Measure network latency Forecast packet inter-arrival times Adjust window size according to latency and forecast Meter the acknowledgement stream to ensure just-in-time delivery of the transmissions 	
TCP Autobaud	Detect the connection speed of the client or server at the other end of the connection or on the other side of the Internet. This automatic speed-detection mechanism can adjust bandwidth management even as bandwidth conditions vary.	 Substitute a text-only web page for a highly graphical web page if the user has a very slow dial-in connection. Use different minimum and maximum bandwidth rates for an application according to connection speed. 	
Admission Control	Decide how to handle additional sessions during bandwidth shortages: deny access, squeeze in another user, or, for web requests, redirect the request.	Accommodate new patrons of a streaming-medi website until additional visitors would downgrade the quality of service to all. Then redirect latecomers to a page describing the temporary over-popularity problem.	
Denial-of-Service Attack Avoidance	Don't be an assailant: Avoid being an unwilling participant (so-called <i>launch pad</i>) in a DoS attack.	Detect and block ICMP variants that can plant malicious instructions.	
	Don't be a target: Detect and stop SYN floods or similar DoS attacks.	Block flows to the KeySales web server after 15,000 flows-per-minute exceeded	
MPLS Support	Add to the performance gains possible with MPLS alone. Attend to some of MPLS' administrative overhead. Add layer-7 application awareness to MPLS installations. Classify traffic based on MPLS labels, tag an application's unlabelled traffic, swap or remove labels.	Tag SAP traffic with an MPLS label of 12 to preserve QoS through the MPLS core. Tag traffic from one subscriber with a given MPLS label to route subscriber's traffic appropriately through their VPN.	

Ease-of-Use, Interface, and Integration Features

Feature	Description	Examples
Installation	Install PacketShaper products by plugging in two cables and filling out a convenient, web- based form. No need to change router configurations, topology, desktops, or servers.	BRANCH STANCH
Browser-Based Interface	Manage PacketShaper with an easy, graphical user interface from any desktop with a web browser.	Image: Control of Ling
Command-Line Interface	Use a command-line interface over Telnet as an efficient alternative to a GUI for streamlined, advanced operations.	telnet command line>> class show
Passive Connector	Remain connected — even if PacketShaper goes down or is turned off, traffic passes right on through.	
Hot Standby	Add redundancy to PacketShaper. Deploy two PacketShapers together, one passive and one active.	
Failover Support	Supply alternate policy values for use with a slower backup link, and PacketShaper automatically switches when it detects a failure of the primary link.	
SNMP Support	Use SNMP to access PacketShaper data. Packeteer provides MIB II and two proprietary MIBs with the	HP OpenView Network Node Manager can solicit information from PacketShaper using its

DOCKET



Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time** alerts and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.

