

3GPP TS 38.331 V15.0.0 (2017-12)

Technical Specification

**3rd Generation Partnership Project;
Technical Specification Group Radio Access Network
NR
Radio Resource Control (RRC) protocol specification
(Release 15)**



The present document has been developed within the 3rd Generation Partnership Project (3GPP™) and may be further elaborated for the purposes of 3GPP..
The present document has not been subject to any approval process by the 3GPP Organizational Partners and shall not be implemented.
This Specification is provided for future development work within 3GPP only. The Organizational Partners accept no liability for any use of this Specification.

3GPP

Postal address

3GPP support office address
650 Route des Lucioles - Sophia Antipolis
Valbonne - FRANCE
Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Internet

<http://www.3gpp.org>

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© 2017, 3GPP Organizational Partners (ARIB, ATIS, CCSA, ETSI, TSDSI, TTA, TTC).
All rights reserved.

UMTS™ is a Trade Mark of ETSI registered for the benefit of its members
3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners
LTE™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners
GSM® and the GSM logo are registered and owned by the GSM Association

Contents

Foreword	8
1 Scope	9
2 References	9
3 Definitions, symbols and abbreviations	10
3.1 Definitions	10
3.2 Abbreviations	10
4 General	11
4.1 Introduction	11
4.2 Architecture	12
4.2.1 UE states and state transitions including inter RAT	12
4.2.2 Signalling radio bearers	14
4.3 Services	14
4.3.1 Services provided to upper layers	14
4.3.2 Services expected from lower layers	14
4.4 Functions	14
5 Procedures	15
5.1 General	15
5.1.1 Introduction	15
5.1.2 General requirements	16
5.2 System information	16
5.2.1 Introduction	16
5.2.2 System information acquisition	17
5.2.2.1 General UE requirements	17
5.2.2.2 SI validity and need to (re)-acquire SI	17
5.2.2.2.1 SI validity	18
5.2.2.2.2 SI change indication and PWS notification	18
5.2.2.3 Acquisition of System Information	18
5.2.2.3.1 Acquisition of MIB and SIB1	18
5.2.2.3.2 Acquisition of an SI message	19
5.2.2.3.3 Request for on demand system information	20
5.2.2.4 Actions upon receipt of SI message	20
5.2.2.4.1 Actions upon reception of the MasterInformationBlock	20
5.2.2.4.2 Actions upon reception of the SystemInformationBlockType1	21
5.2.2.4.3 Actions upon reception of SystemInformationBlockTypeX	21
5.2.2.5 Essential system information missing	21
5.3 Connection control	21
5.3.1 Introduction	22
5.3.2 Paging	22
5.3.3 RRC connection establishment	22
5.3.4 Initial security activation	22
5.3.5 RRC reconfiguration	22
5.3.5.1 General	22
5.3.5.2 Initiation	23
5.3.5.3 Reception of an <i>RRCReconfiguration</i> by the UE	23
5.3.5.4 Secondary cell group release	24
5.3.5.5 Cell Group configuration	24
5.3.5.5.1 General	24
5.3.5.5.2 Reconfiguration with sync	25
5.3.5.5.3 RLC bearer release	26
5.3.5.5.4 RLC bearer addition/modification	26
5.3.5.5.5 MAC entity configuration	27
5.3.5.5.6 RLF Timers & Constants configuration	27
5.3.5.5.7 SpCell Configuration	27
5.3.5.5.8 SCell Release	27

5.3.5.5.9	SCell Addition/Modification	27
5.3.5.6	Radio Bearer configuration	28
5.3.5.6.1	General	28
5.3.5.6.2	SRB release	28
5.3.5.6.3	SRB addition/ modification	28
5.3.5.6.4	DRB release	29
5.3.5.6.5	DRB addition/ modification	29
5.3.5.7	Full configuration	30
5.3.5.9	Reconfiguration failure.....	32
5.3.5.9.1	Integrity check failure.....	32
5.3.5.9.2	Inability to comply with RRCReconfiguration.....	32
5.3.5.9.3	T304 expiry (Reconfiguration with sync Failure).....	32
5.3.6	Counter check.....	33
5.3.7	RRC connection re-establishment.....	33
5.3.8	RRC connection release	33
5.3.9	RRC connection release requested by upper layers	33
5.3.10	Radio resource configuration	33
5.3.11	Radio link failure related actions	33
5.3.11.1	Detection of physical layer problems in RRC_CONNECTED.....	33
5.3.11.2	Recovery of physical layer problems.....	33
5.3.11.3	Detection of radio link failure	34
5.3.12	UE actions upon leaving RRC_CONNECTED.....	34
5.3.13	UE actions upon PUCCH/SRS release request	35
5.4	Inter-RAT mobility	35
5.5	Measurements	35
5.5.1	Introduction	35
5.5.2	Measurement configuration	37
5.5.2.1	General.....	37
5.5.2.2	Measurement identity removal.....	38
5.5.2.3	Measurement identity addition/ modification.....	38
5.5.2.4	Measurement object removal	38
5.5.2.5	Measurement object addition/ modification	39
5.5.2.6	Reporting configuration removal	40
5.5.2.7	Reporting configuration addition/ modification	40
5.5.2.8	Quantity configuration.....	41
5.5.2.9	Measurement gap configuration.....	41
5.5.2.10	Reference signal measurement timing configuration	41
5.5.3	Performing measurements.....	41
5.5.3.1	General.....	41
5.5.3.2	Layer 3 filtering	43
5.5.3.3	Derivation of measurement results.....	43
5.5.4	Measurement report triggering.....	44
5.5.4.1	General.....	44
5.5.4.2	Event A1 (Serving becomes better than threshold).....	46
5.5.4.3	Event A2 (Serving becomes worse than threshold).....	46
5.5.4.4	Event A3 (Neighbour becomes offset better than PCell/ PSCell).....	47
5.5.4.5	Event A4 (Neighbour becomes better than threshold)	47
5.5.4.6	Event A5 (PCell/ PSCell becomes worse than threshold1 and neighbour becomes better than threshold2).....	48
5.5.4.7	Event A6 (Neighbour becomes offset better than SCell)	49
5.5.5	Measurement reporting	50
5.5.5.1	General.....	50
5.5.5.2	Reporting of beam measurement information	52
5.6	UE capabilities	52
5.6.1	UE capability transfer.....	52
5.7	Other	53
5.7.1	DL information transfer	53
5.7.2	UL information transfer	53
5.7.3	SCG failure information.....	53
5.7.3.1	General.....	53
5.7.3.2	Initiation.....	54

5.7.3.3	Failure type determination.....	54
5.7.3.4	Setting the contents of <i>FailureReportSCG-ToOtherRAT</i>	55
6	Protocol data units, formats and parameters (ASN.1).....	56
6.1	General	56
6.1.1	Introduction	56
6.1.2	Need codes for optional downlink fields	56
6.2	RRC messages.....	57
6.2.1	General message structure.....	57
–	<i>NR-RRC-Definitions</i>	57
–	<i>BCCH-BCH-Message</i>	58
–	<i>DL-DCCH-Message</i>	58
–	<i>UL-DCCH-Message</i>	59
6.2.2	Message definitions.....	59
–	<i>MIB</i>	59
–	<i>MeasurementReport</i>	61
–	<i>RRCReconfiguration</i>	61
–	<i>RRCReconfigurationComplete</i>	63
–	<i>SIB1</i>	64
6.3	RRC information elements	65
–	<i>SetupRelease Information Element</i>	65
6.3.1	System information blocks.....	65
6.3.2	Radio resource control information elements.....	65
–	<i>DRB-Identity</i>	65
–	<i>BandwidthPart-Config</i>	66
–	<i>CellGroupConfig</i>	67
–	<i>CellIndexList</i>	69
–	<i>ControlResourceIndex</i>	70
–	<i>CrossCarrierSchedulingConfig</i>	70
–	<i>CSI-MeasConfig</i>	71
–	<i>FailureReportSCG-ToOtherRAT</i>	78
–	<i>FrequencyInfoUL</i>	79
–	<i>LogicalChannelConfig</i>	80
–	<i>MAC-CellGroupConfig</i>	81
–	<i>MeasConfig</i>	86
–	<i>MeasId</i>	87
–	<i>MeasIdToAddModList</i>	88
–	<i>MeasObjectEUTRA</i>	88
–	<i>MeasObjectId</i>	88
–	<i>MeasObjectNR</i>	89
–	<i>MeasObjectToAddModList</i>	94
–	<i>MeasResults</i>	95
–	<i>PDCCH-Config</i>	99
–	<i>PDCP-Config</i>	102
–	<i>PDSCH-Config</i>	106
–	<i>PhysCellId</i>	109
–	<i>PUCCH-Config</i>	109
–	<i>PUSCH-Config</i>	112
–	<i>Q-OffsetRange</i>	115
–	<i>QuantityConfig</i>	115
–	<i>RACH-ConfigCommon</i>	116
–	<i>RACH-ConfigDedicated</i>	118
–	<i>RadioBearerConfig</i>	119
–	<i>ReportConfigId</i>	121
–	<i>ReportConfigNR</i>	121
–	<i>ReportConfigToAddModList</i>	125
–	<i>RLC-Config</i>	126
–	<i>RLF-TimersAndConstants</i>	128
–	<i>SCellIndex</i>	129
–	<i>SchedulingRequest-Config</i>	129
–	<i>SchedulingRequestResource-Config</i>	130
–	<i>SDAP-Config</i>	130

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.