

3GPP TS 38.213 V15.0.0 (2017-12)

Technical Specification

**3rd Generation Partnership Project;
Technical Specification Group Radio Access Network;
NR;
Physical layer procedures for control
(Release 15)**



The present document has been developed within the 3rd Generation Partnership Project (3GPP™) and may be further elaborated for the purposes of 3GPP..
The present document has not been subject to any approval process by the 3GPP Organizational Partners and shall not be implemented.

Keywords

3GPP, New Radio, Layer 1

3GPP

Postal address

3GPP support office address

650 Route des Lucioles - Sophia Antipolis
Valbonne - FRANCE
Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Internet

<http://www.3gpp.org>

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© 2017, 3GPP Organizational Partners (ARIB, ATIS, CCSA, ETSI, TSDSI, TTA, TTC).
All rights reserved.

UMTS™ is a Trade Mark of ETSI registered for the benefit of its members
3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners
LTE™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners
GSM® and the GSM logo are registered and owned by the GSM Association

Contents

Foreword	5
1 Scope	6
2 References	6
3 Definitions, symbols and abbreviations	7
3.1 Definitions	7
3.2 Symbols	7
3.3 Abbreviations	7
4 Synchronization procedures	8
4.1 Cell search	8
4.2 Transmission timing adjustments	9
4.3 Timing for secondary cell activation / deactivation	10
5 Radio link monitoring	10
6 Link reconfiguration procedures	10
7 Uplink Power control	11
7.1 Physical uplink shared channel	11
7.1.1 UE behaviour	11
7.2 Physical uplink control channel	14
7.2.1 UE behaviour	15
7.3 Sounding reference signals	16
7.3.1 UE behaviour	17
7.4 Physical random access channel	18
7.5 Carrier aggregation	18
7.6 Dual connectivity	19
7.7 Power headroom report	19
7.7.1 Power headroom for PUSCH	19
7.7.2 Power headroom for SRS	19
8 Random access procedure	20
8.1 Random access preamble	20
8.2 Random access response	21
8.3 Msg3 PUSCH	21
9 UE procedure for reporting control information	21
9.1 HARQ-ACK codebook determination	22
9.1.1 CBG-based HARQ-ACK codebook determination	22
9.1.2 Type-1 HARQ-ACK codebook determination	23
9.1.3 Type-2 HARQ-ACK codebook determination	24
9.1.3.1 Type-2 HARQ-ACK codebook in physical uplink control channel	24
9.1.3.2 Type-2 HARQ-ACK codebook in physical uplink shared channel	27
9.2 UCI reporting in physical uplink control channel	28
9.2.1 PUCCH Resource Sets	28
9.2.2 PUCCH Formats for UCI transmission	29
9.2.3 UE procedure for reporting HARQ-ACK	30
9.2.4 UE procedure for reporting SR	31
9.2.5 UE procedure for reporting multiple UCI types	32
9.2.5.1 UE procedure for multiplexing HARQ-ACK or CSI and SR	32
9.2.5.2 UE procedure for multiplexing HARQ-ACK/SR and CSI	33
9.2.6 UCI repetition procedure	36
9.3 UCI reporting in physical uplink shared channel	37
10 UE procedure for receiving control information	40
10.1 UE procedure for determining physical downlink control channel assignment	40

11	UE-group common signalling	43
11.1	Slot configuration.....	43
11.1.1	UE procedure for determining slot format.....	44
11.2	Discontinuous transmission indication.....	45
11.3	SRS switching	46
12	Bandwidth part operation	47
13	UE procedure for monitoring Type0-PDCCH common search space	49
Annex A (informative):	Change history	56

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

x the first digit:

- 1 presented to TSG for information;
- 2 presented to TSG for approval;
- 3 or greater indicates TSG approved document under change control.

y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.

z the third digit is incremented when editorial only changes have been incorporated in the document.

Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.