

3GPP TS 36.211 v8.9.0 (2009-12)

Technical Specification

3rd Generation Partnership Project; Technical Specification Group Radio Access Network; Evolved Universal Terrestrial Radio Access (E-UTRA); Physical Channels and Modulation (Release 8)



The present document has been developed within the 3rd Generation Partnership Project (3GPP™) and may be further elaborated for the purposes of 3GPP.

The present document has not been subject to any approval process by the 3GPP Organizational Partners and shall not be implemented.
This Specification is provided for future development work within 3GPP only. The Organizational Partners accept no liability for any use of this Specification.
Specifications and reports for implementation of the 3GPP™ system should be obtained via the 3GPP Organizational Partners' Publications Offices.

Keywords

UMTS, radio, layer 1

3GPP

Postal address

3GPP support office address

650 Route des Lucioles - Sophia Antipolis
Valbonne - FRANCE
Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Internet

<http://www.3gpp.org>

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© 2009, 3GPP Organizational Partners (ARIB, ATIS, CCSA, ETSI, TTA, TTC).
All rights reserved.

UMTSTM is a Trade Mark of ETSI registered for the benefit of its members
3GPPTM is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners
LTETM is a Trade Mark of ETSI currently being registered for the benefit of its Members and of the 3GPP Organizational Partners
GSM® and the GSM logo are registered and owned by the GSM Association

Contents

Foreword	6
1 Scope	7
2 References	7
3 Definitions, symbols and abbreviations	7
3.1 Symbols	7
3.2 Abbreviations	9
4 Frame structure	9
4.1 Frame structure type 1	9
4.2 Frame structure type 2	10
5 Uplink	11
5.1 Overview	11
5.1.1 Physical channels	11
5.1.2 Physical signals	11
5.2 Slot structure and physical resources	12
5.2.1 Resource grid	12
5.2.2 Resource elements	13
5.2.3 Resource blocks	13
5.3 Physical uplink shared channel	13
5.3.1 Scrambling	14
5.3.2 Modulation	14
5.3.3 Transform precoding	14
5.3.4 Mapping to physical resources	15
5.4 Physical uplink control channel	16
5.4.1 PUCCH formats 1, 1a and 1b	17
5.4.2 PUCCH formats 2, 2a and 2b	19
5.4.3 Mapping to physical resources	20
5.5 Reference signals	21
5.5.1 Generation of the reference signal sequence	21
5.5.1.1 Base sequences of length $3N_{sc}^{RB}$ or larger	22
5.5.1.2 Base sequences of length less than $3N_{sc}^{RB}$	22
5.5.1.3 Group hopping	24
5.5.1.4 Sequence hopping	25
5.5.2 Demodulation reference signal	25
5.5.2.1 Demodulation reference signal for PUSCH	25
5.5.2.1.1 Reference signal sequence	25
5.5.2.1.2 Mapping to physical resources	27
5.5.2.2 Demodulation reference signal for PUCCH	27
5.5.2.2.1 Reference signal sequence	27
5.5.2.2.2 Mapping to physical resources	28
5.5.3 Sounding reference signal	28
5.5.3.1 Sequence generation	28
5.5.3.2 Mapping to physical resources	28
5.5.3.3 Sounding reference signal subframe configuration	31
5.6 SC-FDMA baseband signal generation	32
5.7 Physical random access channel	33
5.7.1 Time and frequency structure	33
5.7.2 Preamble sequence generation	39
5.7.3 Baseband signal generation	43
5.8 Modulation and upconversion	43
6 Downlink	44
6.1 Overview	44
6.1.1 Physical channels	44

6.1.2	Physical signals	44
6.2	Slot structure and physical resource elements.....	45
6.2.1	Resource grid.....	45
6.2.2	Resource elements.....	45
6.2.3	Resource blocks.....	46
6.2.3.1	Virtual resource blocks of localized type.....	47
6.2.3.2	Virtual resource blocks of distributed type.....	47
6.2.4	Resource-element groups	48
6.2.5	Guard period for half-duplex FDD operation	49
6.2.6	Guard Period for TDD Operation	49
6.3	General structure for downlink physical channels	49
6.3.1	Scrambling.....	50
6.3.2	Modulation	50
6.3.3	Layer mapping.....	50
6.3.3.1	Layer mapping for transmission on a single antenna port.....	50
6.3.3.2	Layer mapping for spatial multiplexing.....	51
6.3.3.3	Layer mapping for transmit diversity.....	51
6.3.4	Precoding	52
6.3.4.1	Precoding for transmission on a single antenna port.....	52
6.3.4.2	Precoding for spatial multiplexing	52
6.3.4.2.1	Precoding without CDD	52
6.3.4.2.2	Precoding for large delay CDD	52
6.3.4.2.3	Codebook for precoding	53
6.3.4.3	Precoding for transmit diversity.....	54
6.3.5	Mapping to resource elements	55
6.4	Physical downlink shared channel.....	55
6.5	Physical multicast channel.....	55
6.6	Physical broadcast channel	56
6.6.1	Scrambling.....	56
6.6.2	Modulation	56
6.6.3	Layer mapping and precoding.....	56
6.6.4	Mapping to resource elements	56
6.7	Physical control format indicator channel.....	57
6.7.1	Scrambling.....	57
6.7.2	Modulation	57
6.7.3	Layer mapping and precoding.....	58
6.7.4	Mapping to resource elements	58
6.8	Physical downlink control channel	58
6.8.1	PDCCCH formats	58
6.8.2	PDCCCH multiplexing and scrambling	59
6.8.3	Modulation	59
6.8.4	Layer mapping and precoding.....	59
6.8.5	Mapping to resource elements	59
6.9	Physical hybrid ARQ indicator channel	60
6.9.1	Modulation	61
6.9.2	Resource group alignment, layer mapping and precoding	62
6.9.3	Mapping to resource elements	63
6.10	Reference signals	65
6.10.1	Cell-specific reference signals	65
6.10.1.1	Sequence generation	65
6.10.1.2	Mapping to resource elements.....	66
6.10.2	MBSFN reference signals	68
6.10.2.1	Sequence generation	68
6.10.2.2	Mapping to resource elements.....	68
6.10.3	UE-specific reference signals.....	70
6.10.3.1	Sequence generation	70
6.10.3.2	Mapping to resource elements.....	71
6.11	Synchronization signals	72
6.11.1	Primary synchronization signal.....	73
6.11.1.1	Sequence generation	73
6.11.1.2	Mapping to resource elements.....	73
6.11.2	Secondary synchronization signal.....	73

6.11.2.1	Sequence generation	73
6.11.2.2	Mapping to resource elements.....	75
6.12	OFDM baseband signal generation	76
6.13	Modulation and upconversion	76
7	Generic functions	77
7.1	Modulation mapper.....	77
7.1.1	BPSK	77
7.1.2	QPSK.....	77
7.1.3	16QAM.....	78
7.1.4	64QAM.....	78
7.2	Pseudo-random sequence generation.....	79
8	Timing	80
8.1	Uplink-downlink frame timing	80
Annex A (informative): Change history		81

Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.