

3GPP TS 38.331 V15.3.0 (2018-09)

Technical Specification

**3rd Generation Partnership Project;
Technical Specification Group Radio Access Network;
NR;
Radio Resource Control (RRC) protocol specification
(Release 15)**



The present document has been developed within the 3rd Generation Partnership Project (3GPP™) and may be further elaborated for the purposes of 3GPP.
The present document has not been subject to any approval process by the 3GPP Organizational Partners and shall not be implemented.

3GPP

Postal address

3GPP support office address

650 Route des Lucioles - Sophia Antipolis
Valbonne - FRANCE
Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Internet

<http://www.3gpp.org>

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© 2018, 3GPP Organizational Partners (ARIB, ATIS, CCSA, ETSI, TSDSI, TTA, TTC).
All rights reserved.

UMTS™ is a Trade Mark of ETSI registered for the benefit of its members
3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners
LTE™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners
GSM® and the GSM logo are registered and owned by the GSM Association

Contents

Foreword	14
1 Scope	15
2 References	15
3 Definitions, symbols and abbreviations	16
3.1 Definitions	16
3.2 Abbreviations	17
4 General	18
4.1 Introduction	18
4.2 Architecture	19
4.2.1 UE states and state transitions including inter RAT	19
4.2.2 Signalling radio bearers	21
4.3 Services	22
4.3.1 Services provided to upper layers	22
4.3.2 Services expected from lower layers	22
4.4 Functions	22
5 Procedures	23
5.1 General	23
5.1.1 Introduction	23
5.1.2 General requirements	23
5.2 System information	23
5.2.1 Introduction	23
5.2.2 System information acquisition	24
5.2.2.1 General UE requirements	24
5.2.2.2 SI validity and need to (re)-acquire SI	24
5.2.2.2.1 SI validity	24
5.2.2.2.2 SI change indication and PWS notification	25
5.2.2.3 Acquisition of System Information	26
5.2.2.3.1 Acquisition of <i>MIB</i> and <i>SIB1</i>	26
5.2.2.3.2 Acquisition of an SI message	26
5.2.2.3.3 Request for on demand system information	27
5.2.2.3.4 Actions related to transmission of <i>RRCSystemInfoRequest</i> message	27
5.2.2.4 Actions upon receipt of System Information	28
5.2.2.4.1 Actions upon reception of the <i>MIB</i>	28
5.2.2.4.2 Actions upon reception of the <i>SIB1</i>	28
5.2.2.4.3 Actions upon reception of <i>SIB2</i>	29
5.2.2.4.4 Actions upon reception of <i>SIB3</i>	30
5.2.2.4.5 Actions upon reception of <i>SIB4</i>	30
5.2.2.4.6 Actions upon reception of <i>SIB5</i>	30
5.2.2.4.7 Actions upon reception of <i>SIB6</i>	30
5.2.2.4.8 Actions upon reception of <i>SIB7</i>	30
5.2.2.4.9 Actions upon reception of <i>SIB8</i>	31
5.2.2.4.10 Actions upon reception of <i>SIB9</i>	32
5.2.2.5 Essential system information missing	32
5.3 Connection control	32
5.3.1 Introduction	32
5.3.1.1 RRC connection control	32
5.3.1.2 Security	33
5.3.2 Paging	34
5.3.2.1 General	34
5.3.2.2 Initiation	34
5.3.2.3 Reception of the <i>Paging message</i> by the UE	34
5.3.3 RRC connection establishment	35
5.3.3.1 General	35
5.3.3.2 Initiation	35
5.3.3.3 Actions related to transmission of <i>RRCSetupRequest</i> message	36

5.3.3.4	Reception of the <i>RRCSetup</i> by the UE.....	36
5.3.3.5	Reception of the <i>RRCReject</i> by the UE	37
5.3.3.6	Cell re-selection while T300 or T302 is running.....	37
5.3.3.7	T300 expiry.....	38
5.3.3.8	Abortion of RRC connection establishment	38
5.3.4	Initial security activation.....	38
5.3.4.1	General.....	38
5.3.4.2	Initiation.....	39
5.3.4.3	Reception of the <i>SecurityModeCommand</i> by the UE	39
5.3.5	RRC reconfiguration	39
5.3.5.1	General.....	39
5.3.5.2	Initiation.....	40
5.3.5.3	Reception of an <i>RRCReconfiguration</i> by the UE	40
5.3.5.4	Secondary cell group release.....	42
5.3.5.5	Cell Group configuration.....	42
5.3.5.5.1	General.....	42
5.3.5.5.2	Reconfiguration with sync.....	42
5.3.5.5.3	RLC bearer release.....	43
5.3.5.5.4	RLC bearer addition/modification.....	43
5.3.5.5.5	MAC entity configuration	44
5.3.5.5.6	RLF Timers & Constants configuration.....	44
5.3.5.5.7	SPCell Configuration.....	45
5.3.5.5.8	SCell Release	45
5.3.5.5.9	SCell Addition/Modification.....	45
5.3.5.6	Radio Bearer configuration	46
5.3.5.6.1	General.....	46
5.3.5.6.2	SRB release.....	46
5.3.5.6.3	SRB addition/modification.....	46
5.3.5.6.4	DRB release	47
5.3.5.6.5	DRB addition/modification	47
5.3.5.7	Security key update	49
5.3.5.8	Reconfiguration failure.....	50
5.3.5.8.1	Integrity check failure.....	50
5.3.5.8.2	Inability to comply with <i>RRCReconfiguration</i>	50
5.3.5.8.3	T304 expiry (Reconfiguration with sync Failure).....	51
5.3.5.9	Other configuration	51
5.3.5.10	EN-DC release.....	51
5.3.5.11	Full configuration	51
5.3.6	Counter check.....	52
5.3.6.1	General.....	52
5.3.6.2	Initiation.....	52
5.3.6.3	Reception of the <i>CounterCheck</i> message by the UE.....	53
5.3.7	RRC connection re-establishment.....	53
5.3.7.1	General.....	53
5.3.7.2	Initiation.....	54
5.3.7.3	Actions following cell selection while T311 is running.....	54
5.3.7.4	Actions related to transmission of <i>RRCReestablishmentRequest</i> message.....	55
5.3.7.5	Reception of the <i>RRCReestablishment</i> by the UE	55
5.3.7.6	T311 expiry.....	56
5.3.7.7	T301 expiry or selected cell no longer suitable.....	56
5.3.7.8	Reception of the <i>RRCSetup</i> by the UE.....	56
5.3.8	RRC connection release	56
5.3.8.1	General.....	56
5.3.8.2	Initiation.....	57
5.3.8.3	Reception of the <i>RRCRelease</i> by the UE.....	57
5.3.8.4	T320 expiry.....	58
5.3.8.5	UE actions upon the expiry of <i>DataInactivityTimer</i>	58
5.3.9	RRC connection release requested by upper layers	58
5.3.9.1	General.....	58
5.3.9.2	Initiation.....	58
5.3.10	Radio link failure related actions	59
5.3.10.1	Detection of physical layer problems in RRC_CONNECTED.....	59

5.3.10.2	Recovery of physical layer problems.....	59
5.3.10.3	Detection of radio link failure.....	59
5.3.11	UE actions upon going to RRC_IDLE.....	59
5.3.12	UE actions upon PUCCH/SRS release request.....	60
5.3.13	RRC connection resume.....	60
5.3.13.1	General.....	60
5.3.13.2	Initiation.....	61
5.3.13.3	Actions related to transmission of <i>RRCResumeRequest</i> or <i>RRCResumeRequest1</i> message.....	62
5.3.13.4	Reception of the <i>RRCResume</i> by the UE.....	63
5.3.13.5	T319 expiry or Integrity check failure from lower layers while T319 is running.....	64
5.3.13.6	Cell re-selection while T319 or T302 is running.....	64
5.3.13.7	Reception of the <i>RRCSetup</i> by the UE.....	64
5.3.13.8	RNA update.....	65
5.3.13.9	Reception of the <i>RRCRelease</i> by the UE.....	65
5.3.13.10	Reception of the <i>RRCReject</i> by the UE.....	65
5.3.14	Unified Access Control.....	65
5.3.14.1	General.....	65
5.3.14.2	Initiation.....	65
5.3.14.3	Conditions for stopping of barring timers T390.....	67
5.3.14.4	Barring alleviation.....	67
5.3.14.5	Access barring check.....	67
5.3.15	RRC connection reject.....	68
5.3.15.1	Initiation.....	68
5.3.15.2	Reception of the <i>RRCReject</i> by the UE.....	68
5.4	Inter-RAT mobility.....	69
5.4.1	Introduction.....	69
5.4.2	Handover to NR.....	69
5.4.2.1	General.....	69
5.4.2.2	Initiation.....	69
5.4.2.3	Reception of the <i>RRCReconfiguration</i> by the UE.....	69
5.4.3	Mobility from NR.....	70
5.4.3.1	General.....	70
5.4.3.2	Initiation.....	70
5.4.3.3	Reception of the <i>MobilityFromNR</i> by the UE.....	70
5.4.3.4	Successful completion of the mobility from NR.....	70
5.4.3.5	Mobility from NR failure.....	70
5.5	Measurements.....	71
5.5.1	Introduction.....	71
5.5.2	Measurement configuration.....	72
5.5.2.1	General.....	72
5.5.2.2	Measurement identity removal.....	73
5.5.2.3	Measurement identity addition/modification.....	73
5.5.2.4	Measurement object removal.....	74
5.5.2.5	Measurement object addition/modification.....	74
5.5.2.6	Reporting configuration removal.....	75
5.5.2.7	Reporting configuration addition/modification.....	76
5.5.2.8	Quantity configuration.....	76
5.5.2.9	Measurement gap configuration.....	76
5.5.2.10	Reference signal measurement timing configuration.....	77
5.5.2.11	Measurement gap sharing configuration.....	78
5.5.3	Performing measurements.....	78
5.5.3.1	General.....	78
5.5.3.2	Layer 3 filtering.....	80
5.5.3.3	Derivation of cell measurement results.....	81
5.5.3.3a	Derivation of layer 3 beam filtered measurement.....	81
5.5.4	Measurement report triggering.....	82
5.5.4.1	General.....	82
5.5.4.2	Event A1 (Serving becomes better than threshold).....	84
5.5.4.3	Event A2 (Serving becomes worse than threshold).....	84
5.5.4.4	Event A3 (Neighbour becomes offset better than SpCell).....	85
5.5.4.5	Event A4 (Neighbour becomes better than threshold).....	85

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.