

3GPP TS 25.302 v7.4.0 (2007-06)

Technical Specification

3rd Generation Partnership Project; Technical Specification Group Radio Access Network; Services provided by the physical layer (Release 7)



The present document has been developed within the 3rd Generation Partnership Project (3GPPTM) and may be further elaborated for the purposes of 3GPP.

The present document has not been subject to any approval process by the 3GPP Organisational Partners and shall not be implemented. This Specification is provided for future development work within 3GPP only. The Organisational Partners accept no liability for any use of this Specification. Specifications and reports for implementation of the 3GPPTM system should be obtained via the 3GPP Organisational Partners' Publications Offices.

Keywords

UMTS, services, radio, layer 1

3GPP

Postal address

3GPP support office address

650 Route des Lucioles - Sophia Antipolis
Valbonne - FRANCE
Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Internet

<http://www.3gpp.org>

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© 2007, 3GPP Organizational Partners (ARIB, ATIS, CCSA, ETSI, TTA, TTC).
All rights reserved.

Contents

Foreword	7
1 Scope	8
2 References	8
3 Definitions and abbreviations.....	8
3.1 Definitions	8
3.2 Abbreviations	9
4 Interfaces to the physical layer.....	10
4.1 Interface to MAC	11
4.2 Interface to RRC	11
5 Services and functions of the physical layer	11
5.1 General	11
5.2 Overview of L1 functions	11
5.3 L1 interactions with L2 retransmission functionality	12
6 Model of physical layer of the UE	12
6.1 Uplink models	12
6.2 Downlink models	16
7 Formats and configurations for L1 data transfer	28
7.1 General concepts about Transport Channels	28
7.1.1 Transport Block	28
7.1.2 Transport Block Set.....	28
7.1.3 Transport Block Size	28
7.1.4 Transport Block Set Size.....	28
7.1.5 Transmission Time Interval	28
7.1.6 Transport Format	29
7.1.6a Transport Format for HS-DSCH.....	30
7.1.7 Transport Format for E-DCH.....	30
7.1.7a Transport Format Set.....	31
7.1.8 Transport Format Combination.....	32
7.1.9 Transport Format Combination Set	32
7.1.10 Transport Format Indicator (TFI)	33
7.1.11 Transport Format Combination Indicator (TFCI)	33
7.1.12 Rate matching.....	33
7.1.13 HARQ information.....	34
7.1.14 Transport Format and Resource Indication (TFRI).....	34
7.1.15 E-DCH Transport Format Combination Indication (E-TFCI)	34
7.2 Types of Transport Channels.....	34
7.3 Compressed Mode.....	36
8 UE Simultaneous Physical Channels combinations.....	37
8.1 FDD Uplink.....	37
8.2 FDD Downlink.....	38
8.3 TDD Uplink.....	42
8.3.1 3.84/7.68 Mcps TDD Uplink	42
8.3.2 1.28 Mcps TDD Uplink.....	44
8.4 TDD Downlink.....	46
8.4.1 3.84/7.68 Mcps TDD Downlink	46
8.4.2 1.28 Mcps TDD Downlink	47
9 Measurements provided by the physical layer	50
9.1 Model of physical layer measurements	51
9.2 UE Measurements	52
9.2.1 SFN-CFN observed time difference	52
9.2.2 Void	52

9.2.3	CPICH E_c/N_0	53
9.2.4	Void	53
9.2.5	CPICH RSCP.....	53
9.2.6	P-CCPCH RSCP.....	53
9.2.7	Timeslot ISCP	53
9.2.8	Void	53
9.2.9	SIR.....	53
9.2.10	UTRA carrier RSSI	54
9.2.11	GSM carrier RSSI	54
9.2.12	Transport channel BLER.....	54
9.2.13	UE transmitted power.....	54
9.2.14	UE Rx-Tx time difference.....	54
9.2.15	SFN-SFN Observed time difference.....	55
9.2.16	UE GPS Timing of Cell Frames for UE positioning.....	55
9.2.17	Timing Advance (T_{ADV}) for 1.28 Mcps TDD	55
9.2.18	UE GPS code phase.....	55
9.3	UTRAN Measurements	56
9.3.1	Received total wide band power	56
9.3.2	Transmitted carrier power.....	56
9.3.3	Transmitted code power	56
9.3.4	Void	56
9.3.5	Physical channel BER	56
9.3.6	Transport channel BER	56
9.3.7	RX timing deviation	57
9.3.8	Timeslot ISCP	57
9.3.9	RSCP	57
9.3.10	Round Trip Time	57
9.3.11	Void	57
9.3.12	Acknowledged PRACH preambles.....	57
9.3.13	Void	57
9.3.14	Void	58
9.3.15	SIR.....	58
9.3.16	PRACH Propagation Delay.....	58
9.3.17	UTRAN GPS Timing of Cell Frames for UE positioning	58
9.3.18	SIR ERROR.....	58
9.3.19	Received SYNC_UL Timing Deviation.....	58
9.3.20	Cell Sync Burst Timing.....	59
9.3.21	Cell Sync Burst SIR	59
9.3.22	SFN-SFN Observed time difference.....	59
9.3.23	Angle of Arrival (AOA) for 1.28 Mcps TDD.....	59
9.3.24	HS-SICH reception quality	60
9.3.25	Transmitted carrier power of all codes not used for HS-PDSCH or HS-SCCH transmission.....	60
9.3.26	UpPTS interference (1.28Mcps TDD).....	60
9.3.27	DL Transmission Branch Load.....	60
9.3.28	Received scheduled E-DCH power share (RSEPS)	60
10	Primitives of the physical layer	61
10.1	Generic names of primitives between layers 1 and 2.....	62
10.1.1	PHY-Access-REQ	62
10.1.2	PHY-Access-CNF	62
10.1.3	PHY-Data-REQ.....	63
10.1.4	PHY-Data-IND.....	63
10.1.5	Void	63
10.1.6	Void	63
10.1.7	PHY-Status-IND	63
10.2	Generic names of primitives between layers 1 and 3.....	64
10.2.1	STATUS PRIMITIVES	64
10.2.1.1	CPHY-Sync-IND.....	64
10.2.1.2	CPHY-Out-of-Sync-IND.....	64
10.2.1.3	CPHY-Measurement-REQ.....	64
10.2.1.4	CPHY-Measurement-IND.....	64
10.2.1.5	CPHY-Error-IND	65

10.2.1.6	Void.....	65
10.2.2	CONTROL PRIMITIVES	65
10.2.2.1	CPHY-TrCH-Config-REQ.....	65
10.2.2.2	CPHY-TrCH-Config-CNF.....	65
10.2.2.3	CPHY-TrCH-Release-REQ.....	66
10.2.2.4	CPHY-TrCH-Release-CNF.....	66
10.2.2.5	CPHY-RL-Setup-REQ.....	66
10.2.2.6	CPHY-RL-Setup-CNF.....	66
10.2.2.7	CPHY-RL-Release-REQ.....	66
10.2.2.8	CPHY-RL-Release-CNF.....	66
10.2.2.9	CPHY-RL-Modify-REQ.....	66
10.2.2.10	CPHY-RL-Modify-CNF.....	66
10.2.2.11	CPHY-Commit-REQ.....	67
10.2.2.12	Void.....	67
10.2.2.13	Void.....	67
10.2.2.14	Void.....	67
10.2.2.15	Void.....	67
10.2.2.16	CPHY-Out-of-Sync-Config-REQ.....	67
10.2.2.17	CPHY-Out-of-Sync-Config-CNF.....	67
10.2.2.18	CPHY-MBMS-Config-REQ.....	67
10.2.2.19	CPHY-MBMS-Config-CNF.....	67
10.3	Parameter definition.....	68
10.3.1	Error code.....	68
10.3.2	Event value.....	68
10.3.3	Access Information.....	68
10.3.4	Transport Format Subset.....	68
10.3.5	Physical channel description.....	68
10.3.5.1	Primary SCH.....	68
10.3.5.2	Secondary SCH.....	68
10.3.5.3	Primary CCPCH.....	68
10.3.5.4	Secondary CCPCH.....	69
10.3.5.5	PRACH.....	69
10.3.5.6	Uplink DPDCH+DPCCH.....	70
10.3.5.7	Uplink DPCH.....	70
10.3.5.8	Downlink DPCH.....	70
10.3.5.8a	F-DPCH (FDD only).....	70
10.3.5.9	Void.....	71
10.3.5.10	PICH.....	71
10.3.5.11	AICH.....	71
10.3.5.12	Void.....	71
10.3.5.13	Void.....	71
10.3.5.14	Void.....	71
10.3.5.15	Void.....	71
10.3.5.16	PDSCH (TDD only).....	71
10.3.5.17	PUSCH.....	72
10.3.5.18	DwPCH (1.28 Mcps TDD only).....	72
10.3.5.19	UpPCH (1.28 Mcps TDD only).....	72
10.3.5.20	FPACH (1.28 Mcps TDD only).....	72
10.3.5.21	PNBSCH (Physical Node B Synchronisation channel).....	72
10.3.5.22	HS-SCCH.....	72
10.3.5.23	HS-SICH (TDD only).....	73
10.3.5.24	E-AGCH.....	73
10.3.5.25	E-DPCCH (FDD only).....	73
10.3.5.26	E-DPDCH (FDD only).....	73
10.3.5.27	E-HICH.....	73
10.3.5.28	E-RGCH (FDD only).....	73
10.3.5.28a	E-RUCCH (TDD only).....	74
10.3.5.29	MICH.....	74
10.3.6	Feedback information.....	74
10.3.7	HARQ process.....	74
10.3.8	HS-DSCH information.....	74
10.3.9	HARQ status.....	75

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.