

Exhibit A-14 - Invalidity of U.S. Patent No. 10,715,235 in view of U.S. Patent No. 7,155,231

Based upon XR Communications' Complaint, Infringement Contentions, and apparent claim constructions and accused products, as best as they can be deciphered, the reference charted below anticipates or at least renders obvious the asserted claims of the '235 Patent. These invalidity contentions are not an admission that the accused products are covered by or infringe the asserted claims of the '235 Patent if the asserted claims are properly construed and applied. These invalidity contentions are not an admission that concedes or acquiesces to the claim construction implied or suggested by XR Communications' Complaint or Infringement Contentions. These invalidity contentions do not assert any claim construction positions through these charts, including whether the preamble is a limitation. The reference cited below are not exhaustive but are exemplary in nature.


U.S. Patent No. 7,155,231 to Joseph P. Burke ("Burke"), filed Oct. 15, 2002, with Provisional Application No. 60/340,000 and published Aug. 14, 2003, qualifies as prior art under at least pre-AIA 35 U.S.C. §§ 102(a), (b) and (e). As depicted in the chart, the asserted claims of the U.S. Patent No. 10,715,235 (the "'235 Patent") are invalid as anticipated by Burke.

To the extent that Burke is found not to anticipate one or more of the asserted claims of the '235 Patent, these claims are invalid in view of Burke alone, in view of the background knowledge and ordinary creativity of a person having ordinary skill in the art at the time the '235 Patent was invented, or in combination with other prior art references disclosed in Defendants' Invalidity Contentions and accompanying charts, including without limitation as set forth below.

Claim 1

No.	U.S. Patent No. 10,715,235	U.S. Patent No. 7,155,231 ("Burke")
1pre	A receiver for use in a wireless communications system, the receiver comprising:	To the extent the preamble is limiting, Burke expressly or inherently anticipates the claimed element. <i>See, e.g.,</i> "Techniques for pre-correction of transmit signals are disclosed. In one aspect, the techniques include an antenna array configurable to generate multiple transmit beams. In another aspect, the techniques for configuring the antenna array are computed in response to channel state information or a channel floor estimate made at the receiver. Information is transmitted in multiple transmit beams, delayed as necessary, such that the multipaths are in phase at the receiver. In another aspect, pre-RAKE pre-correction is used to pre-compensate the transmit signals for multipath fading at the receiver."

No.	U.S. Patent No. 10,715,235	U.S. Patent No. 7,155,231 (“Burke”)
		<p>Wiener weights. In yet another aspect, space-time diversity is de values for FIR filters used in transmission on the transmit antenn space only pre-correction is deployed. Various other aspects are have the benefit of reducing the interference experienced at a rec capacity, increased data throughput, and other system benefits.”</p> <p>“For clarity, the examples used in describing this invention may originator of signals and mobile stations as receivers and acquire on the forward link. Those skilled in the art will understand that stations may be equipped to transmit data as described herein an invention apply in those situations as well.” Burke, 3:54-61.</p> <p>“FIG. 12 depicts a present embodiment of a mobile station 106, with base station 104 and any of the signal conditioners 320, des received at antenna 112 (which may be a single antenna, or an a deploying diversity techniques known in the art). The received s receiver 1210, using techniques appropriate for one or more com compatible with mobile station 106, such as those described abo include amplification, filtering, down conversion, analog to digi techniques known in the art.” Burke, 25:56-67.</p> <p>“In an alternate embodiment, base station 104 may be deployed processor 310. The pre-correction parameters may be generated mobile station 106, and transmitted for application to signal con receiver 370, and message decoder 380, as described above. Thi shown.” Burke, 5:65-6:4.</p>
1a	An antenna, wherein the antenna comprises a first antenna element and a second antenna element;	<p>Burke expressly or inherently discloses this claim element.</p> <p><i>See, e.g.,</i></p>

No.	U.S. Patent No. 10,715,235	U.S. Patent No. 7,155,231 (“Burke”)
		<p data-bbox="805 779 1624 852">Burke’s mobile station 106 receives a first signal transmission through signal path 150 and a second signal transmission through signal path 160 from the base station 104.</p>  <p data-bbox="1312 1472 1409 1503">FIG. 2</p> <p data-bbox="805 1545 984 1577">Burke, Fig. 2.</p> <p data-bbox="805 1608 1624 1713">An array of antennas 110A-110M can “be used to transmit signals simultaneously” and that each antenna in the array can be used to transmit a signal through an individual path. Burke, 5:54-55, 8:42-51.</p> <p data-bbox="805 1755 1624 1818">Antenna 112 at the mobile station “may be a single antenna, or a multiple antenna system.” Burke, 25:58-61.</p>

No.	U.S. Patent No. 10,715,235	U.S. Patent No. 7,155,231 (“Burke”)
		<p>“As described above, during optimum performance, pre correction processor 310 adjusts the weights and delays that cause the signals received along the various M multipaths to be received simultaneously and in-phase.” Burke, 7:66-8:2.</p> <p>“[D]uring optimum performance, precorrection processor 310 processes the signals to adjust the weights and delays that cause the signals received along the various M multipaths to be received simultaneously and in-phase.” Burke, 26:16-22; <i>see also id.</i> 5:54-55; <i>see also</i> 7:18-22.</p> <p>“Fig. 12 depicts a present embodiment of a mobile station 106, communicating with base station 104 and any of the signal conditioners 320, despread signals are received at antenna 112 (which may be a single antenna or an array of antennas employing diversity techniques known in the art). The received signals are processed by receiver 1210, using techniques appropriate for one or more communication systems compatible with mobile station 106, such as those described above. The techniques may include amplification, filtering, down conversion, and other techniques known in the art.” Burke, 25:56-27:22; <i>see also id.</i> 4:6-18.</p>




FIG. 12

Burke, Fig. 12.

“Between the lobes of an antenna beam pattern there exists a null. When a signal is transmitted through antennas 104 destructively interfere with each other, the antenna pattern 130, nulls exist between lobes 130A and 130B, between 130B and 130C, and between 130C and 130A. In an embodiment, antenna pattern 132 is formed such that its primary lobe 130A is placed within or nearly within the nulls between lobes 132A and 132B of antenna beam pattern 132. Similarly, antenna pattern 132 is formed such that its primary lobe 132A is placed within or nearly within the nulls between lobes 132A and 132B of antenna beam pattern 132.

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.