

**3rd Generation Partnership Project;
Technical Specification Group Core Network and Terminals;
Organization of subscriber data
(Release 7)**



The present document has been developed within the 3rd Generation Partnership Project (3GPP™) and may be further elaborated for the purposes of 3GPP.

The present document has not been subject to any approval process by the 3GPP Organisational Partners and shall not be implemented.

Keywords

UMTS, GSM, network, user, management

3GPP

Postal address

3GPP support office address

650 Route des Lucioles - Sophia Antipolis
Valbonne - FRANCE
Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Internet

<http://www.3gpp.org>

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© 2007, 3GPP Organizational Partners (ARIB, ATIS, CCSA, ETSI, TTA, TTC).
All rights reserved.

Contents

Foreword.....	9
0 Scope.....	10
0.1 References.....	10
0.2 Abbreviations.....	12
1 Introduction.....	12
1.1 Definition.....	12
1.2 Storage facilities.....	13
1.3 Subscriber data in functional units other than the HLR, the VLR, the SGSN, the GGSN, the GMLC, the SMLC and the LMU.....	13
1.4 Subscriber data in WLAN-IW functional units.....	14
2 Definition of subscriber data for CS and PS domain.....	14
2.1 Data related to subscription, identification and numbering.....	14
2.1.1 Data defining the subscription profile.....	14
2.1.1.1 International Mobile Subscriber Identity (IMSI).....	14
2.1.1.2 Network Access Mode (NAM).....	14
2.1.2 Mobile Station International ISDN Number (MSISDN).....	14
2.1.3 MSISDNs for multinumbeing option.....	14
2.1.3.1 The Basic MSISDN indicator.....	14
2.1.3.2 The MSISDN-Alert indicator.....	15
2.1.4 Temporary mobile subscriber identity (TMSI).....	15
2.1.5 Packet-Temporary Mobile Subscriber Identity (P-TMSI).....	15
2.1.6 Temporary Link Layer Identifier (TLLI).....	15
2.1.7 Random TLLI.....	15
2.1.8 Local Mobile Station Identity (LMSI).....	15
2.1.9 International Mobile Equipment Identity (IMEI).....	15
2.2 Data related to Mobile Station types.....	15
2.2.1 Mobile Station Category.....	15
2.2.2 LMU Identifier (GSM only).....	16
2.2.3 International Mobile Equipment Identity and Software Version (IMEISV).....	16
2.3 Data related to authentication and ciphering.....	16
2.3.1 Random Number (RAND), Signed Response (SRES) and Ciphering Key (Kc).....	16
2.3.2 Random Challenge (RAND), Expected Response (XRES), Cipher Key (CK), Integrity Key (IK) and Authentication Token (AUTN).....	16
2.3.3 The Ciphering Key Sequence Number (CKSN).....	16
2.3.4 The Key Set Identifier (KSI).....	16
2.3.5 Selected Ciphering Algorithm.....	17
2.3.6 Current Kc.....	17
2.3.7 P-TMSI Signature.....	17
2.4 Data related to roaming.....	17
2.4.1 Mobile Station Roaming Number (MSRN).....	17
2.4.2 Location Area Identification (LAI).....	17
2.4.3 Routing Area Identification (RAI).....	17
2.4.4 Void.....	17
2.4.5 VLR number.....	17
2.4.6 MSC number.....	17
2.4.7 HLR number.....	18
2.4.8 GSN number.....	18
2.4.8.1 SGSN number.....	18
2.4.8.2 GGSN number.....	18
2.4.9 MLC number.....	18
2.4.9.1 SMLC number (GSM only).....	18
2.4.9.2 GMLC number.....	18
2.4.10 Subscription restriction.....	18
2.4.11 Regional Subscription Information.....	19
2.4.11.1 RSZI lists.....	19

2.4.11.2	Zone Code List	19
2.4.12	MSC area restricted flag	19
2.4.13	LA not allowed flag	19
2.4.14	SGSN area restricted flag	19
2.4.14a	RA not allowed flag	20
2.4.15	Service restriction data induced by roaming	20
2.4.15.1	ODB-induced barring data	20
2.4.15.2	Roaming restriction due to unsupported feature	21
2.4.15.3	Roaming restricted in the SGSN due to unsupported feature	21
2.4.16	Cell Global ID or Service Area ID	21
2.4.17	Localised Service Area Information	21
2.4.17.1	LSA Identity	21
2.4.17.2	LSA Priority	22
2.4.17.2A	LSA Preferential Access Indicator	22
2.4.17.2B	LSA Active Mode Support Indicator	22
2.4.17.3	LSA Only Access Indicator	22
2.4.17.4	LSA Active Mode Indicator	22
2.4.17.5	VPLMN Identifier	22
2.4.18	AccessRestriction_Data	22
2.4.19	Selected CN operator ID	22
2.4.20	IP-SM-GW number	23
2.5	Data related to basic services	23
2.5.1	Provision of bearer service	23
2.5.2	Provision of teleservice	23
2.5.3	Bearer capability allocation	23
2.5.4	Transfer of SM option	23
2.6	Data related to supplementary services	23
2.7	Mobile station status data	24
2.7.1	IMSI detached flag	24
2.7.2	Mobile station Not Reachable for GPRS (MNRG)	24
2.7.3	Mobility Management State	24
2.7.4	Restoration flags	24
2.7.4.1	Confirmed by Radio Contact indicator	24
2.7.4.2	Subscriber Data Confirmed by HLR indicator	24
2.7.4.3	Location Information Confirmed in HLR indicator	25
2.7.4.4	Check SS indicator	25
2.7.5	MS purged for non-GPRS flag	25
2.7.6	MS purged for GPRS flag	25
2.7.7	Mobile station Not Reachable via MSC Reason (MNRR-MSC)	25
2.7.7A	Mobile station Not Reachable via SGSN Reason (MNRR-SGSN)	25
2.7.8	Subscriber data dormant	25
2.8	Data related to Operator Determined Barring	26
2.8.1	Subscriber status	26
2.8.2	Operator Determined Barring general data	26
2.8.2.1	Barring of outgoing calls	26
2.8.2.2	Barring of incoming calls	26
2.8.2.3	Barring of roaming	26
2.8.2.4	Barring of premium rate calls	27
2.8.2.5	Barring of supplementary services management	27
2.8.2.6	Barring of registration of call forwarding	27
2.8.2.7	Barring of invocation of call transfer	27
2.8.2.8	Barring of Packet Oriented Services	28
2.8.3	Operator Determined Barring PLMN-specific data	28
2.8.4	Notification to CSE flag	28
2.8.5	gsmSCF address list	28
2.9	Data related to handover	28
2.9.1	Handover Number	28
2.10	Data related to short message support	28
2.10.1	Messages Waiting Data (MWD)	28
2.10.2	Mobile Station Not Reachable Flag (MNRF)	28
2.10.3	Memory Capacity Exceeded Flag (MCEF)	29
2.10.4	Mobile station Not Reachable for GPRS (MNRG)	29

2.10.4A	UE Not Reachable via IP-SM-GW Flag (UNRI)	29
2.10.5	Mobile station Not Reachable via MSC Reason (MNRR-MSC)	29
2.10.5A	Mobile station Not Reachable via SGSN Reason (MNRR-SGSN).....	29
2.10.5B	UE Not Reachable via IP-SM-GW Reason (UNRR)	29
2.11	Data related to subscriber trace.....	29
2.11.1	Trace Reference	29
2.11.2	Trace Type	29
2.11.3	Operations Systems Identity.....	29
2.11.4	HLR Trace Type	29
2.11.5	MAP Error On Trace.....	29
2.11.6	Trace Activated in VLR	30
2.11.7	Trace Activated in SGSN.....	30
2.11.8	Foreign Subscriber Registered in VLR	30
2.11.9	Trace Reference 2	30
2.11.10	Trace depth.....	30
2.11.10	List of NE types to trace.....	30
2.11.11	Triggering events	30
2.11.12	List of interfaces to trace.....	30
2.12	Data related to the support of voice group and broadcast calls.....	30
2.12.1	VGCS Group Membership List.....	30
2.12.2	VBS Group Membership List.....	31
2.12.2.1	Broadcast Call Initiation Allowed List	31
2.13	Data related to GPRS NAM.....	31
2.13.1	PDP Type	31
2.13.2	PDP Address	31
2.13.3	NSAPI	31
2.13.4	Packet Data Protocol (PDP) State	31
2.13.5	New SGSN Address.....	31
2.13.6	Access Point Name (APN).....	31
2.13.7	GGSN Address in Use.....	32
2.13.8	VPLMN Address Allowed	32
2.13.9	Dynamic Address	32
2.13.10	SGSN Address	32
2.13.11	GGSN-list.....	32
2.13.12	Quality of Service Subscribed.....	32
2.13.13	Quality of Service Requested.....	32
2.13.14	Quality of Service Negotiated.....	32
2.13.15	SND.....	32
2.13.16	SNU.....	33
2.13.17	DRX Parameters.....	33
2.13.18	Compression.....	33
2.13.19	Non-GPRS Alert Flag (NGAF).....	33
2.13.20	Classmark.....	33
2.13.21	Tunnel Endpoint IDentifier (TEID)	33
2.13.22	Radio Priority	33
2.13.23	Radio Priority SMS	33
2.13.24	PDP Context Identifier	33
2.13.25	PDP Context Charging Characteristics	34
2.14	Data related to CAMEL.....	34
2.14.1	Subscriber Data stored in HLR	34
2.14.1.1	Originating CAMEL Subscription Information (O-CSI).....	34
2.14.1.2	Terminating CAMEL Subscription Information (T-CSI) and VMSC Terminating CAMEL Subscription Information (VT-CSI));	35
2.14.1.3	Location information/Subscriber state interrogation.	35
2.14.1.4	USSD CAMEL subscription information(U-CSI).....	35
2.14.1.5	Supplementary Service invocation notification(SS-CSI)	36
2.14.1.6	Translation Information flag (TIF-CSI).....	36
2.14.1.7	Mobility Management event notification (M-CSI).....	36
2.14.1.8	Mobile Originated Short Message Service CAMEL Subscription Information (MO-SMS-CSI)	36
2.14.1.9	Mobile Terminating Short Message Service CAMEL Subscription Information (MT-SMS-CSI)	37
2.14.1.10	GPRS CAMEL Subscription Information (GPRS-CSI)	38
2.14.1.11	Dialled service CAMEL Subscription Information (D-CSI)	38

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.