



US008131497B2

(12) **United States Patent**  
**Steinberg et al.**

(10) **Patent No.:** **US 8,131,497 B2**  
(45) **Date of Patent:** **\*Mar. 6, 2012**

(54) **SYSTEM AND METHOD FOR CALCULATING THE THERMAL MASS OF A BUILDING**

(75) Inventors: **John Douglas Steinberg**, Millbrae, CA (US); **Scott Douglas Hublou**, Redwood City, CA (US)

(73) Assignee: **EcoFactor, Inc.**, Millbrae, CA (US)

(\* ) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **12/959,225**

(22) Filed: **Dec. 2, 2010**

(65) **Prior Publication Data**

US 2011/0077896 A1 Mar. 31, 2011

**Related U.S. Application Data**

(63) Continuation of application No. 12/211,733, filed on Sep. 16, 2008, now Pat. No. 7,848,900.

(60) Provisional application No. 60/994,011, filed on Sep. 17, 2007.

(51) **Int. Cl.**  
**G01K 9/00** (2006.01)

(52) **U.S. Cl.** ..... **702/130; 702/182**

(58) **Field of Classification Search** ..... **702/130, 702/182; 700/276, 277, 278; 236/91 D; 165/58, 200, 287**

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,136,732 A 1/1979 Demaray et al.  
4,341,345 A 7/1982 Hammer et al.  
4,403,644 A 9/1983 Hebert

4,655,279 A 4/1987 Harmon  
4,674,027 A 6/1987 Beckey  
5,244,146 A 9/1993 Jefferson et al.  
5,270,952 A 12/1993 Adams et al.  
5,314,004 A 5/1994 Strand et al.  
5,462,225 A 10/1995 Massara et al.  
5,544,036 A 8/1996 Brown et al.  
5,555,927 A 9/1996 Shah  
5,572,438 A 11/1996 Ehlers et al.  
5,717,609 A 2/1998 Packa et al.  
6,145,751 A 11/2000 Ahmed  
6,178,362 B1 1/2001 Woolard et al.  
6,260,765 B1 7/2001 Natale et al.

(Continued)

**OTHER PUBLICATIONS**

Arens, et al., "How Ambient Intelligence Will Improve Habitability and Energy Efficiency in Buildings", 2005, research paper, Center for the Built Environment, Controls and Information Technology.

(Continued)

*Primary Examiner* — Edward Raymond


*Assistant Examiner* — Elias Desta

(74) *Attorney, Agent, or Firm* — Knobbe, Martens, Olson & Bear, LLP

(57) **ABSTRACT**

The invention comprises a system for calculating a value for the effective thermal mass of a building. The climate control system obtains temperature measurements from at least a first location conditioned by the climate system. One or more processors receive measurements of outside temperatures from at least one source other than the control system and compare the temperature measurements from the first location with expected temperature measurements. The expected temperature measurements are based at least in part upon past temperature measurements obtained by said HVAC control system and said outside temperature measurements. The processors then calculate one or more rates of change in temperature at said first location.

**12 Claims, 13 Drawing Sheets**



U.S. PATENT DOCUMENTS

6,351,693 B1 2/2002 Monie  
 6,400,996 B1 6/2002 Hoffberg et al.  
 6,437,692 B1 8/2002 Petite et al.  
 6,478,233 B1 11/2002 Shah  
 6,480,803 B1 11/2002 Pierret et al.  
 6,483,906 B1 11/2002 Iggulden et al.  
 6,536,675 B1 3/2003 Pesko et al.  
 6,542,076 B1 4/2003 Joao  
 6,549,130 B1 4/2003 Joao  
 6,574,537 B2 6/2003 Kipersztok et al.  
 6,580,950 B1 6/2003 Johnson  
 6,594,825 B1 7/2003 Goldschmidtli et al.  
 6,595,430 B1 7/2003 Shah  
 6,598,056 B1 7/2003 Hull et al.  
 6,619,555 B2 9/2003 Rosen  
 6,622,097 B2 9/2003 Hunter  
 6,622,115 B1 9/2003 Brown et al.  
 6,622,925 B2 9/2003 Carner et al.  
 6,622,926 B1 9/2003 Sartain et al.  
 6,628,997 B1 9/2003 Fox et al.  
 6,633,823 B2 10/2003 Bartone et al.  
 6,643,567 B2 11/2003 Kolk et al.  
 6,671,586 B2 12/2003 Davis et al.  
 6,695,218 B2 2/2004 Fleckenstein  
 6,726,113 B2 4/2004 Guo  
 6,731,992 B1 5/2004 Ziegler  
 6,734,806 B1 5/2004 Cratsley  
 6,772,052 B1 8/2004 Amundsen  
 6,785,592 B1 \* 8/2004 Smith et al. .... 700/291  
 6,785,630 B2 8/2004 Kolk  
 6,789,739 B2 9/2004 Rosen  
 6,853,959 B2 2/2005 Ikeda et al.  
 6,868,293 B1 3/2005 Schurr  
 6,868,319 B2 3/2005 Kipersztok et al.  
 6,882,712 B1 4/2005 Iggulden et al.  
 6,889,908 B2 5/2005 Crippen et al.  
 6,891,838 B1 5/2005 Petite et al.  
 6,991,029 B2 1/2006 Orfield et al.  
 7,009,493 B2 3/2006 Howard et al.  
 7,031,880 B1 4/2006 Seem et al.  
 7,039,532 B2 5/2006 Hunter  
 7,089,088 B2 8/2006 Terry et al.  
 7,130,719 B2 10/2006 Ehlers et al.  
 7,130,832 B2 10/2006 Bannai et al.  
 7,167,079 B2 1/2007 Smyth et al.  
 7,187,986 B2 3/2007 Johnson et al.  
 7,205,892 B2 4/2007 Luebke et al.

7,215,746 B2 5/2007 Iggulden et al.  
 7,216,015 B2 5/2007 Poth  
 7,231,424 B2 6/2007 Bodin et al.  
 7,232,075 B1 6/2007 Rosen  
 7,356,384 B2 4/2008 Gull et al.  
 7,644,869 B2 1/2010 Høglund et al.  
 7,784,704 B2 8/2010 Harter  
 7,848,900 B2 \* 12/2010 Steinberg et al. .... 702/130  
 7,894,943 B2 2/2011 Sloup et al.  
 2003/0040934 A1 2/2003 Skidmore et al.  
 2005/0222889 A1 10/2005 Lai et al.  
 2005/0288822 A1 12/2005 Rayburn  
 2007/0043477 A1 2/2007 Elhers et al.  
 2008/0083234 A1 4/2008 Krebs et al.  
 2009/0099699 A1 4/2009 Steinberg et al.  
 2009/0125151 A1 5/2009 Steinberg et al.  
 2009/0240381 A1 9/2009 Lane  
 2009/0281667 A1 11/2009 Masui et al.  
 2010/0019052 A1 1/2010 Yip  
 2010/0070086 A1 3/2010 Harrod et al.  
 2010/0070089 A1 3/2010 Harrod et al.  
 2010/0070093 A1 3/2010 Harrod et al.  
 2010/0211224 A1 8/2010 Keeling et al.  
 2010/0235004 A1 9/2010 Thind  
 2010/0289643 A1 11/2010 Trundle et al.  
 2011/0031323 A1 2/2011 Nold et al.

OTHER PUBLICATIONS

Honeywell, W7600/W7620 Controller Reference Manual, HW0021207, Oct. 1992.  
 Johnson Controls, Touch4 building automation system brochure, 2007.  
 Kilicotte, et al., "Dynamic Controls for Energy Efficiency and Demand Response: Framework Concepts and a New Construction Study Case in New York", Proceedings of the 2006 ACEEE Summer Study of Energy Efficiency in Buildings, Pacific Grove, CA, Aug. 13-18, 2006.  
 Lin, et al., "Multi-Sensor Single-Actuator Control of HVAC Systems", 2002.  
 Wang, et al., "Opportunities to Save Energy and Improve Comfort by Using Wireless Sensor Networks in Buildings," (2003), Center for Environmental Design Research.  
 Wetter, et al., A comparison of deterministic and probabilistic optimization algorithms for nonsmooth simulation-based optimization., Building and Environment 39, 2004, pp. 989-999.

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3

# Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

## Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

## Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

## Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

## API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

## LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

## FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

## E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.