

PUBLISHED BY Microsoft Press A Division of Microsoft Corporation One Microsoft Way Redmond, Washington 98052-6399

Copyright © 2002 by Microsoft Corporation

All rights reserved. No part of the contents of this book may be reproduced or transmitted in any form or by any means without the written permission of the publisher.

Library of Congress Cataloging-in-Publication Data Microsoft Computer Dictionary.--5th ed.

p. cm. ISBN 0-7356-1495-4

1. Computers--Dictionaries. 2. Microcomputers--Dictionaries.

AQ76.5. M52267 2002 004'.03--dc21

200219714

Printed and bound in the United States of America.

2 3 4 5 6 7 8 9 QWT 7 6 5 4 3 2

Distributed in Canada by H.B. Fenn and Company Ltd.

A CIP catalogue record for this book is available from the British Library.

Microsoft Press books are available through booksellers and distributors worldwide. For further information about international editions, contact your local Microsoft Corporation office or contact Microsoft Press International directly at fax (425) 936-7329. Visit our Web site at www.microsoft.com/mspress. Send comments to mspinput@microsoft.com.

Active Desktop, Active Directory, ActiveMovie, ActiveStore, ActiveSync, ActiveX, Authenticode, BackOffice, BizTalk, ClearType, Direct3D, DirectAnimation, DirectDraw, DirectInput, DirectMusic, DirectPlay, DirectShow, DirectSound, DirectX, Entourage, FoxPro, FrontPage, Hotmail, IntelliEye, IntelliMouse, IntelliSense, JScript, MapPoint, Microsoft, Microsoft Press, Mobile Explorer, MS-DOS, MSN, Music Central, NetMeeting, Outlook, PhotoDraw, PowerPoint, SharePoint, UltimateTV, Visio, Visual Basic, Visual C++, Visual FoxPro, Visual InterDev, Visual J++, Visual SourceSafe, Visual Studio, Win32, Win32s, Windows, Windows Media, Windows NT, Xbox are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. Other product and company names mentioned herein may be the trademarks of their respective owners.

The example companies, organizations, products, domain names, e-mail addresses, logos, people, places, and events depicted herein are fictitious. No association with any real company, organization, product, domain name, e-mail address, logo, person, place, or event is intended or should be inferred.

Acquisitions Editor: Alex Blanton Project Editor: Sandra Haynes

Body Part No. X08-41929



Contents

Introduction	vii
Changes in the Fifth Edition	
Order of Presentation	
Entries	
Future Printings and Editions	ix
Dictionary of Computer Terms	1
Appendix A:	
Common Character Sets	
ANSI Character Set	
Apple Macintosh Extended Character Set	
IBM Extended Character Set	
EBCDIC Character Set	
Appendix B:	
Common File Extensions	605
Appendix C:	
Instant Messaging Emoticons and Acronyms	613
Appendix D:	
Internet Domains	623
Appendix E:	
Numeric Equivalents	631

transceiver transistor

transceiver *n*. Short for **trans**mitter/receiver. A device that can both transmit and receive signals. On LANs (local area networks), a transceiver is the device that connects a computer to the network and that converts signals to and from parallel and serial form.

transceiver cable *n*. A cable that is used to connect a host adapter within a computer to a LAN (local area network). *See also* AUI cable, LAN.

transducer *n*. A device that converts one form of energy into another. Electronic transducers either convert electric energy to another form of energy or convert nonelectric to electric energy.

transfer¹ *n*. **1.** The movement of data from one location to another. **2.** The passing of program control from one portion of code to another.

transfer² vb. To move data from one place to another, especially within a single computer. *Compare* transmit.

transfer rate n. The rate at which a circuit or a communications channel transfers information from source to destination, as over a network or to and from a disk drive.

Transfer rate is measured in units of information per unit of time—for example, bits per second or characters per second—and can be measured either as a raw rate, which is the maximum transfer speed, or as an average rate, which includes gaps between blocks of data as part of the transmission time.

transfer statement *n*. A statement in a programming language that transfers the flow of execution to another location in the program. *See also* branch instruction, CALL statement, GOTO statement, jump instruction.

transfer time *n*. The time elapsed between the start of a data transfer operation and its completion.


transform *vb.* **1.** To change the appearance or format of data without altering its content; that is, to encode information according to predefined rules. **2.** In mathematics and computer graphics, to alter the position, size, or nature of an object by moving it to another location (translation), making it larger or smaller (scaling), turning it (rotation), changing its description from one type of coordinate system to another, and so on.


transformer *n*. A device used to change the voltage of an alternating current signal or to change the impedance of an alternating current circuit.


transient *adj.* **1.** Fleeting, temporary, or unpredictable. **2.** Of or pertaining to the region of memory used for programs, such as applications, that are read from disk storage and that reside in memory temporarily until they are replaced by other programs. In this context, *transient* can also refer to the programs themselves. **3.** In electronics, of or pertaining to a short-lived, abnormal, and unpredictable increase in power supply, such as a voltage spike or surge. *Transient time* is the interval during which a change in current or voltage is building up or decaying.

transient suppressor *n*. A circuit designed to reduce or eliminate unwanted electrical signals or voltages.

transistor *n*. Short for **trans**fer resistor. A solid-state circuit component, usually with three leads, in which a voltage or a current controls the flow of another current. The transistor can serve many functions, including those of amplifier, switch, and oscillator, and is a fundamental component of almost all modern electronics. See the illustration. *See also* base (definition 3), FET, NPN transistor, PNP transistor.











Microsoft

Computer Dictionary

Fifth Edition

The ultimate reference for home, office, or wherever technology takes you!

From broadband to wireless, XML to Xbox™, Tablet PCs to digital TV—here's the one resource that defines over 10,000 technical terms for home and office! The fifth edition of the award-winning Microsoft Computer Dictionary has been fully updated and expanded with thousands of new entries. You get simple, concise definitions for understanding even the most arcane terms—as well as the newest high-tech acronyms and jargon. From A: (drive) to zettabyte, the Microsoft Computer Dictionary makes the latest technology accessible to all!

"The Microsoft Press Computer Dictionary is the perfect way to clear up a puzzling word or phrase in computer culture."

— Michael Heim, Ph.D., Author of Electric Language and Virtual Realism Speak the language of computers and the Internet with the MICROSOFT COMPUTER DICTIONARY!

Comprehensive content: Covers everything from smartphones to superservers, 10Base2 to ;-)

Defines and illustrates:
Helpful diagrams and
drawings complete the
picture for complex topics

Relevant to all:
Whether you're a home user or an industry professional, you'll find terms and concepts essential to your understanding

To learn more about Microsoft Press® products, visit: microsoft.com/mspress

Computers/Reference





U.S.A. \$29.99 Canada \$43.99 [Recommended]

Part No. X08-41956

Microsoft

