
3rd Generation Partnership Project; Technical Specification Group Radio Access Network; Feasibility study for Further Advancements for E-UTRA (LTE-Advanced) (Release 9)



The present document has been developed within the 3rd Generation Partnership Project (3GPPTM) and may be further elaborated for the purposes of 3GPP.

The present document has not been subject to any approval process by the 3GPP Organizational Partners and shall not be implemented. This Specification is provided for future development work within 3GPP only. The Organizational Partners accept no liability for any use of this Specification. Specifications and reports for implementation of the 3GPPTM system should be obtained via the 3GPP Organizational Partners' Publications Offices.

Keywords

LTE, Radio

3GPP

Postal address

3GPP support office address

650 Route des Lucioles - Sophia Antipolis
Valbonne - FRANCE
Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Internet

<http://www.3gpp.org>

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© 2009, 3GPP Organizational Partners (ARIB, ATIS, CCSA, ETSI, TTA, TTC).
All rights reserved.

UMTS™ is a Trade Mark of ETSI registered for the benefit of its members
3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners
LTE™ is a Trade Mark of ETSI currently being registered for the benefit of its Members and of the 3GPP Organizational Partners
GSM® and the GSM logo are registered and owned by the GSM Association

3GPP

Contents

Foreword	6
1 Scope	7
2 References	7
3 Definitions, symbols and abbreviations	8
3.1 Definitions	8
3.2 Symbols	8
3.3 Abbreviations	8
4 Introduction	8
5 Support of wider bandwidth	8
5.1 General	8
5.2 User Plane	9
5.2.1 Structure	9
5.2.2 MAC	10
5.2.3 RLC	10
5.2.4 PDCP	10
5.3 Control plane	10
5.3.1 Structure	10
5.3.2 RRC procedures	10
5.3.3 Idle mode procedures	11
6 Uplink transmission scheme	11
6.1 Uplink spatial multiplexing	11
6.2 Uplink multiple access	12
6.3 Uplink reference signals	12
7 Downlink transmission scheme	12
7.1 Downlink spatial multiplexing	12
7.1.1 Feedback in support of downlink spatial multiplexing	13
7.2 Downlink reference signals	13
7.3 Downlink transmit diversity	14
8 Coordinated multiple point transmission and reception	14
8.1 Downlink coordinated multi-point transmission	14
8.2 Uplink coordinated multi-point reception	14
9 Relaying	14
9.1 General	14
9.2 Architecture	15
9.3 Relay-eNodeB link	15
9.3.1 Resource partitioning for relay-eNodeB link	15
9.3.2 Backward compatible backhaul partitioning	16
9.3.3 Backhaul resource assignment	16
10 Improvement for latency	17
10.1 Improvement for C-Plane latency	17
10.2 Improvement for U-Plane latency	17
11 Radio transmission and reception	18
11.1 RF scenarios	18
11.1.1 Deployment scenarios	18
11.2 Common requirements for UE and BS	18
11.2.1 Carrier Aggregation	18
11.2.1.1 Bandwidth configuration of component carriers	18
11.2.1.2 Carrier spacing between component carriers	18
11.2.2 Operating bands	18
11.3 UE RF requirements	19

3GPP

11.3.1	General.....	19
11.3.2	Transmitter characteristics	20
11.3.2.1	Transmitter architecture.....	20
11.3.2.2	Transmit power.....	21
11.3.2.3	Output power dynamics.....	21
11.3.2.4	Transmit signal quality	22
11.3.2.5	Output RF spectrum emissions	22
11.3.2.5.1	Adjacent Channel Leakage ratio	22
11.3.2.5.2	Spurious emission (UE to UE co-existence).....	22
11.3.2.6	Transmit intermodulation	22
11.3.3	Receiver characteristics	22
11.3.3.1	Receiver architecture	23
11.3.3.2	Receiver Sensitivity.....	23
11.3.3.3	Selectivity.....	23
11.3.3.4	Blocking performance	24
11.3.3.5	Spurious response.....	24
5.3.3.6	Intermodulation performance	24
11.3.3.7	Spurious emission.....	24
11.4	BS RF requirements.....	24
11.4.1	General.....	24
11.4.2	Transmitter characteristics	25
11.4.2.1	Base Station output power.....	25
11.4.2.2	Transmitted signal quality.....	25
11.4.2.3	Unwanted emissions.....	25
11.4.2.4	Transmitter spurious emissions.....	25
11.4.3	Receiver characteristics	26
11.4.3.1	Reference sensitivity level	26
11.4.3.2	Adjacent Channel Selectivity (ACS), narrow-band blocking, Blocking, Receiver intermodulation.....	26
11.4.3.3	Performance requirements.....	26
12	Mobility enhancements	26
13	TS 36.133 [17] requirements enhancements.....	27
14	MBMS Enhancements	27
15	SON Enhancements	27
16	Self-Evaluation Report on "LTE Release 10 and beyond (LTE-Advanced)"	27
16.1	Peak spectral efficiency	28
16.2	C-plane latency	29
16.2.1	Idle to Connected.....	29
16.2.2	Dormant to Active.....	30
16.3	U-Plane latency.....	31
16.4	Spectral efficiency and user throughput	31
16.4.1	Cell spectral efficiency and cell-edge spectral efficiency.....	31
16.4.1.1	Indoor	31
16.4.1.2	Microcellular	32
16.4.1.3	Base coverage urban.....	33
16.4.1.4	High speed.....	34
16.4.2	Number of supported VoIP users.....	36
16.4.3	Mobility traffic channel link data rates	36
16.5	Handover Performance	37
16.5.1	Intra-frequency handover interruption time.....	39
16.5.2	Inter-frequency handover interruption time within a spectrum band	39
16.5.3	Inter-frequency handover interruption time between spectrum bands	39
16.6	Spectrum and bandwidth	39
16.6.1	Deployment in IMT bands.....	39
16.6.2	Bandwidth and channel bandwidth scalability	39
16.7	Services.....	39
16.8	Conclusions of the Self-Evaluation	40

Annex A: Simulation model	41
A.1 General assumption.....	41
A.2 CoMP assumption for evaluation.....	43
A.3 Detailed simulation results.....	43
Annex B: Latency performance of Rel-8	44
B.1 C-plane latency	44
B.1.1 Transition IDLE to CONNECTED	44
B.1.1.1 FDD frame structure	44
B.1.1.2 TDD frame structure	45
B.1.2 Transition Dormant to Active.....	46
B.1.2.1 FDD frame structure	47
B.1.2.1.1 Uplink initiated transition, synchronized	47
B.1.2.1.2 Uplink initiated transition, unsynchronized	47
B.1.2.1.3 Downlink initiated transition, synchronized	47
B.1.2.1.4 Downlink initiated transition, unsynchronized	47
B.1.2.2 TDD frame structure	48
B.1.2.2.1 Uplink initiated transition, synchronized	48
B.1.2.2.2 Uplink initiated transition, unsynchronized	48
B.1.2.2.3 Downlink initiated transition, synchronized	49
B.1.2.2.4 Downlink initiated transition, unsynchronized	49
B.2 U-plane latency	50
B.2.1 FDD frame structure.....	50
B.2.2 TDD frame structure.....	51
Annex C: ITU-R Submission Templates	54
C.1 Description template – characteristics (4.2.3.2).....	54
C.2 Description template – link budget (4.2.3.3)	54
C.3 Compliance templates for services (4.2.4.1), for spectrum (4.2.4.2), technical performance (4.2.4.3).....	54
Annex D: Change history	55

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.