
**3rd Generation Partnership Project;
Technical Specification Group Radio Access Network;
Evolved Universal Terrestrial Radio Access (E-UTRA)
Radio Resource Control (RRC);
Protocol specification
(Release 8)**



The present document has been developed within the 3rd Generation Partnership Project (3GPPTM) and may be further elaborated for the purposes of 3GPP. The present document has not been subject to any approval process by the 3GPP Organizational Partners and shall not be implemented. This Specification is provided for future development work within 3GPP only. The Organizational Partners accept no liability for any use of this Specification. Specifications and reports for implementation of the 3GPPTM system should be obtained via the 3GPP Organizational Partners' Publications Offices.

Keywords

UMTS, radio

3GPP

Postal address

3GPP support office address

650 Route des Lucioles - Sophia Antipolis
Valbonne - FRANCE
Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Internet

<http://www.3gpp.org>

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© 2009, 3GPP Organizational Partners (ARIB, ATIS, CCSA, ETSI, TTA, TTC).
All rights reserved.

UMTS™ is a Trade Mark of ETSI registered for the benefit of its members
3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners
LTE™ is a Trade Mark of ETSI currently being registered for the benefit of its Members and of the 3GPP Organizational Partners
GSM® and the GSM logo are registered and owned by the GSM Association

3GPP

Contents

Foreword	11
1 Scope.....	12
2 References.....	12
3 Definitions, symbols and abbreviations.....	14
3.1 Definitions	14
3.2 Abbreviations	14
4 General.....	16
4.1 Introduction	16
4.2 Architecture	16
4.2.1 UE states and state transitions including inter RAT	16
4.2.2 Signalling radio bearers	18
4.3 Services	18
4.3.1 Services provided to upper layers.....	18
4.3.2 Services expected from lower layers	19
4.4 Functions	19
5 Procedures.....	20
5.1 General	20
5.1.1 Introduction.....	20
5.1.2 General requirements.....	20
5.2 System information	20
5.2.1 Introduction.....	20
5.2.1.1 General.....	20
5.2.1.2 Scheduling.....	21
5.2.1.3 System information validity and notification of changes	21
5.2.1.4 Indication of ETWS notification.....	22
5.2.2 System information acquisition	22
5.2.2.1 General.....	22
5.2.2.2 Initiation	23
5.2.2.3 System information required by the UE	23
5.2.2.4 System information acquisition by the UE	23
5.2.2.5 Essential system information missing.....	24
5.2.2.6 Actions upon reception of the <i>MasterInformationBlock</i> message	24
5.2.2.7 Actions upon reception of the <i>SystemInformationBlockType1</i> message	24
5.2.2.8 Actions upon reception of <i>SystemInformation</i> messages.....	25
5.2.2.9 Actions upon reception of <i>SystemInformationBlockType2</i>	25
5.2.2.10 Actions upon reception of <i>SystemInformationBlockType3</i>	25
5.2.2.11 Actions upon reception of <i>SystemInformationBlockType4</i>	25
5.2.2.12 Actions upon reception of <i>SystemInformationBlockType5</i>	25
5.2.2.13 Actions upon reception of <i>SystemInformationBlockType6</i>	25
5.2.2.14 Actions upon reception of <i>SystemInformationBlockType7</i>	25
5.2.2.15 Actions upon reception of <i>SystemInformationBlockType8</i>	25
5.2.2.16 Actions upon reception of <i>SystemInformationBlockType9</i>	26
5.2.2.17 Actions upon reception of <i>SystemInformationBlockType10</i>	26
5.2.2.18 Actions upon reception of <i>SystemInformationBlockType11</i>	27
5.2.3 Acquisition of an SI message	28
5.3 Connection control	28
5.3.1 Introduction.....	28
5.3.1.1 RRC connection control.....	28
5.3.1.2 Security	29
5.3.1.3 Connected mode mobility	30
5.3.2 Paging	30
5.3.2.1 General.....	30
5.3.2.2 Initiation	31
5.3.2.3 Reception of the <i>Paging</i> message by the UE.....	31

5.3.3	RRC connection establishment.....	31
5.3.3.1	General.....	31
5.3.3.2	Initiation.....	32
5.3.3.3	Actions related to transmission of <i>RRCConnectionRequest</i> message.....	34
5.3.3.4	Reception of the <i>RRCConnectionSetup</i> by the UE.....	35
5.3.3.5	Cell re-selection while T300, T302, T303 or T305 is running.....	35
5.3.3.6	T300 expiry.....	36
5.3.3.7	T302, T303 or T305 expiry or stop.....	36
5.3.3.8	Reception of the <i>RRCConnectionReject</i> by the UE.....	36
5.3.3.9	Abortion of RRC connection establishment.....	37
5.3.4	Initial security activation.....	37
5.3.4.1	General.....	37
5.3.4.2	Initiation.....	37
5.3.4.3	Reception of the <i>SecurityModeCommand</i> by the UE.....	37
5.3.5	RRC connection reconfiguration.....	38
5.3.5.1	General.....	38
5.3.5.2	Initiation.....	39
5.3.5.3	Reception of an <i>RRCConnectionReconfiguration</i> not including the <i>mobilityControlInfo</i> by the UE.....	39
5.3.5.4	Reception of an <i>RRCConnectionReconfiguration</i> including the <i>mobilityControlInfo</i> by the UE (handover).....	39
5.3.5.5	Reconfiguration failure.....	41
5.3.5.6	T304 expiry (handover failure).....	41
5.3.6	Counter check.....	42
5.3.6.1	General.....	42
5.3.6.2	Initiation.....	42
5.3.6.3	Reception of the <i>CounterCheck</i> message by the UE.....	42
5.3.7	RRC connection re-establishment.....	43
5.3.7.1	General.....	43
5.3.7.2	Initiation.....	43
5.3.7.3	Actions following cell selection while T311 is running.....	44
5.3.7.4	Actions related to transmission of <i>RRCConnectionReestablishmentRequest</i> message.....	44
5.3.7.5	Reception of the <i>RRCConnectionReestablishment</i> by the UE.....	45
5.3.7.6	T311 expiry.....	45
5.3.7.7	T301 expiry or selected cell no longer suitable.....	46
5.3.7.8	Reception of <i>RRCConnectionReestablishmentReject</i> by the UE.....	46
5.3.8	RRC connection release.....	46
5.3.8.1	General.....	46
5.3.8.2	Initiation.....	46
5.3.8.3	Reception of the <i>RRCConnectionRelease</i> by the UE.....	46
5.3.8.4	T320 expiry.....	47
5.3.9	RRC connection release requested by upper layers.....	47
5.3.9.1	General.....	47
5.3.9.2	Initiation.....	47
5.3.10	Radio resource configuration.....	47
5.3.10.0	General.....	47
5.3.10.1	SRB addition/ modification.....	48
5.3.10.2	DRB release.....	48
5.3.10.3	DRB addition/ modification.....	48
5.3.10.4	MAC main reconfiguration.....	49
5.3.10.5	Semi-persistent scheduling reconfiguration.....	49
5.3.10.6	Physical channel reconfiguration.....	49
5.3.11	Radio link failure related actions.....	49
5.3.11.1	Detection of physical layer problems in RRC_CONNECTED.....	49
5.3.11.2	Recovery of physical layer problems.....	49
5.3.11.3	Detection of radio link failure.....	50
5.3.12	UE actions upon leaving RRC_CONNECTED.....	50
5.3.13	UE actions upon PUCCH/ SRS release request.....	50
5.4	Inter-RAT mobility.....	50
5.4.1	Introduction.....	50
5.4.2	Handover to E-UTRA.....	51
5.4.2.1	General.....	51

5.4.2.2	Initiation.....	51
5.4.2.3	Reception of the <i>RRConnectionReconfiguration</i> by the UE.....	51
5.4.2.4	Reconfiguration failure.....	52
5.4.2.5	T304 expiry (handover to E-UTRA failure).....	52
5.4.3	Mobility from E-UTRA.....	53
5.4.3.1	General.....	53
5.4.3.2	Initiation.....	53
5.4.3.3	Reception of the <i>MobilityFromEUTRACommand</i> by the UE.....	53
5.4.3.4	Successful completion of the mobility from E-UTRA.....	54
5.4.3.5	Mobility from E-UTRA failure.....	54
5.4.4	Handover from E-UTRA preparation request (CDMA2000).....	55
5.4.4.1	General.....	55
5.4.4.2	Initiation.....	55
5.4.4.3	Reception of the <i>HandoverFromEUTRAPreparationRequest</i> by the UE.....	55
5.4.5	UL handover preparation transfer (CDMA2000).....	55
5.4.5.1	General.....	55
5.4.5.2	Initiation.....	55
5.4.5.3	Actions related to transmission of the <i>ULHandoverPreparationTransfer</i> message.....	56
5.4.5.4	Failure to deliver the <i>ULHandoverPreparationTransfer</i> message.....	56
5.4.6	Inter-RAT cell change order to E-UTRAN.....	56
5.4.6.1	General.....	56
5.4.6.2	Initiation.....	56
5.4.6.3	UE fails to complete an inter-RAT cell change order.....	56
5.5	Measurements.....	56
5.5.1	Introduction.....	56
5.5.2	Measurement configuration.....	58
5.5.2.1	General.....	58
5.5.2.2	Measurement identity removal.....	59
5.5.2.3	Measurement identity addition/ modification.....	59
5.5.2.4	Measurement object removal.....	60
5.5.2.5	Measurement object addition/ modification.....	60
5.5.2.6	Reporting configuration removal.....	61
5.5.2.7	Reporting configuration addition/ modification.....	61
5.5.2.8	Quantity configuration.....	61
5.5.2.9	Measurement gap configuration.....	62
5.5.3	Performing measurements.....	62
5.5.3.1	General.....	62
5.5.3.2	Layer 3 filtering.....	63
5.5.4	Measurement report triggering.....	63
5.5.4.1	General.....	63
5.5.4.2	Event A1 (Serving becomes better than threshold).....	65
5.5.4.3	Event A2 (Serving becomes worse than threshold).....	66
5.5.4.4	Event A3 (Neighbour becomes offset better than serving).....	66
5.5.4.5	Event A4 (Neighbour becomes better than threshold).....	67
5.5.4.6	Event A5 (Serving becomes worse than threshold1 and neighbour becomes better than threshold2).....	67
5.5.4.7	Event B1 (Inter RAT neighbour becomes better than threshold).....	68
5.5.4.8	Event B2 (Serving becomes worse than threshold1 and inter RAT neighbour becomes better than threshold2).....	69
5.5.5	Measurement reporting.....	70
5.5.6	Measurement related actions.....	71
5.5.6.1	Actions upon handover and re-establishment.....	71
5.5.6.2	Speed dependant scaling of measurement related parameters.....	72
5.6	Other.....	72
5.6.1	DL information transfer.....	72
5.6.1.1	General.....	72
5.6.1.2	Initiation.....	73
5.6.1.3	Reception of the <i>DLInformationTransfer</i> by the UE.....	73
5.6.2	UL information transfer.....	73
5.6.2.1	General.....	73
5.6.2.2	Initiation.....	73
5.6.2.3	Actions related to transmission of <i>ULInformationTransfer</i> message.....	73

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.