

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
27 December 2001 (27.12.2001)

PCT

(10) International Publication Number
WO 01/98331 A2

(51) International Patent Classification⁷: **C07K 14/00**

(21) International Application Number: PCT/US01/16474

(22) International Filing Date: 1 June 2001 (01.06.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/212,171 16 June 2000 (16.06.2000) US
60/240,349 13 October 2000 (13.10.2000) US

(71) Applicant (for all designated States except US): **ELI LILLY AND COMPANY** [US/US]; Lilly Corporate Center, Indianapolis, IN 46285 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **GLAESNER, Wolfgang** [DE/US]; 7512 Fieldstone Court, Indianapolis, IN 46254 (US). **MILLICAN, Rohn, Lee** [US/US]; 5319 Deer Creek Avenue, Indianapolis, IN 46254 (US).

(74) Agents: **STEWART, Mark, J.**, et al.; Eli Lilly and Company, Lilly Corporate Center, Indianapolis, IN 46285 (US).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

- without international search report and to be republished upon receipt of that report
- with sequence listing part of description published separately in electronic form and available upon request from the International Bureau

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



WO 01/98331 A2

(54) Title: GLUCAGON-LIKE PEPTIDE-1 ANALOGS

(57) Abstract: Disclosed are glucagon-like peptide-1 (GLP-1) compounds with modifications at one or more of the following positions: 11, 12, 16, 22, 23, 24, 25, 27, 30, 33, 34, 35, 36, or 37. Methods of treating these GLP-1 compounds are also disclosed.

GLUCAGON-LIKE PEPTIDE-1 ANALOGS

This application claims the benefit of U.S. Provisional
5 Application Number 60/212,171, filed June 16, 2000 and U.S.
Provisional Application Number 60/240,349, filed October 13,
2000.

10 Glucagon-Like Peptide 1 (GLP-1) is a 37 amino acid
peptide that is secreted by the L-cells of the intestine in
response to food ingestion. It has been found to stimulate
insulin secretion (insulinotropic action), thereby causing
glucose uptake by cells and decreased serum glucose levels
(see, e g., Mojsov, S., *Int. J. Peptide Protein Research*,
15 40:333-343 (1992)). However, GLP-1(1-37) is poorly active
and attention has been focused on truncated analogs,
referred to as GLP compounds, which are biologically much
more potent than GLP-1. Examples include GLP-1(7-37), GLP-
1(7-36)NH₂, Gly⁸-GLP-1(7-37)OH and Ser³⁴-GLP-1(7-37)OH.
20 Because of their ability to stimulate insulin secretion, GLP
compounds show great promise as agents for the treatment of
diabetes, obesity, and related conditions.

GLP-1 compounds can exist in at least two different
forms. The first form is physiologically active and
25 dissolves readily in aqueous solution at physiological pH
(7.4). In contrast, the second form has little or no
insulinotropic activity and is substantially insoluble in
water at pH 7.4. Unfortunately, the inactive form is
readily produced when aqueous GLP-1 solutions are agitated,
30 exposed to hydrophobic surfaces or have large air/water

-2-

interfaces. The tendency to convert to the insoluble form considerably complicates the production of commercial quantities of active GLP-1 compounds; mixing operations or continuous movement through a pump are common operations in
5 bulk manufacturing processes and these operations cause the agitation, air/water interfaces and/or contact with hydrophobic surfaces that results in the insoluble form. Conversion to the inactive form may also occur during storage or after administration to a patient, further
10 complicating the use of these compounds as drugs. Therefore, there is a great need for biologically active GLP-1 analogs which convert less readily to the insoluble form than currently available GLP-1 compounds.

15 It has now been found that a number of GLP-1 analogs with modifications at one or more of the following positions: 11, 12, 16, 22, 23, 24, 26, 27, 30, 33, 34, 35, 36 or 37, show markedly decreased propensity to aggregate compared with GLP-1(7-37)OH.

20 Many of these analogs retain GLP-1 receptor activation that is comparable and in some cases greater than known GLP-1 compounds such as GLP-1(7-37)OH and Val⁸-GLP-1(7-37)OH. For example, the aggregation time of Val⁸-Glu²²-GLP(7-37)OH is over twenty fold greater and its GLP-1 receptor
25 activation is about 25% greater than GLP-1(7-37)OH. Based on these discoveries, novel GLP-1 compounds and methods of treatment using the novel GLP-1 compounds are disclosed herein.

30 One embodiment of the present invention is a polypeptide having the amino acid sequence of formula I (SEQ ID NO: 1):

His-Xaa₈-Glu-Gly-Xaa₁₁-Xaa₁₂-Thr-Ser-Asp-Xaa₁₆-Ser-
Ser-Tyr-Leu-Glu-Xaa₂₂-Xaa₂₃-Xaa₂₄-Ala-Xaa₂₆-Xaa₂₇-Phe-
Ile-Ala-Xaa₃₁-Leu-Xaa₃₃-Xaa₃₄-Xaa₃₅-Xaa₃₆-R

formula I (SEQ ID NO: 1)

5

wherein:

Xaa₈ is: Gly, Ala, Val, Leu, Ile, Ser, or Thr;

Xaa₁₁ is: Asp, Glu, Arg, Thr, Ala, Lys, or His;

Xaa₁₂ is: His, Trp, Phe, or Tyr;

10 Xaa₁₆ is: Leu, Ser, Thr, Trp, His, Phe, Asp, Val, Glu,
or Ala;

Xaa₂₂ is: Gly, Asp, Glu, Gln, Asn, Lys, Arg, Cys, or Cysteic
Acid;

Xaa₂₃ is: His, Asp, Lys, Glu, or Gln;

15 Xaa₂₄ is: Glu, His, Ala, or Lys;

Xaa₂₆ is: Asp, Lys, Glu, or His;

Xaa₂₇ is: Ala, Glu, His, Phe, Tyr, Trp, Arg, or Lys;

Xaa₃₀ is: Ala, Glu, Asp, Ser, or His;

Xaa₃₃ is: Asp, Arg, Val, Lys, Ala, Gly, or Glu;

20 Xaa₃₄ is: Glu, Lys, or Asp;

Xaa₃₅ is: Thr, Ser, Lys, Arg, Trp, Tyr, Phe, Asp, Gly, Pro,
His, or Glu;

Xaa₃₆ is: Arg, Glu, or His;

25 R is: Lys, Arg, Thr, Ser, Glu, Asp, Trp, Tyr, Phe, His,
-NH₂, Gly, Gly-Pro, or Gly-Pro-NH₂, or is deleted.

provided that the polypeptide does not have the
sequence of GLP-1(7-37)OH or GLP-1(7-36)-NH₂ and provided
that the polypeptide is not Gly⁸-GLP-1(7-37)OH, Gly⁸-GLP-
30 1(7-36)NH₂, Val⁸-GLP-1(7-37)OH, Val⁸-GLP-1(7-36)NH₂, Leu⁸-
GLP-1(7-37)OH, Leu⁸-GLP-1(7-36)NH₂, Ile⁸-GLP-1(7-37)OH, Ile⁸-
GLP-1(7-36)NH₂, Ser⁸-GLP-1(7-37)OH, Ser⁸-GLP-1(7-36)NH₂,
Thr⁸-GLP-1(7-37)OH, or Thr⁸-GLP-1(7-36)NH₂, Ala¹¹-Glp-1(7-
37)OH, Ala¹¹-Glp-1(7-36)NH₂, Ala¹⁶-Glp-1(7-37)OH, Ala¹⁶-Glp-

-4-

1(7-36)NH₂, Ala²⁷-Glp-1(7-37)OH, Ala²⁷-Glp-1(7-36)NH₂, Glu²⁷-Glp-1(7-37)OH, Glu²⁷-Glp-1(7-36)NH₂, Ala³³-Glp-1(7-37)OH, or Ala³³-Glp-1(7-36)NH₂.

Another embodiment of the present invention is a
 5 polypeptide having the amino acid sequence of formula II
 (SEQ ID NO: 2):

His-Xaa₈-Glu-Gly-Thr-Xaa₁₂-Thr-Ser-Asp-Xaa₁₆-Ser-
 Ser-Tyr-Leu-Glu-Xaa₂₂-Xaa₂₃-Ala-Ala-Xaa₂₆-Glu-Phe-
 10 Ile-Xaa₃₀-Trp-Leu-Val-Lys-Xaa₃₅-Arg-R
 formula II (SEQ ID NO: 2)

wherein:

- Xaa₈ is: Gly, Ala, Val, Leu, Ile, Ser, or Thr;
 15 Xaa₁₂ is: His, Trp, Phe, or Tyr;
 Xaa₁₆ is: Leu, Ser, Thr, Trp, His, Phe, Asp, Val, Glu,
 or Ala;
 Xaa₂₂ is: Gly, Asp, Glu, Gln, Asn, Lys, Arg, Cys, or Cysteic
 Acid;
 20 Xaa₂₃ is: His, Asp, Lys, Glu, or Gln;
 Xaa₂₆ is: Asp, Lys, Glu, or His;
 Xaa₃₀ is: Ala, Glu, Asp, Ser, or His;
 Xaa₃₅ is: Thr, Ser, Lys, Arg, Trp, Tyr, Phe, Asp, Gly, Pro,
 His, or Glu;
 25 R is: Lys, Arg, Thr, Ser, Glu, Asp, Trp, Tyr, Phe, His,
 -NH₂, Gly, Gly-Pro, or Gly-Pro-NH₂, or is deleted.

provided that the polypeptide does not have the sequence of
 GLP-1(7-37)OH or GLP-1(7-36)-NH₂ and provided that the
 30 polypeptide is not Gly⁸-GLP-1(7-37)OH, Gly⁸-GLP-1(7-36)NH₂,
 Val⁸-GLP-1(7-37)OH, Val⁸-GLP-1(7-36)NH₂, Leu⁸-GLP-1(7-37)OH,
 Leu⁸-GLP-1(7-36)NH₂, Ile⁸-GLP-1(7-37)OH, Ile⁸-GLP-1(7-36)NH₂,
 Ser⁸-GLP-1(7-37)OH, Ser⁸-GLP-1(7-36)NH₂, Thr⁸-GLP-1(7-37)OH,
 Thr⁸-GLP-1(7-36)NH₂, Ala¹⁶-GLP(7-37)OH, or Ala¹⁶-Glp-1(7-
 35 36)NH₂.

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.