

CRC Handbook of Food Additives

Second Edition

Volume I

EDITOR

Thomas E. Furia

President
Intechmark Corporation
Palo Alto, California



CRC Press, Inc.
Boca Raton, Florida

This book represents information obtained from authentic and highly regarded sources. Reprinted material is quoted with permission, and sources are indicated. A wide variety of references are listed. Every reasonable effort has been made to give reliable data and information, but the author and the publisher cannot assume responsibility for the validity of all materials or for the consequences of their use.

All rights reserved. This book, or any parts thereof, may not be reproduced in any form without written consent from the publisher.

Direct all inquiries to CRC Press, Inc., 2000 N.W. 24th Street, Boca Raton, Florida 33431.

© 1968, 1972 by CRC Press, Inc.

Second Printing, 1975

Third Printing, 1977

Fourth Printing, 1981

International Standard Book Number 0-8493-542-X
Former International Standard Book Number 0-87819-542-4

Library of Congress Card Number 68-21741
Printed in the United States

CHAPTER 10

Polyhydric Alcohols

William C. Griffin
Associate Director
Product Development

and

Matthew J. Lynch
Development Manager
Product Development

ICI America Inc.
Atlas Chemicals Division
Wilmington, Delaware

Introduction

Polyhydric alcohols, or polyols, are valuable aids in formulating a wide range of food products. When present naturally, or when added during processing, they can impart one or more of several beneficial characteristics. These effects include crystallization retardation, improvement of stability on aging, control of viscosity or bodying, preservation, solvency, moisture retention, and others.^{39,99-102,120,170}

Natural Occurrence

Many of the commonly used polyhydric alcohols occur in nature. The frequency of occurrence appears to be directly related to the carbon-chain length of the polyol. Two- and three-carbon polyols rarely, if ever, occur in

nature; four- and five-carbon polyols occur occasionally; six-carbon polyols have been found in many instances; and seven-carbon polyols have been observed in only a few cases. This frequency distribution is probably related to the corresponding sugars and their presence in nature, with some specific exceptions. Only one of the tetritols and two of the pentitols have not been observed in natural foods.¹⁰⁶

Butylene glycol and glycerine are both reported as occurring in fermented products. The presence of 2,3-butylene glycol in tomato conserves has been reported.³⁸ Glycerine has been reported to occur in fermented products such as wines and beers.¹¹⁶ The isomer erythritol occurs in algae,^{12,152} grasses,⁸¹ and lichens.^{62,79} In the group of polyols known as pentitols, *d*-arabitol and ribitol are found in nature. Arabitol is reported in lichens¹⁰⁴ and in a species of mushroom,⁵⁸ and ribitol is reported in plants.^{124,165} Xylose (wood sugar) is one of the most abundant natural sugars in the plant world. However, xylitol, its corresponding polyhydric alcohol, has not been found.¹⁰⁷

The hexitols, or six-carbon polyols, are the most widespread.¹⁰⁸ Sorbitol was reported in 1877, when it was isolated from the juice of the berries of the mountain ash tree.^{27,123} It has since been reported in other fruit berries⁸⁰ and in many fruits, including pears, apples, cherries, prunes, peaches, and apricots,¹⁵⁶ in red seaweed,⁷⁵ and in *Sorbus commixta*.⁸ Strain has presented a listing of a large number of plants in which the sorbitol content was determined.¹⁴⁶ Mannitol was the first crystalline polyol discovered;¹²⁶ and, since it is crystalline, it frequently occurs in plant exudates.^{83,109} The sap exudate from a tree was the Italian commercial source of mannitol for many years.^{21,150,151} Mannitol is also present in seaweed²¹ and grasses.⁷⁴

The seven-carbon heptitols are considerably less prevalent in nature. Volemitol is found in algae,¹⁰⁵ lichen,¹⁰⁴ mushrooms,²⁵ and plants of the primrose family.²⁴ Perseitol is found in avocados.^{112,113}

Definition

The term *polyols* in this discussion will be restricted to those molecules that have two or more hydroxyl groups and have only hydroxyl groups. This will exclude sugars, although they have many hydroxyl groups and, in some instances, exhibit similar properties.¹⁷ The chief difference noted between polyols and sugars is related to the aldehyde linkage present in the sugars.

As a class polyols are more stable chemically and thermally than sugars. They are usually more expensive than sugars; hence, the food industry demands that a polyol contribute a notable desired property to the final product. For these reasons we shall not treat sugars as polyhydric alcohols.

Polyhydric alcohols for our use then are defined as derivatives of aliphatic hydrocarbons formed by the replacement of two or more hydrogen atoms with two or more monovalent hydroxyl groups, each being attached to a different carbon atom.

Both glycols that we shall consider—propylene glycol and butylene glycol—have a longer carbon-chain length than the number of hydroxyl groups. The balance of the polyhydric alcohols to be discussed—triols to heptitols—have an equal number of hydroxyl groups and carbon atoms.

While the polyhydric alcohol family continues to challenge the curiosity of the scientist, only a few polyols are of actual commercial importance in the food industry—propylene glycol, glycerol, sorbitol, and mannitol.

Properties of Polyhydric Alcohols

The properties of polyhydric alcohols may be summed up quite briefly by stating that they are generally water-soluble, hygroscopic materials that exhibit a moderate viscosity at high concentrations in water. For the most part polyols exhibit a sweet taste ranging in sweetness from less than half that of sugar to slightly higher. These properties are shown schematically in Figure 1.




Fig. 1. Polyhydric alcohol behavior vs. molecular weight.

Table 1 shows a comparison of the properties of the four commercial polyhydric alcohols approved for use in foods.* They are all permitted in unstandardized foods, provided the amount used does not exceed that reasonably required to accomplish the intended physical or technical effect. Of course, they are not permitted in standardized foods, unless the standard of identity permits their use. Each case for a standardized food must be investigated separately.

Data in Table 1 show that as the molecular weight increases, the melting points, boiling points and viscosities generally increase. It has also been observed that with increasing molecular weight solvent properties for non-polar

* In addition (A) §121.1057: Polyethylene glycol 6000 is permitted (1) as a binder in plasticizing agents, (2) as an adjuvant in tablet coatings, and (3) as an adjuvant to improve flavor and body work with non-nutritive sweeteners; (B) §121.1114: Xylitol is permitted in some special dietary uses.

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.