

# Molecular Immunology

BIO-AGRICULTURAL  
LIBRARY

APR 14 1998

UNIVERSITY OF CALIFORNIA  
RIVERSIDE

## Board of Regional Editors

**Hide Ploegh**, *Boston, USA*

CHAIRMAN

**J. Donald Capra**, *Oklahoma City, USA*

**Michael Carroll**, *Boston, USA*

**Steve Gerondakis**, *Melbourne, Australia*

**V. Horejsi**, *Prague, Czech Republic*

**Ed Palmer**, *Basel, Switzerland*

## Board of Regional Editors

Dr HIDDE PLOEGH (Chairman of the Board), *Department of Pathology, Harvard Medical School, 200 Longwood Ave., D2-137, Boston, MA 02115, U.S.A.*  
Dr J. DONALD CAPRA, *Oklahoma Medical Research, 825 NE 13th Street, Oklahoma City, OK 73104, U.S.A.*  
Dr MICHAEL CARROLL, *Department of Pathology, Harvard Medical School, 200 Longwood Avenue, Boston, MA 02115, U.S.A.*  
Dr STEVE GERONDAKIS, *The Walter and Eliza Hall Institute of Medical Research, Royal Melbourne Hospital, Victoria 3050, Australia*  
Dr V. HOREJSI, *Institute of Molecular Genetics, Academy of Sciences of Czech Republic, Videnska 1083, 142 20 Praha, Czech Republic*  
Dr ED PALMER, *Basel Institute for Immunology, Grenzacherstrasse 487, CH-4005, Basel, Switzerland*

### Founding Editor

Prof. DAN H. CAMPBELL

### Advisory Editors

B. H. BARBER <i>Toronto, Canada</i>	Z. FISHELSON <i>Tel Aviv, Israel</i>	JIRI NOVOTNY <i>Princeton, NJ, U.S.A.</i>
DAVID H. BING <i>Boston, MA, U.S.A.</i>	ARNOLD FROESE <i>Winnipeg, Canada</i>	EDUARDO A. PADLAN <i>Bethesda, MD, U.S.A.</i>
C. A. BONA <i>New York, NY, U.S.A.</i>	C. GRANIER <i>Montpellier, France</i>	KEN PARKER <i>Bethesda, MD, U.S.A.</i>
GUY BORDENAVE <i>Paris, France</i>	J. K. INMAN <i>Bethesda, MD, U.S.A.</i>	JEAN-LOUIS PREUD'HOMME <i>Poitiers, France</i>
JOHN E. COLIGAN <i>Rockville, MD, U.S.A.</i>	DAVID ISENMAN <i>Toronto, Canada</i>	D. J. ROWLANDS <i>Leeds, U.K.</i>
MAURICE COLOMB <i>Grenoble, France</i>	M. KAARTINEN <i>Helsinki, Finland</i>	VERNE N. SCHUMAKER <i>Los Angeles, CA, U.S.A.</i>
GIAMPIETRO CORRADIN <i>Lausanne, Switzerland</i>	D. M. KRANZ <i>Urbana, IL, U.S.A.</i>	DAVID M. SEGAL <i>Bethesda, MD, U.S.A.</i>
M. DAERON <i>Paris, France</i>	M. P. LEFRANC <i>Montpellier, France</i>	JOHN TROWSDALE <i>London, U.K.</i>
M. P. DIERICH <i>Innsbruck, Austria</i>	WARREN J. LEONARD <i>Bethesda, MD, U.S.A.</i>	EDWARD W. VOSS, JR <i>Urbana, IL, U.S.A.</i>
DOUGLAS FEARON <i>Cambridge, U.K.</i>	HENNING LOWENSTEIN <i>Horsholm, Denmark</i>	JUNJI YODOI <i>Kyoto, Japan</i>
	SHERIE L. MORRISON <i>Los Angeles, CA, U.S.A.</i>	D. C. YUAN <i>Dallas, TX, U.S.A.</i>

**Author Service Department:** For queries relating to the general submission of articles (including electronic text and artwork) and the status of accepted manuscripts, please contact the Author Service Department: *e-mail:* authors@elsevier.co.uk; *fax:* +44 (0) 1865 843905; *tel.:* +44 (0) 1865 843900.

**Advertising Office:** Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K.

**Production Office:** Elsevier Science Ltd, Bampfylde Street, Exeter EX1 2AH, U.K.

Annual Institutional Subscription Rates 1998: Europe, the CIS and Japan 3388.00 Dutch Guilders. All other countries US\$1947.00. Associated Personal Subscription Rates are available on request for those whose institutions are library subscribers. Dutch Guilder prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice.

For orders, claims, product enquiries (no manuscript enquiries) please contact the Customer Support Department at the Regional Sales Office nearest to you:

**The Americas:** Elsevier Science Customer Support Department, P.O. Box 945, New York, NY 10010, U.S.A. [Tel: (+1) 212-633-3730/1-888 4ES-INFO. Fax: (+1) 212-633-3680. E-mail: usinfo-f@elsevier.com].

**Japan:** Elsevier Science Customer Support Department, 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106, Japan [Tel: (+81) 3-5561-5033. Fax: (+81) 3-5561-5047. E-mail: info@elsevier.co.jp].

**Asia Pacific (excluding Japan):** Elsevier Science (Singapore) Pte Ltd, No. 1 Temasek Avenue, 17-01 Millenia Tower, Singapore 039192 [Tel: (+65) 434-3727. Fax: (+65) 337-2230. E-mail: asiainfo@elsevier.com.sg].

**Rest of the World:** Elsevier Science Customer Service Department, P.O. Box 211, 1001 AE Amsterdam, The Netherlands [Tel: (+31) 20-485-3757. Fax: (+31) 20-485-3432. E-mail: nlinfo-f@elsevier.nl].

Published monthly plus additional issues in February, April, June, August, October and December.

© 1997 Elsevier Science Ltd. All rights reserved.

Whilst every effort is made by the publishers and editorial board to see that no inaccurate or misleading data, opinion or statement appear in this journal, they wish to make it clear that the data and opinions appearing in the articles and advertisements herein are the sole responsibility of the contributor or advertiser concerned. Accordingly, the publishers, the editorial board and editors and their respective employees, officers and agents accept no responsibility or liability whatsoever for the consequences of any such inaccurate or misleading data, opinion or statement.

Periodicals postage paid at Rahway, NJ and additional entry points. *Molecular Immunology* (ISSN 0161-5890) is published monthly plus additional issues in February, April, June, August, October and December, by Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K. The annual subscription in the U.S.A. is \$1947. *Molecular Immunology* is distributed by Mercury Airfreight International Ltd, 2323 Randolph Avenue, Avenel, NJ 07001-2413. Postmaster: please send address corrections to *Molecular Immunology*, c/o Elsevier Science RSO, Customer Support Department, 655 Avenue of the Americas, New York, NY 10010, U.S.A.



ContentsDirect delivers the table of contents of this journal, by e-mail, approximately two to four weeks prior to each issue's publication. To subscribe to this free service send an e-mail message to cdsubs@elsevier.co.uk

# Molecular Immunology

## Contents

- C. D. Partidos and C. Kanse** 1105 Specificity of the T-cell responses in covalently linked peptides each comprising of a T helper epitope
- I. Dalum, M. R. Jensen, K. Gregorius, C. M. Thomasen, H. I. Elsner and S. Mouritsen** 1113 Induction of cross-reactive antibodies against a self protein by immunization with a modified self protein containing a foreign T helper epitope
- K. B. Vu, M. A. Ghahroudi, L. Wyns and S. Muyldermans** 1121 Comparison of llama V<sub>H</sub> sequences from conventional and heavy chain antibodies
- N. G. Saito and Y. Paterson** 1133 Contribution of peptide backbone atoms to binding of an antigenic peptide to class I major histocompatibility complex molecule
- K. Tominaga, T. Kirikae and M. Nakano** 1147 Lipopolysaccharide (LPS)-induced IL-6 production by embryonic fibroblasts isolated and cloned from LPS-responsive and LPS-hyporesponsive mice
- I. C. Nicholson, K. A. Lenton, D. J. Little, T. Decorso, F. T. Lee, A. M. Scott, H. Zola and A. W. Hohmann** 1157 Construction and characterisation of a functional CD19 specific single chain Fv fragment for immunotherapy of B lineage leukaemia and lymphoma
- E. Lunde, B. Bogen and I. Sandlie** 1167 Immunoglobulin as a vehicle for foreign antigenic peptides immunogenic to T cells
- B. B. Jrad and E. Bahraoui** 1177 Linear and cyclic peptides mimicking the disulfide loops in HIV-2 envelope glycoprotein induced antibodies with different specificity
- E. Virts, D. Barritt, E. Siden and W. C. Raschke** 1191 Murine mast cells and monocytes express distinctive sets of CD45 isoforms
- J. C. Almagro, I. Hernandez, M. del Carmen Ramirez and E. Vargas-Madrado** 1199 The differences between the structural repertoires of V<sub>H</sub> germ-line gene segments of mice and humans: implication for the molecular mechanism of the immune response

—continued on inside back cover

INDEXED/ABSTRACTED IN: *Excerpt Med, Ind Med, MEDLINE, CABS, Biosis Data, PASCAL-CNRS Data, ACSA, CAB Inter, Cam Sci Abstr, Chem Abstr, Life Sci, ISI/BIOMED Database, Sci Cit Ind and SCISEARCH Data*



Pergamon

ISSN 0161-5890  
IMCHAZ 34(16/17) 1105-1236 (1997)

Printed in Great Britain by BPC-AUP Aberdeen Ltd.

253



**DOCKET  
ALARM**

Find authenticated court documents without watermarks at [docketalarm.com](http://docketalarm.com).

# Molecular Immunology

**Contents** — *continued from outside back cover*

- U. Lamminmäki, B. O. Villoutreix,  
P. Jauria, P. Saviranta, M. Vihinen,  
L. Nilsson, O. Teleman and T. Lövgren** 1215 Structural analysis of an anti-estradiol antibody
- M. Salmi, D. J. Smith, P. Bono,  
T. Leu, J. Hellman, M.-T. Matikainen  
and S. Jalkanen** 1227 A mouse molecular mimic of human vascular adhesion  
protein-1
- I Forthcoming papers



**Pergamon**

ISSN 0161-5890  
IMCHAZ 34(16/17) 1105-1236 (1997)

**DOCKET  
ALARM**

Find authenticated court documents without watermarks at [docketalarm.com](http://docketalarm.com).



## CONSTRUCTION AND CHARACTERISATION OF A FUNCTIONAL CD19 SPECIFIC SINGLE CHAIN Fv FRAGMENT FOR IMMUNOTHERAPY OF B LINEAGE LEUKAEMIA AND LYMPHOMA

IAN C. NICHOLSON,\*§ KELLY A. LENTON,† DEBBIE J. LITTLE,\* TINA  
DECORSO,† FOOK THEAN LEE,‡ ANDREW M. SCOTT,‡ HEDDY ZOLA\*¶  
and ARTHUR W. HOHMANN\*

\* Child Health Research Institute, Women's and Children's Hospital, Adelaide, South Australia;  
† Flinders University of South Australia; and ‡ Ludwig Institute for Cancer Research, Austin and  
Repatriation Medical Centre, Studley Road, Heidelberg, Vic 3084 Australia

(First received 20 July 1997; accepted in revised form 7 November 1997)

**Abstract**—The B cell specific antigen CD19 is a target for the immunotherapy of B lineage leukaemias and lymphomas. We have engineered a single chain Fv (scFv) fragment from the mouse hybridoma cell line FMC63 which produces monoclonal antibody specific for CD19. The genes encoding the FMC63 heavy and light chain variable regions were amplified from cDNA and a scFv was constructed by splice overlap extension PCR. Analysis of staining of lymphoblastoid cell lines, peripheral blood lymphocytes and tonsil sections demonstrated that the monovalent scFv fragment has the same cellular specificity as the parent hybridoma antibody. Kinetic studies with radiolabelled material showed that the scFv binds target cells with a  $K_a$  of  $2.3 \times 10^{-9}$ , compared with  $4.2 \times 10^{-9}$  for the parent antibody. This CD19 scFv will be used in experimental models to test its therapeutic efficacy and immunogenicity, with a view to application in the diagnosis and treatment of human B cell cancers. © 1997 Elsevier Science Ltd. All rights reserved.

**Key words:** scFv, CD19, antibody therapy, leukaemia, lymphoma.

### INTRODUCTION

Antibody directed imaging and immunotherapy of tumours relies on targeting tumour-associated antigens. CD19 is expressed on most B lineage malignancies, including acute lymphoblastic leukaemia, chronic lymphocytic leukaemia and non-Hodgkin's lymphoma. Because CD19 is absent from bone marrow progenitor cells it is a potential target for immunotherapy of these malignancies (Uckun *et al.*, 1988). Antibodies against CD19 inhibit the growth of tumour cells (Ghetie *et al.*, 1994). CD19 is not readily shed from cells (Uckun *et al.*, 1988) and is internalised with bound antibody, allowing delivery of anti-CD19-linked toxins (Uckun *et al.*, 1988). Animal models have indicated the potential value of antibodies to CD19 (Jansen *et al.*, 1992; Pietersz *et al.*, 1995). Antibody alone (Hekman *et al.*, 1991), with IL-2 (Vlas-

veld *et al.*, 1995), or conjugated to toxin (Grossbard *et al.*, 1993; Stone *et al.*, 1996) have been used in clinical trials for therapy of leukaemia and lymphoma and CD19 scFv have been described (Bejcek *et al.*, 1995).

Some of the limitations of therapeutic monoclonal antibodies can be overcome by engineering smaller and more effective antibody fragments (Winter *et al.*, 1994). scFv are single gene fusions of the antibody heavy and light chain variable regions joined by a peptide linker. Because they are smaller than whole antibodies, scFv show improved penetration into poorly vascularised tumours (Yokota *et al.*, 1992) and in clinical trials have shown negligible immunogenicity (Begent *et al.*, 1996). Functional moieties such as toxins, enzymes, or sites for binding drugs or radioisotopes can be incorporated (Ghetie and Vitetta 1994; Pietersz *et al.*, 1992). Engineered antibody fragments can be produced on a large scale in bacterial or mammalian expression systems (Pack *et al.*, 1993; Bebbington, 1995).

We describe the production and characterisation of a CD19 scFv, CHRI-19Fv1. Staining of lymphoblastoid cell lines, peripheral blood lymphocytes and tonsil sections indicates that CHRI-19Fv1 has the same cellular specificity as the parent antibody and has retained a high level of binding albeit with a 2-fold reduction in affinity

§ Present Address: Department of Development and Genetics, Babraham Institute, Babraham, Cambridge, CB2 4AT, U.K.

¶ Author to whom correspondence should be addressed: Prof. Heddy Zola, Child Health Research Institute, 72 King William Road, North Adelaide, South Australia, 5006,

# Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

## Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

## Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

## Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

## API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

## LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

## FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

## E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.