

## Challenged Claims of United States Patent No. 10,257,319

1. A method for use with a first client device, for use with a first server that comprises a web server that is a Hypertext Transfer Protocol (HTTP) server that responds to HTTP requests, the first server stores a first content identified by a first content identifier, and for use with a second server, the method by the first client device comprising:
  - receiving, from the second server, the first content identifier;
  - sending, to the first server over the Internet, a Hypertext Transfer Protocol (HTTP) request that comprises the first content identifier;
  - receiving, the first content from the first server over the Internet in response to the sending of the first content identifier; and
  - sending, the first content by the first client device to the second server, in response to the receiving of the first content identifier.
2. The method according to claim 1, wherein the first client device is identified by a Media Access Control (MAC) address or a hostname, and wherein the method further comprising sending, by the first client device, during, as part of, or in response to, a start-up of the first client device, a first message to the second server, and wherein the first messages comprises the first IP address, the MAC address, or the hostname.
12. The method according to claim 1, further comprising storing, by the first client device in response to the receiving from the first server, the first content, and wherein the sending, of the HTTP request is in response to the receiving of the first content identifier.
14. The method according to claim 1, further comprising determining, by the first client device, that the received first content, is valid.
15. The method according to claim 14, wherein the determining is based on the received HTTP header according to, or based on, IETF RFC 2616.
17. The method according to claim 1, further comprising periodically communicating between the second server and the first client device.
18. The method according to claim 17, wherein the periodically communicating comprises exchanging 'keep alive' messages.
19. The method according to claim 1, for use with a software application that includes computer instructions that, when executed by a computer processor, cause the processor to perform the sending of the Hypertext Transfer Protocol (HTTP) request, the receiving and storing of the first content, the receiving of the first content identifier, and the sending of the part of, or the whole of, the stored first content, the method is further preceded by:
  - downloading, by the first client device from the Internet, the software application; and
  - installing, by the first client device, the downloaded software application.
21. The method according to claim 1, wherein the first or second server is a Transmission Control Protocol/Internet Protocol (TCP/IP) server that communicates over the Internet based on,

or according to, using TCP/IP protocol or connection, and wherein the first client device is a Transmission Control Protocol/Internet Protocol (TCP/IP) client that communicates respectively with the first or second server over the Internet based on, or according to, TCP/IP protocol or connection.

22. The method according to claim 1, wherein the first client device communicates over the Internet based on, or according to, one out of UDP, DNS, TCP, FTP, POP#, SMTP, or SQL standards.

23. The method according to claim 1, wherein the first content comprises web-page, audio, or video content, wherein the first content identifier comprises a Uniform Resource Locator (URL), and wherein the method further comprising executing, by the first client device, a web browser application or an email application.

24. The method according to claim 1, further comprising establishing, by the first client device, a Transmission Control Protocol (TCP) connection with the second server using TCP/IP protocol.

25. The method according to claim 1, wherein the first or second server is a Transmission Control Protocol/Internet Protocol (TCP/IP) server, wherein the first client device communicates over the Internet with the first or second server based on, or according to, using TCP/IP protocol or connection.

26. The method according to claim 1, further comprising storing, operating, or using, a client operating system.

27. The method according to claim 1, wherein the steps are sequentially executed.

28. A non-transitory computer readable medium containing computer instructions that, when executed by a computer processor, cause the processor to perform the method according to claim 1.

29. A client device comprising a non-transitory computer readable medium containing computer instructions that, when executed by a computer processor, cause the processor to perform the method according to claim 1.