

IBM

Dictionary of Computing

▼ The most comprehensive computing dictionary ever published

▼ More than 18,000 entries

DOCKET
ALARM

Find authenticated court documents without watermarks at docketalarm.com.

IBM DICTIONARY OF COMPUTING

Compiled and edited by
GEORGE McDANIEL

McGRAW-HILL, INC.
New York San Francisco Washington, D.C. Auckland Bogotá
Caracas Lisbon London Madrid Mexico City Milan
Montreal New Delhi San Juan Singapore
Sydney Tokyo Toronto

Limitation of Liability

While the Editor and Publisher of this book have made reasonable efforts to ensure the accuracy and timeliness of the information contained herein, neither the Editor nor the Publisher shall have any liability with respect to loss or damage caused or alleged to be caused by reliance on any information contained herein.

Copyright © 1994 by International Business Machines Corporation. All rights reserved. Printed in the United States of America. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a data base or retrieval system, without the prior written permission of the publisher.

6 7 8 9 0 DOC/DOC 9 9 8 7

ISBN 0-07-031488-8 (HC)
ISBN 0-07-031489-6 (PBK)

The sponsoring editor for this book was Daniel A. Gonneau and the production supervisor was Thomas G. Kowalczyk.

Printed and bound by R. R. Donnelley & Sons Company.

Tenth Edition (August 1993)

This is a major revision of the *IBM Dictionary of Computing*, SC20-1699-8, which is made obsolete by this edition. Changes are made periodically to the information provided herein.

It is possible that this material may contain reference to, or information about, IBM products (machines and programs), programming, or services that are not announced in your country. Such references or information must not be construed to mean that IBM intends to announce such IBM products, programming, or services in your country. Comments may be addressed to IBM Corporation, Department E37/656, P. O. Box 12195, Research Triangle Park, NC 27709.

International Edition

Copyright © 1994 by International Business Machines Corporation. Exclusive rights by McGraw-Hill, Inc. for manufacture and export. This book cannot be re-exported from the country to which it is consigned by McGraw-Hill. The International Edition is not available in North America.

When ordering this title, use ISBN 0-07-113383-6.

Configuration

continuation.
ode field.

eated by the
n-to-program
(2) In the
ty (IDDU), a
n-to-program
on between a
vice, another

ormat in the
PC subsystem

VTAM pro-
cks that repre-
luring session
on ends.

ion interface.

program A
a that controls
lines and line
aracter service
program.

for telecommu-

) A functional
out of a station
llet bit form to

n VTAM pro-
ructions used to

figuration (1) In
configuring a
ation of many
e entire network
multiple-domain
e of the hosts,
ent configuration
ng functions for
hosts, called data
is accomplished
e communication
resources in the
programs. The
e communication
that are channel-

communication mgmt configuration host node [123]

communication mgmt configuration host node The type 5 host processor in a communication management configuration that does all network-control functions in the network except for the control of devices channel-attached to data hosts. Synonymous with communication management host. See also data host node.

communication management host Synonym for communication management configuration host node. See also data host node.

communication network See data network, distributed data processing network, path control network, public network, remote access data processing network, SNA network, user application network.

communication network management (CNM) The process of designing, installing, operating, and managing distribution of information and control among users of communication systems.

communication parameter list The means of transferring information between ACF/TCAM operator control and the master scheduler for commands entered from the system console.

communication port (1) An access point for data entry or exit to or from a communication device such as a terminal. (2) On a personal computer, a serial port to which a stand-alone modem can be attached. (3) A physical location on an 8101 Storage and Input/Output Unit, an 8130 Processor, or an 8140 Processor with a specific physical I/O address. Features for attaching terminal devices are assigned to communication ports.

communication queue A list used for mail that keeps track of documents to be sent to independent workstation users, local users, and other systems.

communication region In VSE, an area of the supervisor that is set aside for transfer of information within and between programs.

communication routing table A table that lists the remote locations used for sending and receiving mail.

communications See data communication.

communications and systems management (C & SM) In the AS/400 system, a part of the system that contains the remote management support, also referred to as DHCF, the change management support, referred to as DSNX, and the problem management support, referred to as alerts.

communications area In AS/400 query management, a control block used to communicate between the system code supporting the Common Programming

Communications Manager

Interface (CPI) and the application program using the CPI.

communication scanner A communication controller hardware unit that provides the connection between lines and the central control unit. The communication scanner monitors telecommunication lines and data links for service requests.

communication scanner processor (CSP) A processor in the 3725 Communication Controller that contains a microprocessor with control code. The code controls transmission of data over links attached to the CSP.

communications controller See communication controller.

Communication Section In COBOL, the section of the Data Division that describes the interface areas between the message control system (MCS) and the program; it is composed of one or more communication description entries.

communication server In a personal computer, a microprocessor, often on an expansion board, that handles operations between a computer and transmission facilities.

communication services (CS) (1) In DPPX, a level of communication support that is available through the data-stream interface using SEND and RECEIVE macroinstructions. (2) In DPCX, a part of program services that provides methods for programs to exchange data with the host system. (3) See transmission service.

communications feature type In the AS/400 system, the 4-digit number that IBM assigns to identify the different packages of communications cards and cables available on the system.

communications line See telecommunication line.

communications link See data link.

communications management configuration See communication management configuration.

communications management host See communication management host.

Communications Manager A function of the OS/2 Extended Edition program that lets a workstation connect to a host computer and use the host resources as well as the resources of other personal computers to which the workstation is attached, either directly or through a host system. Communications Manager provides application programming interfaces (APIs) so that users can develop their own applications.

ionization

information
of data on
am.

t, a micro-
lements the
unit; for
performing
other oper-
networking

al computer
med by an

ervice panel
e other than
ng.

l by termi-
intervention

In the IBM
information
I/O device.

ment, speci-
ta are to be

that allows
ose that are
ation mode,

e after exe-
I-O phrase
ecution of a
JNIT phrase

a gas that
rticles.

IOP

[359]

ISA

IOP Input/output processor.

IOPD Input/output problem determination.

I/O port System hardware that enables attachment of I/O devices. Master modes but not in application mode.

I/O processor See input/output processor.

IOS I/O Supervisor.

I/O slot In System/38, one of three locations in a diskette magazine drive where individual diskettes can be inserted for input/output operations. Same as manual slot.

I-O status In COBOL, a conceptual entity that contains the two-character value indicating the resulting status of an input/output operation. This value is made available to the program through the use of the FILE STATUS clause in the file control entry for the file.

IOTA I/O transaction area.

I/O tag In the IBM 8100 Information System, a signal that notifies the system and I/O control logic that a channel I/O operation or programmed I/O operation is beginning.

IP Internet Protocol.

I/PAR Incidents/parts activity report.

IPC (1) Illustrated parts catalog. (2) Integrated protective circuits. (3) Interprocess communication.

IPCS Interactive problem control system.

IPDS Intelligent printer data stream.

IP indicator See input-to-process indicator.

IPL (1) Initial program loader. (A) (2) Initial program load.

IPL mode switch A switch located on the operator panel of an IBM 8100 Information System processor that is set to identify the type of initial program load (primary or manual) desired. The primary position indicates that the user does not wish to control the IPL procedure and accepts the IBM-assigned options. The manual position indicates that the user wishes to control the IPL procedure to make changes.

IPM Isolated pacing message.

IPO Installation productivity option.

IPR Isolated pacing response.

IPS (1) Inches per second. (2) Installation performance specification.

IQL Incoming quality level.

IR (1) Information retrieval. (2) Interrupt request.

IRD Information resource dictionary.

IRD schema extensibility Information resource dictionary schema extensibility. The capability to create new functionality in an information resource dictionary system. (A)

IRDS Information resource dictionary system. A software system for creating, maintaining, processing, and using information resource dictionaries. (T)

IRD system extensibility Information resource dictionary system extensibility. The capability to create new functionality in an information resource dictionary system. (A)

IRF Intermediate routing function.

iris (1) In photography, the adjustable opening on a camera lens that controls the amount of light entering the camera. (2) In multimedia, a spiral wipe that simulates the action of a camera iris.

IRM Information resource management. (A)

IRN Intermediate routing node.

irrecoverable error (1) An error for which recovery is impossible without use of recovery techniques external to the computer program or run. (T) (2) Synonymous with unrecoverable error.

irrelevance In information theory, the conditional entropy of the occurrence of specific messages at a message sink, given the occurrences of specific messages at the message source connected to the message sink by a specified channel. (I) (A) Synonymous with spread.

IRS (1) Interrecord-separator character. (2) Interchange record separator. Synonymous with record separator.

IRSS Intelligent remote station support.

IRT Index return character.

IS An information separator character. (A)

ISA Industry Standard Architecture.

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.