SCORE Placeholder Sheet for IFW Content

Application Number: 14845644 Document Date: 09/04/2015

The presence of this form in the IFW record indicates that the following document type was received in electronic format on the date identified above. This content is stored in the SCORE database.

Since this was an electronic submission, there is no physical artifact folder, no artifact folder is recorded in PALM, and no paper documents or physical media exist. The TIFF images in the IFW record were created from the original documents that are stored in SCORE.

Sequence Listing

At the time of document entry (noted above):

- USPTO employees may access SCORE content via eDAN using the Supplemental Content tab, or via the SCORE web page.
- External customers may access SCORE content via PAIR using the Supplemental Content tab.

Form Revision Date: August 26, 2013

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995 no persons are required to respond to a collection of information unless it displays a valid OMB control number Attorney Docket No. SYPA-009/C02US UTILITY COMISKEY et al. PATENT APPLICATION First Named Inventor Title ORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF TRANSMITTAL Express Mail Label No. (Only for new nonprovisional applications under 37 CFR 1.53(b)) **Commissioner for Patents** APPLICATION ELEMENTS ADDRESS TO: P.O. Box 1450 See MPEP chapter 600 concerning utility patent application contents. Alexandria, VA 22313-1450 Fee Transmittal Form **ACCOMPANYING APPLICATION PAPERS** (PTO/SB/17 or equivalent) **Assignment Papers** Applicant asserts small entity status. (cover sheet & document(s)) See 37 CFR 1 27 Name of Assignee Applicant certifies micro entity status. See 37 CFR 1.29. Applicant must attach form PTO/SB/15A or B or equivalent. [Total Pages 148 37 CFR 3.73(c) Statement **Power of Attorney** Specification Both the claims and abstract must start on a new page. (when there is an assignee) (See MPEP § 608.01(a) for information on the preferred arrangement) **English Translation Document** 5. **Drawing(s)** (35 U.S.C. 113) [Total Sheets 6 (if applicable) [Total Pages 8 Information Disclosure Statement 6. Inventor's Oath or Declaration 13. 🗸 (PTO/SB/08 or PTO-1449) (including substitute statements under 37 CFR 1.64 and assignments serving as an oath or declaration under 37 CFR 1.63(e)) Copies of citations attached Newly executed (original or copy) **Preliminary Amendment** A copy from a prior application (37 CFR 1.63(d)) **Return Receipt Postcard** 7. Application Data Sheet * See note below. (MPEP § 503) (Should be specifically itemized) See 37 CFR 1.76 (PTO/AIA/14 or equivalent) Certified Copy of Priority Document(s) CD-ROM or CD-R (if foreign priority is claimed) in duplicate, large table, or Computer Program (Appendix) **Nonpublication Request** Landscape Table on CD Under 35 U.S.C. 122(b)(2)(B)(i). Applicant must attach form PTO/SB/35 or equivalent. 9. Nucleotide and/or Amino Acid Sequence Submission 18. Certification and Request for Prioritized Examination (if applicable, items a. - c. are required) Under 37 CFR 1.102(e) [Form PTO/AIA/424] a. Computer Readable Form (CRF) b. V Specification Sequence Listing on: CD-ROM or CD-R (2 copies); or V Paper Statements verifying identity of above copies *Note: (1) Benefit claims under 37 CFR 1.78 and foreign priority claims under 1.55 must be included in an Application Data Sheet (ADS). (2) For applications filed under 35 U.S.C. 111, the application must contain an ADS specifying the applicant if the applicant is an assignee, person to whom the inventor is under an obligation to assign, or person who otherwise shows sufficient proprietary interest in the matter. See 37 CFR 1.46(b) 19. CORRESPONDENCE ADDRESS ✓ The address associated with Customer Number: ⁵⁸²⁴⁹ OR Correspondence address below Name Address City State Zip Code Telephone Country Email /Anne E. Fleckenstein/ September 4, 2015 Signature Date Name Registration No. Anne E. Fleckenstein 62,951 (Print/Type) (Attorney/Agent)

This collection of information is required by 37 CFR 1.53(b). The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Privacy Act Statement

The **Privacy Act of 1974 (P.L. 93-579)** requires that you be given certain information in connection with your submission of the attached form related to a patent application or patent. Accordingly, pursuant to the requirements of the Act, please be advised that: (1) the general authority for the collection of this information is 35 U.S.C. 2(b)(2); (2) furnishing of the information solicited is voluntary; and (3) the principal purpose for which the information is used by the U.S. Patent and Trademark Office is to process and/or examine your submission related to a patent application or patent. If you do not furnish the requested information, the U.S. Patent and Trademark Office may not be able to process and/or examine your submission, which may result in termination of proceedings or abandonment of the application or expiration of the patent.

The information provided by you in this form will be subject to the following routine uses:

- The information on this form will be treated confidentially to the extent allowed under the Freedom of Information Act (5 U.S.C. 552) and the Privacy Act (5 U.S.C 552a). Records from this system of records may be disclosed to the Department of Justice to determine whether disclosure of these records is required by the Freedom of Information Act.
- 2. A record from this system of records may be disclosed, as a routine use, in the course of presenting evidence to a court, magistrate, or administrative tribunal, including disclosures to opposing counsel in the course of settlement negotiations.
- 3. A record in this system of records may be disclosed, as a routine use, to a Member of Congress submitting a request involving an individual, to whom the record pertains, when the individual has requested assistance from the Member with respect to the subject matter of the record.
- 4. A record in this system of records may be disclosed, as a routine use, to a contractor of the Agency having need for the information in order to perform a contract. Recipients of information shall be required to comply with the requirements of the Privacy Act of 1974, as amended, pursuant to 5 U.S.C. 552a(m).
- 5. A record related to an International Application filed under the Patent Cooperation Treaty in this system of records may be disclosed, as a routine use, to the International Bureau of the World Intellectual Property Organization, pursuant to the Patent Cooperation Treaty.
- 6. A record in this system of records may be disclosed, as a routine use, to another federal agency for purposes of National Security review (35 U.S.C. 181) and for review pursuant to the Atomic Energy Act (42 U.S.C. 218(c)).
- 7. A record from this system of records may be disclosed, as a routine use, to the Administrator, General Services, or his/her designee, during an inspection of records conducted by GSA as part of that agency's responsibility to recommend improvements in records management practices and programs, under authority of 44 U.S.C. 2904 and 2906. Such disclosure shall be made in accordance with the GSA regulations governing inspection of records for this purpose, and any other relevant (*i.e.*, GSA or Commerce) directive. Such disclosure shall not be used to make determinations about individuals.
- 8. A record from this system of records may be disclosed, as a routine use, to the public after either publication of the application pursuant to 35 U.S.C. 122(b) or issuance of a patent pursuant to 35 U.S.C. 151. Further, a record may be disclosed, subject to the limitations of 37 CFR 1.14, as a routine use, to the public if the record was filed in an application which became abandoned or in which the proceedings were terminated and which application is referenced by either a published application, an application open to public inspection or an issued patent.
- A record from this system of records may be disclosed, as a routine use, to a Federal, State, or local law enforcement agency, if the USPTO becomes aware of a violation or potential violation of law or regulation.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Δnnli	ication Da	ta Sh	eet 37 CFR	1 76	Attorney	Docke	et Number	SYPA	-009/C02US			
Appii		ila Sii	ect of Clik	1.70	Application	on Nu	mber					
Title of	Invention	FORM	FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE									
bibliogra This doo	iphic data arran cument may be	ged in a complet	format specified b	by the Un and sub	ited States Pa mitted to the	itent an	d Trademarl	Office as o	utlined in 37 (ollowing form contains CFR 1.76. nic Filing System (EFS		
	cy Orde											
										Secrecy Order purs electronically.)	suant to	
nven	tor Infor	matio	on:									
Invent	or 1								Re	emove		
Legal I	Name											
Prefix	Given Nar	ne		М	iddle Name	2		Famil	ly Name		Suffix	
	Stephen							COMI	SKEY			
Resid	ence Inforn	nation	(Select One)	① US	Residency		Non US F	Residency	○ Activ	e US Military Service	;	
City	Doylestown			State/	Province	PA	Cour	itry of Re	y of Residence i US			
										•		
Mailing	Address of	Invent	or:									
Addre	ss 1		105 Steeplech	hase Dri	ive							
Addre	ss 2											
City	Doyle	estown					State/Pr	ovince	PA			
Postal	Code		18902			Cou	intry i	US				
Invent	or 2		•					•	Re	emove		
Legal I												
Prefix	Given Nar	ne		М	iddle Name	e		Famil	ly Name		Suffix	
	Rong							FENG	i			
Resid	ence Inforn	nation	(Select One)	● US	Residency	0	Non US F	Residency	○ Activ	e US Military Service	;	
City	Langhorne			State	Province	PA	Cour	try of Re	sidence ⁱ	US		
'			•			•	· ·					
Mailing	Address of	Invent	or:									
Addre	ss 1		74 Pine Glen	Road								
Addre	ss 2											
City												
Postal	Postal Code 19047 Country i US											
Invent	or 3								Re	emove		
Legal I										<u></u>		
Prefix	Given Nar	ne		М	iddle Name	e e		Fami	ly Name		Suffix	
	John							FOSS				
Resid		nation	(Select One)	① US	Residency	$\overline{}$	Non US F	Residency		e US Military Service	<u> </u>	
										0004	•	

PTO/AIA/14 (12-13)
Approved for use through 01/31/2014. OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Application Number Title of Invention FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE City Doylestown State/Province PA Country of Residence US Mailing Address of Inventor: Address 1 925 Linden Avenue Address 2 City Doylestown State/Province PA Postal Code 18901-4435 Country US Inventor	Application Data Shoot 27 Cl				37 CED 1 76 Attorney Docket Number				SYPA-00	SYPA-009/C02US			
State/Province PA Country of Residence US	Application Data Sheet 37 CFR 1.76					Application Number							
Mailing Address of Inventor: Address 1	Title of	Title of Invention FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE											
Address 1 525 Linden Avenue Address 2	City	Doylestow	n		State/	Province	PA	Cour	ntry of Resi	dence i	US		
Address 1 525 Linden Avenue Address 2													
Address 2 City Doylestown 18901-4435 Country i US Inventor 4 Legal Name Prefix Given Name Kunwar SHARLUBHAI Residence Information (Select One) © US Residency Non US Residence i US Mailing Address of Inventor: Address 2 City Audubon State/Province PA Country of Residence i US Mailing Address of Inventor: Address 2 City Audubon State/Province PA Country of Residence i US Mailing Address of Inventor: Address 2 City Audubon State/Province PA Country i US All Inventors Must Be Listed - Additional Inventor Information blocks may be generated within this form by selecting the Add button. Correspondence Information: Enter either Customer Number or complete the Correspondence Information section below. For further information see 37 CFR 1.33(a). An Address is being provided for the correspondence Information of this application. Customer Number S8249 Email Address zpatdodocketing@cooley.com Add Email Remove Email Application Information: Title of the Invention FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE Attorney Docket Number SYPA-009/CO2US Small Entity Status Claimed X Application Type Nonprovisional Suggested Figure for Publication (if any)			of Invent										
State/Province				525 Linden A	venue								
Postal Code								01.1.10		1 5.			
Remove Remove			rlestown	40004 4405					1	PA			
Inventor 4 Legal Name Prefix Given Name Middle Name Shall UBHAI Shall UBHAI Residence Information (Select One)	Postai	Code		18901-4433			Cou	ntry i	08				
Residence Information State/Province PA Country of Residence US										Rer	move		
Kunwar					T								Г <u>-</u>
Residence Information (Select One) W US Residency Non US Residency Active US Military Service City Audubon State/Province PA Country of Residence i US Mailing Address of Inventor: Address 1	Prefix		eme		Mi	iddle Name	=						Suffix
City Audubon State/Province PA Country of Residence US Mailling Address of Inventor: Address 1 2707 Bald Eagle Circle Address 2	Dooid			(Calaat On a)	(S) US	Dooidonau		Non US I			LIC Milito	n. Conrigo	
Mailing Address of Inventor: Address 1 2707 Bald Eagle Circle Address 2 City Audubon State/Province PA Postal Code 19403 Country i US All Inventors Must Be Listed - Additional Inventor Information blocks may be generated within this form by selecting the Add button. Correspondence Information: Enter either Customer Number or complete the Correspondence Information section below. For further information see 37 CFR 1.33(a). An Address is being provided for the correspondence Information of this application. Customer Number 58249 Email Address zpatdcdocketing@cooley.com Add Email Remove Email Application Information: Title of the Invention FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE Attorney Docket Number SYPA-009/C02US Small Entity Status Claimed X Application Type Nonprovisional Subject Matter Utility Total Number of Drawing Sheets (if any) 6 Suggested Figure for Publication (if any)			mation	(Select Offe)			$\overline{}$				ry Service	;	
Address 1 2707 Bald Eagle Circle Address 2 State/Province PA Postal Code 19403 Country i US All Inventors Must Be Listed - Additional Inventor Information blocks may be generated within this form by selecting the Add button. Correspondence Information: Enter either Customer Number or complete the Correspondence Information section below. For further information sec 37 CFR 1.33(a). An Address is being provided for the correspondence Information of this application. Customer Number 58249 Email Address zpatdcdocketing@cooley.com Add Email Remove Email Application Information: Title of the Invention FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE Attorney Docket Number SYPA-009/C02US Small Entity Status Claimed X Application Type Nonprovisional Subject Matter Utility Total Number of Drawing Sheets (if any) 6 Suggested Figure for Publication (if any)	Oity	Audubon			State	TTOVIIICE	' ^	Cour	itry or Kesi	defice '			
Address 1 2707 Bald Eagle Circle Address 2 State/Province PA Postal Code 19403 Country i US All Inventors Must Be Listed - Additional Inventor Information blocks may be generated within this form by selecting the Add button. Correspondence Information: Enter either Customer Number or complete the Correspondence Information section below. For further information sec 37 CFR 1.33(a). An Address is being provided for the correspondence Information of this application. Customer Number 58249 Email Address zpatdcdocketing@cooley.com Add Email Remove Email Application Information: Title of the Invention FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE Attorney Docket Number SYPA-009/C02US Small Entity Status Claimed X Application Type Nonprovisional Subject Matter Utility Total Number of Drawing Sheets (if any) 6 Suggested Figure for Publication (if any)	Mailing	Address	of Invent	tor:									
Address 2 City Audubon State/Province PA Postal Code 19403 Country i US All Inventors Must Be Listed - Additional Inventor Information blocks may be generated within this form by selecting the Add button. Correspondence Information: Enter either Customer Number or complete the Correspondence Information section below. For further information see 37 CFR 1.33(a). An Address is being provided for the correspondence Information of this application. Customer Number 58249 Email Address zpatdcdocketing@cooley.com Add Email Remove Email Application Information: Title of the Invention FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE Attorney Docket Number SYPA-009/C02US Small Entity Status Claimed X Application Type Nonprovisional Subject Matter Utility Total Number of Drawing Sheets (if any) 6 Suggested Figure for Publication (if any)) III (CIII		aglo Cirol	lo.							
City Audubon Country i US All Inventors Must Be Listed - Additional Inventor Information blocks may be generated within this form by selecting the Add button. Correspondence Information: Enter either Customer Number or complete the Correspondence Information see 37 CFR 1.33(a). An Address is being provided for the correspondence Information of this application. Customer Number 58249 Email Address zpatdcdocketing@cooley.com Add Email Remove Email Application Information: Title of the Invention FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE Attorney Docket Number SYPA-009/C02US Small Entity Status Claimed Application Type Nonprovisional Subject Matter Utility Total Number of Drawing Sheets (if any) 6 Suggested Figure for Publication (if any)				2101 Baid Ea	agle Circi								
Postal Code 19403 Country i US All Inventors Must Be Listed - Additional Inventor Information blocks may be generated within this form by selecting the Add button. Correspondence Information: Enter either Customer Number or complete the Correspondence Information section below. For further information see 37 CFR 1.33(a). An Address is being provided for the correspondence Information of this application. Customer Number 58249 Email Address zpatdcdocketing@cooley.com Add Email Remove Email Application Information: Title of the Invention FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE Attorney Docket Number SYPA-009/C02US Small Entity Status Claimed Application Type Nonprovisional Subject Matter Utility Total Number of Drawing Sheets (if any) 6 Suggested Figure for Publication (if any)		-	lubon					State/Pr	ovince	РА			
All Inventors Must Be Listed - Additional Inventor Information blocks may be generated within this form by selecting the Add button. Correspondence Information: Enter either Customer Number or complete the Correspondence Information section below. For further information see 37 CFR 1.33(a). An Address is being provided for the correspondence Information of this application. Customer Number 58249 Email Address zpatdcdocketing@cooley.com Add Email Remove Email Application Information: Title of the Invention FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE Attorney Docket Number SYPA-009/C02US Small Entity Status Claimed X Application Type Nonprovisional Subject Matter Utility Total Number of Drawing Sheets (if any) 6 Suggested Figure for Publication (if any)	-			19403				1	1				
Enter either Customer Number or complete the Correspondence Information section below. For further information see 37 CFR 1.33(a). An Address is being provided for the correspondence Information of this application. Customer Number 58249 Email Address zpatdcdocketing@cooley.com Add Email Remove Email Application Information: Title of the Invention FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE Attorney Docket Number SYPA-009/C02US Small Entity Status Claimed Application Type Nonprovisional Subject Matter Utility Total Number of Drawing Sheets (if any) 6 Suggested Figure for Publication (if any)	All Inv	entors Mu		⊥ .isted - Addit					s may be		Add		
Enter either Customer Number or complete the Correspondence Information section below. For further information see 37 CFR 1.33(a). An Address is being provided for the correspondence Information of this application. Customer Number 58249 Email Address zpatdcdocketing@cooley.com Add Email Remove Email Application Information: Title of the Invention FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE Attorney Docket Number SYPA-009/C02US Small Entity Status Claimed X Application Type Nonprovisional Subject Matter Utility Total Number of Drawing Sheets (if any) 6 Suggested Figure for Publication (if any)	genera	ted within	this form	by selecting	the Add	button.							
For further information see 37 CFR 1.33(a). An Address is being provided for the correspondence Information of this application. Customer Number 58249 Email Address zpatdcdocketing@cooley.com Add Email Remove Email Application Information: Title of the Invention FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE Attorney Docket Number SYPA-009/C02US Small Entity Status Claimed Application Type Nonprovisional Subject Matter Utility Total Number of Drawing Sheets (if any) 6 Suggested Figure for Publication (if any)	Corre	sponde	nce li	nformatio	n:								
Customer Number 58249 Email Address zpatdcdocketing@cooley.com Add Email Remove Email Application Information: Title of the Invention FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE Attorney Docket Number SYPA-009/C02US Small Entity Status Claimed X Application Type Nonprovisional Subject Matter Utility Total Number of Drawing Sheets (if any) 6 Suggested Figure for Publication (if any)					-	the Corres	pond	ence Info	rmation se	ection belo	ow.		
Application Information: Title of the Invention FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE Attorney Docket Number SYPA-009/C02US Small Entity Status Claimed X Application Type Nonprovisional Subject Matter Utility Total Number of Drawing Sheets (if any) 6 Suggested Figure for Publication (if any)	☐ An	Address	is being	provided for	r the co	rresponde	nce Ir	ıformatio	n of this ar	plication).		
Application Information: Title of the Invention FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE Attorney Docket Number SYPA-009/C02US Small Entity Status Claimed Application Type Nonprovisional Subject Matter Utility Total Number of Drawing Sheets (if any) 6 Suggested Figure for Publication (if any)	Custo	mer Numb	er	58249									
Title of the Invention FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE Attorney Docket Number SYPA-009/C02US Small Entity Status Claimed Application Type Nonprovisional Subject Matter Utility Total Number of Drawing Sheets (if any) 6 Suggested Figure for Publication (if any)	Email A	Address		zpatdcdocke	eting@co	cooley.com Add Email Remove Email						Email	
Attorney Docket Number SYPA-009/C02US Small Entity Status Claimed Application Type Nonprovisional Subject Matter Utility Total Number of Drawing Sheets (if any) 6 Suggested Figure for Publication (if any)	Appli	ication	Inforn	nation:									
Application Type Nonprovisional Subject Matter Utility Total Number of Drawing Sheets (if any) 6 Suggested Figure for Publication (if any)	Title of	f the Inver	ition	FORMULAT	TIONS O	F GUA N YLA	ATE CY	CLASE C	AGONISTS	AND METH	HODS OF	USE	
Application Type Nonprovisional Subject Matter Utility Total Number of Drawing Sheets (if any) 6 Suggested Figure for Publication (if any)					C02US			Small E	ntity Statu	s Claimed	d 🛛		
Subject Matter Total Number of Drawing Sheets (if any) 6 Suggested Figure for Publication (if any)					nal								
Total Number of Drawing Sheets (if any) 6 Suggested Figure for Publication (if any)				· .									
2 , 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2,	Total N	Number of	Drawing	g Sheets (if a	any)	6		Sugge	sted Figure	for Publ	ication (if any)	
fillid by velefelice :				•	-						<u> </u>		

PTO/AIA/14 (12-13)
Approved for use through 01/31/2014. OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Application Dat	a Sha	ot 27 CED 4 76	Attorney Docket Number S			SYPA-009/C02US			
Application Dat	el 37 CFK 1.76	Application Number							
Title of Invention	Title of Invention FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE								
application papers includ	ling a spe	cification and any draw	ings are be	eing filed. Any domestic	c benefit or for	(a). Do not complete this eign priority information eign Priority Information"	must be		
For the purposes of a filin reference to the previous						plication are replaced by t	:his		
Application number of t filed application	the previ	ously Filing dat	te (YYYY-M	MM-DD)	Intelle	Intellectual Property Authority or Country i			
Publication In	nform	ation:							
Request Early I	Publicat	tion (Fee required at	time of I	Request 37 CFR 1.2	<u>?</u> 19)				
35 U.S.C. 122(subject of an ap	b) and opplication	certify that the inver	ition disc	losed in the attache	d application	not be published unden has not and will no all agreement, that req	t be the		
Representativ	e Info	ormation:							
this information in the	Applicati r Numbe	ion Data Sheet does n r or complete the Rep	ot constitu resentativ	ute a power of attorney ve Name section belo	in the application	ney in the application. ation (see 37 CFR 1.32) tions are completed the).		
Please Select One:	(Customer Number	. 0	US Patent Practitione	er C Lir	imited Recognition (37 CFR 11.9)			
Customer Number	5	8249							
Domestic Bene	efit/N	ational Stage	Inforr	nation:					
This section allows for the applicant to either claim benefit under 35 U.S.C. 119(e), 120, 121, or 365(c) or indicate National Stage entry from a PCT application. Providing this information in the application data sheet constitutes the specific reference required by 35 U.S.C. 119(e) or 120, and 37 CFR 1.78. When referring to the current application, please leave the application number blank.									
Prior Application S	Status	Pending				Remove			
Application Num	ber	Continuity ⁻	Гуре	Prior Applicati	on Number	Filing Date (YYYY	-MM-DD)		
		Continuation of		14661299		2015-03-18			
Prior Application S	Status	Pending				Remove			
Application Num	ber	Continuity ⁻	Гуре	Prior Applicati	tion Number Filing Date (YYYY-MM-DE				
14661299		Continuation of		13421769		2012-03-15			
Prior Application 9	Prior Application Status Expired Remove								

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Application Da	ata Shaat 37 CED 1 76	Attorney Docket Number	SYPA-009/C02US
Application Data Sheet 37 CFR 1.76		Application Number	
Title of Invention	FORMULATIONS OF GUANY	/LATE CYCLASE C AGONISTS	S AND METHODS OF USE

Application Number Continuity Type		Prior Application Number	Filing Date (YYYY-MM-DD)	
13421769	Continuation in part of	PCTUS2011051805	2011-09-15	
Prior Application Status	Expired		Remove	
Application Number	Continuity Type	Prior Application Number	Filing Date (YYYY-MM-DD)	
PCTUS2011051805	Claims benefit of provisional	61383156	2010-09-15	
Prior Application Status	Expired	Remove		
Application Number	Continuity Type	Prior Application Number	Filing Date (YYYY-MM-DD)	
PCTUS2011051805	Claims benefit of provisional	61387636	2010-09-29	
Prior Application Status	Expired		Remove	
Application Number	Continuity Type	Prior Application Number	Filing Date (YYYY-MM-DD)	
DOT! 100044054005	Claims benefit of provisional	61392186	2010-10-12	
PCTUS2011051805	Ciainio benefit of provisional			

Foreign Priority Information:

This section allows for the applicant to claim priority to a foreign application. Providing this information in the application data sheet constitutes the claim for priority as required by 35 U.S.C. 119(b) and 37 CFR 1.55(d). When priority is claimed to a foreign application that is eligible for retrieval under the priority document exchange program (PDX) ¹the information will be used by the Office to automatically attempt retrieval pursuant to 37 CFR 1.55(h)(1) and (2). Under the PDX program, applicant bears the ultimate responsibility for ensuring that a copy of the foreign application is received by the Office from the participating foreign intellectual property office, or a certified copy of the foreign priority application is filed, within the time period specified in 37 CFR 1.55(g)(1).

			Remove
Application Number	Country i	Filing Date (YYYY-MM-DD)	Access Code ⁱ (if applicable)
Additional Foreign Priority Add button.	Add		

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Application Da	ata Shoot 37 CED 1 76	Attorney Docket Number	SYPA-009/C02US			
Application Data Sheet 37 CFR 1.76		Application Number				
Title of Invention	FORMULATIONS OF GUANY	MULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE				

Statement under 37 CFR 1.55 or 1.78 for AIA (First Inventor to File) Transition Applications

	This application (1) claims priority to or the benefit of an application filed before March 16, 2013 and (2) also
	contains, or contained at any time, a claim to a claimed invention that has an effective filing date on or after March
	16, 2013.
_	NOTE: By providing this statement under 37 CFR 1.55 or 1.78, this application, with a filing date on or after March
	16, 2013, will be examined under the first inventor to file provisions of the AIA.

Authorization to Permit Access:

X Authorization to Permit Access to the Instant Application by the Participating Offices

If checked, the undersigned hereby grants the USPTO authority to provide the European Patent Office (EPO), the Japan Patent Office (JPO), the Korean Intellectual Property Office (KIPO), the World Intellectual Property Office (WIPO), and any other intellectual property offices in which a foreign application claiming priority to the instant patent application is filed access to the instant patent application. See 37 CFR 1.14(c) and (h). This box should not be checked if the applicant does not wish the EPO, JPO, KIPO, WIPO, or other intellectual property office in which a foreign application claiming priority to the instant patent application is filed to have access to the instant patent application.

In accordance with 37 CFR 1.14(h)(3), access will be provided to a copy of the instant patent application with respect to: 1) the instant patent application-as-filed; 2) any foreign application to which the instant patent application claims priority under 35 U.S.C. 119(a)-(d) if a copy of the foreign application that satisfies the certified copy requirement of 37 CFR 1.55 has been filed in the instant patent application; and 3) any U.S. application-as-filed from which benefit is sought in the instant patent application.

In accordance with 37 CFR 1.14(c), access may be provided to information concerning the date of filing this Authorization.

Applicant Information:

Providing assignment information in this section does not substitute for compliance with any requirement of part 3 of Title 37 of CFR to have an assignment recorded by the Office.

PTO/AIA/14 (12-13)
Approved for use through 01/31/2014. OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Application Da	ta Sheet 37	CFR 1 76	Attorney Docket Number		SYPA-009	/C02US		
Application Data Sheet 37 (JI K 1.70	Application Number					
Title of Invention	FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE							
Applicant 1						Remove		
The information to be p 1.43; or the name and who otherwise shows a applicant under 37 CF	orovided in this address of the sufficient proprie R 1.46 (assigne gether with one	section is the na assignee, person etary interest in t e, person to who	ime and address in to whom the in the matter who is om the inventor is	of the legal rep ventor is under the applicant us s obligated to as	resentative an obligation Inder 37 CFI ssign, or per	s section should not be completed. who is the applicant under 37 CFR in to assign the invention, or person R 1.46. If the applicant is an rson who otherwise shows sufficient who are also the applicant should be Clear		
Assignee		○ Legal Re	epresentative un	der 35 U.S.C. 1	117	O Joint Inventor		
Person to whom th	e inventor is obli	gated to assign.		Person	who shows	sufficient proprietary interest		
If applicant is the leg	al representat	ive, indicate th	e authority to f	lile the patent a	application,	the inventor is:		
Name of the Deceas	sed or Legally	Incapacitated	Inventor :					
If the Applicant is a	n Organizatio	n check here.	<u> </u>					
Organization Name	Synergy I	Pharmaceuticals	s Inc.					
Mailing Address I	nformation:							
Address 1	420 l	_exington Avenu	ie					
Address 2	Suite	2012						
City	New	York		State/Provin	ice N	Υ		
Country US				Postal Code	10	0170		
Phone Number				Fax Number				
Email Address								
Additional Applicant I	Data may be ge	enerated within	this form by sel	ecting the Add	button.	Add		
Assignee Info	rmation i	ncluding	Non-Appli	cant Assi	gnee In	formation:		
Providing assignment i have an assignment re			not subsitute for	compliance witl	h any require	ement of part 3 of Title 37 of CFR to		
Assignee 1								
application publication	. An assignee-a cant. For an ass	applicant identific	ed in the "Applica	ant Information"	section will	ired to be included on the patent appear on the patent application s an assignee is also desired on the		
						Remove		
If the Assignee or N	Non-Applicant	Assignee is ar	o Organization	check here.		0000		

Under the Panerwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

0110	ici aic i apci ii	on reduction	Triol of 1000, no pers	ons are required to	copona to a conc	oudir or innorm	ation armess it conta	ins a valid civib control number:	
Applicatio	n Data 9	Sheet 37	CED 1 76	Attorney Dod	ket Number	SYPA-0	009/C02US		
Application Data Sheet 37 CFR 1.76				Application N	lumber				
Title of Invent	tion FO	RMULATIO	ONS OF GUANY	LATE CYCLAS	E C AGONIS	TS AND ME	THODS OF US	SE	
		1		1					
Prefix		Given N	lame	Middle Nam	ne	Family N	ame	Suffix	
Mailing Addre	ss Inform	nation Fo	r Assignee ind	luding Non-A	Applicant As	ssignee:	<u> </u>		
Address 1									
Address 2									
City					State/Prov	/ince			
Country i		•			Postal Cod	le			
Phone Numb	er				Fax Numb	er			
Email Addres	s								
Additional Ass selecting the	_		cant Assignee I	Data may be g	enerated wit	thin this fo	rm by	Add	
Signature	:						[Remove	
NOTE: This certifications	form must	be signed	d in accordance	e with 37 CFR	1.33. See 3	37 CFR 1.4	for signature	requirements and	
Signature /Anne E. Fleckenstein/						Date (YYYY-MM-DI	O) 2015-09-04	
First Name	Anne E.		Last Name	Fleckenstein		Regist	Registration Number 62951		
Additional Sig	gnature m	ay be gen	erated within th	nis form by sel	ecting the A	dd button.		Add	

This collection of information is required by 37 CFR 1.76. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 23 minutes to complete, including gathering, preparing, and submitting the completed application data sheet form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

Privacy Act Statement

The Privacy Act of 1974 (P.L. 93-579) requires that you be given certain information in connection with your submission of the attached form related to a patent application or patent. Accordingly, pursuant to the requirements of the Act, please be advised that: (1) the general authority for the collection of this information is 35 U.S.C. 2(b)(2); (2) furnishing of the information solicited is voluntary; and (3) the principal purpose for which the information is used by the U.S. Patent and Trademark Office is to process and/or examine your submission related to a patent application or patent. If you do not furnish the requested information, the U.S. Patent and Trademark Office may not be able to process and/or examine your submission, which may result in termination of proceedings or abandonment of the application or expiration of the patent.

The information provided by you in this form will be subject to the following routine uses:

- The information on this form will be treated confidentially to the extent allowed under the Freedom of Information Act (5 U.S.C. 552) and the Privacy Act (5 U.S.C. 552a). Records from this system of records may be disclosed to the Department of Justice to determine whether the Freedom of Information Act requires disclosure of these records.
- 2. A record from this system of records may be disclosed, as a routine use, in the course of presenting evidence to a court, magistrate, or administrative tribunal, including disclosures to opposing counsel in the course of settlement negotiations.
- 3. A record in this system of records may be disclosed, as a routine use, to a Member of Congress submitting a request involving an individual, to whom the record pertains, when the individual has requested assistance from the Member with respect to the subject matter of the record.
- 4. A record in this system of records may be disclosed, as a routine use, to a contractor of the Agency having need for the information in order to perform a contract. Recipients of information shall be required to comply with the requirements of the Privacy Act of 1974, as amended, pursuant to 5 U.S.C. 552a(m).
- 5. A record related to an International Application filed under the Patent Cooperation Treaty in this system of records may be disclosed, as a routine use, to the International Bureau of the World Intellectual Property Organization, pursuant to the Patent Cooperation Treaty.
- 6. A record in this system of records may be disclosed, as a routine use, to another federal agency for purposes of National Security review (35 U.S.C. 181) and for review pursuant to the Atomic Energy Act (42 U.S.C. 218(c)).
- 7. A record from this system of records may be disclosed, as a routine use, to the Administrator, General Services, or his/her designee, during an inspection of records conducted by GSA as part of that agency's responsibility to recommend improvements in records management practices and programs, under authority of 44 U.S.C. 2904 and 2906. Such disclosure shall be made in accordance with the GSA regulations governing inspection of records for this purpose, and any other relevant (i.e., GSA or Commerce) directive. Such disclosure shall not be used to make determinations about individuals.
- 8. A record from this system of records may be disclosed, as a routine use, to the public after either publication of the application pursuant to 35 U.S.C. 122(b) or issuance of a patent pursuant to 35 U.S.C. 151. Further, a record may be disclosed, subject to the limitations of 37 CFR 1.14, as a routine use, to the public if the record was filed in an application which became abandoned or in which the proceedings were terminated and which application is referenced by either a published application, an application open to public inspections or an issued patent.
- 9. A record from this system of records may be disclosed, as a routine use, to a Federal, State, or local law enforcement agency, if the USPTO becomes aware of a violation or potential violation of law or regulation.

FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE

RELATED APPLICATIONS

[01] This application is a continuation of U.S. Patent Application No. 14/661,299, filed March 18, 2015, which is a continuation of U.S. Patent Application No. 13/421,769, filed March 15, 2012, which is a continuation-in-part of PCT/US2011/051805 filed on September 15, 2011, which claims the benefit of priority to U.S. Provisional Application No. 61/383,156 filed on September 15, 2010, U.S. Provisional Application No. 61/387,636 filed on September 29, 2010, and U.S. Provisional Application No. 61/392,186 filed on October 12, 2010, the contents of which are incorporated by reference in their entireties.

INCORPORATION-BY-REFERENCE OF SEQUENCE LISTING

[02] The contents of the text file named "SYPA_009_C02US_Sequence_Listing.txt", which was created on September 3, 2015 and is 113 KB in size, are hereby incorporated by reference in their entirety.

FIELD OF THE INVENTION

[03] The present invention relates to low-dose formulations of guanylate cyclase C peptide agonists useful for the treatment and prevention of various diseases and disorders.

BACKGROUND OF THE INVENTION

[04] Guanylate cyclase C is a transmembrane form of guanylate cyclase that is expressed on various cells, including gastrointestinal epithelial cells (reviewed in Vaandrager 2002 *Mol. Cell. Biochem.* 230:73-83). It was originally discovered as the intestinal receptor for the heat-stable toxin (ST) peptides secreted by enteric bacteria and which cause diarrhea. The ST peptides share a similar primary amino acid structure with two peptides isolated from intestinal mucosa and urine, guanylin and uroguanylin (Currie, *et al.*, *Proc. Nat'l Acad. Sci. USA 89*:947-951 (1992); Hamra, *et al.*, *Proc. Nat'l Acad. Sci. USA 90*:10464-10468 (1993); Forte, L., *Reg. Pept. 81*:25-39 (1999); Schulz, *et al.*, *Cell 63*:941-948 (1990); Guba, *et al.*, *Gastroenterology 111*:1558-1568 (1996); Joo, *et al.*, *Am. J. Physiol. 274*:G633-G644 (1998)).

- [05] In the intestines, guanylin and uroguanylin act as regulators of fluid and electrolyte balance. In response to high oral salt intake, these peptides are released into the intestinal lumen where they bind to guanylate cyclase C localized on the luminal membrane of enterocytes (simple columnar epithelial cells of the small intestines and colon). The binding of the guanylin peptides to guanylate cyclase C induces electrolyte and water excretion into the intestinal lumen via a complex intracellular signaling cascade that is initiated by an increase in cyclic guanosine monophosphate (cGMP).
- [06] The cGMP-mediated signaling that is initiated by the guanylin peptides is critical for the normal functioning of the gut. Any abnormality in this process could lead to gastrointestinal disorders such as irritable bowel syndrome (IBS) and inflammatory bowel diseases. Inflammatory bowel disease is a general name given to a group of disorders that cause the intestines to become inflamed, characterized by red and swollen tissue. Examples include ulcerative colitis and Crohn's disease. Crohn's disease is a serious inflammatory disease that predominantly affects the ileum and colon, but can also occur in other sections of the gastrointestinal tract. Ulcerative colitis is exclusively an inflammatory disease of the colon, the large intestine. Unlike Crohn's disease, in which all layers of the intestine are involved, and in which there can be normal healthy bowel in between patches of diseased bowel, ulcerative colitis affects only the innermost lining (mucosa) of the colon in a continuous manner. Depending on which portion of the gastrointestinal tract is involved, Crohn's disease may be referred to as ileitis, regional enteritis, colitis, etc. Crohn's disease and ulcerative colitis differ from spastic colon or irritable bowel syndrome, which are motility disorders of the gastrointestinal tract. Gastrointestinal inflammation can be a chronic condition. It is estimated that as many as 1,000,000 Americans are afflicted with inflammatory bowel disease, with male and female patients appearing to be equally affected. Most cases are diagnosed before age 30, but the disease can occur in the sixth, seventh, and later decades of life.
- [07] IBS and chronic idiopathic constipation are pathological conditions that can cause a great deal of intestinal discomfort and distress but unlike the inflammatory bowel diseases, IBS does not cause the serious inflammation or changes in bowel tissue and it is not thought to increase the risk of colorectal cancer. In the past, inflammatory bowel disease, celiac disease and IBS were regarded as completely separate disorders. Now, with the description of inflammation, albeit low-grade, in IBS, and of symptom overlap between IBS and celiac

disease, this contention has come under question. Acute bacterial gastroenteritis is the strongest risk factor identified to date for the subsequent development of postinfective irritable bowel syndrome. Clinical risk factors include prolonged acute illness and the absence of vomiting. A genetically determined susceptibility to inflammatory stimuli may also be a risk factor for irritable bowel syndrome. The underlying pathophysiology indicates increased intestinal permeability and low-grade inflammation, as well as altered motility and visceral sensitivity. Serotonin (5-hydroxytryptamine [5-HT]) is a key modulator of gut function and is known to play a major role in pathophysiology of IBS. The activity of 5-HT is regulated by cGMP.

[80] While the precise causes of IBS and inflammatory bowel diseases (IBD) are not known, a disruption in the process of continual renewal of the gastrointestinal mucosa may contribute to disease pathology in IBD and aggravate IBS. The renewal process of the gastrointestinal lining is an efficient and dynamic process involving the continual proliferation and replenishment of unwanted damaged cells. Proliferation rates of cells lining the gastrointestinal mucosa are very high, second only to the hematopoietic system. Gastrointestinal homeostasis depends on both the proliferation and programmed cellular death (apoptosis) of epithelial cells lining the gut mucosa. Cells are continually lost from the villus into the lumen of the gut and are replenished at a substantially equal rate by the proliferation of cells in the crypts, followed by their upward movement to the villus. The rates of cell proliferation and apoptosis in the gut epithelium can be increased or decreased in a variety of circumstances, e.g., in response to physiological stimuli such as aging, inflammatory signals, hormones, peptides, growth factors, chemicals and dietary habits. In addition, an enhanced proliferation rate is frequently associated with a reduction in turnover time and an expansion of the proliferative zone. The proliferation index is much higher in pathological states such as ulcerative colitis and other gastrointestinal disorders. Intestinal hyperplasia is a major promoter of gastrointestinal inflammation. Apoptosis and cell proliferation together regulate cell number and determine the proliferation index. Reduced rates of apoptosis are often associated with abnormal growth, inflammation, and neoplastic transformation. Thus, both increased proliferation and/or reduced cell death may increase the proliferation index of intestinal tissue, which may in turn lead to gastrointestinal inflammatory diseases.

- [09] In addition to a role for uroguanylin and guanylin as modulators of intestinal fluid and ion secretion, these peptides may also be involved in the continual renewal of gastrointestinal mucosa by maintaining the balance between proliferation and apoptosis. For example, uroguanylin and guanylin peptides appear to promote apoptosis by controlling cellular ion flux. Given the prevalence of inflammatory conditions in Western societies a need exists to improve the treatment options for inflammatory conditions, particularly of the gastrointestinal tract.
- [10] Peptide agonists of guanylate cyclase C agonists ("GCC agonists") are described in U.S. Patent Nos. 7,041,786, 7,799,897, and U.S. Patent Application Publication Nos. US2009/0048175, US 2010/0069306, US 2010/0120694, US 2010/0093635, and US 2010/0221329. However, the formulation of peptides for pharmaceutical delivery presents a number of special problems. For example, peptides are subject to structural modifications by a variety of degradation mechanisms resulting in problems of chemical and physical instability of the formulation.

SUMMARY OF THE INVENTION

[11]The present invention provides low-dose formulations of peptide agonists of guanylate cyclase C ("GCC") and methods for their use in the treatment and prevention of human diseases and disorders, such as a gastrointestinal motility disorder, irritable bowel syndrome, a functional gastrointestinal disorder, gastroesophageal reflux disease, functional heartburn, dyspepsia, functional dyspepsia, nonulcer dyspepsia, gastroparesis, chronic intestinal pseudo-obstruction, colonic pseudo-obstruction; Crohn's disease, ulcerative colitis, inflammatory bowel disease, colonic pseudo-obstruction, obesity, congestive heart failure, and benign prostatic hyperplasia. In certain embodiments, the formulations are stabilized against chemical degradation of the peptide. The low-dose formulations of the invention have unexpected efficacy in humans in a dosage range that was not predicted based on studies in primates. The formulations of the invention are particularly useful for the treatment or prevention of chronic idiopathic constipation. In certain embodiments, the GCC agonists are analogs of uroguanylin and bacterial ST peptides. In preferred embodiments, the analogs have superior properties compared to the naturally occurring or "wild-type" peptides. Examples of such superior properties include a high resistance to degradation at the Nterminus and C-terminus from carboxypeptidases, aminopeptidases, and/or by other

proteolytic enzymes present in the stimulated human intestinal juices and human gastric juices. Examples of GCC agonists that can be used in the formulations and methods of the invention are described in more detail below and in U.S. Patent Nos. 7,041,786, 7,799,897, and U.S. Patent Application Publication Nos. US2009/0048175, US 2010/0069306, US 2010/0120694, US 2010/0093635, and US 2010/0221329, each of which is incorporated herein by reference in its entirety.

- [12] The invention provides an oral dosage formulation comprising one or more pharmaceutically acceptable excipients and at least one GCC agonist peptide, wherein the amount of GCC agonist peptide per unit dose is from 0.01 mg to 10 mg, and wherein the GCC agonist peptide is selected from the group consisting of SEQ ID NOs: 1-54 and 56-249. In one embodiment, the GCC agonist peptide has a chromatographic purity of no less than 90%, no less than 90.5%, no less than 91%, no less than 92%, no less than 93%, no less than 94%, no less than 95%, no less than 96%, no less than 97%, no less than 98%, or no less than 99%. The chromatographic purity of the GCC agonist peptide is determined as area percent by HPLC. In one embodiment, the GCC agonist peptide is selected from the group consisting of SEQ ID NOs: 1, 8, 9, or 56. In one embodiment, the GCC agonist peptide is selected from the group consisting of SEQ ID NOs: 1 and 9. In one embodiment, the GCC agonist peptide is selected from the group consisting of SEQ ID NOs: 8 and 9. In one embodiment, the amount of GCC agonist peptide per unit dose is 0.1 mg, 0.3 mg, 0.6 mg, 1.0 mg, 3.0 mg, 6.0 mg, 9.0 mg or 9.5 mg.
- [13] In one embodiment, the GCC agonist peptide has a total impurity content of no greater than 10%, no greater than 9.5%, no greater than 9%, no greater than 8%, no greater than 3%, no greater than 2%, or no greater than 1%. The total impurity content is determined as total area percentages of impurities by HPLC. The impurities do not include any pharmaceutically acceptable excipient used for the formulation. In one embodiment, the formulation is substantially free of inorganic acids and carboxylic acids, e.g., HCl, phosphoric acid, or acetic acid. In this context, carboxylic acids do not include amino acids or peptides. In this context "substantially" free of acids means that the acid content of the formulation at the time of packaging is preferably less than 0.2%, less than 0.1%, less than 0.05%, less than 0.01%, less than 0.005%, or less than 0.001% of the total weight of the formulation. In one embodiment, the formulation is free of HCl.

- [14] In one embodiment, the formulation is a solid formulation. In one embodiment, the formulation is in the form of a powder, granule, sachet, troche, tablet, or capsule. In another embodiment, the formulation is a liquid formulation and the GCC agonist peptide is in solution or suspension in a lipophilic liquid. In one embodiment, the liquid is a refined specialty oil or a medium chain triglyceride or related ester. In one embodiment, the refined specialty oil is selected from Arachis oil, Castor oil, cottonseed oil, maize (corn) oil, olive oil, sesame oil, soybean oil, and sunflower oil. In one embodiment, the medium chain triglyceride or related ester is AKOMED E, AKOMED R, CAPTEX 355, LABRAFAC CC, LABRAFAC PG, LAUROGLYCOL FCC, MIGLYOL 810, MIGLYOL 812, MIGLYOL 829, MIGLYOL 840, and SOFTISAN 645. In one embodiment, the liquid is selected from the group consisting of medium chain triglycerides, propylene glycol dicaprylocaprate, vitamin E, soybean oil, Cremaphor, PG, and PG 400. In one embodiment, the unit dose is a powder, tablet, or capsule. In one embodiment, the unit dose is a liquid-filled capsule. In one embodiment, the capsule or tablet is in a blister pack or strip. Preferably, the blister pack or strip is made of a material that is impermeable to water vapor and oxygen. In one embodiment the blister pack is comprised of a metal foil. In one embodiment the blister pack is a FOIL/FOIL blister pack. In one embodiment, the container of the blister pack is flushed with an inert gas such as nitrogen or argon. In one embodiment, the container further includes a desiccant. In a preferred embodiment the desiccant is a molecular sieve. In one embodiment, the unit dose is in a high density polyethylene bottle having a seal. In one embodiment, the bottle further comprises a desiccant. In one embodiment, the bottle further comprises an oxygen scavenger or molecular sieve. In one embodiment, the bottle is nearly impermeable to oxygen and water vapor (e.g., much more impermeable than a HDPE bottle), such as an OxyGuard bottle.
- [15] In one embodiment, the one or more pharmaceutically acceptable excipients include an inert carrier. In one embodiment, the inert carrier is a selected from mannitol, lactose, a microcrystalline cellulose, or starch. In one embodiment, the inert carrier has a particle size of from 50 to 900 microns, from 50 to 800 microns, from 50 to 300 microns, from 50 to 200 microns, from 75 to 150 microns, from 75 to 200 microns, or from 75 to 300 microns.
- [16] In one embodiment, the GCC agonist peptide is stabilized against chemical or physical degradation for a period of at least 18 months at 30 °C and 65% relative humidity, or at least 18 months at 25 °C and 60% relative humidity, or at least 18 months at 2-8 °C.

- [17] In one embodiment, the one or more pharmaceutically acceptable excipients include a divalent cation salt such as calcium chloride. In one embodiment, the one or more pharmaceutically acceptable excipients comprise an amino acid, such as leucine, histidine, or arginine, or an amine such TRIS or TRIS/HCl.
- In one embodiment, the oral dosage formulation consists of the GCC agonist peptide described herein, an inert carrier (e.g., Celphere SCP-100, Avicel PH 102, or Avicel PH 112), and a lubricant (e.g., magnesium stearate). In one embodiment, the formulation consists of the GCC agonist peptide, an inert carrier (e.g., Avicel PH 200), a divalent cation salt (e.g., calcium chloride or calcium ascorbate), an amino acid (e.g., leucine, histidine, or arginine) or a protective amine (e.g., TRIS), a coating agent (e.g., Methocel ES Premium LV) and optionally a lubricant (e.g., magnesium stearate) or another additive (e.g., trehalose). In one embodiment, the formulation consists of the GCC agonist peptide, a binder (e.g., Provsolv SMCC 90 LM), and a disintegrant (e.g., Explotab). In one embodiment, the formulation consists of the GCC agonist peptide, a diluent (e.g., Mannogem EZ), a binder (e.g., Provsolv SMCC 90 LM), a disintegrant (e.g., Explotab), a lubricant (e.g., Pruv).
- [19] The invention also provides a process for making the oral dosage formulations described herein, wherein the process comprises a step of dry granulation, wet granulation, or spray coating followed by drying. In another embodiment, the process comprises a step of dry mixing. In a preferred embodiment the step of dry mixing includes geometric blending. In one embodiment, the process comprises a step of direct compression. In one embodiment, the process for making the oral dosage formulations described herein is a spray coating-drying process which includes (a) providing an aqueous solution comprising: a GCC agonist peptide selected from the group consisting of SEQ ID NOs: 1-54 and 56-249, and one or more pharmaceutically acceptable excipients, wherein the concentration of the GCC agonist peptide ranges from 10 to 60 mg/mL; and (b) applying the aqueous solution to a pharmaceutically acceptable carrier to generate a GCC agonist peptide-coated carrier.
- [20] In one embodiment of the spray coating-drying process above, the one or more pharmaceutically acceptable excipients comprise a divalent cation salt wherein the divalent cation is selected from Ca²⁺, Mg²⁺, Zn²⁺, and Mn²⁺. In one embodiment, the one or more pharmaceutically acceptable excipients comprise an amino acid selected from leucine, isoleucine, and valine. In one embodiment, the one or more pharmaceutically acceptable

excipients comprise a coating agent (such as hypromellose Methocel E5 PremLV). In one embodiment, the aqueous solution has a pH greater than 4 (e.g., 4.5-5.5, 5-6, about 5, or greater than 5) or even greater than 7. In one embodiment, the aqueous solution is substantially free of inorganic acids and carboxylic acids. In one embodiment, the GCC agonist peptide is selected from the group consisting of SEQ ID NOs: 1, 8, 9, and 56. In one embodiment, the process further includes drying the GCC agonist peptide-coated carrier.

- [21] The invention further provides an oral dosage formulation made by the process described herein. Preferably, the GCC agonist peptide as made is stabilized against chemical or physical degradation for a period of at least 18 months at 30 °C and 65% relative humidity, or at least 18 months at 25 °C and 60% relative humidity, or at least 18 months at 2-8 °C.
- [22] The invention also provides a method for treating or preventing a disease or disorder in a subject in need thereof, comprising administering to the subject an oral dosage formulation comprising at least one GCC agonist peptide, wherein the amount of GCC agonist peptide per unit dose is from 0.01 mg to 10 mg, and wherein the GCC agonist peptide is selected from the group consisting of SEQ ID NOs: 1-54 and 56-249. Preferably, the subject is a human subject. In one embodiment, the GCC agonist peptide is selected from the group consisting of SEQ ID NOs: 1, 8, 9, or 56. In one embodiment, the GCC agonist peptide is selected from the group consisting of SEQ ID NOs: 1 and 9. In one embodiment, the amount of GCC agonist peptide per unit dose is 0.1 mg, 0.3 mg, 0.6 mg, 1.0 mg, 3.0 mg, 6.0 mg, 9.0 mg, 9.5 mg, or 10 mg.
- [23] In one embodiment, the disease or disorder is a gastrointestinal disease or disorder selected from the group consisting of irritable bowel syndrome, non-ulcer dyspepsia, chronic intestinal pseudo-obstruction, functional dyspepsia, colonic pseudo-obstruction, duodenogastric reflux, gastro esophageal reflux disease, constipation, gastroparesis, heartburn, gastric cancer, and H. pylori infection. In a preferred embodiment, the gastrointestinal disease or disorder is chronic idiopathic constipation.
- [24] In one embodiment, the method further comprises administering to the subject an effective amount of an inhibitor of a cGMP-specific phosphodiesterase. In one embodiment, the cGMP-dependent phosphodiesterase inhibitor is selected from the group consisting of suldinac sulfone, zaprinast, and motapizone, vardenifil, and suldenifil.

- [25] In one embodiment, the method further comprises administering to the subject an effective amount of at least one laxative. In one embodiment, the at least one laxative is selected from the group consisting of SENNA, MIRALAX, PEG, or calcium polycarbophil.
- [26] In one embodiment, the method further comprises administering to the subject an effective amount of at least one anti-inflammatory agent.
- [27] The invention also provides pharmaceutical compositions comprising the formulations described herein.
- [28] Other features and advantages of the invention will be apparent from and are encompassed by the following detailed description and claims.

BRIEF DESCRIPTION OF THE DRAWINGS

- [29] <u>Figure 1</u>: Plecanatide (SP-304) treatment reduced time to first BM following daily dose.
- [30] <u>Figure 2:</u> Effect of daily treatment with plecanatide on spontaneous bowel movements (SBM) in chronic constipation patients.
- [31] <u>Figure 3</u>: Effect of daily treatment with plecanatide on complete spontaneous bowel movements (CSBM) in chronic constipation patients.
- [32] <u>Figure 4:</u> Effect of daily treatment with plecanatide on Bristol Stool Form Scores (BSFS) in chronic constipation patients.
- [33] <u>Figure 5</u>: Effect of daily treatment with plecanatide on straining scores in chronic constipation patients
- [34] <u>Figure 6:</u> Percentage of subjects reporting improvements in abdominal discomfort scores after 14-days of daily treatment with plecanatide.

DETAILED DESCRIPTION

[35] The invention provides pharmaceutical formulations of peptide GCC agonists. It is intended that the formulations of the invention are "pharmaceutical" formulations, meaning

that they are suitable for pharmaceutical use. Accordingly, the term "formulations" as used herein is meant to encompass pharmaceutical formulations even if "pharmaceutical" is not expressly stated. Pharmaceutical compositions comprising the formulations described herein are also provided by the invention. The formulations of the invention preferably provide stability against chemical and physical degradation of the peptide, e.g., plecanatide (i.e., SEQ ID #1).

- The invention is based in part upon the discovery that mannitol mixes very effectively with the GCC agonist peptides described herein and provides stability against degradation, allowing the peptides to be formulated at very low doses. The invention is also based in part on the discovery that very low doses of the GCC agonist peptides described herein are effective for the treatment of diseases and disorders in humans. The dosage range found to be effective was not predicted based on animal studies. The invention is also based in part upon the discovery that a divalent cation (e.g., Ca²⁺) and/or an amino acid (e.g., leucine or arginine) stabilize the GCC agonist peptides described herein during a process (e.g., spray coating-drying process) of manufacturing a formulation of the GCC agonist peptides and provides stability against degradation both during the manufacturing process and storage of the formulation.
- [37] Plecanatide is a charged peptide due to the presence of four carboxylic acids and single amine group with a calculated pKa of approximately 3.5. Therefore plecanatide is likely to interact with ions in solution or in the solid state. Plecanatide is a hygroscopic peptide requiring the control of water during manufacture and storage to promote long term stability. Plecanatide is prone to degradation by oxidation in the presence of residual peroxides or formaldehyde contaminants that are formed from peroxide reaction with polymeric excipients. The present invention discloses a manufacturing process and dry solid formulation compositions that minimizes water content. The formulations are comprised of components to minimize levels of residual formaldehyde and peroxides commonly found in many pharmaceutical excipients. The invention also discloses additives (i.e. CaCl₂) that may function as local desiccants in the formulation. Divalent cation salts such as calcium ascorbate, MgCl₂, ZnCl₂, MnCl₂ and CaCl₂ bind plecanatide and sterically hinder reactive species such as water or oxygen from causing plecanatide degradation by molecular displacement. The invention further includes scavengers of residual formaldehyde (amines such as TRIS or TRIS/HCl or amino acids such as leucine, isoleucine and valine), and

discloses packaging confirmations to minimize oxygen exposure and water vapor during storage. The invention also discloses a stable manufacturing process comprised of initially dissolving plecanatide in cold water to minimize solution degradation, followed by spray coating the peptide solution on particles and drying to remove moisture.

- [38] The formulations of the invention are particularly useful for the treatment or prevention of a gastrointestinal disease or disorder selected from the group consisting of irritable bowel syndrome, non-ulcer dyspepsia, chronic intestinal pseudo-obstruction, functional dyspepsia, colonic pseudo-obstruction, duodenogastric reflux, gastro esophageal reflux disease, chronic idiopathic constipation, gastroparesis, heartburn, gastric cancer, and H. pylori infection.
- [39] In one embodiment, the formulations of the invention are used in a method for the treatment of constipation. Clinically accepted criteria that define constipation range from the frequency of bowel movements, the consistency of feces and the ease of bowel movement. One common definition of constipation is less than three bowel movements per week. Other definitions include abnormally hard stools or defecation that requires excessive straining. Constipation may be idiopathic (functional constipation or slow transit constipation) or secondary to other causes including neurologic, metabolic or endocrine disorders. These disorders include diabetes mellitus, hypothyroidism, hyperthyroidism, hypocalcaemia, Multiple sclerosis, Parkinson's disease, spinal cord lesions, Neurofibromatosis, autonomic neuropathy, Chagas disease, Hirschsprung disease and cystic fibrosis. Constipation may also be the result of surgery or due to the use of drugs such as analgesics (like opioids), antihypertensives, anticonvulsants, antidepressants, antispasmodics and antipsychotics. In a preferred embodiment, the constipation is chronic idiopathic constipation.
- [40] The stabilized formulations of the invention comprise at least one GCC agonist peptide formulated with one or more excipients such that the peptide is stabilized against chemical degradation. Chemical degradation of peptides results from a number of mechanisms including oxidation, water-mediated degradation, and reaction with aldehydes or reducing sugars. The ideal excipient or combination of excipients will be non-hygroscopic, have few or no reducing sugars, and be substantially free of contaminants such as iron, peroxide, and formaldehyde. The formulations of the invention are preferably substantially free of water. In this context "substantially" free of water means that the water content of the

formulation at the time of packaging is preferably less than 7%, less than 5%, less than 1%, or less than 0.5% of the total weight of the formulation. In one embodiment the amount of water is between 0.1 to 5% of the total weight of the formulation. In one embodiment, the amount of water in the formulation of the invention manuafactured through a spray-coating process is less than 0.5% (e.g., about 0.47%).

- [41] In the context of the present formulations, the term "stable" or "stabilized" refers to the resistance of the peptide to chemical or physical degradation over time. Preferably, a stable formulation of the invention retains an amount of the peptide in the formulation over a period of time that is at least 90%, preferably at least 95%, and most preferably at least 99% the amount of peptide initially present in the formulation. In one embodiment, a stable formulation of the invention, over a period of time (e.g., 18 month), has an increase in the total impurity content not greater than 8%, not greater than 7%, not greater than 6%, not greater than 5%, not greater than 4%, not greater than 3%, not greater than 2%, or not greater than 1%. In one embodiment, the peptide is chemically stable in the formulation for a period of time that is at least 18 months, at least 20 months, or at least 24 months when stored at 25 degrees Celsius (25C) and 60 % relative humidity. In one embodiment, the peptide is chemically stable in the formulation for a period of time that is at least 18 months, at least 20 months, or at least 24 months when stored at 2-8 degrees Celsius (2-8C). In one embodiment, the peptide is chemically stable in the formulation for a period of time that is at least 3 months, 12 months, 18 months and preferably 24 months when stored at 25 degrees Celsius (25C) and 60 % relative humidity. In one embodiment, the peptide is chemically stable in the formulation for a period of time that is at least 3 months, 18 months and preferably 24 months when stored at 30 degrees Celsius (30C).
- [42] The low-dose formulations of the invention comprise an amount of at least one GCC agonist peptide per unit dose that is less than 10 mg. It is especially advantageous to formulate oral compositions in unit dosage form for ease of administration and uniformity of dosage. The term "unit dosage form" as used herein refers to physically discrete units suited as unitary dosages for the subject to be treated; each unit containing a predetermined quantity of active compound calculated to produce the desired therapeutic effect in association with the required pharmaceutical carrier. The specification for the dosage unit forms of the invention are dictated by and directly dependent on the unique characteristics of the active

compound and the particular therapeutic effect to be achieved. In one embodiment, the unit dosage form is a tablet or a capsule.

- [43] In one embodiment of the low-dose formulations of the invention, the amount of GCC agonist peptide per unit dose is from 0.01 mg to 10 mg. In one embodiment, the amount of GCC agonist peptide per unit dose is 0.1 mg, 0.3 mg, 0.6 mg, 1.0 mg, 3.0 mg, 6.0 mg, 9.0 mg, 9.5 mg, or 10 mg.
- [44] In one embodiment, the low-dose formulation contains a carrier that is non-hygroscopic. In one embodiment, the carrier is selected from mannitol and maltose (e.g., ADVANTOSE 100).
- [45] In one embodiment, the carrier is cellulose, preferably microcrystalline cellulose (e.g., Avicel PH 102, low moisture Avicel PH 112, Avicel PH 200, or Celphere SCP-100). In one embodiment, the carrier is calcium phosphate or calcium sulphate. In another embodiment, the carrier is a saccharide. The term "saccharide" as used herein also refers to polysaccharides. Thus, the term saccharide is meant to include polysaccharides. In one embodiment, the saccharide is selected from mannitol, trehalose, lactose, sucrose, sorbitol, and maltose. In a preferred embodiment, the saccharide is mannitol. Preferably the saccharide has a low water content, a small particle size and a narrow particle-size distribution.
- [46] Carriers having small particle sizes, and/or spherical shape, and narrow size distribution are preferred. Particles of less than 20 microns have a relatively high surface area to volume ratio causing inter-particle attractive forces to dominate and resist bulk flow. Larger particles (greater than 100 microns) tend to roll or slide over one another and exhibit superior bulk flow properties compared with small particles. A narrow particle-size distribution reduces particle packing and increases flow. In one embodiment, the particles are between 20 and 500 microns in size (as measured across the largest diameter of the particle, on average). In one embodiment, a small particle size and a narrow particle size range refers to particles having a size range of from 20-300 microns, 50-200 microns, or 75-150 microns. In certain embodiments, the carrier has a substantially spherical shape such as can be obtained with a spray drying process.

- [47] In one embodiment, the low-dose formulation is a solid formulation and the unit dose is in the form of a tablet or capsule. In one embodiment, the low-dose formulation is a liquid formulation and the unit dosage form is a liquid-filled capsule. In one embodiment, the liquid formulation in the form of a solution or suspension of the GCC agonist peptide in an lipophilic liquid. Examples of suitable liquids include medium chain triglycerides (e.g., LABRAFAC Lipophile), propylene glycol dicaprylocaprate (e.g., LABRAFAC PG), vitamin E (e.g., α tocopherol), PEG 400 (e.g., Polyethylene glycol low M.W. (liquid)), propylene glycol, soybean oil, and Castor oil. In one embodiment, the liquid is selected from the group consisting of medium chain triglycerides, propylene glycol dicaprylocaprate, vitamin E, and soybean oil. In one embodiment, the refined specialty oil is selected from Arachis oil, Castor oil, cottonseed oil, maize (corn) oil, olive oil, sesame oil, soybean oil, and sunflower oil. In one embodiment, the medium chain triglyceride or related ester is AKOMED E, AKOMED R, CAPTEX 355, LABRAFAC CC, LABRAFAC PG, LAUROGLYCOL FCC, MIGLYOL 810, MIGLYOL 812, MIGLYOL 829, MIGLYOL 840, and SOFTISAN 645.
- [48] A formulation according to the invention may be contained in a blister pack. In a particular embodiment, the powder, tablet, or capsule comprising the formulation is contained in a blister pack. Preferably, the blister pack is made of a material that allows only minimal permeation by water vapor and oxygen. In one embodiment the blister pack is comprised of a metal foil. In one embodiment, the blister pack is comprised of ACLAR. In one embodiment, the container of the blister pack is flushed with an inert gas such as nitrogen or argon. In one embodiment, the container further includes a desiccant. In one embodiment, the desiccant is calcium chloride. In one embodiment the desiccant is a molecular sieve.
- [49] While any GCC agonist known in the art can be formulated according to the present invention, analogs of uroguanylin and bacterial ST peptides are preferred. In certain embodiments, the uroguanylin and bacterial ST peptide analogs have superior properties compared to naturally occurring, or "wild-type" peptides. For example, the uroguanylin and bacterial ST peptides for use in the present invention are preferably modified to increase their resistance to degradation at the N-terminus and C-terminus from carboxypeptidases, aminopeptidases, and/or by other proteolytic enzymes present in the stimulated human intestinal juices and human gastric juices. In certain embodiments, the GCC agonist formulation comprises a peptide consisting essentially of an amino acid sequence selected from SEQ ID NOs: 1-249. In a preferred embodiment, the peptide consists essentially of an

amino acid sequence selected from SEQ ID NOs: 1, 8, 9, 55 and 56. The term "consists essentially of" refers to a peptide that is identical to the reference peptide in its amino acid sequence or to a peptide that does not differ substantially in terms of either structure or function from the reference peptide. A peptide differs substantially from the reference peptide if its primary amino acid sequence varies by more than three amino acids from the reference peptide or if its activation of cellular cGMP production is reduced by more than 50% compared to the reference peptide. Preferably, substantially similar peptides differ by no more than two amino acids and not by more than about 25% with respect to activating cGMP production. In preferred embodiments, the GCC agonist is a peptide comprising at least 12 amino acid residues, and most preferably comprising between 12 and 26 amino acids. Non-limiting examples of such analogs of uroguanylin and bacterial ST peptides are described in Section 1.2 below.

- [50] The invention provides methods for treating or preventing certain diseases and disorders and methods for increasing gastrointestinal motility in a subject in need thereof by administering an effective amount of a GCC agonist formulation to the subject. The term "treating" as used herein refers to a reduction, a partial improvement, amelioration, or a mitigation of at least one clinical symptom associated with the gastrointestinal disorders being treated. The term "preventing" refers to an inhibition or delay in the onset or progression of at least one clinical symptom associated with the gastrointestinal disorders to be prevented. The term "effective amount" as used herein refers to an amount that provides some improvement or benefit to the subject. In certain embodiments, an effective amount is an amount that provides some alleviation, mitigation, and/or decrease in at least one clinical symptom of the gastrointestinal disorder to be treated. In other embodiments, the effective amount is the amount that provides some inhibition or delay in the onset or progression of at least one clinical symptom associated with the gastrointestinal disorder to be prevented. The therapeutic effects need not be complete or curative, as long as some benefit is provided to the subject. The term "subject" preferably refers to a human subject but may also refer to a non-human primate or other mammal preferably selected from among a mouse, a rat, a dog, a cat, a cow, a horse, or a pig.
- [51] In accordance with the methods of the present invention, the GCC agonist formulation can be administered alone or in combination with one or more additional therapeutic agents to prevent or treat inflammation, cancer and other disorders, particularly of the

gastrointestinal tract. In a preferred embodiment, the GCC agonist formulation is administered for the treatment of chronic constipation. In one embodiment, the GCC agonist formulation is administered in combination with one or more additional therapeutic agents selected from the group consisting of phosphodiesterase inhibitors, cyclic nucleotides (such as cGMP and cAMP), a laxative (such as SENNA, METAMUCIL, MIRALAX, PEG, or calcium polycarbophil), a stool softener, an anti-tumor necrosis factor alpha therapy for IBD (such as REMICADE, ENBREL, or HUMAIRA), and anti-inflammatory drugs (such as COX-2 inhibitors, sulfasalazine, 5-ASA derivatives and NSAIDS). In certain embodiments, the GCC agonist formulation is administered in combination with an effective dose of an inhibitor of cGMP-specific phosphodiesterase (cGMP-PDE) either concurrently or sequentially with said GCC agonist. cGMP-PDE inhibitors include, for example, suldinac sulfone, zaprinast, motapizone, vardenifil, and sildenafil. In another embodiment, the GCC agonist formulation is administered in combination with inhibitors of cyclic nucleotide transporters.

1.1 Formulations

- [52] The formulations of the invention contain one or more GCC agonist peptides described herein, in combination with one or more pharmaceutically acceptable carriers (also referred to as diluents) and/or excipients. In a preferred embodiment, the formulations of the invention include an inert carrier. The inert carrier is preferably non-hygroscopic. In one embodiment, the carrier in the formulation contains few or no reducing sugars and is substantially free of contaminants including, but not limited to, iron, peroxide, and formaldehyde. In one embodiment, the carrier is selected from the group consisting of sorbitol, mannitol, EMDEX, and starch. In one embodiment, the carrier is mannitol (e.g., MANNOGEM) or microcrystalline cellulose (e.g. PROSOLV, CELPHERE, CELPHERE beads).
- [53] The low-dose formulations of the invention contain no greater than 10 mg per unit dose of a GCC agonist peptide. The remainder of the formulation is comprised of the carrier and one or more optional excipients. In one embodiment, the amount of carrier is at least 90% of the total weight of the formulation. In another embodiment, the amount of carrier is at least 95% or at least 98% of the total weight of the formulation. In one embodiment, the amount of carrier is between 90 and 99.9% of the total weight of the formulation. In one

embodiment, the one or more optional excipients comprise a disintegrant which is present at 1 to 5% of the total weight of the formulation. In one embodiment, the one or more optional excipients comprise a lubricant which is present at 0.02 to 5% of the total weight of the formulation. In one embodiment, the one or more optional excipients comprise an amino acid such as arginine, leucine, isoleucine, valine, histidine, phenylalanine, alanine, glutamic acid, aspartic acid, glutamine, methionine, asparagine, tyrosine, threonine, tryptophan, or glycine, which is present at 0.1 to 4% (e.g., 0.1-1%) of the total weight of the formulation. In one embodiment, the molar ratio between the amino acid and the GCC agonist peptide is from about 2:1 to about 30:1 or about 2:1 to about 20:1 (e.g., 5:1). In one embodiment, the one or more optional excipients comprise a stabilizer such as a divalent cation salt, more specifically, a water-soluble divalent cation salt (e.g., calcium chloride, magnesium chloride, zinc chloride, manganese chloride, or calcium ascorbate), which is present at 0.1 to 12% (e.g., 0.1-4%) of the total weight of the formulation. In one embodiment, the molar ratio between the salt and the GCC agonist peptide is from about 5:1 to about 20:1 (e.g., 10:1).

- [54] The formulations may contain other additives as needed, including for example lactose, glucose, fructose, galactose, trehalose, sucrose, maltose, raffnose, maltitol, melezitose, stachyose, lactitol, palatinite, starch, xylitol, mannitol, myoinositol, and the like, and hydrates thereof, and amino acids, for example alanine, glycine and betaine, and polypeptides and proteins, for example albumen.
- [55] Further examples of pharmaceutically acceptable carriers and excipients include, but are not limited to binders, fillers, disintegrants, lubricants, anti-microbial agents, antioxidant, and coating agents such as: BINDERS: corn starch, potato starch, other starches, gelatin, natural and synthetic gums such as acacia, xanthan, sodium alginate, alginic acid, other alginates, powdered tragacanth, guar gum, cellulose and its derivatives (e.g., ethyl cellulose, cellulose acetate, carboxymethyl cellulose calcium, sodium carboxymethyl cellulose), polyvinyl pyrrolidone (e.g., povidone, crospovidone, copovidone, etc), methyl cellulose, Methocel, pre-gelatinized starch (e.g., STARCH 1500® and STARCH 1500 LM®, sold by Colorcon, Ltd.), hydroxypropyl methyl cellulose, microcrystalline cellulose (FMC Corporation, Marcus Hook, PA, USA), Emdex, Plasdone, or mixtures thereof, FILLERS: talc, calcium carbonate (e.g., granules or powder), dibasic calcium phosphate, tribasic calcium phosphate, calcium sulfate (e.g., granules or powder), microcrystalline cellulose, powdered cellulose, dextrates, kaolin, mannitol, silicic acid, sorbitol, starch, pre-gelatinized

starch, dextrose, fructose, honey, lactose anhydrate, lactose monohydrate, lactose and aspartame, lactose and cellulose, lactose and microcrystalline cellulose, maltodextrin, maltose, mannitol, microcrystalline cellulose & amp; guar gum, molasses, sucrose, or mixtures thereof, DISINTEGRANTS: agar-agar, alginic acid, calcium carbonate, microcrystalline cellulose, croscarmellose sodium, crospovidone, polacrilin potassium, sodium starch glycolate (such as Explotab), potato or tapioca starch, other starches, pre-gelatinized starch, clays, other algins, other celluloses, gums (like gellan), low-substituted hydroxypropyl cellulose, ployplasdone, or mixtures thereof, LUBRICANTS: calcium stearate, magnesium stearate, mineral oil, light mineral oil, glycerin, sorbitol, mannitol, polyethylene glycol, other glycols, compritol, stearic acid, sodium lauryl sulfate, sodium stearyl fumarate (such as Pruv), vegetable based fatty acids lubricant, talc, hydrogenated vegetable oil (e.g., peanut oil, cottonseed oil, sunflower oil, sesame oil, olive oil, corn oil and soybean oil), zinc stearate, ethyl oleate, ethyl laurate, agar, syloid silica gel (AEROSIL 200, W.R. Grace Co., Baltimore, MD USA), a coagulated aerosol of synthetic silica (Deaussa Co., Piano, TX USA), a pyrogenic silicon dioxide (CAB-O-SIL, Cabot Co., Boston, MA USA), or mixtures thereof, ANTI-CAKING AGENTS: calcium silicate, magnesium silicate, silicon dioxide, colloidal silicon dioxide, talc, or mixtures thereof, ANTIMICROBIAL AGENTS: benzalkonium chloride, benzethonium chloride, benzoic acid, benzyl alcohol, butyl paraben, cetylpyridinium chloride, cresol, chlorobutanol, dehydroacetic acid, ethylparaben, methylparaben, phenol, phenylethyl alcohol, phenoxyethanol, phenylmercuric acetate, phenylmercuric nitrate, potassium sorbate, propylparaben, sodium benzoate, sodium dehydroacetate, sodium propionate, sorbic acid, thimersol, thymo, or mixtures thereof, ANTOXIDANTS: ascorbic acid, BHA, BHT, EDTA, or mixture thereof, and COATING AGENTS: sodium carboxymethyl cellulose, cellulose acetate phthalate, ethylcellulose, gelatin, pharmaceutical glaze, hydroxypropyl cellulose, hydroxypropyl methylcellulose (hypromellose), hydroxypropyl methyl cellulose phthalate, methylcellulose, polyethylene glycol, polyvinyl acetate phthalate, shellac, sucrose, titanium dioxide, carnauba wax, microcrystalline wax, gellan gum, maltodextrin, methacrylates, microcrystalline cellulose and carrageenan or mixtures thereof.

[56] The formulation can also include other excipients and categories thereof including but not limited to Pluronic®, Poloxamers (such as Lutrol® and Poloxamer 188), ascorbic acid, glutathione, protease inhibitors (e.g. soybean trypsin inhibitor, organic acids), pH lowering agents, creams and lotions (like maltodextrin and carrageenans); materials for chewable

tablets (like dextrose, fructose, lactose monohydrate, lactose and aspartame, lactose and cellulose, maltodextrin, maltose, mannitol, microcrystalline cellulose and guar gum, sorbitol crystalline); parenterals (like mannitol and povidone); plasticizers (like dibutyl sebacate, plasticizers for coatings, polyvinylacetate phthalate); powder lubricants (like glyceryl behenate); soft gelatin capsules (like sorbitol special solution); spheres for coating (like sugar spheres); spheronization agents (like glyceryl behenate and microcrystalline cellulose); suspending/gelling agents (like carrageenan, gellan gum, mannitol, microcrystalline cellulose, povidone, sodium starch glycolate, xanthan gum); sweeteners (like aspartame, aspartame and lactose, dextrose, fructose, honey, maltodextrin, maltose, mannitol, molasses, sorbitol crystalline, sorbitol special solution, sucrose); wet granulation agents (like calcium carbonate, lactose anhydrous, lactose monohydrate, maltodextrin, mannitol, microcrystalline cellulose, povidone, starch), caramel, carboxymethylcellulose sodium, cherry cream flavor and cherry flavor, citric acid anhydrous, citric acid, confectioner's sugar, D&C Red No. 33, D&C Yellow #10 Aluminum Lake, disodium edetate, ethyl alcohol 15%, FD&C Yellow No. 6 aluminum lake, FD&C Blue # 1 Aluminum Lake, FD&C Blue No. 1, FD&C blue no. 2 aluminum lake, FD&C Green No.3, FD&C Red No. 40, FD&C Yellow No. 6 Aluminum Lake, FD&C Yellow No. 6, FD&C Yellow No.10, glycerol palmitostearate, glyceryl monostearate, indigo carmine, lecithin, manitol, methyl and propyl parabens, mono ammonium glycyrrhizinate, natural and artificial orange flavor, pharmaceutical glaze, poloxamer 188, Polydextrose, polysorbate 20, polysorbate 80, polyvidone, pregelatinized corn starch, pregelatinized starch, red iron oxide, saccharin sodium, sodium carboxymethyl ether, sodium chloride, sodium citrate, sodium phosphate, strawberry flavor, synthetic black iron oxide, synthetic red iron oxide, titanium dioxide, and white wax.

- [57] Solid oral dosage forms may optionally be treated with coating systems (e.g. Opadry® fx film coating system, for example Opadry® blue (OY-LS-20921), Opadry® white (YS-2-7063), Opadry® white (YS- 1-7040), and black ink (S- 1-8 106).
- The agents either in their free form or as a salt can be combined with a polymer such as polylactic-glycoloic acid (PLGA), poly-(I)-lactic-glycolic-tartaric acid (P(I)LGT) (WO 01/12233), polyglycolic acid (U.S. 3,773,919), polylactic acid (U.S. 4,767,628), poly(ε-caprolactone) and poly(alkylene oxide) (U.S. 20030068384) to create a sustained release formulation. Other sustained release formulations and polymers for use in the compositions and methods of the invention are described in EP 0 467 389 A2, WO 93/24150, U.S.

5,612,052, WO 97/40085, WO 03/075887, WO 01/01964A2, U.S. 5,922,356, WO 94/155587, WO 02/074247A2, WO 98/25642, U.S. 5,968,895, U.S. 6,180,608, U.S. 20030171296, U.S. 20020176841, U.S. 5,672,659, U.S. 5,893,985, U.S. 5,134,122, U.S. 5,192,741, U.S. 5,192,741, U.S. 4,668,506, U.S. 4,713,244, U.S. 5,445,832 U.S. 4,931,279, U.S. 5,980,945, WO 02/058672, WO 97/26015, WO 97/04744, and US20020019446. In such sustained release formulations microparticles (Delie and Blanco-Prieto 2005 Molecule 10:65-80) of polypeptide are combined with microparticles of polymer. U.S. 6,011,0 1 and WO 94/06452 describe a sustained release formulation providing either polyethylene glycols (i.e. PEG 300 and PEG 400) or triacetin. WO 03/053401 describes a formulation which may both enhance bioavailability and provide controlled releaseof the agent within the GI tract. Additional controlled release formulations are described in WO 02/38129, EP 326151, U.S. 5,236,704, WO 02/30398, WO 98/13029; U.S. 20030064105, U.S. 20030138488A1, U.S. 20030216307A1, U.S. 6,667,060, WO 01/49249, WO 01/49311, WO 01/49249, WO 01/49311, and U.S. 5,877,224 materials which may include those described in WO04041195 (including the seal and enteric coating described therein) and pH-sensitive coatings that achieve delivery in the colon including those described in US4,910,021 and WO9001329. US4910021 describes using a pH-sensitive material to coat a capsule. WO9001329 describes using pH-sensitive coatings on beads containing acid, where the acid in the bead core prolongs dissolution of the pH-sensitive coating. U. S. Patent No. 5,175,003 discloses a dual mechanism polymer mixture composed of pH-sensitive enteric materials and film-forming plasticizers capable of conferring permeability to the enteric material, for use in drug-delivery systems; a matrix pellet composed of a dual mechanism polymer mixture permeated with a drug and sometimes covering a pharmaceutically neutral nucleus; a membrane- coated pellet comprising a matrix pellet coated with a dual mechanism polymer mixture envelope of the same or different composition; and a pharmaceutical dosage form containing matrix pellets. The matrix pellet releases acid-soluble drugs by diffusion in acid pH and by disintegration at pH levels of nominally about 5.0 or higher.

[59] The GCC peptides described herein may be formulated in the pH triggered targeted control release systems described in WO04052339. The agents described herein may be formulated according to the methodology described in any of WO03105812 (extruded hyrdratable polymers); WO0243767 (enzyme cleavable membrane translocators); WO03007913 and WO03086297 (mucoadhesive systems); WO02072075 (bilayer laminated formulation comprising pH lowering agent and absorption enhancer); WO04064769

(amidated polypeptides); WO05063156 (solid lipid suspension with pseudotropic and/or thixotropic properties upon melting); WO03035029 and WO03035041 (erodible, gastric retentive dosage forms); US5007790 and US5972389 (sustained release dosage forms); WO041 1271 1 (oral extended release compositions); WO05027878, WO02072033, and WO02072034 (delayed release compositions with natural or synthetic gum); WO05030182 (controlled release formulations with an ascending rate of release); WO05048998 (microencapsulation system); US Patent 5,952,314 (biopolymer); US5,108,758 (glassy amylose matrix delivery); US 5,840,860 (modified starch based delivery). JP10324642 (delivery system comprising chitosan and gastric resistant material such as wheat gliadin or zein); US 5,866,619 and US 6,368,629 (saccharide containing polymer); US 6,531,152 (describes a drug delivery system containing a water soluble core (Ca pectinate or other water-insoluble polymers) and outer coat which bursts (e.g. hydrophobic polymer-Eudragrit)); US 6,234,464; US 6,403,130 (coating with polymer containing casein and high methoxy pectin; WO0174 175 (Maillard reaction product); WO05063206 (solubility increasing formulation); WO040 19872 (transferring fusion proteins).

- [60] The GCC peptides described herein may be formulated using gastrointestinal retention system technology (GIRES; Merrion Pharmaceuticals). GIRES comprises a controlled-release dosage form inside an inflatable pouch, which is placed in a drug capsule for oral administration. The capsule shell can be a HPMC capsule shell or Gelatin capsule shell. Upon dissolution of the capsule, a gas-generating system inflates the pouch in the stomach where it is retained for 16-24 hours, all the time releasing agents described herein.
- [61] The GCC peptides described herein can also be formulated using the multi matrix system technology (MMX).
- [62] The GCC peptides described herein can be formulated in an osmotic device including the ones disclosed in US 4,503,030, US 5,609,590 and US 5,358,502. US 4,503,030 discloses an osmotic device for dispensing a drug to certain pH regions of the gastrointestinal tract. More particularly, the invention relates to an osmotic device comprising a wall formed of a semi-permeable pH sensitive composition that surrounds a compartment containing a drug, with a passageway through the wall connecting the exterior of the device with the compartment. The device delivers the drug at a controlled rate in the region of the gastrointestinal tract having a pH of less than 3.5, and the device self- destructs and releases

all its drug in the region of the gastrointestinal tract having a pH greater than 3.5, thereby providing total availability for drug absorption. U.S. Patent Nos. 5,609,590 and 5, 358,502 disclose an osmotic bursting device for dispensing a beneficial agent to an aqueous environment. The device comprises a beneficial agent and osmagent surrounded at least in part by a semi-permeable membrane. The beneficial agent may also function as the osmagent. The semi-permeable membrane is permeable to water and substantially impermeable to the beneficial agent and osmagent. A trigger means is attached to the semi-permeable membrane (e.g., joins two capsule halves). The trigger means is activated by a pH of from 3 to 9 and triggers the eventual, but sudden, delivery of the beneficial agent. These devices enable the pH-triggered release of the beneficial agent core as a bolus by osmotic bursting.

- [63] In one embodiment the formulation contains a GCC agonist peptide, mannitol, silicified microcrystalline cellulose, sodicum starch glycolate, and sodium stearyl fumarate. The GCC agonist is at a concentration of less than 5% w/w, less than 4%, less than 3% w/w, less than 2% w/w, less than 1% w/w, less than 0.5% w/w, or less than 0.25% w/w. In some embodiments the GCC peptide is at a concentration of about 0.23% w/w. The GCC peptide is preferably SEQ NO: 1 or SEQ NO: 9. The mannitol is at a concentration of at least 60% w/w, at least 65% w/w, at least 70% w/w, at least 75% w/w, or at least 80% w/w. In some embodiments the mannitol is present at about 79% w/w (e.g., 79.77%). The mannitol is preferably Mannogem EZ. The silicified microcrystalline cellulose is at a concentration of at least 5% w/w, at least 10% w/w, or at least 15% w/w. In some embodiments the concentration of the silicified microcrystalline cellulose is about 15% w/w. The silicified microcrystalline cellulose is preferably Prosolv SMCC 90 LM. The sodicum starch glycolate is at a concentration of at least 1% w/w, at least 2% w/w, at least 3% w/w, or at least 4% w/w. In some embodiments the concentration of the sodicum starch glycolate is about 4% w/w. The sodicum starch glycolate is preferably Explotab. The sodicum stearyl fumarate is at a concentration of at least 0.2% w/w, at least 0.5% w/w, at least 0.7% w/w, at least 0.8% w/w, at least 0.9, or at least 1% w/w. In some embodiments the concentration of the sodium stearyl fumarate is about 1% w/w. The sodium stearyl fumarate is preferably Pruv.
- [64] In one embodiment the formulation contains a GCC agonist peptide, silicified microcrystalline cellulose, and sodicum starch glycolate. The GCC agonist is at a concentration of less than 5% w/w, less than 4% w/w, less than 3% w/w, less than 2% w/w,

less than 1% w/w, less than 0.5% w/w, or less than 0.25% w/w. In some embodiments the GCC peptide is at a concentration of about 0.3% w/w. The GCC peptide is preferably SEQ NO: 1 or SEQ NO: 9. The silicified microcrystalline cellulose is at a concentration of at least 10% w/w, at least 20% w/w, at least 30% w/w, at least 40% w/w, at least 50% w/w, at least 60% w/w, at least 70% w/w, at least 80% w/w, at least 90% w/w, or at least 95% w/w. In some embodiments the concentration of the silicified microcrystalline cellulose is about 95.7% w/w. The silicified microcrystalline cellulose is preferably Prosolv SMCC 90 HD. The sodicum starch glycolate is at a concentration of at least 1% w/w, at least 2% w/w, at least 3% w/w, or at least 4% w/w. In some embodiments the concentration of the sodicum starch glycolate is 4% w/w. The sodicum starch glycolate is preferably Explotab.

- [65] In one embodiment the formulation contains a GCC agonist peptide, microcrystalline cellulose, calcium chloride dihydrate, leucine, and hyrpomellose. The GCC agonist is at a concentration of less than 5% w/w, less than 4% w/w, less than 3% w/w, less than 2% w/w, less than 1% w/w, less than 0.5% w/w, or less than 0.25% w/w. In some embodiments the GCC peptide is at a concentration of about 0.3246% w/w. The GCC peptide is preferably SEQ NO: 1 or SEQ NO: 9. The microcrystalline cellulose is at a concentration of at least 50% w/w, at least 60% w/w, at least 70% w/w, at least 80% w/w, at least 90% w/w, at least 95% w/w, or at least 99% w/w. In some embodiments the concentration of the microcrystalline cellulose is about 99.10% w/w. The microcrystalline cellulose is preferably Celphere SCP-100. The calcium chloride dihydrate is at a concentration of at least 0.1% w/w, at least 0.15% w/w, at least 0.2% w/w, or at least 0.25% w/w. In some embodiments the concentration of the calcium chloride dihydrate is about 0.2622% w/w. The leucine is at a concentration of at least 0.05% w/w, at least 0.1% w/w, at least 0.12% w/w, or at least 0.15% w/w. In some embodiments the concentration of leucine is about 0.12% w/w. The hypromellose is at a concentration of at least 0.1% w/w, at least 0.15% w/w, at least 0.2% w/w, or at least 0.25% w/w. In some embodiments the concentration of the hypromellose is about 0.2% w/w. The hypromellose is preferably Methocel E5 PremLV.
- In one embodiment the formulation contains a GCC agonist peptide, microcrystalline cellulose, calcium chloride dihydrate, leucine, hypromellose, and magnesium stearate. The GCC agonist is at a concentration of less than 5% w/w, less than 4% w/w, less than 3% w/w, less than 2% w/w, less than 1% w/w, less than 0.5% w/w, or less than 0.25% w/w. In some embodiments the GCC peptide is at a concentration of about 0.36% w/w. The GCC peptide

is preferably SEQ NO: 1 or SEQ NO: 9. The microcrystalline cellulose is at a concentration of at least 50% w/w, at least 60% w/w, at least 70% w/w, at least 80% w/w, at least 90% w/w, at least 95% w/w, or at least 99% w/w. In some embodiments the concentration of the microcrystalline cellulose is about 98.75% w/w. The microcrystalline cellulose is preferably Avicel PH 102. The calcium chloride dihydrate is at a concentration of at least 0.1% w/w, at least 0.15% w/w, at least 0.25% w/w, or at least 0.3% w/w. In some embodiments the concentration of the calcium chloride dihydrate is about 0.29% w/w. The leucine is at a concentration of at least 0.05% w/w, at least 0.11% w/w, at least 0.12% w/w, or at least 0.15% w/w. In some embodiments the concentration of leucine is about 0.13% w/w. The hypromellose is at a concentration of at least 0.11% w/w, at least 0.15% w/w, at least 0.25% w/w. In some embodiments the concentration of the hypromellose is about 0.22% w/w. The hypromellose is preferably Methocel E5 PremLV. The magnesium stearate is at a concentration of at least 0.11% w/w, at least 0.15% w/w, at least 0.25% w/w. In some embodiments the concentration of the magnesium stearate is at a concentration of at least 0.11% w/w, at least 0.15% w/w, at least 0.25% w/w. In some embodiments the concentration of the magnesium stearate is about 0.25% w/w.

- [67] In one embodiment the formulation contains a GCC agonist peptide, microcrystalline cellulose, and magnesium stearate. The GCC agonist is at a concentration of less than 5% w/w, less than 4% w/w, less than 3% w/w, less than 2% w/w, less than 1% w/w, less than 0.5% w/w, or less than 0.25% w/w. In some embodiments the GCC peptide is at a concentration of about 0.32% w/w. The GCC peptide is preferably SEQ NO: 1 or SEQ NO: 9. The microcrystalline cellulose is at a concentration of at least 50% w/w, at least 60% w/w, at least 70% w/w, at least 80% w/w, at least 90% w/w, at least 95% w/w, or at least 99% w/w. In some embodiments the concentration of the microcrystalline cellulose is about 99.43% w/w. The microcrystalline cellulose is preferably Avicel PH 102. The magnesium stearate is at a concentration of at least 0.1% w/w, at least 0.15% w/w, at least 0.2% w/w, or at least 0.25% w/w. In some embodiments the concentration of the magnesium stearate is about 0.25% w/w.
- [68] In one embodiment the formulation contains a GCC agonist peptide, microcrystalline cellulose, and magnesium stearate. The GCC agonist is at a concentration of less than 5% w/w, less than 4% w/w, less than 3% w/w, less than 2% w/w, less than 1% w/w, less than 0.5% w/w, or less than 0.25% w/w. In some embodiments the GCC peptide is at a concentration of about 0.32% w/w, about 1.18% w/w. The GCC peptide is preferably SEQ

NO: 1 or SEQ NO: 9. The microcrystalline cellulose is at a concentration of at least 30% w/w, at least 40% w/w, at least 50% w/w, at least 60% w/w, at least 70% w/w, at least 80% w/w, at least 90% w/w, at least 95% w/w, or at least 99% w/w. In some embodiments the concentration of the microcrystalline cellulose is about 98.57 % w/w. The microcrystalline cellulose is preferably Avicel PH 102. The magnesium stearate is at a concentration of at least 0.1% w/w, at least 0.15% w/w, at least 0.2% w/w, or at least 0.25% w/w. In some embodiments the concentration of the magnesium stearate is about 0.25% w/w.

- [69] In one embodiment the formulation contains a GCC agonist peptide, microcrystalline cellulose, and magnesium stearate. The GCC agonist is at a concentration of less than 5% w/w, less than 4% w/w, less than 3% w/w, less than 2% w/w, less than 1% w/w, less than 0.5% w/w, or less than 0.25% w/w. In some embodiments the GCC peptide is at a concentration of about 1.18% w/w. The GCC peptide is preferably SEQ NO: 1 or SEQ NO: 9. The microcrystalline cellulose is at a concentration of at least 30% w/w, at least 40% w/w, at least 50% w/w, at least 60% w/w, at least 70% w/w, at least 80% w/w, at least 90% w/w, at least 95% w/w, or at least 99% w/w. In some embodiments the concentration of the microcrystalline cellulose is about 97.09 % w/w. The microcrystalline cellulose is preferably Avicel PH 112. The magnesium stearate is at a concentration of at least 0.1% w/w, at least 0.15% w/w, at least 0.2% w/w, or at least 0.25% w/w. In some embodiments the concentration of the magnesium stearate is about 0.25% w/w.
- [70] In one embodiment the formulation contains a GCC agonist peptide, trehalose granules, hypromellose, histidine, calcium ascorbate, trehalose powder, microcrystalline cellulose, and magnesium stearate. The GCC agonist is at a concentration of less than 5% w/w, less than 4% w/w, less than 3% w/w, less than 2% w/w, less than 1% w/w, less than 0.5% w/w, or less than 0.25% w/w. In some embodiments the GCC peptide is at a concentration of about 1.18% w/w. The GCC peptide is preferably SEQ NO: 1 or SEQ NO: 9. The trehalose granules are at a concentration of at least 50% w/w, at least 55% w/w, at least 60% w/w, at least 65% w/w, at least 70% w/w, or at least 75% w/w. In some embodiments the concentration of the trehalose granules is 55-75% w/w. In a particular embodiment, the concentration of the trehalose granules is 70.48% w/w. The hypromellose is at a concentration of at least 0.1% w/w, at least 0.2% w/w, at least 0.3% w/w, at least 0.4% w/w, or at least 0.5% w/w. In some embodiments the concentration of the hypromellose is 0.2-2% w/w. In a particular embodiment the concentration of the hypromellose about 0.5%

w/w. The hypromellose is preferably Methocel ES Premium LV. The histine is a concentration of at least 0.6% w/w, at least 0.8% w/w, at least 0.9% w/w, at least 1% w/w, at least 3% w/w, or at least 5% w/w. In some embodiments the concentration of the histidine is 1-6% w/w. In a particular embodiment, the concentration of the arginine is 1.48% w/w. The calcium ascorbate is at a concentration of at least 0.05% w/w, at least 0.07% w/w, at least 0.09% w/w, or at least 0.1% w/w. In some embodiments the concentration of the calcium ascorbate is 0.05-10% w/w. In a particular embodiment, the concentration of the calcium ascorbate is about 0.1% w/w. The trehalose powder is at a concentration of at least 0.5% w/w, at least 0.7% w/w, at least 0.8% w/w, at least 0.9% w/w, at least 1% w/w, or at least 1.2% w/w. In some embodiments the concentration of the trehalose powder is 0.5-4% w/w. In a particular embodiment, the concentration of the trehalose powder is 1.02% w/w. The microcrystalline cellulose is at a concentration of at least 10% w/w, at least 20% w/w, or at least 25% w/w. In some embodiments the concentration of the microcrystalline cellulose is 20-40% w/w. In a particular embodiment, the concentration of the microcrystalline cellulose is 25% w/w. The microcrystalline cellulose is preferably Avicel PH 200. The magnesium stearate is at a concentration of at least 0.1% w/w, at least 0.15% w/w, at least 0.2% w/w, or at least 0.25% w/w. In some embodiments the concentration of the magnesium stearate is 0.2-1% w/w. In a particular embodiment the concentration of the magnesium stearate is about 0.25% w/w.

[71] In one embodiment the formulation contains a GCC agonist peptide, trehalose granules, hypromellose, arginine, calcium ascorbate, trehalose powder, microcrystalline cellulose, and magnesium stearate. The GCC agonist is at a concentration of less than 5% w/w, less than 4% w/w, less than 3% w/w, less than 2% w/w, less than 1% w/w, less than 0.5% w/w, or less than 0.25% w/w. In some embodiments the GCC peptide is at a concentration of about 1.17% w/w. The GCC peptide is preferably SEQ NO: 1 or SEQ NO: 9. The trehalose granules are at a concentration of at least 50% w/w, at least 55% w/w, at least 65% w/w, at least 70% w/w, or at least 75% w/w. In some embodiments the concentration of the trehalose granules is 55-75% w/w. In a particular embodiment, the concentration of the trehalose granules is 70.31% w/w. The hypromellose is at a concentration of at least 0.1% w/w, at least 0.2% w/w, at least 0.3% w/w, at least 0.4% w/w, or at least 0.5% w/w. In some embodiments the concentration of the hypromellose is 0.2-2% w/w. In a particular embodiment the concentration of the hypromellose about 0.5% w/w. The hypromellose is preferably Methocel ES Premium LV. The arginine is a

concentration of at least 0.5% w/w, at least 1% w/w, at least 1.5% w/w, or at least 2% w/w. In some embodiments the concentration of the arginine is 1-6% w/w. In a particular embodiment, the concentration of the arginine is 1.66% w/w. The calcium ascorbate is at a concentration of at least 0.05% w/w, at least 0.07% w/w, at least 0.09% w/w, or at least 0.1% w/w. In some embodiments the concentration of the calcium ascorbate is 0.05-10% w/w. In a particular embodiment, the concentration of the calcium ascorbate is about 0.1% w/w. The trehalose powder is at a concentration of at least 0.5% w/w, at least 0.7% w/w, at least 0.8% w/w, at least 0.9% w/w, at least 1% w/w, or at least 1.2% w/w. In some embodiments the concentration of the trehalose powder is 0.5-4% w/w. In a particular embodiment, the concentration of the trehalose powder is 1.02% w/w. The microcrystalline cellulose is at a concentration of at least 10% w/w, at least 20% w/w, or at least 25% w/w. In some embodiments the concentration of the microcrystalline cellulose is 20-40% w/w. In a particular embodiment, the concentration of the microcrystalline cellulose is 25% w/w. The microcrystalline cellulose is preferably Avicel PH 200. The magnesium stearate is at a concentration of at least 0.1% w/w, at least 0.15% w/w, at least 0.2% w/w, or at least 0.25% w/w. In some embodiments the concentration of the magnesium stearate is 0.2-1% w/w. In a particular embodiment the concentration of the magnesium stearate is about 0.25% w/w.

In one embodiment the formulation contains a GCC agonist peptide, trehalose [72] granules, hypromellose, TRIS, calcium ascorbate, trehalose powder, microcrystalline cellulose, and magnesium stearate. The GCC agonist is at a concentration of less than 5% w/w, less than 4% w/w, less than 3% w/w, less than 2% w/w, less than 1% w/w, less than 0.5% w/w, or less than 0.25% w/w. In some embodiments the GCC peptide is at a concentration of about 1.17% w/w. The GCC peptide is preferably SEQ NO: 1 or SEQ NO: 9. The trehalose granules are at a concentration of at least 50% w/w, at least 55% w/w, at least 60% w/w, at least 65% w/w, at least 70% w/w, or at least 75% w/w. In some embodiments the concentration of the trehalose granules is 55-75% w/w. In a particular embodiment, the concentration of the trehalose granules is 70.81% w/w. The hypromellose is at a concentration of at least 0.1% w/w, at least 0.2% w/w, at least 0.3% w/w, at least 0.4% w/w, or at least 0.5% w/w. In some embodiments the concentration of the hypromellose is 0.2-2% w/w. In a particular embodiment the concentration of the hypromellose about 0.5% w/w. The hypromellose is preferably Methocel ES Premium LV. The TRIS is a concentration of at least 0.6% w/w, at least 0.8% w/w, at least 0.9% w/w, or at least 1% w/w. In some embodiments the concentration of the TRIS is 0.5-6% w/w. In a particular

embodiment, the concentration of the arginine is 1.15% w/w. The calcium ascorbate is at a concentration of at least 0.05% w/w, at least 0.07% w/w, at least 0.1% w/w, or at least 1% w/w. In some embodiments the concentration of the calcium ascorbate is 0.05-10% w/w. In a particular embodiment, the concentration of the calcium ascorbate is about 0.1% w/w. The trehalose powder is at a concentration of at least 0.5% w/w, at least 0.7% w/w, at least 0.8% w/w, at least 0.9% w/w, at least 1% w/w, or at least 1.2% w/w. In some embodiments the concentration of the trehalose powder is 0.5-4% w/w. In a particular embodiment, the concentration of at least 10% w/w, at least 20% w/w, or at least 25% w/w. In some embodiments the concentration of the microcrystalline cellulose is 20-40% w/w. In a particular embodiment, the concentration of the microcrystalline cellulose is 25% w/w. The microcrystalline cellulose is preferably Avicel PH 200. The magnesium stearate is at a concentration of at least 0.1% w/w, at least 0.15% w/w, at least 0.2% w/w, or at least 0.25% w/w. In some embodiments the concentration of the magnesium stearate is 0.2-1% w/w. In a particular embodiments the concentration of the magnesium stearate is 3.2-1% w/w. In a particular embodiment the concentration of the magnesium stearate is about 0.25% w/w.

- In one embodiment the formulation contains a GCC agonist peptide, microcrystalline cellulose, and magnesium stearate. The GCC agonist is at a concentration of less than 5% w/w, less than 4% w/w, less than 3% w/w, less than 2% w/w, less than 1% w/w, less than 0.5% w/w, or less than 0.25% w/w. In some embodiments the GCC peptide is at a concentration of about 1.10% w/w. The GCC peptide is preferably SEQ NO: 1 or SEQ NO: 9. The microcrystalline cellulose is at a concentration of at least 30% w/w, at least 40% w/w, at least 50% w/w, at least 60% w/w, at least 70% w/w, at least 80% w/w, at least 90% w/w, at least 95% w/w, or at least 99% w/w. In some embodiments the concentration of the microcrystalline cellulose is about 98.64 % w/w. The microcrystalline cellulose is preferably Avicel PH 102. The magnesium stearate is at a concentration of at least 0.1% w/w, at least 0.15% w/w, at least 0.2% w/w, or at least 0.25% w/w. In some embodiments the concentration of the magnesium stearate is about 0.25% w/w.
- [74] In one embodiment the formulation contains a GCC agonist peptide, microcrystalline cellulose, and magnesium stearate. The GCC agonist is at a concentration of less than 5% w/w, less than 4% w/w, less than 3% w/w, less than 2% w/w, less than 1% w/w, less than 0.5% w/w, or less than 0.25% w/w. In some embodiments the GCC peptide is at a concentration of about 3.32% w/w. The GCC peptide is preferably SEQ NO: 1 or SEQ NO:

9. The microcrystalline cellulose is at a concentration of at least 30% w/w, at least 40% w/w, at least 50% w/w, at least 60% w/w, at least 70% w/w, at least 80% w/w, at least 90% w/w, at least 95% w/w, or at least 99% w/w. In some embodiments the concentration of the microcrystalline cellulose is about 96.43 % w/w. The microcrystalline cellulose is preferably Avicel PH 102. The magnesium stearate is at a concentration of at least 0.1% w/w, at least 0.15% w/w, at least 0.25% w/w. In some embodiments the concentration of the magnesium stearate is about 0.25% w/w.

1.2 GCC Agonists

- [75] The GCC agonists for use in the formulations and methods of the invention bind to guanylate cyclase C and stimulate intracellular production of cGMP. Optionally, the GCC agonists induce apoptosis and inhibit proliferation of epithelial cells. The term, "guanylate cyclase C" refers to a transmembrane form of guanylate cyclase that acts as the intestinal receptor for the heat-stable toxin (ST) peptides secreted by enteric bacteria. Guanylate cyclase C is also the receptor for the naturally occurring peptides guanylin and uroguanylin. The possibility that there may be different receptors for each of these peptides has not been excluded. Hence, the term "guanylate cyclase C" may also encompass a class of transmembrane guanylate cyclase receptors expressed on epithelial cells lining the gastrointestinal mucosa.
- [76] The term "GCC agonist" refers to both peptides and non-peptide compounds such as that bind to an intestinal guanylate cyclase C and stimulate the intracellular production of cGMP. Where the GCC agonist is a peptide, the term encompasses biologically active fragments of such peptides and pro-peptides that bind to guanylate cyclase C and stimulate the intracellular production of cGMP.
- Preferably, the GCC agonists for use in the formulations and methods of the invention stimulate intracellular cGMP production at higher levels than naturally occurring GCC agonists such as uroguanylin, guanylin, and ST peptides. In some embodiments, the GCC agonists stimulate intracellular cGMP production at higher levels than the peptide designated SP-304 (SEQ ID NO:1). In specific embodiments, a GCC agonist for use in the formulations and methods of the invention stimulates 5%, 10%, 20%, 30%, 40%, 50%, 75%, 90% or more intracellular cGMP compared to uroguanylin, guanylin, lymphoguanylin, linaclotide, ST

peptides, or SP-304. The terms "induce" and "stimulate" are used interchangeably throughout the specification.

- Preferably, the GCC agonists for use in the formulations and methods of the invention are more stable than naturally occurring GCC agonists such as uroguanylin, guanylin, and ST peptides. In some embodiments, the GCC agonists are more stable than the peptide designated SP-304. "Stability" in this context refers to resistance to degradation in gastrointestinal fluid and/or intestinal fluid (or simulated gastrointestinal or intestinal fluids) compared to the reference peptide. For example, the GCC agonists for use in the formulations and methods of the invention preferably degrade 2%, 3%, 5%, 10%, 15%, 20%, 30%, 40%, 50%, 75%, 90% or less compared to naturally occurring GCC angonists and/or SP-304.
- The GCC agonists for use in the formulations and methods of the invention are preferably peptides. In some embodiments, the GCC agonist peptide is less than 30 amino acids in length. In particular embodiments, the GCC agonist peptide is less than or equal to 30, 25, 20, 15, 14, 13, 12, 11, 10, or 5 amino acids in length. Examples of GCC agonist peptides for use in the formulations and methods of the invention include those described in U.S. Serial Nos.: 12/133,344, filed June 4, 2008, 12/478505, filed June 4, 2009; 12/478511, filed June 4, 2009; 12/504288, filed July 16, 2009; and U.S. Provisional Application Serial Nos.: 60/933194, filed June 4, 2007; 61/058,888, filed June 4, 2008; 61/058,892, filed June 4, 2008; and 61/081,289, filed July 16, 2008, each of which is incorporated by reference herein in its entirety.
- [80] Specific examples of GCC agonist peptides for use in the formulations and methods of the invention include those described in Tables I-VII below. As used Tables I-VII, the terms "PEG3" or "3PEG" refer to a polyethylene glycol such as aminoethyloxy-ethyloxy-acetic acid (AeeA), and polymers thereof. The term "X_{aa}" refers to any natural or unnatural amino acid or amino acid analogue. The term "M_{aa}" refers to a cysteine (Cys), penicillamine (Pen) homocysteine, or 3-mercaptoproline. The term "Xaa_{n1}" is meant to denote an amino acid sequence of any natural or unnatural amino acid or amino acid analogue that is one, two or three residues in length; Xaa_{n2} is meant to denote an amino acid sequence that is zero or one residue in length; and Xaa_{n3} is meant to denote an amino acid sequence zero, one, two, three, four, five or six residues in length. Additionally, any amino acid represented by Xaa,

Xaa_{n1}, Xaa_{n2}, or Xaa_{n3} may be an L-amino acid, a D-amino acid, a methylated amino acid or any combination of thereof. Optionally, any GCC agonist peptide represented by Formulas I to XX in the tables may contain on or more polyethylene glycol residues at the the N-terminus, C-terminus or both.

- [81] In certain embodiments, a GCC agonist formulation of the invention comprises a peptide selected from SEQ ID NOs: 1-249, the sequences of which are set forth below in Tables I to VII below. In one embodiment, a GCC agonist formulation comprises the peptide designated by SEQ ID NOs:1, 8, 9, 55, or 56.
- [82] In certain embodiments, a GCC agonist formulation of the invention comprises a peptide that is substantially equivalent to a peptide selected from SEQ ID NOs: 1-249. The term "substantially equivalent" refers to a peptide that has an amino acid sequence equivalent to that of the binding domain where certain residues may be deleted or replaced with other amino acids without impairing the peptide's ability to bind to an intestinal guanylate cyclase receptor and stimulate fluid and electrolyte transport.

1.2.1 GCC Agonist Peptides

- [83] In a preferred embodiment, the GCC agonists for use in the formulations and methods of the invention are GCC agonist peptides. In certain embodiments, the GCC agonist peptides are analogues of uroguanylin or a bacterial ST peptide. Uroguanylin is a circulating peptide hormone with natriuretic activity. An ST peptide is a member of a family of heat stable enterotoxins (ST peptides) secreted by pathogenic strains of *E. coli* and other enteric bacteria that activate guanylate cyclase receptor and cause secretory diarrhea. Unlike bacterial ST peptides, the binding of uroguanylin to guanylate cyclase receptor is dependent on the physiological pH of the gut. Therefore, uroguanylin is expected to regulate fluid and electrolyte transport in a pH dependent manner and without causing severe diarrhea.
- [84] The GCC agonist peptides for use in the formulations and methods of the invention can be polymers of L-amino acids, D-amino acids, or a combination of both. For example, in various embodiments, the peptides are D retro-inverso peptides. The term "retro-inverso isomer" refers to an isomer of a linear peptide in which the direction of the sequence is reversed and the chirality of each amino acid residue is inverted. *See*, *e.g.*, Jameson *et al.*, *Nature*, 368, 744-746 (1994); Brady *et al.*, Nature, 368, 692-693 (1994). The net result of

combining D-enantiomers and reverse synthesis is that the positions of carbonyl and amino groups in each amide bond are exchanged, while the position of the side-chain groups at each alpha carbon is preserved. Unless specifically stated otherwise, it is presumed that any given L-amino acid sequence of the invention may be made into a D retro-inverso peptide by synthesizing a reverse of the sequence for the corresponding native L-amino acid sequence.

- [85] The GCC agonist peptides for use in the formulations and methods of the invention are able to induce intracellular cGMP production in cells and tissues expressing guanylate cyclase C. In certain embodiments, the GCC agonist peptide stimulates 5%, 10%, 20%, 30%, 40%, 50%, 75%, 90% or more intracellular cGMP compared to naturally occurring GCC agonists such as uroguanylin, guanylin, or ST peptides. Optionally, the GCC agonist peptide stimulates 5%, 10%, 20%, 30%, 40%, 50%, 75%, 90% or more intracellular cGMP compared SP-304 (SEQ ID NO:1). In further embodiments, the GCC agonist peptide stimulates apoptosis, *e.g.*, programmed cell death, or activate the cystic fibrosis transmembrane conductance regulator (CFTR).
- [86] In some embodiments, the GCC agonist peptides for use in the formulations and methods of the invention are more stable than naturally occurring GCC agonists and/or SP-304 (SEQ ID NO:1), SP-339 (linaclotide) (SEQ ID NO: 55) or SP-340 (SEQ ID NO: 56). For example, the GCC agonist peptide degrades 2%, 3%, 5%, 10%, 15%, 20%, 30%, 40%, 50%, 75%, 90% or less compared to naturally occurring GCC agonists and/or SP-304, SP-339 (linaclotide) or SP-340. In certain embodiments, the GCC agonist peptides for use in the formulations and methods of the invention are more stable to proteolytic digestion than naturally occurring GCC agonists and/or SP-304 (SEQ ID NO:1), SP-339 (linaclotide) (SEQ ID NO: 55) or SP-340 (SEQ ID NO: 56). In one embodiment, a GCC agonist peptide is pegylated in order to render the peptides more resistant towards protealysis by enzymes of the gastrointestinal tract. In a preferred embodiment, the GCC agonist peptide is pegylated with the aminoethyloxy-ethyloxy-acetic acid (Aeea) group at its C-terminal end, at its N-terminal end, or at both termini.
- [87] Specific examples of GCC agonist peptides that can be used in the methods and formulations of the invention include a peptide selected from the group designated by SEQ ID NOs: 1-249.

- [88] In one embodiment, the GCC agonist peptide is a peptide having the amino acid sequence of any one of Formulas X- XVII (e.g. SEQ ID NO:87-98).
- [89] In some embodiments, GCC agonist peptides include peptides having the amino acid sequence of Formula I, wherein at least one amino acid of Formula I is a D-amino acid or a methylated amino acid and/or the amino acid at position 16 is a serine. Preferably, the amino acid at position 16 of Formula I is a D-amino acid or a methylated amino acid. For example, the amino acid at position 16 of Formula I is a d-leucine or a d-serine. Optionally, one or more of the amino acids at positions 1-3 of Formula I are D-amino acids or methylated amino acids or a combination of D-amino acids or methylated amino acids. For example, Asn¹, Asp² or Glu³ (or a combination thereof) of Formula I is a D-amino acid or a methylated amino acid. Preferably, the amino acid at position Xaa⁶ of Formula I is a leucine, serine or tyrosine.
- In alternative embodiments, GCC agonist peptides include peptides having the amino acid sequence of Formula II, wherein at least one amino acid of Formula II is a D-amino acid or a methylated amino acid. Preferably, the amino acid denoted by Xaa_{n2} of Formula II is a D-amino acid or a methylated amino acid. In some embodiments, the amino acid denoted by Xaa_{n2} of Formula II is a leucine, a d-leucine, a serine, or a d-serine. Preferably, the one or more amino acids denoted by Xaa_{n1} of Formula II is a D-amino acid or a methylated amino acid. Preferably, the amino acid at position Xaa⁶ of Formula II is a leucine, a serine, or a tyrosine.
- [91] In some embodiments, GCC agonist peptides include peptides having the amino acid sequence of Formula III, wherein at least one amino acid of Formula III is a D-amino acid or a methylated amino acid and/or Maa is not a cysteine. Preferably, the amino acid denoted by Xaa_{n2} of Formula III is a D-amino acid or a methylated amino acid. In some embodiments the amino acid denoted by Xaa_{n2} of Formula III is a leucine, a d-leucine, a serine, or a d-serine. Preferably, the one or more amino acids denoted by Xaa_{n1} of Formula III is a D-amino acid or a methylated amino acid. Preferably, the amino acid at position Xaa⁶ of Formula III is a leucine, a serine, or a tyrosine.
- [92] In other embodiments, GCC agonist peptides include peptides having the amino acid sequence of Formula IV, wherein at least one amino acid of Formula IV is a D-amino acid or a methylated amino acid, and/or Maa is not a cysteine. Preferably, the Xaa_{n2} of Formula IV

is a D-amino acid or a methylated amino acid. In some embodiments, the amino acid denoted by Xaa_{n2} of Formula IV is a leucine, a d-leucine, a serine, or a d-serine. Preferably, the one or more of the amino acids denoted by Xaa_{n1} of Formula IV is a D-amino acid or a methylated amino acid. Preferably, the amino acid denoted Xaa⁶ of Formula IV is a leucine, a serine, or a tyrosine.

- [93] In further embodiments, GCC agonist peptides include peptides having the amino acid sequence of Formula V, wherein at at least one amino acid of Formula V is a D-amino acid or a methylated amino acid. Preferably, the amino acid at position 16 of Formula V is a D-amino acid or a methylated amino acid. For example, the amino acid at position 16 (i.e., Xaa¹⁶) of Formula V is a d-leucine or a d-serine. Optionally, one or more of the amino acids at position 1-3 of Formula V are D-amino acids or methylated amino acids or a combination of D-amino acids or methylated amino acids. For example, Asn¹, Asp² or Glu³ (or a combination thereof) of Formula V is a D-amino acids or a methylated amino acid. Preferably, the amino acid denoted at Xaa⁶ of Formula V is a leucine, a serine, or a tyrosine.
- [94] In additional embodiments, GCC agonist peptides include peptides having the amino acid sequence of Formula VI, VII, VIII, or IX. Preferably, the amino acid at position 6 of Formula VI, VII, VIII, or IX is a leucine, a serine, or a tyrosine. In some aspects the amino acid at position 16 of Formula VI, VII, VIII, or IX is a leucine or a serine. Preferably, the amino acid at position 16 of Formula V is a D-amino acid or a methylated amino acid.
- [95] In additional embodiments, GCC agonist peptides include peptides having the amino acid sequence of Formula X, XI, XII, XIII, XIV, XV, XVI or XVII. Optionally, one or more amino acids of Formulas X, XI, XII, XIII, XIV, XV, XVI or XVII is a D-amino acid or a methylated amino acid. Preferably, the amino acid at the carboxy terminus of the peptides according to Formulas X, XI, XII, XIII, XIV, XV, XVI or XVII is a D-amino acid or a methylated amino acid. For example the the amino acid at the carboxy terminus of the peptides according to Formulas X, XI, XII, XIII, XIV, XV, XVI or XVII is a D-tyrosine.
- [96] Preferably, the amino acid denoted by Xaa⁶ of Formula XIV is a tyrosine, phenyalanine or a serine. Most preferably the amino acid denoted by Xaa⁶ of Formula XIV is a phenyalanine or a serine. Preferably, the amino acid denoted by Xaa⁴ of Formula XV, XVI or XVII is a tyrosine, a phenyalanine, or a serine. Most preferably, the amino acid position Xaa⁴ of Formula V, XVI or XVII is a phenyalanine or a serine.

- [97] In some embodiments, GCRA peptides include peptides containing the amino acid sequence of Formula XVIII. Preferably, the amino acid at position 1 of Formula XVIII is a glutamic acid, aspartic acid, glutamine or lysine. Preferably, the amino acid at position 2 and 3 of Formula XVIII is a glutamic acid, or an aspartic acid. Preferably, the amino acid at position 5 a glutamic acid. Preferably, the amino acid at position 6 of Formula XVIII is an isoleucine, valine, serine, threonine or tyrosine. Preferably, the amino acid at position 9 of Formula XVIII is a valine or isoleucine. Preferably, the amino acid at position 9 of Formula XVIII is a an asparagine. Preferably, the amino acid at position 10 of Formula XVIII is a valine or an methionine. Preferably, the amino acid at position 11 of Formula XVIII is an alanine. Preferably, the amino acid at position 13 of Formula XVIII is a threonine. Preferably, the amino acid at position 14 of Formula XVIII is a glycine. Preferably, the amino acid at position 16 of Formula XVIII is a leucine, serine or threonine
- [98] In alternative embodiments, GCRA peptides include peptides containing the amino acid sequence of Formula XIX. Preferably, the amino acid at position 1 of Formula XIX is a serine or asparagine. Preferably, the amino acid at position 2 of Formula XIX is a histidine or an aspartic acid. Preferably, the amino acid at position 3 of Formula XIX is a threonine or a glutamic acid. Preferably, the amino acid at position 5 of Formula XIX is a glutamic acid. Preferably, the amino acid at position 6 of Formula XIX is an isoleucine, leucine, valine or tyrosine. Preferably, the amino acid at position 8, 10, 11, or 13 of Formula XIX is a alanine. Preferably, the amino acid at position 9 of Formula XIX is an asparagine or a phenylalanine. Preferably, the amino acid at position 14 of Formula XIX is a glycine.
- [99] In further embodiments, GCRA peptides include peptides containing the amino acid sequence of Formula XX. Preferably, the amino acid at position 1 of Formula XX is a glutamine. Preferably, the amino acid at position 2 or 3 of Formula XX is a glutamic acid or a aspartic acid. Preferably, the amino acid at position 5 of Formula XX is a glutamic acid. Preferably, the amino acid at position 6 of Formula XX is threonine, glutamine, tyrosine, isoleucine, or leucine. Preferably, the amino acid at position 8 of Formula XX is isoleucine or valine. Preferably, the amino acid at position 9 of Formula XX is asparagine. Preferably, the amino acid at position 10 of Formula XX is methionine or valine. Preferably, the amino acid at position 13 of Formula XX is a threonione. Preferably, the amino acid at position 1 of Formula XX is a glycine. Preferably, the amino acid at position 1 of Formula XX is a glycine. Preferably, the amino acid at position 1 of Formula XX is a glycine. Preferably, the amino acid at position 1 of Formula XX is a tyrosine. Optionally,

the amino acid at position 15 of Formula XX is two amino acid in length and is Cysteine (Cys), Penicillamine (Pen) homocysteine, or 3-mercaptoproline and serine, leucine or threonine.

[100] In certain embodiments, one or more amino acids of the GCC agonist peptides are replaced by a non-naturally occurring amino acid or a naturally or non-naturally occurring amino acid analog. Such amino acids and amino acid analogs are known in the art. See, for example, Hunt, "The Non-Protein Amino Acids," in Chemistry and Biochemistry of the Amino Acids, Barrett, Chapman and Hall, 1985. In some embodiments, an amino acid is replaced by a naturally-occurring, non-essential amino acid, e.g., taurine. Non-limiting examples of naturally occurring amino acids that can be replaced by non-protein amino acids include the following: (1) an aromatic amino acid can be replaced by 3,4-dihydroxy-Lphenylalanine, 3-iodo-L-tyrosine, triiodothyronine, L-thyroxine, phenylglycine (Phg) or nortyrosine (norTyr); (2) Phg and norTyr and other amino acids including Phe and Tyr can be substituted by, e.g., a halogen, -CH3, -OH, -CH2NH3, -C(O)H, -CH2CH3, -CN, -CH2CH2CH3, -SH, or another group; (3) glutamine residues can be substituted with gamma-Hydroxy-Glu or gamma- Carboxy-Glu; (4) tyrosine residues can be substituted with an alpha substituted amino acid such as L-alpha-methylphenylalanine or by analogues such as: 3-Amino-Tyr; Tyr(CH3); Tyr(PO3(CH3)2); Tyr(SO3H); beta-Cyclohexyl-Ala; beta-(l-Cyclopentenyl)-Ala; beta-Cyclopentyl-Ala; beta-Cyclopropyl-Ala; beta-Quinolyl-Ala; beta-(2-Thiazolyl)-Ala; beta-(Triazole-l-yl)-Ala; beta-(2-Pyridyl)-Ala; beta-(3-Pyridyl)-Ala; Amino-Phe; Fluoro-Phe; Cyclohexyl-Gly; tBu-Gly; beta-(3-benzothienyl)-Ala; beta-(2thienyl)-Ala; 5-Methyl-Trp; and A- Methyl-Trp; (5) proline residues can be substituted with homopro (L-pipecolic acid); hydroxy-Pro; 3,4-Dehydro-Pro; 4-fluoro-Pro; or alpha-methyl-Pro or an N(alpha)-C(alpha) cyclized amino acid analogues with the structure: n = 0, 1, 2, 3; and (6) alanine residues can be substituted with alpha-substitued or N-methylated amino acid such as alpha-amino isobutyric acid (aib), L/D-alpha-ethylalanine (L/D-isovaline), L/Dmethylvaline, or L/D-alpha-methylleucine or a non-natural amino acid such as beta-fluoro-Ala. Alanine can also be substituted with: n = 0, 1, 2, 3 Glycine residues can be substituted with alpha-amino isobutyric acid (aib) or L/D-alpha- ethylalanine (L/D-isovaline).

[101] Further examples of non-natural amino acids include: an unnatural analog of tyrosine; an unnatural analogue of glutamine; an unnatural analogue of phenylalanine; an unnatural analogue of serine; an unnatural analogue of threonine; an alkyl, aryl, acyl, azido, cyano,

halo, hydrazine, hydrazide, hydroxyl, alkenyl, alkynl, ether, thiol, sulfonyl, seleno, ester, thioacid, borate, boronate, phospho, phosphono, phosphine, heterocyclic, enone, imine, aldehyde, hydroxylamine, keto, or amino substituted amino acid, or any combination thereof; an amino acid with a photoactivatable cross-linker; a spin-labeled amino acid; a fluorescent amino acid; an amino acid with a novel functional group; an amino acid that covalently or noncovalently interacts with another molecule; a metal binding amino acid; an amino acid that is amidated at a site that is not naturally amidated, a metal-containing amino acid; a radioactive amino acid; a photocaged and/or photoisomerizable amino acid; a biotin or biotinanalogue containing amino acid; a glycosylated or carbohydrate modified amino acid; a keto containing amino acid; amino acids comprising polyethylene glycol or polyether; a heavy atom substituted amino acid (e.g., an amino acid containing deuterium, tritium, ¹³C, ¹⁵N, or ¹⁸O); a chemically cleavable or photocleavable amino acid; an amino acid with an elongated side chain; an amino acid containing a toxic group; a sugar substituted amino acid, e.g., a sugar substituted serine or the like; a carbon-linked sugar-containing amino acid; a redoxactive amino acid; an α-hydroxy containing acid; an amino thio acid containing amino acid; an α , α disubstituted amino acid; a β - amino acid; a cyclic amino acid other than proline; an O-methyl-L-tyrosine; an L-3-(2- naphthyl)alanine; a 3-methyl-phenylalanine; a ρ-acetyl-Lphenylalanine; an O-4-allyl-L-tyrosine; a 4-propyl-L-tyrosine; a tri-O-acetyl-GlcNAc β serine; an L-Dopa; a fluorinated phenylalanine; an isopropyl-L-phenylalanine; a p-azido-Lphenylalanine; a p-acyl-L-phenylalanine; a p- benzoyl-L-phenylalanine; an L-phosphoserine; a phosphonoserine; a phosphonotyrosine; a p- iodo-phenylalanine; a 4-fluorophenylglycine; a p-bromophenylalanine; a p-amino-L- phenylalanine; an isopropyl-L-phenylalanine; L-3-(2naphthyl)alanine; D- 3-(2-naphthyl)alanine (dNal); an amino-, isopropyl-, or O-allylcontaining phenylalanine analogue; a dopa, 0-methyl-L-tyrosine; a glycosylated amino acid; a p-(propargyloxy)phenylalanine; dimethyl-Lysine; hydroxy-proline; mercaptopropionic acid; methyl-lysine; 3-nitro-tyrosine; norleucine; pyro-glutamic acid; Z (Carbobenzoxyl); ε-Acetyl-Lysine; β-alanine; aminobenzoyl derivative; aminobutyric acid (Abu); citrulline; aminohexanoic acid; aminoisobutyric acid (AIB); cyclohexylalanine; d-cyclohexylalanine; hydroxyproline; nitro-arginine; nitro-phenylalanine; nitro-tyrosine; norvaline; octahydroindole carboxylate; ornithine (Orn); penicillamine (PEN); tetrahydroisoguinoline; acetamidomethyl protected amino acids and pegylated amino acids. Further examples of unnatural amino acids and amino acid analogs can be found in U.S. 20030108885, U.S. 20030082575, US20060019347 (paragraphs 410-418) and the references cited therein. The

polypeptides of the invention can include further modifications including those described in US20060019347, paragraph 589. Exempary GCC agonist peptides which include a non-naturally occurring amino acid include for example SP-368 and SP-369.

- [102] In some embodiments, the GCC agonist peptides are cyclic peptides. GCC agonist cyclic peptides can be prepared by methods known in the art. For example, macrocyclization is often accomplished by forming an amide bond between the peptide N- and C-termini, between a side chain and the N- or C-terminus [e.g., with K₃Fe(CN)₆ at pH 8.5] (Samson et al., Endocrinology, 137: 5182-5185 (1996)), or between two amino acid side chains, such as cysteine. See, e.g., DeGrado, Adv Protein Chem, 39: 51-124 (1988). In various embodiments, the GCC agonist peptides are [4,12; 7,15] bicycles.
- [103] In certain embodiments, one or both Cys residues which normally form a disulfide bond in a GCC agonist peptide are replaced with homocysteine, penicillamine, 3-mercaptoproline (Kolodziej *et al.* 1996 *Int. J. Pept. Protein Res.* 48:274), β, β dimethylcysteine (Hunt *et al.* 1993 *Int. J. Pept. Protein Res.* 42:249), or diaminopropionic acid (Smith *et al.* 1978 *J. Med. Chem.* 2 1:117) to form alternative internal cross-links at the positions of the normal disulfide bonds.
- [104] In certain embodiments, one or more disulfide bonds in a GCC agonist peptide are replaced by alternative covalent cross-links, *e.g.*, an amide linkage (-CH₂CH(O)NHCH₂- or -CH₂NHCH(O)CH₂-), an ester linkage, a thioester linkage, a lactam bridge, a carbamoyl linkage, a urea linkage, a thiourea linkage, a phosphonate ester linkage, an alkyl linkage (-CH₂CH₂CH₂CH₂-), an alkenyl linkage (-CH₂CH=CHCH₂-), an ether linkage (-CH₂CH₂CH₂- or -CH₂OCH₂- or -CH₂OCH₂-), a thioether linkage (-CH₂CH₂SCH₂- or -CH₂SCH₂CH₂-), an amine linkage (-CH₂CH₂NHCH₂- or -CH₂NHCH₂CH₂-) or a thioamide linkage (-CH₂CH(S)HNHCH₂- or -CH₂NHCH(S)CH₂-). For example, Ledu *et al.* (*Proc. Natl. Acad. Sci.* 100:11263-78, 2003) describe methods for preparing lactam and amide cross-links. Exemplary GCC agonist peptides which include a lactam bridge include, for example, SP-370.
- [105] In certain embodiments, the GCC agonist peptides have one or more conventional polypeptide bonds replaced by an alternative bond. Such replacements can increase the stability of the polypeptide. For example, replacement of the polypeptide bond between a residue amino terminal to an aromatic residue (*e.g.* Tyr, Phe, Trp) with an alternative bond

can reduce cleavage by carboxy peptidases and may increase half-life in the digestive tract. Bonds that can replace polypeptide bonds include: a retro-inverso bond (C(O)-NH instead of NH-C(O); a reduced amide bond (NH-CH₂); a thiomethylene bond (S-CH₂ or CH₂-S); an oxomethylene bond (O-CH₂ or CH₂-O); an ethylene bond (CH₂-CH₂); a thioamide bond (C(S)-NH); a trans-olefine bond (CH=CH); a fiuoro substituted trans-olefme bond (CF=CH); a ketomethylene bond (C(O)-CHR or CHR-C(O) wherein R is H or CH₃; and a fluoro-ketomethylene bond (C(O)-CFR or CFR-C(O) wherein R is H or F or CH₃.

[106] In certain embodiments, the GCC agonist peptides are modified using standard modifications. Modifications may occur at the amino (N-), carboxy (C-) terminus, internally or a combination of any of the preceding. In one aspect described herein, there may be more than one type of modification on the polypeptide. Modifications include but are not limited to: acetylation, amidation, biotinylation, cinnamoylation, farnesylation, formylation, myristoylation, palmitoylation, phosphorylation (Ser, Tyr or Thr), stearoylation, succinylation, sulfurylation and cyclisation (via disulfide bridges or amide cyclisation), and modification by Cys3 or Cys5. The GCC agonist peptides described herein may also be modified by 2, 4-dinitrophenyl (DNP), DNP-lysine, modification by 7-Amino-4-methylcoumarin (AMC), flourescein, NBD (7-Nitrobenz-2-Oxa-1,3-Diazole), p-nitro-anilide, rhodamine B, EDANS (5-((2-aminoethyl)amino)naphthalene-l- sulfonic acid), dabcyl, dabsyl, dansyl, texas red, FMOC, and Tamra (Tetramethylrhodamine). The GCC agonist peptides described herein may also be conjugated to, for example, polyethylene glycol (PEG); alkyl groups (e.g., C1-C20 straight or branched alkyl groups); fatty acid radicals; combinations of PEG, alkyl groups and fatty acid radicals (See, U.S. Patent 6,309,633; Soltero et al., 2001 Innovations in Pharmaceutical Technology 106-110); BSA and KLH (Keyhole Limpet Hemocyanin). The addition of PEG and other polymers which can be used to modify polypeptides of the invention is described in US20060 19347 section IX.

[107] A GCC agonist peptide can also be a derivatives of a GCC agonist peptide described herein. For example, a derivative includes hybrid and modified forms of GCC agonist peptides in which certain amino acids have been deleted or replaced. A modification may also include glycosylation. Preferrably, where the modification is an amino acid substitution, it is a conservative substitution at one or more positions that are predicted to be non-essential amino acid residues for the biological activity of the peptide. A "conservative substitution" is one in which the amino acid residue is replaced with an amino acid residue having a similar

side chain. Families of amino acid residues having similar side chains have been defined in the art. These families include amino acids with basic side chains (*e.g.*, lysine, arginine, histidine), acidic side chains (*e.g.*, aspartic acid, glutamic acid), uncharged polar side chains (*e.g.*, glycine, asparagine, glutamine, serine, threonine, tyrosine, cysteine), nonpolar side chains (*e.g.*, alanine, valine, leucine, isoleucine, proline, phenylalanine, methionine, tryptophan), beta-branched side chains (*e.g.*, threonine, valine, isoleucine) and aromatic side chains (*e.g.*, tyrosine, phenylalanine, tryptophan, histidine).

- [108] In one embodiment, a GCC agonist peptide described herein is subjected to random mutagenesis in order to identify mutants having biological activity.
- [109] In one embodiment, the GCC agonist peptide is substantially homologous is a GCC agonist peptide described herein. Such substantially homologous peptides can be isolated by virtue of cross-reactivity with antibodies to a GCC agonist peptide described herein.
- [110] Further examples of GCC agonist peptides that can be used in the methods and formulations of the invention are found in Tables I VII below.

1.2.2 Preparation of GCC agonist peptides

- [111] GCC agonist peptides can be prepared using art recognized techniques such as molecular cloning, peptide synthesis, or site-directed mutagenesis.
- [112] Peptide synthesis can be performed using standard solution phase or solid phase peptide synthesis techniques or a combination of both process where segments are synthesized by solid phase and condensed in solution phase, in which a peptide linkage occurs through the direct condensation of the amino group of one amino acid with the carboxy group of the other amino acid with the elimination of a water molecule. Peptide bond synthesis by direct condensation, as formulated above, requires suppression of the reactive character of the amino group of the first and of the carboxyl group of the second amino acid. The masking substituents must permit their ready removal, without inducing breakdown of the labile peptide molecule.
- [113] In solution phase synthesis, a wide variety of coupling methods and protecting groups may be used (*See*, Gross and Meienhofer, eds., "The Peptides: Analysis, Synthesis, Biology," Vol. 1-4 (Academic Press, 1979); Bodansky and Bodansky, "The Practice of Peptide

Synthesis," 2d ed. (Springer Verlag, 1994)). In addition, intermediate purification and linear scale up are possible. Those of ordinary skill in the art will appreciate that solution synthesis requires consideration of main chain and side chain protecting groups and activation method. In addition, careful segment selection is necessary to minimize racemization during segment condensation. Solubility considerations are also a factor. Solid phase peptide synthesis uses an insoluble polymer for support during organic synthesis. The polymer-supported peptide chain permits the use of simple washing and filtration steps instead of laborious purifications at intermediate steps. Solid-phase peptide synthesis may generally be performed according to the method of Merrifield et al., J. Am. Chem. Soc., 1963, 85:2149, which involves assembling a linear peptide chain on a resin support using protected amino acids. Solid phase peptide synthesis typically utilizes either the Boc or Fmoc strategy, which are well known in the art.

- [114] Those of ordinary skill in the art will recognize that, in solid phase synthesis, deprotection and coupling reactions must go to completion and the side-chain blocking groups must be stable throughout the synthesis. In addition, solid phase synthesis is generally most suitable when peptides are to be made on a small scale.
- [115] Acetylation of the N-terminal can be accomplished by reacting the final peptide with acetic anhydride before cleavage from the resin. C-amidation is accomplished using an appropriate resin such as methylbenzhydrylamine resin using the Boc technology.
- [116] Alternatively the GCC agonist peptides are produced by modern cloning techniques For example, the GCC agonist peptides are produced either in bacteria including, without limitation, E. coli, or in other existing systems for polypeptide or protein production (*e.g.*, Bacillus subtilis, baculovirus expression systems using Drosophila Sf9 cells, yeast or filamentous fungal expression systems, mammalian cell expression systems), or they can be chemically synthesized. If the GCC agonist peptide or variant peptide is to be produced in bacteria, *e.g.*, E. coli, the nucleic acid molecule encoding the polypeptide may also encode a leader sequence that permits the secretion of the mature polypeptide from the cell. Thus, the sequence encoding the polypeptide can include the pre sequence and the pro sequence of, for example, a naturally-occurring bacterial ST polypeptide. The secreted, mature polypeptide can be purified from the culture medium.

- [117] The sequence encoding a GCC agonist peptide described herein can be inserted into a vector capable of delivering and maintaining the nucleic acid molecule in a bacterial cell. The DNA molecule may be inserted into an autonomously replicating vector (suitable vectors include, for example, pGEM3Z and pcDNA3, and derivatives thereof). The vector nucleic acid may be a bacterial or bacteriophage DNA such as bacteriophage lambda or M13 and derivatives thereof. Construction of a vector containing a nucleic acid described herein can be followed by transformation of a host cell such as a bacterium. Suitable bacterial hosts include but are not limited to, E. coli, B subtilis, Pseudomonas, Salmonella. The genetic construct also includes, in addition to the encoding nucleic acid molecule, elements that allow expression, such as a promoter and regulatory sequences. The expression vectors may contain transcriptional control sequences that control transcriptional initiation, such as promoter, enhancer, operator, and repressor sequences.
- [118] A variety of transcriptional control sequences are well known to those in the art. The expression vector can also include a translation regulatory sequence (*e.g.*, an untranslated 5' sequence, an untranslated 3' sequence, or an internal ribosome entry site). The vector can be capable of autonomous replication or it can integrate into host DNA to ensure stability during polypeptide production.
- [119] The protein coding sequence that includes a GCC agonist peptide described herein can also be fused to a nucleic acid encoding a polypeptide affinity tag, e.g., glutathione S-transferase (GST), maltose E binding protein, protein A, FLAG tag, hexa-histidine, myc tag or the influenza HA tag, in order to facilitate purification. The affinity tag or reporter fusion joins the reading frame of the polypeptide of interest to the reading frame of the gene encoding the affinity tag such that a translational fusion is generated. Expression of the fusion gene results in translation of a single polypeptide that includes both the polypeptide of interest and the affinity tag. In some instances where affinity tags are utilized, DNA sequence encoding a protease recognition site will be fused between the reading frames for the affinity tag and the polypeptide of interest.
- [120] Genetic constructs and methods suitable for production of immature and mature forms of the GCC agonist peptides and variants described herein in protein expression systems other than bacteria, and well known to those skilled in the art, can also be used to produce polypeptides in a biological system.

[121] The peptides disclosed herein may be modified by attachment of a second molecule that confers a desired property upon the peptide, such as increased half-life in the body, for example, pegylation. Such modifications also fall within the scope of the term "variant" as used herein.

Table I. GCRA Peptides (SP-304 and Derivatives)

Name	Position of	Structure	SEQ
	Disulfide bonds		ID
			NO
SP-304	C4:C12, C7:C15	Asn ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Leu ¹⁶	1
SP-326	C3:C11, C6:C14	Asp ¹ -Glu ² -Cys ³ -Glu ⁴ -Leu ⁵ -Cys ⁶ -Val ⁷ -Asn ⁸ -Val ⁹ -Ala ¹⁰ -Cys ¹¹ -Thr ¹² -Gly ¹³ -Cys ¹⁴ -Leu ¹⁵	2
SP-327	C2:C10, C5:C13	Asp ¹ -Glu ² -Cys ³ -Glu ⁴ -Leu ⁵ -Cys ⁶ -Val ⁷ -Asn ⁸ -Val ⁹ -Ala ¹⁰ -Cys ¹¹ -Thr ¹² -Gly ¹³ -Cys ¹⁴	3
SP-328	C2:C10, C5:C13	Glu ¹ -Cys ² -Glu ³ -Leu ⁴ -Cys ⁵ -Val ⁶ -Asn ⁷ -Val ⁸ -Ala ⁹ -Cys ¹⁰ -Thr ¹¹ -Gly ¹² -Cys ¹³ -Leu ¹⁴	4
SP-329	C2:C10, C5:C13	Glu ¹ -Cys ² -Glu ³ -Leu ⁴ -Cys ⁵ -Val ⁶ -Asn ⁷ -Val ⁸ -Ala ⁹ -Cys ¹⁰ -Thr ¹¹ -Gly ¹² -Cys ¹³	5
SP-330	C1:C9, C4:C12	Cys ¹ -Glu ² -Leu ³ -Cys ⁴ -Val ⁵ -Asn ⁶ -Val ⁷ -Ala ⁸ -Cys ⁹ -Thr ¹⁰ -Gly ¹¹ -Cys ¹² -Leu ¹³	6
SP-331	C1:C9, C4:C12	Cys ¹ -Glu ² -Leu ³ -Cys ⁴ -Val ⁵ -Asn ⁶ -Val ⁷ -Ala ⁸ -Cys ⁹ -Thr ¹⁰ -Gly ¹¹ -Cys ¹²	7
SP332	C4:C12,C7:C15	Asn ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -dLeu ¹⁶	8
SP-333	C4:C12,C7:C15	dAsn ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -dLeu ¹⁶	9
SP-334	C4:C12,C7:C15	dAsn ¹ -dAsp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -dLeu ¹⁶	10
SP-335	C4:C12,C7:C15	dAsn ¹ -dAsp ² -dGlu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -dLeu ¹⁶	11
SP-336	C4:C12,C7:C15	dAsn ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Leu ¹⁶	12
SP-337	C4:C12,C7:C15	dAsn ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -dLeu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -dLeu ¹⁶	13
SP-338	C4:C12, C7:C15	Asn ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵	14
SP-342	C4:C12, C7:C15	PEG3-Asn ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -dLeu ¹⁶ -PEG3	15
SP-343	C4:C12, C7:C15	PEG3-dAsn ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -dLeu ¹⁶ -PEG3	16
SP-344	C4:C12, C7:C15	PEG3-dAsn ¹ -dAsp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -dLeu ¹⁶ -PEG3	17
SP-347	C4:C12, C7:C15	dAsn ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -dLeu ¹⁶ -PEG3	18
SP-348	C4:C12, C7:C15	PEG3-Asn ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -dLeu ¹⁶	19

SP-350	C4:C12, C7:C15	PEG3-dAsn ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -dLeu ¹⁶	20
SP-352	C4:C12, C7:C15	Asn ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -dLeu ¹⁶ -PEG3	21
SP-358	C4:C12,C7:C15	PEG3-dAsn ¹ -dAsp ² -dGlu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -dLeu ¹⁶ -PEG3	22
SP-359	C4:C12,C7:C15	PEG3-dAsn¹-dAsp²-dGlu³-Cys⁴-Glu⁵-Leu⁶-Cys⁻-Val⁶-Asn⁶-Val¹⁰-Ala¹¹-Cys¹²-Thr¹³-Gly¹⁴-Cys¹⁵-dLeu¹⁶	23
SP-360	C4:C12, C7:C15	dAsn¹-dAsp²-dGlu³-Cys⁴-Glu⁵-Leu⁶-Cys⁻-Val®-Asn⁰-Val¹0-Ala¹¹-Cys¹²-Thr¹³-Gly¹⁴-Cys¹⁵-dLeu¹⁶-PEG3	24
SP-361	C4:C12, C7:C15	dAsn¹-dAsp²-Glu³-Cys⁴-Glu⁵-Leu⁶-Cys⁻-Val⁶-Asn⁰-Val¹⁰-Ala¹¹-Cys¹²-Thr¹³-Gly¹⁴-Cys¹⁵-dLeu¹⁶-PEG3	25
SP-362	C4:C12, C7:C15	PEG3-dAsn ¹ -dAsp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -dLeu ¹⁶	26
SP-368	C4:C12, C7:C15	dAsn ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -dNal ¹⁶	27
SP-369	C4:C12, C7:C15	dAsn ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -AIB ⁸ -Asn ⁹ -AIB ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -dLeu ¹⁶	28
SP-370	C4:C12, C7:C15	dAsn¹-Asp²-Glu³-Cys⁴-Glu⁵-Leu⁴-Asp[Lactam]²-Val⁴-Asn9-Val¹0-Ala¹¹-Cys¹²-Thr¹³-Gly¹⁴-Orn¹⁵-dLeu¹	29
SP-371	C4:C12,C7:C15	dAsn ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Tyr ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -dLeu ¹⁶	30
SP-372	C4:C12,C7:C15	dAsn ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Ser ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -dLeu ¹⁶	31
N1	C4:C12,C7:C15	PEG3-dAsn ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Tyr ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -dLeu ¹⁶ -PEG3	32
N2	C4:C12,C7:C15	PEG3-dAsn ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Tyr ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -dLeu ¹⁶	33
N3	C4:C12,C7:C15	dAsn¹-Asp²-Glu³-Cys⁴-Glu⁵-Tyr⁶-Cys⁻-Val®-Asn⁰-Val¹⁰-Ala¹¹-Cys¹²-Thr¹³-Gly¹⁴-Cys¹⁵-dLeu¹⁶ PEG3	34
N4	C4:C12,C7:C15	PEG3-dAsn ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Ser ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -dLeu ¹⁶ -PEG3	35
N5	C4:C12,C7:C15	PEG3-dAsn ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Ser ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -dLeu ¹⁶	36
N6	C4:C12,C7:C15	dAsn ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Ser ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -dLeu ¹⁶ -PEG3	37
N7	C4:C12,C7:C15	Asn ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶	38
N8	C4:C12,C7:C15	PEG3-Asn ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶ -PEG3	39
N9	C4:C12,C7:C15	PEG3-Asn ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶	40
N10	C4:C12,C7:C15	Asn ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶ -PEG3	41

N11	C4:C12,C7:C15	PEG3-Asn ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -dSer ¹⁶ -PEG3	42
N12	C4:C12,C7:C15	PEG3-Asn ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -dSer ¹⁶	43
N13	C4:C12,C7:C15	Asn ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -dSer ¹⁶ -PEG3	44
Formula I	C4:C12,C7:C15	Asn¹-Asp²-Glu³-Cys⁴-Xaa⁵-Xaa6-Cys⁻-Xaa8-Xaa9-Xaa¹0-Xaa¹¹-Cys¹²-Xaa¹³-Xaa¹⁴-Cys¹⁵-Xaa¹6	45
Formula II	C4:C12,C7:C15	Xaa _{n1} -Cys ⁴ -Xaa ⁵ -Xaa ⁶ -Cys ⁷ -Xaa ⁸ -Xaa ⁹ -Xaa ¹⁰ -Xaa ¹¹ -Cys ¹² -Xaa ¹³ -Xaa ¹⁴ -Cys ¹⁵ -Xaa _{n2} ¹⁶	46
Formula III	4:12,7:15	Xaa _{n1} -Maa ⁴ -Glu ⁵ -Xaa ⁶ -Maa ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Maa ¹² -Thr ¹³ -Gly ¹⁴ -Maa ¹⁵ - Xaa _{n2}	47
Formula IV	4:12,7:15	Xaa _{n1} - Maa ⁴ -Xaa ⁵ -Xaa ⁶ - Maa ⁷ -Xaa ⁸ -Xaa ⁹ -Xaa ¹⁰ -Xaa ¹¹ - Maa ¹² -Xaa ¹³ -Xaa ¹⁴ - Maa ¹⁵ -Xaa _{n2}	48
Formula V	C4:C12,C7:C15	Asn ¹ -Asp ² -Asp ³ -Cys ⁴ -Xaa ⁵ -Xaa ⁶ -Cys ⁷ -Xaa ⁸ -Asn ⁹ -Xaa ¹⁰ -Xaa ¹¹ -Cys ¹² -Xaa ¹³ -Xaa ¹⁴ -Cys ¹⁵ -Xaa ¹⁶	49
Formula VI	C4:C12,C7:C15	dAsn¹-Glu²-Glu³-Cys⁴-Xaa⁵-Xaa6-Cys⁻-X38-Asn9-Xaa10-Xaa11-Cys¹²-Xaa13-Xaa14-Cys¹⁵-d-Xaa16	50
Formula VII	C4:C12,C7:C15	dAsn¹-dGlu²-Asp³-Cys⁴-Xaa⁵-Xaa⁶-Cys⁻-Xaa⁶-Asnց-Xaa¹¹-Cys¹²-Xaa¹³-Xaa¹⁴-Cys¹⁵-d-Xaa¹⁶	51
Formula VII	C4:C12,C7:C15	dAsn¹-dAsp²-Glu³-Cys⁴-Xaa⁵-Xaa6-Cys⁻-Xaa8-Asn9-Xaa10-Xaa11-Cys12-Xaa13-Xaa14-Cys15-d-Xaa16	52
Formula VIII	C4:C12,C7:C15	dAsn¹-dAsp²-dGlu³-Cys⁴-Xaa⁵-Xaa⁶-Cys⁻-Xaaፄ-Tyr९-Xaa¹¹-Cys¹²-Xaa¹³-Xaa¹⁴-Cys¹⁵-d-Xaa¹⁶	53
Formula IX	C4:C12,C7:C15	dAsn¹-dGlu²-dGlu³-Cys⁴-Xaa⁵-Xaa6-Cys⁻-Xaa8-Tyr⁰-Xaa¹¹-Cys¹²-Xaa¹³-Xaa¹⁴-Cys¹⁵-d-Xaa¹6	54

Table II. Linaclotide and Derivatives

Name	Position of Disulfide bonds	Structure	SEQ ID NO:
SP-339 (linaclotide)	C1:C6, C2:C10, C5:13	Cys ¹ -Cys ² -Glu3-Tyr ⁴ -Cys ⁵ -Cys ⁶ -Asn ⁷ -Pro ⁸ -Ala ⁹ -Cys ¹⁰ -Thr ¹¹ -Gly ¹² -Cys ¹³ -Tyr ¹⁴	55
SP-340	C1:C6, C2:C10, C5:13	Cys ¹ -Cys ² -Glu ³ -Tyr ⁴ -Cys ⁵ -Cys ⁶ -Asn ⁷ -Pro ⁸ -Ala ⁹ -Cys ¹⁰ -Thr ¹¹ -Gly ¹² -Cys ¹³	56
SP-349	C1:C6, C2:C10, C5:13	PEG3-Cys ¹ -Cys ² -Glu ³ -Tyr ⁴ -Cys ⁵ -Cys ⁶ -Asn ⁷ -Pro ⁸ -Ala ⁹ -Cys ¹⁰ -Thr ¹¹ -Gly ¹² -Cys ¹³ -Tyr ¹⁴ -PEG3	57
SP-353	C3:C8, C4:C12, C7:15	Asn¹-Phe²-Cys³-Cys⁴-Glu⁵-Ser⁶-Cys²-Cys®-Asn9-Pro¹0-Ala¹¹-Cys¹²-Thr¹³-Gly¹⁴-Cys¹⁵-Tyr¹⁶	58
SP-354	C3:C8, C4:C12, C7:15	Asn ¹ -Phe ² -Cys ³ -Cys ⁴ -Glu ⁵ -Phe ⁶ -Cys ⁷ -Cys ⁸ -Asn ⁹ -Pro ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Tyr ¹⁶	59
SP-355	C1:C6, C2:C10, C5:13	Cys¹-Cys²-Glu³-Tyr⁴-Cys⁵-Cys⁶-Asn⁻-Pro⁶-Ala°-Cys¹0-Thr¹¹-Gly¹²-Cys¹³-dTyr¹⁴	60
SP-357	C1:C6, C2:C10, C5:13	PEG3-Cys¹-Cys²-Glu³-Tyr⁴-Cys⁵-Cys⁶-Asn⁻-Pro⁶-Ala⁶-Cys¹⁰-Thr¹¹-Gly¹²-Cys¹³-Tyr¹⁴	61
SP-374	C3:C8, C4:C12, C7:15	Asn ¹ -Phe ² -Cys ³ -Cys ⁴ -Glu ⁵ -Thr ⁶ -Cys ⁷ -Cys ⁸ -Asn ⁹ -Pro ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Tyr ¹⁶	62
SP-375	C3:C8, C4:C12, C7:15	Asn¹-Phe²-Cys³-Cys⁴-Glu⁵-Ser⁴-Cys²-Cys8-Asn9-Pro¹0-Ala¹¹-Cys¹²-Thr¹³-Gly¹⁴-Cys¹⁵-dTyr¹⁴	63
SP-376	C3:C8, C4:C12, C7:15	dAsn¹-Phe²-Cys³-Cys⁴-Glu⁵-Ser6-Cys²-Cys8-Asn9-Pro¹0-Ala¹¹-Cys¹²-Thr¹³-Gly¹⁴-Cys¹⁵-Tyr¹6	64
SP-377	C3:C8, C4:C12, C7:15	dAsn ¹ -Phe ² -Cys ³ -Cys ⁴ -Glu ⁵ -Ser ⁶ -Cys ⁷ -Cys ⁸ -Asn ⁹ -Pro ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -dTyr ¹⁶	65
SP-378	C3:C8, C4:C12, C7:15	Asn¹-Phe²-Cys³-Cys⁴-Glu⁵-Thr⁴-Cys²-Cys8-Asn9-Pro¹0-Ala¹¹-Cys¹²-Thr¹³-Gly¹⁴-Cys¹⁵-dTyr¹6	66
SP-379	C3:C8, C4:C12, C7:15	dAsn¹-Phe²-Cys³-Cys⁴-Glu⁵-Thr⁶-Cys²-Cysፄ-Asn٩-Pro¹⁰-Ala¹¹-Cys¹²-Thr¹³-Gly¹⁴-Cys¹⁵-Tyr¹⁶	67
SP-380	C3:C8, C4:C12, C7:15	dAsn ¹ -Phe ² -Cys ³ -Cys ⁴ -Glu ⁵ -Thr ⁶ -Cys ⁷ -Cys ⁸ -Asn ⁹ -Pro ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -dTyr ¹⁶	68
SP-381	C3:C8, C4:C12, C7:15	Asn ¹ -Phe ² -Cys ³ -Cys ⁴ -Glu ⁵ -Phe ⁶ -Cys ⁷ -Cys ⁸ -Asn ⁹ -Pro ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -dTyr ¹⁶	69

SP-382	C3:C8, C4:C12, C7:15	dAsn¹-Phe²-Cys³-Cys⁴-Glu⁵-Phe6-Cys7-Cys8-Asn9-Pro¹0-Ala¹¹-Cys¹²-Thr¹³-Gly¹⁴-Cys¹⁵-Tyr¹6	70
SP-383	C3:C8, C4:C12, C7:15	dAsn ¹ -Phe ² -Cys ³ -Cys ⁴ -Glu ⁵ -Phe ⁶ -Cys ⁷ -Cys ⁸ -Asn ⁹ -Pro ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -dTyr ¹⁶	71
SP384	C1:C6, C2:C10, C5:13	Cys¹-Cys²-Glu³-Tyr⁴-Cys⁵-Cys⁶-Asn²-Pro⁶-Ala⁶-Cys¹⁰-Thr¹¹-Gly¹²-Cys¹³-Tyr¹⁴-PEG3	72
N14	C1:C6, C2:C10, C5:13	PEG3-Cys ¹ -Cys ² -Glu ³ -Tyr ⁴ -Cys ⁵ -Cys ⁶ -Asn ⁷ -Pro ⁸ -Ala ⁹ -Cys ¹⁰ -Thr ¹¹ -Gly ¹² -Cys ¹³ -PEG3	73
N15	C1:C6, C2:C10, C5:13	PEG3-Cys ¹ -Cys ² -Glu ³ -Tyr ⁴ -Cys ⁵ -Cys ⁶ -Asn ⁷ -Pro ⁸ -Ala ⁹ -Cys ¹⁰ -Thr ¹¹ -Gly ¹² -Cys ¹³	74
N16	C1:C6, C2:C10, C5:13	Cys¹-Cys²-Glu³-Tyr⁴-Cys⁵-Cys6-Asn7-Pro8-Ala9-Cys¹0-Thr¹1-Gly¹2-Cys¹3-PEG3	75
N17	C3:C8, C4:C12, C7:15	PEG3- Asn ¹ -Phe ² -Cys ³ -Cys ⁴ -Glu ⁵ -Ser ⁶ -Cys ⁷ -Cys ⁸ -Asn ⁹ -Pro ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Tyr ¹⁶ -PEG3	76
N18	C3:C8, C4:C12, C7:15	PEG3- Asn ¹ -Phe ² -Cys ³ -Cys ⁴ -Glu ⁵ -Ser ⁶ -Cys ⁷ -Cys ⁸ -Asn ⁹ -Pro ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Tyr ¹⁶	77
N19	C3:C8, C4:C12, C7:15	Asn¹-Phe²-Cys³-Cys⁴-Glu⁵-Ser⁶-Cys²-Cys8-Asn9-Pro¹⁰-Ala¹¹-Cys¹²-Thr¹³-Gly¹⁴-Cys¹⁵-Tyr¹⁶- PEG3	78
N20	C3:C8, C4:C12, C7:15	PEG3- Asn¹-Phe²-Cys³-Cys⁴-Glu⁵-Phe⁶-Cys⁻-Cys®-Asn٩-Pro¹⁰-Ala¹¹-Cys¹²-Thr¹³-Gly¹⁴-Cys¹⁵- Tyr¹⁶-PEG3	79
N21	C3:C8, C4:C12, C7:15	PEG3- Asn ¹ -Phe ² -Cys ³ -Cys ⁴ -Glu ⁵ -Phe ⁶ -Cys ⁷ -Cys ⁸ -Asn ⁹ -Pro ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Tyr ¹⁶	80
N22	C3:C8, C4:C12, C7:15	Asn ¹ -Phe ² -Cys ³ -Cys ⁴ -Glu ⁵ -Phe ⁶ -Cys ⁷ -Cys ⁸ -Asn ⁹ -Pro ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Tyr ¹⁶ -PEG3	81
N23	C3:C8, C4:C12, C7:15	PEG3- Asn ¹ -Phe ² -Cys ³ -Cys ⁴ -Glu ⁵ -Tyr ⁶ -Cys ⁷ -Cys ⁸ -Asn ⁹ -Pro ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Tyr ¹⁶ -PEG3	82
N24	C3:C8, C4:C12, C7:15	PEG3- Asn ¹ -Phe ² -Cys ³ -Cys ⁴ -Glu ⁵ -Tyr ⁶ -Cys ⁷ -Cys ⁸ -Asn ⁹ -Pro ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Tyr ¹⁶	83

N25	C3:C8, C4:C12, C7:15	Asn ¹ -Phe ² -Cys ³ -Cys ⁴ -Glu ⁵ -Tyr ⁶ -Cys ⁷ -Cys ⁸ -Asn ⁹ -Pro ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Tyr ¹⁶ -PEG3	84
N26	C1:C6, C2:C10, C5:13	Cys¹-Cys²-Glu3-Ser⁴-Cys⁵-Cys⁶-Asn²-Proፄ-Ala9-Cys¹0-Thr¹¹-Gly¹²-Cys¹³-Tyr¹⁴	85
N27	C1:C6, C2:C10, C5:13	Cys¹-Cys²-Glu3-Phe⁴-Cys⁵-Cys⁶-Asn²-Pro⁶-Ala⁰-Cys¹⁰-Thr¹¹-Gly¹²-Cys¹³-Tyr¹⁴	86
N28	C1:C6, C2:C10, C5:13	Cys¹-Cys²-Glu3-Ser⁴-Cys⁵-Cys⁶-Asn⁻-Pro⁶-Ala⁶-Cys¹⁰-Thr¹¹-Gly¹²-Cys¹³-	87
N29	C1:C6, C2:C10, C5:13	Cys¹-Cys²-Glu3-Phe⁴-Cys⁵-Cys⁶-Asn⁻-Pro⁶-Ala⁰-Cys¹⁰-Thr¹¹-Gly¹²-Cys¹³	88
N30	1:6, 2:10, 5:13	Pen ¹ -Pen ² -Glu3-Tyr ⁴ -Pen ⁵ -Pen ⁶ -Asn ⁷ -Pro ⁸ -Ala ⁹ -Pen ¹⁰ -Thr ¹¹ -Gly ¹² -Pen ¹³ -Tyr ¹⁴	89
N31	1:6, 2:10, 5:13	Pen ¹ -Pen ² -Glu3-Tyr ⁴ -Pen ⁵ -Pen ⁶ -Asn ⁷ -Pro ⁸ -Ala ⁹ -Pen ¹⁰ -Thr ¹¹ -Gly ¹² -Pen ¹³	90
Formula X	C9:C14, C10:C18, C13:21	Xaa ¹ -Xaa ² -Xaa ³ -Xaa ⁴ -Xaa ⁵ -Xaa ⁶ - Asn ⁷ - Tyr ⁸ -Cys ⁹ -Cys ¹⁰ -Xaa ¹¹ -Tyr ¹² -Cys ¹³ -Cys ¹⁴ -Xaa ¹⁵ -Xaa ¹⁶ - Xaa ¹⁷ -Cys ¹⁸ - Xaa ¹⁹ -Xaa ²⁰ -Cys ²¹ -Xaa ²²	91
Formula XI	C9:C14, C10:C18, C13:21	Xaa ¹ -Xaa ² -Xaa ³ -Xaa ⁴ -Xaa ⁵ -Xaa ⁶ -Asn ⁷ - Phe ⁸ -Cys ⁹ -Cys ¹⁰ -Xaa ¹¹ -Phe ¹² - Cys ¹³ -Cys ¹⁴ -Xaa ¹⁵ -Xaa ¹⁶ - Xaa ¹⁷ -Cys ¹⁸ - Xaa ¹⁹ -Xaa ²⁰ -Cys ²¹ -Xaa ²²	92
Formula XII	C3:C8, C4:C12, C7:15	Asn¹- Phe²-Cys³-Cys⁴ - Xaa⁵-Phe⁶-Cys⁻-Cys⁶ - Xaa⁰-Xaa¹¹- Xaa¹¹-Cys¹²- Xaa³-Xaa¹⁴-Cys¹⁵-Xaa¹⁶	93
Formula XIII	3:8, 4:12, C:15	Asn ¹ - Phe ² -Pen ³ -Cys ⁴ - Xaa ⁵ -Phe ⁶ -Cys ⁷ -Pen ⁸ - Xaa ⁹ -Xaa ¹⁰ - Xaa ¹¹ -Cys12- Xaa ¹³ -Xaa ¹⁴ -Cys ¹⁵ - Xaa ¹⁶	94
Formula XIV	3:8, 4:12, 7:15	Asn¹- Phe²-Maa³-Maa⁴ - Xaa⁵-Xaa⁶-Maa³-Maa® - Xaaց⁴-Xaa¹¹- Xaa¹¹-Maa¹²- Xaa¹³-Xaa¹⁴-Maa¹⁵- Xaa¹¹6	95
Formula XV	1:6, 2:10, 5:13	Maa ¹ -Maa ² -Glu3-Xaa ⁴ - Maa ⁵ -Maa ⁶ -Asn ⁷ -Pro ⁸ -Ala ⁹ -Maa ¹⁰ -Thr ¹¹ -Gly ¹² -Maa ¹³ -Tyr ¹⁴	96
Formula XVI	1:6, 2:10, 5:13	Maa ¹ -Maa ² -Glu3-Xaa ⁴ - Maa ⁵ -Maa ⁶ -Asn ⁷ -Pro ⁸ -Ala ⁹ -Maa ¹⁰ -Thr ¹¹ -Gly ¹² -Maa ¹³ -	97
Formula XVII	1:6, 2:10, 5:13	Xaa _{n3} -Maa ¹ -Maa ² -Xaa ³ -Xaa ⁴ -Maa ⁵ -Maa ⁶ -Xaa ⁷ -Xaa ⁸ -Xaa ⁹ -Maa ¹⁰ -Xaa ¹¹ -Xaa ¹² -Maa ¹³ -Xaa _{n2}	98

Table III. GCRA Peptides

Name	Position of	Structure	SEQ ID
	Disulfide bonds		NO:
SP-363	C4:C12,C7:C15	dAsn ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -dLeu-	99
		AMIDE ¹⁶	
SP-364	C4:C12, C7:C15	dAsn ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -dSer ¹⁶	100
SP-365	C4:C12, C7:C15	dAsn¹-Asp²-Glu³-Cys⁴-Glu⁵-Leu⁶-Cys⁻-Val⁶-Asn⁰-Val¹⁰-Ala¹¹-Cys¹²-Thr¹³-Gly¹⁴-Cys¹⁵-dSer-	101
		AMIDE ¹⁶	
SP-366	C4:C12, C7:C15	dAsn ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -dTyr ¹⁶	102
SP-367	C4:C12, C7:C15	dAsn ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -dTyr-	103
		AMIDE ¹⁶	
SP-373	C4:C12, C7:C15	Pyglu ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -dLeu-	104
		AMIDE ¹⁶	
SP-304 di	C4:C12, C7:C15	PEG3-Asn ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Leu ¹⁶	105
PEG		PEG3	
SP-304 N-	C4:C12, C7:C15	PEG3-Asn ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Leu ¹⁶	106
PEG			
SP-304 C-	C4:C12, C7:C15	Asn ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Leu ¹⁶ -PEG3	107
PEG			

Table IV. SP-304 Analogs, Uroguanylin, and Uroguanylin Analogs

Name	Position of	Structure	SEQ
	Disulfide bonds		ID NO
Formula	C4:C12,	Xaa ¹ - Xaa ² - Xaa ³ -Maa ⁴ -Xaa ⁵ -Xaa ⁶ -Maa ⁷ -Xaa ⁸ -Xaa ⁹ -Xaa ¹⁰ -Xaa ¹¹ -Maa ¹² -Xaa ¹³ -Xaa ¹⁴ -Maa ¹⁵ -Xaa ¹⁶	108
XVIII	C7:C15		
Uroguanylin	C4:C12,	Asn¹-Asp²-Asp³-Cys⁴-Glu⁵-Leu⁶-Cys⁻-Val⁶-Asn⁰-Val¹⁰-Ala¹¹-Cys¹²-Thr¹³-Gly¹⁴-Cys¹⁵-Leu¹⁶	109
	C7:C15		
N32	C4:C12,	Glu ¹ -Asp ² -Asp ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Leu ¹⁶	110
	C7:C15		
N33	C4:C12,	Glu ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Leu ¹⁶	111
	C7:C15		
N34	C4:C12,	Glu ¹ -Glu ² -Asp ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Leu ¹⁶	112
	C7:C15		
N35	C4:C12,	Glu ¹ -Glu ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Leu ¹⁶	113
	C7:C15		
N36	C4:C12,	Asp ¹ -Asp ² -Asp ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Leu ¹⁶	114
	C7:C15		
N37	C4:C12,	Asp ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Leu ¹⁶	115
	C7:C15		
N38	C4:C12,	Asp ¹ -Glu ² -Asp ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Leu ¹⁶	116
	C7:C15		

C4:C12,	Asp ¹ -Glu ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Leu ¹⁶	117
C7:C15		
C4:C12,	Gln¹-Asp²-Asp³-Cys⁴-Glu⁵-Leu⁴-Cys⁻-Val³-Asn9-Val¹¹0-Ala¹¹-Cys¹²-Thr¹³-Gly¹⁴-Cys¹⁵-Leu¹6	118
C7:C15		
C4:C12,	Gln¹-Asp²-Glu³-Cys⁴-Glu⁵-Leu⁶-Cys⁻-Val®-Asn9-Val¹0-Ala¹¹-Cys¹²-Thr¹³-Gly¹⁴-Cys¹⁵-Leu⁶	119
C7:C15		
C4:C12,	Gln¹-Glu²-Asp³-Cys⁴-Glu⁵-Leu⁶-Cys⁻-Val⁵-Asn9-Val¹0-Ala¹¹-Cys¹²-Thr¹³-Gly¹⁴-Cys¹⁵-Leu⁶	120
C7:C15		
C4:C12,	Gln ¹ -Glu ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Leu ¹⁶	121
C7:C15		
C4:C12,	Lys ¹ -Asp ² -Asp ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Leu ¹⁶	122
C7:C15		
C4:C12,	Lys ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Leu ¹⁶	123
C7:C15		
C4:C12,	Lys ¹ -Glu ² -Asp ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Leu ¹⁶	124
C7:C15		
C4:C12,	Lys ¹ -Glu ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Leu ¹⁶	125
C7:C15		
C4:C12,	Glu ¹ -Asp ² -Asp ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶	126
C7:C15		
C4:C12,	Glu ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶	127
C7:C15		
C4:C12,	Glu ¹ -Glu ² -Asp ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶	128
	C7:C15 C4:C12, C7:C15	C7:C15 C4:C12, Gln ¹ -Asp ² -Asp ³ -Cys ⁴ -Glu ³ -Leu ⁶ -Cys ⁷ -Val ⁴ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹³ -Leu ¹⁶ C4:C12, Gln ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁴ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹³ -Leu ¹⁶ C4:C12, Gln ¹ -Glu ² -Asp ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁴ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹³ -Leu ¹⁶ C4:C12, Gln ¹ -Glu ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁴ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹³ -Leu ¹⁶ C4:C12, Lys ¹ -Asp ² -Asp ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁴ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹³ -Leu ¹⁶ C4:C12, Lys ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁴ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹³ -Leu ¹⁶ C4:C12, Lys ¹ -Glu ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁴ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹³ -Leu ¹⁶ C4:C12, Lys ¹ -Glu ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁴ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹³ -Leu ¹⁶ C4:C12, Lys ¹ -Glu ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁴ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Leu ¹⁶ C4:C12, Glu ¹ -Asp ² -Asp ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁴ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Leu ¹⁶ C4:C12, Glu ¹ -Asp ² -Asp ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁴ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Leu ¹⁶ C4:C12, Glu ¹ -Asp ² -Asp ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁴ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶ C4:C12, Glu ¹ -Asp ² -Asp ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁴ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶ C4:C12, Glu ¹ -Asp ² -Asp ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁴ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶ C4:C12, Glu ¹ -Asp ² -Asp ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁴ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶

	C7:C15		
N51	C4:C12,	Glu ¹ -Glu ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶	129
	C7:C15		
N52	C4:C12,	Asp ¹ -Asp ² -Asp ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶	130
	C7:C15		
N53	C4:C12,	Asp ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶	131
	C7:C15		
N54	C4:C12,	Asp ¹ -Glu ² -Asp ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶	132
	C7:C15		
N55	C4:C12,	Asp ¹ -Glu ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶	133
	C7:C15		
N56	C4:C12,	Gln ¹ -Asp ² -Asp ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶	134
	C7:C15		
N57	C4:C12,	Gln ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶	135
	C7:C15		
N58	C4:C12,	Gln ¹ -Glu ² -Asp ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶	136
	C7:C15		
N59	C4:C12,	Gln ¹ -Glu ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶	137
	C7:C15		
N60	C4:C12,	Lys ¹ -Asp ² -Asp ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶	138
	C7:C15		
N61	C4:C12,	Lys ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶	139
	C7:C15		

N62	C4:C12,	Lys ¹ -Glu ² -Asp ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶	140
	C7:C15		
N63	C4:C12,	Lys ¹ -Glu ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Val ⁸ -Asn ⁹ -Val ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶	141
1103		The state of the s	171
	C7:C15	1 2 2 4 5 (7 0 0 10 11 10 12 14 15 1/	
N65	C4:C12,	Glu ¹ -Asp ² -Asp ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Leu ¹⁶	142
	C7:C15		
N66	C4:C12,	Glu ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Leu ¹⁶	143
	C7:C15		
N67	C4:C12,	Glu ¹ -Glu ² -Asp ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Leu ¹⁶	144
	C7:C15		
N68	C4:C12,	Glu ¹ -Glu ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Leu ¹⁶	145
	C7:C15		
N69	C4:C12,	Asp ¹ -Asp ² -Asp ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Leu ¹⁶	146
	C7:C15		
N70	C4:C12,	Asp ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Leu ¹⁶	147
	C7:C15		
N71	C4:C12,	Asp ¹ -Glu ² -Asp ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Leu ¹⁶	148
	C7:C15		
N72	C4:C12,	Asp ¹ -Glu ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Leu ¹⁶	149
	C7:C15		
N73	C4:C12,	Gln¹-Asp²-Asp³-Cys⁴-Glu⁵-Leu⁴-Cys⁻-Ile®-Asn9-Met¹0-Ala¹¹-Cys¹²-Thr¹³-Gly¹⁴-Cys¹⁵-Leu¹6	150
	C7:C15		
N74	C4:C12,	Gln ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Leu ¹⁶	151

	C7:C15		
N75	C4:C12,	$Gln^{1}-Glu^{2}-Asp^{3}-Cys^{4}-Glu^{5}-Leu^{6}-Cys^{7}-Ile^{8}-Asn^{9}-Met^{10}-Ala^{11}-Cys^{12}-Thr^{13}-Gly^{14}-Cys^{15}-Leu^{16}$	152
	C7:C15		
N76	C4:C12,	Gln ¹ -Glu ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Leu ¹⁶	153
	C7:C15		
N77	C4:C12,	Lys ¹ -Asp ² -Asp ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Leu ¹⁶	154
	C7:C15		
N78	C4:C12,	Lys ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Leu ¹⁶	155
	C7:C15		
N79	C4:C12,	Lys ¹ -Glu ² -Asp ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Leu ¹⁶	156
	C7:C15		
N80	C4:C12,	Lys ¹ -Glu ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Leu ¹⁶	157
	C7:C15		
N81	C4:C12,	Glu ¹ -Asp ² -Asp ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶	158
	C7:C15		
N82	C4:C12,	Glu ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶	159
	C7:C15		
N83	C4:C12,	Glu ¹ -Glu ² -Asp ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶	160
	C7:C15		
N84	C4:C12,	Glu ¹ -Glu ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶	161
	C7:C15		
N85	C4:C12,	Asp ¹ -Asp ² -Asp ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶	162
	C7:C15		

N86	C4:C12,	Asp ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶	163
	C7:C15		
N87	C4:C12,	Asp ¹ -Glu ² -Asp ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶	164
	C7:C15		
N88	C4:C12,	Asp ¹ -Glu ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶	165
	C7:C15		
N89	C4:C12,	$Gln^{1}-Asp^{2}-Asp^{3}-Cys^{4}-Glu^{5}-Leu^{6}-Cys^{7}-Ile^{8}-Asn^{9}-Met^{10}-Ala^{11}-Cys^{12}-Thr^{13}-Gly^{14}-Cys^{15}-Ser^{16}$	166
	C7:C15		
N90	C4:C12,	Gln ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶	167
	C7:C15		
N91	C4:C12,	$Gln^{1}-Glu^{2}-Asp^{3}-Cys^{4}-Glu^{5}-Leu^{6}-Cys^{7}-Ile^{8}-Asn^{9}-Met^{10}-Ala^{11}-Cys^{12}-Thr^{13}-Gly^{14}-Cys^{15}-Ser^{16}$	168
	C7:C15		
N92	C4:C12,	Gln ¹ -Glu ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶	169
	C7:C15		
N93	C4:C12,	Lys ¹ -Asp ² -Asp ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶	170
	C7:C15		
N94	C4:C12,	Lys ¹ -Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶	171
	C7:C15		
N95	C4:C12,	Lys ¹ -Glu ² -Asp ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶	172
	C7:C15		
N96	C4:C12,	Lys ¹ -Glu ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶	173
	C7:C15		

Table V. Guanylin and Analogs

Name	Position of	Structure	SEQ ID
	Disulfide bonds		NO
Formula	4:12,7:15	Xaa ¹ - Xaa ² - Xaa ³ - Maa ⁴ - Xaa ⁵ - Xaa ⁶ - Maa ⁷ - Xaa ⁸ - Xaa ⁹ - Xaa ¹⁰ - Xaa ¹¹ - Maa ¹² - Xaa ¹³ - Xaa ¹⁴ - Maa ¹⁵	174
XIX			
Guanylin	C4:C12, C7:C15	Ser ¹ -His ² -Thr ³ -Cys ⁴ -Glu ⁵ -Ile ⁶ -Cys ⁷ -Ala ⁸ -Phe ⁹ -Ala ¹⁰ -Ala ¹¹ -Cys ¹² -Ala ¹³ -Gly ¹⁴ -Cys ¹⁵	175
N97	C4:C12, C7:C15	Ser ¹ - His ² -Thr ³ -Cys ⁴ -Glu ⁵ -Ile ⁶ -Cys ⁷ -Ala ⁸ -Asn ⁹ -Ala ¹⁰ -Ala ¹¹ -Cys ¹² -Ala ¹³ -Gly ¹⁴ -Cys ¹⁵	176
N98	C4:C12, C7:C15	Ser ¹ - His ² -Thr ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Ala ⁸ -Asn ⁹ -Ala ¹⁰ -Ala ¹¹ -Cys ¹² -Ala ¹³ -Gly ¹⁴ -Cys ¹⁵	177
N99	C4:C12, C7:C15	Ser ¹ - His ² -Thr ³ -Cys ⁴ -Glu ⁵ -Val ⁶ -Cys ⁷ -Ala ⁸ -Asn ⁹ -Ala ¹⁰ -Ala ¹¹ -Cys ¹² -Ala ¹³ -Gly ¹⁴ -Cys ¹⁵	178
N100	C4:C12, C7:C15	Ser ¹ - His ² -Thr ³ -Cys ⁴ -Glu ⁵ -Tyr ⁶ -Cys ⁷ -Ala ⁸ -Asn ⁹ -Ala ¹⁰ -Ala ¹¹ -Cys ¹² -Ala ¹³ -Gly ¹⁴ -Cys ¹⁵	179
N101	C4:C12, C7:C15	Ser ¹ - His ² -Thr ³ -Cys ⁴ -Glu ⁵ -Ile ⁶ -Cys ⁷ -Ala ⁸ -Asn ⁹ -Ala ¹⁰ -Ala ¹¹ -Cys ¹² -Ala ¹³ -Gly ¹⁴ -Cys ¹⁵	180
N102	C4:C12, C7:C15	Ser ¹ - His ² -Thr ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Ala ⁸ -Asn ⁹ -Ala ¹⁰ -Ala ¹¹ -Cys ¹² -Ala ¹³ -Gly ¹⁴ -Cys ¹⁵	181
N103	C4:C12, C7:C15	Ser ¹ - His ² -Thr ³ -Cys ⁴ -Glu ⁵ -Val ⁶ -Cys ⁷ -Ala ⁸ -Asn ⁹ -Ala ¹⁰ -Ala ¹¹ -Cys ¹² -Ala ¹³ -Gly ¹⁴ -Cys ¹⁵	182
N104	C4:C12, C7:C15	Ser ¹ - His ² -Thr ³ -Cys ⁴ -Glu ⁵ -Tyr ⁶ -Cys ⁷ -Ala ⁸ -Asn ⁹ -Ala ¹⁰ -Ala ¹¹ -Cys ¹² -Ala ¹³ -Gly ¹⁴ -Cys ¹⁵	183
N105	C4:C12, C7:C15	Ser ¹ - His ² -Thr ³ -Cys ⁴ -Glu ⁵ -Ile ⁶ -Cys ⁷ -Ala ⁸ -Asn ⁹ -Ala ¹⁰ -Ala ¹¹ -Cys ¹² -Ala ¹³ -Gly ¹⁴ -Cys ¹⁵	184
N106	C4:C12, C7:C15	Ser ¹ - His ² -Thr ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Ala ⁸ -Asn ⁹ -Ala ¹⁰ -Ala ¹¹ -Cys ¹² -Ala ¹³ -Gly ¹⁴ -Cys ¹⁵	185
N107	C4:C12, C7:C15	Ser ¹ - His ² -Thr ³ -Cys ⁴ -Glu ⁵ -Val ⁶ -Cys ⁷ -Ala ⁸ -Asn ⁹ -Ala ¹⁰ -Ala ¹¹ -Cys ¹² -Ala ¹³ -Gly ¹⁴ -Cys ¹⁵	186
N108	C4:C12, C7:C15	Ser ¹ - His ² -Thr ³ -Cys ⁴ -Glu ⁵ -Tyr ⁶ -Cys ⁷ -Ala ⁸ -Asn ⁹ -Ala ¹⁰ -Ala ¹¹ -Cys ¹² -Ala ¹³ -Gly ¹⁴ -Cys ¹⁵	187

N109	C4:C12, C7:C15	Ser ¹ - His ² -Thr ³ -Cys ⁴ -Glu ⁵ -Ile ⁶ -Cys ⁷ -Ala ⁸ -Asn ⁹ -Ala ¹⁰ -Ala ¹¹ -Cys ¹² -Ala ¹³ -Gly ¹⁴ -Cys ¹⁵	188
N110	C4:C12, C7:C15	Ser ¹ - His ² -Thr ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Ala ⁸ -Asn ⁹ -Ala ¹⁰ -Ala ¹¹ -Cys ¹² -Ala ¹³ -Gly ¹⁴ -Cys ¹⁵	189
N111	C4:C12, C7:C15	Ser ¹ - His ² -Thr ³ -Cys ⁴ -Glu ⁵ -Val ⁶ -Cys ⁷ -Ala ⁸ -Asn ⁹ -Ala ¹⁰ -Ala ¹¹ -Cys ¹² -Ala ¹³ -Gly ¹⁴ -Cys ¹⁵	190
N112	C4:C12, C7:C15	Ser ¹ - His ² -Thr ³ -Cys ⁴ -Glu ⁵ -Tyr ⁶ -Cys ⁷ -Ala ⁸ -Asn ⁹ -Ala ¹⁰ -Ala ¹¹ -Cys ¹² -Ala ¹³ -Gly ¹⁴ -Cys ¹⁵	191
N113	C4:C12, C7:C15	Asn ¹ - Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Ile ⁶ -Cys ⁷ -Ala ⁸ -Asn ⁹ -Ala ¹⁰ -Ala ¹¹ -Cys ¹² -Ala ¹³ -Gly ¹⁴ -Cys ¹⁵	192
N114	C4:C12, C7:C15	Asn ¹ - Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Ala ⁸ -Asn ⁹ -Ala ¹⁰ -Ala ¹¹ -Cys ¹² -Ala ¹³ -Gly ¹⁴ -Cys ¹⁵	193
N115	C4:C12, C7:C15	Asn ¹ - Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Val ⁶ -Cys ⁷ -Ala ⁸ -Asn ⁹ -Ala ¹⁰ -Ala ¹¹ -Cys ¹² -Ala ¹³ -Gly ¹⁴ -Cys ¹⁵	194
N116	C4:C12, C7:C15	Asn ¹ - Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Tyr ⁶ -Cys ⁷ -Ala ⁸ -Asn ⁹ -Ala ¹⁰ -Ala ¹¹ -Cys ¹² -Ala ¹³ -Gly ¹⁴ -Cys ¹⁵	195
N117	C4:C12, C7:C15	Asn ¹ - Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Ile ⁶ -Cys ⁷ -Ala ⁸ -Asn ⁹ -Ala ¹⁰ -Ala ¹¹ -Cys ¹² -Ala ¹³ -Gly ¹⁴ -Cys ¹⁵	196
N118	C4:C12, C7:C15	Asn ¹ - Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Ala ⁸ -Asn ⁹ -Ala ¹⁰ -Ala ¹¹ -Cys ¹² -Ala ¹³ -Gly ¹⁴ -Cys ¹⁵	197
N119	C4:C12, C7:C15	Asn ¹ - Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Val ⁶ -Cys ⁷ -Ala ⁸ -Asn ⁹ -Ala ¹⁰ -Ala ¹¹ -Cys ¹² -Ala ¹³ -Gly ¹⁴ -Cys ¹⁵	198
N120	C4:C12, C7:C15	Asn ¹ - Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Tyr ⁶ -Cys ⁷ -Ala ⁸ -Asn ⁹ -Ala ¹⁰ -Ala ¹¹ -Cys ¹² -Ala ¹³ -Gly ¹⁴ -Cys ¹⁵	199
N121	C4:C12, C7:C15	Asn ¹ - Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Ile ⁶ -Cys ⁷ -Ala ⁸ -Asn ⁹ -Ala ¹⁰ -Ala ¹¹ -Cys ¹² -Ala ¹³ -Gly ¹⁴ -Cys ¹⁵	200
N122	C4:C12, C7:C15	Asn ¹ - Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Ala ⁸ -Asn ⁹ -Ala ¹⁰ -Ala ¹¹ -Cys ¹² -Ala ¹³ -Gly ¹⁴ -Cys ¹⁵	201
N123	C4:C12, C7:C15	Asn ¹ - Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Val ⁶ -Cys ⁷ -Ala ⁸ -Asn ⁹ -Ala ¹⁰ -Ala ¹¹ -Cys ¹² -Ala ¹³ -Gly ¹⁴ -Cys ¹⁵	202
N124	C4:C12, C7:C15	Asn ¹ - Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Tyr ⁶ -Cys ⁷ -Ala ⁸ -Asn ⁹ -Ala ¹⁰ -Ala ¹¹ -Cys ¹² -Ala ¹³ -Gly ¹⁴ -Cys ¹⁵	203
N125	C4:C12, C7:C15	Asn ¹ - Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Ile ⁶ -Cys ⁷ -Ala ⁸ -Asn ⁹ -Ala ¹⁰ -Ala ¹¹ -Cys ¹² -Ala ¹³ -Gly ¹⁴ -Cys ¹⁵	204
N126	C4:C12, C7:C15	Asn ¹ - Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Leu ⁶ -Cys ⁷ -Ala ⁸ -Asn ⁹ -Ala ¹⁰ -Ala ¹¹ -Cys ¹² -Ala ¹³ -Gly ¹⁴ -Cys ¹⁵	205

N127	C4:C12, C7:C15	Asn ¹ - Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Val ⁶ -Cys ⁷ -Ala ⁸ -Asn ⁹ -Ala ¹⁰ -Ala ¹¹ -Cys ¹² -Ala ¹³ -Gly ¹⁴ -Cys ¹⁵	206
N128	C4:C12, C7:C15	Asn ¹ - Asp ² -Glu ³ -Cys ⁴ -Glu ⁵ -Tyr ⁶ -Cys ⁷ -Ala ⁸ -Asn ⁹ -Ala ¹⁰ -Ala ¹¹ -Cys ¹² -Ala ¹³ -Gly ¹⁴ -Cys ¹⁵	207

Table VI. Lymphoguanylin and Analogs

SEQ	Position of Structure	Name Position
ID NO	Disulfide	Disulfide
	bonds	bonds
208	4:12,7:15 Xaa ¹ - Xaa ² - Xaa ³ - Maa ⁴ - Xaa ⁵ - Xaa ⁶ - Maa ⁷ - Xaa ⁸ - Xaa ⁹ - Xaa ¹⁰ - Xaa ¹¹ - Maa ¹² - Xaa ¹³ - Xaa ¹⁴ - Xaa _{n1} 15	Formula XX 4:12,7:13
209	C4:C12 Gln¹-Glu²-Glu-³Cys⁴-Glu⁵-Leu⁶-Cys⁻-Ile®-Asn⁰-Met¹⁰-Ala¹¹-Cys¹²-Thr¹³-Gly¹⁴-Tyr¹⁵	Lymphoguanylin C4:C12
210	C4:C12 Gln¹-Glu²- Glu³ -Cys⁴-Glu⁵-Thr⁶-Cys⁻-Ile®-Asnց-Met¹¹-Ala¹¹-Cys¹²-Thr¹³-Gly¹⁴-Tyr¹⁵	N129 C4:C12
211	C4:C12 Gln ¹ -Asp ² - Glu ³ -Cys ⁴ -Glu ⁵ -Thr ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Tyr ¹⁵	N130 C4:C12
212	C4:C12 Gln ¹ -Asp ² - Asp ³ -Cys ⁴ -Glu ⁵ -Thr ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Tyr ¹⁵	N131 C4:C12
213	C4:C12 Gln¹-Glu²- Asp³ -Cys⁴-Glu⁵-Thr⁶-Cys⁻-Ile²-Asn⁰-Met¹⁰-Ala¹¹-Cys¹²-Thr¹³-Gly¹⁴-Tyr¹⁵	N132 C4:C12
214	C4:C12 Gln¹-Glu²- Glu³ -Cys⁴-Glu⁵-Glu⁶-Cys⁻-Ile®-Asn⁰-Met¹⁰-Ala¹¹-Cys¹²-Thr¹³-Gly¹⁴-Tyr¹⁵	N133 C4:C12
215	C4:C12 Gln ¹ -Asp ² - Glu ³ -Cys ⁴ -Glu ⁵ -Glu ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Tyr ¹⁵	N134 C4:C12
216	C4:C12 Gln ¹ -Asp ² - Asp ³ -Cys ⁴ -Glu ⁵ -Glu ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Tyr ¹⁵	N135 C4:C12
	C4:C12 Gln ¹ -Asp ² - Glu ³ -Cys ⁴ -Glu ⁵ -Glu ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Tyr ¹⁵	N134 C4:C12

N136	C4:C12	Gln ¹ -Glu ² - Asp ³ -Cys ⁴ -Glu ⁵ -Glu ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Tyr ¹⁵	217
N137	C4:C12	Gln¹-Glu²- Glu³ -Cys⁴-Glu⁵-Tyr⁶-Cys³-Ile8-Asn9-Met¹¹0-Ala¹¹-Cys¹²-Thr¹³-Gly¹⁴-Tyr¹⁵	218
N138	C4:C12	Gln ¹ -Asp ² - Glu ³ -Cys ⁴ -Glu ⁵ -Tyr ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Tyr ¹⁵	219
N139	C4:C12	Gln ¹ -Asp ² - Asp ³ -Cys ⁴ -Glu ⁵ -Tyr ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Tyr ¹⁵	220
N140	C4:C12	Gln ¹ -Glu ² - Asp ³ -Cys ⁴ -Glu ⁵ -Tyr ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Tyr ¹⁵	221
N141	C4:C12	$Gln^{1}-Glu^{2}-Glu^{3}-Cys^{4}-Glu^{5}-Ile^{6}-Cys^{7}-Ile^{8}-Asn^{9}-Met^{10}-Ala^{11}-Cys^{12}-Thr^{13}-Gly^{14}-Tyr^{15}$	222
N142	C4:C12	Gln ¹ -Asp ² - Glu ³ -Cys ⁴ -Glu ⁵ -Ile ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Tyr ¹⁵	223
N143	C4:C12	Gln ¹ -Asp ² - Asp ³ -Cys ⁴ -Glu ⁵ -Ile ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Tyr ¹⁵	224
N144	C4:C12	Gln ¹ -Glu ² - Asp ³ -Cys ⁴ -Glu ⁵ -Ile ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Tyr ¹⁵	225
N145	C4:C12, C7:C15	Gln ¹ -Glu ² - Glu ³ -Cys ⁴ -Glu ⁵ -Thr ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶	226
N146	C4:C12,	Gln ¹ -Asp ² - Glu ³ -Cys ⁴ -Glu ⁵ -Thr ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶	227
	C7:C15		
N147	C4:C12, C7:C15	Gln ¹ -Asp ² - Asp ³ -Cys ⁴ -Glu ⁵ -Thr ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶	228
N148	C4:C12,	Gln ¹ -Glu ² - Asp ³ -Cys ⁴ -Glu ⁵ -Thr ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶	229
N149	C7:C15	Gln¹-Glu²- Glu³ -Cys⁴-Glu⁵-Glu⁶-Cys⁻-Ile⁶-Asn⁶-Met¹⁰-Ala¹¹-Cys¹²-Thr¹³-Gly¹⁴-Cys¹⁵-Ser¹⁶	230
	C7:C15		

N150	C4:C12,	Gln¹-Asp²- Glu³ -Cys⁴-Glu⁵-Glu⁶-Cys⁻-Ile⁶-Asn⁶-Met¹⁰-Ala¹¹-Cys¹²-Thr¹³-Gly¹⁴-Cys¹⁵-Ser	231
	C7:C15		
N151	C4:C12,	Gln ¹ -Asp ² - Asp ³ -Cys ⁴ -Glu ⁵ -Glu ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶	232
	C7:C15		
N152	C4:C12,	Gln¹-Glu²- Asp³ -Cys⁴-Glu⁵-Glu⁶-Cys⁻-Ile⁶-Asn⁶-Met¹⁰-Ala¹¹-Cys¹²-Thr¹³-Gly¹⁴-Cys¹⁵-Ser¹⁶	233
	C7:C15		
N153	C4:C12,	Gln¹-Glu²- Glu³ -Cys⁴-Glu⁵-Tyr⁶-Cys⁻-Ile®-Asn⁰-Met¹⁰-Ala¹¹-Cys¹²-Thr¹³-Gly¹⁴-Cys¹⁵-Ser¹⁶	234
	C7:C15		
N154	C4:C12,	Gln¹-Asp²- Glu³ -Cys⁴-Glu⁵-Tyr⁶-Cys⁻-Ile®-Asn9-Met¹¹0-Ala¹¹-Cys¹²-Thr¹³-Gly¹⁴-Cys¹⁵-Ser¹⁶	235
	C7:C15		
N155	C4:C12,	Gln ¹ -Asp ² - Asp ³ -Cys ⁴ -Glu ⁵ -Tyr ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶	236
	C7:C15		
N156	C4:C12,	Gln¹-Glu²- Asp³ -Cys⁴-Glu⁵-Tyr⁶-Cys⁻-Ile®-Asn9-Met¹¹0-Ala¹¹¹-Cys¹²-Thr¹³-Gly¹⁴-Cys¹⁵-Ser¹⁶	237
	C7:C15		
N157	C4:C12,	Gln ¹ -Glu ² - Glu ³ -Cys ⁴ -Glu ⁵ -Ile ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶	238
	C7:C15		
N158	C4:C12,	Gln ¹ -Asp ² - Glu ³ -Cys ⁴ -Glu ⁵ -Ile ⁶ -Cys ⁷ -Ile ⁸ -Asn ⁹ -Met ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Ser ¹⁶	239
	C7:C15		
N159	C4:C12,	Gln¹-Asp²- Asp³ -Cys⁴-Glu⁵-Ile⁶-Cys⁻-Ile⁶-Asn⁶-Met¹⁰-Ala¹¹-Cys¹²-Thr¹³-Gly¹⁴-Cys¹⁵-Ser¹⁶	240
	C7:C15		

N160	C4:C12,	$Gln^{1}-Glu^{2}-Asp^{3}-Cys^{4}-Glu^{5}-Ile^{6}-Cys^{7}-Ile^{8}-Asn^{9}-Met^{10}-Ala^{11}-Cys^{12}-Thr^{13}-Gly^{14}-Cys^{15}-Ser^{16}$	241
	C7:C15		

Table VII. ST Peptide and Analogues

Name	Position of	Structure	SEQ ID
	Disulfide bonds		NO NO
ST	C3:C8, C4:C12,	Asn ¹ - Ser ² - Ser ³ - Asn ⁴ - Ser ⁵ - Ser ⁶ - Asn ⁷ - Tyr ⁸ - Cys ⁹ - Cys ¹⁰ - Glu ¹¹ - Lys ¹² - Cys ¹³ - Cys ¹⁴ - Asn ¹⁵ - Pro ¹⁶ - Ala ¹⁷ - Cys ¹⁸ -	242
Peptide	C7:15	Thr ¹⁹ -Gly ²⁰ -Cys ²¹ -Tyr ²²	
	C3:C8, C4:C12,	PEG3-Asn ¹ -Phe ² -Cys ³ -Cys ⁴ -Glu ⁵ -Thr ⁶ -Cys ⁷ -Cys ⁸ -Asn ⁹ -Pro ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Tyr ¹⁶ -PEG3	243
N161	C7:15		
N162	C3:C8, C4:C12,	PEG3-Asn ¹ -Phe ² -Cys ³ -Cys ⁴ -Glu ⁵ -Thr ⁶ -Cys ⁷ -Cys ⁸ -Asn ⁹ -Pro ¹⁰ -Ala ¹¹ -Cys ¹² -Thr ¹³ -Gly ¹⁴ -Cys ¹⁵ -Tyr ¹⁶	244
	C7:15		
N163	C3:C8, C4:C12,	Asn¹-Phe²-Cys³-Cys⁴-Glu⁵-Thr⁶-Cys²-Cys®-Asn⁰-Pro¹⁰-Ala¹¹-Cys¹²-Thr¹³-Gly¹⁴-Cys¹⁵-Tyr¹⁶-PEG3	245
	C7:15		
N164	C3:C8, C4:C12,	Asn¹-Phe²-Cys³-Cys⁴-Glu⁵-Tyr⁶-Cys²-Cys8-Asn9-Pro¹⁰-Ala¹¹-Cys¹²-Thr¹³-Gly¹⁴-Cys¹⁵-Tyr¹⁶	246
	C7:15		
N165	C3:C8, C4:C12,	dAsn¹-Phe²-Cys³-Cys⁴-Glu⁵-Tyr⁶-Cys²-Cys®-Asn9-Pro¹⁰-Ala¹¹-Cys¹²-Thr¹³-Gly¹⁴-Cys¹⁵-dTyr¹⁶	247
	C7:15		
N166	C3:C8, C4:C12,	Asn¹-Phe²-Cys³-Cys⁴-Glu⁵-Tyr⁶-Cys²-Cys ⁸ -Asn ⁹ -Pro¹⁰-Ala¹¹-Cys¹²-Thr¹³-Gly¹⁴-Cys¹⁵-dTyr¹⁶	248
	C7:15		
N167	C3:C8, C4:C12,	dAsn¹-Phe²-Cys³-Cys⁴-Glu⁵-Tyr⁶-Cys²-Cys8-Asn9-Pro¹⁰-Ala¹¹-Cys¹²-Thr¹³-Gly¹⁴-Cys¹⁵-Tyr¹⁶	249
	C7:15		

Attorney Docket No.: SYPA-009/C02US

- [

1.3 Methods of Use

[122] The invention provides methods for treating or preventing gastrointestinal disorders and increasing gastrointestinal motility in a subject in need thereof by administering an effective amount of a GCC agonist formulation to the subject. Non-limiting examples of gastrointestinal disorders that can be treated or prevented according to the methods of the invention include irritable bowel syndrome (IBS), non-ulcer dyspepsia, chronic intestinal pseudo-obstruction, functional dyspepsia, colonic pseudo-obstruction, duodenogastric reflux, gastroesophageal reflux disease (GERD), ileus (*e.g.*, post-operative ileus), gastroparesis, heartburn (high acidity in the GI tract), constipation (*e.g.*, constipation associated with use of medications such as opioids, osteoarthritis drugs, or osteoporosis drugs); post surgical constipation, constipation associated with neuropathic disorders, Crohn's disease, and ulcerative colitis.

[123] In one embodiment, the invention provides methods for treating or preventing gastrointestinal motility disorder, irritable bowel syndrome, a functional gastrointestinal disorder, gastroesophageal reflux disease, duodenogastric reflux, functional heartburn, dyspepsia, functional dyspepsia, nonulcer dyspepsia, gastroparesis, chronic intestinal pseudo-obstruction, colonic pseudo-obstruction, obesity, congestive heart failure, or benign prostatic hyperplasia.

[124] In one embodiment, the invention provides methods for treating or preventing constipation and/or increasing gastrointestinal motility in a subject in need thereof by administering an effective amount of a GCC agonist formulation to the subject. Clinically accepted criteria that define constipation range from the frequency of bowel movements, the consistency of feces and the ease of bowel movement. One common definition of constipation is less than three bowel movements per week. Other definitions include abnormally hard stools or defecation that requires excessive straining (Schiller 2001 Aliment Pharmacol Ther 15:749-763). Constipation may be idiopathic (functional constipation or slow transit constipation) or secondary to other causes including neurologic, metabolic or endocrine disorders. These disorders include diabetes mellitus, hypothyroidism, hyperthyroidism, hypocalcaemia, Multiple sclerosis, Parkinson's disease, spinal cord lesions, Neurofibromatosis, autonomic neuropathy, Chagas disease, Hirschsprung disease and cystic fibrosis. Constipation may also be the result of

surgery or due to the use of drugs such as analgesics (like opioids), antihypertensives, anticonvulsants, antidepressants, antispasmodics and antipsychotics.

[125] In various embodiments, the constipation is associated with use of a therapeutic agent; the constipation is associated with a neuropathic disorder; the constipation is postsurgical constipation; the constipation is associated with a gastrointestinal disorder; the constipation is idiopathic (functional constipation or slow transit constipation); the constipation is associated with neuropathic, metabolic or endocrine disorder (e.g., diabetes mellitus, hypothyroidism, hyperthyroidism, hypocalcaemia, Multiple Sclerosis, Parkinson's disease, spinal cord lesions, neurofibromatosis, autonomic neuropathy, Chagas disease, Hirschsprung disease or cystic fibrosis). Constipation may also be the result of surgery or due to the use of drugs such as analgesics (e.g., opioids), antihypertensives, anticonvulsants, antidepressants, antispasmodics and antipsychotics.

[126] In one embodiment, the invention provides methods for treating or preventing chronic idiopathic constipation and increasing gastrointestinal motility in a subject in need thereof by administering an effective amount of a GCC agonist formulation to the subject.

[127] The term "treating" as used herein refers to a reduction, a partial improvement, amelioration, or a mitigation of at least one clinical symptom associated with the gastrointestinal disorders being treated. The term "preventing" refers to an inhibition or delay in the onset or progression of at least one clinical symptom associated with the gastrointestinal disorders to be prevented. The term "effective amount" as used herein refers to an amount that provides some improvement or benefit to the subject. In certain embodiments, an effective amount is an amount that provides some alleviation, mitigation, and/or decrease in at least one clinical symptom of the gastrointestinal disorder to be treated. In other embodiments, the effective amount is the amount that provides some inhibition or delay in the onset or progression of at least one clinical symptom associated with the gastrointestinal disorder to be prevented. The therapeutic effects need not be complete or curative, as long as some benefit is provided to the subject. The term "subject" preferably refers to a human subject but may also refer to a non-human primate or other mammal preferably selected from among a mouse, a rat, a dog, a cat, a cow, a horse, or a pig.

- [128] The invention also provides methods for treating gastrointestinal cancer in a subject in need thereof by administering an effective amount of a GCC agonist formulation to the subject. Non-limiting examples of gastrointestinal cancers that can be treated according to the methods of the invention include gastric cancer, esophageal cancer, pancreatic cancer, colorectal cancer, intestinal cancer, anal cancer, liver cancer, gallbladder cancer, or colon cancer.
- [129] The invention also provides methods for treating lipid metabolism disorders, biliary disorders, inflammatory disorders, lung disorders, cancer, cardiac disorders including cardiovascular disorders, eye disorders, oral disorders, blood disorders, liver disorders, skin disorders, prostate disorders, endocrine disorders, and obesity.
- [130] Lipid metabolism disorders include, but are not limited to, dyslipidemia, hyperlipidemia, hypercholesterolemia, hypercholesterolemia, familial hypercholesterolemia, xanthoma, combined hyperlipidemia, lecithin cholesterol acyltransferase deficiency, tangier disease, abetalipoproteinemia, erectile dysfunction, fatty liver disease, and hepatitis.
- [131] Billary disorders include gallbladder disorders such as for example, gallstones, gall bladder cancer cholangitis, or primary sclerosing cholangitis; or bile duct disorders such as for example, cholecystitis, bile duct cancer or fascioliasis.
- [132] Inflammatory disorders include tissue and organ inflammation such as kidney inflammation (e.g., nephritis), gastrointestinal system inflammation (e.g., Crohn's disease and ulcerative colitis); necrotizing enterocolitis (NEC); pancreatic inflammation (e.g., pancreatis), lung inflammation (e.g., bronchitis or asthma) or skin inflammation (e.g., psoriasis, eczema).
- [133] Lung Disorders include for example chronic obstructive pulmonary disease (COPD), and fibrosis.
- [134] Cancer includes tissue and organ carcinogenesis including metastases such as for example gastrointestinal cancer, (e.g., gastric cancer, esophageal cancer, pancreatic cancer colorectal cancer, intestinal cancer, anal cancer, liver cancer, gallbladder cancer, or colon cancer; lung cancer; thyroid cancer; skin cancer (e.g., melanoma); oral cancer; urinary tract cancer (e.g. bladder cancer or kidney cancer); blood cancer (e.g. myeloma or leukemia) or prostate cancer.

[135] Cardiac disorders include for example, congestive heart failure, trachea cardia hypertension, high cholesterol, or high triglycerides. Cardiovascular disorders include for example aneurysm, angina, atherosclerosis, cerebrovascular accident (stroke), cerebrovascular disease, congestive heart failure, coronary artery disease, myocardial infarction (heart attack), or peripheral vascular disease.

[136] Liver disorders include for example cirrhosis and fibrosis. In addition, GC-C agonist may also be useful to facilitate liver regeneration in liver transplant patients. Eye disorders include for example increased intra-ocular pressure, glaucoma, dry eyes retinal degeneration, disorders of tear glands or eye inflammation. Skin disorders include for example xerosis. Oral disorders include for example dry mouth (xerostomia), Sjögren's syndrome, gum diseases (e.g., periodontal disease), or salivary gland duct blockage or malfunction. Prostate disorders include for example benign prostatic hyperplasia (BPH). Endocrine disorders include for example diabetes mellitus, hyperthyroidism, hypothyroidism, and cystic fibrosis.

1.3.1 Therapeutically Effective Dosages

[137] Disorders are treated, prevented or alleviated by administering to a subject, *e.g.*, a mammal such as a human in need thereof, a therapeutically effective dose of a GCC agonist peptide. The present invention is based in part on the unexpected results of clinical trials in humans which demonstrated that the formulations of the invention are therapeutically effective at much lower doses than predicted based on animal studies. In accordance with one aspect of the invention, the therapeutically effective dose is between 0.01 milligrams (mg) and 10 mg per unit dose. The term "unit dose" refers to a single drug delivery entity, *e.g.*, a tablet, capsule, solution or inhalation formulation. In one embodiment, the effective dose is between 0.01 mg and 9 mg. In another embodiment, the effective dose is between 0.01 mg and 5 mg. In another embodiment, the effective dose is between 0.10 mg and 5 mg. In another embodiment, the effective dose is between 0.10 mg and 3 mg. In one embodiment, the unit dose is .01 mg, .05 mg, 0.1 mg, 0.2 mg, 0.3 mg, 0.5 mg, 1.0 mg, 1.5 mg, 2.0 mg, 2.5 mg, 3.0 mg, 5 mg, or 10 mg. In one embodiment, the unit dose is 0.3 mg, 1.0 mg, 3.0 mg, 9.0 mg, or 9.5 mg.

- [138] The GCC agonist peptides may be in a pharmaceutical composition in unit dose form, together with one or more pharmaceutically acceptable excipients. The amount of peptide present should be sufficient to have a positive therapeutic effect when administered to a patient. What constitutes a "positive therapeutic effect" will depend upon the particular condition being treated and will include any significant improvement in a condition readily recognized by one of skill in the art.
- [139] The GCC agonists for use in the methods described above are preferably administered orally. Dosage forms include solutions, suspensions, emulsions, tablets, and capsules.
- [140] The total daily dose can be administered to the patient in a single dose, or in multiple subdoses. Typically, sub-doses can be administered two to six times per day, preferably two to four times per day, and even more preferably two to three times per day. Preferably, a single daily dose is administered.
- [141] The GCC agonists may be administered as either the sole active agent or in combination with one or more additional active agents. In all cases, additional active agents should be administered at a dosage that is therapeutically effective using the existing art as a guide. The GCC agonists may be administered in a single composition or sequentially with the one or more additional active agents. In one embodiment, the GCC agonist is administered in combination with one or more inhibitors of cGMP dependent phosphodiesterase such as suldinac sulfone, zaprinast, motapizone, vardenafil, or sildenifil. In another embodiment, the GCC agonist is administered in combination with one or more chemotherapeutic agents. In another embodiment, the GCC agonist is administered in combination with one or more or anti-inflammatory drugs such as steroids or non-steroidal anti-inflammatory drugs (NSAIDS), such as aspirin.
- [142] Combination therapy can be achieved by administering two or more agents, e.g., a GCC agonist peptide described herein and another compound, each of which is formulated and administered separately, or by administering two or more agents in a single formulation. Other combinations are also encompassed by combination therapy. For example, two agents can be formulated together and administered in conjunction with a separate formulation containing a

third agent. While the two or more agents in the combination therapy can be administered simultaneously, they need not be. For example, administration of a first agent (or combination of agents) can precede administration of a second agent (or combination of agents) by minutes, hours, days, or weeks. Thus, the two or more agents can be administered within minutes of each other or within 1, 2, 3, 6, 9, 12, 15, 18, or 24 hours of each other or within 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 12, 14 days of each other or within 2, 3, 4, 5, 6, 7, 8, 9, or 10 weeks of each other. In some cases even longer intervals are possible. While in many cases it is desirable that the two or more agents used in a combination therapy be present in within the patient's body at the same time, this need not be so.

[143] The GCC agonist peptides described herein may be combined with phosphodiesterase inhibitors, *e.g.*, sulindae sulfone, Zaprinast, sildenafil, vardenafil or tadalafil to further enhance levels of cGMP in the target tissues or organs.

[144] Combination therapy can also include two or more administrations of one or more of the agents used in the combination. For example, if agent X and agent Y are used in a combination, one could administer them sequentially in any combination one or more times, *e.g.*, in the order X-Y-X, X-X-Y, Y-X-Y,Y-Y-X,X-Y-Y, etc.

1.3.2 Exemplary Agents for Combination Therapy

[145] The GCC agonist formulations of the invention may be administered alone or in combination with one or more additional therapeutic agents as part of a therapeutic regimen for the treatment or prevention of a gastrointestinal disease or disorder. In some embodiments, the GCC agonist formulation comprises one or more additional therapeutic agents. In other embodiments, the GCC agonist is formulated separately from the one or more additional therapeutic agents. In accordance with this embodiment, the GCC agonist is administered either simultaneously, sequentially, or at a different time than the one or more additional therapeutic agents. In one embodiment, the GCC agonist formulation is administered in combination with one or more additional therapeutic agents selected from the group consisting of phosphodiesterase inhibitors, cyclic nucleotides (such as cGMP and cAMP), a laxative (such as SENNA or METAMUCIL), a stool softner, an anti-tumor necrosis factor alpha therapy for IBD

(such as REMICADE, ENBREL, or HUMIRA), and anti-inflammatory drugs (such as COX-2 inhibitors, sulfasalazine, 5-ASA derivatives and NSAIDS). In certain embodiments, the GCC agonist formulation is administered in combination with an effective dose of an inhibitor of cGMP-specific phosphodiesterase (cGMP-PDE) either concurrently or sequentially with said GCC agonist. cGMP-PDE inhibitors include, for example, suldinac sulfone, zaprinast, motapizone, vardenifil, and sildenafil. In another embodiment, the GCC agonist formulation is administered in combination with inhibitors of cyclic nucleotide transporters. Further examples of therapeutic agents that may be administered in combination with the GCC agonist formulations of the invention are given in the following sections.

1.3.2.1 Agents to Treat Gastrointestinal Cancers

[146] The GCC agonist formulations described herein can be used in combination with one or more antitumor agents including but not limited to alkylating agents, epipodophyllotoxins, nitrosoureas, anti-metabolites, vinca alkaloids, anthracycline antibiotics, nitrogen mustard agents, and the like. Particular antitumor agents include tamoxifen, taxol, etoposide, and 5-fluorouracil. In one embodiment, the GCC agonist formulations are used in combination with an antiviral agent or a monoclonal antibody.

[147] Non-limiting examples of antitumor agents that can be used in combination with the GCC agonist formulations of the invention for the treatment of colon cancer include antiproliferative agents, agents for DNA modification or repair, DNA synthesis inhibitors, DNA/RNA transcription regulators, RNA processing inhibitors, agents that affect protein expression, synthesis and stability, agents that affect protein localization or their ability to exert their physiological action, agents that interfere with protein-protein or protein-nucleic acid interactions, agents that act by RNA interference, receptor binding molecules of any chemical nature (including small molecules and antibodies), targeted toxins, enzyme activators, enzyme inhibitors, gene regulators, HSP-90 inhibitors, molecules interfering with microtubules or other cytoskeletal components or cell adhesion and motility, agents for phototherapy, and therapy adjuncts.

[148] Representative anti-proliferative agents include N-acetyl-D-sphingosine (C.sub.2 ceramide), apigenin, berberine chloride, dichloromethylenediphosphonic acid disodium salt, loe-emodine, emodin, HA 14-1, N-hexanoyl-D-sphingosine (C.sub.6 ceramide), 7b-hydroxycholesterol, 25-hydroxycholesterol, hyperforin, parthenolide, and rapamycin.

Representative agents for DNA modification and repair include aphidicolin, bleomycin sulfate, carboplatin, carmustine, chlorambucil, cyclophosphamide monohydrate, cyclophosphamide monohydrate ISOPAC.RTM., cis-diammineplatinum(II) dichloride (Cisplatin), esculetin, melphalan, methoxyamine hydrochloride, mitomycin C, mitoxantrone dihydrochloride, oxaliplatin, and streptozocin.

- [149] Representative DNA synthesis inhibitors include (.+-.)amethopterin (methotrexate), 3-amino-1,2,4-benzotriazine 1,4-dioxide, aminopterin, cytosine b-D-arabinofurdnoside (Ara-C), cytosine b-D-arabinofuranoside (Ara-C) hydrochloride, 2-fluoroadenine-9-b-D-arabinofuranoside (Fludarabine des-phosphate; F-ara-A), 5-fluoro-5'-deoxyuridine, 5-fluorouracil, ganciclovir, hydroxyurea, 6-mercaptopurine, and 6-thioguanine.
- [150] Representative DNA/RNA transcription regulators include actinomycin D, daunorubicin hydrochloride, 5,6-dichlorobenzimidazole 1-b-D-ribofuranoside, doxorubicin hydrochloride, homoharringtonine, and idarubicin hydrochloride.
- [151] Representative enzyme activators and inhibitors include forskolin, DL-aminoglutethimide, apicidin, Bowman-Birk Inhibitor, butein, (S)-(+)-camptothecin, curcumin, (-)-deguelin, (-)-depudecin, doxycycline hyclate, etoposide, formestane, fostriecin sodium salt, hispidin, 2-imino-1-imidazolidineacetic acid (Cyclocreatine), oxamflatin, 4-phenylbutyric acid, roscovitine, sodium valproate, trichostatin A, tyrphostin AG 34, tyrphostin AG 879, urinary trypsin inhibitor fragment, valproic acid (2-propylpentanoic acid), and XK469.
- [152] Representative gene regulators include 5-aza-2'-deoxycytidine, 5-azacytidine, cholecalciferol (Vitamin D3), ciglitizone, cyproterone acetate, 15-deoxy-D.sup.12,14-prostaglandin J.sub.2, epitestosterone, flutamide, glycyrrhizic acid ammonium salt (glycyrrhizin), 4-hydroxytamoxifen, mifepristone, procainamide hydrochloride, raloxifene hydrochloride, all trans-retinal (vitamin A aldehyde), retinoic acid (vitamin A acid), 9-cis-

retinoic acid, 13-cis-retinoic acid, retinoic acid p-hydroxyanilide, retinol (Vitamin A), tamoxifen, tamoxifen citrate salt, tetradecylthioacetic acid, and troglitazone.

- [153] Representative HSP-90 inhibitors include 17-(allylamino)-17-demethoxygeldanamycin and geldanamycin.
- [154] Representative microtubule inhibitors include colchicines, dolastatin 15, nocodazole, taxanes and in particular paclitaxel, podophyllotoxin, rhizoxin, vinblastine sulfate salt, vincristine sulfate salt, and vindesine sulfate salt and vinorelbine (Navelbine) ditartrate salt.
- [155] Representative agents for performing phototherapy include photoactive porphyrin rings, hypericin, 5-methoxypsoralen, 8-methoxypsoralen, psoralen and ursodeoxycholic acid.
- [156] Representative agents used as therapy adjuncts include amifostine, 4-amino-1,8-naphthalimide, brefeldin A, cimetidine, phosphomycin disodium salt, leuprolide (leuprorelin) acetate salt, luteinizing hormone-releasing hormone (LH-RH) acetate salt, lectin, papaverine hydrochloride, pifithrin-a, (-)-scopolamine hydrobromide, and thapsigargin.
- [157] The agents can also be anti-VEGF (vascular endothelial growth factor) agents, as such are known in the art. Several antibodies and small molecules are currently in clinical trials or have been approved that function by inhibiting VEGF, such as Avastin (Bevacizumab), SU5416, SU11248 and BAY 43-9006. The agents can also be directed against growth factor receptors such as those of the EGF/Erb-B family such as EGF Receptor (Iressa or Gefitinib, and Tarceva or Erlotinib), Erb-B2, receptor (Herceptin or Trastuzumab), other receptors (such as Rituximab or Rituxan/MabThera), tyrosine kinases, non-receptor tyrosine kinases, cellular serine/threonine kinases (including MAP kinases), and various other proteins whose deregulation contribute to oncogenesis (such as small/Ras family and large/heterotrimeric G proteins). Several antibodies and small molecules targeting those molecules are currently at various stages of development (including approved for treatment or in clinical trials).
- [158] In a preferred embodiment, the invention provides a method for treating colon cancer in a subject in need thereof by administering to the subject a GCC agonist formulation in combination with one or more antitumor agent selected from the group consisting of paclitaxel,

docetaxel, tamoxifen, vinorelbine, gemcitabine, cisplatin, etoposide, topotecan, irinotecan, anastrozole, rituximab, trastuzumab, fludarabine, cyclophosphamide, gentuzumab, carboplatin, interferons, and doxorubicin. In a particular embodiment the antitumor agent is paclitaxel. In a further embodiment, the method further comprises an antitumor agent selected from the group consisting of 5-FU, doxorubicin, vinorelbine, cytoxan, and cisplatin.

1.3.2.2 Agents that Treat Crohn's Disease

[159] In one embodiment, a GCC agonist formulation of the invention is administered as part of a combination therapy with one or more additional therapeutic agents for the treatment of Crohn's disease. Non-limiting examples of the one or more additional therapeutic agents include sulfasalazine and other mesalamine-containing drugs, generally known as 5-ASA agents, such as Asacol, Dipentum, or Pentasa, or infliximab (REMICADE). In certain embodiments, the one or more additional agents is a corticosteroid or an immunosuppressive agent such as 6-mercaptopurine or azathioprine. In another embodiment, the one or more additional agents is an antidiarrheal agent such as diphenoxylate, loperamide, or codeine.

1.3.2.3 Agents that Treat Ulcerative Colitis

[160] In one embodiment, a GCC agonist formulation of the invention is administered as part of a combination therapy with one or more additional therapeutic agents for the treatment of ulcerative colitis. The agents that are used to treat ulcerative colitis overlap with those used to treat Chrohn's Disease. Non-limiting examples of the one or more additional therapeutic agents that can be used in combination with a GCC agonist formulation of the invention include aminosalicylates (drugs that contain 5-aminosalicyclic acid (5-ASA)) such as sulfasalazine, olsalazine, mesalamine, and balsalazide. Other therapeutic agents that can be used include corticosteroids, such as prednisone and hydrocortisone, immunomodulators, such as azathioprine, 6-mercapto-purine (6-MP), cytokines, interleukins, and lymphokines, and anti-TNF-alpha agents, including the thiazolidinediones or glitazones such as rosiglitazone and pioglitazone. In one emobidment, the one or more additional therapeutic agents includes both cyclosporine A and 6-MP or azathioprine for the treatment of active, severe ulcerative colitis.

1.3.2.4 Agents that Treat Constipation/Irritable Bowel Syndrome

[161] In one embodiment, a GCC agonist formulation of the invention is administered as part of a combination therapy with one or more additional therapeutic agents for the treatment of constipation, such as that associated with irritable bowel syndrome. Non-limiting examples of the one or more additional therapeutic agents include laxatives such as SENNA, MIRALAX, LACTULOSE, PEG, or calcium polycarbophil), stool softeners (such as mineral oil or COLACE), bulking agents (such as METAMUCIL or bran), agents such as ZELNORM (also called tegaserod), and anticholinergic medications such as BENTYL and LEVSIN.

1.3.2.5 Agents for the Treatment of Postoperative Ileus

[162] In one embodiment, a GCC agonist formulation of the invention is administered as part of a combination therapy with one or more additional therapeutic agents for the treatment of postoperative ileus. Non-limiting examples of the one or more additional therapeutic agents include ENTEREG (alvimopan; formerly called ado lor/ ADL 8-2698), conivaptan, and related agents describes in US 6,645,959.

1.3.2.6 Anti-obesity agents

[163] In one embodiment, a GCC agonist formulation of the invention is administered as part of a combination therapy with one or more additional therapeutic agents for the treatment of obesity. Non-limiting examples of the one or more additional therapeutic agents include 1 lβ HSD-I (11-beta hydroxy steroid dehydrogenase type 1) inhibitors, such as BVT 3498, BVT 2733, 3-(l-adamantyl)-4-ethyl-5-(ethylthio)- 4H-l,2,4-triazole, 3-(l-adamantyl)-5-(3,4,5-trimethoxyphenyl)-4-methyl-4H-l,2,4-triazole, 3- adamantanyl-4,5,6,7,8,9,10,11,12,3a-decahydro-1,2,4-triazolo[4,3-a][l l]annulene, and those compounds disclosed in WO01/90091, WOO 1/90090, WOO 1/90092 and WO02/072084; 5HT antagonists such as those in WO03/037871, WO03/037887, and the like; 5HTIa modulators such as carbidopa, benserazide and those disclosed in US6207699, WO03/031439, and the like; 5HT2c (serotonin receptor 2c) agonists, such as BVT933, DPCA37215, IK264, PNU 22394, WAY161503, R-1065, SB 243213 (Glaxo Smith Kline) and YM 348 and those disclosed in US3914250, WO00/77010,

WO02/36596, WO02/48124, WO02/10169, WO01/66548, WO02/44152, WO02/51844, WO02/40456, and WO02/40457; 5HT6 receptor modulators, such as those in WO03/030901, WO03/035061, WO03/039547, and the like; acyl-estrogens, such as oleoyl-estrone, disclosed in del Mar-Grasa, M. et al, Obesity Research, 9:202-9 (2001) and Japanese Patent Application No. JP 2000256190; anorectic bicyclic compounds such as 1426 (Aventis) and 1954 (Aventis), and the compounds disclosed in WO00/18749, WO01/32638, WO01/62746, WO01/62747, and WO03/015769; CB 1 (cannabinoid-1 receptor) antagonist/inverse agonists such as rimonabant (Acomplia; Sanofi), SR-147778 (Sanofi), SR-141716 (Sanofi), BAY 65-2520 (Bayer), and SLV 319 (Solvay), and those disclosed in patent publications US4973587, US5013837, US5081122, US5112820, US5292736, US5532237, US5624941, US6028084, US6509367, US6509367, WO96/33159, WO97/29079, WO98/31227, WO98/33765, WO98/37061, WO98/41519, WO98/43635, WO98/43636, WO99/02499, WO00/10967, WO00/10968, WO01/09120, WO01/58869, WO01/64632, WO01/64633, WO01/64634, WO01/70700, WO01/96330, WO02/076949, WO03/006007, WO03/007887, WO03/020217, WO03/026647, WO03/026648, WO03/027069, WO03/027076, WO03/027114, WO03/037332, WO03/040107, WO03/086940, WO03/084943 and EP658546; CCK-A (cholecystokinin-A) agonists, such as AR-R 15849, GI 181771 (GSK), JMV-180, A-71378, A-71623 and SR146131 (Sanofi), and those described in US5739106; CNTF (Ciliary neurotrophic factors), such as GI- 181771 (Glaxo-SmithKline), SRI 46131 (Sanofi Synthelabo), butabindide, PD 170,292, and PD 149164 (Pfizer); CNTF derivatives, such as Axokine® (Regeneron), and those disclosed in WO94/09134, WO98/22128, and WO99/43813; dipeptidyl peptidase IV (DP-IV) inhibitors, such as isoleucine thiazolidide, valine pyrrolidide, NVP-DPP728, LAF237, P93/01, P 3298, TSL 225 (tryptophyl-1,2,3,4tetrahydroisoguinoline-3- carboxylic acid; disclosed by Yamada et al, Bioorg. & Med. Chem. Lett. 8 (1998) 1537-1540), TMC-2A/2B/2C, CD26 inhibtors, FE 999011, P9310/K364, VIP 0177, SDZ 274-444, 2- cyanopyrrolidides and 4-cyanopyrrolidides as disclosed by Ashworth et al, Bioorg. & Med. Chem. Lett., Vol. 6, No. 22, pp 1163-1166 and 2745-2748 (1996) and the compounds disclosed patent publications, WO99/38501, WO99/46272, WO99/67279 (Probiodrug), WO99/67278 (Probiodrug), WO99/61431 (Probiodrug), WO02/083128, WO02/062764, WO03/000180, WO03/000181, WO03/000250, WO03/002530, WO03/002531, WO03/002553, WO03/002593, WO03/004498, WO03/004496, WO03/017936, WO03/024942, WO03/024965, WO03/033524, WO03/037327 and EP1258476; growth hormone secretagogue

receptor agonists/antagonists, such as NN703, hexarelin, MK-0677 (Merck), SM-130686, CP-424391 (Pfizer), LY 444,711 (Eli Lilly), L-692,429 and L- 163,255, and such as those disclosed in USSN 09/662448, US provisional application 60/203335, US6358951, US2002049196, US2002/022637, WO01/56592 and WO02/32888; H3 (histamine H3) antagonist/inverse agonists, such as thioperamide, 3-(lH-imidazol-4- yl)propyl N-(4-pentenyl)carbamate), clobenpropit, iodophenpropit, imoproxifan, GT2394 (Gliatech), and A331440, O-[3-(IHimidazol-4-yl)propanol]carbamates (Kiec-Kononowicz, K. et al., Pharmazie, 55:349-55 (2000)), piperidine-containing histamine H3-receptor antagonists (Lazewska, D. et al., Pharmazie, 56:927-32 (2001), benzophenone derivatives and related compounds (Sasse, A. et al., Arch. Pharm. (Weinheim) 334:45-52 (2001), substituted N-phenylcarbamates (Reidemeister, S. et al., Pharmazie, 55:83-6 (2000)), and proxifan derivatives (Sasse, A. et al., J. Med. Chem. 43:3335-43 (2000)) and histamine H3 receptor modulators such as those disclosed in WO02/15905, WO03/024928 and WO03/024929; leptin derivatives, such as those disclosed in US5552524, US5552523, US5552522, US5521283, WO96/23513, WO96/23514, WO96/23515, WO96/23516, WO96/23517, WO96/23518, WO96/23519, and WO96/23520; leptin, including recombinant human leptin (PEG-OB, Hoffman La Roche) and recombinant methionyl human leptin (Amgen); lipase inhibitors, such as tetrahydrolipstatin (orlistat/Xenical®), Triton WRl 339, RHC80267, lipstatin, teasaponin, diethylumbelliferyl phosphate, FL-386, WAY-121898, Bay-N-3176, valilactone, esteracin, ebelactone A, ebelactone B, and RHC 80267, and those disclosed in patent publications WO01/77094, US4598089, US4452813, USUS5512565, US5391571, US5602151, US4405644, US4189438, and US4242453; lipid metabolism modulators such as maslinic acid, erythrodiol, ursolic acid uvaol, betulinic acid, betulin, and the like and compounds disclosed in WO03/011267; Mc4r (melanocortin 4 receptor) agonists, such as CHIR86036 (Chiron), ME-10142, ME-10145, and HS-131 (Melacure), and those disclosed in PCT publication Nos. WO99/64002, WO00/74679, WOO 1/991752, WOO 1/25192, WOO 1/52880, WOO 1/74844, WOO 1/70708, WO01/70337, WO01/91752, WO02/059095, WO02/059107, WO02/059108, WO02/059117, WO02/06276, WO02/12166, WO02/11715, WO02/12178, WO02/15909, WO02/38544, WO02/068387, WO02/068388, WO02/067869, WO02/081430, WO03/06604, WO03/007949, WO03/009847, WO03/009850, WO03/013509, and WO03/031410; Mc5r (melanocortin 5 receptor) modulators, such as those disclosed in WO97/19952, WO00/15826, WO00/15790, US20030092041; melanin-concentrating hormone 1

receptor (MCHR) antagonists, such as T-226296 (Takeda), SB 568849, SNP-7941 (Synaptic), and those disclosed in patent publications WOO 1/21169, WO01/82925, WO01/87834, WO02/051809, WO02/06245, WO02/076929, WO02/076947, WO02/04433, WO02/51809, WO02/083134, WO02/094799, WO03/004027, WO03/13574, WO03/15769, WO03/028641, WO03/035624, WO03/033476, WO03/033480, JP13226269, and JP1437059; mGluR5 modulators such as those disclosed in WO03/029210, WO03/047581, WO03/048137, WO03/051315, WO03/051833, WO03/053922, WO03/059904, and the like; serotoninergic agents, such as fenfluramine (such as Pondimin® (Benzeneethanamine, N-ethyl- alpha-methyl-3-(trifluoromethyl)-, hydrochloride), Robbins), dexfenfluramine (such as Redux® (Benzeneethanamine, N-ethyl-alpha-methyl-3-(trifluoromethyl)-, hydrochloride), Interneuron) and sibutramine ((Meridia®, Knoll/ReductilTM) including racemic mixtures, as optically pure isomers (+) and (-), and pharmaceutically acceptable salts, solvents, hydrates, clathrates and prodrugs thereof including sibutramine hydrochloride monohydrate salts thereof, and those compounds disclosed in US4746680, US4806570, and US5436272, US20020006964, WOO 1/27068, and WOO 1/62341; NE (norepinephrine) transport inhibitors, such as GW 320659, despiramine, talsupram, and nomifensine; NPY 1 antagonists, such as BIBP3226, J-115814, BIBO 3304, LY-357897, CP-671906, GI-264879A, and those disclosed in US6001836, WO96/14307, WO01/23387, WO99/51600, WO01/85690, WO01/85098, WO01/85173, and WO01/89528; NPY5 (neuropeptide Y Y5) antagonists, such as 152,804, GW-569180A, GW-594884A, GW-587081X, GW-548118X, FR235208, FR226928, FR240662, FR252384, 1229U91, GI-264879A, CGP71683A, LY-377897, LY-366377, PD-160170, SR-120562A, SR-120819A, JCF-104, and H409/22 and those compounds disclosed in patent publications US6140354, US6191160, US6218408, US6258837, US6313298, US6326375, US6329395, US6335345, US6337332, US6329395, US6340683, EP01010691, EP-01044970, WO97/19682, WO97/20820, WO97/20821, WO97/20822, WO97/20823, WO98/27063, WO00/107409, WO00/185714, WO00/185730, WO00/64880, WO00/68197, WO00/69849, WO/0113917, WO01/09120, WO01/14376, WO01/85714, WO01/85730, WO01/07409, WO01/02379, WO01/23388, WO01/23389, WOO 1/44201, WO01/62737, WO01/62738, WO01/09120, WO02/20488, WO02/22592, WO02/48152, WO02/49648, WO02/051806, WO02/094789, WO03/009845, WO03/014083, WO03/022849, WO03/028726 and Norman et al, J. Med. Chem. 43:4288-4312 (2000); opioid antagonists, such as nalmefene (REVEX ®), 3-methoxynaltrexone,

methylnaltrexone, naloxone, and naltrexone (e.g. PT901; Pain Therapeutics, Inc.) and those disclosed in US20050004155 and WO00/21509; orexin antagonists, such as SB-334867-A and those disclosed in patent publications WO01/96302, WO01/68609, WO02/44172, WO02/51232, WO02/51838, WO02/089800, WO02/090355, WO03/023561, WO03/032991, and WO03/037847; PDE inhibitors (e.g. compounds which slow the degradation of cyclic AMP (cAMP) and/or cyclic GMP (cGMP) by inhibition of the phosphodiesterases, which can lead to a relative increase in the intracellular concentration of cAMP and cGMP; possible PDE inhibitors are primarily those substances which are to be numbered among the class consisting of the PDE3 inhibitors, the class consisting of the PDE4 inhibitors and/or the class consisting of the PDE5 inhibitors, in particular those substances which can be designated as mixed types of PDE3/4 inhibitors or as mixed types of PDE3/4/5 inhibitors) such as those disclosed in patent publications DE1470341, DE2108438, DE2123328, DE2305339, DE2305575, DE2315801, DE2402908, DE2413935, DE2451417, DE2459090, DE2646469, DE2727481, DE2825048, DE2837161, DE2845220, DE2847621, DE2934747, DE3021792, DE3038166, DE3044568, EP000718, EP0008408, EP0010759, EP0059948, EP0075436, EP0096517, EPOI 12987, EPOI 16948, EP0150937, EP0158380, EP0161632, EP0161918, EP0167121, EP0199127, EP0220044, EP0247725, EP0258191, EP0272910, EP0272914, EP0294647, EP0300726, EP0335386, EP0357788, EP0389282, EP0406958, EP0426180, EP0428302, EP0435811, EP0470805, EP0482208, EP0490823, EP0506194, EP0511865, EP0527117, EP0626939, EP0664289, EP0671389, EP0685474, EP0685475, EP0685479, JP92234389, JP94329652, JP95010875, US4963561, US5141931, WO9117991, WO9200968, WO9212961, WO9307146, WO9315044, WO9315045, WO9318024, WO9319068, WO9319720, WO9319747, WO9319749, WO9319751, WO9325517, WO9402465, WO9406423, WO9412461, WO9420455, WO9422852, WO9425437, WO9427947, WO9500516, WO9501980, WO9503794, WO9504045, WO9504046, WO9505386, WO9508534, WO9509623, WO9509624, WO9509627, WO9509836, WO9514667, WO9514680, WO9514681, WO9517392, WO9517399, WO9519362, WO9522520, WO9524381, WO9527692, WO9528926, WO9535281, WO9535282, WO9600218, WO9601825, WO9602541, WO9611917, DE3142982, DEI 116676, DE2162096, EP0293063, EP0463756, EP0482208, EP0579496, EP0667345 US6331543, US20050004222 (including those disclosed in formulas I- XIII and paragraphs 37-39, 85-0545 and 557-577), WO9307124, EP0163965, EP0393500, EP0510562,

EP0553174, WO9501338 and WO9603399, as well as PDE5 inhibitors (such as RX-RA-69, SCH-51866, KT-734, vesnarinone, zaprinast, SKF-96231, ER-21355, BF/GP-385, NM-702 and sildenafil (ViagraTM)), PDE4 inhibitors (such as etazolate, ICI63197, RP73401, imazolidinone (RO-20-1724), MEM 1414 (R1533/R1500; Pharmacia Roche), denbufylline, rolipram, oxagrelate, nitraquazone, Y-590, DH-6471, SKF-94120, motapizone, lixazinone, indolidan, olprinone, atizoram, KS-506-G, dipamfylline, BMY-43351, atizoram, arofylline, filaminast, PDB-093, UCB-29646, CDP-840, SKF-107806, piclamilast, RS-17597, RS-25344-000, SB-207499, TIBENELAST, SB-210667, SB-211572, SB-211600, SB-212066, SB-212179, GW-3600, CDP-840, mopidamol, anagrelide, ibudilast, amrinone, pimobendan, cilostazol, quazinone and N-(3.5-dichloropyrid-4-yl)-3-cyclopropylmethoxy4-difluoromethoxybenzamide, PDE3 inhibitors (such as ICI153, 100, bemorandane (RWJ 22867), MCI-154, UD-CG 212, sulmazole, ampizone, cilostamide, carbazeran, piroximone, imazodan, CI-930, siguazodan, adibendan, saterinone, SKF-95654, SDZ-MKS-492, 349-U-85, emoradan, EMD-53998, EMD-57033, NSP-306, NSP-307, revizinone, NM-702, WIN-62582 and WIN-63291, enoximone and milrinone, PDE3/4 inhibitors (such as benafentrine, trequinsin, ORG-30029, zardaverine, L-686398, SDZ-ISQ-844, ORG-20241, EMD-54622, and tolafentrine) and other PDE inhibitors (such as vinpocetin, papaverine, enprofylline, cilomilast, fenoximone, pentoxifylline, roflumilast, tadalafil(Cialis®), theophylline, and vardenafil(Levitra®); Neuropeptide Y2 (NPY2) agonists include but are not limited to: polypeptide YY and fragments and variants thereof (e.g. YY3-36 (PYY3-36)(N. Engl. J. Med. 349:941, 2003; IKPEAPGE DASPEELNRY YASLRHYLNL VTRQRY (SEQ ID NO:XXX)) and PYY agonists such as those disclosed in WO02/47712, WO03/026591, WO03/057235, and WO03/027637; serotonin reuptake inhibitors, such as, paroxetine, fluoxetine (ProzacTM), fluvoxamine, sertraline, citalogram, and imipramine, and those disclosed in US6162805, US6365633, WO03/00663, WOO 1/27060, and WOO 1/162341; thyroid hormone β agonists, such as KB-2611 (KaroBioBMS), and those disclosed in WO02/15845, WO97/21993, WO99/00353, GB98/284425, U.S. Provisional Application No. 60/183,223, and Japanese Patent Application No. JP 2000256190; UCP-I (uncoupling protein-1), 2, or 3 activators, such as phytanic acid, 4-[(E)-2-(5, 6,7,8- tetrahydro-5,5,8,8-tetramethyl-2napthalenyl)-l-propenyl]benzoic acid (TTNPB), retinoic acid, and those disclosed in WO99/00123; β3 (beta adrenergic receptor 3) agonists, such as AJ9677/TAK677 (Dainippon/Takeda), L750355 (Merck), CP331648 (Pfizer), CL-316,243, SB 418790, BRL-

37344, L-796568, BMS-196085, BRL-35135A, CGP12177A, BTA-243, GW 427353, Trecadrine, Zeneca D7114, N-5984 (Nisshin Kyorin), LY-377604 (Lilly), SR 59119A, and those disclosed in US5541204, US5770615, US5491134, US5776983, US488064, US5705515, US5451677, WO94/18161, WO95/29159, WO97/46556, WO98/04526 and WO98/32753, WO01/74782, WO02/32897, WO03/014113, WO03/016276, WO03/016307, WO03/024948, WO03/024953 and WO03/037881; noradrenergic agents including, but not limited to, diethylpropion (such as Tenuate® (1- propanone, 2-(diethylamino)-l -phenyl-, hydrochloride), Merrell), dextroamphetamine (also known as dextroamphetamine sulfate, dexamphetamine, dexedrine, Dexampex, Ferndex, Oxydess II, Robese, Spancap #1), mazindol ((or 5-(pchlorophenyl)-2,5-dihydro-3H- imidazo[2,l-a]isoindol-5-ol) such as Sanorex®, Novartis or Mazanor®, Wyeth Ayerst), phenylpropanolamine (or Benzenemethanol, alpha-(l-aminoethyl)-, hydrochloride), phentermine ((or Phenol, 3-[[4,5-duhydro-lH-imidazol-2-yl)ethyl](4methylpheny-l)amino], monohydrochloride) such as Adipex-P®, Lemmon, FASTIN®, Smith-Kline Beecham and Ionamin®, Medeva), phendimetrazine ((or (2S,3S)-3,4-Dimethyl-2phenylmorpholine L-(+)- tartrate (1:1) such as Metra® (Forest), Plegine® (Wyeth- Ay erst), Prelu-2® (Boehringer Ingelheim), and Statobex® (Lemmon), phendamine tartrate (such as Thephorin® (2,3,4,9- Tetrahydro-2-methyl-9-phenyl-lH-indenol[2,1-c]pyridine L-(+)-tartrate (1 :1)), Hoffmann- LaRoche), methamphetamine (such as Desoxyn®, Abbot ((S)-N, (alpha)dimethylbenzeneethanamine hydrochloride)), and phendimetrazine tartrate (such as Bontril® Slow-Release Capsules, Amarin (-3,4-Dimethyl-2-phenylmorpholine Tartrate); fatty acid oxidation upregulator/inducers such as Famoxin® (Genset); monamine oxidase inhibitors including but not limited to befloxatone, moclobemide, brofaromine, phenoxathine, esuprone, befol, toloxatone, pirlindol, amiflamine, sercloremine, bazinaprine, lazabemide, milacemide, caroxazone and other certain compounds as disclosed by WO01/12176; and other anti-obesity agents such as 5HT-2 agonists, ACC (acetyl-CoA carboxylase) inhibitors such as those described in WO03/072197, alpha-lipoic acid (alpha-LA), AOD9604, appetite suppressants such as those in WO03/40107, ATL-962 (Alizyme PLC), benzocaine, benzphetamine hydrochloride (Didrex), bladderwrack (focus vesiculosus), BRS3 (bombesin receptor subtype 3) agonists, bupropion, caffeine, CCK agonists, chitosan, chromium, conjugated linoleic acid, corticotropin-releasing hormone agonists, dehydroepiandrosterone, DGATI (diacylglycerol acyltransferase 1) inhibitors, DGAT2 (diacylglycerol acyltransferase 2) inhibitors, dicarboxylate transporter inhibitors,

ephedra, exendin-4 (an inhibitor of glp-1) FAS (fatty acid synthase) inhibitors (such as Cerulenin and C75), fat resorption inhibitors (such as those in WO03/053451, and the like), fatty acid transporter inhibitors, natural water soluble fibers (such as psyllium, plantago, guar, oat, pectin), galanin antagonists, galega (Goat's Rue, French Lilac), garcinia cambogia, germander (teucrium chamaedrys), ghrelin antibodies and ghrelin antagonists (such as those disclosed in WO01/87335, and WO02/08250), polypeptide hormones and variants thereof which affect the islet cell secretion, such as the hormones of the secretin/gastric inhibitory polypeptide (GIP)/vasoactive intestinal polypeptide (VIP)/pituitary adenylate cyclase activating polypeptide (PACAP)/glucagon-like polypeptide II (GLP- II)/glicentin/glucagon gene family and/or those of the adrenomedullin/amylin/calcitonin gene related polypeptide (CGRP) gene family includingGLP-1 (glucagon-like polypeptide 1) agonists (e.g. (1) exendin-4, (2) those GLP-I molecules described in US20050130891 including GLP-1(7-34), GLP-l(7-35), GLP-l(7-36) or GLP-I(7-37) in its C-terminally carboxylated or amidated form or as modified GLP-I polypeptides and modifications thereof including those described in paragraphs 17-44 of US20050130891, and derivatives derived from GLP-1-(7-34)COOH and the corresponding acid amide are employed which have the following general formula: R-NH-HAEGTFTSDVSYLEGQAAKEFIAWLVK-CONH₂ wherein R=H or an organic compound having from 1 to 10 carbon atoms. Preferably, R is the residue of a carboxylic acid. Particularly preferred are the following carboxylic acid residues: formyl, acetyl, propionyl, isopropionyl, methyl, ethyl, propyl, isopropyl, n-butyl, sec-butyl, tert- butyl.) and glp-1 (glucagon-like polypeptide- 1), glucocorticoid antagonists, glucose transporter inhibitors, growth hormone secretagogues (such as those disclosed and specifically described in US5536716), interleukin-6 (IL-6) and modulators thereof (as in WO03/057237, and the like), L- carnitine, Mc3r (melanocortin 3 receptor) agonists, MCH2R (melanin concentrating hormone 2R) agonist/antagonists, melanin concentrating hormone antagonists, melanocortin agonists (such as Melanotan II or those described in WO 99/64002 and WO 00/74679), nomame herba, phosphate transporter inhibitors, phytopharm compound 57 (CP 644,673), pyruvate, SCD-I (stearoyl-CoA desaturase-1) inhibitors, T71 (Tularik, Inc., Boulder CO), Topiramate (Topimax®, indicated as an anti-convulsant which has been shown to increase weight loss), transcription factor modulators (such as those disclosed in WO03/026576), β-hydroxy steroid dehydrogenase- 1 inhibitors (β -HSD-I), β-hydroxy-β-methylbutyrate, p57 (Pfizer), Zonisamide (ZonegranTM,

indicated as an anti-epileptic which has been shown to lead to weight loss), and the agents disclosed in US20030119428 paragraphs 20-26.

1.3.2.7 Phosphodiesterase inhibitors

[164] In certain embodiments, the regimen of combination therapy includes the administration of one or more phosphodiesterase ("PDE") inhibitors. PDE inhibitors slow the degradation of cyclic AMP (cAMP) and/or cyclic GMP (cGMP) by inhibiting phosphodiesterases, which can lead to a relative increase in the intracellular concentration of cAMP and/or cGMP. Nonlimiting examples of PDE inhibitors that can be used in combination with the GCC agonists of the invention include PDE3 inhibitors, PDE4 inhibitors and/or PDE5 inhibitors, in particular those substances which can be designated as mixed types of PDE3/4 inhibitors or as mixed types of PDE3/4/5 inhibitors. Non-limiting examples of such PDE inhibitors are described in the following patent applications and patents: DE1470341, DE2108438, DE2123328, DE2305339, DE2305575, DE2315801, DE2402908, DE2413935, DE2451417, DE2459090, DE2646469, DE2727481, DE2825048, DE2837161, DE2845220, DE2847621, DE2934747, DE3021792, DE3038166, DE3044568, EP000718, EP0008408, EP0010759, EP0059948, EP0075436, EP0096517, EP01 12987, EP01 16948, EP0150937, EP0158380, EP0161632, EP0161918, EP0167121, EP0199127, EP0220044, EP0247725, EP0258191, EP0272910, EP0272914, EP0294647, EP0300726, EP0335386, EP0357788, EP0389282, EP0406958, EP0426180, EP0428302, EP0435811, EP0470805, EP0482208, EP0490823, EP0506194, EP0511865, EP0527117, EP0626939, EP0664289, EP0671389, EP0685474, EP0685475, EP0685479, JP92234389, JP94329652, JP95010875, U.S. Pat. Nos. 4,963,561, 5,141,931, WO9117991, WO9200968, WO9212961, WO9307146, WO9315044, WO9315045, WO9318024, WO9319068, WO9319720, WO9319747, WO9319749, WO9319751, WO9325517, WO9402465, WO9406423, WO9412461, WO9420455, WO9422852, WO9425437, WO9427947, WO9500516, WO9501980, WO9503794, WO9504045, WO9504046, WO9505386, WO9508534, WO9509623, WO9509624, WO9509627, WO9509836, WO9514667, WO9514680, WO9514681, WO9517392, WO9517399, WO9519362, WO9522520, WO9524381, WO9527692, WO9528926, WO9535281, WO9535282, WO9600218, WO9601825, WO9602541, WO9611917, DE3142982, DEI 116676, DE2162096,

EP0293063, EP0463756, EP0482208, EP0579496, EP0667345 US6,331,543, US20050004222 (including those disclosed in formulas I-XIII and paragraphs 37-39, 85-0545 and 557-577) and WO9307124, EP0163965, EP0393500, EP0510562, EP0553174, WO9501338 and WO9603399. PDE5 inhibitors which may be mentioned by way of example are RX-RA-69, SCH-51866, KT-734, vesnarinone, zaprinast, SKF-96231, ER-21355, BF/GP-385, NM-702 and sildenafil (Viagra®). PDE4 inhibitors which may be mentioned by way of example are RO-20-1724, MEM 1414 (R1533/R1500; Pharmacia Roche), DENBUFYLLINE, ROLIPRAM, OXAGRELATE, NITRAQUAZONE, Y-590, DH-6471, SKF-94120, MOTAPIZONE, LIXAZINONE, INDOLIDAN, OLPRINONE, ATIZORAM, KS-506-G, DIPAMFYLLINE, BMY-43351, ATIZORAM, AROFYLLINE, FILAMINAST, PDB-093, UCB-29646, CDP-840, SKF-107806, PICLAMILAST, RS-17597, RS-25344-000, SB-207499, TIBENELAST, SB-210667, SB-211572, SB-211600, SB-212066, SB-212179, GW-3600, CDP-840, MOPIDAMOL, ANAGRELIDE, IBUDILAST, AMRINONE, PIMOBENDAN, CILOSTAZOL, QUAZINONE and N-(3,5-dichloropyrid-4-yl)-3-cyclopropylmethoxy4-difluoromethoxybenzamide. PDE3 inhibitors which may be mentioned by way of example are SULMAZOLE, AMPIZONE, CILOSTAMIDE, CARBAZERAN, PIROXIMONE, IMAZODAN, CI-930, SIGUAZODAN, ADIBENDAN, SATERINONE, SKF-95654, SDZ-MKS-492, 349-U-85, EMORADAN, EMD-53998, EMD-57033, NSP-306, NSP-307, REVIZINONE, NM-702, WIN-62582 and WIN-63291, ENOXIMONE and MILRINONE. PDE3/4 inhibitors which may be mentioned by way of example are BENAFENTRINE, TREQUINSIN, ORG-30029, ZARDAVERINE, L-686398, SDZ-ISQ-844, ORG-20241, EMD-54622, and TOLAFENTRINE. Other PDE inhibitors include: cilomilast, pentoxifylline, roflumilast, tadalafil(Cialis®), theophylline, and vardenafil(Levitra®), zaprinast (PDE5 specific). GCC AGONIST

1.3.2.8 Analgesic Agents

[165] In certain embodiments, the regimen of combination therapy includes the administration of one or more analysic agents, *e.g.*, an analysic compound or an analysic polypeptide. In some embodiments, the GCC agonist formulation is administered simultaneously or sequentially with one or more analysic agents. In other embodiments, the GCC agonist is covalently linked or attached to an analysic agent to create a therapeutic conjugate. Non-limiting examples of

analgesic agents that can be used include calcium channel blockers, 5HT receptor antagonists (for example 5HT3, 5HT4 and 5HTl receptor antagonists), opioid receptor agonists (loperamide, fedotozine, and fentanyl), NKl receptor antagonists, CCK receptor agonists (*e.g.*, loxiglumide), NKl receptor antagonists, NK3 receptor antagonists, norepinephrine-serotonin reuptake inhibitors (NSRI), vanilloid and cannabanoid receptor agonists, and sialorphin. Further examples of analgesic agents in the various classes are known in the art.

[166] In one embodiment, the analgesic agent is an analgesic polypeptide selected from the group consisting of sialorphin-related polypeptides, including those comprising the amino acid sequence QHNPR (SEQ ID NO: 239), including: VQHNPR (SEQ ID NO: 240); VRQHNPR (SEQ ID NO: 241); VRGQHNPR (SEQ ID NO: 242); VRGPQHNPR (SEQ ID NO: 243); VRGPRQHNPR (SEQ ID NO: 244); VRGPRRQHNPR (SEQ ID NO: 245); and RQHNPR (SEQ ID NO: 246). Sialorphin-related polypeptides bind to neprilysin and inhibit neprilysin-mediated breakdown of substance P and Met-enkephalin. Thus, compounds or polypeptides that are inhibitors of neprilysin are useful analgesic agents which can be administered with the GCC agonists described herein or covalently linked to a GCC agonist to form a therapeutic conjugate. Sialorphin and related polypeptides are described in U.S. Patent 6,589,750; U.S. 20030078200 Al; and WO 02/051435 A2.

[167] In another embodiment, a GCC agonist formulation of the invention is administered as part of a regimen of combination therapy with an opioid receptor antagonist or agonist. In one embodiment, the GCC agonist and the opioid receptor antagonist or agonist are linked via a covalent bond. Non-limiting examples of opioid receptor antagonists include naloxone, naltrexone, methyl nalozone, nalmefene, cypridime, beta funaltrexamine, naloxonazine, naltrindole, nor-binaltorphimine, enkephalin pentapeptide (HOE825; Tyr-D-Lys-Gly-Phe-L-homoserine), trimebutine, vasoactive intestinal polypeptide, gastrin, glucagons. Non-limiting examples of opioid receptor agonists include fedotozine, asimadoline, and ketocyclazocine, the compounds described in WO03/097051 and WO05/007626, morphine, diphenyloxylate, frakefamide (H-Tyr-D-Ala-Phe(F)-Phe-NH 2; WO 01/019849 Al), and loperamide.

[168] Further non-limiting examples of analgesic agents that can be used in a regimen of combination therapy along with the GCC agonist formulations of the invention include the

dipeptide Tyr-Arg (kyotorphin); the chromogranin-derived polypeptide (CgA 47-66; See, e.g., Ghia et al. 2004 Regulatory polypeptides 119:199); CCK receptor agonists such as caerulein; conotoxin polypeptides; peptide analogs of thymulin (FR Application 2830451); CCK (CCKa or CCKb) receptor antagonists, including loxiglumide and dexloxiglumide (the R- isomer of loxiglumide) (WO 88/05774); 5-HT4 agonists such as tegaserod (Zelnorm®), mosapride, metoclopramide, zacopride, cisapride, renzapride, benzimidazolone derivatives such as BIMU 1 and BIMU 8, and lirexapride; calcium channel blockers such as ziconotide and related compounds described in, for example, EP625162B1, US 5,364,842, US 5,587,454, US 5,824,645, US 5,859,186, US 5,994,305, US 6087,091, US 6,136,786, WO 93/13128 AI, EP 1336409 Al, EP 835126 Al, EP 835126 Bl, US 5,795,864, US 5,891,849, US 6,054,429, WO 97/01351 Al; NK-I, receptor antagonists such as aprepitant (Merck & Co Inc), vofopitant, ezlopitant (Pfizer, Inc.), R-673 (Hoffmann-La Roche Ltd), SR-48968 (Sanofi Synthelabo), CP-122,721 (Pfizer, Inc.), GW679769 (Glaxo Smith Kline), TAK-637 (Takeda/Abbot), SR-14033, and related compounds described in, for example, EP 873753 Al, US 20010006972 Al, US 20030109417 Al, WO 01/52844 Al (for a review see Giardina et al. 2003.Drugs 6:758); NK-2 receptor antagonists such as nepadutant (Menarini Ricerche SpA), saredutant (Sanofi-Synthelabo), GW597599 (Glaxo Smith Kline), SR-144190 (Sanofi-Synthelabo) and UK-290795 (Pfizer Inc); NK3 receptor antagonists such as osanetant (SR-142801; Sanofu-Synthelabo), SSR-241586, talnetant and related compounds described in, for example, WO 02/094187 A2, EP 876347 Al, WO 97/21680 Al, US 6,277,862, WO 98/1 1090, WO 95/28418, WO 97/19927, and Boden et al. (J Med Chem. 39:1664-75, 1996); norepinephrine-serotonin reuptake inhibitors (NSRI) such as milnacipran and related compounds described in WO 03/077897; and vanilloid receptor antagonists such as arvanil and related compounds described in WO 01/64212 Al.

[169] In addition to sialorphin-related polypeptides, analgesic polypeptides include: AspPhe, endomorphin-1, endomorphin-2, nocistatin, dalargin, lupron, ziconotide, and substance P.

1.3.2.9 Insulin and Insulin Modulating Agents

[170] The GCC agonist peptides described herein can be used in combination therapy with insulin and related compounds including primate, rodent, or rabbit insulin including biologically active variants thereof including allelic variants, more preferably human insulin available in

recombinant form. Sources of human insulin include pharmaceutically acceptable and sterile formulations such as those available from Eli Lilly (Indianapolis, Ind. 46285) as HumulinTM (human insulin rDNA origin). See, the THE PHYSICIAN'S DESK REFERENCE, 55.sup.th Ed. (2001) Medical Economics, Thomson Healthcare (disclosing other suitable human insulins).

[171] The GCC peptides described herein can also be used in combination therapy with agents that can boost insulin effects or levels of a subject upon administration, e.g. glipizide and/or rosiglitazone. The polypeptides and agonistsdescribed herein can be used in combitherapy with SYMLIN® (pramlintide acetate) and Exenatide® (synthetic exendin-4; a 39 aa polypeptide).

1.3.2.10 Anti-Hypertensive Agents

[172] The GCC agonist peptides described herein can be used in combination therapy with an anti-hypertensive agent including but not limited to: (1) diuretics, such as thiazides, including chlorthalidone, chlorthiazide, dichlorophenamide, hydroflumethiazide, indapamide, polythiazide, and hydrochlorothiazide; loop diuretics, such as bumetanide, ethacrynic acid, furosemide, and torsemide; potassium sparing agents, such as amiloride, and triamterene; carbonic anhydrase inhibitors, osmotics(such as glycerin) and aldosterone antagonists, such as spironolactone, epirenone, and the like; (2) beta-adrenergic blockers such as acebutolol, atenolol, betaxolol, bevantolol, bisoprolol, bopindolol, carteolol, carvedilol, celiprolol, esmolol, indenolol, metaprolol, nadolol, nebivolol, penbutolol, pindolol, propanolol, sotalol, tertatolol, tilisolol, and timolol, and the like; (3) calcium channel blockers such as amlodipine, aranidipine, azelnidipine, barnidipine, benidipine, bepridil, cinaldipine, clevidipine, diltiazem, efonidipine, felodipine, gallopamil, isradipine, lacidipine, lemildipine, lercanidipine, nicardipine, nifedipine, nilvadipine, nimodepine, nisoldipine, nitrendipine, manidipine, pranidipine, and verapamil, and the like; (4) angiotensin converting enzyme (ACE) inhibitors such as benazepril; captopril; ceranapril; cilazapril; delapril; enalapril; enalopril; fosinopril; imidapril; lisinopril; losinopril; moexipril; quinapril; quinaprilat; ramipril; perindopril; perindropril; quanipril; spirapril; tenocapril; trandolapril, and zofenopril, and the like; (5) neutral endopeptidase inhibitors such as omapatrilat, cadoxatril and ecadotril, fosidotril, sampatrilat, AVE7688, ER4030, and the like; (6) endothelin antagonists such as tezosentan, A308165, and YM62899, and the like; (7) vasodilators such as hydralazine, clonidine, minoxidil, and nicotinyl alcohol, and the like; (8)

angiotensin II receptor antagonists such as aprosartan, candesartan, eprosartan, irbesartan, losartan, olmesartan, pratosartan, tasosartan, telmisartan, valsartan, and EXP-3137, FI6828K, and RNH6270, and the like; (9) α/β adrenergic blockers such as nipradilol, arotinolol and amosulalol, and the like; (10) alpha 1 blockers, such as terazosin, urapidil, prazosin, tamsulosin, bunazosin, trimazosin, doxazosin, naftopidil, indoramin, WHP 164, and XENOIO, and the like; (11) alpha 2 agonists such as lofexidine, tiamenidine, moxonidine, rilmenidine and guanobenz, and the like; (12) aldosterone inhibitors, and the like; and (13) angiopoietin-2 -binding agents such as those disclosed in WO03/030833. Specific anti-hypertensive agents that can be used in combination with polypeptides and agonists described herein include, but are not limited to: diuretics, such as thiazides (e.g., chlorthalidone, cyclothiazide (CAS RN 2259-96-3), chlorothiazide (CAS RN 72956-09-3, which may be prepared as disclosed in US2809194), dichlorophenamide, hydroflumethiazide, indapamide, polythiazide, bendroflumethazide, methyclothazide, polythiazide, trichlormethazide, chlorthalidone, indapamide, metolazone, quinethazone, althiazide (CAS RN 5588-16-9, which may be prepared as disclosed in British Patent No. 902,658), benzthiazide (CAS RN 91-33-8, which may be prepared as disclosed in US3108097), buthiazide (which may be prepared as disclosed in British Patent Nos. 861, 367), and hydrochlorothiazide), loop diuretics (e.g. bumetanide, ethacrynic acid, furosemide, and torasemide), potassium sparing agents (e.g. amiloride, and triamterene (CAS Number 396-01-O)), and aldosterone antagonists (e.g. spironolactone (CAS Number 52-01-7), epirenone, and the like); β-adrenergic blockers such as Amiodarone (Cordarone, Pacerone), bunolol hydrochloride (CAS RN 31969-05-8, Parke-Davis), acebutolol (±N-[3-Acetyl-4-[2-hydroxy-3-[(1 methylethyl)amino[propoxy]phenyl]-butanamide, or (±)-3'-Acetyl-4'-[2-hydroxy -3-(isopropylamino) propoxyl butyranilide), acebutolol hydrochloride (e.g. Sectral®, Wyeth-Ayerst), alprenolol hydrochloride (CAS RN 13707-88-5 see Netherlands Patent Application No. 6,605,692), atenolol (e.g. Tenormin®, AstraZeneca), carteolol hydrochloride (e.g. Cartrol® Filmtab®, Abbott), Celiprolol hydrochloride (CAS RN 57470-78-7, also see in US4034009), cetamolol hydrochloride (CAS RN 77590-95-5, see also US4059622), labetalol hydrochloride (e.g. Normodyne®, Schering), esmolol hydrochloride (e.g. Brevibloc®, Baxter), levobetaxolol hydrochloride (e.g. Betaxon™ Ophthalmic Suspension, Alcon), levobunolol hydrochloride (e.g. Betagan® Liquifilm® with C CAP® Compliance Cap, Allergan), nadolol (e.g. Nadolol, Mylan), practolol (CAS RN 6673-35-4, see also US3408387), propranolol hydrochloride (CAS RN 31898-9), sotalol hydrochloride (e.g. Betapace AFTM, Berlex), timolol (2-Propanol, l-[(l, ldimethylethyl)amino]-3-[[4-4(4-morpholinyl)-1,2,5-thiadiazol-3-yl]oxy]-, hemihydrate, (S)-, CAS RN 91524-16-2), timolol maleate (S)-I -[(1,1 -dimethylethyl) amino]-3-[[4- (4morpholinyl)-1,2,5-thiadiazol -3- yl] oxy]-2-propanol (Z)-2-butenedioate (1:1) salt, CAS RN 26921-17-5), bisoprolol (2-Propanol, 1-[4-[[2-(1-methylethoxy)ethoxy]-methyl]phenoxyl]-3-[(1meth-ylethyl)amino]-, (\pm), CAS RN 66722-44-9), bisoprolol fumarate (such as (\pm)-1-[4-[[2-(1-Methylethoxy) ethoxy[methyl]phenoxy]-3-[(l-methylethyl)amino]-2-propanol (E) -2butenedioate (2:1) (salt), e.g., ZebetaTM, Lederle Consumer), nebivalol (2H-l-Benzopyran-2methanol, αα'-[iminobis(methylene)]bis[6-fluoro-3,4-dihydro-, CAS RN 99200-09-6 see also U.S. Pat. No. 4,654,362), cicloprolol hydrochloride, such 2-Propanol, 1-[4-[2-(cyclopropylmethoxy)ethoxy]phenoxy]-3-[l-methylethyl)amino]-, hydrochloride, A.A.S. RN 63686-79-3), dexpropranolol hydrochloride (2-Propanol,1-[1-methylethy)-amino]-3-(1naphthalenyloxy)-hydrochloride (CAS RN 13071-11-9), diacetolol hydrochloride (Acetamide, N-[3-acetyl-4-[2-hydroxy-3-[(1-methyl-ethyl)amino]propoxy] [phenyl]-, monohydrochloride CAS RN 69796-04-9), dilevalol hydrochloride (Benzamide, 2-hydroxy-5-[1-hydroxy-2-[1methyl-3-phenylpropyl)amino]ethyl]-, monohydrochloride, CAS RN 75659-08-4), exaprolol hydrochloride (2-Propanol, 1 -(2-cyclohexylphenoxy)-3 - [(1-methylethyl)amino] -, hydrochloride CAS RN 59333-90-3), flestolol sulfate (Benzoic acid, 2-fluro-,3-[[2-[aminocarbonyl)amino] - dimethylethyl]amino]-2-hydroxypropyl ester, (+)- sulfate (1:1) (salt), CAS RN 88844-73-9; metalol hydrochloride (Methanesulfonamide, N-[4-[1-hydroxy-2-(methylamino)propyl]phenyl]-, monohydrochloride CAS RN 7701-65-7), metoprolol 2-Propanol, 1-[4-(2- methoxyethyl)phenoxy]-3-[1-methylethyl)amino]-; CAS RN 37350-58-6), metoprolol tartrate (such as 2-Propanol, 1-[4-(2-methoxyethyl)phenoxy]-3-[(1methylethyl)amino]-, e.g., Lopressor®, Novartis), pamatolol sulfate (Carbamic acid, [2-[4-[2hydroxy-3-[(l- methylethyl)amino]propoxyl]phenyl]-ethyl]-, methyl ester, (\pm) sulfate (salt) (2:1), CAS RN 59954-01-7), penbutolol sulfate (2-Propanol, 1-(2-cyclopentylphenoxy)-3-[1,1dimethyle-thyl)aminol 1, (S)-, sulfate (2:1) (salt), CAS RN 38363-32-5), practolol (Acetamide, N-[4-[2- hydroxy-3-[(1-methylethyl)amino]-propoxy]phenyl]-, CAS RN 6673-35-4;) tiprenolol hydrochloride (Propanol, 1-[(1-methylethyl)amino]-3-[2-(methylthio)-phenoxy]-, hydrochloride, (±), CAS RN 39832-43-4), tolamolol (Benzamide, 4-[2-[[2-hydroxy-3-(2-methylphenoxy)propyl] amino] ethoxyl]-, CAS RN 38103-61-6), bopindolol, indenolol, pindolol, propanolol,

tertatolol, and tilisolol, and the like; calcium channel blockers such as besylate salt of amlodipine (such as 3-ethyl-5-methyl-2-(2-aminoethoxymethyl)-4-(2-chlorophenyl)-1,4-dihydro-6-methyl-3,5-pyridinedicarboxylate benzenesulphonate, e.g., Norvasc®, Pfizer), clentiazem maleate (1,5-Benzothiazepin-4(5H)-one, 3-(acetyloxy)-8-chloro-5-[2-(dimethylamino)ethyl]-2,3-dihydro-2-(4-methoxyphenyl)-(2S-cis)-, (Z)-2-butenedioate (1:1), see also US4567195), isradipine (3,5-Pyridinedicarboxylic acid, 4-(4-benzofurazanyl)-1,4-dihydro-2,6-dimethyl-, methyl 1methylethyl ester, (\pm) -4(4-benzofurazanyl)- 1,4-dihydro-2,6-dimethyl-3,5 pyridinedicarboxylate, see also US4466972); nimodipine (such as is isopropyl (2- methoxyethyl) 1, 4- dihydro -2,6- dimethyl -4- (3-nitrophenyl) -3,5- pyridine - dicarboxylate, e.g. Nimotop®, Bayer), felodipine (such as ethyl methyl 4-(2,3-dichlorophenyl)-1,4-dihydro-2,6-dimethyl-3,5pyridinedicarboxylate-, e.g. Plendil® Extended-Release, AstraZeneca LP), nilvadipine (3,5-Pyridinedicarboxylic acid, 2-cyano-l,4-dihydro-6-methyl-4-(3-nitrophenyl)-,3-methyl 5-(lmethylethyl) ester, also see US3799934), nifedipine (such as 3, 5 -pyridinedicarboxylic acid,1,4dihydro-2,6-dimethyl-4-(2-nitrophenyl)-, dimethyl ester, e.g., Procardia XL® Extended Release Tablets, Pfizer), diltiazem hydrochloride (such as 1,5-Benzothiazepin-4(5H)-one,3-(acetyloxy)-5[2-(dimethylamino)ethyl]-2,-3-dihydro-2(4-methoxyphenyl)-, monohydrochloride, (+)-cis., e.g., Tiazac®, Forest), verapamil hydrochloride (such as benzeneacetronitrile, (alpha)-[[3-[[2-(3,4dimethoxyphenyl) ethyl[methylamino]propyl] -3,4-dimethoxy-(alpha)-(1-methylethyl) hydrochloride, e.g., Isoptin® SR, Knoll Labs), teludipine hydrochloride (3,5-Pyridinedicarboxylic acid, 2-[(dimethylamino)methyl]4-[2-[(IE)-3-(I,I-dimethylethoxy)-3-oxo-1propenyl]phenyl]-l,4-dihydro-6-methyl-, diethyl ester, monohydrochloride) CAS RN 108700-03-4), belfosdil (Phosphonic acid, [2-(2-phenoxy ethyl)-1,3-propane-diyl]bis-, tetrabutyl ester CAS RN 103486-79-9), fostedil (Phosphonic acid, [[4-(2-benzothiazolyl)phenyl]methyl]-, diethyl ester CAS RN 75889-62-2), aranidipine, azelnidipine, barnidipine, benidipine, bepridil, cinaldipine, clevidipine, efonidipine, gallopamil, lacidipine, lemildipine, lercanidipine, monatepil maleate (1-Piperazinebutanamide, N-(6, 11 -dihydrodibenzo(b,e)thiepin- 11 -yl)4-(4fluorophenyl)-, (+)-, (Z)-2-butenedioate (1:1) (\pm)-N-(6,11-Dihydrodibenzo(b,e)thiep- in-11-yl)-4-(p- fluorophenyl)-l-piperazinebutyramide maleate (1:1) CAS RN 132046-06-1), nicardipine, nisoldipine, nitrendipine, manidipine, pranidipine, and the like; T-channel calcium antagonists such as mibefradil; angiotensin converting enzyme (ACE) inhibitors such as benazepril, benazepril hydrochloride (such as 3-[[l-(ethoxycarbonyl)-3- phenyl-(1 S)-propyl]amino]-2,3

,4,5-tetrahydro-2-oxo- 1 H - 1 -(3 S)-benzazepine- 1 -acetic acid monohydrochloride, e.g., Lotrel®, Novartis), captopril (such as 1-[(2S)-3-mercapto-2-methylpropionyl]-L-proline, e.g., Captopril, Mylan, CAS RN 62571-86-2 and others disclosed in US4046889), ceranapril (and others disclosed in US4452790), cetapril (alacepril, Dainippon disclosed in Eur. Therap. Res. 39:671 (1986); 40:543 (1986)), cilazapril (Hoffman-LaRoche) disclosed in J. Cardiovasc. Pharmacol. 9:39 (1987), indalapril (delapril hydrochloride (2H-1,2,4- Benzothiadiazine-7sulfonamide, 3-bicyclo[2.2.1]hept-5-en-2-yl-6-chloro-3,4-dihydro-, 1,1- dioxide CAS RN 2259-96-3); disclosed in US4385051), enalapril (and others disclosed in US4374829), enalopril, enaloprilat, fosinopril, ((such as L-proline, 4-cyclohexyl-l-[[[2-methyl-l-(l-oxopropoxy) propoxyl(4-phenylbutyl) phosphinylacetyl]-, sodium salt, e.g., Monopril, Bristol-Myers Squibb and others disclosed in US4168267), fosinopril sodium (L- Proline, 4-cyclohexyl-l-[[(R)-[(IS)-2methyl-l-(l-ox- opropoxy)propox), imidapril, indolapril (Schering, disclosed in J. Cardiovasc. Pharmacol. 5:643, 655 (1983)), lisinopril (Merck), losinopril, moexipril, moexipril hydrochloride (3-Isoquinolinecarboxylic acid, 2-[(2S)-2-[[(IS)-1-(ethoxycarbonyl)-3-phenylpropyl]amino]-1oxopropyl]- 1, -2,3,4-tetrahydro-6,7-dimethoxy-, monohydrochloride, (3S)- CAS RN 82586-52-5), quinapril, quinaprilat, ramipril (Hoechsst) disclosed in EP 79022 and Curr. Ther. Res. 40:74 (1986), perindopril erbumine (such as 2S,3aS,7aS-1-[(S)-N-[(S)-1-Carboxybutyljalanyljhexahydro^-indolinecarboxylic acid, 1 -ethyl ester, compound with tertbutylamine (1:1), e.g., Aceon®, Solvay), perindopril (Servier, disclosed in Eur. J. clin. Pharmacol. 31:519 (1987)), quanipril (disclosed in US4344949), spirapril (Schering, disclosed in Acta. Pharmacol. Toxicol. 59 (Supp. 5): 173 (1986)), tenocapril, trandolapril, zofenopril (and others disclosed in US4316906), rentiapril (fentiapril, disclosed in Clin. Exp. Pharmacol. Physiol. 10:131 (1983)), pivopril, YS980, teprotide (Bradykinin potentiator BPP9a CAS RN 35115-60-7), BRL 36,378 (Smith Kline Beecham, see EP80822 and EP60668), MC-838 (Chugai, see CA. 102:72588v and Jap. J. Pharmacol. 40:373 (1986), CGS 14824 (Ciba-Geigy, 3-([l-ethoxycarbonyl-3-phenyl-(IS)-propyl]amino)-2,3,4,5-tetrahydro-2-ox- o-l-(3S)-benzazepine-l acetic acid HCl, see U.K. Patent No. 2103614), CGS 16,617 (Ciba- Geigy, 3(S)-[[(IS)-5-amino-lcarboxypentyl]amino]-2,3,4,- 5-tetrahydro-2-oxo-lH-l- benzazepine-1-ethanoic acid, see US4473575), Ru 44570 (Hoechst, see Arzneimittelforschung 34:1254 (1985)), R 31-2201 (Hoffman-LaRoche see FEBS Lett. 165:201 (1984)), CI925 (Pharmacologist 26:243, 266 (1984)), WY-44221 (Wyeth, see J. Med. Chem. 26:394 (1983)), and those disclosed in

US2003006922 (paragraph 28), US4337201, US4432971 (phosphonamidates); neutral endopeptidase inhibitors such as omapatrilat (Vanley®), CGS 30440, cadoxatril and ecadotril, fasidotril (also known as aladotril or alatriopril), sampatrilat, mixanpril, and gemopatrilat, AVE7688, ER4030, and those disclosed in US5362727, US5366973, US5225401, US4722810, US5223516, US4749688, US5552397, US5504080, US5612359, US5525723, EP0599444, EP0481522, EP0599444, EP0595610, EP0534363, EP534396, EP534492, EP0629627; endothelin antagonists such as tezosentan, A308165, and YM62899, and the like; vasodilators such as hydralazine (apresoline), clonidine (clonidine hydrochloride (1H-Imidazol- 2-amine, N-(2,6-dichlorophenyl)4,5-dihydro-, monohydrochloride CAS RN 4205-91-8), catapres, minoxidil (loniten), nicotinyl alcohol (roniacol), diltiazem hydrochloride (such as 1,5- Benzothiazepin-4(5H)-one,3-(acetyloxy)-5[2-(dimethylamino)ethyl]-2,-3-dihydro-2(4- methoxyphenyl)-, monohydrochloride, (+)-cis, e.g., Tiazac®, Forest), isosorbide dinitrate (such as 1,4:3,6dianhydro-D-glucitol 2,5-dinitrate e.g., Isordil® Titradose®, Wyeth- Ayerst), sosorbide mononitrate (such as 1,4:3,6-dianhydro-D-glucito-1,5-nitrate, an organic nitrate, e.g., Ismo®, Wyeth-Ayerst), nitroglycerin (such as 2,3 propanetriol trinitrate, e.g., Nitrostat® Parke-Davis), verapamil hydrochloride (such as benzeneacetonitrile, (\pm) -(alpha)[3-[[2-(3,4 dimethoxypheny 1)ethyl]methylamino]propyl] -3,4-dimethoxy-(alpha)- (1-methylethyl) hydrochloride, e.g., Covera HS® Extended-Release, Searle), chromonar (which may be prepared as disclosed in US3282938), clonitate (Annalen 1870 155), droprenilamine (which may be prepared as disclosed in DE2521113), lidoflazine (which may be prepared as disclosed in US3267104); prenylamine (which may be prepared as disclosed in US3152173), propatyl nitrate (which may be prepared as disclosed in French Patent No. 1,103,113), mioflazine hydrochloride (1 -Piperazineacetamide, 3-(aminocarbonyl)4-[4,4-bis(4-fluorophenyl)butyl]-N-(2,6-dichlorophenyl)-, dihydrochloride CAS RN 83898-67-3), mixidine (Benzeneethanamine, 3,4- dimethoxy-N-(l-methyl-2pyrrolidinylidene)- Pyrrolidine, 2-[(3,4-dimethoxyphenethyl)imino]- 1 -methyl- 1-Methyl-2- [(3, 4-dimethoxyphenethyl)imino]pyrrolidine CAS RN 27737-38-8), molsidomine (1,2,3-Oxadiazolium, 5-[(ethoxycarbonyl)amino]-3-(4-morpholinyl)-, inner salt CAS RN 25717-80-0), isosorbide mononitrate (D-Glucitol, 1,4:3,6-dianhydro-, 5-nitrate CAS RN 16051-77-7), erythrityl tetranitrate (1,2,3,4-Butanetetrol, tetranitrate, (2R,3S)-rel-CAS RN 7297-25-8), clonitrate(1,2-Propanediol, 3-chloro-, dinitrate (7CI, 8CI, 9CI) CAS RN 2612-33-1), dipyridamole Ethanol, 2,2',2",2"'-[(4,8-di-l-piperidinylpyrimido[5,4-d]pyrimidine-2,6diyl)dinitrilo]tetrakis- CAS RN 58-32-2), nicorandil (CAS RN 65141-46-0 3-), pyridinecarboxamide (N-[2-(nitrooxy)ethyl]-Nisoldipine3,5-Pyridinedicarboxylic acid, 1,4dihydro-2,6-dimethyl-4-(2-nitrophenyl)-, methyl 2-methylpropyl ester CAS RN 63675-72-9), nifedipine3,5-Pyridinedicarboxylic acid, 1,4-dihydro-2,6-dimethyl-4-(2-nitrophenyl)-, dimethyl ester CAS RN 21829-25-4), perhexiline maleate (Piperidine, 2-(2,2-dicyclohexylethyl)-, (2Z)-2butenedioate (1:1) CAS RN 6724-53-4), oxprenolol hydrochloride (2-Propanol, 1-[(1methylethyl)amino]-3-[2-(2-propenyloxy)phenoxy]-, hydrochloride CAS RN 6452-73-9), pentrinitrol (1,3-Propanediol, 2,2-bis[(nitrooxy)methyl]-, mononitrate (ester) CAS RN 1607-17-6), verapamil (Benzeneacetonitrile, α -[3-[[2-(3,4-dimethoxyphenyl)ethyl]- methylamino]propyl]-3, 4-dimethoxy-α-(1-methylethyl)- CAS RN 52-53-9) and the like; angiotensin II receptor antagonists such as, aprosartan, zolasartan, olmesartan, pratosartan, FI6828K, RNH6270, candesartan (1 H-Benzimidazole-7-carboxylic acid, 2-ethoxy-l-[[2'-(lH-tetrazol-5-yl)[1,1'biphenyl]4-yl]methyl]- CAS RN 139481-59-7), candesartan cilexetil ((+/-)-l-(cyclohexylcarbonyloxy)ethyl-2-ethoxy-1-[[2'-(1H-tetrazol-5-yl)biphenyl-4-yl]-lH-benzimidazole carboxylate, CAS RN 145040-37-5, US5703110 and US5196444), eprosartan (3-[1-4carboxyphenylmethyl)-2-n-butyl-imidazol-5-yl]-(2-thienylmethyl) propenoic acid, US5185351 and US5650650), irbesartan (2-n-butyl-3- [[2'-(lh-tetrazol-5-yl)biphenyl-4-yl]methyl] 1,3diazazspiro[4,4]non-l-en-4-one, US5270317 and US5352788), losartan (2-N-butyl-4-chloro-5hydroxymethyl-l-[(2'-(lH-tetrazol-5-yl)biphenyl-4-yl)-methyl]imidazole, potassium salt, US5138069, US5153197 and US5128355), tasosartan (5,8-dihydro-2,4-dimethyl-8-[(2'-(lHtetrazol-5-yl)[l,r-biphenyl]4-yl)methyl]-pyrido[2,3-d]pyrimidin-7(6H)-one, US5149699), telmisartan (4'-[(1,4-dimethyl-2'-propyl-(2,6'-bi-lH-benzimidazol)-r-yl)]-[1,1'-biphenyl]-2carboxylic acid, CAS RN 144701-48-4, US5591762), milfasartan, abitesartan, valsartan (Diovan® (Novartis), (S)-N-valeryl-N-[[2'-(lH-tetrazol-5-yl)biphenyl-4-yl)methyl]valine, US5399578), EXP-3137 (2-N-butyl-4-chloro-l-[(2'-(lH-tetrazol-5-yl)biphenyl-4-yl)methyl]imidazole-5-carboxylic acid, US5138069, US5153197 and US5128355), 3-(2'-(tetrazol-5-yl)-l,r-biphen-4-yl)methyl-5,7-dimethyl-2-ethyl-3H-imidazo[4,5-b]pyridine, 4'[2-ethyl-4methyl-6-(5,6,7,8-tetrahydroimidazo[1,2-a]pyridin-2-yl]-benzimidazol-l-yl]-methyl]-l,rbiphenyl]-2- carboxylic acid, 2-butyl-6-(l-methoxy-l-methylethyl)-2-[2'-)IH-tetrazol-5yl)biphenyl-4-ylmethyl] guinazolin-4(3H)-one, 3 - [2 '-carboxybiphenyl-4-yl)methyl] -2cyclopropyl-7-methyl- 3H-imidazo[4,5-b]pyridine, 2-butyl-4-chloro-l-[(2'-tetrazol-5yl)biphenyl-4-yl)methyl]imidazole-carboxylic acid, 2-butyl-4-chloro-l-[[2'-(lH-tetrazol-5- yl) [1 , 1'-biphenyl] -4-yl]methyl]- 1 H-imidazole-5 -carboxylic acid- 1 -(ethoxycarbonyl-oxy)ethyl ester potassium salt, dipotassium 2-butyl-4-(methylthio)-l-[[2-[[[(propylamino)carbonyl]amino]sulfonyl](1,1'-biphenyl)-4-yl]methyl]-1 H-imidazole-5 -carboxylate, methyl-2-[[4-butyl-2methyl-6-oxo-5-[[2'-(lH-tetrazol-5-yl)-[l,l'-biphenyl]-4-yl]methyl]-l-(6H)- pyrimidinyl]methyl]-3-thiophencarboxylate, 5-[(3,5-dibutyl-lH-l,2,4-triazol-l-yl)methyl]-2-[2-(1 H-tetrazol-5 ylphenyl)]pyridine, 6-butyl-2-(2-phenylethyl)-5 [[2'-(I H-tetrazol-5 -yl)[1,1 '- biphenyl]-4methyl]pyrimidin-4-(3H)-one D,L lysine salt, 5-methyl-7-n-propyl-8-[[2'-(1H-tetrazol-5yl)biphenyl-4-yl]methyl]-[1,2,4]-triazolo[1,5-c]pyrimidin-2(3H)-one, 2,7-diethyl-5- [[2'-(5tetrazoly)biphenyl-4-yl]methyl]-5H-pyrazolo[1,5-b][1,2,4]triazole potassium salt, 2-[2- butyl-4,5dihydro-4-oxo-3-[2'-(lH-tetrazol-5-yl)-4-biphenylmethyl]-3H-imidazol[4,5-c]pyridine-5ylmethyl]benzoic acid, ethyl ester, potassium salt, 3-methoxy-2,6-dimethyl-4- [[2'(1H-tetrazol-5yl)-l,l'-biphenyl-4-yl]methoxy]pyridine, 2-ethoxy-l-[[2'-(5-oxo-2,5-dihydro-1,2,4-oxadiazol-3yl)biphenyl-4-yl]methyl] - 1 H-benzimidazole-7-carboxylic acid, 1 - [N-(2 ' -(1 H- tetrazol-5yl)biphenyl-4-yl-methyl)-N-valerolylaminomethyl)cyclopentane- 1 -carboxylic acid, 7- methyl-2n-propyl-3-[[2' 1H-tetrazol-5-yl)biphenyl-4-yl]methyl]-3H-imidazo[4,5-6]pyridine, 2- [5-[(2ethyl-5,7-dimethyl-3H-imidazo[4,5-b]pyridine-3-yl)methyl]-2-quinolinyl]sodium benzoate, 2butyl-6-chloro-4-hydroxymethyl-5 -methyl-3 -[[2'-(I H-tetrazol-5 -yl)biphenyl-4yl]methyl]pyridine, 2- [[[2-butyl- 1 - [(4-carboxyphenyl)methyl] - 1 H-imidazol-5 yl]methyl]amino]benzoic acid tetrazol-5-yl)biphenyl-4-yl]methyl]pyrimidin-6-one, 4(S)- [4-(carboxymethyl)phenoxy]-N-[2(R)-[4-(2-sulfobenzamido)imidazol- 1 -yl]octanoyl]-L-proline, 1 - (2,6-dimethylphenyl)-4-butyl-1,3-dihydro-3-[[6-[2-(lH-tetrazol-5-yl)phenyl]-3pyridinyl]methyl]-2H-imidazol-2-one, 5,8-ethano-5,8-dimethyl-2-n-propyl-5,6,7,8-tetrahydro-1 - [[2'(lH-tetrazol-5-yl)biphenyl-4-yl]methyl]-lH,4H-l,3,4a,8a-tetrazacyclopentanaphthalene-9one, 4-[1-[2'-(1,2,3,4-tetrazol-5-yl)biphen-4-yl)methylamino]-5,6,7,8-tetrahydro-2trifylquinazoline, 2-(2-chlorobenzoyl)imino-5-ethyl-3-[2'-(1H-tetrazole-5-yl)biphenyl-4vl)methyl-1,3,4-thiadiazoline, 2-[5-ethyl-3-[2-(lH-tetrazole-5-vl)biphenyl-4-yl]methyl-1,3,4thiazoline-2-ylidene]aminocarbonyl-1-cyclopentencarboxylic acid dipotassium salt, and 2-butyl-4-[N-methyl-N-(3 -methylcrotonoyl)amino] - 1 - [[2'-(1 H-tetrazol-5 -yl)biphenyl-4yl]methyl]- 1 H- imidzole-5 -carboxylic acid 1-ethoxycarbonyloxyethyl ester, those disclosed in patent publications EP475206, EP497150, EP539086, EP539713, EP535463, EP535465,

EP542059, EP497121, EP535420, EP407342, EP415886, EP424317, EP435827, EP433983, EP475898, EP490820, EP528762, EP324377, EP323841, EP420237, EP500297, EP426021, EP480204, EP429257, EP430709, EP434249, EP446062, EP505954, EP524217, EP514197, EP514198, EP514193, EP514192, EP450566, EP468372, EP485929, EP503162, EP533058, EP467207 EP399731, EP399732, EP412848, EP453210, EP456442, EP470794, EP470795, EP495626, EP495627, EP499414, EP499416, EP499415, EP511791, EP516392, EP520723, EP520724, EP539066, EP438869, EP505893, EP530702, EP400835, EP400974, EP401030, EP407102, EP411766, EP409332, EP412594, EP419048, EP480659, EP481614, EP490587, EP467715, EP479479, EP502725, EP503838, EP505098, EP505111 EP513.979 EP507594, EP510812, EP511767, EP512675, EP512676, EP512870, EP517357, EP537937, EP534706, EP527534, EP540356, EP461040, EP540039, EP465368, EP498723, EP498722, EP498721, EP515265, EP503785, EP501892, EP519831, EP532410, EP498361, EP432737, EP504888, EP508393, EP508445, EP403159, EP403158, EP425211, EP427463, EP437103, EP481448, EP488532, EP501269, EP500409, EP540400, EP005528, EP028834, EP028833, EP411507, EP425921, EP430300, EP434038, EP442473, EP443568, EP445811, EP459136, EP483683, EP518033, EP520423, EP531876, EP531874, EP392317, EP468470, EP470543, EP502314, EP529253, EP543263, EP540209, EP449699, EP465323, EP521768, EP415594, WO92/14468, WO93/08171, WO93/08169, WO91/00277, WO91/00281, WO91/14367, WO92/00067, WO92/00977, WO92/20342, WO93/04045, WO93/04046, WO91/15206, WO92/14714, WO92/09600, WO92/16552, WO93/05025, WO93/03018, WO91/07404, WO92/02508, WO92/13853, WO91/19697, WO91/11909, WO91/12001, WO91/11999, WO91/15209, WO91/15479, WO92/20687, WO92/20662, WO92/20661, WO93/01177, WO91/14679, WO91/13063, WO92/13564, WO91/17148, WO91/18888, WO91/19715, WO92/02257, WO92/04335, WO92/05161, WO92/07852, WO92/15577, WO93/03033, WO91/16313, WO92/00068, WO92/02510, WO92/09278, WO9210179, WO92/10180, WO92/10186, WO92/10181, WO92/10097, WO92/10183, WO92/10182, WO92/10187, WO92/10184, WO92/10188, WO92/10180, WO92/10185, WO92/20651, WO93/03722, WO93/06828, WO93/03040, WO92/19211, WO92/22533, WO92/06081, WO92/05784, WO93/00341, WO92/04343, WO92/04059, US5104877, US5187168, US5149699, US5185340, US4880804, US5138069, US4916129, US5153197, US5173494, US5137906, US5155126, US5140037, US5137902, US5157026, US5053329, US5132216, US5057522, US5066586, US5089626,

US5049565, US5087702, US5124335, US5102880, US5128327, US5151435, US5202322, US5187159, US5198438, US5182288, US5036048, US5140036, US5087634, US5196537, US5153347, US5191086, US5190942, US5177097, US5212177, US5208234, US5208235, US5212195, US5130439, US5045540, US5041152, and US5210204, and pharmaceutically acceptable salts and esters thereof; α/β adrenergic blockers such as nipradilol, arotinolol, amosulalol, bretylium tosylate (CAS RN: 61-75-6), dihydroergtamine mesylate (such as ergotaman-3', 6',18-trione,9,-10-dihydro-12'-hydroxy-2'-methyl-5'-(phenylmethyl)-, $(5'(\alpha))$ -, monomethanesulfonate, e.g., DHE 45® Injection, Novartis), carvedilol (such as (±)-l-(Carbazol-4-yloxy)-3-[[2-(o-methoxyphenoxy)ethyl] amino] -2-propanol, e.g., Coreg®, SmithKline Beecham), labetalol (such as 5-[l-hydroxy-2-[(l-methyl-3-phenylpropyl) amino] ethyljsalicylamide monohydrochloride, e.g., Normodyne®, Schering), bretylium tosylate (Benzenemethanaminium, 2-bromo-N-ethyl-N,N-dimethyl-, salt with 4-methylbenzenesulfonic acid (1:1) CAS RN 61-75-6), phentolamine mesylate (Phenol, 3-[[(4,5-dihydro-lH-imidazol-2yl)methyl](4-methylphenyl)amino]-, monomethanesulfonate (salt) CAS RN 65-28-1), solypertine tartrate (5H-1,3-Dioxolo[4,5-f]indole, 7-[2-[4-(2-methoxyphenyl)-lpiperazinyl]ethyl]-, (2R,3R)-2,3-dihydroxybutanedioate (1:1) CAS RN 5591-43-5), zolertine hydrochloride (Piperazine, 1-phenyl4-[2-(1H-tetrazol-5-yl)ethyl]-, monohydrochloride (8Cl, 9Cl) CAS RN 7241-94-3) and the like; α adrenergic receptor blockers, such as alfuzosin (CAS RN: 81403-68-1), terazosin, urapidil, prazosin (Minipress®), tamsulosin, bunazosin, trimazosin, doxazosin, naftopidil, indoramin, WHP 164, XENOIO, fenspiride hydrochloride (which may be prepared as disclosed in US3399192), proroxan (CAS RN 33743-96-3), and labetalol hydrochloride and combinations thereof; α 2 agonists such as methyldopa, methyldopa HCL, lofexidine, tiamenidine, moxonidine, rilmenidine, guanobenz, and the like; aldosterone inhibitors, and the like; renin inhibitors including Aliskiren (SPPIOO; Novartis/Speedel); angiopoietin-2-binding agents such as those disclosed in WO03/030833; anti-angina agents such as ranolazine (hydrochloride 1-Piperazineacetamide, N-(2,6- dimethylphenyl)-4-[2-hydroxy-3-(2-methoxyphenoxy)propyl]-, dihydrochloride CAS RN 95635- 56-6), betaxolol hydrochloride (2-Propanol, 1-[4-[2 (cyclopropylmethoxy)ethyl]phenoxy]-3-[(1- methylethyl)amino]-, hydrochloride CAS RN 63659-19-8), butoprozine hydrochloride (Methanone, [4-[3(dibutylamino)propoxy]phenyl](2-ethyl-3-indolizinyl)-, monohydrochloride CAS RN 62134-34-3), cinepazet maleatel-Piperazineacetic acid, 4-[1-oxo-3-(3,4,5- trimethoxyphenyl)-2propenyl]-, ethyl ester, (2Z)-2-butenedioate (1:1) CAS RN 50679-07-7), tosifen (Benzenesulfonamide, 4-methyl-N-[[[(IS)-l-methyl-2-phenylethyl]amino]carbonyl]- CAS RN 32295-184), verapamilhydrochloride (Benzeneacetonitrile, α -[3-[[2-(3,4dimethoxyphenyl)ethyl]methylamino]propyl]-3,4-dimethoxy- α -(1-methylethyl)-, monohydrochloride CAS RN 152-114), molsidomine (1,2,3-Oxadiazolium, 5-[(ethoxycarbonyl)amino]-3-(4-morpholinyl)-, inner salt CAS RN 25717-80-0), and ranolazine hydrochloride (1 -Piperazineacetamide, N-(2,6-dimethylphenyl)4-[2-hydroxy-3-(2-methoxyphenoxy)propyl]-, dihydrochloride CAS RN 95635-56-6); tosifen (Benzenesulfonamide, 4methyl-N-[[[(IS)-l-methyl-2-phenylethyl]amino]carbonyl]- CAS RN 32295-184); adrenergic stimulants such as guanfacine hydrochloride (such as N-amidino-2-(2,6-dichlorophenyl) acetamide hydrochloride, e.g., Tenex® Tablets available from Robins); methyldopahydrochlorothiazide (such as levo-3-(3,4-dihydroxyphenyl)-2-methylalanine) combined with Hydrochlorothiazide (such as 6-chloro-3,4-dihydro-2H -1,2,4-benzothiadiazine-7- sulfonamide 1,1-dioxide, e.g., the combination as, e.g., Aldoril® Tablets available from Merck), methyldopachlorothiazide (such as 6-chloro-2H-1, 2,4-benzothiadiazine-7-sulfonamide 1,1-dioxide and methyldopa as described above, e.g., Aldoclor®, Merck), clonidine hydrochloride (such as 2-(2,6-dichlorophenylamino)-2-imidazoline hydrochloride and chlorthalidone (such as 2-chloro-5-(1-hydroxy-3-oxo-1-isoindolinyl) benzenesulfonamide), e.g., Combipres®, Boehringer Ingelheim), clonidine hydrochloride (such as 2-(2,6-dichlorophenylamino)-2-imidazoline hydrochloride, e.g., Catapres®, Boehringer Ingelheim), clonidine (lH-Imidazol-2-amine, N-(2,6dichlorophenyl)4,5-dihydro-CAS RN 4205-90-7), Hyzaar (Merck; a combination of losartan and hydrochlorothiazide), Co-Diovan (Novartis; a combination of valsartan and hydrochlorothiazide, Lotrel (Novartis; a combination of benazepril and amlodipine) and Caduet (Pfizer; a combination of amlodipine and atorvastatin), and those agents disclosed in US20030069221.

1.3.2.11 Agents for the Treatment of Respiratory Disorders

[173] The GCC agonist peptides described herein can be used in combination therapy with one or more of the following agents useful in the treatment of respiratory and other disorders including but not limited to: (1) β -agonists including but not limited to: albuterol (PRO VENTIL®, S ALBUT AMOl®, VENTOLIN®), bambuterol, bitoterol, clenbuterol, fenoterol,

formoterol, isoetharine (BRONKOSOL®, BRONKOMETER®), metaproterenol (ALUPENT®, METAPREL®), pirbuterol (MAXAIR®), reproterol, rimiterol, salmeterol, terbutaline (BRETHAIRE®, BRETHINE®, BRICANYL®), adrenalin, isoproterenol (ISUPREL®), epinephrine bitartrate (PRIMATENE®), ephedrine, orciprenline, fenoterol and isoetharine; (2) steroids, including but not limited to be clomethasone, be clomethasone dipropionate, betamethasone, budesonide, bunedoside, butixocort, dexamethasone, flunisolide, fluocortin, fluticasone, hydrocortisone, methyl prednisone, mometasone, predonisolone, predonisone, tipredane, tixocortal, triamcinolone, and triamcinolone acetonide; (3) β2-agonist-corticosteroid combinations [e.g., salmeterol-fluticasone (AD V AIR®), formoterol-budesonid (S YMBICORT®)]; (4) leukotriene D4 receptor antagonists/leukotriene antagonists/LTD4 antagonists (i.e., any compound that is capable of blocking, inhibiting, reducing or otherwise interrupting the interaction between leukotrienes and the Cys LTI receptor) including but not limited to: zafhiukast, montelukast, montelukast sodium (SINGULAIR®), pranlukast, iralukast, pobilukast, SKB-106,203 and compounds described as having LTD4 antagonizing activity described in U.S. Patent No. 5,565,473; (5) 5 -lipoxygenase inhibitors and/or leukotriene biosynthesis inhibitors [e.g., zileuton and BAY1005 (CA registry 128253-31-6)]; (6) histamine HI receptor antagonists/antihistamines (i.e., any compound that is capable of blocking, inhibiting, reducing or otherwise interrupting the interaction between histamine and its receptor) including but not limited to: astemizole, acrivastine, antazoline, azatadine, azelastine, astamizole, bromopheniramine, bromopheniramine maleate, carbinoxamine, carebastine, cetirizine, chlorpheniramine, chloropheniramine maleate, cimetidine clemastine, cyclizine, cyproheptadine, descarboethoxyloratadine, dexchlorpheniramine, dimethindene, diphenhydramine, diphenylpyraline, doxylamine succinate, doxylarnine, ebastine, efletirizine, epinastine, famotidine, fexofenadine, hydroxyzine, hydroxyzine, ketotifen, levocabastine, levocetirizine, levocetirizine, loratadine, meclizine, mepyramine, mequitazine, methdilazine, mianserin, mizolastine, noberastine, norasternizole, noraztemizole, phenindamine, pheniramine, picumast, promethazine, pyrilamine, ranitidine, temelastine, terfenadine, trimeprazine, tripelenamine, and triprolidine; (7) an anticholinergic including but not limited to: atropine, benztropine, biperiden, flutropium, hyoscyamine (e.g. Levsin®; Levbid®; Levsin/SL®, Anaspaz®, Levsinex timecaps®, NuLev®), ilutropium, ipratropium, ipratropium bromide, methscopolamine, oxybutinin, rispenzepine, scopolamine, and tiotropium; (8) an anti-tussive

including but not limited to: dextromethorphan, codeine, and hydromorphone; (9) a decongestant including but not limited to: pseudoephedrine and phenylpropanolamine; (10) an expectorant including but not limited to: guafenesin, guaicolsulfate, terpin, ammonium chloride, glycerol guaicolate, and iodinated glycerol; (11) a bronchodilator including but not limited to: theophylline and aminophylline; (12) an anti-inflammatory including but not limited to: fluribiprofen, diclophenac, indomethacin, ketoprofen, S-ketroprophen, tenoxicam; (13) a PDE (phosphodiesterase) inhibitor including but not limited to those disclosed herein; (14) a recombinant humanized monoclonal antibody [e.g. xolair (also called omalizumab), rhuMab, and talizumab]; (15) a humanized lung surfactant including recombinant forms of surfactant proteins SP-B, SP-C or SP-D [e.g. SURFAXIN®, formerly known as dsc-104 (Discovery Laboratories)], (16) agents that inhibit epithelial sodium channels (ENaC) such as amiloride and related compounds; (17) antimicrobial agents used to treat pulmonary infections such as acyclovir, amikacin, amoxicillin, doxycycline, trimethoprin sulfamethoxazole, amphotericin B, azithromycin, clarithromycin, roxithromycin, clarithromycin, cephalosporins(ceffoxitin, cefmetazole etc), ciprofloxacin, ethambutol, gentimycin, ganciclovir, imipenem, isoniazid, itraconazole, penicillin, ribavirin, rifampin, rifabutin, amantadine, rimantidine, streptomycin, tobramycin, and vancomycin; (18) agents that activate chloride secretion through Ca++ dependent chloride channels (such as purinergic receptor (P2Y(2) agonists); (19) agents that decrease sputum viscosity, such as human recombinant DNase 1, (Pulmozyme®); (20) nonsteroidal anti-inflammatory agents (acemetacin, acetaminophen, acetyl salicylic acid, alclofenac, alminoprofen, apazone, aspirin, benoxaprofen, bezpiperylon, bucloxic acid, carprofen, clidanac, diclofenac, diclofenac, diflunisal, diflusinal, etodolac, fenbufen, fenbufen, fenclofenac, fenclozic acid, fenoprofen, fentiazac, feprazone, flufenamic acid, flufenisal, flufenisal, fluprofen, flurbiprofen, flurbiprofen, furofenac, ibufenac, ibuprofen, indomethacin, indomethacin, indoprofen, isoxepac, isoxicam, ketoprofen, ketoprofen, ketorolac, meclofenamic acid, meclofenamic acid, mefenamic acid, mefenamic acid, miroprofen, mofebutazone, nabumetone oxaprozin, naproxen, naproxen, niflumic acid, oxaprozin, oxpinac, oxyphenbutazone, phenacetin, phenylbutazone, phenylbutazone, piroxicam, piroxicam, pirprofen, pranoprofen, sudoxicam, tenoxican, sulfasalazine, sulindac, sulindac, suprofen, tiaprofenic acid, tiopinac, tioxaprofen, tolfenamic acid, tolmetin, tolmetin, zidometacin,

zomepirac, and zomepirac); and (21) aerosolized antioxidant therapeutics such as S-Nitrosoglutathione.

1.3.2.12 Anti-Diabetic Agents

[174] The GCC agonist peptides described herein can be used in therapeutic combination with one or more anti-diabetic agents, including but not limited to: PPARy agonists such as glitazones (e.g., WAY-120,744, AD 5075, balaglitazone, ciglitazone, darglitazone (CP-86325, Pfizer), englitazone (CP-68722, Pfizer), isaglitazone (MIT/J&J), MCC-555 (Mitsibishi disclosed in US5594016), pioglitazone (such as such as Actos™ pioglitazone; Takeda), rosiglitazone (AvandiaTM;Smith Kline Beecham), rosiglitazone maleate, troglitazone (Rezulin®, disclosed in US4572912), rivoglitazone (CS-Ol 1, Sankyo), GL-262570 (Glaxo Welcome), BRL49653 (disclosed in WO98/05331), CLX-0921, 5-BTZD, GW-0207, LG-100641, JJT-501 (JPNT/P&U), L-895645 (Merck), R-119702 (Sankyo/Pfizer), NN-2344 (Dr. Reddy/NN), YM-440 (Yamanouchi), LY-300512, LY-519818, R483 (Roche), T131 (Tularik), and the like and compounds disclosed in US4687777, US5002953, US5741803, US5965584, US6150383, US6150384, US6166042, US6166043, US6172090, US6211205, US6271243, US6288095, US6303640, US6329404, US5994554, W097/10813, W097/27857, W097/28115, WO97/28137, WO97/27847, WO00/76488, WO03/000685, WO03/027112, WO03/035602, WO03/048130, WO03/055867, and pharmaceutically acceptable salts thereof; biguanides such as metformin hydrochloride (N,N-dimethylimidodicarbonimidic diamide hydrochloride, such as Glucophage™, Bristol-Myers Squibb); metformin hydrochloride with glyburide, such as GlucovanceTM, Bristol-Myers Squibb); buformin (Imidodicarbonimidic diamide, N-butyl-); etoformine (l-Butyl-2-ethylbiguanide, Schering A. G.); other metformin salt forms (including where the salt is chosen from the group of, acetate, benzoate, citrate, ftimarate, embonate, chlorophenoxyacetate, glycolate, palmoate, aspartate, methanesulphonate, maleate, parachlorophenoxyisobutyrate, formate, lactate, succinate, sulphate, tartrate, cyclohexanecarboxylate, hexanoate, octanoate, decanoate, hexadecanoate, octodecanoate, benzenesulphonate, trimethoxybenzoate, paratoluenesulphonate, adamantanecarboxylate, glycoxylate, glutarnate, pyrrolidonecarboxylate, naphthalenesulphonate, 1-glucosephosphate, nitrate, sulphite, dithionate and phosphate), and phenformin; protein tyrosine phosphatase- IB

5

10

15

20

25

(PTP-IB) inhibitors, such as A-401,674, KR 61639, OC-060062, OC-83839, OC-297962, MC52445, MC52453, ISIS 113715, and those disclosed in WO99/585521, WO99/58518. WO99/58522, WO99/61435, WO03/032916, WO03/032982, WO03/041729, WO03/055883, WO02/26707, WO02/26743, JP2002114768, and pharmaceutically acceptable salts and esters 5 thereof; sulfonylureas such as acetohexamide (e.g. Dymelor, Eli Lilly), carbutamide, chlorpropamide (e.g. Diabinese®, Pfizer), gliamilide (Pfizer), gliclazide (e.g. Diamcron, Servier Canada Inc), glimepiride (e.g. disclosed in US4379785, such as Amaryl, Aventis), glipentide, glipizide (e.g. Glucotrol or Glucotrol XL Extended Release, Pfizer), gliquidone, glisolamide, glyburide/glibenclamide (e.g. Micronase or Glynase Prestab, Pharmacia & Upjohn and Diabeta, Aventis), tolazamide (e.g. Tolinase), and tolbutamide (e.g. Orinase), and pharmaceutically 10 acceptable salts and esters thereof; meglitinides such as repaglinide (e.g. Pranidin®, Novo Nordisk), KAD1229 (PF/Kissei), and nateglinide (e.g. Starlix®, Novartis), and pharmaceutically acceptable salts and esters thereof; a glucoside hydrolase inhibitors (or glucoside inhibitors) such as acarbose (e.g. PrecoseTM, Bayer disclosed in US4904769), miglitol (such as GLYSETTM, Pharmacia & Upjohn disclosed in US4639436), camiglibose (Methyl 6-deoxy-6-[(2R,3R,4R,5S)-15 3,4,5-trihydroxy-2- (hydroxymethyl)piperidino]-alpha-D-glucopyranoside, Marion Merrell Dow), voglibose (Takeda), adiposine, emiglitate, pradimicin-Q, salbostatin, CKD-711, MDL-25,637, MDL-73,945, and MOR 14, and the compounds disclosed in US4062950, US4174439, US4254256, US4701559, US4639436, US5192772, US4634765, US5157116, US5504078, 20 US5091418, US5217877, US51091 and WOO 1/47528 (polyamines); α-amylase inhibitors such as tendamistat, trestatin, and Al -3688, and the compounds disclosed in US4451455, US4623714, and US4273765; SGLT2 inhibtors including those disclosed in US6414126 and US6515117; an aP2 inhibitor such as disclosed in US6548529; insulin secreatagogues such as linogliride, A-4166, forskilin, dibutyrl cAMP, isobutylmethylxanthine (IBMX), and 25 pharmaceutically acceptable salts and esters thereof; fatty acid oxidation inhibitors, such as clomoxir, and etomoxir, and pharmaceutically acceptable salts and esters thereof; A2 antagonists, such as midaglizole, isaglidole, deriglidole, idazoxan, earoxan, and fluparoxan, and pharmaceutically acceptable salts and esters thereof; insulin and related compounds (e.g. insulin mimetics) such as biota, LP-100, novarapid, insulin detemir, insulin lispro, insulin glargine, 30 insulin zinc suspension (lente and ultralente), Lys-Pro insulin, GLP-I (1-36) amide, GLP-I (73-7) (insulintropin, disclosed in US5614492), LY-315902 (Lilly), GLP-I (7-36)-NH2), AL-401

(Autoimmune), certain compositions as disclosed in US4579730, US4849405, US4963526, US5642868, US5763396, US5824638, US5843866, US6153632, US6191105, and WO 85/05029, and primate, rodent, or rabbit insulin including biologically active variants thereof including allelic variants, more preferably human insulin available in recombinant form (sources 5 of human insulin include pharmaceutically acceptable and sterile formulations such as those available from Eli Lilly (Indianapolis, Ind. 46285) as Humulin™ (human insulin rDNA origin), also see the THE PHYSICIAN'S DESK REFERENCE, 55.sup.th Ed. (2001) Medical Economics, Thomson Healthcare (disclosing other suitable human insulins); nonthiazolidinediones such as JT-501 and farglitazar (GW-2570/GI- 262579), and pharmaceutically acceptable salts and esters thereof; PPARα/γ dual agonists such as AR-HO39242 (Aztrazeneca), 10 GW-409544 (Glaxo-Wellcome), BVT-142, CLX-0940, GW-1536, GW-1929, GW-2433, KRP-297 (Kyorin Merck; 5-[(2,4-Dioxo thiazolidinyl)methyl] methoxy-N-[[4-(trifluoromethyl)phenyl] methyljbenzamide), L-796449, LR-90, MK-0767 (Merck/Kyorin/Banyu), SB 219994, muraglitazar (BMS), tesaglitzar (Astrazeneca), reglitazar (JTT-501) and those disclosed in WO99/16758, WO99/19313, WO99/20614, WO99/38850, 15 WO00/23415, WO00/23417, WO00/23445, WO00/50414, WO01/00579, WO01/79150, WO02/062799, WO03/004458, WO03/016265, WO03/018010, WO03/033481, WO03/033450, WO03/033453, WO03/043985, WO 031053976, U.S. application Ser. No. 09/664,598, filed Sep. 18, 2000, Murakami et al. Diabetes 47, 1841-1847 (1998), and pharmaceutically acceptable salts 20 and esters thereof; other insulin sensitizing drugs; VPAC2 receptor agonists; GLK modulators, such as those disclosed in WO03/015774; retinoid modulators such as those disclosed in WO03/000249; GSK 3B/GSK 3 inhibitors such as 4-[2-(2-bromophenyl)-4-(4-fluorophenyl-lHimidazol-5- yl]pyridine and those compounds disclosed in WO03/024447, WO03/037869, WO03/037877, WO03/037891, WO03/068773, EP1295884, EP1295885, and the like; glycogen 25 phosphorylase (HGLPa) inhibitors such as CP-368,296, CP-316,819, BAYR3401, and compounds disclosed in WOO 1/94300, WO02/20530, WO03/037864, and pharmaceutically acceptable salts or esters thereof; ATP consumption promotors such as those disclosed in WO03/007990; TRB3 inhibitors; vanilloid receptor ligands such as those disclosed in WO03/049702; hypoglycemic agents such as those disclosed in WO03/015781 and 30 WO03/040114; glycogen synthase kinase 3 inhibitors such as those disclosed in WO03/035663 agents such as those disclosed in WO99/51225, US20030134890, WO01/24786, and

WO03/059870; insulin-responsive DNA binding protein-1 (IRDBP-I) as disclosed in WO03/057827, and the like; adenosine A2 antagonists such as those disclosed in WO03/035639, WO03/035640, and the like; PPARδ agonists such as GW 501516, GW 590735, and compounds disclosed in JP10237049 and WO02/14291; dipeptidyl peptidase IV (DP-IV) inhibitors, such as 5 isoleucine thiazolidide, NVP-DPP728A (1- [[[2-[(5-cyanopyridin-2yl)aminolethyllaminolacetyll-2-cyano-(S)-pyrrolidine, disclosed by Hughes et al, Biochemistry, 38(36), 11597-11603, 1999), P32/98, NVP-LAF-237, P3298, TSL225 (tryptophyl-1,2,3,4tetrahydro-isoquinoline-3-carboxylic acid, disclosed by Yamada et al, Bioorg. & Med. Chem. Lett. 8 (1998) 1537-1540), valine pyrrolidide, TMC-2A/2B/2C, CD- 26 inhibitors, FE999011, P9310/K364, VIP 0177, DPP4, SDZ 274-444, 2-cyanopyrrolidides and 4-cyanopyrrolidides as 10 disclosed by Ashworth et al, Bioorg. & Med. Chem. Lett., Vol. 6, No. 22, pp 1163-1166 and 2745-2748 (1996), and the compounds disclosed in US6395767, US6573287, US6395767 (compounds disclosed include BMS-477118, BMS-471211 and BMS 538,305), WO99/38501, WO99/46272, WO99/67279, WO99/67278, WO99/61431WO03/004498, WO03/004496, EP1258476, WO02/083128, WO02/062764, WO03/000250, WO03/002530, WO03/002531, 15 WO03/002553, WO03/002593, WO03/000180, and WO03/000181; GLP-I agonists such as exendin-3 and exendin-4 (including the 39 aa polypeptide synthetic exendin-4 called Exenatide®), and compounds disclosed in US2003087821 and NZ 504256, and pharmaceutically acceptable salts and esters thereof; peptides including amlintide and Symlin® 20 (pramlintide acetate); and glycokinase activators such as those disclosed in US2002103199 (fused heteroaromatic compounds) and WO02/48106 (isoindolin-1-one-substituted propionamide compounds).

EXAMPLES

Example 1: Clinical Study for safety and efficacy in humans for the treatment of chronic idiopathic constipation

[175] A randomized, double-blind, placebo-controlled, 14-day repeat oral, dose ranging study was conducted in patients with chronic idiopathic constipation (CIC). The primary objective of this study was to evaluate the safety of SP-304 (1.0 mg, 3.0 mg, 9.0 mg and 0.3 mg) for 14 days in patients with CIC. One secondary objective was to assess the pharmacokinetic profile of 102

SP-304 in plasma. Other secondary objectives included evaluations of pharmacodynamic effects (efficacy) on parameters such as the time to first bowel movement after daily dosing with SP-304, bowel habits over time – for example, spontaneous bowel movements (SBMs), complete spontaneous bowel movements (CSBMs), and stool consistency [using Bristol Stool Form Scale (BSFS)] – and other patient reported outcomes such as abdominal discomfort.

[176] The study included five arms with assigned interventions as indicated in the table below.

Arms	Interventions
SP-304 1.0 mg: Experimental	Subjects receiving SP-304 1.0 mg for 14 consecutive days
SP-304 3.0 mg: Experimental	Subjects receiving SP-304 3.0 mg for 14 consecutive days
SP-304 9.0 mg: Experimental	Subjects receiving SP-304 9.0 mg for 14 consecutive days
Placebo: Placebo Comparator	Subjects receiving Placebo for 14 consecutive days
SP-304 0.3 mg: Experimental	Subjects receiving SP-304 0.3 mg for 14 consecutive days

[177] Subjects diagnosed with CIC were screened for the anticipated 4 cohorts to yield 80 randomized subjects for enrollment. There were four dose cohorts (1.0 mg, 3.0mg, 9.0 mg and 0.3 mg) with 20 subjects per dose cohort [randomization ratio 3:1 (15 receive SP-304:5 receive placebo)]. Subjects who continued to meet all the entry criteria and complete the pre-treatment bowel movement (BM) diary received, in a double-blind, randomized fashion, SP-304 or matching placebo. The entry criteria included (1) meeting modified ROME III criteria for chronic constipation (CC); (2) no significant finding in colonoscopy within past 5 years; (3) good health as determined by physical examination, medical history, vital signs, ECG, clinical chemistry, hematology, urinalysis, drug screen and serology assessments; and (4) during 14-day pre-treatment period, subjects reporting < 6 SBM and < 3 CSBM in each pre-treatment week. All subjects receiving at least one dose of SP-304 or matching placebo were considered evaluable for the safety endpoints (78 total). If a subject did not have a major protocol deviation, had at least 5 days of study treatment each week and corresponding entries for bowel habits, he/she was considered evaluable for efficacy parameters (54-55 total).

[178] The demographics of the subjects in the study are summarized in the table below.

	Placebo	0.3 mg	1.0 mg	3.0 mg	9.0 mg	
Age						
	47.7 (14.6)	51.1 (12.0)	50.5 (10.6)	48.5 (16.1)	47.3 (12.7)	
		Ger	ider			
Female	18 (90.0%)	12 (85.7%)	14 (100%)	13 (86.7)	12 (80%)	
Male	2 (10.0%)	2 (14.3%)	0	2 (13.3%)	3 (20%)	
		Ra	ice			
White	17 (85.0%)	13 (92.9%)	12 (85.7%)	14 (93.3%)	12 (80.0%)	
African American	1 (5.0%)	0	1 (7.1%)	0	2 (13.3%)	
Asian	1 (5.0%)	1 (7.1%)	1 (7.1%)	0	1 (6.7%)	
American Indian	1 (5.0%)	0	0	0	0	
Other	0	0	0	1 (6.7%)	0	

Values for age are the mean (standard deviation); values for gender and race are the number (percentage of experimental arm).

Results

[179] Pharmacokinetics and Safety:

[180] There was no detectable systemic absorption of plecanatide (assay sensitivity ≥ 10 ng/mL). No serious adverse events (SAE) were reported in subjects receiving plecanatide and no deaths reported in this study. 10% (2/20) subjects who received placebo and 17.2% (10/58) subjects who received SP-304 reported adverse events considered as related to the treatment. The majority of adverse events were mild / moderate and transient in nature. 10% (2/20) subjects who received placebo and 5.2% (3/58) subjects who received SP-304 reported GI-related adverse events considered as related to treatment. There was no diarrhea reported for any subject receiving SP-304. The table below is a GI-related adverse event (AE) summary.

	Placebo n=20	0.3 mg n=14	1.0 mg n=14	3.0 mg n=15	9.0 mg n=15
Abdominal Cramping	1 (5.0%)	0	0	0	0
Abdominal Pain	1 (5.0%)	0	0	0	0
Bloating	0	0	0	0	1 (6.7%)
Diarrhea	1 (5.0%)	0	0	0	0
Flatulence	2 (10.0%)	0	0	0	0
Nausea	0	1 (7.1%)		0	0
Upset Stomach	0	0	0	1 (6.7%)	0

Values are the number (percentage of experimental arm).

[181] Efficacy:

[182] SP-304 (plecanatide) treatment decreased the time to first bowel movement, increased stool frequency (SBM and CSBM), improved stool consistency, and reduced straining and abdominal discomfort. See Figures 1-6.

Example 2: Composition of Wet Granulation batch 10005

Item No.	Ingredient	Use	Concentration % w/w
1	SP304		0.23
2	Mannogem EZ, USP/EP (Mannitol)	Diluent	79.77
3	PROSOLV SMCC 90 LM (silicified microcrystalline cellulose)	Binder	15.0
4	Purified Water (chilled to 5°C), USP	vehicle	n/a
5	Purified Water (chilled to 5°C), USP		n/a
6	Explotab (Sodium Starch Glycolate)	Disintregant	4.0

7	Pruv (sodium stearyl fumarate)	Lubricant	1.0
	Total		100

Example 3: Composition of Wet Granulation batch 10007

Item No.	Ingredient	Use	Concentration % w/w
1	SP304		0.3
3	PROSOLV SMCC 90 HD (silicified microcrystalline cellulose)	Binder	95.7
4	Purified Water (chilled to 5°C), USP	vehicle	n/a
5	Purified Water (chilled to 5°C), USP		n/a
6	Explotab (Sodium Starch Glycolate)	Disintregant	4.0
	Total		100

Example 4: EXCIPIENT COMPATIBILITY

[183] Binary mixtures of SP-304 were prepared and stored in glass vials. For solid excipients the binary mixtures were comprised of 9.1% or 50% excipient. Glass vials were stored at 40C/75RH open or closed. The percent purity (measured by HPLC) of the GCC agonist peptide (SP-304) after storage for the time indicated in each column (i.e., 1, 2, or 3 months for the closed vial and 0.5, 1, 2, or 3 months for the open vials) is indicated by numerical values.

Closed	Open

PURPOSE	EXCIPIENT	1M	2M	3M	0.5M	1M	2M	3M
None	None	91.4	88.2	84.1	93.7	91.2	88.2	84.8
Diluent	Sorbitol	92.4	90.1	87.2	92.2	90.8	87.1	80.9
	Mannitol	91.9	88.4	85.1	92.6	90.5	87.9	83.8
	Prosolv	92.2	89.6	86.3	93	90.5	87.8	83.7
	Starch	91.4	88.7	85.4	92.5	90.5	87.9	83.7
Binder	Emdex	91.3	88.7	85.2	91.8	90.7	87.9	81.9

	Plasdone	92.8	90.6	85.6	93.1	90.4	87.3	83
Disintegrant	Explotab	91.9	89.4	87.1	92.2	90.3	84.7	78.3
	Polyplasdone	92	89	85.6	93.5	90.3	87.4	83.1
Glidant	Cabosil	92.1	88.3	85.6	92.6	90.5	87.3	84
Lubricant	Mg stearte	91.5	87.7	84.6	92.6	90.6	87.6	83.8
	PRUV	92	88.3	85.7	92.2	90.5	87.5	83.8
	compritol	90.8	87.1	84.4	92	90.5	86.7	84.1
Excipient	PEG 3350	90.9	87	83.3	91.5	89.4	84.4	77.5
Antioxidant	Ascorbic acid	91.3	86.9	83	92.8	90	85.7	83.8
	ВНА	91.9	88.9	85.9	93.5	90.8	87.4	85.8
	BHT	90.8	87.2	84.6	92.4	90.3	86.6	83.6
	EDTA	90.9	87.5	84.1	92.3	90.4	86.7	84.6
Capsule	HPMC capsule	92.2	89	85.2	92.3	90.2	86.4	83.5
	Gelatin capsule	91.5	88.3	84.3	84.3	90.5	86.7	83.6
Liquid for liquid filled capsule	Medium chain trig		90.4					
	PG dicaprylocaprate		89.3					
	Vit E		90					
	Soybean oil		89.6					
	Cremaphor		79.7					
	PG		3.4					
	PG 400		0.7					

Example 5: Geometric dry mix for 0.3mg capsule

[184] Place 12g mannitol in mortar. Add 4g SP-304 and gently mix until a visually uniform powder is obtained. Transfer to Turbula mixer. Rinse mortar with mannitol and transfer to Turbula mixer and mix at high speed for 10 minutes. Add about 150g of mannitol to 4 quart V-shell mixer. Transfer the contents of the Turbula mixer to the V-shell and add 150g of mannitol mix. Discharge v-shell contents and screen through 40 mesh and return to mixer. Add 586g of mannitol to mixer and mix for 20 minutes.

Example 6: Wet granulation process:

[185] Batch 017-10005 comprised of mannitol and low-moisture (2.4%) PROSOLV LM90 (0.33 g/mL) was sprayed with SP-304 solution and fluid bed dried resulted in granulation water content of 0.35%. The final blend contained 1% water, flowed well, and filled capsules well. The 2nd prototype 017-1006 comprised of the same components was adjusted to obtain a target capsule fill weight of 100 mg based on the results of the 1st batch. Water was sprayed onto powder blend with SP-304. The inlet temperature was 50C and the granulation was dried for 1.5 hours and stopped when the product temperature reached 36C. The 3rd (batch017-10006) and 4th (batch 017-10007) capsule prototypes will use PROSOLV HD90, which is a higher density material with superior flow properties and higher moisture content of 5.5% than the PROSOLV LM90. The moisture content of the PROSOLV HD90 is readily removed by fluid bed drying. The density of PROSOLV HD90 is about 0.55 g/mL. The PRUV lubricant will be removed for these batches.

Example 7: Wet granulation stability

[186] SP-304 was extracted from the capsules by sonication at either at room temperature (RT) or cold temperature and the amount of peptide was determined by HPLC. Initial percentages are based on the amount stated on the label.

Batch	% peptide (initial)	% peptide (1 mos at RT)
017-10006	101.1 (sonicated RT)	97.6 (sonicated cold)
017-10008	97.5 (sonicated RT)	108.2 (sonciated cold)

Example 8: 1M capsule stability in HDPE Bottles

[187] Capsules contained 0.3 mg SP-304 with the remainder of the fill weight (up to 5 mg) made up by mannitol (Perlitol 300 DC). Each capsule contained 1.5% by weight SP-304 and 98.5% mannitol. The capsule shell was composed of HPMC. Amounts are relative to the amount specified on the label (i.e., 0.30 mg peptide). The indicated number of capsules was placed in a high density polyethylene bottle with an induction seal and molecular sieve desiccant for 1 month at either 2-8C (first two columns) or 25C and 60% relative humidity (last two columns). The initial amount of peptide present was 101% of the label claim. The last row gives

the amount of peptide remaining after 1 month storage at the indicated temperature as determined by HPLC.

2-8C	2-8C	25C/60RH	25C/60RH
1-capsule per	6-capsules per	1-capsule per	6-capsules per
bottle	bottle	bottle	bottle
100%	92%	92%	98%

Example 9: Composition of batch 1528-2855-RD (capsules) and spray coating and drying process

Item No.	Ingredient	Amount per unit (mg)	Concentration % w/w
1	SP-304	0.3246	0.3246
2	Microcrystalline cellulose (Celphere SCP-100)	99.10	99.10
3	Calcium chloride dihydrate	0.2622	0.2622
4	Leucine USP	0.1171	0.1171
5	Hypromellose (Methocel E5 PremLV)	0.2000	0.2000
6	Purified Water, USP	7.2 mL*	n/a
	Total	100	100

^{*:} The amount of water is calculated based on use of 119.0 mL purified water for the whole batch containing 5.356 g SP-304.

[188] The spray drying process of making the batch 2855-RD is described below.

Preparation of Coating Dispersion:

[189] Purified water was added to a glass container and stirred such that a liquid vortex was produced without introducing air. Then calcium chloride dihydrate was slowly added into the water. The mixture was stirred until the salt was dissolved or well dispersed. Next, leucine was slowly added and the resulting mixture was stirred until the amino acid was dissolved or well 109

dispersed. Afterward, methocel was slowly added and the mixture was stirred until methocel was completely dissolved. The solution could be warmed up to dissolve methocel, if necessary. The resulting excipient solution was allowed to cool to room temperature and pass through 80 mesh screen. Then, 127.9g of screened excipient solution was added to a glass container and placed in an ice bath for 0.5 to 1 hour until the solution reached 0 °C. Next, SP-304 was added into the cold excipient solution. The mixture was stir vigorously to allow the peptide to dissolve in the cold solution. The resulting peptide solution was kept cold in the ice bath as a spraying/coating solution.

Drug Layering

[190] A Glatt GPCG-2 fluid bed processor (with top spray tower) with a Wurster insert was set up for drug layering onto Celphere SCP-100 beads. After loading the Wurster column with Celphere SCP-100 beads, bed temperature was raised to 35 °C and maintained for 30 minutes with minimum fluidization of the beads. The bed temperature was reduced until an exhaust temperature of 35 °C was achieved. The pump tubing of the peristaltic pump used was primed by circulating the spraying solution mentioned above. After the spraying apparatus was adjusted to obtain a satisfactory spray pattern, the coating solution was sprayed onto Celphere SCP-100 beads until all coating solution was sprayed. Operating parameters were recorded. The bed temperature and fluidization were maintained until the beads were sufficiently dry. The fluidization was then reduced while the bed temperature was maintained at 35 °C for 10 minutes. 2g of beads were sampled for moisture analysis when the bed temperature was kept at 35 °C. When the moisture of the sampled beads reached < 5% moisture, the coated beads were discharged and loaded into a dry container. LOD (loss on drying) 2.399%.

Example 10: Composition of batch 1528-2851-RD (tablets) and spray coating and drying process

Item No.	Ingredient	Amount per unit (mg)	Concentration % w/w
1	SP-304	0.3246	0.3607
2	Microcrystalline	88.88	98.75

	cellulose (Avicel PH 102)		
3	Calcium chloride dihydrate	0.2622	0.2913
4	Leucine USP	0.1171	0.1301
5	Hypromellose (Methocel E5 PremLV)	0.2000	0.2222
6	Magnesium stearate	0.225	0.2500
7	Purified Water, USP	7.2 mL*	n/a
	Total	90.0	100

^{*:} The amount of water is calculated based on use of 119.0 mL purified water for the whole batch containing 5.356 g SP-304.

[191] The spray coating and drying process of making the batch 2851-RD is described below.

Preparation of Coating Dispersion:

[192] Purified water was added to a glass container and stirred such that a liquid vortex was produced without introducing air. Then calcium chloride dihydrate was slowly added into the water. The mixture was stirred until the salt was dissolved or well dispersed. Next, leucine was slowly added and the resulting mixture was stirred until the amino acid was dissolved or well dispersed. Afterward, methocel was slowly added and the mixture was stirred until methocel was completely dissolved. The solution could be warmed up to dissolve methocel, if necessary. The resulting excipient solution was allowed to cool to room temperature and pass through 80 mesh screen. Then, 127.9g of screened excipient solution was added to a glass container and placed in an ice bath for 0.5 to 1 hour until the solution reached 0 °C. Next, SP-304 was added into the cold excipient solution. The mixture was stir vigorously to allow the peptide to dissolve in the cold solution. The resulting peptide solution was kept cold in the ice bath as a spraying/coating solution.

Drug Layering

[193] A Glatt GPCG-2 fluid bed processor (with top spray tower) with a Wurster insert was set up for drug layering onto Avicel PH 102 beads. After loading the Wurster column with Avicel

PH 102 beads, temperature was raised to 35 °C and maintained for 30 minutes with minimum fluidization of the beads. The bed temperature was reduced until an exhaust temperature of 35 °C was achieved. The pump tubing of the peristaltic pump used was primed by circulating the spraying solution mentioned above. After the spraying apparatus was adjusted to obtain a satisfactory spray pattern, the coating solution was sprayed onto Avicel PH 102 beads until all coating solution was sprayed. Operating parameters were recorded. The bed temperature and fluidization were maintained until the beads were sufficiently dry. The fluidization was then reduced while the bed temperature was maintained at 35 °C for 10 minutes. 2g of beads were sampled for moisture analysis when the bed temperature was kept at 35 °C. When the moisture of the sampled beads reached < 5% moisture, the coated beads were discharged and loaded into a dry container. LOD (loss on drying) <5%.

[194] The net weight of the coated blend was determined for calculation of the amount of magnesium stearate needed to lubricate the blend. Then the magnesium stearate was added to the coated blend and the mixture was blended for 1 minute.

Compression

[195] A Fette tablet press was set up. Then the blend mixture was loaded into the powder hopper and tooling was installed. The weight of each tablet was set to be 90 mg±5% and hardness to be 4-6 Kp. The weight, hardness and thickness of tablets were measured and recorded every 5 to 10 minutes. Friability measurement was also performed to ensure satisfactory product.

Example 11: Composition of batch 1528-2850-RD (capsules) and process

Item No.	Ingredient	Concentration % w/w
1	SP-304	0.3246
2	Microcrystalline cellulose (Avicel PH 102)	99.43
3	Magnesium stearate	0.2500
4	HPMC capsule shells	n/a

[196] The dry blend process of making the batch 2850-RD is described below.

Blending:

[197] Avicel PH 102 was screened through a 60 mesh screen. V-blenders (1 Qt, 4Qt, and 16 Qt) were then dusted by the screened Avicel PH 102. SP-304 was screened through a 200 mesh screen and loaded into the 1-Qt V-blender. Then, about 80 g Avicel PH 102 was added into the 1-Qt blender and the mixture was blended for 10 minutes at 25 rpm. The mixture was then transferred to the 4-Qt V-blender which was pre-dusted by the screened Avicel PH 102. The 1-Qt blender was rinsed with Avicel and the rinse material was transferred to the 4-Qt blender. The rinsing was repeated until all SP-304 was transferred to the 4-Qt blender. About 200g Avicel was added to the 4-Qt V-blender and the mixture was blended for 10 minutes. The resulting blend was then screened through a 60 mesh screen and then transferred into the predusted 16-Qt blender (dusted with 1500g Avicel). The 4-Qt blender was rinsed with Avicel and the rinse material was transferred to the 16-Qt blender. The remaining Avicel was added to the 16-Qt blender and the mixture was blended for 10 minutes. The resulting blend was passed through Comil and then returned to the 16-Qt blender and was further blended for 5 minutes. Proper amount of magnesium stearate was weighed, screened through a 60 mesh screen, and added into the 16-Qt blender. The resulting mixture was blended for 2 minutes.

Encapsulation

[198] A MG2 Planeta capsule filler was set up. Average weight of the empty capsule shells was determined and target capsule fill weight was calculated (±5%). The blend from the above process was added into the hopper of the capsule filler and encapsulation was started. Run weight parameters were manually adjusted. Resulting capsules were then sorted according to the target fill weight.

Example 12: Composition of batch 1528-2850B-RD (tablets) and process

Item No.	Ingredient	Concentration % w/w
1	SP-304	0.3246
2	Microcrystalline cellulose (Avicel PH 102)	99.43
3	Magnesium stearate	0.2500
	Total	100

[199] The dry blend process of making the batch 2850B-RD is described below.

Blending:

[200] Avicel PH 102 was screened through a 60 mesh screen. V-blenders (1 Qt, 4Qt, and 16 Qt) were then dusted by the screened Avicel PH 102. SP-304 was screened through a 200 mesh screen and loaded into the 1-Qt V-blender. Then, about 80 g Avicel PH 102 was added into the 1-Qt blender and the mixture was blended for 10 minutes at 25 rpm. The mixture was then transferred to the 4-Qt V-blender which was pre-dusted by the screened Avicel PH 102. The 1-Qt blender was rinsed with Avicel and the rinse material was transferred to the 4-Qt blender. The rinsing was repeated until all SP-304 was transferred to the 4-Qt blender. About 200g Avicel was added to 4-Qt V-blender and the mixture was blended for 10 minutes. The resulting blend was then screened through a 60 mesh screen and then transferred into the pre-dusted 16-Qt blender (dusted with 1500g Avicel). The 4-Qt blender was rinsed with Avicel and the rinse material was transferred to the 16-Qt blender. The remaining Avicel was added to the 16-Qt blender and the mixture was blended for 10 minutes. The resulting blend was passed through Comil and then returned to the 16-Qt blender and was further blended for 5 minutes. Proper amount of magnesium stearate was weighed, screened through a 60 mesh screen, and added into the 16-Qt blender. The resulting mixture was blended for 2 minutes.

Compression

[201] A Fette tablet press was set up. Then the blend mixture was loaded into the powder hopper and tooling was installed. The weight of each tablet was set to be 90 mg±5% and

hardness to be 4-6 Kp. The weight, hardness, and thickness of tablets were measured and recorded every 5 to 10 minutes. Friability measurement was also performed to ensure satisfactory product.

Example 13: Composition of dry blend tablet formulation 1528-3161-RD, 1mg for vacuum drying

Item No.	Ingredient	Concentration %
		w/w
1	SP-304	1.176
2	Microcrystalline	98.57
	cellulose (Avicel PH	
	102)	
3	Magnesium stearate	0.2500
	Total	100

Example 14: Composition of dry blend tablet formulation 1528-3162-RD, 1mg with low-

5 moisture cellulose

Item No.	Ingredient	Concentration %
		w/w
1	SP-304	1.176
2	Microcrystalline	97.09
	cellulose (Avicel PH	
	112)	
3	Magnesium stearate	0.2500
	Total	100

Example 15: Composition of spray coated trehalose granules tablet formulation 1528-3170-RD, 1mg

Item No.	Ingredient	Concentration % w/w
1	SP-304	1.176
2	Trehalose granules	70.48
3	Methocel ES Premium LV	0.50
4	Histidine (in coating solution)	0.9225
5	Calcium ascorbate	0.100
6	Purified water	N/A
7	Trehalose powder (in coating solution)	1.0176
8	Microcrystalline cellulose (Avicel PH 200)	25.00
9	Histidine	0.5535
10	Magnesium stearate	0.2500
	Total	100

The process for making spray coated trehalose Granules tablet formulation 1528-3170-RD is described below.

Preparation of the Coating Dispersion

[202] Add purified water to labeled container and begin stirring. Stir such that a liquid vortex is produced without introducing air into liquid. Slowly add Methocel to solution. Stir until methocel is completely dissolved. Warm the solution if necessary to dissolve Methocel (≤ 50 °C). Solution must be cooled before adding other materials. Add Trehalose to solution. Stir until materials are dissolved. Add Calcium Ascorbate to solution. Stir until materials are dissolved. Adjust pH to 7.0 with 1N NaOH solution if pH >7.0. Record adjusted pH. Place the Coating Solution in an ice bath and allow it stay in the batch for 0.5 to 1 hour until it reaches the ice temperature. Check with a thermometer to ensure at ice temperature. Weigh portions of required amount of API on a weighing boat and add each portion carefully to the cold Excipient Solution. Stir vigorously to allow peptide wetting and dissolving in the cold solution. Total amount of peptide must equal 14.107 g. Continue stirring solution such that a liquid vortex is produced without introducing air into liquid. Stir until PLECANATIDE is completely dissolved. Keep peptide solution cold all the time in the ice bath. Add Histidine to solution. Stir not more than 10min to dissolve the material. Obtain final pH of the Coating Solution. Obtain net weight of the Coating Solution. Coating Solution must be used within 30min to avoid coloration.

Drug Layering

[203] Setup Glatt GPCG2 with Wurster insert according to SOP EQP-OCM-064 for drug layering onto Trehalose Granules with coating dispersion. Use Glatt GPCG2 In-process form, "EQP-OCM-064-F1," to record in-process information. Turn unit on and preheat column. Fluid Bed Processor: Glatt GPCG-2. Filter: 200 micron screen. Product Container: 4" wurster, stainless steel. Insert height from bottom: 1". Spray direction: Top Spray. Fluid Nozzle Size/ Type: 1mm. Pump: Peristaltic, Master Flex LS. Tubing: Nalge #14 Silicon. Bed Temperature: ≤ 40°C. Inlet air temperature: Adjust to meet bed temperature target. Outlet air temperature: Monitor & record. Spray rate: initial rate 4-6g/min, adjust as required. Atomizing air pressure: 20 psi. Air flow: 60cmh and adjust for fluidization. Prepare double polyethylene bags large enough to hold drug layered Granules. Load column with Trehalose. Increase bed temperature to 35°C and maintain for 30 minutes with minimum fluidization of the Granules. Reduce bed temperature until an exhaust temperature of 35 °C is achieved. Prime pump tubing by circulating spraying solution; must not use more than 40g for tubing priming. Adjust the spraying apparatus to obtain satisfactory spray pattern. Coating Solution Weight after priming

should > 317g. Record initial weight below before spraying onto trehalose. Start spraying the coating solution onto Trehalose Granules. Record operating parameters on fluid bed processing form. Stop spraying when 297.2 g of coating solution has been sprayed. Maintain bed temperature and continue fluidization until Granules are sufficiently dry. Reduce fluidization and maintain bed temperature at 35°C for 10 minutes. Do not cool down the Granules. Sample 2g for moisture analysis until moisture is below 1%. Discharge coated Granules into preprepared and labeled container (with tare weight) lined with double polyethylene bag. Calculate net weight of drug layered Granules. Setup Lyophilizer per SOP EQP-OCM-00002. Load drug layered granules into a Lyoguard tray (Save bags). Use recipe 3 to dry blend overnight.

Discharge dried blend into saved polyethylene bags. Obtain final moisture of the dried granules. Record final Moisture (<1%). Calculate net weight of dried Granules.

Blending

5

15

20

25

[204] Screen required Avicel and pass through 60 mesh screen. Setup 4 qt V-blender per SOP EQP-OCM-00056. Weigh amount of Histidine needed and blend with small amount of Avicel weighed. Charge into 4 qt. V-blender. Transfer Plecanatide Dried Granules into the V-Blender. Rinse 2-3 times the Lyoguard tray from Step 24 with adequate amount of Weighed Avicel .Transfer rinses into 4 qt. V-b;ender. Transfer all remaining Pre-weighed/screened Avicel into the V-Blender. Mix for 15 minutes. Weigh and screen Magnesium Stearate through a 60 mesh screen. Charge Magnesium Stearate to the 4 qt V-Blender. Ensure the cover is securely closed with no potential powder leakage during blending. Blend for 2 minutes.

Compression

[205] Set-up Korsch press per SOP EQP-OCM-00087. Install 0.250" Standard Concave Round Plain tolling. Obtain blend Assay results and calculate Target Tablet Weight. Acceptable weight range of tablets is \pm 5.0%. Load the Final Blend into the powder hopper. Refill as necessary. Adjust fill weight to obtain tablets in the range of 95.0 - 105.0mg and hardness in the range of 4-6kP. Verify friability is NMT 1.0%. Check 5 tablet weights periodically every 5-10min to ensure tablet weight is within the range and record on form QRA-DOC-00011-F6. After tablet weights are recorded, obtain and record 3 tablet hardness and thickness during the periodic

weight check. Continue to compress acceptable tablets until the blend is used up. Once press is running properly to achieve specifications above, perform final Friability test and record results (Spec: NMT 1.0%).

Example 16: Composition of spray coated trehalose granules tablet formulation 1528-3171-RD, 1mg

Item No.	Ingredient	Concentration % w/w
1	SP-304	1.167
2	Trehalose granules	70.31
3	Methocel ES Premium LV	0.50
4	Arginine	1.657
5	Calcium ascorbate	0.100
6	Water for injection	N/A
7	Trehalose powder (in coating solution)	1.0176
8	Microcrystalline cellulose (Avicel PH 200)	25.00
9	Magnesium stearate	0.2500
	Total	100

[206] The process for making spray coated trehalose Granules tablet formulation 1528-3171-RD is described below.

Preparation of Coating Solution

5

Add purified water (Item 6) to labeled container and begin stirring. Stir such that a liquid vortex is produced without introducing air into liquid. Slowly add Methocel to solution. Stir until methocel is completely dissolved. Warm the solution if necessary to dissolve Methocel (≤ 50 °C). Record appearance of solution. Solution must be cooled before adding other materials. Add Trehalose to solution. Stir until materials are dissolved. Record appearance of solution. Add Arginine to solution. Stir until materials are dissolved. Record appearance of solution. Add Calcium Ascorbate to solution. Stir until materials are dissolved. Record appearance of solution. Adjust solution pH to pH 8.5 - 8.6 with concentrated HCl followed by adjust pH to 8.3 - 8.4 with 10N HCl. Record final adjusted pH. Place the Coating Solution in an ice bath and allow it stay in the batch for 0.5 to 1 hour until it reaches the ice temperature. Check with a thermometer to ensure at ice temperature. Weigh portions of required amount of API on a weighing boat and add each portion carefully to the cold Excipient Solution. Stir vigorously to allow peptide wetting and dissolving in the cold solution. Total amount of peptide must equal 14.006 g. Continue stirring solution such that a liquid vortex is produced without introducing air into liquid. Stir until PLECANATIDE is completely dissolved. Keep peptide solution cold all the time in the ice bath. Weigh 5.0g of WFI to rinse API container. Carefully rinse the side of coating solution container and completely transfer the rinse back to the coating solution container. Obtain final pH of the Coating Solution. Obtain net weight of the Coating Solution (~360.3 g). Coating Solution must be used within as soon as possible.

20 <u>Drug Layering</u>

5

10

15

25

30

[207] Setup Glatt GPCG2 with Wurster insert according to SOP EQP-OCM-064 for drug layering onto Trehalose Granules with coating dispersion. Use Glatt GPCG2 In-process form, "EQP-OCM-064-F1," to record in-process information. Turn unit on and preheat column.

Fluid Bed Processor: Glatt GPCG-2. Filter: 200 micron screen. Product Container: 4" wurster, stainless steel. Insert height from bottom: 1". Spray direction: Top Spray. Fluid Nozzle Size/ Type: 1mm. Pump: Peristaltic, Master Flex LS. Tubing: Nalge #14 Silicon. Bed Temperature: ≤ 40°C. Inlet air temperature: Adjust to meet bed temperature target. Outlet air temperature: Monitor & record. Spray rate: initial rate 4-6g/min, adjust as required. Atomizing air pressure: 20psi. Air flow: 60cmh and adjust for fluidization. Load column with Trehalose G. Increase bed temperature to 35°C and maintain for 30 minutes with minimum fluidization of the

Granules. Reduce bed temperature until an exhaust temperature of 35 °C is achieved. Prime pump tubing with coating solution. Must not use more than 40g for tubing priming. Adjust the spraying apparatus to obtain satisfactory spray pattern. Record initial weight below before spraying onto trehalose. Start spraying the coating solution onto Trehalose Granules. Record operating parameters on fluid bed processing form. Stop spraying when 300.3 g of coating solution has been sprayed. Maintain bed temperature and continue fluidization until Granules are sufficiently dry. Reduce fluidization and maintain bed temperature at 35°C for 10 minutes. Do not cool down the Granules. Sample 2g for moisture analysis until moisture is below 1%. Discharge coated Granules into pre-prepared and labeled container (with tare weight) lined with double polyethylene bag. Calculate net weight of drug layered Granules. If moisture is > 1%, vacuum dry blend as follows: Setup Lyophilizer per SOP EQP-OCM-00002. Load drug layered granules into a Lyoguard tray. Use recipe 3 to dry blend overnight. Discharge dried blend into saved polyethylene bags. Obtain final moisture of the dried granules. Calculate net weight of dried Granules.

15 Blending

5

10

20

[208] Screen required Avicel and pass through 60 mesh screen. Setup 4 qt V-blender. Transfer Plecanatide Dried Granules into the V-Blender. Save bag for discharging final blend. Rinse 2-3 times the Lyoguard tray and bag with adequate amount of Weighed Avicel. Transfer rinses into 4 qt. V-b; ender. Transfer all remaining Pre-weighed/screened Avicel into the V-Blender. Mix for 20 minutes. Weigh and screen Magnesium Stearate through a 60 mesh screen. Charge Magnesium Stearate to the 4 qt V-Blender. Ensure the cover is securely closed with no potential powder leakage during blending. Blend for 2 minutes. Sample 3 x 350 mg of blend at three locations. Obtain exact weight of each sample that has been transferred into the sampling bottle.

Compression

Set-up Korsch press per SOP EQP-OCM-00087. Install 0.250" Standard Concave Round Plain tolling. Obtain blend Assay results and calculate Target Tablet Weight. Acceptable weight range of tablets is \pm 5.0%. Load the Final Blend into the powder hopper. Refill as necessary. Adjust fill weight to obtain tablets in the range of 95.0 - 105.0mg and hardness in the range of 4-6kP.

Verify friability is NMT 1.0%. Check 5 tablet weights periodically every 5-10min to ensure tablet weight is within the range. After tablet weights are recorded, obtain and record 3 tablet hardness and thickness during the periodic weight check. Continue to compress acceptable tablets until the blend is used up. Once press is running properly to achieve specifications above, perform final Friability test and record results (Spec: NMT 1.0%).

Example 17: Composition of spray coated trehalose granules tablet formulation 1528-3172, 1mg

Item No.	Ingredient	Concentration % w/w
1	SP-304	1.167
2	Trehalose granules	70.81
3	Methocel ES Premium LV	0.50
4	TRIS	1.1524
5	Calcium ascorbate	0.100
6	Water for injection	N/A
7	Trehalose powder (in coating solution)	1.0176
8	Microcrystalline cellulose (Avicel PH 200)	25.00
9	Magnesium stearate	0.2500
	Total	100

[209] The process for making spray coated trehalose granules tablet formulation 1528-3172-RD is described below.

10 Preparation of Coating Solution

5

[210] Add purified water to labeled container and begin stirring. Stir such that a liquid vortex is produced without introducing air into liquid. Slowly add Methocel to solution. Stir until methocel is completely dissolved. Warm the solution if necessary to dissolve Methocel ($\leq 50^{\circ}$ C). Record appearance of solution.

5 [211] Solution must be cooled before adding other materials. Add Trehalose to solution. Stir until materials are dissolved. Record appearance of solution. Add TRIS to solution. Stir until materials are dissolved. Record appearance of solution. Add Calcium Ascorbate to solution. Stir until materials are dissolved. Record appearance of solution. Obtain solution pH: Adjust pH to pH 7.8 – 7.9 with concentrated HCl followed by adjust pH to 7.7 – 7.6 with 10N HCl. Record 10 final adjusted pH. Place the Coating Solution in an ice bath and allow it stay in the batch for 0.5 to 1 hour until it reaches the ice temperature. Check with a thermometer to ensure at ice temperature. Weigh portions of required amount of API on a weighing boat and add each portion carefully to the cold Excipient Solution. Stir vigorously to allow peptide wetting and dissolving in the cold solution. Total amount of peptide must equal 14.006 g. Continue stirring 15 solution such that a liquid vortex is produced without introducing air into liquid. Stir until PLECANATIDE is completely dissolved. Keep peptide solution cold all the time in the ice bath. Weigh 5.0g of WFI to rinse API container. Carefully rinse the side of coating solution container and completely transfer the rinse back to the coating solution container. Obtain final pH of the Coating Solution. Obtain net weight of the Coating Solution (~354.2 g). Coating Solution must 20 be used as soon as possible.

The blending and compression processes for batch 1528-3172-RD are similar to that described above for batch 1528-3171-RD.

Example 18: Composition of 1mg dry blend tablet formulation 1528-2925-RD

Item No.	Ingredient	Concentration %
		w/w
1	SP-304	1.106
2	Microcrystalline cellulose (Avicel PH	98.64
	,	

	102)	
3	Magnesium stearate	0.2500
	Total	100

Example 19: Composition of 3mg dry blend tablet formulation 1528-2926-RD

Item No.	Ingredient	Concentration %
		w/w
1	SP-304	3.318
2	Microcrystalline cellulose (Avicel PH 102)	96.43
3	Magnesium stearate	0.2500
	Total	100

- [212] Other batches were prepared by the processes similar to those described in Examples 9-12. Their compositions are listed below.
- [213] Batch 500-55: 0.33% plecanatide, 95.17% microcyrstalline cellulose, 4.0% sodium starch glycolate, and 0.5% magnesium stearate.
- [214] Batches 1528-2907-RD and 2010F100A: 3.318% plecanatide, 96.43% Avicel, and 0.25% Mg stearate.
- [215] Batches 1528-2906-RD and 2010F099A: 1.106% plecanatide, 98.65% Avicel, and 0.25% Mg stearate.
- [216] Batches 1528-2890-RD and 2010F101A: 0.3246% plecanatide, 99.43% Avicel, and 0.25% Mg stearate.

[217] Formula compositions for batches 11H141, 11H152, and 11H140 in this table below (not previously disclosed) are the same as the formula compositions for GMP stability batches 2010F101A, 2010F099A, and 2010F100A, respectively.

Example 20: Plecanatide tablet and capsule stability

[218] Capsules and tablets of different batches were tested for their stability and the results were provided. Unless otherwise specified, 1M, 2M, 3M, or 4M in the tables below denotes that the measurements were carried out at the end of 1, 2, 3, or 4 month(s) of the storage period.

Potency Summary: This test was performed by taking a composite sample of about 5 units to determine the average potency of the sample. The table below shows the stability of capsules or tablets in terms of potency (% of label claim).

								Po	tency (%	Label (Claim)									
Lot		Package								(Storage	Conditio	n							
(description)	Bulk*			4	0C/75R	Н	3	0C/65R1	Н			25C/60R	.H					5C		
		Package	Initial	1M	2M	3M	1M	2M	3M	1M	2M	3M	7M	10M	1M	2M	3M	4M	7M	8.5M
1528-2850-		HDPE bottle		89		87			89			91		80				89.3		89
RD (0.3mg dry blend	88	Oxyguard bottle		91		91			92			91		79				88.9		90
capsules)		Blister strip	90	90		85			88			91		79						90
1528-2855-		HDPE bottle		101		100			96			102		88						98
RD (0.3mg coated bead	94	Oxyguard bottle		101		96			99			104		87						100
capsule)		Blister strip		97		103			99			98		87						97
500-55		HDPE bottle		97		94			95			96		84						98
(0.3mg dry blend	97	Oxyguard bottle		98		96			96			102		83						97
capsule)		Blister strip	93	97		93			95			106		83						96
1528-2850B-		HDPE bottle		85		88			94			83		67						70
RD (0.3mg dry blend tablet)	76	Oxyguard bottle		84		84			88			74		74						80
1528-2851-		HDPE bottle		115		72			90			99		99						78
RD (0.3mg coated particle tablet)	96	Oxyguard bottle		81		88			83			111		85						96
2010F100A (3mg dry blend capsule)	101	Blister strip	97	95	94	91	95	95	92	97	95	93			97	94	94			
2010F101A (0.3mg dry blend capsule)	97	Blister strip	92	91	91	86	94	92	85	95	93	88			95	95	92			
2010F099A (1mg dry blend capsule)	98	Blister srtip	94	92	91	89	93	94	89	94	94	91			95	94	92			
11H141 (0.3mg dry blend	103	Blister strip	101	95	92	87	98	93	92	96	92	95			100	97	97			

capsule)																		
11H152 (1mg dry blend capsule)	102	Blister strip	97	91	91	93	94	95	96	96	95	96		97	95	97		
11H140 (3mg dry blend capsule)	105	Blister strip	99	94	95	94	95	94	97	99	95	97		99	97	97		
1528-2925- RD (1mg dry blend tablet)	99	Oxyguard 40cc with PharnaKeep											99				103	
1528-2926- RD (3mg dry blend tablet)	100	Oxyguard 40cc with PharnaKeep											94				93	
1528-2907- RD (3mg dry blend capsule)	98																	
1528-2906- RD (1mg dry blend capsule)	98																	
1528-2890- RD (0.3mg dry blend capsule)	93																	

*Blend

[219] As demonstrated by the table above, there was little or no appreciable loss in potency after storage under accelerated conditions (40C/75RH or 30C/65RH), which suggests that these capsules or tablets could be stable at room temperature for 18 months or for longer times if refrigerated or stored at 25C.

[220] <u>Water content summary</u>: The table below shows that the water content was stable over the testing period in the packages evaluated for various capsule/tablet compositions. This further demonstrated that products were stable.

5 [221]

Lot	Water	Packaging	Water packaged product

	(in-			4	0C/75R	H	3	0C/65R	Н			25C/60F	:H					5C		
	proces s)		Initial	1M	2M	3M	1M	2M	3M	1M	2M	3M	7M	10M	1M	2M	3M	4M	7M	8.5M
1528-2850-		32-count, HDPE bottle, 60cc, N2, 2g mol. sieve		5.03		5.64			3.00			2.22		2.39				5.48		1.8
RD 0.3mg dry blend capsule		32-count, Oxyguard bottle, 40cc, PharmaKeep KD-20		5.07		5.24			4.28			5.33		4.08				5.31		3.7
		Blister, N2	4.21	4.87		5.80			4.76			4.31		4.09						2.8
1528-2855-		32-count, HDPE bottle, 60cc, N2, 2g mol. sieve		0.57		0.47			1.63			0.68		0.42						0.2
RD 0.3mg coated bead capsule	2.40	32-count, Oxyguard bottle, 40cc, PharmaKeep KD-20		2.10		1.05			1.29			2.07		0.30						0.8
1		Blister strip		0.73		2.11			0.54			0.58		0.32						0.3
500-55		HDPE bottle		5.63		4.19			5.51			5.79		2.98						2.7
0.3mg dry blend		Oxyguard bottle		5.78		4.69			5.90			5.66		2.99						2.8
capsule		Blister strip	4.09	5.78		4.17			5.53			6.16		3.12						2.9
1528- 2850B-RD		32-count, HDPE bottle, 60cc, N2, 2g mol. sieve		4.09		4.03			6.28			6.10		2.86						2.1
0.3mg dry blend tablet		32-count, Oxyguard bottle, 40cc, PharmaKeep KD-20		4.81		4.91			6.15			6.30		4.05						3.4
1528-2851- RD 0.3mg		32-count, HDPE bottle, 60cc, N2, 2g mol. sieve		4.33		4.50			5.09			5.90		2.55						1.5
coated particle tablet	3.32	32-count, Oxyguard bottle, 40cc, PharmaKeep KD-20		5.15		4.88			5.82			6.02		4.34						3.0
2010F100A (3mg dry blend capsule)		Blister strip	4.7	4.5	4.6	4.4	4.5	4.7	4.4	4.5	4.8	4.4			4.5	4.8	4.5			
2010F101A (0.3mg dry blend capsule)		Blister strip	4.5	4.8	4.7	4.7	4.5	4.7	4.3	4.4	4.7	4.3			4.5	4.7	4.2			
2010F099A (1mg dry blend capsule)		Blister strip	4.6	4.4	4.6	4.4	4.5	4.5	4.3	4.4	4.6	4.4			4.2	4.7	4.3			

11H141 (0.3mg dry blend capsule)	Blister strip	5	4.8	4.9	4.9	5.1	4.9	4.8	5.0	5.0	4.9		5.0	4.9	4.9		
11H152 (1mg dry blend capsule)	Blister strip	5.2	4.8	4.9	4.8	4.8	4.8	4.9	4.8	4.8	4.9		5.0	4.9	4.8		
11H140 (3mg dry blend capsule)	Blister strip	5.2	5.0	5.0	5.0	4.9	5.0	5.0	4.9	5.0	4.9		4.9	4.9	4.8		
1528-2925- RD (1mg dry blend tablet)	Oxyguard 40cc with PharnaKeep											4.9				4.0	
1528-2926- RD (3mg dry blend capsule)	Oxyguard 40cc with PharnaKeep											4.0				4.0	
1528-2907- RD 3mg dry blend capsule	Bulk capsule	4.78															
1528-2906- RD 1m dry blend capsule	Bulk capsule	4.84															
1528-2890- RD	Bulk capsule	4.8															

[222]

Impurity summary: The table below shows the product stability in terms of HPLC or UPLC of total impurities as a function of time and storage condition. The data in the table suggest that the increase in total impurities in tested batches except batch 500-55 be no greater than 7% at room temperature after 18 months. It also suggest that the increase in total impurities in all tested 1528-2855-RD batche in different packages be no greater than 7% at 30 °C for 18 months. It was also observed that the 1528-2855-RD batch had less impurity increase than the 1528-2850-RD batch or was more stable than the 1528-2850-RD batch.

								,	Total in	npuritie	s % are	a							
Batch	Package	Initial	4	10C/75R1	Н	3	0C/65R	Н		2	25C/60R	Н					5C		
		Initial	1M	2M	3M	1M	2M	3M	1M	2M	3M	7M	10M	1M	2M	3M	4M	7M	8.5M
	HDPE bottle		5.1		5.9			4.4			3.8		4.8				3.1		3.7
1528-2850- RD	Oxyguard bottle	3.2	5.7		7.4			5.3			4.3		5.3				3.1		3.5
IID	Blister strip		5.5		7.0			5.0			4.3		5.5						3.7
	HDPE bottle		3.6		5.1			3.8			3.4		4.4						3.4
1528-2855- RD	Oxyguard bottle	3.5	3.9		4.4			4.1			3.7		4.0						3.7
IND	Blister strip		4.0		5.2			4.0			3.6		4.2						3.8
	HDPE bottle		5.7		8.4			5.4			4.4		6.0						3.5
500-55	Oxyguard bottle	3.2	5.6		7.0			5.1			4.3		5.6						3.5
	Blister strip		6.5		8.0			5.7			4.8		6.5						3.6
1528-	HDPE bottle	3.6	5.0		6.5			4.5			3.9		4.7						3.7
2850B-RD	Oxyguard bottle	3.0	5.6		7.3			4.7			4.1		4.9						3.6
1528-2851-	HDPE bottle	3.7	4.2		5.1			4.0			3.8		3.9						3.7
RD	Oxyguard bottle	3./	4.9		6.8			4.7			4.4		4.3						3.9
2010F101A (0.3mg dry blend capsule)	Blister strip	2.1	4.4	3.9	4.7	2.9	3.2	3.4	3.1	2.7	3.2			2.0	1.3	2.0			
2010F099A (1mg dry blend capsule)	Blister strip	2.9	3.7	3.8	4.3	3.1	3.1	3.6	2.7	2.9	3.2			2.4	2.4	2.4			
2010F100A (3mg dry blend capsule)	Blister strip	2.4	3.2	3.6	4.2	2.8	2.8	3.0	2.6	2.7	2.9			2.4	2.5	2.7			

11H141 (0.3mg dry blend capsule)	Blister strip	1.3	3.3	4.2	4.5	2.5	3.6	3.3	2.0	2.8	2.9		1.4	1.5	1.8		
11H152 (1mg dry blend capsule)	Blister strip	2.4	3.6	4.2	4.1	2.6	3.2	3.1	2.6	3.1	2.9		2.3	2.3	2.1		
11H140 (3mg dry blend capsule)	Blister strip	2.1	3.5	3.7	4.5	2.6	2.7	3.3	2.5	2.7	2.9		2.3	2.2	1.8		
1528-2925- RD (1mg dry blend tablet)	Oxyguard 40cc with PharnaKeep											2.7				1.7	
1528-2926- RD (3mg dry blend capsule)	Oxyguard 40cc with PharnaKeep											2.6					
1528-2906- RD	HDPE bottle	1.83		5.18													
1528-2907- RD	HDPE bottle	1.85		4.58													
1528-2890- RD	Bulk	1.9	_		_												

<u>Content uniformity</u>: This test was performed by placing 10 individual capsule/tablet units in 10 individual bottles and potency of each unit was measured to show whether individual capsules or tablets have uniform potency (% label claim or %LC).

0.3mg Dry blend tablet 1528-2850B-RD										
	%LC									
	1528-2850B-									
Sample	RD (dry tabs)									
1	78.62									
2	91.43									
3	86.52									
4	90.9									
5	84.83									
6	95.29									
7	75.69									
8	76.87									
9	84.92									
10	86.9									
Mean	85.2									
std. dev	6.51									
% RSD	7.64									

0.3mg Coated particle tablet 1528-2851-RD												
Sample	Weight (mg)	% Label Claim										
•	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \											
1	88.86	69.55										
2	89	94.41										
3	88.89	94.34										
4	88.6	72.18										
5	88.37	142.52										
6	88.76	149.44										

7	89.42	78.8
8	88.56	131.08
9	89.08	102.55
10	88.78	99.13
N	1 ean	103.4
St	. Dev	28.53
%	RSD	27.59

0.3mg Dry capsule 152		3mg Dr capsule 2907	1528-	1mg Dry capsule 152 RD	
Sample	%LC	Sample	%LC	Sample	%LC
1	87.2	1	94.5	1	98.1
2	94.6	2	101.2	2	101.8
3	92.6	3	97.9	3	93.1
4	94.2	4	94.5	4	97.5
5	93.5	5	95.9	5	97.9
6	91.7	6	95.2	6	97.1
7	91.6	7	96.1	7	94.5
8	99	8	99	8	100.1
9	91.8	9	93.8	9	98.1
10	92.1	10	93.4	10	97.9
Mean	92.8	Mean	96.2	Mean	97.6
RSD	3.20%	RSD	2.60%	RSD	2.50%
AV(10)***	12.8	AV(10)	8.4	AV(10)	6.8

^{***}AV = acceptance value used for UPS <905> content uniformity. Idealy AV should be less than 15 to pass USP <905> content uniformity.

0.3mg dry blend capsule 1528-2850-RD						
Sample	Original %LC	Re -preparation %LC				
1	82.73	85.87				
2	84.57	89.45				
3	80.29	91.39				
4	84.88	88.45				
5	85.2	86.96				
6	82.9	84.84				
7	84.75	86.21				
8	86.58	91.37				
9	84.34	88.79				
10	88.82	84.75				
Mean	84.51	87.81				
std. dev	2.288445	2.467121				
% RSD	2.7	2.8				

Conte1528- 2855-RD Sample	%LC	1528- 2850B-RD Sample	%LC
1	88.82	1	78.62
2	93.73	2	91.43
3	89.06	3	86.52
4	84.94	4	90.9
5	89.93	5	84.83
6	88.7	6	95.29
7	88.71	7	75.69
8	86.85	8	76.87
9	86.92	9	84.92
10	91.33	10	86.9
Mean	88.9	Mean	85.2
std. dev	2.45	std. dev	6.51
% RSD	2.76	% RSD	7.64

50	00-55
Sample	% label claim
1	96.90%
2	99.40%
3	103.20%
4	96.90%
5	100.00%
6	99.60%
7	96.90%
8	102.80%
9	96.80%
10	93.90%
Mean	98.60%
SD	2.91
RSD	3.00%
AV	7.1 (PASS)

[223] The data in the tables above show that all of the batches yield very good content uniformity acceptable for commercial product.

[224] <u>Dissolution 50-rpm summary</u>: The tables below are summaries of the dissolution of drug from capsules or tablets in an unconventional small-volume apparatus needed to measure the small amount of drug in the units using slow stirring to look for changes in dissolution over time. The test was performed by placing one unit into a very small volume of water at 37C with a paddle stirring at 50-rpm (which is slow) and data were collected at 15, 30 45, and 60 minutes to show the drug release rate over time. These tested products are "immediate release" oral solid dosage forms and a conventional requirement is to have about 75% released in about 45 minutes. The tables summarize the results at 45 minutes and indicate that dissolution was stable over time.

	Dissolution (% label claim at 45 minutes)							
		Init	ial	40C/75RH	30C/6	55RH	25C	5C
Lot (description)		bulk	0M	1M	2M	3M	3M	4M
	Vessel 1	85		78	84	81	86	83
	Vessel 2	87		73	90	82	84	85
1528-2850-RD	Vessel 3	88		79	85	79	91	87
(dry blend V-	Vessel 4	84		86	87	78	83	85
Cap capsule	Vessel 5	89		72	89	80	79	90
HDPE bottle)	Vessel 6	88		81	85	82	88	83
	Average	87		78	87	80	85	85
	RSD	2		6.4	2.7	2.1	5.0	2.9
	Vessel 1	85		69	89	79	88	82
1500 0050 PD	Vessel 2	87		75	89	87	81	85
1528-2850-RD	Vessel 3	88		77	87	86	84	86
(dry blend	Vessel 4	84		80	87	83	83	80
Vcap capsule OxyGuard	Vessel 5	89		71	88	89	84	84
bottle)	Vessel 6	88		76	88	79	86	89
) bottle)	Average	87		75	88	84	84	84
	RSD	2		5.3	1.2	5.2	3.1	3.6
	Vessel 1	85	75	59	86	73	83	
	Vessel 2	87	89	77	79	81	81	
1528-2850-RD	Vessel 3	88	88	83	87	74	84	
(dry blend V-	Vessel 4	84	89	67	93	85	83	
cap capsule	Vessel 5	89	93	75	82	82	84	
blister strip)	Vessel 6	88	90	82	90	67	87	
	Average	87	87	74	86	77	84	
	RSD	2	7	12.5	6.3	8.6	2.4	

		Dissolution (% label claim at 45 minutes)							
		Initial	40C/75RH	30C/0	65RH	25C			
Lot (description)		bulk	1M	2M	3M	3M			
	Vessel								
1528-2855-RD	1	104	85	100	79	83			
(coated bead	Vessel								
V-Cap capsule	2	89	90	97	83	88			
HDPE bottle)	Vessel			_					
	3	91	84	71	91	50			

Vessel 4 88 64 73 94 88 Vessel 5 94 75 72 75 92 Vessel 6 93 80 39 96 94 Average 93 80 75 86 83 RSD 6 12 29 9.7 20 Vessel 1 104 88 80 87 78 Vessel 2 89 79 91 86 94 Vessel 3 91 84 63 92 74	2 4 3 0
5 94 75 72 75 92 Vessel 6 93 80 39 96 94 Average 93 80 75 86 83 RSD 6 12 29 9.7 20 Vessel 1 104 88 80 87 78 Vessel 2 89 79 91 86 94 Vessel 3 91 84 63 92 74	4 3)
5 94 75 72 75 92 Vessel 6 93 80 39 96 94 Average 93 80 75 86 83 RSD 6 12 29 9.7 20 Vessel 1 104 88 80 87 78 Vessel 2 89 79 91 86 94 Vessel 3 91 84 63 92 74	4 3)
6 93 80 39 96 94 Average 93 80 75 86 83 RSD 6 12 29 9.7 20 Vessel 1 104 88 80 87 78 Vessel 2 89 79 91 86 94 Vessel 3 91 84 63 92 74	3
Average 93 80 75 86 83 RSD 6 12 29 9.7 20 Vessel 1 104 88 80 87 78 Vessel 2 89 79 91 86 94 Vessel 3 91 84 63 92 74	3
RSD 6 12 29 9.7 20 Vessel 1 104 88 80 87 78 Vessel 2 89 79 91 86 94 Vessel 3 91 84 63 92 74	3
Vessel 1 104 88 80 87 78 Vessel 2 89 79 91 86 94 Vessel 3 91 84 63 92 74	3
1 104 88 80 87 78 Vessel 2 89 79 91 86 94 Vessel 3 91 84 63 92 74	
Vessel 2 89 79 91 86 94 Vessel 3 91 84 63 92 74	
2 89 79 91 86 94 Vessel 3 91 84 63 92 74	
2 89 79 91 86 94 Vessel 3 91 84 63 92 74	
1528-2855RD 3 91 84 63 92 74	ł
3 91 04 03 92 74	
l (agatad baad	1
(coated bead Vessel Vessel	
V-cap capsule 4 88 92 98 90 98	3
OxyGuard Vessel Vessel	
bottle) 5 94 89 81 81 93	3
Vessel	
6 93 44 99 81 78	3
Average 93 79 85 86 86	5
RSD 6 23 16 5.3 12.	.1
Vessel	
1 104 85 98 100 81	1
Vessel	
2 89 84 94 63 80)
Vessel	
1528-2855-RD 3 91 97 96 82 87	7
(coated bead Vessel	
V-cap capsule 4 88 94 96 55 74	1
blister strip) Vessel	
5 94 64 75 95 66	5
Vessel	
6 93 96 102 89 82	2
Average 93 87 93 81 78	3
RSD 6 14 10 22.4 9.2	

	Dissolution (% label claim at 45 minutes)						
	Initial 40C/75RH 30C/65F				65RH		
Lot (description)		bulk	1M	2M	3M		
1528-2851-	Vessel 1	58%	67	68	89		

RD (coated	Vessel 2	77%	84	78	124
particle tablet	Vessel 3	57%	62	68	70
HDPE bottle)	Vessel 4	96%	110	84	105
	Vessel 5	95%	65	107	61
	Vessel 6	64%	103	76	51
	Average	74%	82	80	83
	RSD	24%	26	18	33
	Vessel 1	58%	89	54	118
	Vessel 2	77%	73	101	69
1528-2851-	Vessel 3	57%	75	82	80
RD (coated	Vessel 4	96%	68	67	73
particle tablet OxyGuard	Vessel 5	95%	76	162	96
bottle)	Vessel 6	64%	97	82	95
ĺ	Average	74%	80	91	89
	RSD	24%	14	42	21

	Dissolution (% label claim at 45 minutes)					
		Initial	40C/75RH	30C/€	55RH	
Lot (description)		bulk	1M	2M	3M	
	Vessel 1	90%	88	96	92	
	Vessel 2	69%	79	82	92	
1528-2850B-	Vessel 3	83%	76	100	85	
RD (dry blend	Vessel 4	94%	96	86	94	
tablet HDPE bottle)	Vessel 5	88%	89	89	83	
	Vessel 6	92%	83	97	83	
	Average	86%	85	92	88	
	RSD	11%	8.2	8	5.6	
	Vessel 1	90%	74	80	91	
	Vessel 2	69%	97	87	95	
1528-2850B-	Vessel 3	83%	91	86	90	
RD (dry blend	Vessel 4	94%	94	91	90	
tablet OxyGuard	Vessel 5	88%	83	91	89	
bottle)	Vessel 6	92%	91	76	84	
,	Average	86%	88	85	90	
	RSD	11%	9.6	7	4.0	

	Dissolution (% label claim at 45 minutes)						
		Init	ial	40C/75RH	30C/6	55RH	25C
Lot (description)		bulk	0M	1M	2M	3M	3M
	Vessel 1	95		90	92	91	89
	Vessel 2	98		85	98	97	98
500-55 (dry	Vessel 3	69		85	96	94	76
blend V-Cap	Vessel 4	94		89	95	100	97
Plus capsule	Vessel 5	99		89	97	98	86
HDPE bottle)	Vessel 6	104		100	99	94	92
	Average	93		89	96	96	90
	RSD	13.1		6.2	2.4	3.6	9.1
	Vessel 1	95		84	103	99	94
	Vessel 2	98		97	101	95	103
500-55 (dry	Vessel 3	69		97	99	98	97
blend V-Cap	Vessel 4	94		92	97	92	96
Plus capsule	Vessel 5	99		91	100	95	101
OxyGuard bottle)	Vessel 6	104		96	95	93	91
bottle)	Average	93		93	99	95	97
	RSD	13.1		5.3	2.7	2.7	4.3
	Vessel 1	95	98	99		89	98
	Vessel 2	98	101	88		94	87
500-55 (dry	Vessel 3	69	107	90		89	96
blend V-Cap	Vessel 4	94	96	90		86	87
Plus capsule	Vessel 5	99	99	68		89	94
foil blister)	Vessel 6	104	99	90		82	89
	Average	93	100	87		88	92
	RSD	13.1	3.8	11.8		4.3	5.5

Dry blend 3mg lot 1528-2907-RD 500-mL							
			30	45	60		
	15 min		min	min	min		
Vessel 1	ç	9 1	96	97	96		
Vessel 2	ç	96	95	97	96		
Vessel 3	Ç	96	97	97	97		
Vessel 4	ç	95	102	100	100		
Vessel 5	Ç	97	96	96	97		
Vessel 6	g	92	99	98	98		

Average	94	97	98	97
RSD	2.7	2.5	1.1	1.4

Dry blend 1mg lot 1528-2906-RD 150-mL							
		30	45	60			
	15 min	min	min	min			
Vessel 1	65	92	96	99			
Vessel 2	49	91	95	96			
Vessel 3	46	88	96	97			
Vessel 4	44	96	101	102			
Vessel 5	39	78	93	99			
Vessel 6	57	90	95	96			
Average	50	89	96	98			
RSD	18.8	7	2.8	2.4			

Dry blend 0.3mg lot 1528-2890-RD 50-mL								
		30	45	60				
	15 min	min	min	min				
Vessel 1	57	94	100	105				
Vessel 2	60	96	100	105				
Vessel 3	86	93	94	95				
Vessel 4	76	90	91	101				
Vessel 5	69	90	97	106				
Vessel 6	68	95	97	97				
Average	69	93	97	102				
RSD	15.6	2.8	3.4	4.5				

		Capsule Dissolution at 45 minutes												
		5C			25C				30C		40C			
Lot		1M		3M	1M		3M	1M		3M	1M		3M	
(strength)	COA		2M			2M			2M			2M		
2011F101														
A (0.3mg)	98%	99%	95%	95%	95%	92%	95%	94%	93%	97%	93%	90%	92%	
2011F099														
A (1mg)	96%	95%	95%	95%	91%	93%	94%	93%	90%	95%	95%	92%	93%	
2011F100					100									
A (3mg)	99%	101%	97%	97%	%	95%	95%	98%	95%	95%	96%	93%	95%	
11H141			101	101	105		106	102		103				
(0.3mg)	101%	102%	%	%	%	96%	%	%	97%	%	99%	96%	98%	
11H152														
(1mg)	96%	96%	99%	97%	96%	99%	97%	96%	96%	98%	96%	96%	98%	
11H140			102	101	105			102		102	101			
(3mg)	102%	102%	%	%	%	100%	97%	%	99%	%	%	99%	96%	

[225] <u>Dissolution 75-rpm</u>: The tables below show a few examples where the stirring rate was increased slightly to 75-rpm to give more consistent results and indicates stable dissolution after accelerated storage of 1 or 2 months at 40C 75% relative humidity.

Dry blend 0.3mg lot 1528-2850-RD 1M 40C/75RH 75-rpm 50-mL											
	15 min	15 min 30 min 45 min 60 min									
Vessel 1	75	80	80	81							
Vessel 2	61	75	80	82							
Vessel 3	65	81	83	84							
Vessel 4	78	86	84	85							
Vessel 5	66	79	83	84							
Vessel 6	62	79	84	86							
Average	68	80	82	84							
RSD	10.3	4.5	2.3	2.2							

Dry blend 1mg lot 1528-2906A-RD 2M									
40C/75RH 75-rpm 50-mL									
	15 min	15 min 30 min 45 min 60 i							
Vessel 1	69	84	88	88					
Vessel 2	62	82	84	85					
Vessel 3	65	82	85	85					
Vessel 4	58	70	80	79					
Vessel 5	59	77	82	81					
Vessel 6	68	80	83	84					
Average	64	79	84	84					
RSD	7.2	6.4	3.3	3.8					

[226] <u>2855-RD dissolution</u>: The tables below are all the dissolution profiles of batch 1528-2850-RD and indicate stable drug release over time.

	Initia	Initial Percent Dissolved							
Vessel	15	30	45	60					
1	84%	99%	104%	104%					
2	28%	80%	89%	92%					
3	68%	83%	91%	95%					
4	56%	79%	88%	98%					

Attorney Docket No.: SYPA-009/C02US

5	29%	83%	94%	98%
6	74%	85%	93%	96%
Mean	57%	85%	93%	97%
RSD	41.20%	8.50%	6.00%	4.20%

1M 40C/75R	2	M 300	C/65RI Guard	H	3	M 300 OxvO		H				C/60RH Guard	[
11/1 TUC//31X	15	30	45	60	15	30	45	60	15	30	45	60		15	30	45	60
Vessel	min	min	min	min	min	min	min	min	min	min	min	min		min	min	min	min
1	35	74	88	93	47	67	80	90	76	83	87	88		44	62	78	85
2	46	74	79	85	57	80	91	95	65	79	86	91		70	89	94	97
3	39	78	84	88	43	55	63	71	64	84	92	97		48	62	74	79
4	59	82	92	94	753	92	98	101	71	85	90	94		65	92	98	103
5	22	82	89	92	38	64	81	92	60	75	81	87		72	86	93	96
6	4	20	44	61	54	94	99	101	55	74	81	87		53	74	78	84
Average	34	68	79	86	52	75	85	92	65	80	86	91		59	78	86	91
RSD	57	35	23	14	25	21	16	12	11.7	5.7	5.3	4.6		20.1	17.4	12.1	10.4
													ı				
1M 40C	/ 75RH]	HDPE	Bottle	9	2M 3	30C/65	RH H	DPE	3M 3	30C/65	RH H	DPE		3M	25C/60	RH HI)PE
	15	30	45	60	15	30	45	60	15	30	45	60		15	30	45	60
Vessel	min	min	min	min	min	min	min	min	min	min	min	min		min	min	min	min
1	61	78	85	89	78	97	100	103	58	72	79	85		54	70	83	92
2	63	83	90	92	77	93	97	98	51	72	83	90		66	81	88	92
3	66	79	84	91	41	59	71	78	53	84	91	94		10	29	50	66
4	25	44	64	77	50	65	73	78	66	89	94	95		69	81	88	92
5	47	67	75	80	37	59	72	83	48	66	75	81		68	83	92	97
6	57	71	80	85	6	21	39	52	85	94	96	99		82	91	94	97
Average	53	70	80	86	48	66	75	82	60	80	86	91		58	73	83	89
RSD	28	20	12	7	56	42	29	22	22.6	14	9.7	7.3		43	30.6	19.6	13.3
1M 40C/75	SRH Bli	ister P	ackagi	ing	2M 3	80C/65	RH B	lister	3M 3	30C/65	RH B	lister		3M	25C/60	RH Bli	ister
	15	30	45	60	15	30	45	60	15	30	45	60		15	30	45	60
Vessel	min	min	min	min	min	min	min	min	min	min	min	min		min	min	min	min
1	36	69	85	90	61	91	98	100	82	95	100	102		53	71	81	90
2	41	69	84	88	57	82	94	100	31	48	63	74		27	57	80	87

Attorney Docket No.: SYPA-009/C02US

3	67	96	97	98	63	87	96	100	69	77	82	85	70	78	87	92
4	54	83	94	104	36	80	96	100	29	41	55	69	52	66	74	87
5	10	46	64	79	45	61	75	83	84	94	95	97	25	48	66	80
6	70	91	96	100	87	100	102	104	74	84	89	82	50	74	82	84
Average	47	76	87	93	58	83	93	98	62	73	81	85	46	66	78	87
RSD	48	25	14	10	30	16	10	8	40.5	32.1	22.4	14.9	37.0	17.0	9.2	5.3

[227] Bathes 2850-RD, 2850B-RD, 2851-RD, and 500-55 were also tested in the similar fashion and all showed stable drug release over time.

We claim:

1. A method for treating chronic constipation in a patient comprising orally administering to said patient a composition comprising a per unit dose of 3 mg or 6 mg of a peptide consisting of SEQ ID NO:1 wherein the peptide is a [4,12; 7,15] bicycle and one or more pharmaceutically acceptable excipients.

5

2. The method of claim 1, wherein the constipation is associated with irritable bowel syndrome or chronic idiopathic constipation.

10

3. A method of treating or alleviating a symptom associated with chronic idiopathic constipation or irritable bowel syndrome in a patient comprising orally administering to said patient a composition comprising a per unit dose of 3 mg or 6 mg of a peptide consisting of SEQ ID NO:1 wherein the peptide is a [4,12; 7,15] bicycle and one or more pharmaceutically acceptable excipients.

15 4.

4. The method of claim 3, wherein the symptom is constipation or abdominal pain.


20


- 5. The method of claim 1, further comprising administering to said patient an effective dose of an inhibitor of cGMP-dependent phosphodiesterase either concurrently or sequentially with said guanylate cyclase receptor agonist.
- 6. The method of claim 5, wherein said inhibitor of cGMP-dependent phosphodiesterase is selected from the group consisting of sulindac sulfone, zaprinast, and motapizone.
- 7. The method of claim 1, further comprising administering to said patient an effective dose of a laxative.


- 8. The method of claim 3, further comprising administering to said patient an effective dose of an inhibitor of cGMP-dependent phosphodiesterase either concurrently or sequentially with said guanylate cyclase receptor agonist.
- 5 9. The method of claim 8, wherein said inhibitor of cGMP-dependent phosphodiesterase is selected from the group consisting of sulindac sulfone, zaprinast, and motapizone.
 - 10. The method of claim 3, further comprising administering to said patient an effective dose of a laxative.


ABSTRACT OF THE DISCLOSURE

The invention provides low-dose formulations of guanylate cyclase-C ("GCC") agonist peptides and methods for their use. The formulations of the invention can be administered either alone or in combination with one or more additional therapeutic agents, preferably an inhibitor of cGMP-dependent phosphodiesterase or a laxative.











<u>т</u> Ф



% of Subjects Reporting Improvement in Abdominal Discomfort



9 <u>0</u>

DECLARATION (37 CFR 1.63) FOR UTILITY OR DESIGN APPLICATION USING AN APPLICATION DATA SHEET (37 CFR 1.76)

Title of Invention	FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHOUSE	DS OF
As the belo	w named inventor, I hereby declare that:	**************************************
This declar	1888R) THE STREETER STREET AND THE	
	United States application or PCT international application number	
	filed on	
The above-i	dentified application was made or authorized to be made by me.	:
l believe tha	t I am the original inventor or an original joint inventor of a claimed invention in the application.	· · ·
	nowledge that any willful false statement made in this declaration is punishable under 18 U.S.C. 1001 prisonment of not more than five (5) years, or both.	: :
	WARNING:	:
contribute to (other than a to support a petitioners/a USPTO. Pe application (patent. Furt referenced in	replicant is cautioned to avoid submitting personal information in documents filed in a patent application identity theft. Personal information such as social security numbers, bank account numbers, or credit a check or credit card authorization form PTO-2038 submitted for payment purposes) is never required petition or an application. If this type of personal information is included in documents submitted to the pplicants should consider redacting such personal information from the documents before submitting to titioner/applicant is advised that the record of a patent application is available to the public after public unless a non-publication request in compliance with 37 CFR 1.213(a) is made in the application) or iss hermore, the record from an abandoned application may also be available to the public if the application a published application or an issued patent (see 37 CFR 1.14). Checks and credit card authorization ubmitted for payment purposes are not retained in the application file and therefore are not publicly as	card numbers by the USPTO a USPTO, hem to the ation of the uance of a on is: n forms
LEGAL NA	AME OF INVENTOR	: :
Inventor:	Stephen Comiskey Date (Optional): 2/10/2013	5
	cation data sheet (PTO/SB/14 or equivalent), including naming the entire inventive entity, must accompany this for ly filed. Use an additional PTO/AIA/01 form for each additional inventor.	m or must have

This collection of information is required by 35 U.S.C. 115 and 37 CFR 1.63. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 1 minute to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case, Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Privacy Act Statement

The **Privacy Act of 1974 (P.L. 93-579)** requires that you be given certain information in connection with your submission of the attached form related to a patent application or patent. Accordingly, pursuant to the requirements of the Act, please be advised that: (1) the general authority for the collection of this information is 35 U.S.C. 2(b)(2); (2) furnishing of the information solicited is voluntary; and (3) the principal purpose for which the information is used by the U.S. Patent and Trademark Office is to process and/or examine your submission related to a patent application or patent. If you do not furnish the requested information, the U.S. Patent and Trademark Office may not be able to process and/or examine your submission, which may result in termination of proceedings or abandonment of the application or expiration of the patent.

The information provided by you in this form will be subject to the following routine uses:

- The information on this form will be treated confidentially to the extent allowed under the
 Freedom of Information Act (5 U.S.C. 552) and the Privacy Act (5 U.S.C 552a). Records from
 this system of records may be disclosed to the Department of Justice to determine whether
 disclosure of these records is required by the Freedom of Information Act.
- A record from this system of records may be disclosed, as a routine use, in the course of
 presenting evidence to a court, magistrate, or administrative tribunal, including disclosures to
 opposing counsel in the course of settlement negotiations.
- 3. A record in this system of records may be disclosed, as a routine use, to a Member of Congress submitting a request involving an individual, to whom the record pertains, when the individual has requested assistance from the Member with respect to the subject matter of the record.
- 4. A record in this system of records may be disclosed, as a routine use, to a contractor of the Agency having need for the information in order to perform a contract. Recipients of information shall be required to comply with the requirements of the Privacy Act of 1974, as amended, pursuant to 5 U.S.C. 552a(m).
- A record related to an International Application filed under the Patent Cooperation Treaty in this system of records may be disclosed, as a routine use, to the International Bureau of the World Intellectual Property Organization, pursuant to the Patent Cooperation Treaty.
- 6. A record in this system of records may be disclosed, as a routine use, to another federal agency for purposes of National Security review (35 U.S.C. 181) and for review pursuant to the Atomic Energy Act (42 U.S.C. 218(c)).
- 7. A record from this system of records may be disclosed, as a routine use, to the Administrator, General Services, or his/her designee, during an inspection of records conducted by GSA as part of that agency's responsibility to recommend improvements in records management practices and programs, under authority of 44 U.S.C. 2904 and 2906. Such disclosure shall be made in accordance with the GSA regulations governing inspection of records for this purpose, and any other relevant (i.e., GSA or Commerce) directive. Such disclosure shall not be used to make determinations about individuals.
- 8. A record from this system of records may be disclosed, as a routine use, to the public after either publication of the application pursuant to 35 U.S.C. 122(b) or issuance of a patent pursuant to 35 U.S.C. 151. Further, a record may be disclosed, subject to the limitations of 37 CFR 1.14, as a routine use, to the public if the record was filed in an application which became abandoned or in which the proceedings were terminated and which application is referenced by either a published application, an application open to public inspection or an issued patent.
- A record from this system of records may be disclosed, as a routine use, to a Federal, State, or local law enforcement agency, if the USPTO becomes aware of a violation or potential violation of law or regulation.

DECLARATION (37 CFR 1.63) FOR UTILITY OR DESIGN APPLICATION USING AN APPLICATION DATA SHEET (37 CFR 1.76)

Title of Invention	FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE
As the belo	w named inventor, I hereby declare that:
This declar is directed t	18881 The attached application of
The above-i	dentified application was made or authorized to be made by me.
I believe tha	t I am the original inventor or an original joint inventor of a claimed invention in the application.
	nowledge that any willful false statement made in this declaration is punishable under 18 U.S.C. 1001 prisonment of not more than five (5) years, or both.
	WARNING:
contribute to (other than a to support a petitioners/a USPTO. Pe application (patent. Furt referenced in	plicant is cautioned to avoid submitting personal information in documents filed in a patent application that may identity theft. Personal information such as social security numbers, bank account numbers, or credit card numbers a check or credit card authorization form PTO-2038 submitted for payment purposes) is never required by the USPTO petition or an application. If this type of personal information is included in documents submitted to the USPTO, pplicants should consider reducting such personal information from the documents before submitting them to the titioner/applicant is advised that the record of a patent application is available to the public after publication of the unless a non-publication request in compliance with 37 CFR 1.213(a) is made in the application) or issuance of a hermore, the record from an abandoned application may also be available to the public if the application is a published application or an issued patent (see 37 CFR 1.14). Checks and credit card, authorization forms ubmitted for payment purposes are not retained in the application file and therefore are not publicly available.
LEGAL NA	AME OF INVENTOR
Inventor:	Rong Feng Date (Optional): 10 Feb 2015
Note: An appl been previous	ication data sheet (PTO/SB/14 or equivalent), including naming the entire inventive entity, must accompany this form or must have sly filed. Use an additional PTO/AIA/01 form for each additional inventor.

This collection of information is required by 35 U.S.C. 115 and 37 CFR 1.63. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 1 minute to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Privacy Act Statement

The **Privacy Act of 1974 (P.L. 93-579)** requires that you be given certain information in connection with your submission of the attached form related to a patent application or patent. Accordingly, pursuant to the requirements of the Act, please be advised that: (1) the general authority for the collection of this information is 35 U.S.C. 2(b)(2); (2) furnishing of the information solicited is voluntary; and (3) the principal purpose for which the information is used by the U.S. Patent and Trademark Office is to process and/or examine your submission related to a patent application or patent. If you do not furnish the requested information, the U.S. Patent and Trademark Office may not be able to process and/or examine your submission, which may result in termination of proceedings or abandonment of the application or expiration of the patent.

The information provided by you in this form will be subject to the following routine uses:

- The information on this form will be treated confidentially to the extent allowed under the Freedom of Information Act (5 U.S.C. 552) and the Privacy Act (5 U.S.C 552a). Records from this system of records may be disclosed to the Department of Justice to determine whether disclosure of these records is required by the Freedom of Information Act.
- A record from this system of records may be disclosed, as a routine use, in the course of
 presenting evidence to a court, magistrate, or administrative tribunal, including disclosures to
 opposing counsel in the course of settlement negotiations.
- 3. A record in this system of records may be disclosed, as a routine use, to a Member of Congress submitting a request involving an individual, to whom the record pertains, when the individual has requested assistance from the Member with respect to the subject matter of the record.
- 4. A record in this system of records may be disclosed, as a routine use, to a contractor of the Agency having need for the information in order to perform a contract. Recipients of information shall be required to comply with the requirements of the Privacy Act of 1974, as amended, pursuant to 5 U.S.C. 552a(m).
- 5. A record related to an International Application filed under the Patent Cooperation Treaty in this system of records may be disclosed, as a routine use, to the International Bureau of the World Intellectual Property Organization, pursuant to the Patent Cooperation Treaty.
- 6. A record in this system of records may be disclosed, as a routine use, to another federal agency for purposes of National Security review (35 U.S.C. 181) and for review pursuant to the Atomic Energy Act (42 U.S.C. 218(c)).
- 7. A record from this system of records may be disclosed, as a routine use, to the Administrator, General Services, or his/her designee, during an inspection of records conducted by GSA as part of that agency's responsibility to recommend improvements in records management practices and programs, under authority of 44 U.S.C. 2904 and 2906. Such disclosure shall be made in accordance with the GSA regulations governing inspection of records for this purpose, and any other relevant (i.e., GSA or Commerce) directive. Such disclosure shall not be used to make determinations about individuals.
- 8. A record from this system of records may be disclosed, as a routine use, to the public after either publication of the application pursuant to 35 U.S.C. 122(b) or issuance of a patent pursuant to 35 U.S.C. 151. Further, a record may be disclosed, subject to the limitations of 37 CFR 1.14, as a routine use, to the public if the record was filed in an application which became abandoned or in which the proceedings were terminated and which application is referenced by either a published application, an application open to public inspection or an issued patent.
- A record from this system of records may be disclosed, as a routine use, to a Federal, State, or local law enforcement agency, if the USPTO becomes aware of a violation or potential violation of law or regulation.

DECLARATION (37 CFR 1.63) FOR UTILITY OR DESIGN APPLICATION USING AN **APPLICATION DATA SHEET (37 CFR 1.76)**

Title of Invention	FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE
As the belo	w named inventor, I hereby declare that:
This declar	100 SWALL THE STISCHER SUBJICATION OF
	United States application or PCT international application number
	filed on
The above-i	dentified application was made or authorized to be made by me.
l believe tha	t I am the original inventor or an original joint inventor of a claimed invention in the application.
	nowledge that any willful false statement made in this declaration is punishable under 18 U.S.C. 1001 prisonment of not more than five (5) years, or both.
	WARNING:
contribute to (other than a to support a petitioners/a USPTO. Pe application (patent. Furt referenced in	plicant is cautioned to avoid submitting personal information in documents filed in a patent application that may identity theft. Personal information such as social security numbers, bank account numbers, or credit card numbers a check or credit card authorization form PTO-2038 submitted for payment purposes) is never required by the USPTO petition or an application. If this type of personal information is included in documents submitted to the USPTO, policants should consider redacting such personal information from the documents before submitting them to the titioner/applicant is advised that the record of a patent application is available to the public after publication of the unless a non-publication request in compliance with 37 CFR 1.213(a) is made in the application) or issuance of a hermore, the record from an abandoned application may also be available to the public if the application is a published application or an issued patent (see 37 CFR 1.14). Checks and credit card authorization forms ubmitted for payment purposes are not retained in the application file and therefore are not publicly available.
LEGAL NA	ME OF INVENTOR
Inventor: _	John Foss Date (Optional): 09 7cb 2015
Signature:	[
Note: An appli been previous	cation data sheet (PTO/SB/14 or equivalent), including naming the entire inventive entity, must accompany this form or must have ly filed. Use an additional PTO/AIA/01 form for each additional inventor.

This collection of information is required by 35 U.S.C. 115 and 37 CFR 1.63. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 1 minute to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450, DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Privacy Act Statement

The **Privacy Act of 1974 (P.L. 93-579)** requires that you be given certain information in connection with your submission of the attached form related to a patent application or patent. Accordingly, pursuant to the requirements of the Act, please be advised that: (1) the general authority for the collection of this information is 35 U.S.C. 2(b)(2); (2) furnishing of the information solicited is voluntary; and (3) the principal purpose for which the information is used by the U.S. Patent and Trademark Office is to process and/or examine your submission related to a patent application or patent. If you do not furnish the requested information, the U.S. Patent and Trademark Office may not be able to process and/or examine your submission, which may result in termination of proceedings or abandonment of the application or expiration of the patent.

The information provided by you in this form will be subject to the following routine uses:

- The information on this form will be treated confidentially to the extent allowed under the
 Freedom of Information Act (5 U.S.C. 552) and the Privacy Act (5 U.S.C 552a). Records from
 this system of records may be disclosed to the Department of Justice to determine whether
 disclosure of these records is required by the Freedom of Information Act.
- 2. A record from this system of records may be disclosed, as a routine use, in the course of presenting evidence to a court, magistrate, or administrative tribunal, including disclosures to opposing counsel in the course of settlement negotiations.
- A record in this system of records may be disclosed, as a routine use, to a Member of Congress submitting a request involving an individual, to whom the record pertains, when the individual has requested assistance from the Member with respect to the subject matter of the record
- 4. A record in this system of records may be disclosed, as a routine use, to a contractor of the Agency having need for the information in order to perform a contract. Recipients of information shall be required to comply with the requirements of the Privacy Act of 1974, as amended, pursuant to 5 U.S.C. 552a(m).
- 5. A record related to an International Application filed under the Patent Cooperation Treaty in this system of records may be disclosed, as a routine use, to the International Bureau of the World Intellectual Property Organization, pursuant to the Patent Cooperation Treaty.
- 6. A record in this system of records may be disclosed, as a routine use, to another federal agency for purposes of National Security review (35 U.S.C. 181) and for review pursuant to the Atomic Energy Act (42 U.S.C. 218(c)).
- 7. A record from this system of records may be disclosed, as a routine use, to the Administrator, General Services, or his/her designee, during an inspection of records conducted by GSA as part of that agency's responsibility to recommend improvements in records management practices and programs, under authority of 44 U.S.C. 2904 and 2906. Such disclosure shall be made in accordance with the GSA regulations governing inspection of records for this purpose, and any other relevant (i.e., GSA or Commerce) directive. Such disclosure shall not be used to make determinations about individuals.
- 8. A record from this system of records may be disclosed, as a routine use, to the public after either publication of the application pursuant to 35 U.S.C. 122(b) or issuance of a patent pursuant to 35 U.S.C. 151. Further, a record may be disclosed, subject to the limitations of 37 CFR 1.14, as a routine use, to the public if the record was filed in an application which became abandoned or in which the proceedings were terminated and which application is referenced by either a published application, an application open to public inspection or an issued patent.
- A record from this system of records may be disclosed, as a routine use, to a Federal, State, or local law enforcement agency, if the USPTO becomes aware of a violation or potential violation of law or regulation.

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OM8 control number.

DECLARATION (37 CFR 1.63) FOR UTILITY OR DESIGN APPLICATION USING AN **APPLICATION DATA SHEET (37 CFR 1.76)**

Title of Invention	FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS (USE)F
As the belo	w named inventor, I hereby declare that:	DEBOOGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGG
This declar	18881 THE STRUCK SOURCEHOU OF	
	United States application or PCT international application number	
	filed on	
The above-i	dentified application was made or authorized to be made by me.	
I believe tha	t I am the original inventor or an original joint inventor of a claimed invention in the application.	
	nowledge that any willful false statement made in this declaration is punishable under 18 U.S.C. 1001 prisonment of not more than five (5) years, or both.	
	WARNING:	
contribute to (other than a to support a petitioners/a USPTO. Pe application (patent. Furt referenced in	policant is cautioned to avoid submitting personal information in documents filed in a patent application that me identity theft. Personal information such as social security numbers, bank account numbers, or credit card reached or credit card authorization form PTO-2038 submitted for payment purposes) is never required by the petition or an application. If this type of personal information is included in documents submitted to the USF applicants should consider redacting such personal information from the documents before submitting them the titioner/applicant is advised that the record of a patent application is available to the public after publication of unless a non-publication request in compliance with 37 CFR 1.213(a) is made in the application) or issuance hermore, the record from an abandoned application may also be available to the public if the application form a published application or an issued patent (see 37 CFR 1.14). Checks and credit card, authorization form ubmitted for payment purposes are not retained in the application file and therefore are not publicly available.	numbers USPTO TO, the the of a
LEGAL NA	AME OF INVENTOR	
Inventor:	Kunwar Shailubhai Date (Optional): 02/10/20	215
	ication data sheet (PTO/SB/14 or equivalent), including naming the entire inventive entity, must accompany this form or m sly filed. Use an additional PTO/AIA/01 form for each additional inventor.	ust have

This collection of information is required by 35 U.S.C. 115 and 37 CFR 1.63. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 1 minute to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case, Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450, DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Privacy Act Statement

The **Privacy Act of 1974 (P.L. 93-579)** requires that you be given certain information in connection with your submission of the attached form related to a patent application or patent. Accordingly, pursuant to the requirements of the Act, please be advised that: (1) the general authority for the collection of this information is 35 U.S.C. 2(b)(2); (2) furnishing of the information solicited is voluntary; and (3) the principal purpose for which the information is used by the U.S. Patent and Trademark Office is to process and/or examine your submission related to a patent application or patent. If you do not furnish the requested information, the U.S. Patent and Trademark Office may not be able to process and/or examine your submission, which may result in termination of proceedings or abandonment of the application or expiration of the patent.

The information provided by you in this form will be subject to the following routine uses:

- The information on this form will be treated confidentially to the extent allowed under the Freedom of Information Act (5 U.S.C. 552) and the Privacy Act (5 U.S.C 552a). Records from this system of records may be disclosed to the Department of Justice to determine whether disclosure of these records is required by the Freedom of Information Act.
- A record from this system of records may be disclosed, as a routine use, in the course of
 presenting evidence to a court, magistrate, or administrative tribunal, including disclosures to
 opposing coursel in the course of settlement negotiations.
- 3. A record in this system of records may be disclosed, as a routine use, to a Member of Congress submitting a request involving an individual, to whom the record pertains, when the individual has requested assistance from the Member with respect to the subject matter of the record.
- 4. A record in this system of records may be disclosed, as a routine use, to a contractor of the Agency having need for the information in order to perform a contract. Recipients of information shall be required to comply with the requirements of the Privacy Act of 1974, as amended, pursuant to 5 U.S.C. 552a(m).
- 5. A record related to an International Application filed under the Patent Cooperation Treaty in this system of records may be disclosed, as a routine use, to the International Bureau of the World Intellectual Property Organization, pursuant to the Patent Cooperation Treaty.
- 6. A record in this system of records may be disclosed, as a routine use, to another federal agency for purposes of National Security review (35 U.S.C. 181) and for review pursuant to the Atomic Energy Act (42 U.S.C. 218(c)).
- 7. A record from this system of records may be disclosed, as a routine use, to the Administrator, General Services, or his/her designee, during an inspection of records conducted by GSA as part of that agency's responsibility to recommend improvements in records management practices and programs, under authority of 44 U.S.C. 2904 and 2906. Such disclosure shall be made in accordance with the GSA regulations governing inspection of records for this purpose, and any other relevant (i.e., GSA or Commerce) directive. Such disclosure shall not be used to make determinations about individuals.
- 8. A record from this system of records may be disclosed, as a routine use, to the public after either publication of the application pursuant to 35 U.S.C. 122(b) or issuance of a patent pursuant to 35 U.S.C. 151. Further, a record may be disclosed, subject to the limitations of 37 CFR 1.14, as a routine use, to the public if the record was filed in an application which became abandoned or in which the proceedings were terminated and which application is referenced by either a published application, an application open to public inspection or an issued patent.
- A record from this system of records may be disclosed, as a routine use, to a Federal, State, or local law enforcement agency, if the USPTO becomes aware of a violation or potential violation of law or regulation.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of Stephen COMISKEY et al. Confirmation No.: To Be Assigned

Application No.: To Be Assigned Group Art Unit: To Be Assigned

Filed: September 4, 2015 Examiner: To Be Assigned

For: FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE

Commissioner for Patents U.S. Patent and Trademark Office P.O. Box 1450 Alexandria, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT UNDER 37 C.F.R. §1.97(b)

Ir	accordance with the duty of disclosure set forth in 37 C.F.R. §1.56, Applicant(s)
hereby su	ubmits the following information in conformance with 37 C.F.R. §§1.97 and 1.98.
	Pursuant to 37 C.F.R. §1.98, a copy of each non-US patent document cited in the attached Form PTO/SB/08 is enclosed.
Σ	No copies of the publications listed on the attached Form PTO/SB/08 are being provided pursuant to 37 C.F.R. §1.98(d) because the publications were previously cited by or submitted to the Office in prior Application Serial No. 14/661,299 to which the above-identified application claims priority under 35 U.S.C. §120.
Σ	No copies of any U.S. patents or U.S. patent application publications listed on the attached Form PTO/SB/08 are being provided pursuant to 37 C.F.R. §1.98.
	Publication(s) listed on the attached Form PTO/SB/08 were cited in a foreign search or examination report corresponding to Patent Application Serial No and mailed on

	Enclosed is a copy of a non-English publication(s) Pursuant to §609 of the M.P.E.P., Applicant submits the attached foreign search or examination report, which cites such non-English language publication(s).								
	Enclosed is a copy of a non-English publication(s) English language publication (copy enclosed) claims priority from this non-English publication.								
		ed is an explanation of non-		sh publication(s) for which an					
		ed is an English translation ached Form PTO/SB/08.	on of non-	-English publication(s) cited in					
	Enclos	ed is a copy of pending pat	ent Applic	cation Serial No					
This Informati	ion Disc	closure Statement is filed w	ithin any c	one of the following time periods:					
		within three months from than a CPA under 37 C.F.I	_	date of this national application other d);					
		within three months from in 37 C.F.R. §1.491 in this		f entry of the national stage as set forth onal application;					
	\boxtimes	before the mailing date of	a first offi	ice action on the merits; or					
		before the mailing of a fi continued examination und		action after the filing of a request for F.R. § 1.114.					
It is re	espectfu	lly requested that the Exar	niner cons	sider the above-noted information and					
return an initia	aled cop	y of the attached Form PTO	O/SB/08 to	o the undersigned.					
Dated: Septem	ber 4, 20	015		Respectfully submitted, COOLEY LLP					
USPTO Custo	omer N	o. 58249							
COOLEY LLP ATTN: Patent (Graun		By:	/Anne E. Fleckenstein/					
1299 Pennsylva		nue, N.W	•	Anne E. Fleckenstein					
Suite 700 Washington, De	Suite 700 Reg. No. 62,951 Washington, DC 20004-2400								
Tel: (202) 728-7 Fax: (202) 842-									
(= 0 =) 0 . =	Tax. (202) 842-7833								

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

SHEET 1 OF 19

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known				
Application Number	To Be Assigned			
Filing Date	September 4, 2015			
First Named Inventor	Stephen COMISKEY			
Art Unit	To Be Assigned			
Examiner Name	To Be Assigned			
Attorney Docket Number	SYPA-009/C02US			

	U.S. PATENT DOCUMENTS					
Examiner Initials*	Cite No.1	Document Number Number-Kind Code2 (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	
	1.	2002/0128176 A1	09-12-2002	Forssmann et al.		
	2.	2002/0078683	06-27-2002	Katayama et al.		
	3.	2002/0133168	09-19-2002	Smeldley et al.		
	4.	2002/0143015	10-03-2002	Fryburg et al.		
	5.	2003/0073628	04-17-2003	Shailubhai et al.		
	6.	2004/0015140 A1	01-22-2004	Shields		
	7.	2005/0016244	01-27-2005	Hergemoller		
	8.	2005/0032684 A1	02-10-2005	Cetin et al.		
	9.	2005/0107734	05-19-2005	Coroneo		
	10.	2005/0266047	12-01-2005	Tu et al		
	11.	005/0267297	12-01-2005	Berlin		
	12.	2006/0086653	04-27-2006	St. Germain		
	13.	2006/0094658	05-04-2006	Currie		
	14.	2007/0101158	05-03-2007	Elliott		
	15.	2008/0137318	06-12-2008	Rangaraj et al.		
	16.	2008/0151257	06-26-2008	Yasuda et al.		
	17.	2009/0048175 A1	02-19-2009	Shailubhai et al.		
	18.	2009/0192083 A1	07-30-2009	Currie		
	19.	2009/0253634 A1	10-08-2009	Currie et al.		
	20.	2010/0069306 A1	03-18-2010	Shailubhai et al.		

Examiner Signature:		Date	Considered			
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in						
conformance and not con	sidered. Include copy of this form with next communication to applicant.					

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. Applicant's unique citation designation number (optional). See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND**TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

SHEET 2 OF 19

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known				
Application Number	To Be Assigned			
Filing Date	September 4, 2015			
First Named Inventor	Stephen COMISKEY			
Art Unit	To Be Assigned			
Examiner Name	To Be Assigned			
Attorney Docket Number	SYPA-009/C02US			

	U.S. PATENT DOCUMENTS					
Examiner Initials*	Cite No. ¹	Document Number Number-Kind Code2 (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	
	21.	2010/0093635 A1	04-15-2010	Shailubhai		
	22.	2010/0120694 A1	05-13-2010	Shailubhai et al.		
	23.	2010/0152118 A1	06-17-2010	Shailubhai		
	24.	2010/0221329 A1	09-02-2010	Shailubhai et al.		
	25.	2012/0196797 A1	08-02-2012	Currie et al.		
	26.	2012/0237593 A1	09-20-2012	Comiskey et al.		
	27.	2012/0289460 A1	11-15-2012	Shailubhai		
	28.	2013/0274204 A1	10-17-2013	Shailubhai et al.		
	29.	2014/0024605 A1	01-23-2014	Shailubhai et al.		
	30.	2014/0121169 A1	05-01-2014	Shailubhai et al.		
	31.	2014/0135274 A1	05-15-2014	Shailubhai		
	32.	2014/0287002 A1	09-25-2014	Shailubhai		
	33.	2014/0329738 A1	11-06-2014	Shailubhai et al.		
	34.	5,106,834	04-21-1992	Bovy et al.		
	35.	5,130,333	07-14-1992	Pan et al.		
	36.	5,489,670	02-06-1994	Currie et al.		
	37.	5,518,888	05-21-1996	Waldman et al.		
	38.	5,578,709	11-26-1996	Woiszwillo et al.		
	39.	5,601,990	02-11-1997	Waldman et al.		
	40.	5,731,159	03-24-1998	Waldman et al.		

Examiner Signature:		Date	Considered			
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in						
conformance and not con	sidered. Include copy of this form with next communication to applicant					

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. sKind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND**TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

SHEET 3 OF 19

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known				
Application Number	To Be Assigned			
Filing Date	September 4, 2015			
First Named Inventor	Stephen COMISKEY			
Art Unit	To Be Assigned			
Examiner Name	To Be Assigned			
Attorney Docket Number	SYPA-009/C02US			

U.S. PATENT DOCUMENTS					
Examiner Initials*	Cite No. ¹	Document Number Number-Kind Code2 (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	41.	5,721,238	02-24-1998	Heiker et al.	
	42.	5,879,656	03-9-1999	Waldman et al.	
	43.	5,928,873	07-29-1999	Waldman et al.	
	44.	5,969,097	10-19-1999	Wiegand et al.	
	45.	6,060,037	05-09-2000	Waldman et al.	
	46.	6,235,782 B2	05-22-2001	Pamukcu et al.	
	47.	7,041,786 B2	05-09-2006	Shailubhai et al.	
	48.	7,375,083 B2	05-20-2008	Mickle et al.	
	49.	7,494,979 B2	02-24-2009	Currie et al.	
	50.	7,799,897 B2	09-21-2010	Jacob et al.	
	51.	7,879,802 B2	02-01-2011	Shailubhai et al.	
	52.	8,034,782 B2	10-11-2011	Shailubhai	
	53.	8,114,831 B2	02-14-2012	Shailubhai et al.	
	54.	8,207,295 B2	06-26-2012	Shailubhai et al.	
_	55.	8,357,775 B2	01-22-2013	Shailubhai et al.	
	56.	8,367,800 B2	02-05-2013	Shailubhai	
	57.	8,497,348 B2	07-30-2013	Shailubhai et al.	
	58.	8,637,451 B2	01-28-2014	Shailubhai et al.	
	59.	8,716,224 B2	05-06-2014	Shailubhai et al.	

Examiner Signature:		Date	Considered			
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in						
conformance and not con	sidered. Include copy of this form with next communication to applicant.					

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. sKind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND**TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

SHEET 4 OF 19

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known				
Application Number	To Be Assigned			
Filing Date	September 4, 2015			
First Named Inventor	Stephen COMISKEY			
Art Unit	To Be Assigned			
Examiner Name	To Be Assigned			
Attorney Docket Number	SYPA-009/C02US			

	FOREIGN PATENT DOCUMENTS					
Examiner Initials*	Cite No.1	Foreign Patent Document Country Code ³ -Number ⁴ -Kind Code ⁵ (if known)	Publication Date MM-DD- YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages Or Relevant Figures Appear	${f T}^6$
	60.	DE 19744027	04-08-1999	Hoechst Marion Rouseel Deutschland GmbH		
	61.	WO 88/05306	07-28-1988	The General Hospital Corporation		
	62.	WO 93/12068 A1	06-24-1993	Brigham and Women's Hospital		
	63.	WP 1999/026567 A1	06-03-1999	Optonol Ltd		
	64.	WO 01/25266 A1	04-12-2001	Pharmacia Corporation		
	65.	WO 02/062369 A2	08-15-2002	Pharmacia Corporation		
	66.	WO 2002/078683 A1	10-10-2002	Synergy Pharmaceuticals, Inc.		
	67.	WO 2002/098912 A3	12-12-2002	Cetin		
	68.	WO 2004/069165	08-19-2004	Microbia Inc. et al.		
	69.	WO 2005/016244 A2	02-24-2005	Microbia, Inc. et al.		
	70.	WO 2005/087797	09-22-2005	Microbia, Inc. et al.		
	71.	WO 2006/086653 A2	08-17-2006	Microbia, Inc. et al.		
	72.	WO 2007/101158 A2	09-07-2007	Microbia, Inc. et al.		
	73.	WO 2007/022531	02-22-2007	Microbia, Inc. et al.		
	74.	WO 2008/106429	09-04-2008	Microbia, Inc. et al.		
	75.	WO 2008/137318 A1	11-13-2008	Ironwood Pharmaceuticals, Inc. et al.		

Examiner Signature:		Date	Considered	
EXAMINER: Initial if r	ference considered, whether or not citation is in conformance with MPEI	P 609.	Draw line thro	ough citation if not in
conformance and not cor	sidered. Include copy of this form with next communication to applicant			

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. Applicant's unique citation designation number (optional). See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND**TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

SHEET 5 OF 19

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known				
Application Number	To Be Assigned			
Filing Date	September 4, 2015			
First Named Inventor	Stephen COMISKEY			
Art Unit	To Be Assigned			
Examiner Name	To Be Assigned			
Attorney Docket Number	SYPA-009/C02US			

		FOR	EIGN PATE	NT DOCUMENTS		
Examiner Initials*	Cite No. ¹	Foreign Patent Document Country Code ³ -Number ⁴ -Kind Code ⁵ (<i>if known</i>)	Publication Date MM-DD- YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages Or Relevant Figures Appear	\mathbf{T}^6
	76.	WO 2008/151257 A2	12-11-2008	Synergy Pharmaceuticals Inc. et al.		
	77.	WO 2009/149278 A1	12-10-2009	Synergy Pharmaceuticals Inc. et al.		
	78.	WO 2009/149279 A2	12-10-2009	Synergy Pharmaceuticals Inc. et al.		
	79.	WO 2010/009319 A2	01-21-2010	Synergy Pharmaceuticals Inc. et al.		
	80.	WO 2010/027404 A2	03-11-2010	Ironwood Pharmaceuticals Inc. et al.		
	81.	WO 2010/065751 A2	06-10-2010	Synergy Pharmaceuticals Inc. et al.		
	82.	WO 2011/020054 A1	02-17-2011	Ironwood Pharmaceuticals Inc. et al.		
	83.	WO 2012/037380 A2	03-22-2012	Synergy Pharmaceuticals Inc. et al.		

NON PATENT LITERATURE DOCUMENTS						
Examiner's Initials	Cite					
	84.	Advisory Committee Briefing document for Merida [sibutramine hydrochloride monohydrate], Abbott, August 13, 2010 (205 pages)				
	85.	Alrefai et al., "Cholesterol modulates human intestinal sodium-dependent bile acid transporter," Am. J. Physiol. Gastrointest. Liver Physiol. 288:G978-G985 (2005)				

Examiner Signature: Date Considered

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. Applicant's unique citation designation number (optional). See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND**TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

SHEET 6 OF 19

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known		
Application Number	To Be Assigned	
Filing Date	September 4, 2015	
First Named Inventor	Stephen COMISKEY	
Art Unit	To Be Assigned	
Examiner Name	To Be Assigned	
Attorney Docket Number	SYPA-009/C02US	

		NON PATENT LITERATURE DOCUMENTS		
Examiner's Initials				
	86.	Askling et al. "Colorectal cancer rates among first degree relatives of patients with inflammatory bowel disease: A population-based cohort study" Lancet 357:262-266 (2001).		
	87.	Bakre et al. "Expression and regulation of the cGMP-binding, cGMP-specific phosphodiesterase (PDE5) in human colonic epithelial cells: role in the induction of cellular refractoriness to the heat-stable enterotoxin peptide" J. Cell Biol. 77:159-167 (2000)		
	88.	Barbara et al. "A role for inflammation in irritable bowel syndrome": Gut, 51(Suppl. 1): 141-144 (2002)		
	89.	Basoglu et al. In: "Proceedings of the Second FEPS Congress, June 29-July 4, 1999, Prague, Czech Republic, If2.cuni.cz/physiolres/feps/basoglu.htm. (3 pages)		
	90.	Baxter "The natriuretic peptides: An introduction" Basic Res. Cardiol. 99(2):71-75 (2004)		
	91.	Beltowski "Guanlyin and related peptides" J. Physiol. Pharmacol 52(3):351-375 (2001)		
	92.	Bergers et al. "Extrinsic regulators of epithelial tumor progression: metalloproteinases" Cur. Opin. Gen. and Develop. 10:120-127 (2000)		
	93.	Bhakdi et al. "Release of interleukin-1 beta associated with potent cytocidal action of staphylococcal alphatoxin on human monocytes" Infect. Immun. 57(11): 3512-3519 (1989).		
	94.	Brown et al. "A receptor-mediated pathway for cholesterol homeostasis" Sci. 232:34-47 (1986)		
	95.	Burnham "Polymers for delivering peptides and proteins" Am. J. Hosp. Pharm. 51:210-218 (1994)		
	96.	Caliceti et al. "Synthesis and biopharmaceutical characterisation of new poly(hydroxethylaspartamide) copolymers as drug carriers" Biochimica et Biophysica Acta 1528:177-189 (2001)		
	97.	Camilleri et al. "Management of the irritable bowel syndrome" Gastroentrerol. 120:652-668 (2001)		
	98.	Carrithers et al., "Guanylyl cyclase C is a selective marker for metastatic colorectal tumors in human extraintestinal tissues" Proc. Natl. Acad. Sci. USA 93:14827-14832. (1996)		

Examiner Signature:		Date	Considered	
EXAMINER: Initial if r	eference considered, whether or not citation is in conformance with MPEI	P 609.	Draw line thro	ough citation if not in
conformance and not con	usidered. Include copy of this form with next communication to applicant			

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. Applicant's unique citation designation number (optional). See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND**TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

SHEET 7 OF 19

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known		
Application Number	To Be Assigned	
Filing Date	September 4, 2015	
First Named Inventor	Stephen COMISKEY	
Art Unit	To Be Assigned	
Examiner Name	To Be Assigned	
Attorney Docket Number	SYPA-009/C02US	

		NON PATENT LITERATURE DOCUMENTS		
Examiner's Initials	Cita			
	99.	Cermak et al. "Natriuretic peptides increase a K+ conductance in rat mesangial cells" Pfugers Arch. Eur. J. Physiol. 431:571-577 (1996)		
	100.	Cheng et al. "Defective intracellular transport and processing of CFTR is the molecular basis of most cystic fibrosis" Cell, 63:827-834 (1990)		
	101.	Chino et al. "Topological isomers of human uroguanylin: interconversion between biologically active and inactive isomers" FEBS Letters 421:27-31 (1998)		
	102.	Cohen et al. "Guanylin mRNA expression in human intestine and colorectal adenocarcinoma" Lab. Invest. 78:101-108 (1998)		
	103.	Collins "The relationship of enteric microbial infection and functional bowel disorders" J. Clin. Gastroenterol 41 Suppl. 1:S30-32 (2007)		
	104.	Cui et al. "The permissive effect of zinc deficiency on uroguanylin and inducible nitric oxide synthase gene upregulation in rat intestine induced by interleukin 1α is rapidly reversed by zinc repletion. J. Nutri. 133(1):51-56 (2003)		
	105.	Currie et al., "Guanylin: An endogenous activator of intestinal guanylate cyclase," Proc. Natl. Acad. Sci. USA 89:947-951 (1992)		
	106.	Database BIOSIS (ONLINE), biosciences Information Service, Philadelphia, PA, U.S., April 2006, Refaat et al. "SP304, an analog of uroguanylin, ameliorates inflammation in a model of experimental colitis" XP002540570, Database Accession No. PREV200600503788. (2 pages)		
	107.	De Luca et al. "Inflammation and insulin resistance" FEBS Letter 582:97-105 (2008).		
	108.	Dennis "Off by a whisker" Nature 442:739-741 (2006)		
	109.	DeSauvage et al. "Precursor structure, expression and tissue distribution of human guanylin" Proc. Natl. Acad. Sci USA 89:9089-9093 (1992).		
	110.	Deschner et al. "Proliferative defects in ulcerative colitis patients" Can. Invest 1:41-47 (1983)		

Examiner Signature:		Date	Considered	
EXAMINER: Initial if r	eference considered, whether or not citation is in conformance with MPEI	609.	Draw line thro	ough citation if not in
conformance and not cor	sidered. Include conv of this form with next communication to applicant			

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. sKind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND**TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

SHEET 8 OF 19

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known		
Application Number	To Be Assigned	
Filing Date	September 4, 2015	
First Named Inventor	Stephen COMISKEY	
Art Unit	To Be Assigned	
Examiner Name	To Be Assigned	
Attorney Docket Number	SYPA-009/C02US	

		NON PATENT LITERATURE DOCUMENTS	
Examiner's Initials	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	${f T}^6$
	111.	Delvaux et al. "Effect of alosetron on responses to colonic distension in patients with irritable bowel syndrome" Aliment Pharmacol. Ther 12:849-855 (1998)	
	112.	Duncan "Drug-polymer Conjugates: Potential for improved chemotherapy" Anti-Can. Drugs 3:175-210 (1992)	
	113.	Dunfield et al. "Energy parameters in polypeptides. 8. Empirical potential energy algorithm for the conformational analysis of large molecules" J. Phys. Chem. 82:2609-2616 (1978)	
	114.	Eastwood "Epithelial renewal in premalignant conditions of the gastrointestinal tract: A review" J. Clin. Gastroenterol 14(1):S29-S33 (1992)	
	115.	Ettorre et al. "Mucosal changes in ileal pouches after restorative proctocolectomy for ulcerative and Crohn's colitis" Dis. Colon Rectum 43:1743-1748 (2000)	
	116.	European Application No. 02721604.3: Response to European Patent Office Communication dated March 16, 2007 (5 pages)	
	117.	European Application No. 02721604.3: Office Communication dated August 12, 2008 (3 pages)	
	118.	European Patent 1,379,224: Opposition dated April 22, 2010 (pages)	
	119.	European Patent 1,379,224: CombiMab, Inc. Annex to Notice of Opposition dated April 22, 2010 (41 pages)	
	120.	European Patent 1,379,224:: Summons to attend oral hearing dated June 6, 2011 (23 pages)	
	121.	European Patent 1,379,224: Response to Communication from Opposition division dated October 8, 2010 (44 pages)	
	122.	European Patent 1,379,224: Written submission dated October 7, 2011 in response to the June 24, 2011 preliminary opinion of the Opposition Division (7 pages)	
	123.	European Patent 1,379,224: Written submission dated October 14, 2011 by Ironwood (27 pages)	

Examiner Signature:		Date	Considered	
EXAMINER: Initial if re	eference considered, whether or not citation is in conformance with MPEI	P 609.	Draw line thro	ough citation if not in
conformance and not cor	sidered. Include conv. of this form with next communication to applicant			

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. sKind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND**TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

SHEET 9 OF 19

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known		
Application Number	To Be Assigned	
Filing Date	September 4, 2015	
First Named Inventor	Stephen COMISKEY	
Art Unit	To Be Assigned	
Examiner Name	To Be Assigned	
Attorney Docket Number	SYPA-009/C02US	

	NON PATENT LITERATURE DOCUMENTS					
Examiner's Initials	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	\mathbf{T}^6			
	124.	European Patent 1,379,224: Written submission dated October 14, 2011 (7 pages)				
	125.	European Patent 1,379,224: Written submission dated October 25, 2011(5 pages)				
	126.	European Patent 1,379,224: Written submission dated November 18, 2011 by Ironwood (14 pages)				
	127.	European Patent 1,379,224: Written submission dated November 22, 2011 (18 pages)				
	128.	European Patent 1,379,224: Written submission dated December 7, 2011 (6 pages)				
	129 Evan et al. "Proliferation, cell cycle and apoptosis in cancer" Nature (London) 411:342-348 (2001)					
	130.	Fan et al. "Structure and activity of uroguanylin and guanylin from the intestine and urine of rats" Am. J. Physiol. Endocrinol. Metab. 273:957-964 (1997)				
	131.	Field et al., "Ezetimibe interferes with cholesterol trafficking from the plasma membrane to the endoplasmic reticulum in CaCo-2 cells," Journal of Lipid Research, 48:1735-1745 (2007)				
	132.	Fonteles et al. "Natruiretic and kalliuretic activities of guanylin and uroguanylin in isolated perfused rat kidney" Am. J. Physiol. Renal Physiol. 275: 191-197 (1998)				
	133.	Forte, "Guanylin regulatory peptides: structures, biological activities mediated by cyclic GMP and pathobiology," Reg. Pept. 81:25-39 (1999)				
	134.	Forte, Jr., "Uroguanylin and guanylin peptides: pharmacology and experimental therapeutics," Pharmacol. Ther. 104(2):137-162 (2004)				
	135.	Garcia et al. "Processing and characterization of human proguanylin expressed in Escherichia coli." J. Biol. Chem. 268:22397-22401 (1993).				
	136.	Gali et al. "In vivo evaluation of an ¹¹¹ In-labeled ST-peptide analog for specific-targeting of human colon cancers" Nuclear Medicine and Biology, 28(8):903-909 (2001)				

Examiner Signature:		Date Considered	
EXAMINER: Initial if r	eference considered, whether or not citation is in conformance with MPEI	P 609. Draw line thr	ough citation if not in
conformance and not con	sidered. Include conv. of this form with next communication to applicant		

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional), 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3), 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. sKind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND**TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

SHEET 10 OF 19

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known		
Application Number	To Be Assigned	
Filing Date	September 4, 2015	
First Named Inventor	Stephen COMISKEY	
Art Unit	To Be Assigned	
Examiner Name	To Be Assigned	
Attorney Docket Number	SYPA-009/C02US	

	NON PATENT LITERATURE DOCUMENTS		
Examiner's Initials	Cite No.1		
	Greenberg et al. "Comparison of effects of uroguanylin, guanylin, and Escherichia coli heat-stable enterotoxin Sta in mouse intestine and kidney: evidence that uroguanylin is an intestinal natruiretic hormone" J. Invest. Med. 45(5):276-282 (1997)		
	138.	Genbank 1UYBA- Chain A, Solution Structure B – Form uroguanylin. March 15, 2010. 2 pages	
	139.	Genbank AAC50416.1; GUCA2B (human, 1994) March 11, 2010. 2 pages.	
	140.	Genbank 1UYAA- Chain A, Solution Structure A – Form uroguanylin. March 15, 2010. 2 pages	
	141.	Genbank AAB18760.1 (rat, 1995) March 11, 2010. 2 pages	
	142 Genbank AAB30324.1: Guca2B (human, 1994) March 11, 2010. 2 pages		
	143.	Genbank: AAD09215.1 (mouse, 1996) March 11, 2010. 2 pages.	
	144.	Genbank: CAA98994.1 (guinea pig, 1996) March 11, 2010. 2 pages.	
	145.	Genbank: CAB0642.1 (pig, 1996) March 11, 2010. 2 pages.	
	146.	Genbank: PRF.738946 (opossum, 1993) March 15, 2010. 1 page.	
	147.	Guba et al., "Guanylin Strongly Stimulates Rat Duodenal HCO ₃ ⁻ Secretion: Proposed Mechanism and Comparison With Other Secretagogues," Gastroenterology 111:1558-1568 (1996)	
	148.	Gulcan et al. "Increased frequency of prediabetes in patients with irritable bowel syndrome" Am. J. Med. Sci 338:116-119 (2009)	
	149.	Gulcan et al. "The predictive value of CRP levels on future severe renal disease in overweight and obese subjects without diabetes mellitus and hypertension. Am. J. Med. Sci 334:444-451 (2007).	
	150.	Gura, "Systems for Identifying New Drugs Are Often Faulty," Science 278:1041-1042 (1997)	

Examiner Signature: Date Considered

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not i conformance and not considered. Include copy of this form with next communication to applicant.

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. Applicant's unique citation designation number (optional). See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND**TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

SHEET 11 OF 19

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known		
Application Number	To Be Assigned	
Filing Date	September 4, 2015	
First Named Inventor	Stephen COMISKEY	
Art Unit	To Be Assigned	
Examiner Name	To Be Assigned	
Attorney Docket Number	SYPA-009/C02US	

	NON PATENT LITERATURE DOCUMENTS			
Examiner's Initials	Cite No.1			
	151.	Hamman et al. "Oral delivery of peptide drugs" BIODRUGS, 19(3):165-177 (2005).		
	152.	Hamra et al., "Uroguanylin: Structure and activity of a second endogenous peptide that stimulates intestinal guanylate cyclase," Proc. Natl. Acad. Sci. USA 90:10464-10468 (1993)		
	153.	Harris et al. "Drug evaluation: linaclotide, a new direction in the treatment of irritable bowel syndrome and chronic constipation" Curr. Opin. Mol. Ther 9(4):403-410 (2007)		
	154.	Hess et al., "GCAP-II: isolation and characterization of the circulating form of human uroguanylin," FEBS Letters 374:34-38 (1995)		
Hidaka et al. "In Vitro Disulfide-Coupled Folding of Guanylyl Cyclase-Activating Peptide and Its Precursor Protein" Biochem. 37:8498-8507 (1998)				
	156.	Hidaka et al. "Dual Function of the Propeptide of Prouroguanylin in the Folding		
	130.	of the Mature Peptide" J. Biol. Chem. 275:25155-25162 (2000)		
	157.	Hill et al., "Analysis of the human guanylin gene and the processing and cellular localization of the peptide" Proc. Natl. Acad. Sci USA 92:2046-2050 (1995)		
	158.	Hill et al. "A new human guanylate cyclase-activating peptide (GCAP-II, uroguanylin): precursor cDNA and colonic expression" Biochem. Biophysica Acta 1253:146-149 (1995)		
	159.	Hinds et al. "Synthesis and Characterization of Poly (ethylene glycol) – Insulin Conjugates" Bioconjug. Chem. 11:195-201 (2000).		
	160.	Howard et al. "Obesity and dyslipidemia" Endocrinol. Metab. Clin. N. Am. 32:855-867 (2003)		
	161.	http://www.merckmanuals.com/home/childrens_health_issues/hereditary_metabolic_disorders/disorders_of		
	101.	Lipid_metabolism.html: last updated 2009; last visited 09/25/2012 (1 page)		
	162.	http:www.nlm.nih.gov/medlineplus/obesity.html: 1999-2011; last visited 09/25/2012 (6 pages)		

Examiner Signature:		Date Considered	
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in			
conformance and not cor	sidered. Include conv of this form with next communication to applicant		

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional), 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3), 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. sKind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND**TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

SHEET 12 OF 19

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known		
Application Number	To Be Assigned	
Filing Date	September 4, 2015	
First Named Inventor	Stephen COMISKEY	
Art Unit	To Be Assigned	
Examiner Name	To Be Assigned	
Attorney Docket Number	SYPA-009/C02US	

	NON PATENT LITERATURE DOCUMENTS			
Examiner's Initials	Cite No.1			
	163.	Huff et al., "Inhibition of the Apical Sodium-Dependent Bile Acid Transporter Reduces LDL Cholesterol and ApoB by Enhanced Plasma Clearance of LDL ApoB," Arterioscler. Thromb. Vasc. Biol 22:1884-1891 (2002)		
	164.	Hudson et al. "Rethinking cystic fibrosis pathology: the critical role of abnormal reduced glutathione (GSH) transport caused by CFTR mutation" Free Rad. Biol. Med. 30:1441-1461 (2001)		
	165.	Hui et al., "Developmental and Physiological Regulation of Intestinal Lipid Absorption. III. Intestinal transporters and cholesterol absorption," Am. J. Physiol. Gastrointest. Liver Physiol. 294:G839-G843 (2008)		
	166.	Hughes et al. "Intracellular K+ suppresses the activation of apoptosis in lymphocytes" J. Biol. Chem 272(48):30567-30576 (1997)		
	167.	International Preliminary Report on Patentability, PCT Appl. No. PCT/US2011/051805, 17 pages (December 15, 2012)		
	168.	International Preliminary Report on Patentability, PCT Appl. No. PCT/US2013/030551, 7 pages (September 16, 2014)		
	169.	International Search Report in International Application No. PCT/US2009/046287, 5 pages (November 10, 2009)		
	170.	International Search Report in International Application No. PCT/US2009/046288, (December 9, 2009)		
	171.	International Search Report, PCT Appl. No. PCT/US2011/051805, 6 pages (June 21, 2012)		
	172.	International Search Report, PCT Appl. No. PCT/US2013/030551, 5 pages (June 18, 2013)		
	173.	Joo et al., "Regulation of intestinal Cl ⁻ and HCO ₃ ⁻ secretion by uroguanylin," Am. J. Physiol. 274:G633-G644 (1998)	_	
	174.	Kelland "'Of mice and men': values and liabilities of the athymic nude mouse model in anticancer drug development" Eur. J. Cancer 40(6):827-836 (2004).		

Examiner Signature:		Date	Considered	
EXAMINER: Initial if r	eference considered, whether or not citation is in conformance with MPEI	609.	Draw line thro	ough citation if not in
conformance and not cor	sidered. Include conv of this form with next communication to applicant			

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. sKind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND**TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

SHEET 13 OF 19

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known		
Application Number	To Be Assigned	
Filing Date	September 4, 2015	
First Named Inventor	Stephen COMISKEY	
Art Unit	To Be Assigned	
Examiner Name	To Be Assigned	
Attorney Docket Number	SYPA-009/C02US	

	NON PATENT LITERATURE DOCUMENTS			
Examiner's Initials Cite		Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	${f T}^6$	
	175.	Kita et al. :Characterization of human uroguanylin: A member of the guanylin peptide family" Am. J. Physiol. 266:F342-8 (1994)		
	176.	Klodt et al., "Synthesis, biological activity and isomerism of guanylate cyclase C-activating peptides guanylin and uroguanylin," J. Pep. Res. 50(2):222-230 (1997).		
	177.	Krause et al. "The guanylin and uroguanylin peptide hormones and their receptors" Acta Anat. 160:213-231 (1997)		
	178.	Lam et al. "Serotonin and energy balance: molecular mechanisms and implications for type 2 diabetes" Expert Rev. Mol. Med. 9:1-24 (2007)		
	179.	Leister et al. "Human colorectal cancer: High frequency of deletions at chromosome 1p35" Can. Res. 50:7232-7235 (1990).		
	180.	Li and Chiang, "Bile Acid Signaling in Liver Metabolism and Diseases", Journal of Lipids, Hindawi Publishing Corporation, 2012:1-9, Article ID 754067 (2011)		
	181.	Li et al. "Purification, cDNA sequence and tissue distribution of rat uroguanylin" Reg. Pep. 68:45-56 (1997)		
	182.	Lipkin et al. "Gastric cell regeneration" Arch. Fr. Mal. Appl. Dig. (Paris) 61(10-11):691-693 (1972)		
	183.	Lorenz et al. "Uroguanylin knockout mice have increased blood pressure and impaired natruiretic response to enteral NaCl load" J. Clin. Invest. 112(8):1244-1254 (2003)		
	184.	MacFarlane and MacFarlane, "Factors affecting fermentation reactions in the large bowel," Proc. Nutr. Soc. 52(2):367-373 (1993)		
	185.	Magert et al. "Porcine guanylin and uroguanylin: cDNA sequences, deduced amino acid sequences, and biological activity of the chemically synthesized peptides' Biochem. Biophys. Res. Comm. 259:141-148 (1999)		
	186.	Mahato et al. "Emerging trends in oral delivery of peptide and protein drugs" Crit. Rev. Ther. Drug Carrier Systems 20(2-3):153-214 (2003).		

Examiner Signature:		Date Considered	
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in			
conformance and not cor	sidered. Include conv of this form with next communication to applicant		

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. Applicant's unique citation designation number (optional). See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND**TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

SHEET 14 OF 19

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known		
Application Number	To Be Assigned	
Filing Date	September 4, 2015	
First Named Inventor	Stephen COMISKEY	
Art Unit	To Be Assigned	
Examiner Name	To Be Assigned	
Attorney Docket Number	SYPA-009/C02US	

		NON PATENT LITERATURE DOCUMENTS	
Examiner's Initials	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ⁶
	187.	Marx et al. "One peptide, two topologies: structure and interconversion dynamics of human uroguanylin isomers" J. Pep. Res. 52:229-240 (1998).	
	188.	Miyazato et al. "Cloning and characterization of a cDNA encoding a precursor for human uroguanylin" Biochem Biophys Res. Comm. 219:644-648 (1996)	
	189.	Miyazato et al.:Uroguanylin gene expression in the alimentary tract and extra-gastrointestinal tissues" FEBS Letters, 398:170-174 (1996).	
	190.	Moon et al. "Effects of age, ambient temperature, and heat-stable Escherichia coli enterotoxin of intestinal transit in infant mice" Infect. Immun. 25(1):127-132 (1979).	
	191.	Muller-Lissner et al. "Safety, tolerability, and efficacy of tegaserod over 13 months in patients with chronic constipation" Am. J. Gastroenterol. 101:2558-2569 (2006)	
	192.	Nakazato et al. "Tissue distribution, cellular source, and structural analysis of rat immunoreactive uroguanylin" Endocrinol. 139:5247-5254 (1998)	
	193.	Nathan et al. "Copolymers of lysine and polyethylene glycol: a new family of functionalized drug carriers" Bioconjug Chem. 4(1):54-62 (1993)	
	194.	Nemethy et al. "Energy parameters in polypeptides. 9. Updating of geometrical parameters non-bonded interactions, and hydrogen bond interactions for the naturally occurring amino acids" J. Phys. Chem. 87:1883-1887 (1983).	
	195.	Nikiforovich et al. "Topographical requirements for δ -selective opioid peptides" Biopolymers, 31:942-955 (1991)	
	196.	Nikiforovich et al. "Computation molecular modeling in peptide design" Int. J. Pep. Prot. Res. 44:513-531 (1994)	
	197.	Nyburg et al. "Some uses of best molecular fit routine" Acta Crystallographica B30 (Part I):251-253 (1974)	
	198.	Ohbayashi et al., "Effects of uroguanylin and guanylin against antigen-induced bronchoconstriction and airway microvascular leakage in sensitized guinea-pigs" Life Sci., 62(20:1883-1844 (1998)	

Examiner Signature:		Date (Considered			
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in						
conformance and not cor	conformance and not considered. Include conv. of this form with next communication to applicant					

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. Applicant's unique citation designation number (optional). See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND**TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

SHEET 15 OF 19

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known			
Application Number	To Be Assigned		
Filing Date	September 4, 2015		
First Named Inventor	Stephen COMISKEY		
Art Unit	To Be Assigned		
Examiner Name	To Be Assigned		
Attorney Docket Number	SYPA-009/C02US		

		NON PATENT LITERATURE DOCUMENTS	
Examiner's Initials			
	199.	Perkins et al. "Uroguanylin is expressed by enterochromaffin cells in the rat gastrointestinal tract" Gastroenterol 113:1007-1014 (1997)	
	200.	Peterson et al. "Integrating pharmacology and in vivo cancer models in preclinical and clinical drug development" Eur. J. Cancer 40:837-844 (2004)	
	201.	Pitari et al. "Guanylyl cyclase C agonists regulate progression through the cell cycle of human colon carcinoma cells", Proc. Natl. Acad. Sci. USA 98(14):7546-7851 (2001)	
	202.	Potten et al. "Regulation and significance of apoptosis in the stem cells of the gastrointestinal epithelium" Stem Cells 15:82-93 (2001)	
	203.	Provenzale et al. "Surveillance issues in inflammatory bowel disease: ulcerative colitis" J. Clin. Gastroenterol 32:99-105 (2001)	
	204.	PubChem, CID 469, http://pubchem.ncbi.nlm.nih.gov/summary/summary.cgi?cid=469#x27, (last visited 10/18/14). 19 pages	
	205.	Ramamoorthy et al. "Phosphorylation of threonine residue 276 is required for acute regulation of serotonin transporter by cyclic GMP" J. Biol. Chem. 282(16):11639-11647 (2007)	
	206.	Reddy and Rao "Lipid metabolism and liver inflammation II fatty liver disease and fatty acid oxidation" Am. J. Physiol. Gastrointest. Liver Physiol. 290:G852-G858 (2006)	
	207.	Remington, JP "Remington's Pharmaceutical Sciences" Mack Pub. Co. 16 th edition (1980) 7 pages.	
	208.	Roberts et al. "Chemistry of peptide and protein PEGylation" Adv. Drug. Deliv. Rev. 54:459-476 (2002)	
	209.	Rolfe and Milla, "Nitric oxide stimulates cyclic guanosine monophosphate production and electrogenic secretion in Caco-2 colonocytes," Clin. Sci. (Lond). 96(2):165-170 (1999)	
	210.	Samuel et al. "Absorption of bile acids from the large bowel in man" J. Clin. Invest. 47:2070-2978 (1968).	
	211.	Schulz et al., "Guanylyl Cyclase Is a Heat-Stable Enterotoxin Receptor," Cell 63:941-948 (1990)	

Examiner Signature:		Date Considered			
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in					
conformance and not considered. Include conv. of this form with next communication to applicant					

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. Applicant's unique citation designation number (optional). See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND**TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

SHEET 16 OF 19

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known			
Application Number	To Be Assigned		
Filing Date	September 4, 2015		
First Named Inventor	Stephen COMISKEY		
Art Unit	To Be Assigned		
Examiner Name	To Be Assigned		
Attorney Docket Number	SYPA-009/C02US		

	NON PATENT LITERATURE DOCUMENTS				
Examiner's Initials	(`ifo		${f T}^6$		
	212.	Schulz et al. "Side chain contributions to the interconversion of the topological isomers of guanylin-like peptides" J. Pep. Sci. 11:319-330 (2005).			
	213.	Sciaky et al. "Mapping of guanylin to murine chromosome 4 and human chromosome 1p34p35" Genomics 26:427-429 (1995)			
	214.	Sellers et al. "heat-stable enterotoxin of <i>Escherichia coli</i> stimulates a non-CFTR-mediated duodenal bicarbonate secretory pathway" Am J. Physiol. Gastrointest. Liver Physiol. 288:G654-G663 (2005)			
	215.	Shailubhai et al. "Uroguanylin treatment Suppresses Polyp formation in the Apc Min/+ Mouse and Induces Apoptosis in Human colon Adencarcinoma Cells via Cyclic GMP" Cancer Research 60: 5151-5157. (2000)			
	216.	Shailubhai et al. "Therapeutic applications of guanylate cyclase-c receptor agonists" Curr. Opin. Drug Disc. Devel. 5(2):261-268 (2002)			
	217.	Shailubhai et al. "Gaunilib, an antagonist of guanylate C, is a new class of oral drug candidate that ameliorates inflammation in models of experimental colitis" [Abstract]: In Charon's and colitis foundation of America (2007) 1 page.			
	218.	Shailubhai et al. "SP-304 to treat GI disorders- effects of a single, oral dose of SP-304 in safety, tolerability, pharmacokinetics and pharmacodynamics in healthy volunteers" [Abstract]: in Digestive Disease Week, (2009) 1 page.			
	219.	Shailubhai et al. "Guanilib, an agonist of Guanylate C, is a new class of oral drug candidate for GI disorders and colon cancer" [abstract] in GTCbio, 2008. 1 pages			
	220.	Shailubhai et al. "Guanylin Peptides: New class of oral drug candidates" [Abstract]: In World Congress 2008 (2 pages)			
	221.	Shailubhai et al. "Inflammatory bowel disease" February 2008: S5 2007 IBD Abstract: Oral Presentation (1 page)			
	222.	Shailubhai et al. "Guanylate cyclase-C agonists as a new class of drug candidates for GI motility and inflammatory bowel disease" [Abstract] 2009 (1 page)			
	223.	Shailubhai et al. "Phase II Clinical Evaluation of SP-304, a Guanylate Cyclase-C Agonist, for Treatment of Chronic Constipation," Am. J. Gastroenterol. 105(Suppl. 1):S487-S488 (2010)			

Examiner Signature:		Date	Considered		
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in					
conformance and not cor	conformance and not considered. Include copy of this form with next communication to applicant.				

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. Applicant's unique citation designation number (optional). See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND**TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

SHEET 17 OF 19

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known				
Application Number	To Be Assigned			
Filing Date	September 4, 2015			
First Named Inventor	Stephen COMISKEY			
Art Unit	To Be Assigned			
Examiner Name	To Be Assigned			
Attorney Docket Number	SYPA-009/C02US			

		NON PATENT LITERATURE DOCUMENTS	
Examiner's Initials	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	\mathbf{T}^6
	224.	Shinozaki et al. "High proliferative activity is associated with dysplasia in ulcerative colitis" Dis. Colon Rectum 43:S34-S39 (2000)	
	225.	Sindice et al. "Guanylin, Uroguanylin, and Heat-stable Enterotoxin Activate Guanylate Cyclase C and/or a Pertussis Toxin-sensitive G Protein in Human Proximal Tubule Cells". J. Biol. Chem. 277:17758-17764 (2002)	
	226.	Spranger et al. "Inflammatory cytokines and the risk to develop Type 2 Diabetes: Results of the prospective population-based European prospective investigation into cancer and nutrition (EPIC)-Potsdam study" Diabetes, 52:812-817 (2003).	
	227	St. John's Providence Health Center; Preventing Obesity,	
	227.	http:www.stjohnprovidence.org/healthInfoLib/swArticle.aspx?85.P07863; last visited 09/25/2012 (2 pages)	
	228.	Takada et al., "Alteration of a Single Amino Acid in Peroxisome Proliferator-Activated Receptor-a (PPARa) Generates a PPARd Phenotype" Mol. Endocrinol. 14(5)":733-740 (2000)	
	229.	Talley et al. "Medical costs in community subjects with irritable bowel syndrome" Gastroenterol. 109:1736-1741 (1995)	
	230.	Thomas et al., "Cholesterol dependent downregulation of mouse and human apical sodium dependent bile acid transporter (ASBT) gene expression: molecular mechanism and physiological consequences," GUT 55:1321-1331 (2006)	
	231.	Tian et al. "STa peptide analogs for probing guanylyl cyclase C" Biopolymers (Pept. Sci). 90(5):713-723 (2008)	
	232.	Tilg et al. "Inflammatory mechanisms in the regulation of insulin resistance" Mol. Med. 14:222-231 (2008)	
	233.	Vaandrager, "Structure and function of the heat-stable enterotoxin receptor/guanylyl cyclase C," Mol. Cell. Biochem. 230:73-83 (2002)	
	234.	Venkatakrishnan et al. "Exaggerated activation of nuclear factor-B and altered I B-processing in cystic fibrosis bronchial epithelial cells. Am. J. Resp. Cell Mol. Biol. 23(3):396-403 (2000)	

Examiner Signature:		Date (Considered			
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in						
conformance and not cor	conformance and not considered. Include conv. of this form with next communication to applicant					

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. Applicant's unique citation designation number (optional). See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND**TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

SHEET 18 OF 19

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known			
Application Number	To Be Assigned		
Filing Date	September 4, 2015		
First Named Inventor	Stephen COMISKEY		
Art Unit	To Be Assigned		
Examiner Name	To Be Assigned		
Attorney Docket Number	SYPA-009/C02US		

Date Considered

		NON PATENT LITERATURE DOCUMENTS					
Examiner's Initials	Cite No. ¹						
	235.	Variyam, "Luminal bacteria and proteases together decrease adherence of Entamoeba histolytica trophozoites to Chinese hamster ovary epithelial cells: A novel host defense against an enteric pathogen," GUT 39(4):521-527 (1996)					
	236.	Veronese et al. "Bioconjugation in pharmaceutical chemistry" Farmaco, 54:497-516 (1999)					
	237.	Veronese "Peptide and protein PEGylation: a review of problems and solutions" Biomaterial, 22:405-417 (2001).					
	238.	Veronese et al. "PEGylation, successful approach to drug delivery" Drug. Disc. Today. 10(21):1451-1458 (2005).					
	239.	Waldman et al. "Heterogeneity of guanylyl cylcase C expressed by human colorectal cancer cell lines in vitro" Can. Epidemiol. Biomarkers & Prevention 7:505-514 (1998)					
	240.	Weber et al. "Activation of NF-κB in airway epithelial cells is dependent on CFTR trafficking and Cl channel function" Am. J. Physiol. Lung Cell Mol. Biol. 281(1):L71-78 (2001).					
	241.	Welsh et al. "Molecular mechanisms of CFTR chloride channel dysfunction in cystic fibrosis" Cell 73:1251-1254 (1993).					
	242.	Whitaker et al. "The uroguanulin gene (Buca1b) is linked to guanylin (Guca2) on mouse chromosome 4" Genomics 45:348-354 (2002)					
	243.	Wong et al. "Cell proliferation in gastrointestinal mucosa" J. Clin. Pathol. 52:321-333 (1999)					
	244.	Wong et al. "Histogenesis of human colorectal adenomas and hyperplastic polyps: the role of cell proliferation and crypt fission" Gut 50:212-217 (2002)					
	245.	Written Opinion of the International Searching Authority, PCT Appl. No. PCT/US2011/051805, 5 pages (June 21, 2012)					
	246.	Written Opinion of the International Searching Authority, PCT Appl. No. PCT/US2013/030551, 6 pages (June 18, 2013)					
	247.	Wu et al. "Atrial natriuretic peptide induces apoptosis in neonatal rat cardia myocytes" J. Biol. Chem. 272(23):14860-14866 (1997)					

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not

Considered. Include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. 5Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND**TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

Examiner Signature:

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

SHEET 19 OF 19

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Com	plete if Known		
Application Number	To Be Assigned		
Filing Date	September 4, 2015		
First Named Inventor	Stephen COMISKEY		
Art Unit	To Be Assigned		
Examiner Name	To Be Assigned		
Attorney Docket Number	SYPA-009/C02US		

NON PATENT LITERATURE DOCUMENTS				
Examiner's Initials	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T^6	
	248.	Zhang et al. "Gene expression profiles in normal and cancer cells" Science 276:1268-1272 (1997)		
	249.	Zimmerman et al. "Influence of local interactions on protein structure. I. Conformational energy studies of N-acetyl-N-methylamides of pro-X and X-pro dipeptides" Biopolymers, 16:811-843 (1977)		

Examiner Signature:	Date	Considered			
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in					
conformance and not considered. Include copy of this form with next communication to applicant.					

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. Applicant's unique citation designation number (optional). See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND**TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Attorney Docket No.: SYPA-009/C02US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Stephen COMISKEY et al.

Serial Number: To Be Assigned Examiner: To Be Assigned

Filing Date: September 4, 2015 Art Unit: To Be Assigned

FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND

For: METHODS OF USE

Via EFS

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

STATEMENT IN SUPPORT OF COMPUTER READABLE FORM SUBMISSION UNDER 37 C.F.R. § 1.821(f)

I hereby state that the contents of the computer readable form of the Sequence Listing, submitted in the above-identified application in accordance with 37 C.F.R. § 1.821 (e) do not include any new matter that goes beyond the disclosure of the application as filed. The Sequence Listing is supported by the specification and references incorporated therein. Therefore, no new matter is added.

Dated: **September 4, 2015** Respectfully submitted,

COOLEY LLP

COOLEY LLP

ATTN: Patent Group

1299 Pennsylvania Avenue NW, Suite 700 By:

Washington, DC 20004

/Anne E. Fleckenstein/ Anne E. Fleckenstein Reg. No. 62,951

Tel: (202) 728-7030 Fax: (202) 842-7899

SYPA_009_C02US_Sequence.txt SEQUENCE LISTING

<110>	Comiskey, Stephen Feng, Rong Foss, John
	Shailubhai, Kunwar
<120>	Formulations of Guanylate Cyclase C Agonists and Methods of Use
<130>	SYPA-009/C02US 321994-
	Continuation of US 14661299 filed concurrently herewith
<150> <151>	14661299 2015-03-18
<150>	13421769
<151>	2012-06-04
<150>	PCT/US11/051805
<151>	2011-09-15
<150>	us 61/383,156
<151>	2010-09-15
<150>	US 61/387,636
<151>	2010-09-29
150	uc (1/202 106
	US 61/392,186
<151>	2010-10-12
<160>	261

```
SYPA_009_C02US_Sequence.txt
<170> PatentIn version 3.5
<210>
<211>
        16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<400>
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu 1 5 10 15
<210> 2
<211> 15
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<400> 2
Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
<210>
        3
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<400> 3
Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys 1 \hspace{1cm} 5 \hspace{1cm} 10
<210> 4
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400>
Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu
1 10
<210>
       13
<211>
<212> PRT
                                               Page 2
```

age 2

```
SYPA_009_C02US_Sequence.txt
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
        5
<400>
Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys
1 10
<210> 6
<211> 13
<212> PRT
<213> Artificial Sequence
<220>
<223>
      Chemically Synthesized
<400> 6
Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu 1 \hspace{1cm} 10
<210> 7
<211> 12
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<400>
Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys 1 10
<210>
<211>
       16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221> MISC_FEATURE
<222>
       (16)..(16)
<223> wherein LEU is a D-amino acid
<400> 8
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
<210>
<211> 16
<212> PRT
<213> Artificial Sequence
                                            Page 3
```

```
<220>
<223> Chemically Synthesized
<220>
<221>
<222>
<223>
       MISC_FEATURE
       (1)..(1)
       wherein ASN is a D-amino acid
<220>
<221>
<222>
      MISC_FEATURE
       (16)..(16)
<223>
      wherein LEU is a D-amino acid
<400> 9
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu 10 	 15
<210>
<211>
       10
       16
<212>
       PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221>
<222>
       MISC_FEATURE
      (1)..(1)
<223> wherein ASN is a D-amino acid
<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> wherein ASP is a D-amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (16)..(16)
<223>
       wherein LEU is a D-amino acid
<400> 10
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu 10 	 15
<210>
       11
<211>
      16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221> MISC_FEATURE
<222> (1)..(1)
```

Page 4

```
SYPA_009_C02US_Sequence.txt
<223> wherein ASN is a D-amino acid
<220>
<221>
<222>
<223>
      MISC_FEATURE
       (2)..(2)
       wherein ASP is a D-amino acid
<220>
      MISC_FEATURE
<221>
<222>
      (3)..(3)
<223>
      wherein GLU is a D-amino acid
<220>
<221>
<222>
      MISC_FEATURE
      (16)..(16)
<223>
      wherein LEU is a D-amino acid
<400> 11
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu 1 5 10 15
<210>
       12
<211> 16
<212>
      PRT
<213>
      Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221> MISC_FEATURE
<222>
      (1)..(1)
<223>
       wherein ASN is a D-amino acid
<400>
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu 10 	 15
<210> 13
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221> MISC_FEATURE
<222>
      (1)..(1)
<223> wherein ASN is a D-amino acid
<220>
<221>
      MISC_FEATURE
<222>
       (6)..(6)
<223>
       wherein LEU is a D-amino acid
<220>
```

Page 5

```
SYPA_009_C02US_Sequence.txt
<221> MISC_FEATURE
<222>
      (16)..(16)
<223>
       wherein LEU is a D-amino acid
<400> 13
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu 10 \hspace{1cm} 15
<210> 14
<211> 15
<212>
      PRT
<213>
      Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400>
       14
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys
<210>
       15
<211>
      16
<212> PRT
<213> Artificial Sequence
<220>
<223>
      Chemically Synthesized
<220>
<221> MISC_FEATURE
<222>
      (1)..(1)
      wherein ASN at position 1 is attached to polyethylene glycol
<220>
<221>
<222>
       MISC_FEATURE
       (16)...(16)
<223>
       wherein LEU is a D-amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (16)...(16)
<223>
       wherein LEU at position 16 is attached to polyethylene glycol
<400>
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu
<210>
       16
<211> 16
<212>
      PRT
<213>
      Artificial Sequence
<220>
<223> Chemically Synthesized
```

Page 6

```
SYPA_009_C02US_Sequence.txt
<220>
<221>
       MISC_FEATURE
<222>
       (1)..(1)
<223>
       wherein ASN at position 1 is attached to polyethylene glycol
<220>
<221>
       MISC_FEATURE
<222>
<223>
       (1)..(1)
       wherein ASN is a D-amino acid
<220>
<221>
<222>
       MISC_FEATURE
       (16)..(16)
<223>
       wherein LEU is a D-amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (16)...(16)
<223>
       wherein LEU at position 16 is attached to polyethylene glycol
<400>
       16
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu
<210>
       17
<211>
       16
<212>
      PRT
<213>
      Artificial Sequence
<220>
<223>
       Chemically Synthesized
<220>
<221>
       MISC_FEATURE
<222>
       (1)..(1)
<223>
       wherein ASN at position 1 is attached to polyethylene glycol
<220>
<221>
       MISC_FEATURE
<222>
<223>
       (1)..(1)
       wherein ASN is a D-amino acid
<220>
<221>
       MISC_FEATURE
<222>
<223>
       (2)..(2)
       wherein ASP is a D-amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (16)..(16)
<223>
       wherein LEU is a D-amino acid
<220>
<221>
<222>
       MISC_FEATURE
       (16)...(16)
<223>
       wherein LEU at position 16 is attached to polyethylene glycol
<400>
       17
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu
                                         Page 7
```

```
SYPA_009_C02US_Sequence.txt
                  5
1
<210>
        18
       16
<211>
<212>
       PRT
<213>
       Artificial Sequence
<220>
<223>
       Chemically Synthesized
<220>
<221>
<222>
       MISC_FEATURE
        (1)..(1)
<223>
       wherein ASN is a D-amino acid
<220>
<221>
       MISC_FEATURE
<222>
        (16)..(16)
<223>
       wherein LEU at position 16 is attached to polyethylene glycol
<220>
<221>
<222>
       MISC_FEATURE
        (16)...(16)
<223>
       wherein LEU is a D-amino acid
<400>
       18
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu 10 	 15
<210>
       19
<211>
       16
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<220>
<221>
       MISC_FEATURE
<222>
<223>
       wherein ASN at position 1 is attached to polyethylene glycol
<220>
       MISC_FEATURE
<221>
<222>
        (16)...(16)
<223>
       wherein LEU is a D-amino acid
<400>
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
<210>
        20
<211>
       16
<212> PRT
<213> Artificial Sequence
```

Page 8

```
SYPA_009_C02US_Sequence.txt
<220>
<223>
       Chemically Synthesized
<220>
<221>
<222>
<223>
       MISC_FEATURE
       (1)..(1)
       wherein ASN at position 1 is attached to polyethylene glycol
<220>
<221>
       MISC_FEATURE
<222>
       (1)..(1)
<223>
       wherein ASN is a D-amino acid
<220>
<221>
       MISC_FEATURE
       (16)...(16)
<222>
<223>
       wherein LEU is a D-amino acid
<400> 20
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu 1 5 10 15
<210>
       21
<211>
       16
<212>
       PRT
<213>
       Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221>
       MISC_FEATURE
<222>
       (16)..(16)
<223>
       wherein LEU at position 16 is attached to polyethylene glycol
<220>
<221>
       MISC_FEATURE
<222>
       (16)..(16)
<223>
       wherein LEU is a D-amino acid
<400> 21
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu
<210>
       22
<211>
       16
<212>
      PRT
<213>
      Artificial Sequence
<220>
<223>
       Chemically Synthesized
<220>
<221>
       MISC_FEATURE
<222>
       (1)...(1)
<223>
       wherein ASN at position 1 is attached to polyethylene glycol
                                         Page 9
```

```
<220>
<221>
      MISC_FEATURE
<222>
<223>
       (1)..(1)
       wherein ASN is a D-amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (2)..(2)
<223>
       wherein ASP is a D-amino acid
<220>
<221>
<222>
       MISC_FEATURE
       (3)..(3)
<223>
       wherein GLU is a D-amino acid
<220>
<221>
      MISC_FEATURE
<222>
       (16)...(16)
<223>
       wherein LEU is a D-amino acid
<220>
<221>
<222>
       MISC_FEATURE
       (16)...(16)
<223>
       wherein LEU at position 16 is attached to polyethylene glycol
<400> 22
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu
10 15
<210>
      23
<211>
      16
<212>
      PRT
<213>
      Artificial Sequence
<220>
<223>
      Chemically Synthesized
<220>
<221>
       MISC_FEATURE
<222>
       (1)..(1)
<223>
       wherein ASN at position 1 is attached to polyethylene glycol
<220>
<221>
<222>
       MISC_FEATURE
       (1)...(1)
<223>
       wherein ASN is a D-amino acid
<220>
<221>
      MISC_FEATURE
<222>
       (2)..(2)
<223>
       wherein ASP is a D-amino acid
<220>
<221>
<222>
       MISC_FEATURE
       (3)..(3)
<223>
       wherein GLU is a D-amino acid
<220>
<221> MISC_FEATURE
                                         Page 10
```

```
SYPA_009_C02US_Sequence.txt
<222>
      (16)..(16)
<223>
       wherein LEU is a D-amino acid
<400>
      23
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu 1 5 10 15
<210> 24
<211>
      16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221> MISC_FEATURE
<222>
       (1)..(1)
<223>
       wherein ASN is a D-amino acid
<220>
<221>
       MISC_FEATURE
<222>
<223>
       (2)..(2)
       wherein ASP is a D-amino acid
<220>
<221>
<222>
       MISC_FEATURE
       (3)..(3)
<223>
       wherein GLU is a D-amino acid
<220>
<221> MISC_FEATURE
<222>
       (16)...(16)
<223> wherein LEU at position 16 is attached to polyethylene glycol
<220>
<221>
<222>
       MISC_FEATURE
       (16)...(16)
<223>
       wherein LEU is a D-amino acid
<400> 24
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu 1 5 10 15
<210>
<211>
       25
      16
<212>
      PRT
<213>
      Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221>
      MISC_FEATURE
      (1)...(1)
<222>
<223> wherein ASN is a D-amino acid
```

Page 11

```
SYPA_009_C02US_Sequence.txt
<220>
<221>
       MISC_FEATURE
<222>
       (2)..(2)
<223>
       wherein ASP is a D-amino acid
<220>
<221>
       MISC_FEATURE
<222>
<223>
       (16)..(16)
       wherein LEU at position 16 is attached to polyethylene glycol
<220>
<221>
<222>
       MISC_FEATURE
       (16)..(16)
<223>
       wherein LEU is a D-amino acid
<400> 25
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu 10 	 15
<210>
       26
<211>
       16
<212>
       PRT
<213>
       Artificial Sequence
<220>
<223>
      Chemically Synthesized
<220>
<221>
<222>
       MISC_FEATURE
       (1)..(1)
<223>
       wherein ASN at position 1 is attached to polyethylene glycol
<220>
<221>
       MISC_FEATURE
<222>
       (1)..(1)
<223>
       wherein ASN is a D-amino acid
<220>
<221>
<222>
<223>
       MISC_FEATURE
       (2)..(2)
       wherein ASP is a D-amino acid
<220>
<221>
       MISC_FEATURE
<222>
<223>
       (16)...(16)
       wherein LEU is a D-amino acid
<400>
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu
10 15
<210>
       27
<211>
       16
<212>
       PRT
<213>
       Artificial Sequence
<220>
<223>
       Chemically Synthesized
                                          Page 12
```

```
<220>
<221>
<222>
<223>
       MISC_FEATURE
       (1)..(1)
       wherein ASN is a D-amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (16)...(16) wherein x is 3-(2-naphthyl)alanine
<223>
<220>
<221>
<222>
       MISC_FEATURE
       (16)..(16)
<223>
       wherein x is a D-amino acid
<400> 27
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Xaa
1 5 10 15
       28
<210>
<211>
       16
<212>
       PRT
<213>
       Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221>
       MISC_FEATURE
<222>
       (1)..(1)
<223>
       wherein ASN is a D-amino acid
<220>
<221>
       MOD_RES
<222>
<223>
       (8)..(8)
       wherein the x is a 2-aminoisobutyric acid, Aib
<220>
<221>
       MOD_RES
<222>
       (10)...(10)
<223>
       wherein the x is a 2-aminoisobutyric acid, Aib
<220>
<221>
       MISC_FEATURE
<222>
       (16)..(16)
<223>
       wherein LEU is a D-amino acid
<400>
Asn Asp Glu Cys Glu Leu Cys Xaa Asn Xaa Ala Cys Thr Gly Cys Leu 1 5 10 15
<210>
       29
<211> 16
<212> PRT
<213> Artificial Sequence
```

Page 13

```
SYPA_009_C02US_Sequence.txt
<220>
<223>
       Chemically Synthesized
<220>
<221>
<222>
       MISC_FEATURE
        (1)..(1)
<223>
       wherein ASN is a D-amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (7)..(7)
<223>
       wherein ASP at position 7 is attached to a Lactam bridge
<220>
<221>
       MISC_FEATURE
       (15)...(15)
<222>
       wherein x at position 15 is ornithine
<223>
<220>
<221>
<222>
<223>
       MOD_RES
        (15)..(15)
       wherein x is an ornithine, Orn
<220>
<221>
       MISC_FEATURE
<222>
        (16)..(16)
<223>
       wherein LEU is a D-amino acid
<400>
Asn Asp Glu Cys Glu Leu Asp Val Asn Val Ala Cys Thr Gly Xaa Leu
1 10 15
<210>
        30
<211>
       16
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<220>
<221>
       MISC_FEATURE
<222>
       (1)..(1)
<223>
       wherein ASN is a D-amino acid
<220>
<221>
       MISC_FEATURE
<222>
        (16)..(16)
<223>
       wherein LEU is a D-amino acid
<400>
Asn Asp Glu Cys Glu Tyr Cys Val Asn Val Ala Cys Thr Gly Cys Leu 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
<210>
        31
<211>
       16
<212>
       PRT
```

Page 14

```
SYPA_009_C02US_Sequence.txt
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<220>
<221>
       MISC_FEATURE
<222>
       (1)...(1)
<223>
       wherein ASN is a D-amino acid
<220>
<221>
<222>
       MISC_FEATURE
       (16)..(16)
<223>
       wherein LEU is a D-amino acid
<400>
Asn Asp Glu Cys Glu Ser Cys Val Asn Val Ala Cys Thr Gly Cys Leu 1 5 10 15
<210>
       32
<211>
       16
<212> PRT
<213> Artificial Sequence
<220>
<223>
      Chemically Synthesized
<220>
<221>
       MISC_FEATURE
<222>
       (1)..(1)
       wherein ASN at position 1 is attached to polyethylene glycol
<220>
<221>
<222>
      MISC_FEATURE
       (1)..(1)
<223>
       wherein ASN is a D-amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (16)...(16)
<223>
       wherein LEU is a D-amino acid
<220>
<221>
<222>
       MISC_FEATURE
       (16)..(16)
<223>
       wherein LEU at position 16 is attached to polyethylene glycol
<400> 32
Asn Asp Glu Cys Glu Tyr Cys Val Asn Val Ala Cys Thr Gly Cys Leu

5 10 15
<210>
       33
<211>
       16
<212>
       PRT
<213>
       Artificial Sequence
<220>
                                         Page 15
```

```
SYPA_009_C02US_Sequence.txt
       Chemically Synthesized
<220>
<221>
<222>
<223>
       MISC_FEATURE
       (1)..(1)
       wherein ASN at position 1 is attached to polyethylene glycol
<220>
<221>
       MISC_FEATURE
<222>
       (1)..(1)
       wherein ASN is a D-amino acid
<223>
<220>
<221>
       MISC_FEATURE
<222>
       (16)...(16)
<223>
       wherein LEU is a D-amino acid
<400>
       33
Asn Asp Glu Cys Glu Tyr Cys Val Asn Val Ala Cys Thr Gly Cys Leu
10 15
<210>
       34
<211>
       16
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<220>
<221> MISC_FEATURE
<222>
       (1)..(1)
<223>
       wherein ASN is a D-amino acid
<220>
<221>
<222>
       MISC_FEATURE
       (16)...(16)
<223>
       wherein LEU at position 16 is attached to polyethylene glycol
<220>
<221>
       MISC_FEATURE
<222>
       (16)...(16)
<223>
       wherein LEU is a D-amino acid
<400>
Asn Asp Glu Cys Glu Tyr Cys Val Asn Val Ala Cys Thr Gly Cys Leu
<210>
       35
<211>
      16
<212>
       PRT
<213>
       Artificial Sequence
<220>
<223>
      Chemically Synthesized
```

Page 16

```
SYPA_009_C02US_Sequence.txt
<220>
<221>
       MISC_FEATURE
<222>
       (1)..(1)
<223>
       wherein ASN at position 1 is attached to polyethylene glycol
<220>
<221>
       MISC_FEATURE
<222>
<223>
       (1)..(1)
       wherein ASN is a D-amino acid
<220>
<221>
<222>
       MISC_FEATURE
       (16)..(16)
<223>
       wherein LEU is a D-amino acid
<220>
<221>
       MISC_FEATURE
<222>
        (16)...(16)
<223>
       wherein LEU at position 16 is attached to polyethylene glycol
<400>
Asn Asp Glu Cys Glu Ser Cys Val Asn Val Ala Cys Thr Gly Cys Leu 1 5 10 15
<210>
       36
<211>
       16
<212>
       PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<220>
<221>
       MISC_FEATURE
<222>
       (1)..(1)
<223>
       wherein ASN at position 1 is attached to polyethylene glycol
<220>
<221>
       MISC_FEATURE
<222>
<223>
        (1)..(1)
       wherein ASN is a D-amino acid
<220>
<221>
       MISC_FEATURE
<222>
<223>
        (16)...(16)
       wherein LEU is a D-amino acid
<400>
Asn Asp Glu Cys Glu Ser Cys Val Asn Val Ala Cys Thr Gly Cys Leu 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
<210>
        37
<211>
       16
<212>
       PRT
<213>
       Artificial Sequence
<220>
<223>
       Chemically Synthesized
                                           Page 17
```

```
<220>
<221>
<222>
<223>
       MISC_FEATURE
       (1)..(1)
       wherein ASN is a D-amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (16)..(16)
<223>
       wherein LEU at position 16 is attached to polyethylene glycol
<220>
<221>
<222>
       MISC_FEATURE
       (16)..(16)
<223>
       wherein LEU is a D-amino acid
<400> 37
Asn Asp Glu Cys Glu Ser Cys Val Asn Val Ala Cys Thr Gly Cys Leu 1 5 10 15
<210>
       38
<211>
       16
<212>
       PRT
<213>
       Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400>
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Ser
<210>
       39
<211>
       16
<212>
<213>
       PRT
       Artificial Sequence
<220>
<223>
       Chemically Synthesized
<220>
<221>
<222>
       MISC_FEATURE
       (1)...(1)
<223>
       wherein ASN at position 1 is attached to polyethylene glycol
<220>
<221>
       MISC_FEATURE
<222>
       (16)..(16)
<223>
       wherein SER at position 16 is attached to polyethylene glycol
<400>
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Ser 1 5 10 15
<210> 40
```

```
SYPA_009_C02US_Sequence.txt
<211>
      16
<212>
      PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<220>
<221>
       MISC_FEATURE
<222>
       (1)..(1)
<223>
       wherein ASN at position 1 is attached to polyethylene glycol
<400> 40
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Ser 1 \hspace{1cm} 15
<210>
       41
<211>
       16
<212>
<213>
       PRT
       Artificial Sequence
<220>
<223>
       Chemically Synthesized
<220>
<221>
       MISC_FEATURE
<222>
       (16)..(16)
<223>
       wherein SER at position 16 is attached to polyethylene glycol
<400>
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Ser 1 \hspace{1cm} 15
       42
<210>
<211>
       16
<212>
       PRT
<213>
       Artificial Sequence
<220>
<223>
       Chemically Synthesized
<220>
<221>
<222>
       MISC_FEATURE
       (1)..(1)
<223>
       wherein ASN at position 1 is attached to polyethylene glycol
<220>
<221>
       MISC_FEATURE
<222>
       (16)..(16)
<223>
       wherein SER is a D-amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (16)..(16)
       wherein SER at position 16 is attached to polyethylene glycol
                                          Page 19
```

```
SYPA_009_C02US_Sequence.txt
<400> 42
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Ser 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
<210>
        43
<211>
        16
<212>
       PRT
<213>
        Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221>
        MISC_FEATURE
        (1)..(1)
<222>
        wherein ASN at position 1 is attached to polyethylene glycol
<220>
<221>
<222>
        MISC_FEATURE
        (16)..(16)
<223>
        wherein SER is a D-amino acid
<400> 43
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Ser 1 5 10 15
<210>
        44
<211>
       16
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<220>
<221>
<222>
<223>
        MISC_FEATURE
        (16)..(16)
        wherein SER at position 16 is attached to polyethylene glycol
<220>
<221>
        MISC_FEATURE
<222>
<223>
        (16)...(16)
        wherein SER is a D-amino acid
<400>
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Ser 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
<210>
        45
<211>
        16
<212>
        PRT
<213>
       Artificial Sequence
<220>
<223>
       Chemically Synthesized
                                              Page 20
```

```
<220>
<221>
<222>
        MISC_FEATURE
        (5)..(6)
        wherein x is any natural, or unnatural amino acid or amino acid analogue, and may be an L-amino acid, or a D-amino acid, or a
<223>
        methylated or an unmethylated amino acid
<220>
<221>
        MISC_FEATURE
<222>
        (8)..(11)
        wherein x is any natural, or unnatural amino acid or amino acid analogue, and may be an L-amino acid, or a D-amino acid, or a
<223>
        methylated or an unmethylated amino acid
<220>
<221>
        MISC_FEATURE
<222>
        (13)..(14)
<223>
        wherein x is any natural, or unnatural amino acid or amino acid
        analogue, and may be an L-amino acid, or a D-amino acid, or a
        methylated or an unmethylated amino acid
<220>
<221>
        MISC_FEATURE
<222>
        (16)..(16)
<223>
        wherein x is any natural, or unnatural amino acid or amino acid
        analogue, and may be an L-amino acid, or a D-amino acid, or a
        methylated or an unmethylated amino acid
<400>
        45
Asn Asp Glu Cys Xaa Xaa Cys Xaa Xaa Xaa Xaa Cys Xaa Xaa Cys Xaa
                                            10
<210>
        46
<211>
        16
<212>
        PRT
<213>
        Artificial Sequence
<220>
<223>
        Chemically Synthesized
<220>
<221>
        MISC_FEATURE
<222>
        (1)..(1)
        wherein x is any natural, or unnatural amino acid or amino acid analogue and may be an L-amino acid, or a D-amino acid, or a
<223>
        methylated or an unmethylated amino acid
<220>
<221>
        MISC_FEATURE
<222>
        (2)..(2)
        wherein x is any natural, or unnatural amino acid or amino acid analogue that is zero or one residue in length and may be an
<223>
        L-amino acid, or a D-amino acid, or a methylated or an
        unmethylated amino acid
<220>
<221>
        MISC_FEATURE
<222>
        (3)..(3)
```

Page 21

SYPA_009_C02US_Sequence.txt <223> wherein x is any natural, or unnatural amino acid or amino acid analogue that is zero or one residue in length and may be an L-amino acid, or a D-amino acid, or a methylated or an unmethylated amino acid <220> <221> MISC_FEATURE <222> (5)..(6)<223> wherein x is any natural, or unnatural amino acid, or amino acid analogue and may be an L-amino acid, or a D-amino acid, or a methylated or an unmethylated amino acid <220> <221> MISC_FEATURE <222> (8)..(11)<223> wherein x is any natural, or unnatural amino acid, or amino acid analogue and may be an L-amino acid, or a D-amino acid, or a methylated or an unmethylated amino acid <220> <221> MISC_FEATURE <222> (13)..(14)<223> wherein x is any natural, or unnatural amino acid, or amino acid analogue and may be an L-amino acid, or a D-amino acid, or a methylated or an unmethylated amino acid <220> <221> MISC_FEATURE <222> (16)..(16)wherein x is any natural, or unnatural amino acid, or amino acid analogue that is zero or one residue in length and may be an <223> L-amino acid, or a D-amino acid, or a methylated or an unmethylated amino acid <400> 46 Xaa Xaa Xaa Cys Xaa Xaa Cys Xaa Xaa Xaa Cys Xaa Xaa Cys Xaa 47 <210> <211> 16 <212> PRT Artificial Sequence <213> <220> <223> Chemically Synthesized <220> <221> MISC_FEATURE <222> (1)..(1)<223> wherein x is any natural, or unnatural amino acid or amino acid analogue and may be an L-amino acid, or a D-amino acid, or a methylated or an unmethylated amino acid <220> <221> MISC_FEATURE <222> (2)..(2)<223> wherein x is any natural, or unnatural amino acid or amino acid analogue that is zero or one residue in length and may be an L-amino acid, or a D-amino acid, or a methylated or an unmethylated amino acid

```
<220>
<221>
       MISC_FEATURE
<222>
       (3)..(3)
       wherein x is any natural, or unnatural amino acid or amino acid analogue that is zero or one residue in length and may be an
<223>
       L-amino acid, or a D-amino acid, or a methylated or an
       unmethylated amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (4)..(4)
<223>
       wherein x is a cysteine, penicillamine homocysteine, or
       3-mercaptoproline
<220>
<221>
       MISC_FEATURE
<222>
       (6)..(6)
<223>
       wherein x is any natural, or unnatural amino acid, or amino acid
       analogue and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (7)..(7)
       wherein x is a cysteine, penicillamine homocysteine, or
<223>
       3-mercaptoproline
<220>
<221>
<222>
       MISC_FEATURE
       (12)..(12)
<223>
       wherein x is a cysteine, penicillamine homocysteine, or
       3-mercaptoproline
<220>
<221>
       MISC_FEATURE
<222>
       (15)..(15)
<223>
       wherein x is a cysteine, penicillamine homocysteine, or
       3-mercaptoproline
<220>
<221>
       MISC_FEATURE
<222>
       (16)..(16)
<223>
       wherein x is any natural, or unnatural amino acid or amino acid
       analogue that is zero or one residue in length and may be an
       L-amino acid, or a D-amino acid, or a methylated or an
       unmethylated amino acid
<400>
       47
Xaa Xaa Xaa Glu Xaa Xaa Val Asn Val Ala Xaa Thr Gly Xaa Xaa
                                                             15
<210>
       48
<211>
       16
<212>
       PRT
<213>
       Artificial Sequence
<220>
<223>
       Chemically Synthesized
```

```
<220>
<221>
       MISC_FEATURE
<222>
       (1)..(1)
       wherein x is any natural, or unnatural amino acid or amino acid analogue and may be an L-amino acid, or a D-amino acid, or a
<223>
       methylated or an unmethylated amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (2)..(2)
<223>
       wherein x is any natural, or unnatural amino acid or amino acid
       analogue that is zero or one residue in length and may be an
       L-amino acid, or a D-amino acid, or a methylated or an
       unmethylated amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (3)..(3)
<223>
       wherein x is any natural, or unnatural amino acid or amino acid
       analogue that is zero or one residue in length and may be an
       L-amino acid, or a D-amino acid, or a methylated or an
       unmethylated amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (4)..(4)
<223>
       wherein x is a cysteine, penicillamine homocysteine, or
       3-mercaptoproline
<220>
       MISC_FEATURE
<221>
<222>
       (5)..(6)
<223>
       wherein x is any natural, or unnatural amino acid or amino acid
       analogue and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<220>
       MISC_FEATURE
<221>
<222>
       (7)..(7)
<223>
       wherein x is a cysteine, penicillamine homocysteine, or
       3-mercaptoproline
<220>
<221>
       MISC_FEATURE
<222>
       (8)..(11)
       wherein x is any natural, or unnatural amino acid or amino acid
<223>
       analogue and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (12)..(12)
<223>
       wherein x is a cysteine, penicillamine homocysteine, or
       3-mercaptoproline
<220>
<221>
<222>
       MISC_FEATURE
       (13)..(14)
<223>
       wherein x is any natural, or unnatural amino acid or amino acid
       analogue and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<220>
```

```
SYPA_009_C02US_Sequence.txt
<221>
      MISC_FEATURE
       (15)..(15)
<222>
<223>
       wherein x is a cysteine, penicillamine homocysteine, or
       3-mercaptoproline
<220>
<221>
       MISC_FEATURE
       (16)..(16)
<222>
<223>
       wherein x is any natural, or unnatural amino acid, or amino acid
       analogue that is zero or one residue in length and may be an
       L-amino acid, or a D-amino acid, or a methylated or an
       unmethylated amino acid
<400>
      48
<210>
       49
<211>
       16
<212>
       PRT
<213>
      Artificial Sequence
<220>
<223>
      Chemically Synthesized
<220>
<221>
       MISC_FEATURE
<222>
       (5)..(6)
       wherein x is any natural, or unnatural amino acid or amino acid analogue and may be an L-amino acid, or a D-amino acid, or a
<223>
       methylated or an unmethylated amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (8)..(8)
<223>
       wherein x is any natural, or unnatural amino acid or amino acid
       analogue and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (10)..(11)
<223>
       wherein x is any natural, or unnatural amino acid or amino acid
       analogue and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (13)..(14)
<223>
       wherein x is any natural, or unnatural amino acid or amino acid
       analogue and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<220>
<221>
<222>
       MISC_FEATURE
       (16)..(16)
<223>
       wherein x is any natural, or unnatural amino acid or amino acid
       analogue and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
```

Page 26

<210><211>

16

```
SYPA_009_C02US_Sequence.txt
<212>
<213>
       Artificial Sequence
<220>
<223>
      Chemically Synthesized
<220>
<221>
       MISC_FEATURE
<222>
       (1)...(1)
<223>
       wherein ASN is a D-amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (2)..(2)
<223>
       wherein GLU is a D-amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (5)..(6)
<223>
       wherein x is any natural, or unnatural amino acid, or amino acid
       analogue and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (8)..(8)
<223>
       wherein x is any natural, or unnatural amino acid, or amino acid
       analogue and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (10)..(11)
<223>
       wherein x is any natural, or unnatural amino acid, or amino acid
       analogue and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<220>
<221>
<222>
       MISC_FEATURE
       (13)...(14)
<223>
       wherein x is any natural, or unnatural amino acid, or amino acid
       analogue and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (16)..(16)
       wherein x is any natural, or unnatural amino acid, or amino acid analogue and may be an L-amino acid, or a D-amino acid, or a
<223>
       methylated or an unmethylated amino acid
<400>
Asn Glu Asp Cys Xaa Xaa Cys Xaa Asn Xaa Xaa Cys Xaa Xaa Cys Xaa
<210>
       52
<211>
       16
<212>
      PRT
<213> Artificial Sequence
```

```
SYPA_009_C02US_Sequence.txt
<220>
<223>
       Chemically Synthesized
<220>
<221>
<222>
       MISC_FEATURE
       (1)..(1)
<223>
       wherein ASN is a D-amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (2)..(2)
<223>
       wherein ASP is a D-amino acid
<220>
<221>
       MISC_FEATURE
       (5)..(6)
<222>
<223>
       wherein x is any natural, or unnatural amino acid, or amino acid
       analogue and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (8)..(8)
<223>
       wherein x is any natural, or unnatural amino acid, or amino acid
       analogue and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<220>
<221>
<222>
       MISC_FEATURE
       (10)..(11)
<223>
       wherein x is any natural, or unnatural amino acid, or amino acid analogue and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (13)..(14)
<223>
       wherein x is any natural, or unnatural amino acid, or amino acid
       analogue and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (16)...(16)
<223>
       wherein x is any natural, or unnatural amino acid, or amino acid
       analogue and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<400>
       52
Asn Asp Glu Cys Xaa Xaa Cys Xaa Asn Xaa Cys Xaa Xaa Cys Xaa 10 15
<210>
       53
<211>
       16
<212>
<213>
       Artificial Sequence
<220>
<223>
       Chemically Synthesized
```

```
<220>
<221>
      MISC_FEATURE
<222>
<223>
       (1)..(1)
       wherein ASN is a D-amino acid
<220>
<221>
      MISC_FEATURE
       (2)..(2)
<222>
<223>
       wherein ASP is a D-amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (3)..(3)
<223>
       wherein GLU is a D-amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (5)..(6)
<223>
       wherein x is any natural, or unnatural amino acid, or amino acid
       analogue and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (8)..(8)
<223>
       wherein x is any natural, or unnatural amino acid, or amino acid
       analogue and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<220>
<221>
<222>
       MISC_FEATURE
       (10)..(11)
<223>
       wherein x is any natural, or unnatural amino acid, or amino acid
       analogue and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (13)..(14)
<223>
       wherein x is any natural, or unnatural amino acid, or amino acid
       analogue and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (16)..(16)
<223>
       wherein x is any natural, or unnatural amino acid, or amino acid
       analogue and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<400>
       53
Asn Asp Glu Cys Xaa Xaa Cys Xaa Tyr Xaa Xaa Cys Xaa Xaa Cys Xaa 1 10 15
<210>
       54
<211>
       16
<212>
       PRT
<213>
      Artificial Sequence
<220>
```

```
SYPA_009_C02US_Sequence.txt
<223>
       Chemically Synthesized
<220>
<221>
       MISC_FEATURE
<222>
       (1)..(1)
<223>
       wherein ASN is a D-amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (2)..(2)
<223>
       wherein GLU is a D-amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (3)..(3)
<223>
       wherein GLU is a D-amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (5)..(6)
<223>
       wherein x is any natural, or unnatural amino acid, or amino acid
       analogue and may be an L-amino acid, or a D-amino acid, a
       methylated or an unmethylated amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (8)..(8)
<223>
       wherein x is any natural, or unnatural amino acid, or amino acid
       analogue and may be an L-amino acid, or a D-amino acid, a
       methylated or an unmethylated amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (10)..(11)
<223>
       wherein x is any natural, or unnatural amino acid, or amino acid
       analogue and may be an L-amino acid, or a D-amino acid, a
       methylated or an unmethylated amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (13)..(14)
<223>
       wherein x is any natural, or unnatural amino acid, or amino acid
       analogue and may be an L-amino acid, or a D-amino acid, a
       methylated or an unmethylated amino acid
<220>
<221>
<222>
       MISC_FEATURE
       (16)..(16)
       wherein x is any natural, or unnatural amino acid, or amino acid analogue and may be an L-amino acid, or a D-amino acid, a
<223>
       methylated or an unmethylated amino acid
<400>
       54
Asn Glu Glu Cys Xaa Xaa Cys Xaa Tyr Xaa Xaa Cys Xaa Xaa Cys Xaa 1 10 15
<210>
       55
<211>
       14
<212>
       PRT
<213>
      Artificial Sequence
                                         Page 30
```

```
SYPA_009_C02US_Sequence.txt
<220>
<223>
       Chemically Synthesized
<400>
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr 1 5 10
<210>
       56
<211> 13
<212>
      PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400>
       56
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 10
<210>
       57
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> wherein CYS at position 1 is attached to polyethylene glycol
<220>
<221>
<222>
       MISC_FEATURE
       (14)..(14)
<223>
       wherein TYR at position 14 is attached to polyethylene glycol
<400> 57
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
<210>
<211>
       58
      16
<212> PRT
<213>
      Artificial Sequence
<220>
```

<223>

<400>

58

Chemically Synthesized

Page 31

Asn Phe Cys Cys Glu Ser Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$

```
SYPA_009_C02US_Sequence.txt
<210> 59
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<400>
       59
Asn Phe Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr 1 10 15
<210>
       60
<211>
      14
<212> PRT
<213> Artificial Sequence
<220>
<223>
      Chemically Synthesized
<220>
<221>
       MISC_FEATURE
<222>
<223>
       (14)..(14)
       wherein TYR is a D-amino acid
<400> 60
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr 1 10
<210> 61
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221>
       MISC_FEATURE
<222>
       (1)...(1)
<223>
       wherein CYS at position 1 is attached to polyethylene glycol
<400>
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr 10
<210>
       62
<211> 16
<212>
<213>
      PRT
      Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400>
       62
                                        Page 32
```

SYPA_009_C02US_Sequence.txt Asn Phe Cys Cys Glu Thr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$ <210> 63 <211> 16 <212> PRT <213> Artificial Sequence <220> <223> Chemically Synthesized <220> <221> <222> MISC_FEATURE (16)..(16)wherein TYR is a D-amino acid <400> 63 Asn Phe Cys Cys Glu Ser Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$ <210> 64 <211> 16 <212> PRT <213> Artificial Sequence <220> <223> Chemically Synthesized <220> <221> MISC_FEATURE <222> (1)..(1)<223> wherein ASN is a D-amino acid <400> Asn Phe Cys Cys Glu Ser Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$ <210> 65 <211> 16 <212> PRT <213> Artificial Sequence <220> <223> Chemically Synthesized <220> <221> MISC_FEATURE <222> (1)..(1) <223> wherein ASN wherein ASN is a D-amino acid

<220> <221>

<222>

<223>

MISC_FEATURE

wherein TYR is a D-amino acid

(16)..(16)

```
<400> 65
Asn Phe Cys Cys Glu Ser Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr 1 \hspace{1cm} 10 \hspace{1cm} 15
<210>
        66
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221> MISC_FEATURE
<222>
       (16)..(16)
<223>
        wherein TYR is a D-amino acid
<400> 66
Asn Phe Cys Cys Glu Thr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
<210> 67
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221> MISC_FEATURE <222> (1)..(1)
<223>
        wherein ASN is a D-amino acid
<400> 67
Asn Phe Cys Cys Glu Thr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
<210>
        68
<211>
        16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221>
<222>
<223>
       MISC_FEATURE
        (1)..(1)
        wherein ASN is a D-amino acid
<220>
<221> MISC_FEATURE
```

```
SYPA_009_C02US_Sequence.txt
<222>
       (16)...(16)
        wherein TYR is a D-amino acid
<400>
       68
Asn Phe Cys Cys Glu Thr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr 1 5 10 15
<210> 69
<211>
       16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221> MISC_FEATURE
<222>
<223>
        (16)..(16)
        wherein TYR is a D-amino acid
<400> 69
Asn Phe Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
<210>
        70
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221>
<222>
       MISC_FEATURE
        (1)..(1)
<223>
        wherein ASN is a D-amino acid
<400> 70
Asn Phe Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
<210> 71
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> wherein ASN is a D-amino acid
```

Page 35

```
SYPA_009_C02US_Sequence.txt
<220>
       MISC_FEATURE
<221>
<222>
        (16)...(16)
       wherein TYR is a D-amino acid
<400> 71
Asn Phe Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
<210>
        72
<211>
<212>
       14
       PRT
<213>
       Artificial Sequence
<220>
<223>
       Chemically Synthesized
<220>
<221>
<222>
       MISC_FEATURE
        (14)..(14)
<223>
        wherein TYR at position 14 is attached to polyethylene glycol
<400> 72
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr 10
<210>
<211>
       13
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<220>
<221>
<222>
<223>
        MISC_FEATURE
        (1)..(1)
        wherein CYS at position 1 is attached to polyethylene glycol
<220>
<221>
        MISC_FEATURE
<222>
<223>
        (13)..(13)
        wherein CYS at position 13 is attached to polyethylene glycol
<400>
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys 1 	 10
<210>
        74
        13
<211>
<212>
        PRT
<213>
       Artificial Sequence
<220>
<223>
       Chemically Synthesized
                                            Page 36
```

```
<220>
<221>
<222>
      MISC_FEATURE
       (1)..(1)
<223>
       wherein CYS at position 1 is attached to polyethylene glycol
<400> 74
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys
<210>
       75
<211>
      13
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221>
       MISC_FEATURE
<222>
       (13)..(13)
<223>
       wherein CYS at position 13 is attached to polyethylene glycol
<400> 75
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 10
<210>
       76
<211>
     16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221>
       MISC_FEATURE
<222>
<223>
       wherein ASN at position 1 is attached to polyethylene glycol
<220>
       MISC_FEATURE
<221>
<222>
       (16)...(16)
<223>
       wherein TYR at position 16 is attached to polyethylene glycol
<400>
Asn Phe Cys Cys Glu Ser Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
<210>
       77
<211> 16
<212> PRT
<213> Artificial Sequence
```

Page 37

```
SYPA_009_C02US_Sequence.txt
<220>
<223>
        Chemically Synthesized
<220>
<221>
<222>
        MISC_FEATURE
        (1)..(1)
<223>
        wherein ASN at position 1 is attached to polyethylene glycol
<400> 77
Asn Phe Cys Cys Glu Ser Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
<210>
        78
<211>
       16
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<220>
<221>
        MISC_FEATURE
<222>
        (16)..(16)
<223>
        wherein TYR at position 16 is attached to polyethylene glycol
<400>
Asn Phe Cys Cys Glu Ser Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
<210>
       79
<211>
       16
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<220>
<221>
        MISC_FEATURE
<222>
        (1)..(1)
<223>
        wherein ASN at position 1 is attached to polyethylene glycol
<220>
<221>
        MISC_FEATURE
<222>
        (16)..(16)
<223>
        wherein TYR at position 16 is attached to polyethylene glycol
<400>
Asn Phe Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
<210>
        80
<211>
        16
<212>
       PRT
```

Page 38

```
SYPA_009_C02US_Sequence.txt
<213>
       Artificial Sequence
<220>
<223>
       Chemically Synthesized
<220>
<221>
        MISC_FEATURE
<222>
        (1)...(1)
<223>
        wherein ASN at position 1 is attached to polyethylene glycol
<400>
        80
Asn Phe Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
<210>
        81
<211>
       16
<212>
       PRT
<213>
       Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221>
        MISC_FEATURE
<222>
        (16)..(16)
<223>
        wherein TYR at position 16 is attached to polyethylene glycol
<400>
Asn Phe Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
<210>
        82
<211>
       16
<212>
<213>
       PRT
       Artificial Sequence
<220>
<223>
       Chemically Synthesized
<220>
<221>
<222>
       MISC_FEATURE
        (1)...(1)
<223>
        wherein ASN at position 1 is attached to polyethylene glycol
<220>
<221>
       MISC_FEATURE
<222>
        (16)..(16)
<223>
        wherein TYR at position 16 is attached to polyethylene glycol
<400>
Asn Phe Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
<210>
       83
                                            Page 39
```

```
SYPA_009_C02US_Sequence.txt
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
        MISC_FEATURE
<221>
<222>
        (1)..(1)
        wherein ASN at position 1 is attached to polyethylene glycol
<223>
<400> 83
Asn Phe Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
<210>
        84
<211>
<212>
<213>
        16
        PRT
       Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221>
<222>
        MISC_FEATURE
        (16)..(16)
<223>
        wherein TYR at position 16 is attached to polyethylene glycol
<400>
Asn Phe Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
        85
<210>
<211>
       14
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400> 85
Cys Cys Glu Ser Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
<210>
        86
<211>
       14
<212>
       PRT
<213>
       Artificial Sequence
<220>
<223>
        Chemically Synthesized
<400>
        86
```

Page 40

```
SYPA_009_C02US_Sequence.txt
Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr 1 5 10
<210>
       87
<211>
       13
<212> PRT
<213>
       Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400>
Cys Cys Glu Ser Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 10
<210>
       88
<211>
      13
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400> 88
Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys
<210>
       89
<211>
       14
<212> PRT
<213> Artificial Sequence
<220>
<223>
      Chemically Synthesized
<220>
<221>
<222>
       MISC_FEATURE
       (1)..(2)
<223>
       wherein x is penicillamine
<220>
<221>
<222>
       MISC_FEATURE
       (5)..(6)
<223>
       wherein x is penicillamine
<220>
<221> MISC_FEATURE
<222>
       (10)..(10)
<223>
       wherein x is penicillamine
<220>
<221>
<222>
       MISC_FEATURE
       (13)..(13)
<223>
       wherein x is penicillamine
<400> 89
```

Page 41

```
SYPA_009_C02US_Sequence.txt
Xaa Xaa Glu Tyr Xaa Xaa Asn Pro Ala Xaa Thr Gly Xaa Tyr
<210>
       90
       13
<211>
<212>
       PRT
<213>
       Artificial Sequence
<220>
<223>
      Chemically Synthesized
<220>
<221>
       MISC_FEATURE
<222>
       (1)..(2)
       wherein x is penicillamine
<223>
<220>
<221>
      MISC_FEATURE
<222>
       (5)..(6)
<223>
       wherein x is penicillamine
<220>
<221>
       MISC_FEATURE
<222>
       (10)..(10)
<223>
       wherein x is penicillamine
<220>
<221>
       MISC_FEATURE
<222>
       (13)..(13)
<223>
       wherein x is penicillamine
<400>
Xaa Xaa Glu Tyr Xaa Xaa Asn Pro Ala Xaa Thr Gly Xaa
1 10
<210>
       91
       22
<211>
<212>
      PRT
<213>
      Artificial Sequence
<220>
<223>
       Chemically Synthesized
<220>
<221>
       MISC_FEATURE
<222>
       (1)..(6)
<223>
       wherein x is any natural, or unnatural amino acid or amino acid
       analogue and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<220>
<221>
<222>
       MISC_FEATURE
       (11)...(11)
<223>
       wherein x is any natural, or unnatural amino acid or amino acid
       analogue and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<220>
                                        Page 42
```

SYPA_009_C02US_Sequence.txt MISC_FEATURE <221> <222> (15)..(17)<223> wherein x is any natural, or unnatural amino acid or amino acid analogue and may be an L-amino acid, or a D-amino acid, or a methylated or an unmethylated amino acid <220> <221> MISC_FEATURE <222> (19)..(20)<223> wherein x is any natural, or unnatural amino acid or amino acid analogue and may be an L-amino acid, or a D-amino acid, or a methylated or an unmethylated amino acid <220> <221> MISC_FEATURE (22)..(22) <222> <223> wherein x is any natural, or unnatural amino acid or amino acid analogue and may be an L-amino acid, or a D-amino acid, or a methylated or an unmethylated amino acid <400> 91 Xaa Xaa Xaa Xaa Xaa Asn Tyr Cys Cys Xaa Tyr Cys Cys Xaa Xaa 1 5 10 15 Xaa Cys Xaa Xaa Cys Xaa <210> 92 22 <211> <212> PRT <213> Artificial Sequence <220> <223> Chemically Synthesized <220> <221> MISC_FEATURE <222> (1)..(6)<223> wherein x is any natural, or unnatural amino acid or amino acid analogue and may be an L-amino acid, or a D-amino acid, or a methylated or an unmethylated amino acid <220> <221> <222> MISC_FEATURE (11)..(11)wherein x is any natural, or unnatural amino acid or amino acid analogue and may be an L-amino acid, or a D-amino acid, or a <223> methylated or an unmethylated amino acid <220> <221> MISC_FEATURE

<221> MISC_FEATURE <222> (19)..(20)

(15)..(17)

<222>

<223>

<220>

wherein x is any natural, or unnatural amino acid or amino acid analogue and may be an L-amino acid, or a D-amino acid, or a methylated or an unmethylated amino acid

```
SYPA_009_C02US_Sequence.txt
<223>
       wherein x is any natural, or unnatural amino acid or amino acid
       analogue and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<220>
<221>
       MISC_FEATURE (22)..(22)
<222>
<223>
       wherein x is any natural, or unnatural amino acid or amino acid
       analogue and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<400>
       92
Xaa Xaa Xaa Xaa Xaa Asn Phe Cys Cys Xaa Phe Cys Cys Xaa Xaa 1 5 10 15
Xaa Cys Xaa Xaa Cys Xaa
            20
<210>
       93
<211>
       16
<212>
       PRT
<213>
       Artificial Sequence
<220>
<223>
      Chemically Synthesized
<220>
<221>
<222>
       MISC_FEATURE
       (5)..(5)
<223>
       wherein x is any natural, or unnatural amino acid or amino acid
       analogue and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (9)..(11)
<223>
       wherein x is any natural, or unnatural amino acid or amino acid
       analogue and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (13)..(14)
<223>
       wherein x is any natural, or unnatural amino acid or amino acid
       analogue and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (16)..(16)
<223>
       wherein x is any natural, or unnatural amino acid or amino acid
       analogue and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<400>
Asn Phe Cys Cys Xaa Phe Cys Cys Xaa Xaa Cys Xaa Xaa Cys Xaa 1 10 15
```

```
<210>
       94
<211>
       16
<212>
      PRT
<213>
      Artificial Sequence
<220>
<223>
       Chemically Synthesized
<220>
<221>
       MISC_FEATURE
<222>
       (3)..(3)
<223>
       wherein x is penicillamine
<220>
<221>
       MISC_FEATURE
<222>
       (5)..(5)
<223>
       wherein x is any natural, or unnatural amino acid or amino acid
       analogue and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (8)..(8)
<223>
       wherein x is penicillamine
<220>
<221>
       MISC_FEATURE
<222>
       (9)..(11)
<223>
       wherein x is any natural, or unnatural amino acid or amino acid
       analogue and may be an L-amino acid, or a D-amino acid, or a methylated or an unmethylated amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (13)..(14)
       wherein x is any natural, or unnatural amino acid or amino acid
<223>
       analogue and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (16)..(16)
<223>
       wherein x is any natural, or unnatural amino acid or amino acid
       analogue and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<400>
Asn Phe Xaa Cys Xaa Phe Cys Xaa Xaa Xaa Cys Xaa Xaa Cys Xaa
<210>
       95
<211>
       16
<212>
       PRT
<213>
       Artificial Sequence
<220>
<223>
      Chemically Synthesized
```

```
SYPA_009_C02US_Sequence.txt
<220>
<221>
       MISC_FEATURE
<222>
       (3)..(4)
<223>
       wherein x is a cysteine, penicillamine homocysteine, or
       3-mercaptoproline
<220>
<221>
       MISC_FEATURE
<222>
       (5)..(6)
<223>
       wherein x is any natural, or unnatural amino acid or amino acid
       analogue and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (7)..(8)
       wherein x is a cysteine, penicillamine homocysteine, or
<223>
       3-mercaptoproline
<220>
<221>
       MISC_FEATURE
<222>
<223>
       (9)..(11)
       wherein x is any natural, or unnatural amino acid or amino acid analogue and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (12)..(12)
       wherein x is a cysteine, penicillamine homocysteine, or
<223>
       3-mercaptoproline
<220>
<221>
       MISC_FEATURE
<222>
       (13)..(14)
<223>
       wherein x is any natural, or unnatural amino acid or amino acid
       analogue and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (15)..(15)
       wherein x is a cysteine, penicillamine homocysteine, or
<223>
       3-mercaptoproline
<220>
<221>
       MISC_FEATURE
<222>
       (16)..(16)
       wherein x is any natural, or unnatural amino acid or amino acid
<223>
       analogue and may be an L-amino acid, or a D-amino acid, or a methylated or an unmethylated amino acid
<400>
15
                 5
                                      10
<210>
       96
<211>
       14
<212>
      PRT
<213> Artificial Sequence
```

Page 46

```
SYPA_009_C02US_Sequence.txt
<220>
<223>
       Chemically Synthesized
<220>
<221>
<222>
       MISC_FEATURE
       (1)..(2)
       wherein x is a cysteine, penicillamine homocysteine, or
<223>
       3-mercaptoproline
<220>
<221>
       MISC_FEATURE
<222>
       (4)..(4)
       wherein x is any natural, or unnatural amino acid or amino acid analogue and may be an L-amino acid, or a D-amino acid, or a
<223>
       methylated or an unmethylated amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (5)..(6)
<223>
       wherein x is a cysteine, penicillamine homocysteine, or
       3-mercaptoproline
<220>
<221>
       MISC_FEATURE
<222>
       (10)..(10)
<223>
       wherein x is a cysteine, penicillamine homocysteine, or
       3-mercaptoproline
<220>
       MISC_FEATURE
<221>
<222>
       (13)..(13)
<223>
       wherein x is a cysteine, penicillamine homocysteine, or
       3-mercaptoproline
<400>
       96
Xaa Xaa Glu Xaa Xaa Xaa Asn Pro Ala Xaa Thr Gly Xaa Tyr
<210>
       97
<211>
       13
<212>
       PRT
<213>
       Artificial Sequence
<220>
<223>
       Chemically Synthesized
<220>
<221>
       MISC_FEATURE
<222>
       (1)..(2)
<223>
       wherein x is a cysteine, or penicillamine, homocysteine, or
       3-mercaptoproline
<220>
<221>
<222>
       MISC_FEATURE
       (4)..(4)
<223>
       wherein x is any natural, or unnatural amino acid or amino acid
       analogue and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
```

```
SYPA_009_C02US_Sequence.txt
<220>
<221>
      MISC_FEATURE
<222>
       (5)..(6)
<223>
       wherein x is a cysteine, or penicillamine, homocysteine, or
       3-mercaptoproline
<220>
       MISC_FEATURE
<221>
<222>
       (10)..(10)
<223>
       wherein x is a cysteine, or penicillamine, homocysteine, or
       3-mercaptoproline
<220>
<221>
       MISC_FEATURE
<222>
       (13)..(13)
       wherein x is a cysteine, or penicillamine, homocysteine, or
<223>
       3-mercaptoproline
<400>
       97
Xaa Xaa Glu Xaa Xaa Xaa Asn Pro Ala Xaa Thr Gly Xaa
<210>
       98
<211>
       20
<212>
      PRT
<213>
      Artificial Sequence
<220>
<223>
       Chemically Synthesized
<220>
<221>
       MISC_FEATURE
<222>
       (1)..(1)
<223>
       wherein x is any natural, or unnatural amino acid or amino acid
       analogue, and may be zero or one residue in length, and may be
       an L-amino acid, or a D-amino acid, or a methylated or an
       unmethylated amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (2)..(2)
<223>
       wherein x is any natural, or unnatural amino acid or amino acid
       analogue, and may be zero or one residue in length, and may be
       an L-amino acid, or a D-amino acid, or a methylated or an
       unmethylated amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (3)..(3)
<223>
       wherein x is any natural, or unnatural amino acid or amino acid
       analogue, and may be zero or one residue in length, and may be
       an L-amino acid, or a D-amino acid, or a methylated or an
       unmethylated amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (4)..(4)
<223>
       wherein x is any natural, or unnatural amino acid or amino acid
       analogue, and may be zero or one residue in length, and may be
       an L-amino acid, or a D-amino acid, or a methylated or an
                                       Page 48
```

unmethylated amino acid

```
<220>
<221>
<222>
       MISC_FEATURE
       (5)..(5)
<223>
       wherein x is any natural, or unnatural amino acid or amino acid
       analogue, and may be zero or one residue in length, and may be
       an L-amino acid, or a D-amino acid, or a methylated or an
       unmethylated amino acid
<220>
<221>
<222>
       MISC_FEATURE
       (6)..(6)
<223>
       wherein x is any natural, or unnatural amino acid or amino acid
       analogue, and may be zero or one residue in length, and may be
       an L-amino acid, or a D-amino acid, or a methylated or an
       unmethylated amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (7)..(8)
       wherein x is a cysteine, penicillamine homocysteine, or
<223>
       3-mercaptoproline
<220>
<221>
       MISC_FEATURE
<222>
       (9)..(10)
<223>
       wherein x is any natural, or unnatural amino acid or amino acid
       analogue and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (11)..(12)
<223>
       wherein x is a cysteine, penicillamine homocysteine, or
       3-mercaptoproline
<220>
<221>
       MISC_FEATURE
<222>
       (13)..(15)
<223>
       wherein x is any natural, or unnatural amino acid or amino acid
       analogue and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (16)..(16)
       wherein x is a cysteine, penicillamine homocysteine, or
<223>
       3-mercaptoproline
<220>
<221>
       MISC_FEATURE
<222>
       (17)..(18)
<223>
       wherein x is any natural, or unnatural amino acid or amino acid
       analogue and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (19)..(19)
       wherein x is a cysteine, penicillamine homocysteine, or
<223>
       3-mercaptoproline
```

```
SYPA_009_C02US_Sequence.txt
<220>
<221>
       MISC_FEATURE
<222>
       (20)..(20)
       wherein x is any natural, or unnatural amino acid or amino acid analogue, and may be zero or one residue in length, and may be an
<223>
       L-amino acid, or a D-amino acid, or a methylated or an unmethylated amino acid
<400>
Xaa Xaa Xaa Xaa
<210>
       99
<211>
      16
<212>
      PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<220>
<221>
       MISC_FEATURE
<222>
       (1)..(1)
       wherein ASN is a D-amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (16)..(16)
<223>
       wherein LEU is a D-amino acid
<220>
<221>
       MISC_FEATURE
<222>
<223>
       (16)..(16)
       wherein LEU is conjugated to an AMIDE
<400>
       99
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu
<210>
       100
<211>
       16
<212>
       PRT
<213>
       Artificial Sequence
<220>
<223>
       Chemically Synthesized
<220>
<221>
       MISC_FEATURE
<222>
       (1)..(1)
<223>
       wherein ASN is a D-amino acid
<220>
                                         Page 50
```

```
SYPA_009_C02US_Sequence.txt
<221> MISC_FEATURE
<222>
       (16)..(16)
<223>
       wherein SER is a D-amino acid
<400> 100
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Ser 1 \hspace{1cm} 15
<210>
       101
<211>
       16
<212>
       PRT
<213>
       Artificial Sequence
<220>
<223>
      Chemically Synthesized
<220>
<221>
<222>
<223>
       MISC_FEATURE
       (1)..(1)
       wherein ASN is a D-amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (16)..(16)
<223>
       wherein SER is a D-amino acid
<220>
<221>
<222>
       MISC_FEATURE
       (16)..(16)
<223>
       wherein SER is conjugated to an AMIDE
<400> 101
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Ser
<210>
       102
<211>
       16
<212>
       PRT
<213>
       Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221>
       MISC_FEATURE
<222>
       (1)..(1)
<223>
       wherein ASN is a D-amino acid
<220>
<221>
<222>
       MISC_FEATURE
       (16)..(16)
<223>
       wherein TYR is a D-amino acid
<400> 102
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Tyr
1 10 15
                                         Page 51
```

```
<210> 103
<211>
<212>
       16
       PRT
<213>
       Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221>
<222>
       MISC_FEATURE
       (1)..(1)
<223>
       wherein ASN is a D-amino acid
<220>
<221> MISC_FEATURE
<222>
       (16)..(16)
<223>
       wherein TYR is a D-amino acid
<220>
<221>
<221>
<222>
<223>
       MISC_FEATURE
       (16)..(16)
       wherein TYR is conjugated to an AMIDE
<400> 103
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Tyr 1 5 10 15
<210> 104
<211>
       16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221>
<222>
       MISC_FEATURE
       (1)..(1)
<223>
       wherein x is Pyroglutamic acid
<220>
<221>
<222>
       MISC_FEATURE
       (16)..(16)
<223>
       wherein LEU is conjugated to an AMIDE
<220>
<221>
       MISC_FEATURE
<222>
       (16)...(16)
<223>
       wherein LEU is a D-amino acid
<400>
Xaa Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu 1 10 15
<210>
      105
```

```
SYPA_009_C02US_Sequence.txt
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<220>
<221>
       MISC_FEATURE
<222>
        (1)..(1)
<223>
        wherein ASN is attached to polyethylene glycol
<220>
<221>
        MISC_FEATURE
<222>
        (16)...(16)
<223>
        wherein LEU is attached to polyethylene glycol
<400>
        105
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu
10 15
<210>
        106
<211>
       16
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<220>
<221>
       MISC_FEATURE
<222>
        (1)..(1)
       wherein ASN is attached to polyethylene glycol
<400> 106
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
<210>
       107
<211>
       16
<212>
       PRT
<213>
       Artificial Sequence
<220>
<223>
       Chemically Synthesized
<220>
<221>
       MISC_FEATURE
<222>
        (16)..(16)
<223>
        wherein LEU is attached to polyethylene glycol
<400>
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
```

Page 53

```
<210>
       108
<211>
       16
<212>
       PRT
<213>
       Artificial Sequence
<220>
<223>
       Chemically Synthesized
<220>
<221>
       MISC_FEATURE
<222>
        (1)..(3)
       wherein x is any natural, or unnatural amino acid or amino acid analogue and may be an L-amino acid, or a D-amino acid, or a
<223>
       methylated or an unmethylated amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (4)..(4)
<223>
       wherein x is a cysteine, penicillamine homocysteine, or
        3-mercaptoproline
<220>
<221>
       MISC_FEATURE
<222>
        (5)..(6)
<223>
       wherein x is any natural, or unnatural amino acid or amino acid
        analogue, and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<220>
<221>
<222>
       MISC_FEATURE
        (7)..(7)
<223>
       wherein x is a cysteine, penicillamine homocysteine, or
        3-mercaptoproline
<220>
<221>
       MISC_FEATURE
<222>
        (8)..(11)
       wherein x is any natural, or unnatural amino acid or amino acid analogue, and may be an L-amino acid, or a D-amino acid, or a
<223>
       methylated or an unmethylated amino acid
<220>
<221>
       MISC_FEATURE
        (12)..(12)
<222>
<223>
       wherein x is a cysteine, penicillamine homocysteine, or
        3-mercaptoproline
<220>
<221>
       MISC_FEATURE
<222>
        (13)..(14)
       wherein x is any natural, or unnatural amino acid or amino acid
<223>
        analogue, and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<220>
<221>
       MISC_FEATURE
<222>
        (15)..(15)
<223>
       wherein x is a cysteine, penicillamine homocysteine, or
        3-mercaptoproline
<220>
```

```
SYPA_009_C02US_Sequence.txt
<221> MISC_FEATURE
<222>
      (16)...(16)
<223>
      wherein x is any natural, or unnatural amino acid or amino acid
       analogue, and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<400>
      108
<210>
      109
<211>
<212>
       16
       PRT
<213>
      Artificial Sequence
<220>
<223>
      Chemically Synthesized
<400>
       109
Asn Asp Asp Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu 1 5 10 15
<210>
      110
<211>
      16
<212> PRT
<213> Artificial Sequence
<220>
<223>
      Chemically Synthesized
<400>
      110
Glu Asp Asp Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu 1 5 10 15
<210>
       111
<211>
       16
<212>
      PRT
<213>
      Artificial Sequence
<220>
<223>
      Chemically Synthesized
<400>
Glu Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu
<210>
      112
<211>
      16
<212>
      PRT
<213>
      Artificial Sequence
<220>
<223>
      Chemically Synthesized
<400>
      112
```

SYPA_009_C02US_Sequence.txt Glu Glu Asp Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu 10 15<210> 113 <211> 16 <212> PRT <213> Artificial Sequence <220> <223> Chemically Synthesized <400> 113 Glu Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu 1 10 15 <210> 114 <211> 16 <212> PRT <213> Artificial Sequence <220> <223> Chemically Synthesized <400> 114 <210> 115 <211> 16 <212> PRT <213> Artificial Sequence <220> <223> Chemically Synthesized <400> 115 Asp Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$ <210> 116 <211> 16 <212> PRT <213> Artificial Sequence <220> <223> Chemically Synthesized <400> 116

<210> 117 <211>

16

```
SYPA_009_C02US_Sequence.txt
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<400> 117
Asp Glu Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu 1 10 15
<210>
       118
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223>
      Chemically Synthesized
<400>
       118
Gln Asp Asp Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu 1 5 10 15
<210> 119
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<400> 119
Gln Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu 1 5 10 15
<210>
       120
<211>
       16
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400>
Gln Glu Asp Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu 10 	 15
<210> 121
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400>
       121
```

SYPA_009_C02US_Sequence.txt Gln Glu Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu 10 15<210> 122 <211> 16 <212> PRT <213> Artificial Sequence <220> <223> Chemically Synthesized <400> 122 Lys Asp Asp Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu 10 15<210> 123 <211> 16 <212> PRT <213> Artificial Sequence <220> <223> Chemically Synthesized <400> 123 Lys Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu $10 ext{1}$ 15<210> 124 <211> 16 <212> PRT <213> Artificial Sequence <220> <223> Chemically Synthesized <400> 124 Lys Glu Asp Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu 1 5 10 15 <210> 125 <211> 16 <212> PRT <213> Artificial Sequence <220> <223> Chemically Synthesized <400> 125 Lys Glu Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu 1 5 10 15 <210> 126 <211> 16

```
SYPA_009_C02US_Sequence.txt
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<400> 126
Glu Asp Asp Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Ser 1 10 15
<210>
       127
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<400>
       127
Glu Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Ser 1 \hspace{1cm} 15
<210> 128
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<400> 128
Glu Glu Asp Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Ser 1 10 15
<210>
       129
<211>
       16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<400>
Glu Glu Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Ser 1 \hspace{1cm} 15
<210> 130
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400>
       130
                                          Page 59
```

SYPA_009_C02US_Sequence.txt Asp Asp Asp Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Ser 1 10 15 <210> 131 <211> 16 <212> PRT <213> Artificial Sequence <220> <223> Chemically Synthesized <400> 131 <210> 132 <211> 16 <212> PRT <213> Artificial Sequence <220> <223> Chemically Synthesized <400> 132 Asp Glu Asp Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Ser $1 \hspace{1cm} 15$ <210> 133 <211> 16 <212> PRT <213> Artificial Sequence <220> <223> Chemically Synthesized <400> 133 <210> 134 <211> 16 <212> PRT <213> Artificial Sequence <220>

Gln Asp Asp Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Ser 1 10 15

<210> 135 <211> 16

<400> 134

<223>

Chemically Synthesized

Page 60

```
SYPA_009_C02US_Sequence.txt
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<400> 135
Gln Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Ser 1 10 15
       136
<210>
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400>
       136
Gln Glu Asp Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Ser 1 5 10 15
<210> 137
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<400> 137
Gln Glu Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Ser
1 10 15
<210>
       138
<211>
       16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<400>
Lys Asp Asp Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Ser 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
<210> 139
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400>
       139
```

$SYPA_009_C02US_Sequence.txt$ Lys Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Ser 1 10 15 <210> 140 <211> 16 <212> PRT <213> Artificial Sequence <220> <223> Chemically Synthesized <400> 140 Lys Glu Asp Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Ser 1 10 15 <210> 141 <211> 16 <212> PRT <213> Artificial Sequence <220> <223> Chemically Synthesized <400> 141 Lys Glu Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Ser $1 \hspace{1cm} 15$ <210> 142 <211> 16 <212> PRT <213> Artificial Sequence <220> <223> Chemically Synthesized <400> 142 Glu Asp Asp Cys Glu Leu Cys Ile Asn Met Ala Cys Thr Gly Cys Leu $1 \hspace{1.5cm} 5 \hspace{1.5cm} 10 \hspace{1.5cm} 15$ <210> 143 <211> 16 <212> PRT <213> Artificial Sequence <220> <223> Chemically Synthesized <400> 143 Glu Asp Glu Cys Glu Leu Cys Ile Asn Met Ala Cys Thr Gly Cys Leu $10 \hspace{1cm} 15$

<210> 144 <211> 16

```
SYPA_009_C02US_Sequence.txt
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<400> 144
Glu Glu Asp Cys Glu Leu Cys Ile Asn Met Ala Cys Thr Gly Cys Leu 1 10 15
<210>
       145
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<400>
       145
Glu Glu Glu Cys Glu Leu Cys Ile Asn Met Ala Cys Thr Gly Cys Leu 10 \hspace{1cm} 15
<210> 146
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<400> 146
<210> 147
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<400> 147
Asp Asp Glu Cys Glu Leu Cys Ile Asn Met Ala Cys Thr Gly Cys Leu 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
<210> 148
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400>
       148
```

SYPA_009_C02US_Sequence.txt 149 <210> <211> 16 <212> PRT <213> Artificial Sequence <220> <223> Chemically Synthesized <400> 149 Asp Glu Glu Cys Glu Leu Cys Ile Asn Met Ala Cys Thr Gly Cys Leu $10 \hspace{1cm} 15$ <210> 150 <211> 16 <212> PRT <213> Artificial Sequence <220> <223> Chemically Synthesized <400> 150 Gln Asp Asp Cys Glu Leu Cys Ile Asn Met Ala Cys Thr Gly Cys Leu $10 \hspace{1cm} 15$ <210> 151 <211> 16 <212> PRT <213> Artificial Sequence <220> <223> Chemically Synthesized <400> 151 Gln Asp Glu Cys Glu Leu Cys Ile Asn Met Ala Cys Thr Gly Cys Leu $10 \ 15$ <210> 152 <211> 16 <212> PRT <213> Artificial Sequence <220> <223> Chemically Synthesized <400> 152

Gln Glu Asp Cys Glu Leu Cys Ile Asn Met Ala Cys Thr Gly Cys Leu $10 \hspace{1cm} 15$

<210> 153 <211> 16

```
SYPA_009_C02US_Sequence.txt
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<400> 153
Gln Glu Glu Cys Glu Leu Cys Ile Asn Met Ala Cys Thr Gly Cys Leu 1 10 15
<210>
       154
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<400>
       154
Lys Asp Asp Cys Glu Leu Cys Ile Asn Met Ala Cys Thr Gly Cys Leu 1 10 15
<210> 155
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<400> 155
Lys Asp Glu Cys Glu Leu Cys Ile Asn Met Ala Cys Thr Gly Cys Leu 1 5 10 15
<210>
       156
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<400>
Lys Glu Asp Cys Glu Leu Cys Ile Asn Met Ala Cys Thr Gly Cys Leu 10 \ 15
<210> 157
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400>
       157
```

SYPA_009_C02US_Sequence.txt Lys Glu Glu Cys Glu Leu Cys Ile Asn Met Ala Cys Thr Gly Cys Leu 1 5 10 15 <210> 158 <211> 16 <212> PRT <213> Artificial Sequence <220> <223> Chemically Synthesized <400> 158 Glu Asp Asp Cys Glu Leu Cys Ile Asn Met Ala Cys Thr Gly Cys Ser $1 \hspace{1cm} 15$ <210> 159 <211> 16 <212> PRT <213> Artificial Sequence <220> <223> Chemically Synthesized <400> 159 Glu Asp Glu Cys Glu Leu Cys Ile Asn Met Ala Cys Thr Gly Cys Ser $1 \hspace{1cm} 10 \hspace{1cm} 15$ <210> 160 <211> 16 <212> PRT <213> Artificial Sequence <220> <223> Chemically Synthesized <400> 160 Glu Glu Asp Cys Glu Leu Cys Ile Asn Met Ala Cys Thr Gly Cys Ser $1 \hspace{1cm} 10 \hspace{1cm} 15$ <210> 161 <211> 16 <211> 16 <212> PRT <213> Artificial Sequence <220> <223> Chemically Synthesized <400> 161 Glu Glu Cys Glu Leu Cys Ile Asn Met Ala Cys Thr Gly Cys Ser 10 15

<210>

<211>

162

16

```
SYPA_009_C02US_Sequence.txt
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<400> 162
Asp Asp Asp Cys Glu Leu Cys Ile Asn Met Ala Cys Thr Gly Cys Ser 1 \hspace{1cm} 10 \hspace{1cm} 15
<210>
      163
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223>
      Chemically Synthesized
<400>
      163
<210> 164
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<400> 164
<210>
      165
<211>
      16
<212> PRT
<213> Artificial Sequence
<220>
<223>
      Chemically Synthesized
<400>
      165
Asp Glu Glu Cys Glu Leu Cys Ile Asn Met Ala Cys Thr Gly Cys Ser 1 \hspace{1cm} 10 \hspace{1cm} 15
<210> 166
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223>
      Chemically Synthesized
<400>
      166
```

SYPA_009_C02US_Sequence.txt Gln Asp Asp Cys Glu Leu Cys Ile Asn Met Ala Cys Thr Gly Cys Ser 1 10 15 <210> 167 <211> 16 <212> PRT <213> Artificial Sequence <220> <223> Chemically Synthesized <400> 167 Gln Asp Glu Cys Glu Leu Cys Ile Asn Met Ala Cys Thr Gly Cys Ser $1 \hspace{1cm} 15$ <210> 168 <211> 16 <212> PRT <213> Artificial Sequence <220> <223> Chemically Synthesized <400> 168 Gln Glu Asp Cys Glu Leu Cys Ile Asn Met Ala Cys Thr Gly Cys Ser $1 \hspace{1cm} 10 \hspace{1cm} 15$ <210> 169 <211> 16 <212> PRT <213> Artificial Sequence <220> <223> Chemically Synthesized <400> 169 Gln Glu Glu Cys Glu Leu Cys Ile Asn Met Ala Cys Thr Gly Cys Ser $1 \hspace{1cm} 10 \hspace{1cm} 15$ <210> 170 <211> 16 <212> PRT <213> Artificial Sequence <220> <223> Chemically Synthesized <400> 170 Lys Asp Asp Cys Glu Leu Cys Ile Asn Met Ala Cys Thr Gly Cys Ser $1 \hspace{1cm} 10 \hspace{1cm} 15$

<210> 171 <211>

16

Page 68

```
SYPA_009_C02US_Sequence.txt
<212> PRT
<213>
       Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400>
       171
Lys Asp Glu Cys Glu Leu Cys Ile Asn Met Ala Cys Thr Gly Cys Ser 1 \hspace{1cm} 15
<210>
       172
<211>
       16
<212>
       PRT
<213>
       Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400>
       172
Lys Glu Asp Cys Glu Leu Cys Ile Asn Met Ala Cys Thr Gly Cys Ser 1 5 10 15
<210>
       173
<211>
       16
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400>
       173
Lys Glu Glu Cys Glu Leu Cys Ile Asn Met Ala Cys Thr Gly Cys Ser 1 5 10 15
<210>
       174
<211>
       15
<212>
       PRT
<213>
       Artificial Sequence
<220>
<223>
       Chemically Synthesized
<220>
<221>
       MISC_FEATURE
<222>
       (1)..(3)
<223>
       wherein x is any natural, or unnatural amino acid, or amino acid
       analogue, and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<220>
<221>
<222>
       MISC_FEATURE
       (4)..(4)
<223>
       wherein x is a cysteine, penicillamine homocysteine, or
       3-mercaptoproline
<220>
```

```
SYPA_009_C02US_Sequence.txt
<221>
      MISC_FEATURE
<222>
       (5)..(6)
<223>
      wherein x is any natural, or unnatural amino acid, or amino acid
       analogue, and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<220>
<221>
      MISC_FEATURE
<222>
       (7)..(7)
<223>
      wherein x is a cysteine, penicillamine homocysteine, or
       3-mercaptoproline
<220>
<221>
<222>
      MISC_FEATURE
       (8)..(11)
<223>
      wherein x is any natural, or unnatural amino acid, or amino acid
       analogue, and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<220>
<221>
      MISC_FEATURE
<222>
<223>
       (12)..(12)
      wherein x is a cysteine, penicillamine homocysteine, or
       3-mercaptoproline
<220>
<221>
      MISC_FEATURE
<222>
       (13)..(14)
<223>
       wherein x is any natural, or unnatural amino acid, or amino acid
       analogue, and may be an L-amino acid, or a D-amino acid, or a
       methylated or an unmethylated amino acid
<220>
<221>
      MISC_FEATURE
       (15)..(15)
<222>
<223>
      wherein x is a cysteine, penicillamine homocysteine, or
       3-mercaptoproline
<400>
      174
<210>
      175
<211>
      15
<212>
      PRT
<213>
      Artificial Sequence
<220>
<223>
      Chemically Synthesized
<400>
      175
Ser His Thr Cys Glu Ile Cys Ala Phe Ala Ala Cys Ala Gly Cys
<210>
       176
<211>
      15
<212>
      PRT
<213> Artificial Sequence
```

```
SYPA_009_C02US_Sequence.txt
<220>
<223>
       Chemically Synthesized
<400>
       176
Ser His Thr Cys Glu Ile Cys Ala Asn Ala Ala Cys Ala Gly Cys
1 5 10
<210> 177
<211> 15
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<400> 177
Ser His Thr Cys Glu Leu Cys Ala Asn Ala Ala Cys Ala Gly Cys 1 \hspace{1cm} 10 \hspace{1cm} 15
<210>
       178
<211> 15
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400>
       178
Ser His Thr Cys Glu Val Cys Ala Asn Ala Ala Cys Ala Gly Cys
1 10 15
<210> 179
<211> 15
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400> 179
Ser His Thr Cys Glu Tyr Cys Ala Asn Ala Ala Cys Ala Gly Cys
1 10 15
<210> 180
<211> 15
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400> 180
Ser His Thr Cys Glu Ile Cys Ala Asn Ala Ala Cys Ala Gly Cys
1 10 15
                                           Page 71
```

```
<210> 181
<211>
<212>
<213>
        15
        PRT
       Artificial Sequence
<220>
<223>
        Chemically Synthesized
<400>
        181
Ser His Thr Cys Glu Leu Cys Ala Asn Ala Ala Cys Ala Gly Cys 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
<210> 182
<211> 15
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400> 182
Ser His Thr Cys Glu Val Cys Ala Asn Ala Ala Cys Ala Gly Cys 10 15
<210> 183
<211> 15
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400> 183
Ser His Thr Cys Glu Tyr Cys Ala Asn Ala Ala Cys Ala Gly Cys
1 5 10
<210> 184
<211> 15
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400>
Ser His Thr Cys Glu Ile Cys Ala Asn Ala Ala Cys Ala Gly Cys
1 5 10
<210>
        185
<211> 15
<212> PRT
<213> Artificial Sequence
```

Page 72

```
SYPA_009_C02US_Sequence.txt
<220>
<223>
       Chemically Synthesized
<400>
       185
Ser His Thr Cys Glu Leu Cys Ala Asn Ala Ala Cys Ala Gly Cys
1 5 10
<210> 186
<211> 15
<212> PRT
<213> Artificial Sequence
<220>
<223>
      Chemically Synthesized
<400> 186
Ser His Thr Cys Glu Val Cys Ala Asn Ala Ala Cys Ala Gly Cys 10 15
<210>
       187
<211> 15
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<400>
Ser His Thr Cys Glu Tyr Cys Ala Asn Ala Ala Cys Ala Gly Cys
1 10 15
<210>
       188
<211> 15
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400>
       188
Ser His Thr Cys Glu Ile Cys Ala Asn Ala Ala Cys Ala Gly Cys
1 10 15
<210> 189
<211> 15
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400> 189
Ser His Thr Cys Glu Leu Cys Ala Asn Ala Ala Cys Ala Gly Cys 10 15
                                         Page 73
```

```
<210>
        190
<211>
<212>
        15
        PRT
<213>
        Artificial Sequence
<220>
<223>
        Chemically Synthesized
<400>
        190
Ser His Thr Cys Glu Val Cys Ala Asn Ala Ala Cys Ala Gly Cys 1 10 15
<210> 191
<211> 15
<212> PRT
<213> Artificial Sequence
<220>
<223>
        Chemically Synthesized
<400>
       191
Ser His Thr Cys Glu Tyr Cys Ala Asn Ala Ala Cys Ala Gly Cys 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
<210> 192
<211> 15
<211> 15
<212> PRT
<213> Artificial Sequence
<220>
<223>
        Chemically Synthesized
<400> 192
Asn Asp Glu Cys Glu Ile Cys Ala Asn Ala Ala Cys Ala Gly Cys 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
<210> 193
<211> 15
<212> PRT
<213> Artificial Sequence
<220>
<223>
        Chemically Synthesized
<400>
Asn Asp Glu Cys Glu Leu Cys Ala Asn Ala Ala Cys Ala Gly Cys 1 \hspace{1cm} 15
<210>
        194
<211> 15
<212> PRT
<213> Artificial Sequence
```

Page 74

```
SYPA_009_C02US_Sequence.txt
<220>
<223>
       Chemically Synthesized
<400>
        194
Asn Asp Glu Cys Glu Val Cys Ala Asn Ala Ala Cys Ala Gly Cys
1 5 10 15
<210> 195
<211> 15
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400>
       195
Asn Asp Glu Cys Glu Tyr Cys Ala Asn Ala Ala Cys Ala Gly Cys
1 5 10 15
<210>
        196
<211>
       15
<212>
       PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400>
Asn Asp Glu Cys Glu Ile Cys Ala Asn Ala Ala Cys Ala Gly Cys
1 10 15
<210>
       197
<211> 15
<211> 15
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400>
       197
Asn Asp Glu Cys Glu Leu Cys Ala Asn Ala Ala Cys Ala Gly Cys 1 \hspace{1cm} 15
<210> 198
<211> 15
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400>
       198
Asn Asp Glu Cys Glu Val Cys Ala Asn Ala Ala Cys Ala Gly Cys 10 15
                                           Page 75
```

```
<210> 199
<211>
<212>
<213>
         15
         PRT
        Artificial Sequence
<220>
<223>
         Chemically Synthesized
<400>
         199
Asn Asp Glu Cys Glu Tyr Cys Ala Asn Ala Ala Cys Ala Gly Cys 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
<210> 200
<211> 15
<212> PRT
<213> Artificial Sequence
<220>
<223>
        Chemically Synthesized
<400>
         200
Asn Asp Glu Cys Glu Ile Cys Ala Asn Ala Ala Cys Ala Gly Cys 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
<210> 201
<211> 15
<212> PRT
<213> Artificial Sequence
<220>
<223>
        Chemically Synthesized
<400> 201
Asn Asp Glu Cys Glu Leu Cys Ala Asn Ala Ala Cys Ala Gly Cys 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
<210> 202
<211> 15
<212> PRT
<213>
        Artificial Sequence
<220>
<223>
        Chemically Synthesized
<400>
Asn Asp Glu Cys Glu Val Cys Ala Asn Ala Ala Cys Ala Gly Cys 1 \hspace{1cm} 15
<210>
         203
<211> 15
<212> PRT
<213> Artificial Sequence
```

Page 76

```
SYPA_009_C02US_Sequence.txt
<220>
<223>
        Chemically Synthesized
<400>
        203
Asn Asp Glu Cys Glu Tyr Cys Ala Asn Ala Ala Cys Ala Gly Cys
1 10 15
<210> 204
<211> 15
<212> PRT
<213> Artificial Sequence
<220>
<223>
        Chemically Synthesized
<400> 204
Asn Asp Glu Cys Glu Ile Cys Ala Asn Ala Ala Cys Ala Gly Cys 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
<210>
        205
<211>
        15
<212>
        PRT
<213> Artificial Sequence
<220>
<223>
        Chemically Synthesized
<400>
Asn Asp Glu Cys Glu Leu Cys Ala Asn Ala Ala Cys Ala Gly Cys
1 10 15
<210>
        206
<211> 15
<212> PRT
<213> Artificial Sequence
<220>
<223>
        Chemically Synthesized
<400>
        206
Asn Asp Glu Cys Glu Val Cys Ala Asn Ala Ala Cys Ala Gly Cys 1 \hspace{1cm} 10 \hspace{1cm} 15 \hspace{1cm} 15
<210> 207
<211> 15
<212> PRT
<213> Artificial Sequence
<220>
<223>
        Chemically Synthesized
<400>
        207
Asn Asp Glu Cys Glu Tyr Cys Ala Asn Ala Ala Cys Ala Gly Cys 1 \hspace{1cm} 10 \hspace{1cm} 15
                                                Page 77
```

```
<210>
        208
<211>
        17
<212>
        PRT
<213>
        Artificial Sequence
<220>
<223>
       Chemically Synthesized
<220>
<221>
        MISC_FEATURE
<222>
        (1)..(3)
       wherein x is any natural, or unnatural amino acid, or amino acid analogue, and may be an L-amino acid, or a D-amino acid, or a
<223>
        methylated, or an unmethylated amino acid
<220>
<221>
        MISC_FEATURE
<222>
        (4)..(4)
<223>
        wherein x is a cysteine, penicillamine homocysteine, or
        3-mercaptoproline
<220>
<221>
        MISC_FEATURE
<222>
        (5)..(6)
        wherein x is any natural, or unnatural amino acid, or amino acid analogue, and may be an L-amino acid, or a D-amino acid, or a
<223>
        methylated, or an unmethylated amino acid
<220>
<221>
        MISC_FEATURE
<222>
        (7)..(7)
<223>
        wherein x is a cysteine, penicillamine homocysteine, or
        3-mercaptoproline
<220>
<221>
        MISC_FEATURE
<222>
        (8)..(11)
<223>
        wherein x is any natural, or unnatural amino acid, or amino acid analogue, and may be an L-amino acid, or a D-amino acid, or a
        methylated, or an unmethylated amino acid
<220>
<221>
        MISC_FEATURE
<222>
        (12)..(12)
        wherein x is a cysteine, penicillamine homocysteine, or
<223>
        3-mercaptoproline
<220>
<221>
        MISC_FEATURE
<222>
        (13)..(14)
<223>
        wherein x is any natural, or unnatural amino acid, or amino acid
        analogue, and may be an L-amino acid, or a D-amino acid, or a
        methylated, or an unmethylated amino acid
<220>
<221>
        MISC_FEATURE
<222>
        (15)..(15)
<223>
        wherein x is any natural, or unnatural amino acid, or amino acid
        analogue and may be an L-amino acid, or a D-amino acid, or a
        methylated, or an unmethylated amino acid
                                             Page 78
```

```
<220>
<221>
       MISC_FEATURE
<222>
<223>
        (16)..(16)
       wherein x is any natural, or unnatural amino acid, or amino acid analogue, and may be zero or one residue in length, and may be an L-amino acid, or a D-amino acid, or a methylated, or an
       unmethylated amino acid
<220>
<221>
       MISC_FEATURE
<222>
       (17)...(17)
<223>
       wherein x is any natural, or unnatural amino acid, or amino acid
        analogue, and may be zero or one residue in length, and may be an
        L-amino acid, or a D-amino acid, or a methylated, or an
       unmethylated amino acid
<400>
       208
Xaa
<210>
       209
       15
<211>
<212>
       PRT
<213>
       Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400>
       209
Gln Glu Glu Cys Glu Leu Cys Ile Asn Met Ala Cys Thr Gly Tyr
<210>
       210
<211>
       15
<212>
       PRT
<213>
       Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400>
       210
Gln Glu Glu Cys Glu Thr Cys Ile Asn Met Ala Cys Thr Gly Tyr
<210>
       211
<211>
       15
<212>
       PRT
<213>
       Artificial Sequence
<220>
<223>
       Chemically Synthesized
```

```
SYPA_009_C02US_Sequence.txt
<400> 211
Gln Asp Glu Cys Glu Thr Cys Ile Asn Met Ala Cys Thr Gly Tyr 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
<210> 212
<211>
      15
<212> PRT
<213>
       Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400>
       212
Gln Asp Asp Cys Glu Thr Cys Ile Asn Met Ala Cys Thr Gly Tyr
1 10 15
<210> 213
<211> 15
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400> 213
Gln Glu Asp Cys Glu Thr Cys Ile Asn Met Ala Cys Thr Gly Tyr 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
<210> 214
<211>
      15
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400> 214
<210>
       215
<211> 15
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400>
Gln Asp Glu Cys Glu Glu Cys Ile Asn Met Ala Cys Thr Gly Tyr
1 5 10 15
<210>
      216
```

```
SYPA_009_C02US_Sequence.txt
<211> 15
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400> 216
Gln Asp Asp Cys Glu Glu Cys Ile Asn Met Ala Cys Thr Gly Tyr 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
<210> 217
<211> 15
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400> 217
Gln Glu Asp Cys Glu Glu Cys Ile Asn Met Ala Cys Thr Gly Tyr
1 5 10 15
<210> 218
<211> 15
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400>
Gln Glu Glu Cys Glu Tyr Cys Ile Asn Met Ala Cys Thr Gly Tyr
1 10 15
<210>
       219
<211> 15
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400>
       219
Gln Asp Glu Cys Glu Tyr Cys Ile Asn Met Ala Cys Thr Gly Tyr 10 15
<210>
        220
<211>
       15
<212>
        PRT
<213>
       Artificial Sequence
<220>
<223> Chemically Synthesized
```

Page 81

```
SYPA_009_C02US_Sequence.txt
<400> 220
Gln Asp Asp Cys Glu Tyr Cys Ile Asn Met Ala Cys Thr Gly Tyr 10 15
<210> 221
<211>
      15
<212> PRT
<213> Artificial Sequence
<220>
<223>
      Chemically Synthesized
<400>
       221
Gln Glu Asp Cys Glu Tyr Cys Ile Asn Met Ala Cys Thr Gly Tyr
1 10 15
<210> 222
<211> 15
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400> 222
Gln Glu Glu Cys Glu Ile Cys Ile Asn Met Ala Cys Thr Gly Tyr 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
<210> 223
<211> 15
<212> PRT
<213> Artificial Sequence
<220>
<223>
      Chemically Synthesized
<400> 223
<210>
       224
<211> 15
<212> PRT
<213> Artificial Sequence
<220>
<223>
      Chemically Synthesized
<400>
Gln Asp Asp Cys Glu Ile Cys Ile Asn Met Ala Cys Thr Gly Tyr
1 5 10 15
<210> 225
```

Page 82

```
SYPA_009_C02US_Sequence.txt
<211> 15
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400> 225
Gln Glu Asp Cys Glu Ile Cys Ile Asn Met Ala Cys Thr Gly Tyr 10 10 15
<210> 226
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400> 226
Gln Glu Glu Cys Glu Thr Cys Ile Asn Met Ala Cys Thr Gly Cys Ser 10 15
<210> 227
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<400>
Gln Asp Glu Cys Glu Thr Cys Ile Asn Met Ala Cys Thr Gly Cys Ser 1 5 10 15
       228
<210>
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223>
      Chemically Synthesized
<400> 228
Gln Asp Asp Cys Glu Thr Cys Ile Asn Met Ala Cys Thr Gly Cys Ser 1 \hspace{1cm} 15
<210>
       229
<211>
<212>
<213>
       16
       PRT
       Artificial Sequence
<220>
<223> Chemically Synthesized
```

Page 83

```
SYPA_009_C02US_Sequence.txt
<400> 229
Gln Glu Asp Cys Glu Thr Cys Ile Asn Met Ala Cys Thr Gly Cys Ser 1 \hspace{1cm} 10 \hspace{1cm} 15
<210>
        230
<211>
       16
<212> PRT
<213>
       Artificial Sequence
<220>
<223>
        Chemically Synthesized
<400>
        230
Gln Glu Glu Cys Glu Glu Cys Ile Asn Met Ala Cys Thr Gly Cys Ser 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
<210>
        231
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223>
        Chemically Synthesized
<400> 231
Gln Asp Glu Cys Glu Glu Cys Ile Asn Met Ala Cys Thr Gly Cys Ser 1 \hspace{1cm} 15
<210> 232
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400> 232
Gln Asp Asp Cys Glu Glu Cys Ile Asn Met Ala Cys Thr Gly Cys Ser 1 \hspace{1cm} 10 \hspace{1cm} 15
<210>
        233
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223>
        Chemically Synthesized
<400>
Gln Glu Asp Cys Glu Glu Cys Ile Asn Met Ala Cys Thr Gly Cys Ser 1 10 15
<210> 234
```

```
SYPA_009_C02US_Sequence.txt
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400> 234
Gln Glu Glu Cys Glu Tyr Cys Ile Asn Met Ala Cys Thr Gly Cys Ser 1 \hspace{1cm} 10 \hspace{1cm} 15
<210> 235
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized
<400> 235
Gln Asp Glu Cys Glu Tyr Cys Ile Asn Met Ala Cys Thr Gly Cys Ser 1 5 10 15
<210> 236
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<400>
Gln Asp Asp Cys Glu Tyr Cys Ile Asn Met Ala Cys Thr Gly Cys Ser 1 5 10 15
<210> 237
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223>
      Chemically Synthesized
<400> 237
Gln Glu Asp Cys Glu Tyr Cys Ile Asn Met Ala Cys Thr Gly Cys Ser 1 \hspace{1cm} 15
<210>
        238
<211>
<212>
<213>
        16
        PRT
        Artificial Sequence
<220>
<223> Chemically Synthesized
```

Page 85

```
SYPA_009_C02US_Sequence.txt
<400> 238
Gln Glu Glu Cys Glu Ile Cys Ile Asn Met Ala Cys Thr Gly Cys Ser 1 \hspace{1cm} 10 \hspace{1cm} 15
<210> 239
<211>
        16
<212> PRT
<213>
        Artificial Sequence
<220>
<223>
        Chemically Synthesized
<400>
         239
Gln Asp Glu Cys Glu Ile Cys Ile Asn Met Ala Cys Thr Gly Cys Ser 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
<210>
         240
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223>
        Chemically Synthesized
<400> 240
Gln Asp Asp Cys Glu Ile Cys Ile Asn Met Ala Cys Thr Gly Cys Ser 1 \hspace{1cm} 10 \hspace{1cm} 15
<210> 241
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
        Chemically Synthesized
<223>
<400> 241
Gln Glu Asp Cys Glu Ile Cys Ile Asn Met Ala Cys Thr Gly Cys Ser 1 \hspace{1cm} 10 \hspace{1cm} 15
<210>
         242
<210> 242
<211> 22
<212> PRT
<213> Artificial Sequence
<220>
<223>
        Chemically Synthesized
<400>
Asn Ser Ser Asn Ser Ser Asn Tyr Cys Cys Glu Lys Cys Cys Asn Pro 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
Ala Cys Thr Gly Cys Tyr
                                                  Page 86
```

20

```
<210>
        243
<211>
        16
<212>
        PRT
<213>
       Artificial Sequence
<220>
<223>
       Chemically Synthesized
<220>
<221>
<222>
        MISC_FEATURE
        (1)..(1)
<223>
        wherein ASN is attached to polyethylene glycol
<220>
<221>
        MISC_FEATURE
<222>
        (16)..(16)
<223>
        wherein TYR is attached to polyethylene glycol
<400> 243
Asn Phe Cys Cys Glu Thr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
<210>
        244
<211>
        16
<212>
       PRT
<213>
       Artificial Sequence
<220>
<223>
       Chemically Synthesized
<220>
<221>
       MISC_FEATURE
<222>
<223>
        (1)..(1)
        wherein ASN is attached to polyethylene glycol
<400> 244
Asn Phe Cys Cys Glu Thr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
<210>
        245
<211>
        16
<212>
        PRT
<213>
       Artificial Sequence
<220>
<223>
        Chemically Synthesized
<220>
<221>
<222>
        MISC_FEATURE
        (16)..(16)
<223>
        wherein TYR is attached to polyethylene glycol
<400>
       245
                                             Page 87
```

SYPA_009_C02US_Sequence.txt Asn Phe Cys Cys Glu Thr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr 1 5 10 15 246 <210> <211> 16 <212> PRT <213> Artificial Sequence <220> <223> Chemically Synthesized <400> 246 Asn Phe Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$ <210> 247 <211> 16 <212> <213> PRT Artificial Sequence <220> <223> Chemically Synthesized <220> <221> <222> MISC_FEATURE (1)..(1)<223> wherein ASN is a D-amino acid <220> <221> MISC_FEATURE <222> (16)...(16)wherein TYR is a D-amino acid <400> 247 Asn Phe Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr $1 \hspace{1cm} 10 \hspace{1cm} 15$ <210> 248 <211> 16 <212> PRT <213> Artificial Sequence <220> <223> Chemically Synthesized <220> <221> MISC_FEATURE <222> (16)..(16)<223> wherein TYR is a D-amino acid

Asn Phe Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$

<400> 248

Page 88

```
<210>
       249
<211>
       16
<212>
       PRT
<213>
       Artificial Sequence
<220>
<223>
       Chemically Synthesized
<220>
<221>
       MISC_FEATURE
<222>
       (1)..(1)
<223>
       wherein ASN is a D-amino acid
<400> 249
Asn Phe Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
<210>
       250
<211>
       34
<212>
       PRT
<213>
       Artificial Sequence
<220>
       Chemically Synthesized
<223>
<400>
       250
Ile Lys Pro Glu Ala Pro Gly Glu Asp Ala Ser Pro Glu Glu Leu Asn
10 15
Arg Tyr Tyr Ala Ser Leu Arg His Tyr Leu Asn Leu Val Thr Arg Gln 20 25 30
Arg Tyr
<210> 251
<211>
       27
<212>
       PRT
<213> Artificial Sequence
<220>
       Chemically Synthesized
<223>
<220>
<221>
       MISC_FEATURE
<222>
       (1)...(1)
<223>
       wherein HIS is conjugated to an AMINE having the general formula
       R-NH, and wherein R is a hydrogen or an organic compound having
       one, two, three, four, five, six, seven, eight, nine, or ten
       carbon atoms
<220>
<221>
       MISC_FEATURE
<222>
       (27)..(27)
```

```
SYPA_009_C02US_Sequence.txt
<223>
       wherein LYS is conjugated to an AMIDE
<400> 251
His Ala Glu Gly Thr Phe Thr Ser Asp Val Ser Tyr Leu Glu Gly Gln 10 15
Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys
20 25
<210>
       252
<211>
       5
<212>
       PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized Sialorphin-related polypeptide
<400>
       252
Gln His Asn Pro Arg
<210> 253
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized Sialorphin-related polypeptide
<400> 253
Val Gln His Asn Pro Arg
       254
<210>
<211>
       7
<212>
      PRT
<213>
      Artificial Sequence
<220>
<223>
       Chemically Synthesized Sialorphin-related polypeptide
<400>
       254
Val Arg Gln His Asn Pro Arg
1 5
<210> 255
<211> 8
<212>
      PRT
<213> Artificial Sequence
<220>
<223>
       Chemically Synthesized Sialorphin-related polypeptide
<400>
       255
                                        Page 90
```

SYPA_009_C02US_Sequence.txt Val Arg Gly Gln His Asn Pro Arg 256 <210> <211> 9 <212> PRT <213> Artificial Sequence <220> <223> Chemically Synthesized Sialorphin-related polypeptide <400> 256 $\begin{array}{c} \text{Val Arg Gly Pro Gln His Asn Pro Arg} \\ 1 \\ \end{array}$ <210> 257 <211> 10 <212> <213> PRT Artificial Sequence <220> <223> Chemically Synthesized Sialorphin-related polypeptide <400> 257 Val Arg Gly Pro Arg Gln His Asn Pro Arg 1 5 10 <210> 258 <211> 11 <212> PRT <213> Artificial Sequence <220> <223> Chemically Synthesized Sialorphin-related polypeptide <400> 258 Val Arg Gly Pro Arg Arg Gln His Asn Pro Arg 1 5 10 <210> 259 <211> 6 <212> PRT <213> Artificial Sequence <220> <223> Chemically Synthesized Sialorphin-related polypeptide <400> 259 Arg Gln His Asn Pro Arg

<210> 260 <211> 5

Page 91

```
SYPA_009_C02US_Sequence.txt
<212> PRT
<213> Artificial Sequence
<220>
<223>
      Chemically Synthesized Enkephalin Pentapeptide
<220>
       MISC_FEATURE
<221>
<222>
       (2)..(2)
<223>
       wherein LYS is a D-amino acid
<220>
<221>
<222>
       MISC_FEATURE
       (5)...(5)
<223> wherein x is a L-homoserine
<400> 260
Tyr Lys Gly Phe Xaa
<210> 261
<211>
<212>
      PRT
<213>
      Artificial Sequence
<220>
<223> Chemically Synthesized Frakefamide
<220>
<221>
      MISC_FEATURE
<222>
      (2)..(2)
<223>
       wherein ALA is a D-amino acid
<220>
<221>
<222>
<223>
      MOD_RES
       (3)..(3)
       wherein PHE is fluorinated at the phenyl group at 4-position
<220>
       MISC_FEATURE
<221>
<222>
       (4)...(4)
<223>
       wherein PHE is attached to an AMINE
<400> 261
Tyr Ala Phe Phe
```

Electronic Patent Application Fee Transmittal					
Application Number:					
Filing Date:					
Title of Invention:	FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE				
First Named Inventor/Applicant Name:	Stephen COMISKEY				
Filer:	Anne Elizabeth Fleckenstein				
Attorney Docket Number:	SYPA-009/C02US				
Filed as Small Entity					
Filing Fees for Track I Prioritized Examination - Nonpr	ovis	ional Applicatio	n under 35 US	C 111(a)	
Description		Fee Code	Quantity	Amount	Sub-Total in USD(\$)
Basic Filing:	'		l		
Utility filing Fee (Electronic filing)		4011	1	70	70
Utility Search Fee		2111	1	300	300
Utility Examination Fee		2311	1	360	360
Request for Prioritized Examination		2817	1	2000	2000
Pages:					
Utility Appl Size fee per 50 sheets > 100		2081	1	200	200
Claims:					
Miscellaneous-Filing:					

Description	Fee Code	Quantity	Amount	Sub-Total in USD(\$)				
Publ. Fee- Early, Voluntary, or Normal	1504	1	0	0				
PROCESSING FEE, EXCEPT PROV. APPLS.	2830	1	70	70				
Petition:								
Patent-Appeals-and-Interference:								
Post-Allowance-and-Post-Issuance:								
Extension-of-Time:								
Miscellaneous:								
	Tot	al in USD	(\$)	3000				

Electronic Ack	Electronic Acknowledgement Receipt							
EFS ID:	23404344							
Application Number:	14845644							
International Application Number:								
Confirmation Number:	8164							
Title of Invention:	FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE							
First Named Inventor/Applicant Name:	Stephen COMISKEY							
Customer Number:	58249							
Filer:	Anne Elizabeth Fleckenstein							
Filer Authorized By:								
Attorney Docket Number:	SYPA-009/C02US							
Receipt Date:	04-SEP-2015							
Filing Date:								
Time Stamp:	13:08:56							
Application Type:	Utility under 35 USC 111(a)							

Payment information:

Submitted with Payment	yes
Payment Type	Deposit Account
Payment was successfully received in RAM	\$3000
RAM confirmation Number	13000
Deposit Account	501283
Authorized User	COOLEY LLP

The Director of the USPTO is hereby authorized to charge indicated fees and credit any overpayment as follows:

Charge any Additional Fees required under 37 C.F.R. Section 1.16 (National application filing, search, and examination fees)

Charge any Additional Fees required under 37 C.F.R. Section 1.17 (Patent application and reexamination processing fees) 290

Charge any Additional Fees required under 37 C.F.R. Section 1.19 (Document supply fees)

Charge any Additional Fees required under 37 C.F.R. Section 1.20 (Post Issuance fees)

Charge any Additional Fees required under 37 C.F.R. Section 1.21 (Miscellaneous fees and charges)

File Listing:

Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
_		SYPA_009_C02US_FastTrackRe	114222		_
1	TrackOne Request	quest.pdf	1863ba0bed4f1b01d491796c120867a4124 2334e	no	2
Warnings:					
Information:					
2	Transmittal of New Application	SYPA_009_C02US_UtlityTrans mittal.pdf	277691	no	2
		mittanpai	fa71b1641c81b3b38a4593ea276167f587cc 9b20		
Warnings:					
Information:					
3	Application Data Sheet	SYPA_009_C02US_ADS.pdf	1561920	no	8
		·	c0c8efab6b5ad28ece6aff2d24d527484d2a f83b		
Warnings:					
Information:					
4		SYPA_009_C02US_Specificatio	785882	yes	148
		n.pdf	b8d9f107607dc40efc848008b851650c865 8f4a7	,	
	Multip	part Description/PDF files in .	zip description	I	
	Document De	scription	Start	E	nd
	Specificat	ion	1	1	45
	Claims		146	1	47
	Abstrac	t	148	1	48
Warnings:			1		
Information:					
5	Drawings-only black and white line	SYPA_009_C02US_Figures.pdf	1069916	no	6
	drawings		23dfeb11a6a7a9fe17538d06d13450cafc3b c1c9		
Warnings:					
Information:					
6	Oath or Declaration filed	SYPA_009_C02US_Declaration.	529790	no	8
	out of Declaration med	pdf	978518882105392a9ae6413d0d08d96d0b 6851c5		
				02	91

Warnings:					
Information	:				
7	Transmittal Letter	SYPA_009_C02US_IDSTransmit	95083	no	2
·		tal.pdf	a5875ee26d7b142adcd641045f71eb39956 a2da6		_
Warnings:					
Information	:				
8	Information Disclosure Statement (IDS)	SYPA_009_C02US_SB08.pdf	363336	no	19
	Form (SB08)	'	8673abad84539074866c2901100833c234a b6d4f		
Warnings:					
Information	•				
This is not an U	JSPTO supplied IDS fillable form				
9	CRF Statement Paper and CRF are the	SYPA_009_C02US_StatementC	94000	no	1
9	same	RF.pdf	62e08f04f4e01ccd726e1ea9d009c8beba87 e15e	110	'
Warnings:					
Information	:				
10	Sequence Listing	SYPA_009_C02US_Sequence.	87906	no	92
	334233	pdf	f2d75c35bc426b6f6ff3ec944bb732871d33 56be		
Warnings:					
Information	:				
11	Sequence Listing (Text File)	SYPA_009_C02US_Sequence.	115842	no	0
		txt			
Warnings:					
Information	:				
12	Fee Worksheet (SB06)	fee-info.pdf	42124	no	2
1 &	rec worksheet (3000)	ree into.pui	11f67774564fa4f851550006abfa2a094929c 110	110	
Warnings:	·				
Information	:				
		Total Files Size (in bytes)	513	37712	

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.

New International Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.

Doc Code: TRACK1.REQ

Document Description: TrackOne Request

PTO/AIA/424 (04-14)

CERTIFICATION AND REQUEST FOR PRIORITIZED EXAMINATION UNDER 37 CFR 1.102(e) (Page 1 of 1)

First Named Inventor:	Stephen COMISKEY	Nonprovisional Application Number (if known):	
Title of Invention:	FORMULATIONS OF GUANYLA	TE CYCLASE C AGONISTS AN	ID METHODS OF USE

APPLICANT HEREBY CERTIFIES THE FOLLOWING AND REQUESTS PRIORITIZED EXAMINATION FOR THE ABOVE-IDENTIFIED APPLICATION.

- 1. The processing fee set forth in 37 CFR 1.17(i)(1) and the prioritized examination fee set forth in 37 CFR 1.17(c) have been filed with the request. The publication fee requirement is met because that fee, set forth in 37 CFR 1.18(d), is currently \$0. The basic filing fee, search fee, and examination fee are filed with the request or have been already been paid. I understand that any required excess claims fees or application size fee must be paid for the application.
- 2. I understand that the application may not contain, or be amended to contain, more than four independent claims, more than thirty total claims, or any multiple dependent claims, and that any request for an extension of time will cause an outstanding Track I request to be dismissed.
- 3. The applicable box is checked below:
 - I. Original Application (Track One) Prioritized Examination under § 1.102(e)(1)
- i. (a) The application is an original nonprovisional utility application filed under 35 U.S.C. 111(a).
 This certification and request is being filed with the utility application via EFS-Web.
 - (b) The application is an original nonprovisional plant application filed under 35 U.S.C. 111(a). This certification and request is being filed with the plant application in paper.
- ii. An executed inventor's oath or declaration under 37 CFR 1.63 or 37 CFR 1.64 for each inventor, <u>or</u> the application data sheet meeting the conditions specified in 37 CFR 1.53(f)(3)(i) is filed with the application.
 - II. Request for Continued Examination Prioritized Examination under § 1.102(e)(2)
- i. A request for continued examination has been filed with, or prior to, this form.
- ii. If the application is a utility application, this certification and request is being filed via EFS-Web.
- iii. The application is an original nonprovisional utility application filed under 35 U.S.C. 111(a), or is a national stage entry under 35 U.S.C. 371.
- iv. This certification and request is being filed prior to the mailing of a first Office action responsive to the request for continued examination.
- v. No prior request for continued examination has been granted prioritized examination status under 37 CFR 1.102(e)(2).

Signature / Anne E. Fleckenstein/	Date September 4, 2015
Name (Print/Typed) Anne E. Fleckenstein	Practitioner Registration Number 62,951
Note: This form must be signed in accordance with 37 CFR 1.33. See 37 CFR 1.4(d) to Submit multiple forms if more than one signature is required.*	or signature requirements and certifications.
*Total of forms are submitted.	

Privacy Act Statement

The **Privacy Act of 1974 (P.L. 93-579)** requires that you be given certain information in connection with your submission of the attached form related to a patent application or patent. Accordingly, pursuant to the requirements of the Act, please be advised that: (1) the general authority for the collection of this information is 35 U.S.C. 2(b)(2); (2) furnishing of the information solicited is voluntary; and (3) the principal purpose for which the information is used by the U.S. Patent and Trademark Office is to process and/or examine your submission related to a patent application or patent. If you do not furnish the requested information, the U.S. Patent and Trademark Office may not be able to process and/or examine your submission, which may result in termination of proceedings or abandonment of the application or expiration of the patent.

The information provided by you in this form will be subject to the following routine uses:

- The information on this form will be treated confidentially to the extent allowed under the Freedom of Information Act (5 U.S.C. 552) and the Privacy Act (5 U.S.C 552a). Records from this system of records may be disclosed to the Department of Justice to determine whether disclosure of these records is required by the Freedom of Information Act.
- A record from this system of records may be disclosed, as a routine use, in the course of presenting evidence
 to a court, magistrate, or administrative tribunal, including disclosures to opposing counsel in the course of
 settlement negotiations.
- 3. A record in this system of records may be disclosed, as a routine use, to a Member of Congress submitting a request involving an individual, to whom the record pertains, when the individual has requested assistance from the Member with respect to the subject matter of the record.
- 4. A record in this system of records may be disclosed, as a routine use, to a contractor of the Agency having need for the information in order to perform a contract. Recipients of information shall be required to comply with the requirements of the Privacy Act of 1974, as amended, pursuant to 5 U.S.C. 552a(m).
- 5. A record related to an International Application filed under the Patent Cooperation Treaty in this system of records may be disclosed, as a routine use, to the International Bureau of the World Intellectual Property Organization, pursuant to the Patent Cooperation Treaty.
- 6. A record in this system of records may be disclosed, as a routine use, to another federal agency for purposes of National Security review (35 U.S.C. 181) and for review pursuant to the Atomic Energy Act (42 U.S.C. 218(c)).
- 7. A record from this system of records may be disclosed, as a routine use, to the Administrator, General Services, or his/her designee, during an inspection of records conducted by GSA as part of that agency's responsibility to recommend improvements in records management practices and programs, under authority of 44 U.S.C. 2904 and 2906. Such disclosure shall be made in accordance with the GSA regulations governing inspection of records for this purpose, and any other relevant (i.e., GSA or Commerce) directive. Such disclosure shall not be used to make determinations about individuals.
- 8. A record from this system of records may be disclosed, as a routine use, to the public after either publication of the application pursuant to 35 U.S.C. 122(b) or issuance of a patent pursuant to 35 U.S.C. 151. Further, a record may be disclosed, subject to the limitations of 37 CFR 1.14, as a routine use, to the public if the record was filed in an application which became abandoned or in which the proceedings were terminated and which application is referenced by either a published application, an application open to public inspection or an issued patent.
- 9. A record from this system of records may be disclosed, as a routine use, to a Federal, State, or local law enforcement agency, if the USPTO becomes aware of a violation or potential violation of law or regulation.

SCORE Placeholder Sheet for IFW Content

Application Number: 14845644 Document Date: 09/04/2015

The presence of this form in the IFW record indicates that the following document type was received in electronic format on the date identified above. This content is stored in the SCORE database.

• Drawings – Other than Black and White Line Drawings

Since this was an electronic submission, there is no physical artifact folder, no artifact folder is recorded in PALM, and no paper documents or physical media exist. The TIFF images in the IFW record were created from the original documents that are stored in SCORE.

To access the documents in the SCORE database, refer to instructions below.

At the time of document entry (noted above):

- Examiners may access SCORE content via the eDAN interface.
- Other USPTO employees can bookmark the current SCORE URL (http://Score.uspto.gov/ScoreAccessWeb/).
- External customers may access SCORE content via the Public and Private PAIR interfaces.

Form Revision Date: September 30, 2013

Sequence Listing was accepted.

If you need help call the Patent Electronic Business Center at (866) 217-9197 (toll free).

Reviewer: Anjum, Durreshwar (CGI Federal)

Timestamp: [year=2015; month=9; day=9; hr=10; min=15; sec=49; ms=866;]

Validated By CRFValidator v 1.0.4

Application No: 14845644 Version No: 1.1

Input Set:

Output Set:

Started: 2015-09-09 10:15:35.719

Finished: 2015-09-09 10:15:41.965

Elapsed: 0 hr(s) 0 min(s) 6 sec(s) 246 ms

Total Warnings: 293

Total Errors: 0

No. of SeqIDs Defined: 261

Actual SeqID Count: 261

Error code		Error Description	n								
W	213	Artificial c	r	Unknown	found	in	<213>	in	SEQ	ID	(1)
W	213	Artificial c	or	Unknown	found	in	<213>	in	SEQ	ID	(2)
W	213	Artificial c	or	Unknown	found	in	<213>	in	SEQ	ID	(3)
W	213	Artificial c	r	Unknown	found	in	<213>	in	SEQ	ID	(4)
W	213	Artificial c	r	Unknown	found	in	<213>	in	SEQ	ID	(5)
W	213	Artificial c	r	Unknown	found	in	<213>	in	SEQ	ID	(6)
W	213	Artificial c	r	Unknown	found	in	<213>	in	SEQ	ID	(7)
W	213	Artificial c	r	Unknown	found	in	<213>	in	SEQ	ID	(8)
W	213	Artificial c	or	Unknown	found	in	<213>	in	SEQ	ID	(9)
W	213	Artificial o	r	Unknown	found	in	<213>	in	SEQ	ID	(10)
W	213	Artificial o	r	Unknown	found	in	<213>	in	SEQ	ID	(11)
W	213	Artificial c	r	Unknown	found	in	<213>	in	SEQ	ID	(12)
W	213	Artificial c	r	Unknown	found	in	<213>	in	SEQ	ID	(13)
W	213	Artificial c	r	Unknown	found	in	<213>	in	SEQ	ID	(14)
W	213	Artificial c	r	Unknown	found	in	<213>	in	SEQ	ID	(15)
W	213	Artificial c	r	Unknown	found	in	<213>	in	SEQ	ID	(16)
W	213	Artificial c	r	Unknown	found	in	<213>	in	SEQ	ID	(17)
W	213	Artificial c	r	Unknown	found	in	<213>	in	SEQ	ID	(18)
W	213	Artificial c	r	Unknown	found	in	<213>	in	SEQ	ID	(19)
W	213	Artificial c	or	Unknown	found	in	<213>	in	SEQ	ID	(20)

Input Set:

Output Set:

Started: 2015-09-09 10:15:35.719 **Finished:** 2015-09-09 10:15:41.965

Elapsed: 0 hr(s) 0 min(s) 6 sec(s) 246 ms

Total Warnings: 293

Total Errors: 0

No. of SeqIDs Defined: 261

Actual SeqID Count: 261

n or Xaa used, for:

W

447

Error code Error Description This error has occured more than 20 times, will not be displayed W 447 n or Xaa used, for: SEQID(27) on line number 748 447 W n or Xaa used, for: SEQID(28) on line number 783 447 SEQID(29) on line number 823 W n or Xaa used, for: W 447 n or Xaa used, for: SEQID(45) on line number 1265 447 W n or Xaa used, for: SEQID(46) on line number 1332 W 447 SEQID(47) on line number 1409 n or Xaa used, for: W 447 n or Xaa used, for: SEQID(48) on line number 1500 447 W n or Xaa used, for: SEQID(49) on line number 1550 447 SEQID(50) on line number 1605 W n or Xaa used, for: W 447 n or Xaa used, for: SEQID(51) on line number 1665 W 447 n or Xaa used, for: SEQID(52) on line number 1725 W 447 n or Xaa used, for: SEQID(53) on line number 1790 W 447 n or Xaa used, for: SEQID(54) on line number 1855 SEQID(89) on line number 2556 W 447 n or Xaa used, for: 447 SEQID(90) on line number 2591 W n or Xaa used, for: W 447 n or Xaa used, for: SEQID(91) on line number 2641 447 W n or Xaa used, for: SEQID(91) on line number 2645 W 447 SEQID(92) on line number 2695 n or Xaa used, for: W 447 n or Xaa used, for: SEQID(92) on line number 2699

SEQID(93) on line number 2742

This error has occured more than 20 times, will not be displayed

SEQUENCE LISTING

<213> Artificial Sequence

```
<110> Comiskey, Stephen
     Feng, Rong
      Foss, John
      Shailubhai, Kunwar
<120> Formulations of Guanylate Cyclase
      C Agonists and Methods of Use
<130> SYPA-009/C02US 321994-
<140> US 14/845,644
<141> 2015-09-04
<150> 14661299
<151> 2015-03-18
<150> 13421769
<151> 2012-06-04
<150> PCT/US11/051805
<151> 2011-09-15
<150> US 61/383,156
<151> 2010-09-15
<150> US 61/387,636
<151> 2010-09-29
<150> US 61/392,186
<151> 2010-10-12
<160> 261
<170> PatentIn version 3.5
<210> 1
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<400> 1
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu
  5
                  10
<210> 2
<211> 15
<212> PRT
```

```
<220>
<223> Chemically Synthesized
<400> 2
Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu
             5
                                 10
<210> 3
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<400> 3
Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys
               5
                                  10
<210> 4
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<400> 4
Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu
              5
<210> 5
<211> 13
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<400> 5
Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys
                                  10
<210> 6
<211> 13
<212> PRT
<213> Artificial Sequence
```

```
<220>
<223> Chemically Synthesized
<400> 6
Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu
     5
                       10
<210> 7
<211> 12
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<400> 7
Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys
   5
                               10
<210> 8
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> wherein LEU is a D-amino acid
<400> 8
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu
1 5
<210> 9
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> wherein ASN is a D-amino acid
```

```
<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> wherein LEU is a D-amino acid
<400> 9
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu
                                  10
<210> 10
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> wherein ASN is a D-amino acid
<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> wherein ASP is a D-amino acid
<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> wherein LEU is a D-amino acid
<400> 10
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu
              5
                                  10
                                                       15
<210> 11
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> wherein ASN is a D-amino acid
<220>
<221> MISC_FEATURE
```

```
<222> (2)..(2)
<223> wherein ASP is a D-amino acid
<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> wherein GLU is a D-amino acid
<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> wherein LEU is a D-amino acid
<400> 11
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu
                                   10
<210> 12
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> wherein ASN is a D-amino acid
<400> 12
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu
                                                       15
                                   10
<210> 13
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> wherein ASN is a D-amino acid
<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> wherein LEU is a D-amino acid
```

```
<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> wherein LEU is a D-amino acid
<400> 13
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu
                                   10
<210> 14
<211> 15
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<400> 14
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys
               5
                                  10
                                                       15
<210> 15
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> wherein ASN at position 1 is attached to polyethylene glycol
<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> wherein LEU is a D-amino acid
<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> wherein LEU at position 16 is attached to polyethylene glycol
<400> 15
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu
               5
                                  10
                                                       15
```

<210> 16

```
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> wherein ASN at position 1 is attached to polyethylene glycol
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> wherein ASN is a D-amino acid
<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> wherein LEU is a D-amino acid
<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> wherein LEU at position 16 is attached to polyethylene glycol
<400> 16
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu
                5
                                    10
<210> 17
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> wherein ASN at position 1 is attached to polyethylene glycol
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> wherein ASN is a D-amino acid
<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> wherein ASP is a D-amino acid
```

```
<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> wherein LEU is a D-amino acid
<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> wherein LEU at position 16 is attached to polyethylene glycol
<400> 17
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu
                                   10
<210> 18
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> wherein ASN is a D-amino acid
<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> wherein LEU at position 16 is attached to polyethylene glycol
<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> wherein LEU is a D-amino acid
<400> 18
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu
                                   10
<210> 19
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
```

<220>

```
<221> MISC_FEATURE
<222> (1)..(1)
<223> wherein ASN at position 1 is attached to polyethylene glycol
<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> wherein LEU is a D-amino acid
<400> 19
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu
           5
                            10
<210> 20
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> wherein ASN at position 1 is attached to polyethylene glycol
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> wherein ASN is a D-amino acid
<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> wherein LEU is a D-amino acid
<400> 20
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu
        5
                                 10
                                                      15
<210> 21
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221> MISC_FEATURE
<222> (16)..(16)
```

```
<223> wherein LEU at position 16 is attached to polyethylene glycol
<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> wherein LEU is a D-amino acid
<400> 21
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu
              5
                                  10
<210> 22
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> wherein ASN at position 1 is attached to polyethylene glycol
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> wherein ASN is a D-amino acid
<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> wherein ASP is a D-amino acid
<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> wherein GLU is a D-amino acid
<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> wherein LEU is a D-amino acid
<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> wherein LEU at position 16 is attached to polyethylene glycol
<400> 22
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu
               5
                           10
                                                       15
```

```
<210> 23
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> wherein ASN at position 1 is attached to polyethylene glycol
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> wherein ASN is a D-amino acid
<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> wherein ASP is a D-amino acid
<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> wherein GLU is a D-amino acid
<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> wherein LEU is a D-amino acid
<400> 23
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu
               5
                                  10
                                                       15
<210> 24
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> wherein ASN is a D-amino acid
<220>
<221> MISC_FEATURE
```

```
<222> (2)..(2)
<223> wherein ASP is a D-amino acid
<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> wherein GLU is a D-amino acid
<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> wherein LEU at position 16 is attached to polyethylene glycol
<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> wherein LEU is a D-amino acid
<400> 24
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu
                5
                                   10
<210> 25
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> wherein ASN is a D-amino acid
<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> wherein ASP is a D-amino acid
<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> wherein LEU at position 16 is attached to polyethylene glycol
<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> wherein LEU is a D-amino acid
<400> 25
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu
                5
                                    10
                                                        15
```

```
<210> 26
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> wherein ASN at position 1 is attached to polyethylene glycol
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> wherein ASN is a D-amino acid
<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> wherein ASP is a D-amino acid
<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> wherein LEU is a D-amino acid
<400> 26
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Leu
                                   10
<210> 27
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> wherein ASN is a D-amino acid
<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> wherein x is 3-(2-naphthyl) alanine
```

<220>

```
<222> (16)..(16)
<223> wherein x is a D-amino acid
<400> 27
Asn Asp Glu Cys Glu Leu Cys Val Asn Val Ala Cys Thr Gly Cys Xaa
               5
                                 10
<210> 28
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> wherein ASN is a D-amino acid
<220>
<221> MOD_RES
<222> (8)..(8)
<223> wherein the x is a 2-aminoisobutyric acid, Aib
<220>
<221> MOD_RES
<222> (10)..(10)
<223> wherein the x is a 2-aminoisobutyric acid, Aib
<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> wherein LEU is a D-amino acid
<400> 28
Asn Asp Glu Cys Glu Leu Cys Xaa Asn Xaa Ala Cys Thr Gly Cys Leu
       5
                                 10
                                                      15
<210> 29
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221> MISC_FEATURE
<222> (1)..(1)
```

<221> MISC_FEATURE

```
<223> wherein ASN is a D-amino acid
<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> wherein ASP at position 7 is attached to a Lactam bridge
<220>
<221> MISC_FEATURE
<222> (15)..(15)
<223> wherein x at position 15 is ornithine
<220>
<221> MOD_RES
<222> (15)..(15)
<223> wherein x is an ornithine, Orn
<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> wherein LEU is a D-amino acid
<400> 29
Asn Asp Glu Cys Glu Leu Asp Val Asn Val Ala Cys Thr Gly Xaa Leu
              5
                                10
                                                     15
<210> 30
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> wherein ASN is a D-amino acid
<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> wherein LEU is a D-amino acid
<400> 30
Asn Asp Glu Cys Glu Tyr Cys Val Asn Val Ala Cys Thr Gly Cys Leu
1 5
                 10
<210> 31
<211> 16
<212> PRT
<213> Artificial Sequence
```

```
<220>
<223> Chemically Synthesized
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> wherein ASN is a D-amino acid
<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> wherein LEU is a D-amino acid
<400> 31
Asn Asp Glu Cys Glu Ser Cys Val Asn Val Ala Cys Thr Gly Cys Leu
                                  10
<210> 32
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> wherein ASN at position 1 is attached to polyethylene glycol
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> wherein ASN is a D-amino acid
<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> wherein LEU is a D-amino acid
<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> wherein LEU at position 16 is attached to polyethylene glycol
<400> 32
Asn Asp Glu Cys Glu Tyr Cys Val Asn Val Ala Cys Thr Gly Cys Leu
               5
                                  10
                                                       15
```

```
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> wherein ASN at position 1 is attached to polyethylene glycol
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> wherein ASN is a D-amino acid
<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> wherein LEU is a D-amino acid
<400> 33
Asn Asp Glu Cys Glu Tyr Cys Val Asn Val Ala Cys Thr Gly Cys Leu
                                    10
<210> 34
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> wherein ASN is a D-amino acid
<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> wherein LEU at position 16 is attached to polyethylene glycol
<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> wherein LEU is a D-amino acid
<400> 34
Asn Asp Glu Cys Glu Tyr Cys Val Asn Val Ala Cys Thr Gly Cys Leu
                5
                                    10
                                                        15
```

```
<210> 35
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> wherein ASN at position 1 is attached to polyethylene glycol
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> wherein ASN is a D-amino acid
<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> wherein LEU is a D-amino acid
<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> wherein LEU at position 16 is attached to polyethylene glycol
<400> 35
Asn Asp Glu Cys Glu Ser Cys Val Asn Val Ala Cys Thr Gly Cys Leu
                                   10
<210> 36
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Chemically Synthesized
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> wher
```



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION	FILING or	GRP ART				
NUMBER	371(c) DATE	UNIT	FIL FEE REC'D	ATTY.DOCKET.NO	TOT CLAIMS	IND CLAIMS
14/845 644	09/04/2015	1675	930	SVPA-009/C02HS	10	2

CONFIRMATION NO. 8164
FILING RECEIPT

58249 COOLEY LLP ATTN: Patent Group 1299 Pennsylvania Avenue, NW Suite 700 Washington, DC 20004

Date Mailed: 09/14/2015

Receipt is acknowledged of this non-provisional patent application. The application will be taken up for examination in due course. Applicant will be notified as to the results of the examination. Any correspondence concerning the application must include the following identification information: the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please submit a written request for a Filing Receipt Correction. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections

Inventor(s)

Stephen COMISKEY, Doylestown, PA; Rong FENG, Langhorne, PA; John FOSS, Doylestown, PA; Kunwar SHAILUBHAI, Audubon, PA;

Applicant(s)

SYNERGY PHARMACEUTICALS INC., NEW YORK, NY

Power of Attorney: None

Domestic Priority data as claimed by applicant

This application is a CON of 14/661,299 03/18/2015 which is a CON of 13/421,769 03/15/2012 which is a CIP of PCT/US2011/051805 09/15/2011 which claims benefit of 61/383,156 09/15/2010 and claims benefit of 61/387,636 09/29/2010 and claims benefit of 61/392,186 10/12/2010

Foreign Applications for which priority is claimed (You may be eligible to benefit from the **Patent Prosecution Highway** program at the USPTO. Please see http://www.uspto.gov for more information.) - None. Foreign application information must be provided in an Application Data Sheet in order to constitute a claim to foreign priority. See 37 CFR 1.55 and 1.76.

Permission to Access - A proper **Authorization to Permit Access to Application by Participating Offices** (PTO/SB/39 or its equivalent) has been received by the USPTO.

If Required, Foreign Filing License Granted: 09/11/2015

The country code and number of your priority application, to be used for filing abroad under the Paris Convention,

is **US 14/845,644**

Projected Publication Date: 12/24/2015

Non-Publication Request: No Early Publication Request: No

** SMALL ENTITY **

Title

FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE

Preliminary Class

514

Statement under 37 CFR 1.55 or 1.78 for AIA (First Inventor to File) Transition Applications: No

PROTECTING YOUR INVENTION OUTSIDE THE UNITED STATES

Since the rights granted by a U.S. patent extend only throughout the territory of the United States and have no effect in a foreign country, an inventor who wishes patent protection in another country must apply for a patent in a specific country or in regional patent offices. Applicants may wish to consider the filing of an international application under the Patent Cooperation Treaty (PCT). An international (PCT) application generally has the same effect as a regular national patent application in each PCT-member country. The PCT process **simplifies** the filing of patent applications on the same invention in member countries, but **does not result** in a grant of "an international patent" and does not eliminate the need of applicants to file additional documents and fees in countries where patent protection is desired.

Almost every country has its own patent law, and a person desiring a patent in a particular country must make an application for patent in that country in accordance with its particular laws. Since the laws of many countries differ in various respects from the patent law of the United States, applicants are advised to seek guidance from specific foreign countries to ensure that patent rights are not lost prematurely.

Applicants also are advised that in the case of inventions made in the United States, the Director of the USPTO must issue a license before applicants can apply for a patent in a foreign country. The filing of a U.S. patent application serves as a request for a foreign filing license. The application's filing receipt contains further information and guidance as to the status of applicant's license for foreign filing.

Applicants may wish to consult the USPTO booklet, "General Information Concerning Patents" (specifically, the section entitled "Treaties and Foreign Patents") for more information on timeframes and deadlines for filing foreign patent applications. The guide is available either by contacting the USPTO Contact Center at 800-786-9199, or it can be viewed on the USPTO website at http://www.uspto.gov/web/offices/pac/doc/general/index.html.

For information on preventing theft of your intellectual property (patents, trademarks and copyrights), you may wish to consult the U.S. Government website, http://www.stopfakes.gov. Part of a Department of Commerce initiative, this website includes self-help "toolkits" giving innovators guidance on how to protect intellectual property in specific countries such as China, Korea and Mexico. For questions regarding patent enforcement issues, applicants may call the U.S. Government hotline at 1-866-999-HALT (1-866-999-4258).

LICENSE FOR FOREIGN FILING UNDER

Title 35, United States Code, Section 184

Title 37, Code of Federal Regulations, 5.11 & 5.15

GRANTED

The applicant has been granted a license under 35 U.S.C. 184, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" followed by a date appears on this form. Such licenses are issued in all applications where the conditions for issuance of a license have been met, regardless of whether or not a license may be required as set forth in 37 CFR 5.15. The scope and limitations of this license are set forth in 37 CFR 5.15(a) unless an earlier license has been issued under 37 CFR 5.15(b). The license is subject to revocation upon written notification. The date indicated is the effective date of the license, unless an earlier license of similar scope has been granted under 37 CFR 5.13 or 5.14.

This license is to be retained by the licensee and may be used at any time on or after the effective date thereof unless it is revoked. This license is automatically transferred to any related applications(s) filed under 37 CFR 1.53(d). This license is not retroactive.

The grant of a license does not in any way lessen the responsibility of a licensee for the security of the subject matter as imposed by any Government contract or the provisions of existing laws relating to espionage and the national security or the export of technical data. Licensees should apprise themselves of current regulations especially with respect to certain countries, of other agencies, particularly the Office of Defense Trade Controls, Department of State (with respect to Arms, Munitions and Implements of War (22 CFR 121-128)); the Bureau of Industry and Security, Department of Commerce (15 CFR parts 730-774); the Office of Foreign AssetsControl, Department of Treasury (31 CFR Parts 500+) and the Department of Energy.

NOT GRANTED

No license under 35 U.S.C. 184 has been granted at this time, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" DOES NOT appear on this form. Applicant may still petition for a license under 37 CFR 5.12, if a license is desired before the expiration of 6 months from the filing date of the application. If 6 months has lapsed from the filing date of this application and the licensee has not received any indication of a secrecy order under 35 U.S.C. 181, the licensee may foreign file the application pursuant to 37 CFR 5.15(b).

SelectUSA

The United States represents the largest, most dynamic marketplace in the world and is an unparalleled location for business investment, innovation, and commercialization of new technologies. The U.S. offers tremendous resources and advantages for those who invest and manufacture goods here. Through SelectUSA, our nation works to promote and facilitate business investment. SelectUSA provides information assistance to the international investor community; serves as an ombudsman for existing and potential investors; advocates on behalf of U.S. cities, states, and regions competing for global investment; and counsels U.S. economic development organizations on investment attraction best practices. To learn more about why the United States is the best country in the world to develop technology, manufacture products, deliver services, and grow your business, visit http://www.SelectUSA.gov or call +1-202-482-6800.

	PATE	ENT APPLI		ON FEE DE titute for Form		ION RECO	RD		Applica 14/84	tion or Docket Num 5,644	ber
	APPL	ICATION A			umn 2)	SMAL	.L EI	NTITY	OR	OTHER SMALL	
	FOR	NUMBE	R FILE	NUMBE	R EXTRA	RATE(\$)		FEE(\$)]	RATE(\$)	FEE(\$)
	IC FEE FR 1.16(a), (b), or (c))	N	/A	١	I/A	N/A	T	70	1	N/A	
	RCH FEE FR 1.16(k), (i), or (m))	N	/A	١	I/A	N/A	T	300	1	N/A	
	MINATION FEE FR 1.16(o), (p), or (q))	N	/A	١	I/A	N/A	T	360	1	N/A	
TOT	AL CLAIMS FR 1.16(i))	10	minus	20=		× 40	=	0.00	OR		
	PENDENT CLAIM	1S 2	minus	3 = *		× 210	=	0.00	1		
APF FEE	LICATION SIZE	\$310 (\$15) 50 sheets	paper, the 5 for sma or fraction	and drawings e e application si all entity) for ea on thereof. See CFR 1.16(s).	ze fee due is ch additional			200			
MUL	TIPLE DEPENDE	NT CLAIM PRE	SENT (37	7 CFR 1.16(j))			T	0.00	1		
* If th	ne difference in col	lumn 1 is less th	an zero,	enter "0" in colur	mn 2.	TOTAL	\dagger	930	1	TOTAL	
AMENDMENT A	Takal	(Column 1) CLAIMS REMAINING AFTER AMENDMENT		(Column 2) HIGHEST NUMBER PREVIOUSLY PAID FOR	(Column 3) PRESENT EXTRA	SMAL RATE(\$)	L EI	ADDITIONAL FEE(\$)	OR	SMALL RATE(\$)	ENTITY ADDITIONAL FEE(\$)
\ \ \ \ \ \	Total (37 CFR 1.16(i))	<u>*</u>	Minus		=	х	=		OR	x =	
	Independent (37 CFR 1.16(h))	*	Minus	***	=	х	=		OR	x =	
₹	Application Size Fee	e (37 CFR 1.16(s))									
	FIRST PRESENTA	TION OF MULTIPL	E DEPEN	DENT CLAIM (37 C	CFR 1.16(j))				OR		
						TOTAL ADD'L FEE			OR	TOTAL ADD'L FEE	
_	ı	(Column 1) CLAIMS		(Column 2) HIGHEST	(Column 3)		$\overline{}$		1		
MT B		REMAINING AFTER AMENDMENT		NUMBER PREVIOUSLY PAID FOR	PRESENT EXTRA	RATE(\$)		ADDITIONAL FEE(\$)		RATE(\$)	ADDITIONAL FEE(\$)
<u>M</u>	Total (37 CFR 1.16(i))	*	Minus	**	=	х	=		OR	x =	
AMENDMENT	Independent (37 CFR 1.16(h))	*	Minus	***	=	х	=		OR	x =	
Application Size Fee (37 CFR 1.16(s))											
	FIRST PRESENTA	TION OF MULTIPL	E DEPEN	DENT CLAIM (37 C	CFR 1.16(j))				OR		
						TOTAL ADD'L FEE	t		OR	TOTAL ADD'L FEE	
***	f If the entry in col If the "Highest No If the "Highest Nun The "Highest Numb	umber Previous mber Previously I	ly Paid Fo Paid For"	or" IN THIS SPA IN THIS SPACE is	CE is less than 2 s less than 3, ente	20, enter "20". er "3".	oox in	column 1.			



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS PC. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NUMBER FILING OR 371(C) DATE FIRST NAMED APPLICANT ATTY. DOCKET NO./TITLE

14/845,644 09/04/2015 Stephen COMISKEY

SYPA-009/C02US CONFIRMATION NO. 8164

PUBLICATION NOTICE



58249 COOLEY LLP ATTN: Patent Group 1299 Pennsylvania Avenue, NW Suite 700 Washington, DC 20004

Title:FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE

Publication No.US-2015-0366935-A1

Publication Date: 12/24/2015

NOTICE OF PUBLICATION OF APPLICATION

The above-identified application will be electronically published as a patent application publication pursuant to 37 CFR 1.211, et seg. The patent application publication number and publication date are set forth above.

The publication may be accessed through the USPTO's publically available Searchable Databases via the Internet at www.uspto.gov. The direct link to access the publication is currently http://www.uspto.gov/patft/.

The publication process established by the Office does not provide for mailing a copy of the publication to applicant. A copy of the publication may be obtained from the Office upon payment of the appropriate fee set forth in 37 CFR 1.19(a)(1). Orders for copies of patent application publications are handled by the USPTO's Office of Public Records. The Office of Public Records can be reached by telephone at (703) 308-9726 or (800) 972-6382, by facsimile at (703) 305-8759, by mail addressed to the United States Patent and Trademark Office, Office of Public Records, Alexandria, VA 22313-1450 or via the Internet.

In addition, information on the status of the application, including the mailing date of Office actions and the dates of receipt of correspondence filed in the Office, may also be accessed via the Internet through the Patent Electronic Business Center at www.uspto.gov using the public side of the Patent Application Information and Retrieval (PAIR) system. The direct link to access this status information is currently http://pair.uspto.gov/. Prior to publication, such status information is confidential and may only be obtained by applicant using the private side of PAIR.

Further assistance in electronically accessing the publication, or about PAIR, is available by calling the Patent Electronic Business Center at 1-866-217-9197.

Office of Data Managment, Application Assistance Unit (571) 272-4000, or (571) 272-4200, or 1-888-786-0101

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

SHEET 1 OF 1

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known						
Application Number	14/845,644					
Filing Date	September 4, 2015					
First Named Inventor	Stephen Comiskey					
Art Unit	1676					
Examiner Name	Jia-Hai Lee					
Attorney Docket Number	SYPA-009/C02US 321994-2242					

	NON PATENT LITERATURE DOCUMENTS							
Examiner's Initials	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	\mathbf{T}^6					
	1.	FMC BioPolymer of Avicel PH Production Instruction, 21 pages (2005).						
	2.	LAI and TOPP, "Solid-State Chemical Stability of Proteins and Peptides", Journal of Pharmaceutical Sciences, MiniReview, 88(5): 489-500 (1999).						
	3.	MIHRANYAN et al., "Moisture sorption by cellulose powders of varying crystallinity", International Journal of Pharmaceutics, 269(2): 433-442 (2004).						

	125824976 v1		
Examiner Signature:		Date Considered	
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in			
conformance and not considered. Include copy of this form with next communication to applicant.			

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. sKind of document by

the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent

and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

Electronic Acknowledgement Receipt		
EFS ID:	24496184	
Application Number:	14845644	
International Application Number:		
Confirmation Number:	8164	
Title of Invention:	FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE	
First Named Inventor/Applicant Name:	Stephen COMISKEY	
Customer Number:	58249	
Filer:	Anne Elizabeth Fleckenstein/Sandra Laramore	
Filer Authorized By:	Anne Elizabeth Fleckenstein	
Attorney Docket Number:	SYPA-009/C02US	
Receipt Date:	30-DEC-2015	
Filing Date:	04-SEP-2015	
Time Stamp:	19:47:34	
Application Type:	Utility under 35 USC 111(a)	

Payment information:

Submitted with Payment	no
------------------------	----

File Listing:

Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
1	Transmittal Letter	IDS.pdf	79274	no	2
		' ·	0ed16d4cf8b504ac57b423d84e81aa354d4 1aa6b		

Warnings:

Information: 0325

2	Information Disclosure Statement (IDS) Form (SB08)	SB08.pdf	167270	no	1	
			6ddc3802bf4762ebf16b5bdc86edb3a1adc aae9c			
Warnings:	Warnings:					
Information	}					
This is not an U	ISPTO supplied IDS fillable form					
		Total Files Size (in bytes):	24	46544		

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.

New International Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of: COMISKEY, Stephen, Confirmation No.: 8164

et al.

Application No.: 14/845,644 Group Art Unit: 1676

Filed: September 4, 2015 Examiner: Jia-Hai LEE

FOR: FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS

OF USE

VIA EFS

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT UNDER 37 C.F.R. §1.97(b)

In accordance with the duty of disclosure set forth in 37 C.F.R. §1.56,

Applicant(s)	hereby submits the following information in conformance with 37 C.F.R.
§§1.97 and 1.	98.
	Pursuant to 37 C.F.R. §1.98, a copy of each non-US patent document cited in the attached Form PTO/SB/08 is enclosed.
	Copies of the publications listed on the attached Form PTO/SB/08 are not being provided pursuant to 37 C.F.R. §1.98(d) because the publications were previously cited by or submitted to the Office in prior Application Serial No. <u>13/421,769</u> to which the above-identified application claims priority under 35 U.S.C. §120.
	No copies of any U.S. patents or U.S. patent application publications listed on the attached Form PTO/SB/08 are being provided pursuant to 37 C.F.R. §1.98.
	Publication(s) listed on the attached Form PTO/SB/08 were cited in a foreign search or examination report corresponding to application serial no and mailed on

Attorney Docket No. SYPA-009/C02US 321994-2242 Application No. 14/845,644

Page 2

	Enclosed is a copy of a non-English publication(s) Pursuant to §609 of the M.P.E.P., Applicant submits the attached foreign search or examination report, which cites such non-English language publication(s).
	Enclosed is a copy of a non-English publication(s) English language publication (copy enclosed) claims priority from this non-English publication.
	Enclosed is an explanation of non-English publication(s) for which an English translation is not available.
	Enclosed is an English translation of non-English publication(s) cited in the attached Form PTO/SB/08.
	Enclosed is a copy of pending patent Application Serial No
This In time periods:	formation Disclosure Statement is filed within any one of the following
	within three months from the filing date of this national application other than a CPA under 37 C.F.R. § 1.53(d);
	within three months from the date of entry of the national stage as set forth in 37 C.F.R. §1.491 in this international application;
	before the mailing date of a first office action on the merits; or
	before the mailing of a first office action after the filing of a request for continued examination under 37 C.F.R. § 1.114.
It is	respectfully requested that the Examiner consider the above-noted
information as	nd return an initialed copy of the attached Form PTO/SB/08 to the
undersigned.	
Dated: Decemb	ber 30, 2015 Respectfully submitted, COOLEY LLP
COOLEY LLP ATTN: Patent 1299 Pennsylv Washington, D	ania Avenue NW, Suite 700
Tel: (202) 728	By: /Anne E. Fleckenstein/
Fax: (202) 842	Anne E. Fleckenstein

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
14/845,644 09/04/2015		Stephen COMISKEY	SYPA-009/C02US	8164
58249 COOLEY LLP	7590 01/29/201	6	EXAM	IINER
ATTN: Patent (LEE, JI	A-HAI	
Suite 700			ART UNIT	PAPER NUMBER
Washington, Do	C 20004		1676	-
			NOTIFICATION DATE	DELIVERY MODE
			01/29/2016	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

zpatdcdocketing@cooley.com

PTOL-90A (Rev. 04/07) 0329

	Application No. 14/845,644	Applicant(s	
Office Action Summary	Examiner JIA-HAI LEE	Art Unit 1676	AIA (First Inventor to File) Status No
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the	e corresponder	nce address
A SHORTENED STATUTORY PERIOD FOR REPLY THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	66(a). In no event, however, may a reply be fill apply and will expire SIX (6) MONTHS from cause the application to become ABANDO	e timely filed om the mailing date NED (35 U.S.C. § 1:	of this communication. 33).
Status			
1) Responsive to communication(s) filed on 09/04	1/2015.		
A declaration(s)/affidavit(s) under 37 CFR 1.1		<u>.</u>	
2a) ☐ This action is FINAL . 2b) ☑ This	action is non-final.		
3) An election was made by the applicant in response		nt set forth dur	ing the interview on
the restriction requirement and election	·		
4) Since this application is in condition for allowan	ice except for formal matters, p	prosecution as	to the merits is
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11,	453 O.G. 213	
Disposition of Claims*			
5) Claim(s) 1-10 is/are pending in the application. 5a) Of the above claim(s) is/are withdraw 6) Claim(s) is/are allowed. 7) Claim(s) 1-10 is/are rejected. 8) Claim(s) is/are objected to. 9) Claim(s) are subject to restriction and/or * If any claims have been determined allowable, you may be eliparticipating intellectual property office for the corresponding aphttp://www.uspto.gov/patents/init_events/pph/index.jsp or send * Application Papers 10) The specification is objected to by the Examiner 11) The drawing(s) filed on is/are: a) access Applicant may not request that any objection to the office Replacement drawing sheet(s) including the correction in the correction of the correct	relection requirement. gible to benefit from the Patent P oplication. For more information, pan inquiry to <u>PPHfeedback@uspt</u> r. epted or b) objected to by the drawing(s) be held in abeyance. So	lease see o.gov. e Examiner. See 37 CFR 1.83 objected to. See	5(a).
Certified copies: a) All b) Some** c) None of the: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bureau ** See the attached detailed Office action for a list of the certifie	s have been received. s have been received in Applic rity documents have been rece I (PCT Rule 17.2(a)).	cation No	
Attachment(s)			
1) ☑ Notice of References Cited (PTO-892) 2) ☑ Information Disclosure Statement(s) (PTO/SB/08a and/or PTO/S	3) Interview Summa Paper No(s)/Mail		
Paper No(s)/Mail Date 12/30/2015. 09/04/2015.	4) Other:		

DETAILED ACTION

The present application is being examined under the pre-AIA first to invent provisions.

Claim Status

Claims 1-10 are pending.

Claims 1-10 have been examined.

Priority

This application is a CON of 14/661,299 filed on 03/18/2015 (abandoned), which is a CON of 13/421,769 filed on 03/15/2012, which is a CIP of PCT/US2011/051805 filed on 09/15/2011, which claims the benefits of 61/383,156 filed on 09/15/2010, 61/387,636 filed on 09/29/2010, and 61/392,186 filed on 10/12/2010.

Information Disclosure Statement

The information disclosure statement (IDS) submitted on 09/04/2015 and 12/30/2015 is in compliance with the provisions of 37 CFR 1.97. Accordingly, the information disclosure statement has been considered by the examiner.

Claim Rejections - 35 USC § 103

The following is a quotation of pre-AIA 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described

as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under pre-AIA 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claims 1-10 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Shailubhai et al. (WO 2008/151257 A2, IDS #76 dated 9/4/2015) in view of Business Wire News (April 07, 2008).

Claim 1 is drawn to a method for treating a patient (intended use for treating chronic constipation) comprising orally administering to a patient a composition comprising a per unit dose of 3 mg or 6 mg of a [4,12; 7,15] bicyclic peptide consisting the peptide sequence of SEQ ID NO: 1 and a pharmaceutically acceptable excipient.

Shailubhai et al. shows a [4,12; 7,15] bicyclic peptide of guanylate cyclase receptor agonist (GCRA) of SP-304 as follows (p11, Table 1, SEQ ID NO: 1/SP-304; Fig 3) is able to enhance intracellular levels of cGMP (Fig 5). Shailubhai's SP-304/GCRA is

SP304

NDECELCVNVACTGCL SEQIDNO: 1

identical to the [4,12; 7,15] bicyclic peptide of this instant SEQ ID NO: 1 as claimed. Shailubhai et al. suggests the use of a guanylate cyclase agonist SP-304/GCRA peptide to treat any condition that responds to enhanced intracellular levels of cGMP, including gastointestinal disorders comprising irritable bowel syndrome (IBS) and constipation (p5, line 8-21). Shailubhai et al. suggests a SP-304/GCRA peptide can be formulated in a pharmaceutical composition in unit dose form typically between 100 µg and 3g together with one or more pharmaceutically acceptable excipients (p6, line 21-25; p38, line 21-25). Shailubhai et al. suggests the SP-304/GCRA peptide formulated for oral composition includes an inert diluent or an edible carrier (p41, line 19-30). Shailubhai et al. shows the oral dosage of SP-304/GCRA peptide via gavage administration for the phase I trial of cynomolgus monkeys was about 1 mg/kg (p92, Example 7, line 15-20). The weight range of cynomolgus monkeys was known to be 1.7 kg – 8.0 kg according to a supplier's web page of (http://www.wwprimates.com/?g=cynomolgus-monkeys). Thus, a unit dose form of SP-304/GCRA peptide ranged from 1.7 mg to 8.0 mg was used for the phase I trial of cynomolgus monkeys.

Shailubhai et al. teaches the use of SP-304/GCRA peptide to increase intracellular levels of cGMP to treat constipation and irritable bowel syndrome (p5, line 8-21, Fig 5), but does not show the use of SP-304/GCRA peptide to treat chronic constipation.

Business Wire News 2008 reported SP-304 (Guanilib) was under clinical trial for

the treatment of chronic constipation and constipation-predominant irritable bowel syndrome because nonclinical animal studies had shown SP-304 to be well tolerated (p1, para 1-2).

One of ordinary skill in the art would be motivated to use SP-304 (Guanilib) for the treatment of chronic constipation and constipation-predominant irritable bowel syndrome as stated by Dr. Jacob "There are only two compounds presently in this class, our drug, and linaclotide, a drug that is currently being developed by Microbia and Forest Laboratories to treat Gl disorders. We believe that SP-304 has the potential to be the best in class." (p1, para 3), reading on the use of SP-304/GCRA (Guanilib) for the treatment of chronic constipation and constipation-predominant irritable bowel syndrome in claim 1.

With respect to claim 2, Shailubhai et al. suggests the use of a guanylate cyclase agonist of SP-304/GCRA peptide to treat any condition or disease symptom that responds to enhanced intracellular levels of cGMP, including gastointestinal disorders of irritable bowel syndrome (IBS) and constipation (p5, line 8-21). Business Wire News 2008 reported SP-304/GCRA (Guanilib) was under clinical trial for the treatment of chronic constipation and constipation-predominant irritable bowel syndrome (p1, para 1).

With respect to claim 3, Shailubhai et al. shows a peptide of guanylate cyclase receptor agonist SP-304/GCRA (p11, Table 1, SEQ ID NO: 1/SP-304) able to enhance intracellular levels of cGMP and suggests the use of SP-304/GCRA peptide to treat any condition that responds to enhanced intracellular levels of cGMP, including

Page 5

gastointestinal disorders include for example, irritable bowel syndrome (IBS) and constipation (p5, line 8-21). Shailubhai et al. suggests the SP-304/ GCRA peptide can be in a pharmaceutical composition in unit dose form typically between 100 µg and 3g, e.g., 1.7 mg to 8 mg (1 mg/kg) for cynomolgus monkeys (p92, Example 7, line 15-20), together with one or more pharmaceutically acceptable excipients (p6, line 21-25; p38, line 21-25). Shailubhai et al. teaches a SP-304/GCRA peptide formulated for oral compositions generally include an inert diluent or an edible carrier (p41, line 19-30). With respect to claim 4, Shailubhai et al. suggests the use of a guanylate cyclase agonist of SP-304/GCRA to treat any condition that responds to enhanced intracellular levels of cGMP, including gastointestinal disorders of irritable bowel syndrome (IBS) and constipation (p5, line 8-21).

With respect to claim 5, Shailubhai et al. suggests administration to said patient an effective dose of an inhibitor of cGMP-specific phosphodiesterase (cGMP-PDE) either concurrently or sequentially with said guanylate cyclase receptor agonist (p6, line 30-32).

With respect to claim 6, Shailubhai et al. suggests a cGMP-dependent phosphodiesterase inhibitor can be sulindac sulfone, zaprinast, and motapizone (p6, line 32-33).

With respect to claim 7, Shailubhai et al. suggests additional therapeutic agents to treat gastrointestinal disorders and constipation with a laxative of commercial products comprising Plantago Ovata[®] or Equalactin[®] and others (p51, line 17-28).

With respect to claim 8, Shailubhai et al. suggests administration to said patient

an effective dose of an inhibitor of cGMP-specific phosphodiesterase (cGMP-PDE) either concurrently or sequentially with said guanylate cyclase receptor agonist (p6, line 30-32).

With respect to claim 9, Shailubhai et al. suggests a cGMP-dependent phosphodiesterase inhibitor can be sulindac sulfone, zaprinast, and motapizone (p6, line 32-33).

With respect to claim 10, Shailubhai et al. suggests additional therapeutic agents to treat gastrointestinal disorders and constipation with a laxative of commercial products comprising Plantago Ovata® or Equalactin® and others (p51, line 17-28).

Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory double patenting rejection is appropriate where the claims at issue are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*,

Page 7

686 F.2d 937, 214 USPQ 761 (CCPA 1982); In re Vogel, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the reference application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement. See MPEP § 717.02 for applications subject to examination under the first inventor to file provisions of the AIA as explained in MPEP § 2159. See MPEP §§ 706.02(I)(1) - 706.02(I)(3) for applications not subject to examination under the first inventor to file provisions of the AIA. A terminal disclaimer must be signed in compliance with 37 CFR 1.321(b).

The USPTO Internet website contains terminal disclaimer forms which may be used. Please visit www.uspto.gov/forms/. The filing date of the application in which the form is filed determines what form (e.g., PTO/SB/25, PTO/SB/26, PTO/AIA/25, or PTO/AIA/26) should be used. A web-based eTerminal Disclaimer may be filled out completely online using web-screens. An eTerminal Disclaimer that meets all requirements is auto-processed and approved immediately upon submission. For more information about eTerminal Disclaimers, refer to

http://www.uspto.gov/patents/process/file/efs/guidance/eTD-info-I.jsp.

Claims 1-10 are provisionally rejected on the ground of nonstatutory double patenting as being unpatentable over claims 1 and 4 of copending Application No.

14/301,812 ('812 application) in view of Shailubhai et al. (WO 2008/151257 A2). The GCC agonist peptide sequence of SEQ ID NO: 1 in claims 1 and 4 of the '812 application is identical to 1) the peptide comprising SEQ ID NO: 1 wherein the peptide is a [4,12; 7,15] bicycle in this instant claim 1 and also identical to 2) Shailubhai's GCRA SEQ ID NO: 1/SP-304 (p11, SEQ ID NO: 1). Claims 1 and 4 of the '812 application is drawn to a GCC agonist formulation comprising the instant SEQ ID NO: 1 wherein the peptide is a [4,12; 7,15] bicycle as claimed and a pharmaceutically acceptable excipient of a pH-dependent polymer. Shailubhai et al. teaches a method of using a unit dose of a GCC agonist peptide (SP-304) between 100 μg and 3g (p6, line 21-25; p38, line 21-25) for oral administration (p41, line 19-30) to treat any condition that responds to enhanced intracellular levels of cGMP comprising constipation (intrinsically including chronic constipation able to respond to enhanced intracellular levels of cGMP) or irritable bowel syndrome (p5, line 8-21), satisfying this instant claim 1.

With respect to the instant claims 2-4, Shailubhai et al. suggests the use of SEQ ID NO: 1 (SP-304) of claim 1 in the '812 application to treat any condition that responds to enhanced intracellular levels of cGMP, including gastointestinal disorders comprising irritable bowel syndrome (IBS) and constipation (p5, line 8-21). Shailubhai et al. suggests a GCRA peptide can be in a pharmaceutical composition in unit dose form typically between 100 μg and 3g together with one or more pharmaceutically acceptable excipients (p6, line 21-25; p38, line 21-25). Shailubhai et al. teaches a GCRA peptide formulated for oral compositions generally include an inert diluent or an edible carrier (p41, line 19-30), satisfying the instant claims 2-4.

With respect to the instant claims 5-6 and 8-9, Shailubhai et al. suggests administration to said patient an effective dose of an inhibitor of cGMP-specific phosphodiesterase (cGMP-PDE) either concurrently or sequentially with said guanylate cyclase receptor agonist, SEQ ID NO: 1 (SP-304) of claim 1 in the '812 application, (p6, line 30-32). Shailubhai et al. further suggests a cGMP-dependent phosphodiesterase inhibitor can be sulindac sulfone, zaprinast, and motapizone (p6, line 32-33), satisfying the instant claims 5-6 and 8-9.

With respect to the instant claims 7 and 10, Shailubhai et al. suggests additional therapeutic agents to treat gastrointestinal disorders and constipation with a laxative of commercial products comprising Plantago Ovata® or Equalactin® and others (p51, line 17-28).

Claims 1-10 are provisionally rejected on the ground of nonstatutory double patenting as being unpatentable over claims 1-3 of copending Application No. 14/001,638 ('638 application) in view of Shailubhai et al. (WO 2008/151257 A2). Claim 1-3 of the '638 application is drawn to a method of making a GCC agonist peptide of SEQ ID NO: 1/SP304 (specification p15, para 54 and p17, scheme 4). Shailubhai et al. teaches the use of a unit dose of the GCC agonist peptide SP-304 between 100 µg and 3g (p6, line 21-25; p38, line 21-25) for oral administration (p41, line 19-30) to treat constipation or irritable bowel syndrome. (p5, line 8-21). Thus, this instant claim 1 is obvious to claims 1-3 of the '638 application in view of Shailubhai et al. (WO 2008/151257 A2).

With respect to the instant claims 2-4, Shailubhai et al. suggests the use of SEQ ID NO: 1 (SP-304) of claims 1-3 in the '638 application to treat any condition that responds to enhanced intracellular levels of cGMP, including gastointestinal disorders comprising irritable bowel syndrome (IBS) and constipation (p5, line 8-21). Shailubhai et al. suggests a GCRA peptide can be in a pharmaceutical composition in unit dose form typically between 100 μg and 3g together with one or more pharmaceutically acceptable excipients (p6, line 21-25; p38, line 21-25). Shailubhai et al. teaches a GCRA peptide formulated for oral compositions generally include an inert diluent or an edible carrier (p41, line 19-30), satisfying the instant claims 2-4.

With respect to the instant claims 5-6 and 8-9, Shailubhai et al. suggests administration to said patient an effective dose of an inhibitor of cGMP-specific phosphodiesterase (cGMP-PDE) either concurrently or sequentially with said guanylate cyclase receptor agonist (p6, line 30-32). Shailubhai et al. further suggests a cGMP-dependent phosphodiesterase inhibitor can be sulindac sulfone, zaprinast, and motapizone (p6, line 32-33), satisfying the instant claims 5-6 and 8-9.

With respect to the instant claims 7 and 10, Shailubhai et al. suggests additional therapeutic agents to treat gastrointestinal disorders and constipation with a laxative of commercial products comprising Plantago Ovata[®] or Equalactin[®] and others (p51, line 17-28).

Claims 1-10 are provisionally rejected on the ground of nonstatutory double patenting as being unpatentable over claims 2-9 and 42-43 (an oral dosage formulation

of SEQ ID NO: 1/SP-304), 26 and 32 (a process of making SP-304), and 36-40 (a method of using SP-304 to treat disease) of copending Application No. 13/421,769 ('769 application) in view of Shailubhai et al. (WO 2008/151257 A2). Claims 2-9 and 42-43 of the '769 application are drawn to an oral dosage formulation of comprising the peptide sequence of SEQ ID NO: 1/SP-304 (p44, Table 1, SEQ ID NO: 1) and an inert low moisture carrier. Claims 36-40 are drawn to a method of treating a disease or a disorder (e.g., irritable bowel syndrome or chronic idiopathic constipation) by administering an oral dosage of GCC agonist peptide from 0.01 mg to 10 mg and an inert low moisture carrier. Shailubhai et al. teaches a method of using a unit dose of the GCC agonist peptide SP-304 between 100 µg and 3 g (p6, line 21-25; p38, line 21-25) for oral administration (p41, line 19-30) to treat constipation or irritable bowel syndrome. (p5, line 8-21). Thus, this instant claim 1 is obvious to claims 2-9 and 42-43 of the '769 application in view of Shailubhai et al. Furthermore, this instant claim 1 is also obvious to claims 26 and 32 of the '769 application (drawn to a process of making SP-304) in view of Shailubhai's teaching of using a unit dose of the GCC agonist peptide SP-304 between 100 µg and 3g (p6, line 21-25; p38, line 21-25) for oral administration (p41, line 19-30) to treat constipation or irritable bowel syndrome (p5, line 8-21).

Claims 36-38 of the '769 application are drawn to a method of using the SEQ ID NO: 1 (SP-304) to treat a disease comprising irritable bowel syndrome and chronic idiopathic constipation. Shailubhai et al. suggests the use of the SEQ ID NO: 1 (SP-304) of claims 2-9 and 42-43 in the '769 application to treat any condition that responds to enhanced intracellular levels of cGMP, including gastointestinal disorders comprising

irritable bowel syndrome (IBS) and constipation (p5, line 8-21). Shailubhai et al. suggests a GCRA peptide of SP-304 can be in a pharmaceutical composition in unit dose form typically between 100 µg and 3g together with one or more pharmaceutically acceptable excipients (p6, line 21-25; p38, line 21-25), satisfying the instant claims 2-4

Claim 39 of the '769 application is drawn to a combination of the SEQ ID NO: 1 (SP-304) and an inhibitor of a cGMP-specific phosphodiesterase. Similarly, Shailubhai et al. suggests administration to said patient an effective dose of an inhibitor of cGMP-specific phosphodiesterase (cGMP-PDE) either concurrently or sequentially with said guanylate cyclase receptor agonist (p6, line 30-32). Shailubhai et al. further suggests a cGMP-dependent phosphodiesterase inhibitor can be sulindac sulfone, zaprinast, and motapizone (p6, line 32-33), satisfying the instant claims 5-6 and 8-9.

Claim 40 of the '769 application is drawn to a combination of the SEQ ID NO: 1 (SP-304) and an effective amount of at least one laxative. Similarly, Shailubhai et al. suggests additional therapeutic agents to treat gastrointestinal disorders and constipation with a laxative of commercial products comprising Plantago Ovata[®] or Equalactin[®] and others (p51, line 17-28), satisfying the instant claims 7 and 10.

These are provisional nonstatutory double patenting rejections.

Conclusion

No claim is allowed.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JIA-HAI LEE whose telephone number is (571)270-

Application/Control Number: 14/845,644 Page 14

Art Unit: 1676

1691. The examiner can normally be reached on Mon-Fri.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Karlheinz R. Skowronek can be reached on 571-272-9047. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/J. L./ Examiner, Art Unit 1676

16-January-2016

Notice of References Cited Application/Control No. 14/845,644 Examiner JIA-HAI LEE Application/Control No. Applicant(s)/Patent Under Reexamination COMISKEY ET AL. Page 1 of 1

U.S. PATENT DOCUMENTS

				C.C. I ATENT BOOGHIENTO		
*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	CPC Classification	US Classification
	Α	US-				
	В	US-				
	C	US-				
	D	US-				
	Е	US-				
	F	US-				
	G	US-				
	Ι	US-				
	_	US-				
	J	US-				
	К	US-				
	┙	US-				
	М	US-				

FOREIGN PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	CPC Classification
	Ν					
	0					
	Р					
	Ø					
	R					
	S					
	Τ					

NON-PATENT DOCUMENTS

*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)
	U	Business Wire. Callisto Pharmaceuticals Files IND for SP-304 (Guanilib) in Chronic Constipation and Irritable Bowel Syndrome. April 07, 2008. http://www.businesswire.com/news/home/20080407005383/en/Callisto-Pharmaceuticals-F.
	V	Cynomolgus monkeys. Worldwide Primates Inc. http://www.wwprimates.com/?q=cynomolgus-monkeys.
	w	
	х	

*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).) Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.

(FILE 'HOME' ENTERED AT 00:14:57 ON 05 JAN 2016)

FILE 'REGISTRY' ENTERED AT 00:15:34 ON 05 JAN 2016

L1 77 SEA SPE=ON ABB=ON PLU=ON NDECELCVNVACTGCL/SQSP AND SQL<=20

FILE 'CAPLUS, EMBASE, BIOSIS, MEDLINE' ENTERED AT 00:16:33 ON 05 JAN 2016

- L2 71 SEA SPE=ON ABB=ON PLU=ON L1
- L3 6 SEA SPE=ON ABB=ON PLU=ON L2 AND DISULFIDE
- L4 11 SEA SPE=ON ABB=ON PLU=ON L2 AND CYCLIC
- L5 50082 SEA SPE=ON ABB=ON PLU=ON (CHRONIC CONSTIPATION) OR (CHRONIC IDIOPATHIC CONSTIPATION) OR (IRRITABLE BOWEL SYNDROME)
- L6 45 SEA SPE=ON ABB=ON PLU=ON L2 AND L5
- L7 22 SEA SPE=ON ABB=ON PLU=ON (GUANYLATE CYCLASE RECEPTOR AGONIST)
- L8 10 SEA SPE=ON ABB=ON PLU=ON L2 AND L7
- L9 5754 SEA SPE=ON ABB=ON PLU=ON (CGMP-DEPENDENT PHOSPHODIESTERASE)
 OR (SULINDAC SULFONE) OR ZAPRINAST OR MOTAPIZONE
- L10 12 SEA SPE=ON ABB=ON PLU=ON L7 AND L9
- L11 29030 SEA SPE=ON ABB=ON PLU=ON LAXATIVE
- L12 1794 SEA SPE=ON ABB=ON PLU=ON L5 (L) L11
- L13 28 SEA SPE=ON ABB=ON PLU=ON L2 AND L11
- L14 58 SEA SPE=ON ABB=ON PLU=ON L6 OR L8 OR L10 OR L13
- L15 54 DUP REM L14 (4 DUPLICATES REMOVED)
- L*** DEL 22 S L6 OR L8 OR L10 OR L13
- L*** DEL 32 S L6 OR L8 OR L10 OR L13
- L*** DEL 4 S L6 OR L8 OR L10 OR L13
- L*** DEL 4 S L6 OR L8 OR L10 OR L13

	E COMISKEY STEPHE?/AU
L17	40 SEA SPE=ON ABB=ON PLU=ON ("COMISKEY STEPHEN"/AU OR "COMISKEY
	STEPHEN DR"/AU OR "COMISKEY STEPHEN J"/AU OR "COMISKEY
	STEPHEN JOHN"/AU OR "COMISKEY STEPHEN W"/AU)
	E FENG RON?/AU
L18	117 SEA SPE=ON ABB=ON PLU=ON "FENG RONG"/AU
	E FOSS JOH?/AU
L19	45 SEA SPE=ON ABB=ON PLU=ON "FOSS JOHN"/AU
	E SHAILUBHAI KUNWA?/AU
L20	116 SEA SPE=ON ABB=ON PLU=ON ("SHAILUBHAI KUNWAR"/AU OR
	"SHAILUBHAI KUNWAR DR"/AU)
L21	249 SEA SPE=ON ABB=ON PLU=ON L17 OR L18 OR L19 OR L20
L22	18 SEA SPE=ON ABB=ON PLU=ON L21 AND L2
L23	17 DUP REM L22 (1 DUPLICATE REMOVED)
L*** DE	L 17 S L21 AND L2
L*** DE	L 17 S L21 AND L2
L*** DE	L 17 S L21 AND L2
I *** DF	I 17 S I 21 AND I 2

- L24 6 SEA SPE=ON ABB=ON PLU=ON L23 AND (AP<2010 OR PY<2010 OR PRY<2010)
- L25 12 SEA SPE=ON ABB=ON PLU=ON L24 OR L16
 D L25 1-12 IBIB ABS HITIND

Search Notes

Application/Control No.	Applicant(s)/Patent Under Reexamination
14845644	COMISKEY ET AL.
Examiner	Art Unit
JIA-HAI LEE	1676

CPC- SEARCHED		
Symbol	Date	Examiner

CPC COMBINATION SETS - SEARCHED					
Symbol	Date	Examiner			

US CLASSIFICATION SEARCHED								
Class Subclass Date Ex								

SEARCH NOTES							
Search Notes	Date	Examiner					
EAST, Database: USPATFUL, USPGPUB, EPO, JPO, DERWENT, Search history enclosed	1/5/2016	JL					
STN, Databases: Biosis, Embase, Medline, Caplus, Search history enclosed	1/5/2016	JL					
PALM Inventor Search	1/5/2016	JL					
STIC search, results available on SCORE	10/28/2015	JL					

INTERFERENCE SEARCH						
US Class/ CPC Symbol	US Subclass / CPC Group	Date	Examiner			

/J.L./ Examiner.Art Unit 1676	

U.S. Patent and Trademark Office Part of Paper No 0340760102



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

BIB DATA SHEET

CONFIRMATION NO. 8164

SERIAL NUM	BER	FILING or DATI			CLASS	GRO	OUP ART	UNIT	ATTORNEY DOCKET		
14/845,64	4	09/04/2	_		514		1676		SYI	PA-009/C02US	
		RULI	Ε								
APPLICANTS SYNERG		RMACEUTIC	ALS INC.,	NEW	YORK, NY						
Rong FEN John FOS	Stephen COMISKEY, Doylestown, PA; Rong FENG, Langhorne, PA; John FOSS, Doylestown, PA; Kunwar SHAILUBHAI, Audubon, PA;										
This appli whi whi whi and	** CONTINUING DATA **********************************										
** FOREIGN AF	PPLICA	TIONS *****	*****	*****	*						
** IF REQUIRE 09/11/201		EIGN FILING	LICENS	E GRA	NTED ** ** SMA	LL EN	NTITY **				
Foreign Priority claime 35 USC 119(a-d) cond	ditions met	Yes No	☐ Met af Allowa	ter ince	STATE OR COUNTRY		IEETS WINGS	TOT.		INDEPENDENT CLAIMS	
Verified and /s Acknowledged	J.L. / Examiner's :	Signature	Initials		PA		6	10)	2	
ATTN: Pa 1299 Pen Suite 700 Washingt	ADDRESS COOLEY LLP ATTN: Patent Group 1299 Pennsylvania Avenue, NW Suite 700 Washington, DC 20004 UNITED STATES										
TITLE											
FORMUL	ATIONS	S OF GUANY	LATE CY	CLAS	E C AGONISTS A				SE		
RECEIVED	No	Authority has to for	charge/cre	edit DE	aper EPOSIT ACCOUI		□ All Fe □ 1.16 F □ 1.17 F □ 1.18 F	ees (Fil	ocess	ing Ext. of time)	
930		101	TOHOWING	•			Other		- Jue j		
							☐ Credit				

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	221	(guanylate near cyclase) and (chronic near constipation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	W ITH	ON	2016/01/03 21:09
L2	59	(guanylate near cyclase) same (chronic near constipation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2016/01/03 21:09
L3	13	L2 and @py<"2010"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2016/01/03 21:13
L4	43234	(guanylate near cyclase) or (GCC near agonist) or (chronic near constipation) or (irritable near bowel near syndrome)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2016/01/03 21:26
L5	26	(guanylate near cyclase) and (GCC near agonist) and (chronic near constipation) and (irritable near bowel near syndrome)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2016/01/03 21:26
L6	1794	L4 and laxative	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2016/01/03 21:26
L7	288	L6 and phosphodiesterase	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2016/01/03 21:26
L8	135	L7 and cGMP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	W ITH	ON	2016/01/03 21:26
L9	32	L8 and @py<"2010"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2016/01/03 21:26
L10	107	(Stephen near3 COMISKEY).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2016/01/03 21:26

L11	259	(Rong near3 FENG).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2016/01/03 21:26
L12	131	(John near3 FOSS).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2016/01/03 21:26
L13	188	(Kunwar near3 SHAILUBHAI).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2016/01/03 21:26
L14	618	L10 or L11 or L12 or L13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2016/01/03 21:26
L15	30	L14 and (chronic near constipation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2016/01/03 21:26
L16	42	(SYNERGY near3 PHARMACEUTI CALS).asn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2016/01/03 21:26
L17	17	L16 and (chronic near constipation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2016/01/03 21:26

EAST Search History (Interference)

< This search history is empty>

1/3/2016 9:28:06 PM

C:\ Users\ jlee24\ Documents\ EAST\ Workspaces\ 14 845644.wsp

PTO/SB/08a (09-08)

Approved for use through 10/31/2008. OMB 0651-0031 U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

SHEET 1 OF 1

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known						
Com	piete ii Known					
Application Number	14/845,644					
Filing Date	September 4, 2015					
First Named Inventor	Stephen Comiskey					
Art Unit	1676					
Examiner Name	Jia-Hai Lee					
Attorney Docket Number	SYPA-009/C02US 321994-2242					

	NON PATENT LITERATURE DOCUMENTS						
Examiner's Initials	Cite No.1	the stem (heels magazine southed garrel symposium catalog etc.) date nago(s) volume issue					
/J.L/	1.	FMC BioPolymer of Avicel PH Production Instruction, 21 pages (2005).					
/J.L/	2.	LAI and TOPP, "Solid-State Chemical Stability of Proteins and Peptides", Journal of Pharmaceutical Sciences, MiniReview, 88(5): 489-500 (1999).					
/J.L/	3.	MIHRANYAN et al., "Moisture sorption by cellulose powders of varying crystallinity", International Journal of Pharmaceutics, 269(2): 433-442 (2004).					

Examiner Signature:	125824976 v1 /JIA-HAI	LEE/	Date Considered	01/02/2016
EXAMINER: Initial if ro	eference considered, whether or	not citation is in conformance with MPEF	609. Draw line thro	ugh citation if not in

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. Applicant's unique citation designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. skind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

conformance and not considered. Include copy of this form with next communication to applicant.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND** TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

PTO/SB/08a (09-08)

Approved for use through 10/31/2008. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

SHEET 1 OF 19

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known			
Application Number	To Be Assigned		
Filing Date	September 4, 2015		
First Named Inventor	Stephen COMISKEY		
Art Unit	To Be Assigned		
Examiner Name	To Be Assigned		
Attorney Docket Number	SYPA-009/C02US		

		Ţ	J.S. PATENT D	OCUMENTS	
Examiner Initials*	Cite No. ¹	Document Number Number-Kind Code2 (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	1.	2002/0128176 A1	09-12-2002	Forssmann et al.	
	2.	2002/0078683	06-27-2002	Katayama et al.	
	3.	2002/0133168	09-19-2002	Smeldley et al.	
	4.	2002/0143015	10-03-2002	Fryburg et al.	
	5.	2003/0073628	04-17-2003	Shailubhai et al.	
	6.	2004/0015140 A1	01-22-2004	Shields	
	7.	2005/0016244	01-27-2005	Hergemoller	
	8.	2005/0032684 A1	02-10-2005	Cetin et al.	
	9.	2005/0107734	05-19-2005	Coroneo	
	10.	2005/0266047	12-01-2005	Tu et al	
	11.	005/0267297	12-01-2005	Berlin	
	12.	2006/0086653	04-27-2006	St. Germain	
	13.	2006/0094658	05-04-2006	Currie	
	14.	2007/0101158	05-03-2007	Elliott	
	15.	2008/0137318	06-12-2008	Rangaraj et al.	
	16.	2008/0151257	06-26-2008	Yasuda et al.	
	17.	2009/0048175 A1	02-19-2009	Shailubhai et al.	
	18.	2009/0192083 A1	07-30-2009	Currie	
	19.	2009/0253634 A1	10-08-2009	Currie et al.	
_	20.	2010/0069306 A1	03-18-2010	Shailubhai et al.	

Examiner Signature:		Date	Considered	
EXAMINER: Initial if re	eference considered, whether or not citation is in conformance with MPEF	9 609.	Draw line thro	ough citation if not in
conformance and not cor	sidered. Include copy of this form with next communication to applicant.			

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. sKind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND**TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

PTO/SB/08a (09-08)

Approved for use through 10/31/2008. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

SHEET 2 OF 19

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known				
Application Number	To Be Assigned			
Filing Date	September 4, 2015			
First Named Inventor	Stephen COMISKEY			
Art Unit	To Be Assigned			
Examiner Name	To Be Assigned			
Attorney Docket Number	SYPA-009/C02US			

	U.S. PATENT DOCUMENTS					
Examiner Initials*	Cite No. ¹	Document Number Number-Kind Code2 (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	
	21.	2010/0093635 A1	04-15-2010	Shailubhai		
	22.	2010/0120694 A1	05-13-2010	Shailubhai et al.		
	23.	2010/0152118 A1	06-17-2010	Shailubhai		
	24.	2010/0221329 A1	09-02-2010	Shailubhai et al.		
	25.	2012/0196797 A1	08-02-2012	Currie et al.		
	26.	2012/0237593 A1	09-20-2012	Comiskey et al.		
	27.	2012/0289460 A1	11-15-2012	Shailubhai		
	28.	2013/0274204 A1	10-17-2013	Shailubhai et al.		
	29.	2014/0024605 A1	01-23-2014	Shailubhai et al.		
	30.	2014/0121169 A1	05-01-2014	Shailubhai et al.		
	31.	2014/0135274 A1	05-15-2014	Shailubhai		
	32.	2014/0287002 A1	09-25-2014	Shailubhai		
	33.	2014/0329738 A1	11-06-2014	Shailubhai et al.		
	34.	5,106,834	04-21-1992	Bovy et al.		
	35.	5,130,333	07-14-1992	Pan et al.		
	36.	5,489,670	02-06-1994	Currie et al.		
	37.	5,518,888	05-21-1996	Waldman et al.		
	38.	5,578,709	11-26-1996	Woiszwillo et al.		
	39.	5,601,990	02-11-1997	Waldman et al.		
_	40.	5,731,159	03-24-1998	Waldman et al.		

Examiner Signature:	Date Considered
EXAMINER: Initial if reference considered, whether or not citation is in conformance with	with MPEP 609. Draw line through citation if not in
conformance and not considered. Include copy of this form with next communication to a	applicant.

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. Applicant's unique citation designation number (optional). See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND**TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

PTO/SB/08a (09-08)

Approved for use through 10/31/2008. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

SHEET 3 OF 19

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known				
Application Number	To Be Assigned			
Filing Date	September 4, 2015			
First Named Inventor	Stephen COMISKEY			
Art Unit	To Be Assigned			
Examiner Name	To Be Assigned			
Attorney Docket Number	SYPA-009/C02US			

	U.S. PATENT DOCUMENTS					
Examiner Initials*	Cite No. ¹	Document Number Number-Kind Code2 (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	
	41.	5,721,238	02-24-1998	Heiker et al.		
	42.	5,879,656	03-9-1999	Waldman et al.		
	43.	5,928,873	07-29-1999	Waldman et al.		
	44.	5,969,097	10-19-1999	Wiegand et al.		
	45.	6,060,037	05-09-2000	Waldman et al.		
	46.	6,235,782 B2	05-22-2001	Pamukcu et al.		
	47.	7,041,786 B2	05-09-2006	Shailubhai et al.		
	48.	7,375,083 B2	05-20-2008	Mickle et al.		
	49.	7,494,979 B2	02-24-2009	Currie et al.		
	50.	7,799,897 B2	09-21-2010	Jacob et al.		
	51.	7,879,802 B2	02-01-2011	Shailubhai et al.		
	52.	8,034,782 B2	10-11-2011	Shailubhai		
	53.	8,114,831 B2	02-14-2012	Shailubhai et al.		
	54.	8,207,295 B2	06-26-2012	Shailubhai et al.		
_	55.	8,357,775 B2	01-22-2013	Shailubhai et al.		
	56.	8,367,800 B2	02-05-2013	Shailubhai		
	57.	8,497,348 B2	07-30-2013	Shailubhai et al.		
	58.	8,637,451 B2	01-28-2014	Shailubhai et al.		
	59.	8,716,224 B2	05-06-2014	Shailubhai et al.		

Examiner Signature:	Date Considered	
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPI		gh citation if not in
conformance and not considered. Include copy of this form with next communication to applican	t.	

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. 5Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND**TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

PTO/SB/08a (09-08)

Approved for use through 10/31/2008. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

SHEET 4 OF 19

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known				
Application Number	To Be Assigned			
Filing Date	September 4, 2015			
First Named Inventor	Stephen COMISKEY			
Art Unit	To Be Assigned			
Examiner Name	To Be Assigned			
Attorney Docket Number	SYPA-009/C02US			

	FOREIGN PATENT DOCUMENTS						
Examiner Initials*	Cite No. ¹	Foreign Patent Document Country Code ³ -Number ⁴ -Kind Code ⁵ (if known)	Publication Date MM-DD- YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages Or Relevant Figures Appear	T ⁶	
	60.	DE 19744027	04-08-1999	Hoechst Marion Rouseel Deutschland GmbH			
	61.	WO 88/05306	07-28-1988	The General Hospital Corporation			
	62.	WO 93/12068 A1	06-24-1993	Brigham and Women's Hospital			
	63.	WP 1999/026567 A1	06-03-1999	Optonol Ltd			
	64.	WO 01/25266 A1	04-12-2001	Pharmacia Corporation			
	65.	WO 02/062369 A2	08-15-2002	Pharmacia Corporation			
	66.	WO 2002/078683 A1	10-10-2002	Synergy Pharmaceuticals, Inc.			
	67.	WO 2002/098912 A3	12-12-2002	Cetin			
	68.	WO 2004/069165	08-19-2004	Microbia Inc. et al.			
	69.	WO 2005/016244 A2	02-24-2005	Microbia, Inc. et al.			
	70.	WO 2005/087797	09-22-2005	Microbia, Inc. et al.			
	71.	WO 2006/086653 A2	08-17-2006	Microbia, Inc. et al.			
	72.	WO 2007/101158 A2	09-07-2007	Microbia, Inc. et al.			
	73.	WO 2007/022531	02-22-2007	Microbia, Inc. et al.			
	74.	WO 2008/106429	09-04-2008	Microbia, Inc. et al.			
	75.	WO 2008/137318 A1	11-13-2008	Ironwood Pharmaceuticals, Inc. et al.			

Γ					
ı	Examiner Signature:		Date	Considered	
Г	EXAMINER: Initial if ro	ference considered, whether or not citation is in conformance with MPEP	609.	Draw line thro	ough citation if not in
ı	conformance and not con	sidered. Include copy of this form with next communication to applicant.			

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. Applicant's unique citation designation number (optional). See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND**TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

PTO/SB/08a (09-08)

Approved for use through 10/31/2008. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

SHEET 5 OF 19

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known				
Application Number	To Be Assigned			
Filing Date	September 4, 2015			
First Named Inventor	Stephen COMISKEY			
Art Unit	To Be Assigned			
Examiner Name	To Be Assigned			
Attorney Docket Number	SYPA-009/C02US			

FOREIGN PATENT DOCUMENTS						
Examiner Initials*	Cite No. ¹	Foreign Patent Document Country Code ³ -Number ⁴ -Kind Code ⁵ (<i>if known</i>)	Publication Date MM-DD- YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages Or Relevant Figures Appear	${f T}^6$
	76.	WO 2008/151257 A2	12-11-2008	Synergy Pharmaceuticals Inc. et al.		
	77.	WO 2009/149278 A1	12-10-2009	Synergy Pharmaceuticals Inc. et al.		
	78.	WO 2009/149279 A2	12-10-2009	Synergy Pharmaceuticals Inc. et al.		
	79.	WO 2010/009319 A2	01-21-2010	Synergy Pharmaceuticals Inc. et al.		
	80.	WO 2010/027404 A2	03-11-2010	Ironwood Pharmaceuticals Inc. et al.		
	81.	WO 2010/065751 A2	06-10-2010	Synergy Pharmaceuticals Inc. et al.		
	82.	WO 2011/020054 A1	02-17-2011	Ironwood Pharmaceuticals Inc. et al.		
	83.	WO 2012/037380 A2	03-22-2012	Synergy Pharmaceuticals Inc. et al.		

NON PATENT LITERATURE DOCUMENTS				
Examiner's Initials	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	\mathbf{T}^6	
	84.	Advisory Committee Briefing document for Merida [sibutramine hydrochloride monohydrate], Abbott, August 13, 2010 (205 pages)		
	85.	Alrefai et al., "Cholesterol modulates human intestinal sodium-dependent bile acid transporter," Am. J. Physiol. Gastrointest. Liver Physiol. 288:G978-G985 (2005)		

Examiner Signature: Date Considered

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. sKind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND**TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

PTO/SB/08a (09-08)

Approved for use through 10/31/2008. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

SHEET 6 OF 19

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known					
Application Number	To Be Assigned				
Filing Date	September 4, 2015				
First Named Inventor	Stephen COMISKEY				
Art Unit	To Be Assigned				
Examiner Name	To Be Assigned				
Attorney Docket Number	SYPA-009/C02US				

		NON PATENT LITERATURE DOCUMENTS			
Examiner's Initials Cite No.1					
	86.	Askling et al. "Colorectal cancer rates among first degree relatives of patients with inflammatory bowel disease: A population-based cohort study" Lancet 357:262-266 (2001).			
	87.	Bakre et al. "Expression and regulation of the cGMP-binding, cGMP-specific phosphodiesterase (PDE5) in human colonic epithelial cells: role in the induction of cellular refractoriness to the heat-stable enterotoxin peptide" J. Cell Biol. 77:159-167 (2000)			
	88.	Barbara et al. "A role for inflammation in irritable bowel syndrome": Gut, 51(Suppl. 1): 141-144 (2002)			
	89.	Basoglu et al. In: "Proceedings of the Second FEPS Congress, June 29-July 4, 1999, Prague, Czech Republic, If2.cuni.cz/physiolres/feps/basoglu.htm. (3 pages)			
	90.	Baxter "The natriuretic peptides: An introduction" Basic Res. Cardiol. 99(2):71-75 (2004)			
	91.	Beltowski "Guanlyin and related peptides" J. Physiol. Pharmacol 52(3):351-375 (2001)			
	92.	Bergers et al. "Extrinsic regulators of epithelial tumor progression: metalloproteinases" Cur. Opin. Gen. and Develop. 10:120-127 (2000)			
	93.	Bhakdi et al. "Release of interleukin-1 beta associated with potent cytocidal action of staphylococcal alphatoxin on human monocytes" Infect. Immun. 57(11): 3512-3519 (1989).			
	94.	Brown et al. "A receptor-mediated pathway for cholesterol homeostasis" Sci. 232:34-47 (1986)			
	95.	Burnham "Polymers for delivering peptides and proteins" Am. J. Hosp. Pharm. 51:210-218 (1994)			
	96.	Caliceti et al. "Synthesis and biopharmaceutical characterisation of new poly(hydroxethylaspartamide) copolymers as drug carriers" Biochimica et Biophysica Acta 1528:177-189 (2001)			
	97.	Camilleri et al. "Management of the irritable bowel syndrome" Gastroentrerol. 120:652-668 (2001)			
	98.	Carrithers et al., "Guanylyl cyclase C is a selective marker for metastatic colorectal tumors in human extraintestinal tissues" Proc. Natl. Acad. Sci. USA 93:14827-14832. (1996)			

Examiner Signature:		Date	Considered	
EXAMINER: Initial if re	eference considered, whether or not citation is in conformance with MPEF	P 609.	Draw line thro	ough citation if not in
conformance and not cor	sidered. Include copy of this form with next communication to applicant			

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. sKind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND**TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

PTO/SB/08a (09-08)

Approved for use through 10/31/2008. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

SHEET 7 OF 19

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known					
Application Number	To Be Assigned				
Filing Date	September 4, 2015				
First Named Inventor	Stephen COMISKEY				
Art Unit	To Be Assigned				
Examiner Name	To Be Assigned				
Attorney Docket Number	SYPA-009/C02US				

		NON PATENT LITERATURE DOCUMENTS			
Examiner's Initials	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.			
	99.	Cermak et al. "Natriuretic peptides increase a K+ conductance in rat mesangial cells" Pfugers Arch. Eur. J. Physiol. 431:571-577 (1996)			
	100.	Cheng et al. "Defective intracellular transport and processing of CFTR is the molecular basis of most cystic fibrosis" Cell, 63:827-834 (1990)			
	101.	Chino et al. "Topological isomers of human uroguanylin: interconversion between biologically active and inactive isomers" FEBS Letters 421:27-31 (1998)			
	102.	Cohen et al. "Guanylin mRNA expression in human intestine and colorectal adenocarcinoma" Lab. Invest. 78:101-108 (1998)			
	103.	Collins "The relationship of enteric microbial infection and functional bowel disorders" J. Clin. Gastroenterol 41 Suppl. 1:S30-32 (2007)			
	104.	Cui et al. "The permissive effect of zinc deficiency on uroguanylin and inducible nitric oxide synthase gene upregulation in rat intestine induced by interleukin 1α is rapidly reversed by zinc repletion. J. Nutri. 133(1):51-56 (2003)			
	105.	Currie et al., "Guanylin: An endogenous activator of intestinal guanylate cyclase," Proc. Natl. Acad. Sci. USA 89:947-951 (1992)			
	106.	Database BIOSIS (ONLINE), biosciences Information Service, Philadelphia, PA, U.S., April 2006, Refaat et al. "SP304, an analog of uroguanylin, ameliorates inflammation in a model of experimental colitis" XP002540570, Database Accession No. PREV200600503788. (2 pages)			
	107.	De Luca et al. "Inflammation and insulin resistance" FEBS Letter 582:97-105 (2008).			
	108.	Dennis "Off by a whisker" Nature 442:739-741 (2006)			
	109.	DeSauvage et al. "Precursor structure, expression and tissue distribution of human guanylin" Proc. Natl. Acad. Sci USA 89:9089-9093 (1992).			
	110.	Deschner et al. "Proliferative defects in ulcerative colitis patients" Can. Invest 1:41-47 (1983)			

Examiner Signature:	1	Date	Considered	
EXAMINER: Initial if refer	rence considered, whether or not citation is in conformance with MPEP (609.	Draw line thro	ough citation if not in
conformance and not consid	ered. Include copy of this form with next communication to applicant.			

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. Applicant's unique citation designation number (optional). See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND**TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

PTO/SB/08a (09-08)

Approved for use through 10/31/2008. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

SHEET 8 OF 19

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known					
Application Number	To Be Assigned				
Filing Date	September 4, 2015				
First Named Inventor	Stephen COMISKEY				
Art Unit	To Be Assigned				
Examiner Name	To Be Assigned				
Attorney Docket Number	SYPA-009/C02US				

		NON PATENT LITERATURE DOCUMENTS					
Examiner's Initials	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.					
	111.	Delvaux et al. "Effect of alosetron on responses to colonic distension in patients with irritable bowel syndrome" Aliment Pharmacol. Ther 12:849-855 (1998)					
	112.	Duncan "Drug-polymer Conjugates: Potential for improved chemotherapy" Anti-Can. Drugs 3:175-210 (1992)					
	113.	Dunfield et al. "Energy parameters in polypeptides. 8. Empirical potential energy algorithm for the conformational analysis of large molecules" J. Phys. Chem. 82:2609-2616 (1978)					
	114.	Eastwood "Epithelial renewal in premalignant conditions of the gastrointestinal tract: A review" J. Clin. Gastroenterol 14(1):S29-S33 (1992)					
	115.	Ettorre et al. "Mucosal changes in ileal pouches after restorative proctocolectomy for ulcerative and Crohn's colitis" Dis. Colon Rectum 43:1743-1748 (2000)					
	116.	European Application No. 02721604.3: Response to European Patent Office Communication dated March 16, 2007 (5 pages)					
	117.	European Application No. 02721604.3: Office Communication dated August 12, 2008 (3 pages)					
	118.	European Patent 1,379,224: Opposition dated April 22, 2010 (pages)					
	119.	European Patent 1,379,224: CombiMab, Inc. Annex to Notice of Opposition dated April 22, 2010 (41 pages)					
	120.	European Patent 1,379,224:: Summons to attend oral hearing dated June 6, 2011 (23 pages)					
	121.	European Patent 1,379,224: Response to Communication from Opposition division dated October 8, 2010 (44 pages)					
	122.	European Patent 1,379,224: Written submission dated October 7, 2011 in response to the June 24, 2011 preliminary opinion of the Opposition Division (7 pages)					
	123.	European Patent 1,379,224: Written submission dated October 14, 2011 by Ironwood (27 pages)					

Examiner Signature:		Date	Considered		
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in					
conformance and not considered. Include copy of this form with next communication to applicant					

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. 5Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND**TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

PTO/SB/08a (09-08)

Approved for use through 10/31/2008. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

SHEET 9 OF 19

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known		
Application Number	To Be Assigned	
Filing Date	September 4, 2015	
First Named Inventor	Stephen COMISKEY	
Art Unit	To Be Assigned	
Examiner Name	To Be Assigned	
Attorney Docket Number	SYPA-009/C02US	

NON PATENT LITERATURE DOCUMENTS					
Examiner's Initials	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.		T ⁶		
	124.	European Patent 1,379,224: Written submission dated October 14, 2011 (7 pages)			
	125.	European Patent 1,379,224: Written submission dated October 25, 2011(5 pages)			
	126.	European Patent 1,379,224: Written submission dated November 18, 2011 by Ironwood (14 pages)			
	127.	European Patent 1,379,224: Written submission dated November 22, 2011 (18 pages)			
	128.	European Patent 1,379,224: Written submission dated December 7, 2011 (6 pages)			
	129.	Evan et al. "Proliferation, cell cycle and apoptosis in cancer" Nature (London) 411:342-348 (2001)			
	Fan et al. "Structure and activity of uroguanylin and guanylin from the intestine and urine of rats" Am. J. Physiol. Endocrinol. Metab. 273:957-964 (1997)				
	131.	Field et al., "Ezetimibe interferes with cholesterol trafficking from the plasma membrane to the endoplasmic reticulum in CaCo-2 cells," Journal of Lipid Research, 48:1735-1745 (2007)			
	Fonteles et al. "Natruiretic and kalliuretic activities of guanylin and uroguanylin in isolated perfused rat kidney" Am. J. Physiol. Renal Physiol. 275: 191-197 (1998)				
	133.	Forte, "Guanylin regulatory peptides: structures, biological activities mediated by cyclic GMP and pathobiology," Reg. Pept. 81:25-39 (1999)			
	134.	Forte, Jr., "Uroguanylin and guanylin peptides: pharmacology and experimental therapeutics," Pharmacol. Ther. 104(2):137-162 (2004)			
	135.	Garcia et al. "Processing and characterization of human proguanylin expressed in Escherichia coli." J. Biol. Chem. 268:22397-22401 (1993).			
	136.	Gali et al. "In vivo evaluation of an ¹¹¹ In-labeled ST-peptide analog for specific-targeting of human colon cancers" Nuclear Medicine and Biology, 28(8):903-909 (2001)			

Examiner Signature:		Date Considered			
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in					
conformance and not considered. Include conv of this form with next communication to applicant					

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. sKind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND**TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

PTO/SB/08a (09-08)

Approved for use through 10/31/2008. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

SHEET 10 OF 19

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known		
Application Number	To Be Assigned	
Filing Date	September 4, 2015	
First Named Inventor	Stephen COMISKEY	
Art Unit	To Be Assigned	
Examiner Name	To Be Assigned	
Attorney Docket Number	SYPA-009/C02US	

Date Considered

	NON PATENT LITERATURE DOCUMENTS				
Examiner's Initials			\mathbf{T}^6		
137 enterotoxin St		Greenberg et al. "Comparison of effects of uroguanylin, guanylin, and Escherichia coli heat-stable enterotoxin Sta in mouse intestine and kidney: evidence that uroguanylin is an intestinal natruiretic hormone" J. Invest. Med. 45(5):276-282 (1997)			
	138.	Genbank 1UYBA- Chain A, Solution Structure B – Form uroguanylin. March 15, 2010. 2 pages			
	139.	Genbank AAC50416.1; GUCA2B (human, 1994) March 11, 2010. 2 pages.			
	140.	Genbank 1UYAA- Chain A, Solution Structure A – Form uroguanylin. March 15, 2010. 2 pages			
	141.	Genbank AAB18760.1 (rat, 1995) March 11, 2010. 2 pages			
	142.	Genbank AAB30324.1: Guca2B (human, 1994) March 11, 2010. 2 pages			
	143.	Genbank: AAD09215.1 (mouse, 1996) March 11, 2010. 2 pages.			
	144.	Genbank: CAA98994.1 (guinea pig, 1996) March 11, 2010. 2 pages.			
	145.	Genbank: CAB0642.1 (pig, 1996) March 11, 2010. 2 pages.			
	146.	Genbank: PRF.738946 (opossum, 1993) March 15, 2010. 1 page.			
	147.	Guba et al., "Guanylin Strongly Stimulates Rat Duodenal HCO ₃ " Secretion: Proposed Mechanism and Comparison With Other Secretagogues," Gastroenterology 111:1558-1568 (1996)			
	148.	Gulcan et al. "Increased frequency of prediabetes in patients with irritable bowel syndrome" Am. J. Med. Sci 338:116-119 (2009)			
	149.	Gulcan et al. "The predictive value of CRP levels on future severe renal disease in overweight and obese subjects without diabetes mellitus and hypertension. Am. J. Med. Sci 334:444-451 (2007).			
	150.	Gura, "Systems for Identifying New Drugs Are Often Faulty," Science 278:1041-1042 (1997)			

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. Applicant's unique citation designation number (optional). See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. Applicant is to place a check mark here if English language Translation is attached.

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND**TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

121042409v1

Examiner Signature:

conformance and not considered. Include copy of this form with next communication to applicant

PTO/SB/08a (09-08)

Approved for use through 10/31/2008. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

SHEET 11 OF 19

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known		
Application Number	To Be Assigned	
Filing Date	September 4, 2015	
First Named Inventor	Stephen COMISKEY	
Art Unit	To Be Assigned	
Examiner Name	To Be Assigned	
Attorney Docket Number	SYPA-009/C02US	

	NON PATENT LITERATURE DOCUMENTS			
Examiner's Initials	[ita		T^6	
	151.	Hamman et al. "Oral delivery of peptide drugs" BIODRUGS, 19(3):165-177 (2005).		
	152.	Hamra et al., "Uroguanylin: Structure and activity of a second endogenous peptide that stimulates intestinal guanylate cyclase," Proc. Natl. Acad. Sci. USA 90:10464-10468 (1993)		
	153.	Harris et al. "Drug evaluation: linaclotide, a new direction in the treatment of irritable bowel syndrome and chronic constipation" Curr. Opin. Mol. Ther 9(4):403-410 (2007)		
	154.	Hess et al., "GCAP-II: isolation and characterization of the circulating form of human uroguanylin," FEBS Letters 374:34-38 (1995)		
	Hidaka et al. "In Vitro Disulfide-Coupled Folding of Guanylyl Cyclase-Activating Peptide and Its Precursor Protein" Biochem. 37:8498-8507 (1998)			
	156.	Hidaka et al. "Dual Function of the Propeptide of Prouroguanylin in the Folding		
	130.	of the Mature Peptide" J. Biol. Chem. 275:25155-25162 (2000)		
	Hill et al., "Analysis of the human guanylin gene and the processing and cellular localization of the peptide" Proc. Natl. Acad. Sci USA 92:2046-2050 (1995)			
	158.	Hill et al. "A new human guanylate cyclase-activating peptide (GCAP-II, uroguanylin): precursor cDNA and colonic expression" Biochem. Biophysica Acta 1253:146-149 (1995)		
	159.	Hinds et al. "Synthesis and Characterization of Poly (ethylene glycol) – Insulin Conjugates" Bioconjug. Chem. 11:195-201 (2000).		
	160.	Howard et al. "Obesity and dyslipidemia" Endocrinol. Metab. Clin. N. Am. 32:855-867 (2003)		
	161.	http://www.merckmanuals.com/home/childrens_health_issues/hereditary_metabolic_disorders/disorders_of Lipid metabolism.html: last updated 2009; last visited 09/25/2012 (1 page)		
	162.	http:www.nlm.nih.gov/medlineplus/obesity.html: 1999-2011; last visited 09/25/2012 (6 pages)		

Examiner Signature:		Date	Considered	
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in				
conformance and not cor	osidered. Include conv. of this form with next communication to applicant			

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. Applicant's unique citation designation number (optional). See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND**TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

PTO/SB/08a (09-08)

Approved for use through 10/31/2008. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

SHEET 12 OF 19

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known		
Application Number	To Be Assigned	
Filing Date	September 4, 2015	
First Named Inventor	Stephen COMISKEY	
Art Unit	To Be Assigned	
Examiner Name	To Be Assigned	
Attorney Docket Number	SYPA-009/C02US	

	NON PATENT LITERATURE DOCUMENTS				
Examiner's Initials	Cite No.1				
	163.	Huff et al., "Inhibition of the Apical Sodium-Dependent Bile Acid Transporter Reduces LDL Cholesterol and ApoB by Enhanced Plasma Clearance of LDL ApoB," Arterioscler. Thromb. Vasc. Biol 22:1884-1891 (2002)			
	164.	Hudson et al. "Rethinking cystic fibrosis pathology: the critical role of abnormal reduced glutathione (GSH) transport caused by CFTR mutation" Free Rad. Biol. Med. 30:1441-1461 (2001)			
	165.	Hui et al., "Developmental and Physiological Regulation of Intestinal Lipid Absorption. III. Intestinal transporters and cholesterol absorption," Am. J. Physiol. Gastrointest. Liver Physiol. 294:G839-G843 (2008)			
	Hughes et al. "Intracellular K+ suppresses the activation of apoptosis in lymphocytes" J. Biol. Chem 272(48):30567-30576 (1997)				
	167.	International Preliminary Report on Patentability, PCT Appl. No. PCT/US2011/051805, 17 pages (December 15, 2012)			
	168.	International Preliminary Report on Patentability, PCT Appl. No. PCT/US2013/030551, 7 pages (September 16, 2014)			
	169.	International Search Report in International Application No. PCT/US2009/046287, 5 pages (November 10, 2009)			
	170.	International Search Report in International Application No. PCT/US2009/046288, (December 9, 2009)			
	171.	International Search Report, PCT Appl. No. PCT/US2011/051805, 6 pages (June 21, 2012)			
	172.	International Search Report, PCT Appl. No. PCT/US2013/030551, 5 pages (June 18, 2013)			
	173.	Joo et al., "Regulation of intestinal Cl ⁻ and HCO ₃ ⁻ secretion by uroguanylin," Am. J. Physiol. 274:G633-G644 (1998)			
	174.	Kelland "'Of mice and men': values and liabilities of the athymic nude mouse model in anticancer drug development" Eur. J. Cancer 40(6):827-836 (2004).			

E		D-4-	Considered	
Examiner Signature:		Date	Considered	
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in				
conformance and not considered. Include copy of this form with next communication to applicant				

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. sKind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND**TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

PTO/SB/08a (09-08)

Approved for use through 10/31/2008. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

SHEET 13 OF 19

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known		
Application Number	To Be Assigned	
Filing Date	September 4, 2015	
First Named Inventor	Stephen COMISKEY	
Art Unit	To Be Assigned	
Examiner Name	To Be Assigned	
Attorney Docket Number	SYPA-009/C02US	

	NON PATENT LITERATURE DOCUMENTS				
Examiner's Initials	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.			
	175.	Kita et al. :Characterization of human uroguanylin: A member of the guanylin peptide family" Am. J. Physiol. 266:F342-8 (1994)			
	176.	Klodt et al., "Synthesis, biological activity and isomerism of guanylate cyclase C-activating peptides guanylin and uroguanylin," J. Pep. Res. 50(2):222-230 (1997).			
	177.	Krause et al. "The guanylin and uroguanylin peptide hormones and their receptors" Acta Anat. 160:213-231 (1997)			
	178.	Lam et al. "Serotonin and energy balance: molecular mechanisms and implications for type 2 diabetes" Expert Rev. Mol. Med. 9:1-24 (2007)			
	179.	Leister et al. "Human colorectal cancer: High frequency of deletions at chromosome 1p35" Can. Res. 50:7232-7235 (1990).			
	180.	Li and Chiang, "Bile Acid Signaling in Liver Metabolism and Diseases", Journal of Lipids, Hindawi Publishing Corporation, 2012:1-9, Article ID 754067 (2011)			
	181.	Li et al. "Purification, cDNA sequence and tissue distribution of rat uroguanylin" Reg. Pep. 68:45-56 (1997)			
	182.	Lipkin et al. "Gastric cell regeneration" Arch. Fr. Mal. Appl. Dig. (Paris) 61(10-11):691-693 (1972)			
	183.	Lorenz et al. "Uroguanylin knockout mice have increased blood pressure and impaired natruiretic response to enteral NaCl load" J. Clin. Invest. 112(8):1244-1254 (2003)			
	184.	MacFarlane and MacFarlane, "Factors affecting fermentation reactions in the large bowel," Proc. Nutr. Soc. 52(2):367-373 (1993)			
	185.	Magert et al. "Porcine guanylin and uroguanylin: cDNA sequences, deduced amino acid sequences, and biological activity of the chemically synthesized peptides' Biochem. Biophys. Res. Comm. 259:141-148 (1999)			
	186.	Mahato et al. "Emerging trends in oral delivery of peptide and protein drugs" Crit. Rev. Ther. Drug Carrier Systems 20(2-3):153-214 (2003).			

Examiner Signature:		Date Considered	
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in			
conformance and not considered. Include copy of this form with next communication to applicant.			

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. 5Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND**TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

PTO/SB/08a (09-08)

Approved for use through 10/31/2008. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

SHEET 14 OF 19

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known		
Application Number	To Be Assigned	
Filing Date	September 4, 2015	
First Named Inventor	Stephen COMISKEY	
Art Unit	To Be Assigned	
Examiner Name	To Be Assigned	
Attorney Docket Number	SYPA-009/C02US	

		NON PATENT LITERATURE DOCUMENTS	
Examiner's Initials	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	${f T}^6$
	187.	Marx et al. "One peptide, two topologies: structure and interconversion dynamics of human uroguanylin isomers" J. Pep. Res. 52:229-240 (1998).	
	188.	Miyazato et al. "Cloning and characterization of a cDNA encoding a precursor for human uroguanylin" Biochem Biophys Res. Comm. 219:644-648 (1996)	
	189.	Miyazato et al. :Uroguanylin gene expression in the alimentary tract and extra-gastrointestinal tissues" FEBS Letters, 398:170-174 (1996).	
	190.	Moon et al. "Effects of age, ambient temperature, and heat-stable Escherichia coli enterotoxin of intestinal transit in infant mice" Infect. Immun. 25(1):127-132 (1979).	
	191.	Muller-Lissner et al. "Safety, tolerability, and efficacy of tegaserod over 13 months in patients with chronic constipation" Am. J. Gastroenterol. 101:2558-2569 (2006)	
	192.	Nakazato et al. "Tissue distribution, cellular source, and structural analysis of rat immunoreactive uroguanylin" Endocrinol. 139:5247-5254 (1998)	
	193.	Nathan et al. "Copolymers of lysine and polyethylene glycol: a new family of functionalized drug carriers" Bioconjug Chem. 4(1):54-62 (1993)	
	194.	Nemethy et al. "Energy parameters in polypeptides. 9. Updating of geometrical parameters non-bonded interactions, and hydrogen bond interactions for the naturally occurring amino acids" J. Phys. Chem. 87:1883-1887 (1983).	
	195.	Nikiforovich et al. "Topographical requirements for δ -selective opioid peptides" Biopolymers, 31:942-955 (1991)	
	196.	Nikiforovich et al. "Computation molecular modeling in peptide design" Int. J. Pep. Prot. Res. 44:513-531 (1994)	
	197.	Nyburg et al. "Some uses of best molecular fit routine" Acta Crystallographica B30 (Part I):251-253 (1974)	
	198.	Ohbayashi et al., "Effects of uroguanylin and guanylin against antigen-induced bronchoconstriction and airway microvascular leakage in sensitized guinea-pigs" Life Sci., 62(20:1883-1844 (1998)	

Examiner Signature:		Date	Considered		
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in					
conformance and not cor	conformance and not considered. Include conv of this form with next communication to applicant				

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. 5Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND**TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

PTO/SB/08a (09-08)

Approved for use through 10/31/2008. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

SHEET 15 OF 19

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known			
Application Number	To Be Assigned		
Filing Date	September 4, 2015		
First Named Inventor	Stephen COMISKEY		
Art Unit	To Be Assigned		
Examiner Name	To Be Assigned		
Attorney Docket Number	SYPA-009/C02US		

		NON PATENT LITERATURE DOCUMENTS		
Examiner's Initials				
	199.	Perkins et al. "Uroguanylin is expressed by enterochromaffin cells in the rat gastrointestinal tract" Gastroenterol 113:1007-1014 (1997)		
	200.	Peterson et al. "Integrating pharmacology and in vivo cancer models in preclinical and clinical drug development" Eur. J. Cancer 40:837-844 (2004)		
	201.	Pitari et al. "Guanylyl cyclase C agonists regulate progression through the cell cycle of human colon carcinoma cells", Proc. Natl. Acad. Sci. USA 98(14):7546-7851 (2001)		
	202.	Potten et al. "Regulation and significance of apoptosis in the stem cells of the gastrointestinal epithelium" Stem Cells 15:82-93 (2001)		
	203.	Provenzale et al. "Surveillance issues in inflammatory bowel disease: ulcerative colitis" J. Clin. Gastroenterol 32:99-105 (2001)		
	204.	PubChem, CID 469, http://pubchem.ncbi.nlm.nih.gov/summary/summary.cgi?cid=469#x27, (last visited 10/18/14). 19 pages		
	205.	Ramamoorthy et al. "Phosphorylation of threonine residue 276 is required for acute regulation of serotonin transporter by cyclic GMP" J. Biol. Chem. 282(16):11639-11647 (2007)		
	206.	Reddy and Rao "Lipid metabolism and liver inflammation II fatty liver disease and fatty acid oxidation" Am. J. Physiol. Gastrointest. Liver Physiol. 290:G852-G858 (2006)		
	207.	Remington, JP "Remington's Pharmaceutical Sciences" Mack Pub. Co. 16 th edition (1980) 7 pages.		
	208.	Roberts et al. "Chemistry of peptide and protein PEGylation" Adv. Drug. Deliv. Rev. 54:459-476 (2002)		
	209.	Rolfe and Milla, "Nitric oxide stimulates cyclic guanosine monophosphate production and electrogenic secretion in Caco-2 colonocytes," Clin. Sci. (Lond). 96(2):165-170 (1999)		
	210.	Samuel et al. "Absorption of bile acids from the large bowel in man" J. Clin. Invest. 47:2070-2978 (1968).		
	211.	Schulz et al., "Guanylyl Cyclase Is a Heat-Stable Enterotoxin Receptor," Cell 63:941-948 (1990)		

Examiner Signature:		Date Considered			
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in					
conformance and not considered. Include copy of this form with next communication to applicant					

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. sKind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND**TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

PTO/SB/08a (09-08)

Approved for use through 10/31/2008. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

SHEET 16 OF 19

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known			
Application Number	To Be Assigned		
Filing Date	September 4, 2015		
First Named Inventor	Stephen COMISKEY		
Art Unit	To Be Assigned		
Examiner Name	To Be Assigned		
Attorney Docket Number	SYPA-009/C02US		

	NON PATENT LITERATURE DOCUMENTS				
Examiner's Initials	's Cite No. Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.		T^6		
	212.	Schulz et al. "Side chain contributions to the interconversion of the topological isomers of guanylin-like peptides" J. Pep. Sci. 11:319-330 (2005).			
	213.	Sciaky et al. "Mapping of guanylin to murine chromosome 4 and human chromosome 1p34p35" Genomics 26:427-429 (1995)			
	214.	Sellers et al. "heat-stable enterotoxin of <i>Escherichia coli</i> stimulates a non-CFTR-mediated duodenal bicarbonate secretory pathway" Am J. Physiol. Gastrointest. Liver Physiol. 288:G654-G663 (2005)			
	215.	Shailubhai et al. "Uroguanylin treatment Suppresses Polyp formation in the Apc Min/+ Mouse and Induces Apoptosis in Human colon Adencarcinoma Cells via Cyclic GMP" Cancer Research 60: 5151-5157. (2000)			
	216.	Shailubhai et al. "Therapeutic applications of guanylate cyclase-c receptor agonists" Curr. Opin. Drug Disc. Devel. 5(2):261-268 (2002)			
	217.	Shailubhai et al. "Gaunilib, an antagonist of guanylate C, is a new class of oral drug candidate that ameliorates inflammation in models of experimental colitis" [Abstract]: In Charon's and colitis foundation of America (2007) 1 page.			
	218.	Shailubhai et al. "SP-304 to treat GI disorders- effects of a single, oral dose of SP-304 in safety, tolerability, pharmacokinetics and pharmacodynamics in healthy volunteers" [Abstract]: in Digestive Disease Week, (2009) 1 page.			
	219.	Shailubhai et al. "Guanilib, an agonist of Guanylate C, is a new class of oral drug candidate for GI disorders and colon cancer" [abstract] in GTCbio, 2008. 1 pages			
	220.	Shailubhai et al. "Guanylin Peptides: New class of oral drug candidates" [Abstract]: In World Congress 2008 (2 pages)			
	221.	Shailubhai et al. "Inflammatory bowel disease" February 2008: S5 2007 IBD Abstract: Oral Presentation (1 page)			
	222.	Shailubhai et al. "Guanylate cyclase-C agonists as a new class of drug candidates for GI motility and inflammatory bowel disease" [Abstract] 2009 (1 page)			
	223.	Shailubhai et al. "Phase II Clinical Evaluation of SP-304, a Guanylate Cyclase-C Agonist, for Treatment of Chronic Constipation," Am. J. Gastroenterol. 105(Suppl. 1):S487-S488 (2010)			

Examiner Signature:		Date	Considered		
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in					
conformance and not considered. Include copy of this form with next communication to applicant.					

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. sKind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND**TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

PTO/SB/08a (09-08)

Approved for use through 10/31/2008. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

SHEET 17 OF 19

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known				
Application Number	To Be Assigned			
Filing Date	September 4, 2015			
First Named Inventor	Stephen COMISKEY			
Art Unit	To Be Assigned			
Examiner Name	To Be Assigned			
Attorney Docket Number	SYPA-009/C02US			

		NON PATENT LITERATURE DOCUMENTS	
Examiner's Initials	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	${f T}^6$
	224.	Shinozaki et al. "High proliferative activity is associated with dysplasia in ulcerative colitis" Dis. Colon Rectum 43:S34-S39 (2000)	
	225.	Sindice et al. "Guanylin, Uroguanylin, and Heat-stable Enterotoxin Activate Guanylate Cyclase C and/or a Pertussis Toxin-sensitive G Protein in Human Proximal Tubule Cells". J. Biol. Chem. 277:17758-17764 (2002)	
	226.	Spranger et al. "Inflammatory cytokines and the risk to develop Type 2 Diabetes: Results of the prospective population-based European prospective investigation into cancer and nutrition (EPIC)-Potsdam study" Diabetes, 52:812-817 (2003).	
	227.	St. John's Providence Health Center; Preventing Obesity,	
	221.	http:www.stjohnprovidence.org/healthInfoLib/swArticle.aspx?85.P07863; last visited 09/25/2012 (2 pages)	
	228.	Takada et al., "Alteration of a Single Amino Acid in Peroxisome Proliferator-Activated Receptor-a (PPARa) Generates a PPARd Phenotype" Mol. Endocrinol. 14(5)":733-740 (2000)	
	229.	Talley et al. "Medical costs in community subjects with irritable bowel syndrome" Gastroenterol. 109:1736-1741 (1995)	
	230.	Thomas et al., "Cholesterol dependent downregulation of mouse and human apical sodium dependent bile acid transporter (ASBT) gene expression: molecular mechanism and physiological consequences," GUT 55:1321-1331 (2006)	
	231.	Tian et al. "STa peptide analogs for probing guanylyl cyclase C" Biopolymers (Pept. Sci). 90(5):713-723 (2008)	
	232.	Tilg et al. "Inflammatory mechanisms in the regulation of insulin resistance" Mol. Med. 14:222-231 (2008)	
	233.	Vaandrager, "Structure and function of the heat-stable enterotoxin receptor/guanylyl cyclase C," Mol. Cell. Biochem. 230:73-83 (2002)	
	234.	Venkatakrishnan et al. "Exaggerated activation of nuclear factor-B and altered I B-processing in cystic fibrosis bronchial epithelial cells. Am. J. Resp. Cell Mol. Biol. 23(3):396-403 (2000)	

Examiner Signature:		Date	Considered		
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in					
conformance and not cor	conformance and not considered. Include conv of this form with next communication to applicant				

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. 5Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND**TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

PTO/SB/08a (09-08)

Approved for use through 10/31/2008. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

SHEET 18 OF 19

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known			
Application Number	To Be Assigned		
Filing Date	September 4, 2015		
First Named Inventor	Stephen COMISKEY		
Art Unit	To Be Assigned		
Examiner Name	To Be Assigned		
Attorney Docket Number	SYPA-009/C02US		

		NON PATENT LITERATURE DOCUMENTS						
Examiner's Initials	Cite No. Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.							
	235.	Variyam, "Luminal bacteria and proteases together decrease adherence of Entamoeba histolytica trophozoites to Chinese hamster ovary epithelial cells: A novel host defense against an enteric pathogen," GUT 39(4):521-527 (1996)						
	Veronese et al. "Bioconjugation in pharmaceutical chemistry" Farmaco, 54:497-516 (1999)							
Veronese "Peptide and protein PEGylation: a review of problems and solutions" Biomaterial, 22:405-417 (2001).								
Veronese et al. "PEGylation, successful approach to drug delivery" Drug. Disc. Today. 10(21):1451-1458 (2005).								
	Waldman et al. "Heterogeneity of guanylyl cylcase C expressed by human colorectal cancer cell lines in vitro" Can. Epidemiol. Biomarkers & Prevention 7:505-514 (1998)							
	Weber et al. "Activation of NF-κB in airway epithelial cells is dependent on CFTR trafficking and Cl channel function" Am. J. Physiol. Lung Cell Mol. Biol. 281(1):L71-78 (2001).							
	Welsh et al. "Molecular mechanisms of CFTR chloride channel dysfunction in cystic fibrosis" Cell 73:1251-1254 (1993).							
	242.	Whitaker et al. "The uroguanulin gene (Buca1b) is linked to guanylin (Guca2) on mouse chromosome 4" Genomics 45:348-354 (2002)						
	243	Wong et al. "Cell proliferation in gastrointestinal mucosa" J. Clin. Pathol. 52:321-333 (1999)						
	244.	Wong et al. "Histogenesis of human colorectal adenomas and hyperplastic polyps: the role of cell proliferation and crypt fission" Gut 50:212-217 (2002)						
	245.	Written Opinion of the International Searching Authority, PCT Appl. No. PCT/US2011/051805, 5 pages (June 21, 2012)						
	Written Opinion of the International Searching Authority, PCT Appl. No. PCT/US2013/030551, 6 pages (June 18, 2013)							
	247.	Wu et al. "Atrial natriuretic peptide induces apoptosis in neonatal rat cardia myocytes" J. Biol. Chem. 272(23):14860-14866 (1997)						
Examiner Si	onstur	Date Considered						

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. Applicant's unique citation designation number (optional). See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND**TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

121042409v1

conformance and not considered. Include copy of this form with next communication to applicant.

PTO/SB/08a (09-08)

Approved for use through 10/31/2008. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

SHEET 19 OF 19

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known				
Application Number	To Be Assigned			
Filing Date	September 4, 2015			
First Named Inventor	Stephen COMISKEY			
Art Unit	To Be Assigned			
Examiner Name	To Be Assigned			
Attorney Docket Number	SYPA-009/C02US			

	NON PATENT LITERATURE DOCUMENTS					
Examiner's Initials	Cite					
	248.	Zhang et al. "Gene expression profiles in normal and cancer cells" Science 276:1268-1272 (1997)				
	249.	Zimmerman et al. "Influence of local interactions on protein structure. I. Conformational energy studies of N-acetyl-N-methylamides of pro-X and X-pro dipeptides" Biopolymers, 16:811-843 (1977)				

Examiner Signature:	/JIA-HAI	LEE/	Date	Considered	01/04/2016
EXAMINER: Initial if r	eference considered	, whether or not citation is in conformance with MPEF	P 609.	Draw line thro	ough citation if not in
conformance and not cor	isidered. Include co	py of this form with next communication to applicant.	•		

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. sKind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND**TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.



Commissioner for Patents United States Patent and Trademark Office P.O. Box 1450 Alexandria, VA 22313-1450 www.uspto.gov

FEB 0 1 2016

OFFICE OF PETITIONS

Doc Code: TRACK1.GRANT

COOLEY LLP ATTN: Patent Group 1299 Pennsylvania Avenue, NW Suite 700 Washington DC 20004

Decision Granting Request for Application No.: 14/845644 Prioritized Examination (Track I or After RCE) THE REQUEST FILED September 4, 2015 IS GRANTED. 1. The above-identified application has met the requirements for prioritized examination for an original nonprovisional application (Track I). for an application undergoing continued examination (RCE). The above-identified application will undergo prioritized examination. The application will be 2. accorded special status throughout its entire course of prosecution until one of the following occurs: filing a petition for extension of time to extend the time period for filing a reply; A. filing an amendment to amend the application to contain more than four independent B. claims, more than thirty total claims, or a multiple dependent claim; filing a request for continued examination; C. D. filing a notice of appeal; E. filing a request for suspension of action; F. mailing of a notice of allowance; G. mailing of a final Office action; completion of examination as defined in 37 CFR 41.102; or H. I. abandonment of the application. Telephone inquiries with regard to this decision should be directed to Jose' G. Dees at 571-272-1569. /Jose' G. Dees/ Petitions Examiner, Office of Petitions (Title) [Signature]

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of: COMISKEY, Stephen, Confirmation No.: 8164

et al.

Application No.: 14/845,644 Group Art Unit: 1676

Filed: September 4, 2015 Examiner: Jia-Hai LEE

FOR: FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS

OF USE

Mail Stop Amendment

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

AMENDMENT AND RESPONSE TO NON-FINAL OFFICE ACTION

This amendment and response is submitted in response to the non-final Office Action mailed on January 29, 2016 in the above-identified application. This response is due on or before April 29, 2016.

Prior to examination of the above-identified application, please amend the application as follows:

Amendments to the Claims are reflected in the listing of the claims which begins on page 2 of this paper.

Remarks/Arguments begin on page 4 of this paper.

IN THE CLAIMS:

Set forth below in ascending order, with status identifiers, is a complete listing of all claims currently under examination. Changes to any amended claims are indicated by strikethrough and underlining. This listing also reflects any cancellation and/or addition of claims.

- 1. (Currently Amended) A method for treating chronic constipation in a <u>human</u> subject patient comprising orally administering to said <u>human subject</u> patient a composition comprising a per unit dose of 3 mg or 6 mg of a peptide consisting of SEQ ID NO:1 wherein the peptide is a [4,12; 7,15] bicycle and one or more pharmaceutically acceptable excipients.
- 2. The method of claim 1, wherein the constipation is associated with irritable bowel syndrome or chronic idiopathic constipation.
- 3. (Currently Amended) A method of treating or alleviating a symptom associated with chronic idiopathic constipation or irritable bowel syndrome in a human subject patient comprising orally administering to said human subject patient a composition comprising a per unit dose of 3 mg or 6 mg of a peptide consisting of SEQ ID NO:1 wherein the peptide is a [4,12; 7,15] bicycle and one or more pharmaceutically acceptable excipients.
- 4. The method of claim 3, wherein the symptom is constipation or abdominal pain.
- 5. The method of claim 1, further comprising administering to said patient an effective dose of an inhibitor of cGMP-dependent phosphodiesterase either concurrently or sequentially with said guanylate cyclase receptor agonist.
- 6. The method of claim 5, wherein said inhibitor of cGMP-dependent phosphodiesterase is selected from the group consisting of sulindac sulfone, zaprinast, and motapizone.

- 7. The method of claim 1, further comprising administering to said patient an effective dose of a laxative.
- 8. The method of claim 3, further comprising administering to said patient an effective dose of an inhibitor of cGMP-dependent phosphodiesterase either concurrently or sequentially with said guanylate cyclase receptor agonist.
- 9. The method of claim 8, wherein said inhibitor of cGMP-dependent phosphodiesterase is selected from the group consisting of sulindac sulfone, zaprinast, and motapizone.
- 10. The method of claim 3, further comprising administering to said patient an effective dose of a laxative.

REMARKS

Claim 1-10 are pending. Claims 1 and 3 have been amended. Support for the amendment can be found at paragraph [22] of the specification as filed. No new matter is added.

Claim Rejections under 35 U.S.C. § 103

Claims 1-10 are rejected under 35 U.S.C. 103 as being unpatentable over Shailubhai et al. (WO 2008/151257) ("Shailubhai") in view of Business Wire News (April 7, 2008) ("Buinsess Wire") (Office Action at page 3). Applicants traverse.

Applicants assert, that the combination <u>Shailubhai</u> and <u>Business Wire</u> fail to support a *prima facie* case of obviousness. The consistent criterion for determination of obviousness is whether the prior art would suggest to one of ordinary skill in the art that this process should be carried out and would have a reasonable likelihood of success, when viewed in the light of the prior art. Moreover, the mere fact that these references can be combined or modified does not render the resultant combination obvious unless the results would have been predictable to one of ordinary skill in the art. Objective evidence relevant to the issue of obviousness must be evaluated by Office personnel. Such evidence, sometimes referred to as "secondary considerations," may include evidence of unexpected results.

¹ See In re Dow Chemical Co., 837 F.2d 469 (Fed. Cir.1988).

² See MPEP §2143.01, citing KSR International Co. v. Teleflex Inc., 550 U.S. 398, 82 USPQ2d 1385, 1396 (2007).

³ See Graham v. John Deere Co., 383 U.S. 1, 148 USPQ 459 (1966).

Attorney Docket No. SYPA-009/C02US 321994-2242 Application No. 14/845,644

Page 5

According to the Examiner, <u>Shailubhai</u> teaches a peptide consisting of SEQ ID NO: 1 (also known as SP-304) and that the peptide could be used to treat any condition that responds to enhanced intracellular cGMP, including constipation and irritable bowel syndrome. The Examiner further asserts that <u>Shailubhai</u> teaches a unit dose form typically between 100 µg and 3 g. Moreover, the Examiner asserts that <u>Shailubhai</u>, discloses administering a dose of 1 mg/kg to cynomolgus monkeys and concludes that since cynomolgus monkeys weigh between 1.7 kg to 8.0 kg, <u>Shailubhai</u> teaches a 1.7 mg to a 8 mg unit dose form of SP-304. The Examiner relies on <u>Business Wire</u> to show that one of ordinary skilled would be motivated to use SP-304 for the treatment of treatment of chronic constipation and constipation-predominate irritable bowel syndrome.

The Examiner's rationale for combining and modifying the references is deeply flawed. The rationale is based upon an incorrect reading of the reference on which it is based, Shailubhai. The Examiner relies on Shailubhai for providing both the reasoned basis and the expectation of success in combining and modifying Shailubhai and Buisness Wire to arrive at a composition consisting of a unit dosage form of 3 mg or 6 mg for treating constipation and irritable bowel syndrome. But the Examiner's rationale is flawed and Shailubhai fails to provide any such reasonable expectation of success in arriving at a unit dosage form for the treatment of constipation and irritable bowel syndrome, as urged by the Examiner.

Applicants submit herewith a §1.132 declaration of Kunwar Shailubhai ("Shailubhai Decl.") demonstrating that a 3 mg or 6 mg unit dose of SP-304 for a human subject, as expressly required by the amended claims, would equate to approximately a 0.05 mg/kg or a 0.1 mg/kg respectively —a 10 and 20 fold <u>lower</u> dose per kg than the 1 mg/kg dose administered to the cynomolgus monkeys <u>in Shailubhai</u>. ("Decl." at ¶5) As described by Dr. Shailubhai, using the Examiners logic, <u>Shailubhai</u> teaches a unit dose form of 60 mg not a 1.7 mg to a 8 mg unit dose form of as the Examiner suggests. ("Decl." at ¶6).

In summary, the combination of <u>Shailubhai</u>, and <u>Business Wire</u> fails to support a *prima facie* case of obviousness at least because both a reasoned basis and a reasonable expectation of success are lacking for making the combination and modifying the

references. The Examiner's conclusion of obviousness is based on flawed reasoning coupled with impermissible hindsight reconstruction and should be reversed.

Even assuming, *arguendo*, that the Examiners reasoning is not flawed and the skilled person would find a reason to combine <u>Shailubhai</u>, and <u>Business Wire</u> as proffered by the Examiner, she would nevertheless lack a reasonable expectation of success with predictable results.

There is no evidence that the resultant combination of <u>Shailubhai</u> and <u>Business</u> <u>Wire</u> would lead the skilled artisan to arrive at the claimed invention with predictable results. These references, when considered in their entirety, fail to provide the skilled artisan with a reasonable expectation that chronic constipation could be treated or a symptom of chronic idiopathic constipation of irritable bowl syndrome could be alleviated in a human subject by administering unit dose of either 3 mg or 6 mg of SP-304. This is especially true given the accompanying Shailubhai Decl as discussed in detail below.

Shailubhai fails to disclose a composition comprising the specific unit 3 mg or 6 mg unit dose form of SP-304 as required by the instant claims. Moreover, Shailubhai fails to describe any specific disorders for which these expressly recited unit dose forms can be used to treat. In particular, Shailubhai fails to teach or suggest that any disorder, let alone chronic constipation or irritable bowel syndrome, could be treated in a human subject with a unit dose form of 3 mg or 6 mg of SP-304.

Shailubhai discloses a long list guanylate cyclase receptor agonists and disorders that could be treated therewith. Shailubhai discloses an equally broad ranges of unit dosage forms, between 100 µg and 3 g, in which the long list of guanylate cyclase receptor agonists can be formulated to treat a long list of disorders. Nowhere in Shailubhai is the specific combination of SP-304 at a unit dose of 3 mg or 6 mg to treat constipation or irritable bowel syndrome suggested. To arrive at the present invention, one of skill in the art would first have had to pick the specific combination of SP-304 and constipation or irritable bowel syndrome from the variety of combinations generally disclosed by Shailubhai and second, pick the specific 3 mg or 6 mg unit dosage form from the broad range of disclosed unit dosage forms. The combination of Shailubhai with Business Wire does not overcome the deficiencies of Shailubhai. Business Wire

does not provide any guidance for the skilled artisan to arrive at the expressly recited dosage forms of SP-304 to treat constipation and irritable bowel syndrome.

Furthermore, as described by Dr. Shailubhai, animals studies described in Shailubhai were performed to determine the safety and toxicity not to determine optimal human dosing. (Shailubhai Decl. at ¶7 and ¶10). Moreover, Shailubhai does not provide the results of the described study. Thus one of ordinary skill could not make any conclusion with respect to toxicity, let alone an appropriate therapeutic dose for humans. (Shailubhai Decl. at ¶8)

As described by Dr. Shailubhai, additional toxicity studies were performed in cynomolgus monkeys. Surprisingly, toxicity was not dose dependent, further indicating that monkey data would not be able to predict an optimal therapeutics dose. ("Decl." at ¶10) Moreover, SP304 was well tolerated at extremely high doses --with a safe high level dose of 75mg/kg/day, which is 150 and 75 times higher than the claimed 3 mg and 6 mg dose. ("Decl." at ¶10 and ¶12).

Notably, even after a dose escalation study in humans, no prediction as to an effective therapeutic dose could be determined as there was no correlation between dose and clinical effect. (Shailubhai Decl. at ¶13)

The as-filed specification and the Shailubhai Decl unequivocally demonstrate that the claimed invention yielded unexpected results. Example 1 of the as-filed specification describes a human safety and efficacy study. As shown in Figures 1-6, SP-304 treatment at all doses decreased the time to first bowel movement, increased stool frequency (SBM and CSBM), improved stool consistency, and reduced straining and abdominal discomfort. As shown in Figure 6, the 3 mg dose had a greater number of subjects report improvement in abdominal discomfort than the other doses. Based on this result and the results of a Phase 1 study showing that the efficacy of SP-304 plateaued at about 9 mg, a 3 mg and a 6 mg unit dose form was chosen for future studies. As stated by Shailubhai, these findings were surprising and unexpected. (Shailubhai Decl. at ¶14) Clinical studies confirmed the safety and efficacy of the 3 mg and 6 mg dosage form. (Shailubhai Decl. at ¶15)

Attorney Docket No. SYPA-009/C02US 321994-2242 Application No. 14/845,644

Page 8

Thus, the claimed invention possesses unexpected properties that could not have been predicted. Accordingly, the pending claims are non-obvious. Reconsideration and withdrawal of the rejection is requested.

CONCLUSION

In view of the foregoing, Applicant respectfully submits that no further impediments exist to the allowance of this application and, therefore, requests an indication of allowability. However, the Examiner is requested to call the undersigned if any questions or comments arise.

The Director is hereby authorized to charge any appropriate fees under 37 C.F.R. §§1.16, 1.17, and 1.21 that may be required by this paper, and to credit any overpayment, to Deposit Account No. 50-1283.

Dated: April 29, 2016

COOLEY LLP

ATTN: Patent Group

1299 Pennsylvania Avenue NW, Suite 700

Washington, DC 20004

Tel: (617) 937-2344 Fax: (202) 842-7899

130393727 v1

Respectfully submitted,

COOLEY LLP

By: /Cynthia Kozakiewicz/

Cynthia Kozakiewicz

Reg. No. 42764

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of:

COMISKEY, Stephen, Confirmation No.: 8164

et al.

Application No.:

14/845,644

Group Art Unit:

1676

Filed:

September 4, 2015

Examiner:

Jia-Hai LEE

For:

FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

OF USE

DECLARATION OF KUNWAR SHAILUBHAI UNDER 37 CFR 1.132

I, the undersigned Kunwar Shailubhai hereby declare and state as that:

- I am the Executive Vice President and Chief Scientific Officer of Synergy
 Pharmaceuticals, Inc. (referred to herein as "Synergy"), the assignee of the above referenced patent application. I received my Ph.D. in Microbiology from the University of Baroda.
- 2. I understand that the present claims are directed to methods of treating chronic constipation or irritable bowel syndrome by administering to a human subject a per unit dose of 3 mg or 6 mg of SP-304.
- 3. I have reviewed the Office Action mailed January 29, 2016. I understand that the pending claims are rejected under 35 U.S.C. 103(a) as being obvious over Shailubhai et al. (WO 2008/151257) ("Shailubhai") in view of Business Wire News (April 7, 2008) ("Business Wire").
- 4. I make this declaration to rebut the Examiner's rejection, with which I do not agree.

- 5. As an initial matter, I would like to note that a 3 mg or 6 mg unit dose form of SP-304 in an average 60 kg human would equal about 0.05 mg/kg or 0.1 mg/kg respectively. This is 10 to 20 fold <u>lower</u> dose that the 1 mg/kg dose administered to cynomolgus monkeys in <u>Shailubhai</u>.
- 6. I would also like to point out that administering the 1 mg/kg dose of Shailubhai, in humans would amounts to a 60 mg dose form not a 1.7 mg -8 mg dose as stated by the Examiner.
- 7. We conducted animal studies like the one described in <u>Shailubhai</u> to determine the toxicity of SP-304 not to optimize human dosing
- 8. As described in <u>Shailubhai</u> Example 7, cynomolgus monkeys were first to be given a dose of 1 mg/kg, a 60 mg human unit dose form, and observed for 33 days. After the observation the cynomolgus monkeys were to be given a second dose of 10 mg/kg, a 600 mg human unit dose form, and observed for 7 days. Clinical observation of the cynomolgus monkeys were to be made, with particular attention as to the stools. As <u>Shailubhai</u> does not describe any actual clinical observations of the treated monkeys, one of ordinary skill could not make a conclusion with respect to toxicity, let alone an appropriate therapeutic dose for humans.
- 9. In fact, animal studies rarely, if at all, provide any guidance as to what would be a clinically effective dose in humans. Animal models only provide information with respect to toxicity, which serves as a guide for human safety and efficacy studies. Only after human safety and efficacy studies, like the one described in the instant specification, can a determination of a therapeutic dose be made. This is especially true for SP-304 as extremely high doses were well tolerated in monkeys, as described in detail below.
- 10. We completed the <u>Shailubhai</u> toxicity study. In summary, cynomolgus monkeys were given a daily dose of 1 mg/kg, 10 mg/ kg, 25 mg/kg and 50 mg/kg SP-304. The 1 mg/kg and the 25 mg/kg was well tolerated and did not result in any overt signs of toxicity. The 10 mg/kg and the 50 mg/kg produced mild diarrhea. Since toxicity was not dose dependent in monkeys, these data indicate that monkeys could not be used to predict human therapeutic doses.

- 11. In a further toxicity study, cynomolgus monkeys were given a daily dose of 100 mg/kg and 250 mg/kg SP-304. Both 100 mg/kg and the 250 mg/kg produced severe diarrhea.
- 12. Based upon the results of these two toxicity studies, a high level dose of 75 mg/kg/day was established. This high dose is 150 and 75 times higher than the claimed 3 mg and 6 mg human unit dose respectively
- 13. We then conducted a dose escalation study in humans. In this study, heathy human volunteers were administered 9 dose levels of SP-304 including 0.1, 0.3, 0.9, 2.7, 5.4, 8.1, 16.2, 24.3 and 48.6 mg. This equates to a dose range of between about 0.0015 to 0.7 mg/kg. Pharmacodynamic assessments include time to first stool, stool frequency and stool consistency using the Bristol Stool Form Scale (BSFS). There was no correlation between BSFS and SP-304 dose. As such no prediction as to an effective therapeutic dose could be determines from this study. However, as adverse abdominal events were observed at the two highest doses (i.e. 24.3 and 48.6 mg) future human doses we limited future human doses to 9 mg or less.
- 14. In the instant application, Example 1 describes a safety and efficacy study in human patients having chronic idiopathic constipation. Patients received 0.1, 1.0, 3.0 or 9.0 mg of SP-304 for 14 days. No serious adverse effects were reported for any subject. Importantly, and unexpectedly no diarrhea was reported for any subject. As shown in Figure 1-6, SP-304 treatment at all doses decreased the time to first bowel movement, increases stool frequency (SBM and CSBM), improved stool consistency, and reduced straining and abdominal discomfort. Surprising and unexpectedly, the 3 mg dose had a greater number of subjects report improvement in abdominal discomfort. (Figure 6) Based on this result and the results of a Phase 1 study showing that the efficacy of SP-304 plateaued at about 9 mg, a 3 mg and a 6 mg unit dose form was chosen for future studies. These results could not have been predicted.
- 15. We then conducted a Phase 3 clinical trial to evaluate the safety and efficacy study of a 3 mg and 6 mg dose in in human patients having chronic idiopathic constipation. Based upon the previous safety and efficacy studies described above, SP-304 was safe and well tolerated at both these doses.

- 16. A similar Phase 3 clinical trial to evaluate the safety and efficacy study of a 3 mg and 6 mg dose in in human patients having irritable bowel syndrome with constipation (IBS-C) is ongoing.
- 17. Accordingly, it is my opinion that that a person of ordinary skill in the art would not have selected a 3 mg or 6 mg unit dose to treat constipation or irritable bowel with constipation in humans based upon the dosages described Shailubhai.
- 18. I further declare that all statements made herein of our own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. § 1001 and that willful false statements may jeopardize the validity of this application and any patent issuing therefrom.

Signed, April 29, 2016

Electronic Acknowledgement Receipt					
EFS ID:	25639627				
Application Number:	14845644				
International Application Number:					
Confirmation Number:	8164				
Title of Invention:	FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE				
First Named Inventor/Applicant Name:	Stephen COMISKEY				
Customer Number:	58249				
Filer:	Anne Elizabeth Fleckenstein				
Filer Authorized By:					
Attorney Docket Number:	SYPA-009/C02US				
Receipt Date:	29-APR-2016				
Filing Date:	04-SEP-2015				
Time Stamp:	16:05:35				
Application Type:	Utility under 35 USC 111(a)				

Payment information:

Submitted with Payment	no
------------------------	----

File Listing:

Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
1	Amendment/Req. Reconsideration-After Non-Final Reject	ce_Action.pdf	45ff53bb21276e79cb3745e7f9737d2c9665	no	9
			ed6e		

Warnings:

Information: 0385

2	Oath or Declaration filed	SYPA-009_C02US_Shailubhai_ Dec.pdf	3088318	no	4
			57ac02012c8aa2e8d42a3cf744d5592455e 88be5		
Warnings:					
Information:					
		Total Files Size (in bytes):	32	23248	

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.

New International Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.

ation unless it displays a valid OMB control num

P	PATENT APPLICATION FEE DETERMINATION RECORD Substitute for Form PTO-875					Application	or Docket Number /845,644	Filing Date 09/04/2015	To be Mailed	
							ENTITY: L	ARGE 🏻 SMALI	L MICRO	
	APPLICATION AS FILED – PART I									
			(Column 1	·)	(Column 2)					
	FOR	N	IUMBER FIL	_ED	NUMBER EXTRA		RATE (\$)	FE	E (\$)	
	BASIC FEE (37 CFR 1.16(a), (b), c	or (c))	N/A		N/A		N/A			
	SEARCH FEE (37 CFR 1.16(k), (i), c	or (m))	N/A		N/A		N/A			
	EXAMINATION FE (37 CFR 1.16(o), (p), c		N/A		N/A		N/A			
	TAL CLAIMS CFR 1.16(i))		mir	nus 20 = *			X \$ =			
IND	EPENDENT CLAIM CFR 1.16(h))	S	m	inus 3 = *			X \$ =			
	APPLICATION SIZE (37 CFR 1.16(s))	of pa for s fract	aper, the a mall entity	ation and drawing application size fo y) for each addition of. See 35 U.S.C.	ee due is \$310 (onal 50 sheets o	\$155 r				
	MULTIPLE DEPEN	IDENT CLAIM PF	ESENT (3	7 CFR 1.16(j))						
* If t	the difference in colu	ımn 1 is less than	zero, ente	r "0" in column 2.			TOTAL			
		(Column 1)		(Column 2)	ION AS AMEN		RT II			
AMENDMENT	04/29/2016	CLAIMS REMAINING AFTER AMENDMENT		HIGHEST NUMBER PREVIOUSLY PAID FOR	PRESENT EX	TRA	RATE (\$)	ADDITION	NAL FEE (\$)	
)ME	Total (37 CFR 1.16(i))	* 10	Minus	** 20	= 0		x \$40 =		0	
	Independent (37 CFR 1.16(h))	* 2	Minus	***3	= 0		x \$210=		0	
AM	Application Si	ize Fee (37 CFR 1	I.16(s))							
	FIRST PRESEN	NTATION OF MULTI	PLE DEPEN	DENT CLAIM (37 CFF	국 1.16(j))					
							TOTAL ADD'L FE		0	
		(Column 1)		(Column 2)	(Column 3))				
		CLAIMS REMAINING AFTER AMENDMENT		HIGHEST NUMBER PREVIOUSLY PAID FOR	PRESENT EX	TRA	RATE (\$)	ADDITION	NAL FEE (\$)	
ENT	Total (37 CFR 1.16(i))	*	Minus	**	=		X \$ =			
ENDM	Independent (37 CFR 1.16(h))	*	Minus	***	=		X \$ =			
	Application Si	ize Fee (37 CFR 1	I.16(s))							
AM	FIRST PRESEN	NTATION OF MULTI	PLE DEPEN	DENT CLAIM (37 CFF	₹ 1.16(j))					
							TOTAL ADD'L FE	= [
** If *** I	the entry in column 1 the "Highest Numbe If the "Highest Numbor Po	er Previously Paid oer Previously Pai	d For" IN TH id For" IN T	HIS SPACE is less in the HIS SPACE is less	than 20, enter "20" s than 3, enter "3".		LIE /GLORIA ANT			

This collection of information is required by 37 CFR 1.16. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO. CONFIRMATION	
14/845,644	14/845,644 09/04/2015 S		SYPA-009C02US 321994-2242	8164
58249 COOLEY LLP	7590 06/03/201	6	EXAM	IINER
ATTN: Patent (Group		LEE, J	A-HAI
1299 Pennsylva	mia Avenue, NW			
Suite 700	~ * * * * * * * * * * * * * * * * * * *		ART UNIT	PAPER NUMBER
Washington, Do	C 20004		1676	
			NOTIFICATION DATE	DELIVERY MODE
			06/03/2016	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

zpatdcdocketing@cooley.com

PTOL-90A (Rev. 04/07)

	Application No. 14/845,644	Applicant(s) COMISKEY ET AL.	
Office Action Summary	Examiner JIA-HAI LEE	Art Unit 1676	AIA (First Inventor to File) Status No
The MAILING DATE of this communication app	ears on the cover sheet with the c	orrespondenc	ce address
Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be tim rill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	nely filed the mailing date of D (35 U.S.C. § 133	this communication.
Status			
1) Responsive to communication(s) filed on <u>04/29</u> A declaration(s)/affidavit(s) under 37 CFR 1.1	30(b) was/were filed on		
· <u> </u>	action is non-final.		
 3) An election was made by the applicant in responsible. 4) Since this application is in condition for allowar closed in accordance with the practice under E 	have been incorporated into this ace except for formal matters, pro	action. esecution as to	
Disposition of Claims*			
5) Claim(s) 1-10 is/are pending in the application. 5a) Of the above claim(s) is/are withdraw 6) Claim(s) is/are allowed. 7) Claim(s) 1-10 is/are rejected. 8) Claim(s) is/are objected to. 9) Claim(s) are subject to restriction and/or if any claims have been determined allowable, you may be eliparticipating intellectual property office for the corresponding an http://www.uspto.gov/patents/init_events/pph/index.jsp or send	r election requirement. Igible to benefit from the Patent Pro epplication. For more information, please an inquiry to PPHfeedback@uspto.c	ase see	way program at a
10) The specification is objected to by the Examine 11) The drawing(s) filed on is/are: a) acce Applicant may not request that any objection to the of Replacement drawing sheet(s) including the correction	epted or b) objected to by the formula of the formu	e 37 CFR 1.85(
Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign Certified copies: a) All b) Some** c) None of the: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bureau	s have been received. s have been received in Applicat rity documents have been receiv	ion No	
application from the international Bureau ** See the attached detailed Office action for a list of the certifie			
Attachment(s)	_		
 Notice of References Cited (PTO-892) Information Disclosure Statement(s) (PTO/SB/08a and/or PTO/S Paper No(s)/Mail Date 	3) Interview Summary Paper No(s)/Mail Da 4) Other:		

DETAILED ACTION

The present application is being examined under the pre-AIA first to invent provisions.

Claim Status

Claims 1-10 are pending.

Claims 1-10 have been examined.

Priority

This application is a CON of 14/661,299 filed on 03/18/2015 (abandoned), which is a CON of 13/421,769 filed on 03/15/2012, which is a CIP of PCT/US2011/051805 filed on 09/15/2011, which claims the benefits of 61/383,156 filed on 09/15/2010, 61/387,636 filed on 09/29/2010, and 61/392,186 filed on 10/12/2010.

Affidavit or Declaration Under 37 CFR 1.132

The affidavit under 37 CFR 1.132 filed 04/29/2016 is insufficient to overcome the rejection of claims 1-10 based upon the new ground of rejection Shailubhai et al. (WO 2008/151257 A2, IDS #76 dated 9/4/2015) in view of Shailubhai's conference abstract (Digestive Disease Week. San Diego: 2008, referred as D2) because D2 suggests the safe and most effective unit dosage of SP304 for human use is within a very narrow range between 2.7 mg and 8.1 mg such as 2.7 mg (rounding up to 3 mg) or 5.4 mg (rounding up to 6 mg) in the data chart (col 3, last chart), reading on 3 mg or 6 mg in claim 1. Furthermore, any dosage unit between the very narrow range of 2,7 mg and 8.1

Art Unit: 1676

mg is fully expect to be well-tolerated and highly effective for human use to treat the diseases as demonstrated in the data chart of SP-304 Single-dose data in volunteers (col 3, last chart). MPEP 2144.05 states "In the case where the claimed ranges "overlap or lie inside ranges disclosed by the prior art" a *prima facie* case of obviousness exists.

In re Wertheim, 541 F.2d 257, 191 USPQ 90 (CCPA 1976); In re Woodruff, 919 F.2d 1575, 16 USPQ2d 1934 (Fed. Cir. 1990)."

Withdrawn Rejection

The rejection of claims 1-10 under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Shailubhai et al. (WO 2008/151257 A2, IDS #76 in the parent application dated 9/4/2015) in view of Business Wire News (April 07, 2008) is withdrawn in view of applicant's amendments to the claims.

The provisional rejection of claims 1-10 on the ground of nonstatutory double patenting as being unpatentable over claims 1 and 4 of copending Application No. 14/301,812 ('812 application) in view of Shailubhai et al. (WO 2008/151257 A2) is withdrawn in view of applicant's amendments to the claims.

The provisional rejection of claims 1-10 on the ground of nonstatutory double patenting as being unpatentable over claims 1 and 4 of copending Application No. 14/001,638 ('638 application) in view of Shailubhai et al. (WO 2008/151257 A2) is withdrawn in view of applicant's amendments to the claims.

Art Unit: 1676

New ground of rejection

The following is a quotation of pre-AIA 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under pre-AIA 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness. Shailubhai et al. (WO 2008/151257 A2, IDS #76 cited in the parent application dated 9/4/2015) in view of Shailubhai et al. (Digestive Disease Week. San Diego: 2008, referred as D2).

Claim 1 is drawn to a method for treating a patient (intended use for treating chronic constipation) comprising orally administering to a human patient a composition comprising a per unit dose of 3 mg or 6 mg of a [4,12; 7,15] bicyclic peptide consisting the peptide sequence of SEQ ID NO: 1 and a pharmaceutically acceptable excipient.

Shailubhai et al. suggest the use of a guanylate cyclase agonist SP-304/GCRA peptide to treat gastrointestinal disorders comprising irritable bowel syndrome (IBS) and

Application/Control Number: 14/845,644 Page 5

Art Unit: 1676

constipation (p5, line 8-21). Shailubhai et al show the peptide compound of SP304 has the structure as follows (p11, Table 1; Fig 3).

SP304

Shailubhai et al. suggest the SP304 peptide can be formulated in a pharmaceutical composition in unit dose form between 100 µg and 3g together with one or more pharmaceutically acceptable excipients (p6, line 21-25; p38, line 21-25). Shailubhai et al. further suggest the administration of SP304 to treat human diseases (Abstract; p38, 19-20).

Shailubhai et al. do not specify a unit dose suitable for administration to human.

D2 teaches the use of a compound SP-304 for treatment of chronic constipation (CC), irritable bowel syndrome with constipation (IBS-C), and other GI diseases via oral administration (Abstract). D2 suggests the safe and most effective unit dosage for human use is between 2.7 mg and 8.1 mg, such as 2.7 mg (rounding up to 3 mg) or 5.4 mg (rounding up to 6 mg), in the data chart (col 3, last chart), reading on 3 mg or 6 mg in claim 1. MPEP 2144.05 states "In the case where the claimed ranges "overlap or lie inside ranges disclosed by the prior art" a *prima facie* case of obviousness exists. *In re Wertheim*, 541 F.2d 257, 191 USPQ 90 (CCPA 1976); *In re Woodruff*, 919 F.2d 1575, 16 USPQ2d 1934 (Fed. Cir. 1990)."

With respect to claim 2, Shailubhai et al. suggest the use of a guanylate cyclase agonist of SP-304 peptide to treat gastrointestinal disorders of irritable bowel syndrome (IBS) and constipation (p5, line 8-21). D2 teaches the use of the same compound SP-

304 for treatment of chronic constipation (CC), irritable bowel syndrome with constipation (IBS-C), and other GI diseases via oral administration (Abstract).

With respect to claim 3, Shailubhai et al. suggest the use of SP-304 to treat human gastrointestinal disorders comprising irritable bowel syndrome (IBS) and constipation (p5, line 8-21). Similarly, D2 teaches the use of the same SP-304 for treatment of chronic constipation (CC), irritable bowel syndrome with constipation (IBS-C), and other GI diseases via oral administration (Abstract). D2 further suggests the most effective unit dosage for human use is between 2.7 mg and 8.1 mg, such as 2.7 mg (rounding up to 3 mg) or 5.4 mg (rounding up to 6 mg), in the data chart (col 3, last chart), reading on unit dosage of 3 mg or 6 mg.

With respect to claim 4, Shailubhai et al. suggest the use of a guanylate cyclase agonist of SP304 to treat gastrointestinal disorders of irritable bowel syndrome (IBS) and constipation (p5, line 8-21). D2 teaches the use of a compound SP-304 for treatment of chronic constipation (CC), irritable bowel syndrome with constipation (IBS-C), and other GI diseases via oral administration (Abstract).

With respect to claim 5, Shailubhai et al. suggest administration to said patient an effective dose of an inhibitor of cGMP-specific phosphodiesterase (cGMP-PDE) either concurrently or sequentially with said guanylate cyclase receptor agonist (p6, line 30-32).

With respect to claim 6, Shailubhai et al. suggest a cGMP-dependent phosphodiesterase inhibitor can be sulindac sulfone, zaprinast, and motapizone (p6, line 32-33).

With respect to claim 7, Shailubhai et al. suggest additional therapeutic agents to treat gastrointestinal disorders and constipation with a laxative of commercial products comprising Plantago Ovata[®] or Equalactin[®] and others (p51, line 17-28).

With respect to claim 8, Shailubhai et al. suggest administration to said patient an effective dose of an inhibitor of cGMP-specific phosphodiesterase (cGMP-PDE) either concurrently or sequentially with said guanylate cyclase receptor agonist (p6, line 30-32).

With respect to claim 9, Shailubhai et al. suggest a cGMP-dependent phosphodiesterase inhibitor can be sulindac sulfone, zaprinast, and motapizone (p6, line 32-33).

With respect to claim 10, Shailubhai et al. suggest additional therapeutic agents to treat gastrointestinal disorders and constipation with a laxative of commercial products comprising Plantago Ovata® or Equalactin® and others (p51, line 17-28).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine Shailubhai's SP304 peptide with D2's teaching of safe and effective dosage of SP304 because D2 suggests Shailubhai's SP304 is safe and most effective at 2.7 mg (rounding up to 3 mg) or 5.4 mg (rounding up to 6 mg) for human use in the data chart (col 3, last chart; col 4, conclusion). The combination would have reasonable expectation of success.

Response to Arguments

Applicant's arguments of the unit dosage of the therapeutic peptide of SEQ ID NO: 1 (SP304) is nonobvious to Shailubhai et al. (WO 2008/151257 A2) in view of

Page 7

Art Unit: 1676

Business Wire News filed 04/29/2016 have been fully considered but they are not persuasive because this instant rejection is based on Shailubhai et al. (WO 2008/151257 A2) in view of Shailubhai et al. (Digestive Disease Week. San Diego: 2008, referred as D2) whereas applicant argues the different combination of Shailubhai et al. in view of Business Wire News.

Applicant argues 1) the unit dosage is limited to human use not taught by the primary reference of Shailubhai et al., 2) Shailubhai's therapeutic unit dosage for monkey is not suitable unit dosage for human, 3) Shailubhai fails to disclose a composition comprising the specific unit 3 mg or 6 mg unit dose form of SP-304 and fails to show a specific disease of treatment, 4) Shailubhai fails to address toxicity.

With respect to applicant's arguments 1-4, D2 teaches the use of a compound SP-304 for treatment of human chronic constipation (CC), irritable bowel syndrome with constipation (IBS-C), and other GI diseases via oral administration (Abstract). D2 suggests the safe and best effective unit dosage for human use is between 2.7 mg and 8.1 mg such as 2.7 mg (rounding up to 3 mg) or 5.4 mg (rounding up to 6 mg) in the data chart (col 3, last chart), reading on 3 mg or 6 mg in claim 1. D2 further suggests SP304 was safe and well-tolerated without severe diarrhea as well as no systemic absorption via oral administration (col 4, conclusion). Thus, one of ordinary skill in the art would be taught and motivated to optimize the unit dosage of SP304 between 2.7 mg and 8.1 mg, such as 2.7 mg (rounding up to 3 mg) or 5.4 mg (rounding up to 6 mg), according the human clinical trial results in D2 (col 3, last chart). Furthermore, applicant argues the primary reference alone; whereas, the rejection is based on Shailubhai et al.

Page 8

(WO 2008/151257 A2) in view of a second reference Shailubhai et al. (Digestive Disease Week. San Diego: 2008, <u>referred as D2</u>). It is noted that one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck* & *Co.*, 800 F.2d 1091,231 USPQ 375 (Fed. Cir. 1986).

Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory double patenting rejection is appropriate where the claims at issue are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); In re Vogel, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the reference application or patent either is shown to

Art Unit: 1676

be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement. See MPEP § 717.02 for applications subject to examination under the first inventor to file provisions of the AIA as explained in MPEP § 2159. See MPEP §§ 706.02(I)(1) - 706.02(I)(3) for applications not subject to examination under the first inventor to file provisions of the AIA. A terminal disclaimer must be signed in compliance with 37 CFR 1.321(b).

The USPTO Internet website contains terminal disclaimer forms which may be used. Please visit www.uspto.gov/forms/. The filing date of the application in which the form is filed determines what form (e.g., PTO/SB/25, PTO/SB/26, PTO/AIA/25, or PTO/AIA/26) should be used. A web-based eTerminal Disclaimer may be filled out completely online using web-screens. An eTerminal Disclaimer that meets all requirements is auto-processed and approved immediately upon submission. For more information about eTerminal Disclaimers, refer to http://www.uspto.gov/patents/process/file/efs/guidance/eTD-info-I.jsp.

Claims 1-5, 7-8, and 10 are provisionally rejected on the ground of nonstatutory double patenting as being obvious over claims 1 and 4 of copending Application No. 14/301,812 ('812 application) in view of Shailubhai et al. (Digestive Disease Week. San Diego: 2008, referred as D2). The GCC agonist peptide sequence of SEQ ID NO: 1 in claims 1 and 4 of the '812 application is identical to the peptide comprising SEQ ID NO: 1 wherein the peptide is a [4,12; 7,15] bicycle in this instant claim 1 and also identical to Shailubhai's SP304 in the second reference. Claims 1 and 4 of the '812 application are drawn to a GCC agonist formulation comprising the instant SEQ ID NO: 1 wherein the

peptide is a [4,12; 7,15] bicycle as claimed and a pharmaceutically acceptable excipient of a pH-dependent polymer. D2 suggests a method of using a unit dose of a GCC agonist peptide (SP-304) between 2.7 mg and 8.1 mg such as 2.7 mg (rounding up to 3 mg) or 5.4 mg (rounding up to 6 mg) in the data chart (col 3, last chart) for oral administration to human treat chronic constipation (CC), irritable bowel syndrome with constipation (IBS-C), and other GI diseases via oral administration (Abstract), satisfying this instant claim 1.

With respect to the instant claims 2-4, D2 suggests the use of SP-304 of claim 1 in the '812 application to treat human chronic constipation (CC), irritable bowel syndrome with constipation (IBS-C), and other GI diseases via oral administration (Abstract). D2 suggests a method of using a unit dose of a GCC agonist peptide (SP-304) between 2.7 mg and 8.1 mg such as 2.7 mg (rounding up to 3 mg) or 5.4 mg (rounding up to 6 mg) via oral administration (Abstract; col 3, last chart).

With respect to the instant claims 5 and 8, claim 34 in the '812 application teaches the composition further comprising an inhibitor of cGMP-dependent phosphodiesterase.

With respect to the instant claims 7 and 10, claim 36 in the '812 application teaches the composition further comprising an effective dose of a laxative.

Claims 1-10 are provisionally rejected on the ground of nonstatutory double patenting as being unpatentable over claims 2-9 and 42-43 (an oral dosage formulation of SEQ ID NO: 1/SP-304), 26 and 32 (a process of making SP-304), and 36-40 (a

Art Unit: 1676

method of using SP-304 to treat disease) of copending Application No. 13/421,769 ('769 application) in view of Shailubhai et al. (Digestive Disease Week. San Diego: 2008, referred as D2). Claims 2-9 and 42-43 of the '769 application are drawn to an oral dosage formulation of comprising the peptide sequence of SEQ ID NO: 1/SP-304 (p44, Table 1, SEQ ID NO: 1) and an inert low moisture carrier. Claims 36-40 are drawn to a method of treating a disease or a disorder (e.g., irritable bowel syndrome or chronic idiopathic constipation) by administering an oral dosage of GCC agonist peptide from 0.01 mg to 10 mg and an inert low moisture carrier. D2 teaches a method of using a unit dose of the GCC agonist peptide SP-304 between 2.7 mg and 8.1 mg such as 2.7 mg (rounding up to 3 mg) or 5.4 mg (rounding up to 6 mg) for oral administration to treat chronic constipation (CC), irritable bowel syndrome with constipation (IBS-C), and other GI diseases (Abstract). Thus, this instant claim 1 is obvious to claims 2-9 and 42-43 of the '769 application in view of D2. Furthermore, this instant claim 1 is also obvious to claims 26 and 32 of the '769 application (drawn to a process of making SP-304) in view of D2's teaching of using a unit dose of SP-304 between 2.7 mg and 8.1 mg such as 2.7 mg (rounding up to 3 mg) or 5.4 mg (rounding up to 6 mg) for oral administration to treat chronic constipation (CC), irritable bowel syndrome with constipation (IBS-C), and other GI diseases (Abstract).

Claims 36-38 of the '769 application are drawn to a method of using the SEQ ID NO: 1 (SP-304) to treat a disease comprising irritable bowel syndrome and chronic idiopathic constipation. D2 teaches the use of a compound SP-304 for treatment of chronic constipation (CC), irritable bowel syndrome with constipation (IBS-C), and other

Art Unit: 1676

GI diseases via oral administration (Abstract). D2 further suggests the most effective unit dosage for human use is between 2.7 mg and 8.1 mg such as 2.7 mg (rounding up to 3 mg) or 5.4 mg (rounding up to 6 mg), satisfying the instant claims 2-4

Claim 39 of the '769 application is drawn to a combination of the SEQ ID NO: 1 (SP-304) and an inhibitor of a cGMP-specific phosphodiesterase, satisfying the instant claims 5 and 8.

Claim 40 of the '769 application is drawn to a combination of the SEQ ID NO: 1 (SP-304) and an effective amount of at least one laxative, satisfying the instant claims 7 and 10.

Conclusion

No claim is allowed.

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

Application/Control Number: 14/845,644 Page 14

Art Unit: 1676

the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JIA-HAI LEE whose telephone number is (571)270-1691. The examiner can normally be reached on Mon-Fri.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Karlheinz R. Skowronek can be reached on 571-272-9047. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/J. L./ Examiner, Art Unit 1676

/SATYANARAYANA R GUDIBANDE/ Primary Examiner, Art Unit 1676

Notice of References Cited Application/Control No. 14/845,644 Examiner JIA-HAI LEE Application/Control No. Applicant(s)/Patent Under Reexamination COMISKEY ET AL. Page 1 of 1

U.S. PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	CPC Classification	US Classification
	Α	US-				
	В	US-				
	C	US-				
	D	US-				
	Е	US-				
	F	US-				
	G	US-				
	Н	US-				
	1	US-				
	J	US-				
	К	US-				
	L	US-				
	М	US-				

FOREIGN PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	CPC Classification
	Ν					
	0					
	Р					
	Ø					
	R					
	S					
	Τ					

NON-PATENT DOCUMENTS

*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)
	U	Shailubhai, K.; Gerson, W.; Talluto, C.; Jacob, G. Digestive Disease Week. San Diego: 2008. A randomized, double-blind, placebo-controlled, single-, ascending-, oral-dose safety, tolerability and pharmacokinetic study of SP-304 in healthy adult human male and female volunteers.
	V	
	w	
	х	

*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).) Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.

(FILE 'HOME' ENTERED AT 21:51:41 ON 21 MAY 2016)

FILE 'REGISTRY' ENTERED AT 21:51:58 ON 21 MAY 2016

L1 77 S NDECELCVNVACTGCL/SQSP AND SQL<=20

FILE 'CAPLUS, EMBASE, BIOSIS, MEDLINE' ENTERED AT 21:52:31 ON 21 MAY 2016

- L2 76 S L1
- L3 13 S L2 AND CYCLIC
- L4 52042 S (CHRONIC CONSTIPATION) OR (CHRONIC IDIOPATHIC CONSTIPATION) OR (IRRITABLE BOWEL SYNDROME)
- L5 49 S L2 AND L4
- L6 5800 S (CGMP-DEPENDENT PHOSPHODIESTERASE) OR (SULINDAC SULFONE) OR ZAPRINAST OR MOTAPIZONE
- L7 10 S L5 AND L6
- L8 29976 S LAXATIVE
- L9 31 L2 AND L8
- L10 44 S L3 OR L7 OR L9
- L11 41 DUP REM L10 (3 DUPLICATES REMOVED)
- L12 9 S L11 AND (AD<2011 OR PD<2011 OR PRD<2011)

E COMISKEY STEPHE?/AU

L13 40 S E4-E8

E FENG RON?/AU

L14 123 S FENG RONG/AU

E FOSS JOH?/AU

L15 115 S E28-E34

E SHAILUBHAI KUNWA?/AU

- L16 119 S E40-E41
- => S L13 or L14 or L15 or L16
- L17 318 L13 OR L14 OR L15 OR L16
- => S L17 and L2
- L18 19 L17 AND L2
- => S L18 and L4
- L19 11 L18 AND L4

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	232	(guanylate near cyclase) and (chronic near constipation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2016/05/21 21:38
L2	60	(guanylate near cyclase) same (chronic near constipation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2016/05/21 21:38
L3	13	L2 and @py<"2010"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2016/05/21 21:38
L4	44348	(guanylate near cyclase) or (GCC near agonist) or (chronic near constipation) or (irritable near bowel near syndrome)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2016/05/21 21:38
L5	27	(guanylate near cyclase) and (GCC near agonist) and (chronic near constipation) and (irritable near bowel near syndrome)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2016/05/21 21:38
L6	1843	L4 and laxative	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2016/05/21 21:38
L7	298	L6 and phosphodiesterase	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2016/05/21 21:38
L8	138	L7 and cGMP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	W ITH	ON	2016/05/21 21:38
L9	32	L8 and @py<"2010"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2016/05/21 21:38
L10	109	(Stephen near3 COMISKEY).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2016/05/21 21:38

{ 						
L11	263	(Rong near3 FENG).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2016/05/21 21:38
L12	134	(John near3 FOSS).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2016/05/21 21:38
L13	194	(Kunwar near3 SHAILUBHAI).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2016/05/21 21:38
L14	629	L10 or L11 or L12 or L13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2016/05/21 21:38
L15	32	L14 and (chronic near constipation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2016/05/21 21:38
L16	44	(SYNERGY near3 PHARMACEUTI CALS).asn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2016/05/21 21:38
L17	19	L16 and (chronic near constipation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2016/05/21 21:38
L18	151	SP304 or SP-304 pr (SP near "304")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2016/05/21 21:38
L19	24	L18 same unit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2016/05/21 21:38
L20	0	L18 same constipation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2016/05/21 21:38
L21	32	L18 and constipation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2016/05/21 21:38
L22	31	L21 and unit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2016/05/21 21:38
						04

EAST Search History (Interference)

< This search history is empty>

5/21/2016 9:39:46 PM

 $\textbf{C:} \ \textbf{Users} \ | \ \textbf{jlee24} \ \textbf{Documents} \ \textbf{EAST} \ \textbf{Workspaces} \ \textbf{14 845644.wsp}$

Search Notes

Application/Control No.	Applicant(s)/Patent Under Reexamination
14845644	COMISKEY ET AL.
Examiner	Art Unit
JIA-HAI LEE	1676

CPC- SEARCHED		
Symbol	Date	Examiner

CPC COMBINATION SETS - SEARCHED				
Symbol	Date	Examiner		

US CLASSIFICATION SEARCHED								
Class	Subclass	Date	Examiner					

SEARCH NOTES						
Search Notes	Date	Examiner				
EAST, Database: USPATFUL, USPGPUB, EPO, JPO, DERWENT, Search history enclosed	5/21/2016	JL				
STN, Databases: Biosis, Embase, Medline, Caplus, Search history enclosed	5/21/2016	JL				
PALM Inventor Search	5/21/2016	JL				

INTERFERENCE SEARCH							
US Class/ CPC Symbol	US Subclass / CPC Group	Date	Examiner				

/J.L./ Examiner.Art Unit 1676	

U.S. Patent and Trademark Office Part of Paper No **040%** 0521

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of: COMISKEY, Stephen, Confirmation No.: 8164

et al.

Application No.: 14/845,644 Group Art Unit: 1676

Filed: September 4, 2015 Examiner: Jia-Hai LEE

FOR: FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS

OF USE

Mail Stop Amendment

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

AMENDMENT AND RESPONSE TO FINAL OFFICE ACTION

This amendment and response is submitted in response to the Final Office Action mailed on June 3, 2016 in the above-identified application. This response is timely filed by September 3, 2016. As September 3, 2016 is a Saturday, and the following Monday, September 5, 2016, is a federal holiday, this response is timely filed by September 6, 2016 per the next-business-day rule.

Amendments to the Claims are reflected in the listing of the claims which begins on page 2 of this paper.

Remarks/Arguments begin on page 4 of this paper.

IN THE CLAIMS:

Set forth below in ascending order, with status identifiers, is a complete listing of all claims currently under examination. Changes to any amended claims are indicated by strikethrough and underlining. This listing also reflects any cancellation and/or addition of claims.

- 1. (Currently Amended) A method for treating chronic constipation in a human subject comprising orally administering to said human subject a composition comprising consisting of a per unit dose of 3 mg or 6 mg of a peptide consisting of SEQ ID NO:1 wherein the peptide is a [4,12; 7,15] bicycle, an inert low moisture carrier, and a lubricant, and wherein the peptide has a chromatographic purity of no less than 91% after storage for at least three months and one or more pharmaceutically acceptable excipients.
- 2. (Original) The method of claim 1, wherein the constipation is associated with irritable bowel syndrome or chronic idiopathic constipation.
- 3. (Currently Amended) A method of treating or alleviating a symptom associated with chronic idiopathic constipation or irritable bowel syndrome in a human subject comprising orally administering to said human subject a composition emprising consisting of a per unit dose of 3 mg or 6 mg of a peptide consisting of SEQ ID NO:1 wherein the peptide is a [4,12; 7,15] bicycle, an inert low moisture carrier, and a lubricant, and wherein the peptide has a chromatographic purity of no less than 91% after storage for at least three months and one or more pharmaceutically acceptable excipients.
- 4. (Original) The method of claim 3, wherein the symptom is constipation or abdominal pain.
- 5. (Original) The method of claim 1, further comprising administering to said patient an effective dose of an inhibitor of cGMP-dependent phosphodiesterase either concurrently or sequentially with said guanylate cyclase receptor agonist.

Attorney Docket No. SYPA-009/C02US 321994-2242 Application No. 14/845,644

Page 3

- 6. (Original) The method of claim 5, wherein said inhibitor of cGMP-dependent phosphodiesterase is selected from the group consisting of sulindac sulfone, zaprinast, and motapizone.
- 7. (Original) The method of claim 1, further comprising administering to said patient an effective dose of a laxative.
- 8. (Original) The method of claim 3, further comprising administering to said patient an effective dose of an inhibitor of cGMP-dependent phosphodiesterase either concurrently or sequentially with said guanylate cyclase receptor agonist.
- 9. (Original) The method of claim 8, wherein said inhibitor of cGMP-dependent phosphodiesterase is selected from the group consisting of sulindac sulfone, zaprinast, and motapizone.
- 10. (Original) The method of claim 3, further comprising administering to said patient an effective dose of a laxative.

REMARKS

Claims 1-10 are pending. Claims 1 and 3 are amended herein to recite the composition comprises a low-moisture inert carrier and a lubricant, and the peptide has a chromatographic purity of no less than 91% after storage for at least three months. Support for these amendments can be found throughout the application as filed, and specifically for example, in Example 14 and paragraph [040]. No new matter is added.

The Examiner rejected claims 1-10 under 35 U.S.C. § 103(a) as allegedly being obvious over Shailubhai *et al.* (WO 2008/151257' "the '257 publication") in view of Shailubhai *et al.* (2008; "Shailubhai Abstract"). Office Action at page 4. Specifically, the Examiner alleges the '257 publication teaches the use of a guanylate cyclase agonist SP-304 to treat gastrointestinal disorders including irritable bowel syndrome and constipation. *Id.* at pages 4-5. The Examiner further asserts the '257 publication teaches the SP-304 peptide can be formulated in a pharmaceutical composition in unit dose form between 100 µg and 3g together with one or more pharmaceutically acceptable excipients. *Id.* at page 5. While the Examiner concedes that the '257 publication does not specify a unit dose suitable for administration to humans, the Examiner contends the Shailubhai Abstract teaches the use of SP-304 for the treatment of chronic constipation, irritable bowel syndrome with constipation, and other GI disease via oral administration. *Id.* The Examiner thus argues that it would have been obvious to the skilled artisan to have combined the SP-304 peptide disclosed in the '257 publication with the Shailubhai Abstract's teaching of safe and effective administration of 2.7 mg or 5.4 mg of SP-304 with a reasonable expectation of success. *Id.* at page 7.

Applicants respectfully disagree. A *prima facie* case of "obviousness requires a suggestion of all limitations in a claim." *CFMT, Inc. v. Yieldup Intern. Corp.*, 349 F.3d 1333, 1342 (Fed. Cir. 2003) (citing *In re Royka*, 490 F.2d 981, 985 (CCPA 1974)). The present claims are amended to recite the formulation consists of a per unit dose of 3 mg or 6 mg of a peptide consisting of SEQ ID NO:1 wherein the peptide is a [4,12; 7,15] bicycle, an inert low moisture carrier, and a lubricant, and wherein the peptide has a chromatographic purity of no less than 91% after storage for at least three months. This is neither taught nor suggested in the cited art. The '257 publication does not teach or suggest a formulation consisting of a per unit dose of 3 mg or 6 mg of a peptide consisting of SEQ ID NO:1 wherein the peptide is a [4,12; 7,15] bicycle,

Attorney Docket No. SYPA-009/C02US 321994-2242 Application No. 14/845,644

Page 5

an inert low moisture carrier, and a lubricant where the peptide has a chromatographic purity of no less than 91% after storage for at least three months. Nothing in the '257 publication teaches or suggests a formulation with such characteristics. The Examiner has therefore failed to make a *prima facie* case of obviousness.

Nor does the Shailubhai Abstract cure the deficiencies of the '257 publication. Neither of these references teaches or suggests a formulation consisting of a per unit dose of 3 mg or 6 mg of a peptide consisting of SEQ ID NO:1 wherein the peptide is a [4,12; 7,15] bicycle, an inert low moisture carrier, and a lubricant, and wherein the peptide has a chromatographic purity of no less than 91% after storage for at least three months. The rejection fails for this reason alone.

Even assuming, arguendo, that the skilled person would find a reason to combine the '257 publication with the teaching of the Shailubhai Abstract, such combination still would not have led one to arrive at the instant claims. For a determination of obviousness the prior art must suggest to one of ordinary skill in the art that this method should be carried out and that one of ordinary skill would have a reasonable likelihood of success, when viewed in the light of the prior art. Moreover, the mere fact that references can be combined or modified does not render the resultant combination obvious unless the results would have been predictable to one of ordinary skill in the art. Objective evidence relevant to the issue of obviousness must be evaluated by Office personnel. Such evidence, sometimes referred to as "secondary considerations," may include evidence of unexpected results.

Applicants submit herewith that a §1.132 declaration of Dr. Comiskey ("Comiskey Decl.") demonstrating that formulation having a low-moisture inert carrier as recited in the amended claims shows superior results compared with formulations taught in the art, and are more stable than expected compared to formulations comprising a regular-grade carrier. *See* Comiskey Decl. at ¶ 7. Formulations containing a low-moisture carrier demonstrate unexpectedly dramatically decreased amounts of impurities. *See* Comiskey Decl. at ¶ 7-8. These data demonstrate that the formulation required by the claimed methods provides an unexpectedly superior result relative to formulations taught in the art. As noted by Dr. Comiskey, stability of the active ingredient, the peptide of SEQ ID NO: 1, is essential to insure proper dosing in the treatment of chronic constipation or irritable bowel syndrome. *See* Comiskey Decl. at ¶ 9

Attorney Docket No. SYPA-009/C02US 321994-2242 Application No. 14/845,644

Page 6

The cited art therefore does not provide a suggestion of all elements of the pending claims. Nor does it teach or predict the surprising stability demonstrated by the instantly claimed

Accordingly the claimed formulations are not obvious, and Applicants formulations.

respectfully request withdrawal of the instant rejection.

CONCLUSION

In view of the foregoing, Applicant respectfully submits that no further impediments

exist to the allowance of this application and, therefore, requests an indication of allowability.

However, the Examiner is requested to call the undersigned if any questions or comments arise.

The Director is hereby authorized to charge any appropriate fees under 37 C.F.R. §§1.16,

1.17, and 1.21 that may be required by this paper, and to credit any overpayment, to Deposit

Account No. 50-1283.

Dated: September 6, 2016

Respectfully submitted,

COOLEY LLP

COOLEY LLP

ATTN: Patent Group

1299 Pennsylvania Avenue NW, Suite 700

Washington, DC 20004

/Anne E. Fleckenstein/ By:

Anne E. Fleckenstein, Ph.D.

Reg. No. 62,951

Tel: (202)728-7030

Fax: (202) 842-7899

135904646 v1

0414

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of:

COMISKEY, Stephen, Confirmation No.:

8164

et al.

Application No.:

14/845,644

Group Art Unit:

1676

Filed:

September 4, 2015

Examiner:

Jia-Hai LEE

For:

FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS

OF USE

U.S. Patent and Trademark Office Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

DECLARATION UNDER 37 C.F.R. § 1.132

I, the undersigned Stephen Comiskey, declare and as follows:

- 1. I am the Vice President of Product Development of Synergy Pharmaceutical's the assignee of the above reference patent application I received him B.S. in Biochemistry, M.S. in Food Chemistry, and Ph.D. in Pharmaceutics from the University of Wisconsin-Madison.
- 2. I understand that the present claims are directed to directed to methods of treating chronic constipation or irritable bowel syndrome by administering to a human subject a composition consisting of a per unit dose of 3 mg or 6 mg of SP-304 (SEQ ID NO: 1), an inert low moisture carrier, and a lubricant, and wherein the SP-304 in the composition has a chromatographic purity of no less than 91% after storage for at least three months.
- 3. I have reviewed the Office Action mailed June 3, 2016. I understand that the pending claims are rejected under 35 U.S.C. 103(a) as being obvious over Shailubhai et al. (WO

Attorney Docket No. SYPA-009/C02US 321994-2242 Application No. 14/845,644

2008/151257; "the '257 publication) in view of Shailubhai et al. (2008; "the Shailubhai Abstract").

- 4. I make this declaration to rebut the Examiner's rejection, with which I do not agree.
- 5. At the time of filing, those working in the field would not have found the presently formulation recited in the claims obvious based on the teachings of the '257 publication in view of the Shailubhai Abstract. It is my opinion that the claimed methods are not obvious over the above cited references, for at least the following reasons.
- 6. We conducted studies to test the stability and purity of various formulations comprising the peptide of SEQ ID NO:1 (SP-304) and discovered that a low-moisture carrier improved the stability of a GCC agonist peptide compared to a regular grade carrier.
- 7. Appendix A shows total impurities and impurities with relative retention time (RRT) of 0.97 and 1.33 at both 25°C and 40°C in formulations of GCC agonist peptides comprising the low-moisture carrier (Avicel PH112) compared with the regular grade carrier (Avicel PH102). Formulations of plecanatide (a GCC agonist peptide of SEQ ID NO: 1) tablet with low moisture Avicel PH112 shows improved stability compared to regular grade Avicel.
- 8. This reduction in total impurities and impurities with relative retention time (RRT) of 0.97 and 1.33 with the low-moisture carrier (Avicel PH112) is surprising. Other than the low-moisture element of Avicel PH112, the two carriers are the same, but the reduced moisture content of the low-moisture carrier (~1.5%)¹ had a greater effect on peptide stability than expected. As shown in Appendix A, a 1.5% reduction in the water content resulted in approximately a 37% decrease in total impurities at 9 months at 25°C (2.733±0.289 for Avicel PH102; 1.7±0.00 for Avicel PH112) and approximately a 29% decrease in total impurities at 6 months at 40°C (4.767±0.322 for Avicel PH102;

¹ http://www.fmcbiopolymer.com/Portals/bio/content/Docs/PS-Section%2011.pdf, at page 9.

Attorney Docket No. SYPA-009/C02US 321994-2242 Application No. 14/845,644

3.36±0.207 for Avicel PH112). This dramatic reduction in impurities was surprising unexpected.

- 9. In my opinion the superior stability of the formulation as required by the claims is not without consequence. As without stability of the active ingredient (i.e., the peptide of SEQ ID NO:1) accurate dosing to treat chronic constipation or irritable bowel syndrome could not be accomplished.
- 10. I further declare that all statements made herein of my own knowledge are true, and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the above-referenced application or any patent issuing thereon.

Stephen Comiskey

Signed, September 6, 2016

APPENDIX A

Created July 10, 2014 Improved Plecanatide Tablet Stability (reduced impurity levels) using low moisture Avicel PH112 compared to regular Avicel PH102

						Sum of	Sum of Total Impur	Impuri	ities (Area%)	rea%)		***************************************		444444444444444444444444444444444444444
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		-	25C	C	-	e de la constante de la consta				40C		
Datab (danag fam)	Months->	⊃		N	ຜ	တ	ဟ	72	ळे	<u> </u>		2	ယ	ග
Batch (dosage form)	Avicel↓	C	_	1	(C	,	j		-				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
2011F100A (3mg capsule)	PH102	2.4	2.6	2.6	2,9	2.9	2.9	3.2	3.3	2.4	3.2	3.6	4.2	4.9
11H140 (3mg cancula)	PH102	12	2.5	2.7	2.6	2.8	2.9	ω,	3.6	2.1	ယ	3.6	4.0	5.0
43COSO (3mg tablet)	PH102	1.9	2.7	2.2	2.3	2.4	2.4	2.7	nnnnhn	1.9	3.0	2.8	3.2	4.4
ADONO (OHE AND OF	22.70	بر ب	د	3 A	1 4	3 7	17			 Ci	->	2	<u>ω</u>	ω N
Contactor (Contactor)	- 1 7 a a data									2	, ,) 4) J	ن د
13C050 (3mg tablet)	PH112	1.2	1,2	<u>၂</u> ယ	1.4	1.7	1.7			1.2	1./	2.7	2.3	3.4
13C051 (6mg tablet)	PH112	> >	1.2	_ <u>`</u> ယ	1	1.5	1.7				1.7	2.5	2.2	3.2
13F090 (3mo tablet)	PH112	<u>-</u> ယ	i)	1.2	1.4	.ച ത				<u></u> ω	-1 &	Ņ	2.6	ယ
13F106 (6mg tablet)	PH112	1.7		<u>.</u> 5	1.9	2.1				1.7	1.9	2.6	2.8	3.7

			***************************************			*****					>) 1	> >))
13E090 (3mg tablet)	PH112	<u>ـــ</u> س	Ñ	12	<u></u>	 O				 W	∞ 	7.5	2.5	C.
13F106 (6mg tablet)	PH112	1.7	1.6	<u>-</u> 2 .55	9	2.1				1.7	1.9	2.6	2.8	3.7
			a.										the contraction of the contracti	S. commenced in the second
					***************************************	dui	urity F	impurity RRT 0.97 (Area%))7 (Are	a%)				
		all the same of th	-		26	25C						40C		
Batch (dosage form)	Months→ Avicel↓	0	_	N	ယ	ത	ပ	73	18	0		2	ω	6
2011F100A (3mg capsule)	PH102	0.48	0.26	0.34	0.00	0.43	0.33	0.38	0.20	0.48	0.29	0.31	0.31	0.33
11H140 (3mg capsule)	PH102	0.11	0.20	0.26	0.00	0.31	0.36	0.63	0.15	0.11	0.22	0.25	0.24	0.25
12G080 (3mg tablet)	PH102	0.00	0.30	0.00	0.30	0.00	0.00	0.00		0.00	0.32	0.00	0.00	0.00
13C049 (3mg tablet)	PH112	0.00	0.00	0.00	0.00	0.00	0.00			0.00	0.00	0.00	0.00	0.00
13C050 (3mg tablet)	PH112	0.00	0.00	0.00	0.00	0.00	0.00		į	0.00	0.00	0.00	0.00	0.00
13C051 (6mg tablet)	PH112	0.00	0.00	0.00	0.00	0.00				0.00	0,00	0.00	0,00	0.00
13E090 (3mg tablet)	PH112	0.00	0.00	0.00	0.00	0.00				0.00	0.00	0.00	0.00	0.00
13F106 (6mg tablet)	PH112	0.00	0.12	0.00	0.00 0.15	0.19	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			0.00	0.00	0.18	0.00	C. 12

Attorney Docket No. SYPA-009/C02US 321994-2242
Application No. 14/845,644

***************************************			***************************************	***************************************	Managananan	3	Impurity RRT 1	RT 1.3	.33 (Area%)	a%)				
					Ŋ	25C						40C	Kabananananga	***************************************
Batch (dosage form)	Months→	1-4H+R3												The state of the s
	Avicel↓	0		N	රා	<u> </u>	တ	ನ	ᅘ	———		\ <u>\</u>	در	מכ
2011F100A (3mg capsule)	PH102	0.29	0.49			0.69	0.92	3	1 33	0 00	20 -	ج در در	اند	ن ا ا
11H140 (3mg capsule)	PH102	0.31		0 %	0 80		0 05	2	4 2	2 6	٠ د د	40		2 77
12G080 (3mg tablet)	PH102	0.12		THE REAL PROPERTY.	1		0.57	200		0 3	2 2	0 -	3 3	, cu
13C049 (3mg tablet)	PH112	0.22		·			0.58	6		0 33	בי ה ה ה	3 8	A 0	1
13C050 (3mg tablet)	PH112	0.21		0.33		0.54	O 5			0.54	2 0	2 0 0) - - -	1.4 2.0 2.0
13C051 (6mg tablet)	PH112)))	200	000		מול כ	0.00		***************************************	2 2 2	0.02	0.01	0.80	1.42
400000		24.0	0.40	0.00	0.00	0.00				77.0	0.55		0.90	-39
13EU9U (3mg tablet)	PH112	0.25	0.31	0.37	0.43	0.51				0.25		0.94	- \ - \ - \	1 43
13F106 (6mg tablet)	PH112	0.20	0.26	0.29	0.43	0.47					0.59	0.76	1.03	32

Doc Code: A.NE.AFCP

Document Description: After Final Consideration Pilot Program Request

PTO/SB/434 (05-13)

	AND REQUEST FOR CONSIDERAT NAL CONSIDERATION PILOT PROC	
Practitioner Docket No.:	Application No.:	Filing Date:
SYPA-009C02US 321994-2242	14/845,644	09-04-2015
First Named Inventor:	Title:	
Stephen COMISKEY	FORMULATIONS OF GUANYLATE CYCLA	SE C AGONISTS AND METHODS OF USE

APPLICANT HEREBY CERTIFIES THE FOLLOWING AND REQUESTS CONSIDERATION UNDER THE AFTER FINAL CONSIDERATION PILOT PROGRAM 2.0 (AFCP 2.0) OF THE ACCOMPANYING RESPONSE UNDER 37 CFR 1.116.

- 1. The above-identified application is (i) an original utility, plant, or design nonprovisional application filed under 35 U.S.C. 111(a) [a continuing application (e.g., a continuation or divisional application) is filed under 35 U.S.C. 111(a) and is eligible under (i)], or (ii) an international application that has entered the national stage in compliance with 35 U.S.C. 371(c).
- 2. The above-identified application contains an outstanding final rejection.
- Submitted herewith is a response under 37 CFR 1.116 to the outstanding final rejection. The response includes an
 amendment to at least one independent claim, and the amendment does not broaden the scope of the independent claim in
 any aspect.
- 4. This certification and request for consideration under AFCP 2.0 is the only AFCP 2.0 certification and request filed in response to the outstanding final rejection.
- 5. Applicant is willing and available to participate in any interview requested by the examiner concerning the present response.
- 6. This certification and request is being filed electronically using the Office's electronic filing system (EFS-Web).
- 7. Any fees that would be necessary consistent with current practice concerning responses after final rejection under 37 CFR 1.116, e.g., extension of time fees, are being concurrently filed herewith. [There is no additional fee required to request consideration under AFCP 2.0.]
- 8. By filing this certification and request, applicant acknowledges the following:
 - Reissue applications and reexamination proceedings are not eligible to participate in AFCP 2.0.
 - The examiner will verify that the AFCP 2.0 submission is compliant, *i.e.*, that the requirements of the program have been met (see items 1 to 7 above). For compliant submissions:
 - The examiner will review the response under 37 CFR 1.116 to determine if additional search and/or consideration (i) is necessitated by the amendment and (ii) could be completed within the time allotted under AFCP 2.0. If additional search and/or consideration is required but cannot be completed within the allotted time, the examiner will process the submission consistent with current practice concerning responses after final rejection under 37 CFR 1.116, e.g., by mailing an advisory action.
 - o If the examiner determines that the amendment does not necessitate additional search and/or consideration, or if the examiner determines that additional search and/or consideration is required and could be completed within the allotted time, then the examiner will consider whether the amendment places the application in condition for allowance (after completing the additional search and/or consideration, if required). If the examiner determines that the amendment does not place the application in condition for allowance, then the examiner will contact the applicant and request an interview.
 - The interview will be conducted by the examiner, and if the examiner does not have negotiation authority, a primary examiner and/or supervisory patent examiner will also participate.
 - If the applicant declines the interview, or if the interview cannot be scheduled within ten (10) calendar days from the date that the examiner first contacts the applicant, then the examiner will proceed consistent with current practice concerning responses after final rejection under 37 CFR 1.116.

Signature	Date
/Anne E. Fleckenstein/	September 6, 2016
Name (Print/Typed) Anne E. Fleckenstein	Practitioner Registration No. 62,951
Note : This form must be signed in accordance with 37 CFR 1.33. See 37 forms if more than one signature is required, see below*.	CFR 1.4(d) for signature requirements and certifications. Submit multiple

 \checkmark * Total of $\frac{1}{2}$ forms are submitted.

Privacy Act Statement

The **Privacy Act of 1974 (P.L. 93-579)** requires that you be given certain information in connection with your submission of the attached form related to a patent application or patent. Accordingly, pursuant to the requirements of the Act, please be advised that: (1) the general authority for the collection of this information is 35 U.S.C. 2(b)(2); (2) furnishing of the information solicited is voluntary; and (3) the principal purpose for which the information is used by the U.S. Patent and Trademark Office is to process and/or examine your submission related to a patent application or patent. If you do not furnish the requested information, the U.S. Patent and Trademark Office may not be able to process and/or examine your submission, which may result in termination of proceedings or abandonment of the application or expiration of the patent.

The information provided by you in this form will be subject to the following routine uses:

- The information on this form will be treated confidentially to the extent allowed under the Freedom of Information Act (5 U.S.C. 552) and the Privacy Act (5 U.S.C 552a). Records from this system of records may be disclosed to the Department of Justice to determine whether disclosure of these records is required by the Freedom of Information Act.
- 2. A record from this system of records may be disclosed, as a routine use, in the course of presenting evidence to a court, magistrate, or administrative tribunal, including disclosures to opposing counsel in the course of settlement negotiations.
- 3. A record in this system of records may be disclosed, as a routine use, to a Member of Congress submitting a request involving an individual, to whom the record pertains, when the individual has requested assistance from the Member with respect to the subject matter of the record.
- 4. A record in this system of records may be disclosed, as a routine use, to a contractor of the Agency having need for the information in order to perform a contract. Recipients of information shall be required to comply with the requirements of the Privacy Act of 1974, as amended, pursuant to 5 U.S.C. 552a(m).
- 5. A record related to an International Application filed under the Patent Cooperation Treaty in this system of records may be disclosed, as a routine use, to the International Bureau of the World Intellectual Property Organization, pursuant to the Patent Cooperation Treaty.
- 6. A record in this system of records may be disclosed, as a routine use, to another federal agency for purposes of National Security review (35 U.S.C. 181) and for review pursuant to the Atomic Energy Act (42 U.S.C. 218(c)).
- 7. A record from this system of records may be disclosed, as a routine use, to the Administrator, General Services, or his/her designee, during an inspection of records conducted by GSA as part of that agency's responsibility to recommend improvements in records management practices and programs, under authority of 44 U.S.C. 2904 and 2906. Such disclosure shall be made in accordance with the GSA regulations governing inspection of records for this purpose, and any other relevant (i.e., GSA or Commerce) directive. Such disclosure shall not be used to make determinations about individuals.
- 8. A record from this system of records may be disclosed, as a routine use, to the public after either publication of the application pursuant to 35 U.S.C. 122(b) or issuance of a patent pursuant to 35 U.S.C. 151. Further, a record may be disclosed, subject to the limitations of 37 CFR 1.14, as a routine use, to the public if the record was filed in an application which became abandoned or in which the proceedings were terminated and which application is referenced by either a published application, an application open to public inspection or an issued patent.
- A record from this system of records may be disclosed, as a routine use, to a Federal, State, or local law enforcement agency, if the USPTO becomes aware of a violation or potential violation of law or regulation.

Electronic Acl	knowledgement Receipt		
EFS ID:	26838955		
Application Number:	14845644		
International Application Number:			
Confirmation Number:	8164		
Title of Invention:	FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE		
First Named Inventor/Applicant Name:	Stephen COMISKEY		
Customer Number:	58249		
Filer:	Anne Elizabeth Fleckenstein		
Filer Authorized By:			
Attorney Docket Number:	SYPA-009C02US 321994-2242		
Receipt Date:	06-SEP-2016		
Filing Date:	04-SEP-2015		
Time Stamp:	16:13:31		
Application Type:	Utility under 35 USC 111(a)		

Payment information:

Submitted with Payment	no
------------------------	----

File Listing:

Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
			125496		
1	Response After Final Action	SYPA_009_C02US_ResponseO A.pdf	72c348ec586e55ba891030af2c5b19a5c05 deb51	no	6
Warnings:				04	-22

Information:					
			688557		
2	Miscellaneous Incoming Letter	SYPA_009_C02US_Declaration. pdf	733f13cf815d265db532e6ac15feada23136 3967	no	5
Warnings:					
Information:					
			227059		
3	After Final Consideration Program Request	SYPA_009_C02US_AFCP.pdf	6224a2937f2a45074e99fcfd7d260f73a39a2 b82	no	2
Warnings:					
Information:					
		Total Files Size (in bytes)	: 10	41112	

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.

New International Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.

ation unless it displays a valid OMB control nu

P	ATENT APPL	ICATION F Substitute	EE DET	ERMINATION		Applicatio	on or Docket Number 4/845,644	Filing Date	To be Mailed
							ENTITY: L	ARGE 🛮 SMALL	MICRO
				APPLICA	ATION AS FIL	ED – PAF	RT I		
			(Column	1)	(Column 2)				
	FOR		NUMBER FII	_ED	NUMBER EXTRA		RATE (\$)	FEE	(\$)
Ш	BASIC FEE (37 CFR 1.16(a), (b),	or (c))	N/A		N/A		N/A		
	SEARCH FEE (37 CFR 1.16(k), (i), o	or (m))	N/A		N/A		N/A		
	EXAMINATION FE (37 CFR 1.16(o), (p),		N/A		N/A		N/A		
	CAL CLAIMS CFR 1.16(i))		mir	nus 20 = *			X \$ =		
	EPENDENT CLAIM CFR 1.16(h))	S	m	inus 3 = *			X \$ =		
	APPLICATION SIZE 37 CFR 1.16(s))	of p for frac	aper, the a	ation and drawing application size f y) for each additi of. See 35 U.S.C	ee due is \$310 (onal 50 sheets o	\$155 or			
	MULTIPLE DEPEN	DENT CLAIM F	RESENT (3	7 CFR 1.16(j))					
* If t	he difference in colu	umn 1 is less tha	n zero, ente	r "0" in column 2.			TOTAL		
		(Column 1)		APPLICAT	ION AS AMEN		ART II		
INT.	09/06/2016	CLAIMS REMAINING AFTER AMENDMENT		HIGHEST NUMBER PREVIOUSLY PAID FOR	PRESENT EX	TRA	RATE (\$)	ADDITION,	AL FEE (\$)
AMENDMENT	Total (37 CFR 1.16(i))	* 10	Minus	** 20	= 0		× \$40 =	()
N	Independent (37 CFR 1.16(h))	* 2	Minus	***3	= 0		× \$210 =	()
AM	Application Si	ize Fee (37 CFR	1.16(s))						
	FIRST PRESEN	NTATION OF MUL	TIPLE DEPEN	DENT CLAIM (37 CFF	R 1.16(j))				
							TOTAL ADD'L FE)
		(Column 1)		(Column 2)	(Column 3)			
L		CLAIMS REMAINING AFTER AMENDMEN ^T		HIGHEST NUMBER PREVIOUSLY PAID FOR	PRESENT EX	TRA	RATE (\$)	ADDITION.	AL FEE (\$)
ENT	Total (37 CFR 1.16(i))	*	Minus	**	=		X \$ =		
ENDM	Independent (37 CFR 1.16(h))	*	Minus	***	=		X \$ =		
틸	Application Si	ize Fee (37 CFR	1.16(s))						
AM	FIRST PRESEN	NTATION OF MUL	TIPLE DEPEN	DENT CLAIM (37 CFF	R 1.16(j))				
							TOTAL ADD'L FE	E	
** If *** I	the entry in column the "Highest Number f the "Highest Number P	er Previously Pa per Previously Pa	id For" IN TH aid For" IN T	HIS SPACE is less HIS SPACE is less	than 20, enter "20' s than 3, enter "3".		LIE HENRIETT K.		

This collection of information is required by 37 CFR 1.16. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS

ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Approved for use through 11/30/2014. OMB 0651-0051 U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

TRANSMITTAL FOR POWER OF ATTORNEY TO ONE OR MORE REGISTERED PRACTITIONERS

NOTE: This form is to be submitted with the Power of Attorney by Applicant form (PTO/AIA/82B) to identify the application to which the Power of Attorney is directed, in accordance with 37 CFR 1.5, unless the application number and filing date are identified in the Power of Attorney by Applicant form. If paither form PTC/AIA/82A not form PTC/AIA/82B identifies the application to which the Power of Attorney is

		er form PTO/AIA/82A nor not be recognized in the	form PTO/AIA82B identifies the application.	ie application to w	hich the Power of Attorney is
Application Numb	er	14/845,644			
Filing Date		September 4	i, 2015		
First Named Inver	ntor	Stephen COMISK	ŒY		
Title	000000000000000000000000000000000000000	FORMULATIONS METHODS OF U	S OF GUANYLATE CYC SE	CLASE C AG	ONISTS AND
Art Unit		1676			
Examiner Name		LEE, Jia-H	ai		
Attorney Docket N	Number	SYPA-009/C	:02US 321994-2	242	
SIGNATU	RE of A	oplicant or Patent	Practitioner		
Signature	/Anne	E. Flecken	stein/	Date (Optional)	September 15, 2016
Name	Anne E.	Fleckenstein		Registration Number	62,951
Title (if Applicant is a juristic entity)					
Applicant Name (if Ap	plicant is a ju	ristic entity)			
more than one applica	nt, use mult		FR 1.33. See 37 CFR 1.4(d) fo	or signature requir	ements and certifications. If

This collection of information is required by 37 CFR 1.131, 1.32, and 1.33. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 3 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450,

POWER OF ATTORNEY BY APPLICANT

I hereby revoke all previous powers of attorney given in the application identified in <u>either</u> the attached transmittal letter or the boxes below.						
		Application Number	Filing Date			
	i i					
	(Not	e: The boxes above may be left blank if information	is provided on form P	TO/AIA/8ZA.)		
\boxtimes	I hereby appoin	nt the Patent Praciitioner(s) associated with the follow	ving Customer Numbe	r as my/our attorney(s) or agent(s), and		
	to transact all business in the United States Patent and Trademark Office connected therewith for the application referenced in					
		insmittal letter (form PTO/AIA/82A) or identified abo	ve:	58249		
	OR					
	I hereby appoint Practitioner(s) named in the attached list (form PTO/AIA/82C) as my/our attorney(s) or agent(s), and to transact all business in the United States Patent and Trademark Office connected therewith for the patent application referenced in the attached transmittal letter (form PTO/AIA/82A) or identified above. (Note: Complete form PTO/AIA/82C.)					
Pleas letter		change the correspondence address for th	e application ident	ified in the attached transmittal		
	The address as	ssociated with the above-mentioned Customer Number)er	a a		
	OR					
	The address as	ssociated with Customer Number:		•		
	OR					
Firm	or dual Name		Towns the State of Section 1			
Addres	***************************************					
City		State		Zip		
Countr Teleph	***************************************		Email			
***************************************		e Applicant is a juristic entity, list the Applicant name	in the haxl			
i am m	e Applicant (ii un	e Applicant is a junisic cinity, not the reprinsent number				
SYI	VERGY PHA	RMACEUTICALS INC.	***************************************			
	Inventor or J	oint Inventor (title not required below)				
	Legal Repres	sentative of a Deceased or Legally Incapacitated Im	ventor (title not require	d below)		
\boxtimes	Assignee or	Person to Whom the Inventor is Under an Obligation	n to Assign (provide si	gner's title if applicant is a juristic entity)		
	Person Who Otherwise Shows Sufficient Proprietary Interest (e.g., a petition under 37 CFR 1.46(b)(2) was granted in the					
application or is concurrently being filed with this document) (provide signer's title if applicant is a juristic entity)						
SIGNATURE of Applicant for Patent						
The undersigned (whose title is supplied below) is authorized to act on behalf of the applicant (e.g., where the applicant is a juristic entity).						
Signature Name Č		Gary S. Jacob, Ph.D.	Date (Optional) Opt. 0, 20/4			
Title	Title President and Chief Executive Officer					
NOTE: Signature - This form must be signed by the applicant in accordance with 37 CFR 1.33. See 37 CFR 1.4 for signature requirements and certifications. If more than one applicant, use multiple forms.						
	Total offorms are submitted.					

This collection of information is required by 37 CFR 1.131, 1.32, and 1.33. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 3 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450, DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS, SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

American LegalNet, Inc.

Electronic Acknowledgement Receipt					
EFS ID:	26939762				
Application Number:	14845644				
International Application Number:					
Confirmation Number:	8164				
Title of Invention:	FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE				
First Named Inventor/Applicant Name:	Stephen COMISKEY				
Customer Number:	58249				
Filer:	Anne Elizabeth Fleckenstein				
Filer Authorized By:					
Attorney Docket Number:	SYPA-009C02US 321994-2242				
Receipt Date:	15-SEP-2016				
Filing Date:	04-SEP-2015				
Time Stamp:	16:50:23				
Application Type:	Utility under 35 USC 111(a)				

Payment information:

Submitted with Payment	no
------------------------	----

File Listing:

Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
1	Power of Attorney	SYPA_009_C02US_POA.pdf	346333 942b5bbdb6a08efc1aa05b9e319f641be41 5710f	no	2
Warnings:				04	.27

Information:	
Total Files Size (in bytes):	346333

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.

New International Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NUMBER FILING OR 371(C) DATE FIRST NAMED APPLICANT ATTY. DOCKET NO./TITLE

SYPA-009/C02US

14/845,644 09/04/2015 Stephen COMISKEY 321994-224

CONFIRMATION NO. 8164
58249
COOLEY LLP
ATTN: Patent Group

COOLEY LLP ATTN: Patent Group 1299 Pennsylvania Avenue, NW Suite 700 Washington, DC 20004

Date Mailed: 09/22/2016

NOTICE OF ACCEPTANCE OF POWER OF ATTORNEY

This is in response to the Power of Attorney filed 09/15/2016.

The Power of Attorney in this application is accepted. Correspondence in this application will be mailed to the above address as provided by 37 CFR 1.33.

Questions about the contents of this notice and the requirements it sets forth should be directed to the Office of Data Management, Application Assistance Unit, at (571) 272-4000 or (571) 272-4200 or 1-888-786-0101.

/ylueng/

commonly owned. This agreement runs with any patent granted on the instant application and is binding upon the grantee, its successors or assigns.

In making the above disclaimer, the owner does not disclaim the terminal part of any patent granted on the instant application that would extend to the expiration date of the full statutory term of any patent granted on said reference application, "as the term of any patent granted on said reference application may be shortened by any terminal disclaimer filed prior to the grant of any patent on the pending reference application," in the event that any such patent granted on the pending reference application: expires for failure to pay a maintenance fee, is held unenforceable, is found invalid by a court of competent jurisdiction, is statutorily disclaimed in whole or terminally disclaimed under 37 CFR 1.321, has all claims canceled by a reexamination certificate, is reissued, or is in any manner terminated prior to the expiration of its full statutory term as shortened by any terminal disclaimer filed prior to its grant.

◉ Terminal disclaimer fee under 37 CFR 1.20(d) is included with Electronic Terminal Disclaimer request.

0	I certify, in accordance with 37 CFR 1.4(d)(4), that the terminal disclaimer fee under 37 CFR 1.20(d) required for this terminal disclaimer has already been paid in the above-identified application.				
Арр	Applicant claims the following fee status:				
•	Small Entity				
0	Micro Entity				
0	Regular Undiscounted				
belie the l	hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.				
TH	IS PORTION MUST BE COMPLETE	D BY THE SIGNATORY OR SIGNATORIES			
l ce	I certify, in accordance with 37 CFR 1.4(d)(4) that I am:				
•	An attorney or agent registered to practice before the Patent and Trademark Office who is of record in this application				
	Registration Number 6295	1			
0	A sole inventor				
0	A joint inventor; I certify that I am authorized to sign this submission on behalf of all of the inventors as evidenced by the power of attorney in the application				
0	A joint inventor; all of whom are signing this request				
Sig	nature	/Anne E Fleckenstein/			
Name		Anne E Fleckenstein			

^{*}Statement under 37 CFR 3.73(b) is required if terminal disclaimer is signed by the assignee (owner). Form PTO/SB/96 may be used for making this certification. See MPEP § 324.

Electronic Patent Application Fee Transmittal						
Application Number: 14845644						
Filing Date:	04-Sep-2015					
Title of Invention:		FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE				
First Named Inventor/Applicant Name:	ntor/Applicant Name: Stephen COMISKEY					
Filer:	Anne Elizabeth Fleckenstein					
Attorney Docket Number:	SYPA-009/C02US 321994-224					
Filed as Small Entity						
Filing Fees for Utility under 35 USC 111(a)						
Description		Fee Code	Quantity	Amount	Sub-Total in USD(\$)	
Basic Filing:						
STATUTORY OR TERMINAL DISCLAIMER		2814	1	160	160	
Pages:						
Claims:	Claims:					
Miscellaneous-Filing:						
Petition:						
Patent-Appeals-and-Interference:						
Post-Allowance-and-Post-Issuance:						

Description	Fee Code	Quantity	Amount	Sub-Total in USD(\$)
Extension-of-Time:				
Miscellaneous:				
	Tot	al in USD	(\$)	160

Doc Code: DISQ.E.FILE Document Description: Electronic Terminal Disclaimer – Approved
Application No.: 14845644
Filing Date: 04-Sep-2015
Applicant/Patent under Reexamination: COMISKEY et al.
Electronic Terminal Disclaimer filed on September 22, 2016
This patent is subject to a terminal disclaimer
DISAPPROVED
Approved/Disapproved by: Electronic Terminal Disclaimer automatically approved by EFS-Web
U.S. Patent and Trademark Office

Electronic Acknowledgement Receipt					
EFS ID:	27002725				
Application Number:	14845644				
International Application Number:					
Confirmation Number:	8164				
Title of Invention:	FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE				
First Named Inventor/Applicant Name:	Stephen COMISKEY				
Customer Number:	58249				
Filer:	Anne Elizabeth Fleckenstein				
Filer Authorized By:					
Attorney Docket Number:	SYPA-009/C02US 321994-224				
Receipt Date:	22-SEP-2016				
Filing Date:	04-SEP-2015				
Time Stamp:	15:53:32				
Application Type:	Utility under 35 USC 111(a)				

Payment information:

Submitted with Payment	yes
Payment Type	Deposit Account
Payment was successfully received in RAM	\$160
RAM confirmation Number	2502
Deposit Account	501283
Authorized User	Fleckenstein, Anne

The Director of the USPTO is hereby authorized to charge indicated fees and credit any overpayment as follows:

Charge any Additional Fees required under 37 CFR 1.16 (National application filing, search, and examination fees)

Charge any Additional Fees required under 37 CFR 1.17 (Patent application and reexamination processing fees)

0435

Charge any Additional Fees required under 37 CFR 1.19 (Document supply fees)

Charge any Additional Fees required under 37 CFR 1.20 (Post Issuance fees)

Charge any Additional Fees required under 37 CFR 1.21 (Miscellaneous fees and charges)

File Listing:

Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)		
			33988				
1	Electronic Terminal Disclaimer-Filed	e Terminal-Disclaimer.pdf	b77af4c01dbf369a335f9fb23dca00fb09246 45a	no	2		
Warnings:				•			
Information:							
			30382				
2	Fee Worksheet (SB06)	fee-info.pdf	438cc7141a08135a0c636cfbb8d4067117f6 f92e	no	2		
Warnings:							
Information:							
		Total Files Size (in bytes)	: 6	4370			

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.

New International Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
14/845,644	14/845,644 09/04/2015 Stephen COMISKEY			8164
58249 COOLEY LLP	7590 09/29/201	6	EXAM	INER
ATTN: Patent (Group		LEE, JI	A-HAI
1299 Pennsylva	nnia Avenue, NW			
Suite 700	0.0004		ART UNIT	PAPER NUMBER
Washington, Do	C 20004		1676	
			NOTIFICATION DATE	DELIVERY MODE
			09/29/2016	FI ECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

zpatdcdocketing@cooley.com

PTOL-90A (Rev. 04/07) 0437

Applicant-Initiated Interview Summary	14/845,644	COMISKEY ET AL.				
Applicant-initiated interview Summary	Examiner	Art Unit				
	JIA-HAI LEE	1676				
All participants (applicant, applicant's representative, PTO I	personnel):					
(1) <u>JIA-HAI LEE</u> .	(3) <i>Ivor Elirifi</i> .					
(2) <u>Satyanarayana R. Gudibande</u> .	(4) Cynthia Kozakiewicz.					
Date of Interview: 15 September 2016.						
Type: 🛛 Telephonic 🔲 Video Conference 🔲 Personal [copy given to: 🔲 applicant 🛭	☑ applicant's representative]					
Exhibit shown or demonstration conducted: Yes If Yes, brief description:	☑ No.					
Issues Discussed 101 112 102 103 Other (For each of the checked box(es) above, please describe below the issue and detailed						
Claim(s) discussed: <u>1</u> .						
Identification of prior art discussed: <u>Shailubhai et al. (SP-30 2008/151257 A2)</u> .	04 poster, D2 reference) and Si	hailubhai et al. (V	<u>vo</u>			
Substance of Interview (For each issue discussed, provide a detailed description and indicate if agreement reference or a portion thereof, claim interpretation, proposed amendments, argume		entification or clarifica	tion of a			
No agreement was reached. Applicant's amendment may o is entered. However, the amended claims, if entered, would (WO 2005/016244 A2) in view of FMC biopolymer product (in in view of Shailubhai et al. (Digestive Disease Week. San D the copending application 13/421,769.	<u>be subjec to the new ground o</u> 2005), in view of Fretzen et al.	f rejection of Cui (US 2010/00484	<u>rrie et al.</u> 89 A1) and			
Applicant recordation instructions: The formal written reply to the last O section 713.04). If a reply to the last Office action has already been filed, al thirty days from this interview date, or the mailing date of this interview suminterview	oplicant is given a non-extendable peri	od of the longer of or	ne month or			
Examiner recordation instructions: Examiners must summarize the subs substance of an interview should include the items listed in MPEP 713.04 for general thrust of each argument or issue discussed, a general indication of general results or outcome of the interview, to include an indication as to w	or complete and proper recordation inc any other pertinent matters discussed	cluding the identificati regarding patentabil	ion of the ity and the			
☐ Attachment						
/J. L./ Examiner, Art Unit 1676						

Application No.

Applicant(s)

Summary of Record of Interview Requirements

Manual of Patent Examining Procedure (MPEP), Section 713.04, Substance of Interview Must be Made of Record

A complete written statement as to the substance of any face-to-face, video conference, or telephone interview with regard to an application must be made of record in the application whether or not an agreement with the examiner was reached at the interview.

Title 37 Code of Federal Regulations (CFR) § 1.133 Interviews

Paragraph (b)

In every instance where reconsideration is requested in view of an interview with an examiner, a complete written statement of the reasons presented at the interview as warranting favorable action must be filed by the applicant. An interview does not remove the necessity for reply to Office action as specified in §§ 1.111, 1.135. (35 U.S.C. 132)

37 CFR §1.2 Business to be transacted in writing.

All business with the Patent or Trademark Office should be transacted in writing. The personal attendance of applicants or their attorneys or agents at the Patent and Trademark Office is unnecessary. The action of the Patent and Trademark Office will be based exclusively on the written record in the Office. No attention will be paid to any alleged oral promise, stipulation, or understanding in relation to which there is disagreement or doubt.

The action of the Patent and Trademark Office cannot be based exclusively on the written record in the Office if that record is itself incomplete through the failure to record the substance of interviews.

It is the responsibility of the applicant or the attorney or agent to make the substance of an interview of record in the application file, unless the examiner indicates he or she will do so. It is the examiner's responsibility to see that such a record is made and to correct material inaccuracies which bear directly on the question of patentability.

Examiners must complete an Interview Summary Form for each interview held where a matter of substance has been discussed during the interview by checking the appropriate boxes and filling in the blanks. Discussions regarding only procedural matters, directed solely to restriction requirements for which interview recordation is otherwise provided for in Section 812.01 of the Manual of Patent Examining Procedure, or pointing out typographical errors or unreadable script in Office actions or the like, are excluded from the interview recordation procedures below. Where the substance of an interview is completely recorded in an Examiners Amendment, no separate Interview Summary Record is required.

The Interview Summary Form shall be given an appropriate Paper No., placed in the right hand portion of the file, and listed on the "Contents" section of the file wrapper. In a personal interview, a duplicate of the Form is given to the applicant (or attorney or agent) at the conclusion of the interview. In the case of a telephone or video-conference interview, the copy is mailed to the applicant's correspondence address either with or prior to the next official communication. If additional correspondence from the examiner is not likely before an allowance or if other circumstances dictate, the Form should be mailed promptly after the interview rather than with the next official communication.

The Form provides for recordation of the following information:

- Application Number (Series Code and Serial Number)
- Name of applicant
- Name of examiner
- Date of interview
- Type of interview (telephonic, video-conference, or personal)
- Name of participant(s) (applicant, attorney or agent, examiner, other PTO personnel, etc.)
- An indication whether or not an exhibit was shown or a demonstration conducted
- An identification of the specific prior art discussed
- An indication whether an agreement was reached and if so, a description of the general nature of the agreement (may be by
 attachment of a copy of amendments or claims agreed as being allowable). Note: Agreement as to allowability is tentative and does
 not restrict further action by the examiner to the contrary.
- The signature of the examiner who conducted the interview (if Form is not an attachment to a signed Office action)

It is desirable that the examiner orally remind the applicant of his or her obligation to record the substance of the interview of each case. It should be noted, however, that the Interview Summary Form will not normally be considered a complete and proper recordation of the interview unless it includes, or is supplemented by the applicant or the examiner to include, all of the applicable items required below concerning the substance of the interview.

A complete and proper recordation of the substance of any interview should include at least the following applicable items:

- 1) A brief description of the nature of any exhibit shown or any demonstration conducted,
- 2) an identification of the claims discussed,
- 3) an identification of the specific prior art discussed,
- 4) an identification of the principal proposed amendments of a substantive nature discussed, unless these are already described on the Interview Summary Form completed by the Examiner.
- 5) a brief identification of the general thrust of the principal arguments presented to the examiner,
 - (The identification of arguments need not be lengthy or elaborate. A verbatim or highly detailed description of the arguments is not required. The identification of the arguments is sufficient if the general nature or thrust of the principal arguments made to the examiner can be understood in the context of the application file. Of course, the applicant may desire to emphasize and fully describe those arguments which he or she feels were or might be persuasive to the examiner.)
- 6) a general indication of any other pertinent matters discussed, and
- 7) if appropriate, the general results or outcome of the interview unless already described in the Interview Summary Form completed by the examiner.

Examiners are expected to carefully review the applicant's record of the substance of an interview. If the record is not complete and accurate, the examiner will give the applicant an extendable one month time period to correct the record.

Examiner to Check for Accuracy

If the claims are allowable for other reasons of record, the examiner should send a letter setting forth the examiner's version of the statement attributed to him or her. If the record is complete and accurate, the examiner should place the indication, "Interview Record OK" on the paper recording the substance of the interview along with the date and the examiner's initials.

Advisory Action Before the Filing of an Appeal Brief

Application No. 14/845,644	Applicant(s) COMISKEY ET AL.		
Examiner JIA-HAI LEE	Art Unit 1676	AIA (First Inventor to File) Status No	

JIA	A-HAI LEE	16/6	No						
The MAILING DATE of this communication ap	pears on the cover sheet with	the correspond	dence address						
THE REPLY FILED <u>06 September 2016</u> FAILS TO PLACE THIS A <u>NO NOTICE OF APPEAL FILED</u>	PPLICATION IN CONDITION FO	OR ALLOWANC	E.						
1. The reply was filed after a final rejection. No Notice of Appeal has been filed. To avoid abandonment of this application, applicant must timely file one of the following replies: (1) an amendment, affidavit, or other evidence, which places the application in condition for allowance;									
(2) a Notice of Appeal (with appeal fee) in compliance with 37 CFR 41.31; or (3) a Request for Continued Examination (RCE) in compliance with 37 CFR 1.114 if this is a utility or plant application. Note that RCEs are not permitted in design applications. The reply must be filed within one of the following time periods:									
a) The period for reply expiresmonths from the mailing date of the final rejection.									
b) The period for reply expires on: (1) the mailing date of this Advisory Action; or (2) the date set forth in the final rejection, whichever is later. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of the final rejection.									
within 2 months of the mailing date of the final rejection. The the prior Advisory Action or SIX MONTHS from the mailing Examiner Note: If box 1 is checked, check either box	c) A prior Advisory Action was mailed more than 3 months after the mailing date of the final rejection in response to a first after-final reply filed within 2 months of the mailing date of the final rejection. The current period for reply expires months from the mailing date of the prior Advisory Action or SIX MONTHS from the mailing date of the final rejection, whichever is earlier. Examiner Note: If box 1 is checked, check either box (a), (b) or (c). ONLY CHECK BOX (b) WHEN THIS ADVISORY ACTION IS THE FIRST RESPONSE TO APPLICANT'S FIRST AFTER-FINAL REPLY WHICH WAS FILED WITHIN TWO MONTHS OF THE FINAL								
Extensions of time may be obtained under 37 CFR 1.136(a). The fee have been filed is the date for purposes of determining the periextension fee under 37 CFR 1.17(a) is calculated from: (1) the exp Office action; or (2) as set forth in (b) or (c) above, if checked. Any final rejection, even if timely filed, may reduce any earned patent to NOTICE OF APPEAL	date on which the petition under of od of extension and the corresponding of the shortened state of the properties of the office later of the office of the of	37 CFR 1.136(a Inding amount of Itory period for Ir than three mo) and the appropriate extension if the fee. The appropriate reply originally set in the final						
2. The Notice of Appeal was filed on A brief in complian Notice of Appeal (37 CFR 41.37(a)), or any extension thereon has been filed, any reply must be filed within the time period AMENDMENTS	f (37 CFR 41.37(e)), to avoid dispet forth in 37 CFR 41.37(a).	missal of the ap	peal. Since a Notice of Appeal						
 3. The proposed amendments filed after a final rejection, but p a) They raise new issues that would require further cons b) They raise the issue of new matter (see NOTE below) c) They are not deemed to place the application in bette 	ideration and/or search (see NO ⁻);	ΓE below);							
 appeal; and/or d)		ected claims.							
4. The amendments are not in compliance with 37 CFR 1.121.	See attached Notice of Non-Cor	npliant Amendn	nent (PTOL-324).						
5. Applicant's reply has overcome the following rejection(s):	:								
6. Newly proposed or amended claim(s) would be allow allowable claim(s).	rable if submitted in a separate, ti	mely filed amer	dment canceling the non-						
7. For purposes of appeal, the proposed amendment(s): (a) new or amended claims would be rejected is provided below AFFIDAVIT OR OTHER EVIDENCE		ill be entered, a	nd an explanation of how the						
8. A declaration(s)/affidavit(s) under 37 CFR 1.130(b) was/were	e filed on .								
9. The affidavit or other evidence filed after final action, but before applicant failed to provide a showing of good and sufficient represented. See 37 CFR 1.116(e).	ore or on the date of filing a Notice								
10. The affidavit or other evidence filed after the date of filing the because the affidavit or other evidence failed to overcome all sufficient reasons why it is necessary and was not earlier pre-	l rejections under appeal and/or a	appellant fails to	a brief, will <u>not</u> be entered provide a showing of good and						
11. The affidavit or other evidence is entered. An explanation of REQUEST FOR RECONSIDERATION/OTHER	f the status of the claims after ent	ry is below or a	ttached.						
12. The request for reconsideration has been considered but does NOT place the application in condition for allowance because:									
See Continuation Sheet. 13. ☐ Note the attached Information Disclosure Statement(s). (PTO/SB/08) Paper No(s)									
14. ☑ Other: <u>PTO-2323, A.NE., PTO413, PTO-892</u> . STATUS OF CLAIMS									
15. The status of the claim(s) is (or will be) as follows: Claim(s) allowed: Claim(s) objected to: Claim(s) rejected: 1-10. Claim(s) withdrawn from consideration:									
/KARLHEINZ R SKOWRONEK/	/J. L./								
Supervisory Patent Examiner, Art Unit 1676	Fyaminer Art Unit 1676								

Continuation of 3. NOTE: The amended claims raise new issues that requiring new search and examination. The priority date of this application would be also changed by the proposed amendment.

Continuation of 12. does NOT place the application in condition for allowance because: The argument is based on the amended claims, but the amended claims have not been entered. If the amended claims were entered, the claims would be subjec to at least the new ground of rejection of Currie et al. (WO 2005/016244 A2) in view of FMC biopolymer product (2005), in view of Fretzen et al. (US 2010/0048489 A1) and in view of Shailubhai et al. (Digestive Disease Week. San Diego, 2008, recited). The same rejection has been applied to the copending application 13/421,769.

Applicant-Initiated Interview Summary	14/845,644	COMISKEY ET AL.				
Applicant-initiated interview Summary	Examiner	Art Unit				
	JIA-HAI LEE	1676				
All participants (applicant, applicant's representative, PTO I	personnel):					
(1) <u>JIA-HAI LEE</u> .	(3) <i>Ivor Elirifi</i> .					
(2) <u>Satyanarayana R. Gudibande</u> .	(4) Cynthia Kozakiewicz.					
Date of Interview: 15 September 2016.						
Type: 🛛 Telephonic 🔲 Video Conference 🔲 Personal [copy given to: 🔲 applicant 🛭	☑ applicant's representative]					
Exhibit shown or demonstration conducted: Yes If Yes, brief description:	☑ No.					
Issues Discussed 101 112 102 103 Other (For each of the checked box(es) above, please describe below the issue and detailed						
Claim(s) discussed: <u>1</u> .						
Identification of prior art discussed: <u>Shailubhai et al. (SP-30 2008/151257 A2)</u> .	04 poster, D2 reference) and Si	hailubhai et al. (V	<u>vo</u>			
Substance of Interview (For each issue discussed, provide a detailed description and indicate if agreement reference or a portion thereof, claim interpretation, proposed amendments, argume		entification or clarifica	tion of a			
No agreement was reached. Applicant's amendment may o is entered. However, the amended claims, if entered, would (WO 2005/016244 A2) in view of FMC biopolymer product (in in view of Shailubhai et al. (Digestive Disease Week. San D the copending application 13/421,769.	<u>be subjec to the new ground o</u> 2005), in view of Fretzen et al.	f rejection of Cui (US 2010/00484	<u>rrie et al.</u> 89 A1) and			
Applicant recordation instructions: The formal written reply to the last O section 713.04). If a reply to the last Office action has already been filed, al thirty days from this interview date, or the mailing date of this interview suminterview	oplicant is given a non-extendable peri	od of the longer of or	ne month or			
Examiner recordation instructions: Examiners must summarize the subs substance of an interview should include the items listed in MPEP 713.04 for general thrust of each argument or issue discussed, a general indication of general results or outcome of the interview, to include an indication as to w	or complete and proper recordation inc any other pertinent matters discussed	cluding the identificati regarding patentabil	ion of the ity and the			
☐ Attachment						
/J. L./ Examiner, Art Unit 1676						

Application No.

Applicant(s)

Summary of Record of Interview Requirements

Manual of Patent Examining Procedure (MPEP), Section 713.04, Substance of Interview Must be Made of Record

A complete written statement as to the substance of any face-to-face, video conference, or telephone interview with regard to an application must be made of record in the application whether or not an agreement with the examiner was reached at the interview.

Title 37 Code of Federal Regulations (CFR) § 1.133 Interviews

Paragraph (b)

In every instance where reconsideration is requested in view of an interview with an examiner, a complete written statement of the reasons presented at the interview as warranting favorable action must be filed by the applicant. An interview does not remove the necessity for reply to Office action as specified in §§ 1.111, 1.135. (35 U.S.C. 132)

37 CFR §1.2 Business to be transacted in writing.

All business with the Patent or Trademark Office should be transacted in writing. The personal attendance of applicants or their attorneys or agents at the Patent and Trademark Office is unnecessary. The action of the Patent and Trademark Office will be based exclusively on the written record in the Office. No attention will be paid to any alleged oral promise, stipulation, or understanding in relation to which there is disagreement or doubt.

The action of the Patent and Trademark Office cannot be based exclusively on the written record in the Office if that record is itself incomplete through the failure to record the substance of interviews.

It is the responsibility of the applicant or the attorney or agent to make the substance of an interview of record in the application file, unless the examiner indicates he or she will do so. It is the examiner's responsibility to see that such a record is made and to correct material inaccuracies which bear directly on the question of patentability.

Examiners must complete an Interview Summary Form for each interview held where a matter of substance has been discussed during the interview by checking the appropriate boxes and filling in the blanks. Discussions regarding only procedural matters, directed solely to restriction requirements for which interview recordation is otherwise provided for in Section 812.01 of the Manual of Patent Examining Procedure, or pointing out typographical errors or unreadable script in Office actions or the like, are excluded from the interview recordation procedures below. Where the substance of an interview is completely recorded in an Examiners Amendment, no separate Interview Summary Record is required.

The Interview Summary Form shall be given an appropriate Paper No., placed in the right hand portion of the file, and listed on the "Contents" section of the file wrapper. In a personal interview, a duplicate of the Form is given to the applicant (or attorney or agent) at the conclusion of the interview. In the case of a telephone or video-conference interview, the copy is mailed to the applicant's correspondence address either with or prior to the next official communication. If additional correspondence from the examiner is not likely before an allowance or if other circumstances dictate, the Form should be mailed promptly after the interview rather than with the next official communication.

The Form provides for recordation of the following information:

- Application Number (Series Code and Serial Number)
- Name of applicant
- Name of examiner
- Date of interview
- Type of interview (telephonic, video-conference, or personal)
- Name of participant(s) (applicant, attorney or agent, examiner, other PTO personnel, etc.)
- An indication whether or not an exhibit was shown or a demonstration conducted
- An identification of the specific prior art discussed
- An indication whether an agreement was reached and if so, a description of the general nature of the agreement (may be by
 attachment of a copy of amendments or claims agreed as being allowable). Note: Agreement as to allowability is tentative and does
 not restrict further action by the examiner to the contrary.
- The signature of the examiner who conducted the interview (if Form is not an attachment to a signed Office action)

It is desirable that the examiner orally remind the applicant of his or her obligation to record the substance of the interview of each case. It should be noted, however, that the Interview Summary Form will not normally be considered a complete and proper recordation of the interview unless it includes, or is supplemented by the applicant or the examiner to include, all of the applicable items required below concerning the substance of the interview.

A complete and proper recordation of the substance of any interview should include at least the following applicable items:

- 1) A brief description of the nature of any exhibit shown or any demonstration conducted,
- 2) an identification of the claims discussed,
- 3) an identification of the specific prior art discussed,
- 4) an identification of the principal proposed amendments of a substantive nature discussed, unless these are already described on the Interview Summary Form completed by the Examiner.
- 5) a brief identification of the general thrust of the principal arguments presented to the examiner,
 - (The identification of arguments need not be lengthy or elaborate. A verbatim or highly detailed description of the arguments is not required. The identification of the arguments is sufficient if the general nature or thrust of the principal arguments made to the examiner can be understood in the context of the application file. Of course, the applicant may desire to emphasize and fully describe those arguments which he or she feels were or might be persuasive to the examiner.)
- 6) a general indication of any other pertinent matters discussed, and
- 7) if appropriate, the general results or outcome of the interview unless already described in the Interview Summary Form completed by the examiner.

Examiners are expected to carefully review the applicant's record of the substance of an interview. If the record is not complete and accurate, the examiner will give the applicant an extendable one month time period to correct the record.

Examiner to Check for Accuracy

If the claims are allowable for other reasons of record, the examiner should send a letter setting forth the examiner's version of the statement attributed to him or her. If the record is complete and accurate, the examiner should place the indication, "Interview Record OK" on the paper recording the substance of the interview along with the date and the examiner's initials.

Notice of References Cited Application/Control No. 14/845,644 Examiner JIA-HAI LEE Application/Control No. Applicant(s)/Patent Under Reexamination COMISKEY ET AL. Page 1 of 1

U.S. PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	CPC Classification	US Classification
*	Α	US-2010/0048489 A1	02-2010	Fretzen; Angelika	A61K9/1611	514/1.1
	В	US-				
	С	US-				
	D	US-				
	Е	US-				
	F	US-				
	G	US-				
	Н	US-				
	Ι	US-				
	J	US-				
	К	US-				
	L	US-				
	М	US-				

FOREIGN PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	CPC Classification
	Ν	WO2005016244A2	02-2005	US	Currie et al.	A61K
	0					
	Р					
	α					
	R					
	s					
	Т					

NON-PATENT DOCUMENTS

*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)
	U	FMC BioPolymer Catalog. 2005.
	V	
	w	
	х	

*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).) Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property **Organization**

International Bureau



(43) International Publication Date 24 February 2005 (24.02.2005)

PCT

(10) International Publication Number WO 2005/016244 A2

(51) International Patent Classification⁷: **A61K**

(21) International Application Number:

PCT/US2004/018751

(22) International Filing Date: 14 June 2004 (14.06.2004)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:

60/478,492 13 June 2003 (13.06.2003) US 60/532,361 23 December 2003 (23.12.2003) US 60/571,386 14 May 2004 (14.05.2004) US

(71) Applicant (for all designated States except US): MICRO-BIA, INC. [US/US]; 320 Bent Street, Cambridge, MA 02141 (US).

- (72) Inventors; and
- (75) Inventors/Applicants (for US only): CURRIE, Mark, G.

[US/US]; 18 Hall Avenue, Sterling, MA 01564 (US). MA-HAJAN-MIKLOS, Shalina [IN/US]; 14 Holland Street. Needham, MA 02492 (US). LI, Jing, Sun [US/US]; 41 Fenno Street, Cambridge, MA 02138 (US).

- (74) Agent: MEIKLEJOHN, Anita, L.; Fish & Richardson P.C., 225 Franklin Street, Boston, MA 02110-2804 (US).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM,

[Continued on next page]

(54) Title: METHODS AND COMPOSITIONS FOR THE TREATMENT OF GASTROINTESTINAL DISORDERS

Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Human Guanylin (SEQ ID NO:)

(57) Abstract: Compositions and related methods for treating IBS and other gastrointestinal disorders and conditions (e.g., gastrointestinal motility disorders, functional gastrointestinal disorders, gastroesophageal reflux disease (GERD), duodenogastric reflux, Crohn's disease, ulcerative colitis, inflammatory bowel disease, functional heartburn, dyspepsia (including functional dyspepsia or nonulcer dyspepsia), gastroparesis, chronic intestinal pseudo-obstruction (or colonic pseudoobstruction), and disorders and conditions associated with constipation, e.g., constipation associated with use of opiate pain killers, post-surgical constipation, and constipation associated with neuropathic disorders as well as other conditions and disorders are described. The compositions feature peptides that activate the guanylate cyclase C (GC-C) receptor.

ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:

- as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW, ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)
- as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW, ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)
- as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW, ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)
- as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW, ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

Published:

 without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

METHODS AND COMPOSITIONS FOR THE TREATMENT OF GASTROINTESTINAL DISORDERS

TECHNICAL FIELD

This invention relates to methods and compositions for treating gastrointestinal disorders, obesity, congestive heart failure, benign prostatic hyperplasia and other disorders.

5

10

15

20

BACKGROUND

Irritable bowel syndrome (IBS) is a common chronic disorder of the intestine that affects 20 to 60 million individuals in the US alone (Lehman Brothers, Global Healthcare-Irritable Bowel Syndrome Industry Update, September 1999). IBS is the most common disorder diagnosed by gastroenterologists (28% of patients examined) and accounts for 12% of visits to primary care physicians (Camilleri 2001 *Gastroenterology* 120:652-668). In the US, the economic impact of IBS is estimated at \$25 billion annually, through direct costs of health care use and indirect costs of absenteeism from work (Talley 1995 Gastroenterology 109:1736-1741). Patients with IBS have three times more absenteeism from work and report a reduced quality of life. Sufferers may be unable or unwilling to attend social events, maintain employment, or travel even short distances (Drossman 1993 *Dig Dis Sci* 38:1569-1580). There is a tremendous unmet medical need in this population since few prescription options exist to treat IBS.

Patients with IBS suffer from abdominal pain and a disturbed bowel pattern. Three subgroups of IBS patients have been defined based on the predominant bowel habit: constipation-predominant (c-IBS), diarrhea-predominant (d-IBS) or alternating between the two (a-IBS). Estimates of individuals who suffer from c-IBS range from 20-50% of the IBS patients with 30% frequently cited. In contrast to the other two subgroups that have a similar gender ratio, c-IBS is more common in women (ratio of 3:1) (Talley et al. 1995 *Am J Epidemiol* 142:76-83).

The definition and diagnostic criteria for IBS have been formalized in the "Rome Criteria" (Drossman et al. 1999 *Gut* 45:Suppl II:1-81), which are well accepted in clinical practice. However, the complexity of symptoms has not been explained by anatomical abnormalities or

metabolic changes. This has led to the classification of IBS as a functional GI disorder, which is diagnosed on the basis of the Rome criteria and limited evaluation to exclude organic disease(Ringel et al. 2001 *Annu Rev Med* 52: 319-338). IBS is considered to be a "biopsychosocial" disorder resulting from a combination of three interacting mechanisms: altered bowel motility, an increased sensitivity of the intestine or colon to pain stimuli (visceral sensitivity) and psychosocial factors (Camilleri 2001 *Gastroenterology* 120:652-668). Recently, there has been increasing evidence for a role of inflammation in the etiology of IBS. Reports indicate that subsets of IBS patients have small but significant increases in colonic inflammatory and mast cells, increased inducible nitric oxide (NO) and synthase (iNOS) and altered expression of inflammatory cytokines (reviewed by Talley 2000, Medscape Coverage of DDW Week).

5

10

15

20

25

SUMMARY OF THE INVENTION

The present invention features compositions and related methods for treating IBS and other gastrointestinal disorders and conditions (e.g., gastrointestinal motility disorders, functional gastrointestinal disorders, gastroesophageal reflux disease (GERD), duodenogastric reflux, Crohn's disease, ulcerative colitis, inflammatory bowel disease, functional heartburn, dyspepsia (including functional dyspepsia or nonulcer dyspepsia), gastroparesis, chronic intestinal pseudo-obstruction (or colonic pseudoobstruction), and disorders and conditions associated with constipation, e.g., constipation associated with use of opiate pain killers, post-surgical constipation, and constipation associated with neuropathic disorders as well as other conditions and disorders. The compositions feature peptides that activate the guanylate cyclase C (GC-C) receptor.

The present invention also features compositions and related methods for treating obesity, congestive heart failure and benign prostatic hyperplasia (BPH).

Without being bound by any particular theory, in the case of IBS and other gastrointestinal disorders the peptides are useful because they can increase gastrointestinal motility.

Without being bound by any particular theory, in the case of IBS and other gastrointestinal disorders the peptides are useful, in part, because they can decrease inflammation.

Without being bound by any particular theory, in the case of IBS and other gastrointestinal disorders the peptides are also useful because they can decrease gastrointestinal pain or visceral pain.

5

10

15

20

25

30

The invention features pharmaceutical compositions comprising certain peptides that are capable of activating the guanylate-cyclase C (GC-C) receptor. Also within the invention are pharmaceutical compositions comprising a peptide of the invention as well as combination compositions comprising a peptide of the invention and one or more additional therapeutic agents, e.g., an agent for treating constipation (e.g., a chloride channel activator such as SPI-0211; Sucampo Pharmaceuticals, Inc.; Bethesda, MD, a laxative such as MiraLax; Braintree Laboratories, Braintree MA) or some other gastrointestinal disorder. Examples of additional therapeutic agents include: acid reducing agents such as proton pump inhibitors (e.g. omeprazole, esomeprazole, lansoprazole, pantorazole and rabeprazole), H2 receptor blockers (e.g., cimetidine, ranitidine, famotidine and nizatidine), pro-motility agents such as motilin agonists (e.g., GM-611 or mitemcinal fumarate), 5HT receptor agonists (e.g. 5HT4 receptor agonists such as Zelnorm[®]; 5HT3 receptor agonists such as MKC-733), 5HT receptor antagonists (e.g., 5HT1, 5HT2, 5HT3 (e.g., alosetron), 5HT4 receptor antagonists, muscarinic receptor agonists, anti-inflammatory agents, antispasmodics, antidepressants, centrally-acting analgesic agents such as opioid receptor agonists, opioid receptor antagonists (e.g., naltrexone), agents for the treatment of Inflammatory bowel disease, Crohn's disease and ulcerative colitis (e.g., Traficet-ENTM (ChemoCentryx, Inc.; San Carlos, CA)), agents that treat gastrointestinal or visceral pain, and cGMP phosphodiesterase inhibitors (e.g., motapizone, zaprinast, and suldinac sulfone). The peptides of the invention can also be used in combination with agents such as tianeptine (Stablon®) and other agents described in U.S. 6,683,072, (E)-4 (1,3bis(cyclohexylmethyl)-1,2,34,-tetrahydro-2,6-diono-9H-purin-8-yl)cinnamic acid nonaethylene glycol methyl ether ester and related compounds described in WO 02/067942. The peptides can also be used in combination with treatments entailing the administration of microorganisms useful in the treatment of gastrointestinal disorders such as IBS. Probactrix®

(The BioBalance Corporation; New York, NY) is one example of a formulation that contains microorganisms useful in the treatment of gastrointestinal disorders. The peptides can also be used in combination with purgatives that draw fluids to the intestine (e.g., Visicol[®], a combination of sodium phosphate monobasic monohydrate and sodium phosphate dibasic anhydrate.

5

10

15

20

25

In addition, the pharmaceutical compositions can include one or more agents selected from the group consisting of: Ca channel blockers (e.g., ziconotide), complete or partial 5HT receptor antagonists (for example 5HT3 (e.g., alosetron, ATI-7000; Aryx Thearpeutics, Santa Clara CA), 5HT4, 5HT2, and 5HT1 receptor antagonists), complete or partial 5HT receptor agonists including 5HT3, 5HT2, 5HT4 (e.g., tegaserod, mosapride and renzapride), 5HT1 receptor agonists, CRF receptor agonists (NBI-34041), β-3 adrenoreceptor agonists, opioid receptor agonists (e.g., loperamide, fedotozine, and fentanyl, naloxone, naltrexone, methyl nalozone, nalmefene, cypridime, beta funaltrexamine, naloxonazine, naltrindole, and nor-binaltorphimine, morphine, diphenyloxylate, enkephalin pentapeptide, asimadoline, and trimebutine), NK1 receptor antagonists (e.g., ezlopitant and SR-14033), CCK receptor agonists (e.g., loxiglumide), NK1 receptor antagonists, NK3 receptor antagonists (e.g., talnetant, osanetant (SR-142801), SSR-241586), norepinephrine-serotonin reuptake inhibitors (NSRI; e.g., milnacipran), vanilloid and cannabanoid receptor agonists (e.g., arvanil), sialorphin, sialorphin-related peptides comprising the amino acid sequence QHNPR (SEQ ID NO:) for example, VQHNPR (SEQ ID NO:); VRQHNPR (SEQ ID NO:); VRGPQHNPR (SEQ ID NO:); VRGPQHNPR (SEQ ID NO:); VRGPRQHNPR (SEQ ID NO:); VRGPRRQHNPR (SEQ ID NO:); and RQHNPR (SEQ ID NO:), compounds or peptides that are inhibitors of neprilysin, frakefamide (H-Tyr-D-Ala-Phe(F)-Phe-NH₂; WO 01/019849 A1), loperamide, Tyr-Arg (kyotorphin), CCK receptor agonists (caerulein), conotoxin peptides, peptide analogs of thymulin, loxiglumide, dexloxiglumide (the R-isomer of loxiglumide) (WO 88/05774). These peptides and compounds can be administered with the peptides of the invention (simultaneously or sequentially). They can also be covalently linked to a peptide of the invention to create therapeutic conjugates.

The invention includes methods for treating various gastrointestinal disorders by administering a peptide that acts as a partial or complete agonist of the GC-C receptor. The peptide contains up to four cysteines that form one or two disulfide bonds. In certain embodiments the disulfide bonds are replaced by other covalent cross-links and in some cases the cysteines are substituted by other residues to provide for alternative covalent cross-links. The peptides may also include at least one trypsin or chymotrypsin cleavage site and/or a carboxy-terminal analgesic peptide or small molecule, e.g., AspPhe or some other analgesic peptide. When present within the peptide, the analgesic peptide or small molecule may be preceded by a chymotrypsin or trypsin cleavage site that allows release of the analgesic peptide or small molecule. The peptides and methods of the invention are also useful for treating pain and inflammation associated with various disorders, including gastrointestinal disorders. Certain peptides include a functional chymotrypsin or trypsin cleavage site located so as to allow inactivation of the peptide upon cleavage. Certain peptides having a functional cleavage site undergo cleavage and gradual inactivation in the digestive tract, and this is desirable in some circumstances. In certain peptides, a functional chymotrypsin site is altered, increasing the stability of the peptide in vivo(e.g., guanylin).

5

10

15

20

25

The invention includes methods for treating other disorders such as congestive heart failure and benign prostatic hyperplasia by administering a peptide or small molecule (parenterally or orally) that acts as an agonist of the GC-C receptor. Such agents can be used in combination with natriuretic peptides (e.g., atrial natriuretic peptide, brain natriuretic peptide or C-type natriuretic peptide), a diuretic, or an inhibitor of angiotensin converting enzyme.

The invention features methods and compositions for increasing intestinal motility. Intestinal motility involves spontaneous coordinated distentions and contractions of the stomach, intestines, colon and rectum to move food through the gastrointestinal tract during the digestive process.

The peptide can contain additional carboxy terminal or amino terminal amino acids or both. For example, the peptide can include an amino terminal sequence that facilitates recombinant production of the peptide and is cleaved prior to administration of the peptide to a patient. The

peptide can also include other amino terminal or carboxy terminal amino acids. In some cases the additional amino acids protect the peptide, stabilize the peptide or alter the activity of the peptide. In some cases some or all of these additional amino acids are removed prior to administration of the peptide to a patient. The peptide can include 1, 2, 3, 4, 5, 10, 15, 20, 25, 30, 40, 50, 60, 70 80, 90, 100 or more amino acids at its amino terminus or carboxy terminus or both. The number of flanking amino acids need not be the same. For example, there can be 10 additional amino acids at the amino terminus of the peptide and none at the carboxy terminus.

In a first aspect, the invention features a polypeptide comprising, consisting of, or consisting essentially of the amino acid sequence: Xaa₁ Xaa₂ Xaa₃ Cys₄ Xaa₅ Xaa₆ Xaa₇ Xaa₈ Xaa₉ Xaa₁₀ Xaa₁₁ Cys₁₂ Xaa₁₃ Xaa₁₄ Xaa₁₅ Xaa₁₆ (SEQ ID NO:1) wherein:

Xaa₁ is Ser, Asn, Tyr, Ala, Gln, Pro, Lys, Gly, or Thr, or is missing;

Xaa₂ is His, Asp, Glu, Ala, Ser, Asn, Gly, or is missing;

Xaa3 is Thr, Asp, Ser, Glu, Pro, Val or Leu;

Xaa₅ is Asp, Ile or Glu;

5

10

15

20

25

Xaa₆ is Ile, Trp or Leu;

Xaa₇ is Cys, Ser, or Tyr;

Xaa₈ is Ala, Val, Thr, Ile, Met or is missing;

Xaa₉ is a) any amino acid, b) Phe, Tyr, Asn, Trp, c) an amino acid other than Phe, Trp, or Tyr, d) non-aromatic amino acid or e) is missing;

Xaa₁₀ is Ala, Val, Met, Thr or Ile;

Xaa₁₁ is Ala or Val;

 Xaa_{13} is Ala or Thr;

5

25

Xaa₁₄ is Gly, Ala or Ser;

Xaa₁₅ is Cys, Tyr or is missing; and

Xaa₁₆ is: a) Trp, Tyr or Phe to create a chymotrypsin cleavage site; b) Lys or Arg to create a trypsin cleavage site; c) is missing or d) His or Leu or Ser.

In some embodiments, Xaa₁ is preceded by Lys or Tyr.

In certain embodiments, a Cys is replaces by any amino acid other than Cys. Certain such polypeptides will have fewer disulfide bonds.

In a related aspect the invention features a composition comprising a polypeptide comprising, consisting of, or consisting essentially of the amino acid sequence: Xaa₁ Xaa₂ Xaa₃ Cys₄ Xaa₅ Xaa₆ Xaa₇ Xaa₈ Xaa₉ Xaa₁₀ Xaa₁₁ Cys₁₂ Xaa₁₃ Xaa₁₄ Xaa₁₅ Xaa₁₆ (SEQ ID NO:1) wherein: Xaa₁ is Ser, Asn, Tyr, Ala, Gln, Pro, Lys, Gly, or Thr, or is missing; Xaa₂ is His, Asp, Glu, Ala, Ser, Asn, Gly, Pro or is missing; Xaa₃ is Thr, Asp, Ser, Glu, Pro, Val or Leu; Xaa₅ is Asp, Ile or Glu; Xaa₆ is Ile, Trp or Leu; Xaa₇ is Cys, Ser, or Tyr; Xaa₈ is Ala, Val, Thr, Ile, Met or is missing; Xaa₉ is Phe, Tyr, Asn, Trp, an amino acid other than Phe, Trp, or Tyr, is a non-aromatic amino acid or is missing; Xaa₁₀ is Ala, Val, Met, Thr or Ile; Xaa₁₁ is Ala or Val; Xaa₁₃ is Ala or Thr; Xaa₁₄ is Gly, Ala or Ser; Xaa₁₅ is Cys, Tyr or is missing; and Xaa₁₆ is: a) Trp, Tyr or Phe to create a chymotrypsin cleavage site; b) Lys or Arg to create a trypsin cleavage site; c) is missing or d) His or Leu or Ser and a pharmaceutically acceptable carrier. In related aspects, the invention features a pharmaceutically acceptable tablet, pill, capsule comprising the peptide.

In a related aspect, the invention features a polypeptide comprising, consisting of, or consisting essentially of the amino acid sequence: Xaa₁ Xaa₂ Xaa₃ Cys₄ Xaa₅ Xaa₆ Xaa₇ Xaa₈ Xaa₉ Xaa₁₀ Xaa₁₁ Cys₁₂ Xaa₁₃ Xaa₁₄ Xaa₁₅ Xaa₁₆ (SEQ ID NO:1) wherein:

Xaa₁ is Asn, any amino acid or is missing;

Xaa₂ is Asp, Glu, any amino acid or is missing;

Xaa₃ is Asp or Glu;

Xaa₅ is any amino acid or Glu;

Xaa₆ is any amino acid or Leu;

Xaa₇ is Cys;

Xaa₈ is any amino acid or Val;

5 Xaa₉ is Asn, Gln, Tyr;

Xaa₁₀ is is any amino acid or Val;

Xaa₁₁ is any amino acid or Ala;

Xaa₁₃ is is any amino acid or Thr;

Xaa₁₄ is is any amino acid or Gly;

10 Xaa_{15} is Cys;

15

20

25

30

Xaa₁₆ is any amino acid, Leu or missing

In a related aspect, the invention features a polypeptide comprising, consisting of, or consisting essentially of the amino acid sequence: Asn₁ Xaa₂ Xaa₃ Xaa₄ Glu₅ Leu₆ Xaa₇ Val₈ Asn₉ Xaa₁₀ Xaa₁₁ Xaa₁₂ Thr₁₃ Xaa₁₄ Xaa₁₅ Leu₁₆ (SEQ ID NO:)

Xaa₂ is Asp or Glu;

Xaa₃ is Asp or Glu;

Xaa₄ is Cys or Mpt (mercaptoproline) or Pen (penicillamine) or Dpr (diaminopropionic acid) or Asp or Glu;

Xaa₇ is Cys or Mpt (mercaptoproline) or Pen (penicillamine) or Dpr (diaminopropionic acid) or Asp or Glu;

Xaa₁₀ is Val or Pro;

Xaa₁₁ is Ala or Aib (alpha-aminoisobutyric acid);

Xaa₁₂ is Cys or Mpt (mercaptoproline) or Pen (penicillamine) or Dpr (diaminopropionic acid) or Asp or Glu;

Xaa₁₄ is Gly or Ala;

Xaa₁₅ is Cys or Mpt (mercaptoproline) or Pen (penicillamine) or Dpr (diaminopropionic acid) or Asp or Glu; and

In certain embodiments, where Xaa₁₅ is other than Cys or is missing, Xaa₇ is Ser or an amino acid other than Cys.

In certain embodiments 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11 or 12 of Xaa₁, Xaa₂, Xaa₃, Xaa₅, Xaa₆, Xaa₇, Xaa₈, Xaa₉, Xaa₁₀, Xaa₁₁, Xaa₁₃, Xaa₁₄, and Xaa₁₆ are any amino acid other than Cys.

In certain embodiments, Xaa₉ is any amino acid other than Gln. In other embodiments where Xaa₂ and Xaa₃ are Glu, Xaa₉ is any amino acid other than Gln.

In certain embodiments Xaa₁ and Xaa₂ are missing; Xaa₃ is Thr; Xaa₅ is Glu; Xaa₆ is Ile or Leu; Xaa₈ is Ala, Val, or Ile; Xaa₉ is Phe or Tyr; Xaa₁₀ is Ala or Val; Xaa₁₁ is Ala; Xaa₁₃ is Ala or Thr; Xaa₁₄ is Gly; and Xaa₁₆ is Trp, Tyr, Phe, Lys, Arg or is missing.

In certain embodiments the polypeptide comprising, consisting of, or consisting essentially of the amino acid sequence: Xaa₁ Xaa₂ Xaa₃ Cys₄ Xaa₅ Xaa₆ Xaa₇ Xaa₈ Xaa₉ Xaa₁₀ Xaa₁₁ Cys₁₂ Xaa₁₃ Xaa₁₄ Xaa₁₅ Xaa₁₆ (SEQ ID NO:1) is not cleaved after Xaa₉ by chymotrypsin. In these embodiments wherein:

Xaa₁ is Ser, Asn, Tyr, Ala, Gln, Pro, Lys, Gly, or Thr, or is missing;

Xaa₂ is His, Asp, Glu, Ala, Ser, Asn, or Gly, or is missing;

Xaa₃ is Thr, Asp, Ser, Glu, Pro, Val or Leu or is missing;

Xaa₅ is Asp, Ile or Glu;

10

15

20

25

Xaa₆ is Ile, Trp or Leu;

Xaa₇ is Cys, Ser, or Tyr;

Xaa₈ is Ala, Val, Thr, Ile, Met or is missing;

Xaa₉ is either: a) any amino acid other than Phe and Tyr, b) any amino acid other than Phe, Tyr, and Trp, c) any amino acid other than Phe, Tyr, Trp, Ile, Leu and Val; d) any amino acid other than Phe, Tyr, Trp, Ile, Leu, Val, and His; d) any non-aromatic amino acid or e) is missing;

Xaa₁₀ is Ala, Val, Met, Thr or Ile;

 Xaa_{11} is Ala or Val;

Xaa₁₃ is Ala or Thr;

Xaa₁₄ is Gly, Ala or Ser;

Xaa₁₅ is Cys, Tyr or is missing; and

Xaa₁₆ is: a) Trp, Tyr or Phe to create a chymotrypsin cleavage site; b) Lys or Arg to create a trypsin cleavage site; c) is missing or d) His or Leu or Ser.

In addition, the invention features variants of Xaa₁ Xaa₂ Xaa₃ Cys₄ Xaa₅ Xaa₆ Xaa₇ Xaa₈ Xaa₉ Xaa₁₀ Xaa₁₁ Cys₁₂ Xaa₁₃ Xaa₁₄ Xaa₁₅ Xaa₁₆ (SEQ ID NO:1) that is not cleaved after Xaa₉ by chymotrypsin due to the addition of an amino terminal lysine. An example of such a molecule is a human guanylin variant having an amino terminal lysine: KPGTCEICAYAACTGC (SEQ ID NO:).

In certain embodiments of the peptide comprising, consisting of, or consisting essentially of the amino acid sequence: Xaa₁ Xaa₂ Xaa₃ Cys₄ Xaa₅ Xaa₆ Xaa₇ Xaa₈ Xaa₉ Xaa₁₀ Xaa₁₁ Cys₁₂ Xaa₁₃ Xaa₁₄ Xaa₁₅ Xaa₁₆ (SEQ ID NO:1) that is not cleaved after Xaa₉ by chymotrypsin, Xaa₇ and Xaa₁₅ are both Cys.

Also within the invention are variants of PGTCEICAYAACTGC (human guanylin) (SEQ ID NO:) wherein Y is substituted by any amino acid other than a) Phe; b) any amino acid other than Phe and Trp; c) any amino acid other than Phe, Trp, Ile, Leu and Val; d) any amino acid other than Phe, Trp, Ile, Leu, Val and His; e) any non-aromatic amino acid or f) is missing.

In certain embodiments the polypeptide comprising, consisting of, or consisting essentially of the amino acid sequence: Xaa₁ Xaa₂ Xaa₃ Cys₄ Xaa₅ Xaa₆ Xaa₇ Xaa₈ Xaa₉ Xaa₁₀ Xaa₁₁ Cys₁₂ Xaa₁₃ Xaa₁₄ Xaa₁₅ Xaa₁₆ (SEQ ID NO:1) is not cleaved after Xaa₉ by either chymotrypsin or trypsin. In these embodiments wherein:

Xaa₁ is Ser, Asn, Tyr, Ala, Gln, Pro, Lys, Gly, or Thr, or is missing;

Xaa2 is His, Asp, Glu, Ala, Ser, Asn, or Gly, or is missing;

Xaa₃ is Thr, Asp, Ser, Glu, Pro, Val or Leu or is missing;

Xaa₅ is Asp, Ile or Glu;

5

20

25

Xaa₆ is Ile, Trp or Leu;

Xaa₇ is Cys, Ser, or Tyr;

Xaa₈ is Ala, Val, Thr, Ile, Met or is missing;

Xaa₉ is either: a) any amino acid other than Lys, Arg, Phe and Tyr, b) any amino acid other than Lys, Arg, Phe, Tyr, and Trp, c) any amino acid other than Lys, Arg, Phe, Tyr, Trp, Ile, Leu and Val; d) any amino acid other than Lys, Arg, Phe, Tyr, Trp, Ile, Leu, Val, and His; or e) is missing;

```
Xaa<sub>10</sub> is Ala, Val, Met, Thr or Ile;
              Xaa_{11} is Ala or Val;
              Xaa_{13} is Ala or Thr;
              Xaa<sub>14</sub> is Gly, Ala or Ser;
              Xaa<sub>15</sub> is Cys, Tyr or is missing; and
5
              Xaa<sub>16</sub> is: a) Trp, Tyr or Phe to create a chymotrypsin cleavage site; b) Lys or Arg to create
      a trypsin cleavage site; c) is missing or d) His or Leu or Ser.
      In certain embodiments of the peptide comprising, consisting of, or consisting essentially of the
      amino acid sequence: Xaa<sub>1</sub> Xaa<sub>2</sub> Xaa<sub>3</sub> Cys<sub>4</sub> Xaa<sub>5</sub> Xaa<sub>6</sub> Xaa<sub>7</sub> Xaa<sub>8</sub> Xaa<sub>9</sub> Xaa<sub>10</sub> Xaa<sub>11</sub> Cys<sub>12</sub> Xaa<sub>13</sub>
10
      Xaa<sub>14</sub> Xaa<sub>15</sub> Xaa<sub>16</sub> (SEQ ID NO:1) that is not cleaved after Xaa<sub>9</sub> by chymotrypsin or trypsin,
     Xaa<sub>7</sub> and Xaa<sub>15</sub> are both Cys.
      Useful variants of PGTCEICAYAACTGC (human guanylin) (SEQ ID NO: ) that should not be
      cleaved by chymotrypsin include:
      PGTCEICASAACTGC (SEQ ID NO: )
      PGTCEICATAACTGC (SEQ ID NO: )
15
      PGTCEICANAACTGC (SEQ ID NO: )
      PGTCEICAQAACTGC (SEQ ID NO: )
      PGTCEICARAACTGC (SEQ ID NO: )
      PGTCEICAEAACTGC (SEQ ID NO: )
      PGTCEICADAACTGC (SEQ ID NO: )
20
      PGTCEICAGAACTGC (SEQ ID NO: )
      PGTCEICAAAACTGC (SEQ ID NO: )
      PGTCEICAMAACTGC (SEQ ID NO: ).
      Additional variants which are not likely to be cleaved by chymotrypsin under certain conditions
25
      include:
      PGTCEICAIAACTGC (SEQ ID NO: )
      PGTCEICALAACTGC (SEQ ID NO: )
      PGTCEICAVAACTGC (SEQ ID NO: )
```

PGTCEICAHAACTGC (SEQ ID NO:)

5

10

15

20

25

The invention also features deletion variants of any of the peptides described herein in which one, two, three or four amino acids, other than a Cys, are deleted. Where two (or more) amino acids are deleted and the peptide comprises the sequence: Cysa Xaa Xaa Cysb Xaa Xaa Xaa Xaa Cys_c Xaa Xaa Cys_d, in some embodiments two or more deletions can be located between Cys_a and Cys_b or between Cys_b and Cys_c or between Cys_c and Cys_d. Thus, there can be two or more deletions between two Cys. However, in other embodiments there is at most one deletion between each Cys, i.e., there is no more than one deletion between each of Cysa and Cysb, Cysb and Cys_c, and Cys_c and Cys_d. Thus, the invention includes any of the peptides described herein comprising the sequence Cys_a Xaa Xaa Cys_b Xaa Xaa Xaa Cys_c Xaa Xaa Cys_d wherein: a) one amino acid between Cys_a and Cys_b is deleted; b) one amino acid between Cys_b and Cys_c is deleted; c) one amino acid between Cys_c and Cys_d is deleted; d) one amino acid between Cys_a and Cysb is deleted and one amino acid between Cysb and Cysc is deleted; e) one amino acid between Cys_a and Cys_b is deleted and one amino acid between Cys_c and Cys_d is deleted; f) one amino acid between Cys_b and Cys_c is deleted and one amino acid between Cys_c and Cys_d is deleted; or g) one amino acid between Cys_a and Cys_b is deleted, one amino acid between Cys_b and Cys_c is deleted, and one amino acid between Cys_c and Cys_d is deleted. In addition, one or more amino acids preceding Cysa and/or one or more amino acids following Cysd can be deleted. The various deletion variants are peptides that bind to and/or activate the GC-C receptor.

The invention also features deletion variants of any of the peptides described herein in which one, two, three or four amino acids (or non-natural amino acids or natural or non-natural amino acid analogs), other than a Cys (or an amino acid substituted for Cys, e.g., an amino acid capable of forming a covalent bond to another amino acid) is deleted. Thus, additional variants include those in which a Cys is substituted by an amino acid capable of forming a covalent linkage with another amino acid (e.g., a Cys or a substitute therefore). Such amino acids include: Mpt (mercaptoproline) or Pen (penicillamine) or Dpr (diaminopropionic acid).

FIG. 1 includes deletion variants of human guanylin in which one, two, three or four amino acids are deleted. The deleted amino acids are between Cys_a and Cys_d as well as amino terminal to Cys_a.

The invention also features insertion variants of any of the peptides described herein in which one, two, three or four amino acids are inserted.

Where two (or more) amino acids are inserted and the peptide comprises the sequence: Cysa Xaa Xaa Cys_b Xaa Xaa Xaa Cys_c Xaa Xaa Cys_d, in some embodiments two or more insertions can be located between Cysa and Cysb or between Cysb and Cysc or between Cysc and Cysd. However, in other embodiments there is at most one insertion between each of Cys_a and Cys_b or between Cys_b and Cys_c or between Cys_c and Cys_d. Thus, the invention includes any of the peptides described herein comprising the sequence Cysa Xaa Xaa Cysb Xaa Xaa Xaa Xaa Cysc Xaa Xaa Cys_d wherein: a) one amino acid is inserted between Cys_a and Cys_b; b) one amino acid is inserted between Cys_b and Cys_c; c) one amino acid is inserted between Cys_c and Cys_d; d) one amino acid is inserted between Cysa and Cysb and one amino acid is inserted between Cysb and Cys_c; e) one amino acid is inserted between Cys_a and Cys_b and one amino acid is inserted between Cys_c and Cys_d; f) one amino acid is inserted between Cys_b and Cys_c and one amino acid is inserted between Cysc and Cysd or g) one amino acid is inserted between Cysa and Cysb, one amino acid is inserted between Cys_b and Cys_c, and one amino acid is inserted between Cys_c and Cys_d. In addition, one or more amino acids can be inserted preceding Cys_a and/or one or more amino acids can be inserted following Cys_d. The insertions can be any natural or non-natural occurring amino acid (e.g., Gly or Ala) or amino acid analog and where there are more than one insertions present, they can be the same or different. The various deletion variants are peptides that bind to and/or activate the GC-C receptor.

For example, the invention includes the following insertion variants of PGTCGEICAYAACTGC (human guanylin) (SEQ ID NO:) include:

PGTCEGICAYAACTGC (SEQ ID NO:)
PGTCEIGCAYAACTGC (SEQ ID NO:)

5

10

15

20

25

30

```
PGTCEICGAYAACTGC (SEQ ID NO: )
    PGTCEICAGYAACTGC (SEQ ID NO: )
    PGTCEICAYGAACTGC (SEQ ID NO: )
    PGTCEICAYAGACTGC (SEQ ID NO: )
    PGTCEICAYAAGCTGC (SEQ ID NO: )
5
    PGTCEICAYAACGTGC (SEQ ID NO: )
    PGTCEICAYAACTGGC (SEQ ID NO: )
    PGTCAEICAYAACTGC (SEQ ID NO: )
    PGTCEAICAYAACTGC (SEQ ID NO: )
    PGTCEIACAYAACTGC (SEQ ID NO: )
10
    PGTCEICAAYAACTGC (SEQ ID NO: )
    PGTCEICAYAAACTGC (SEQ ID NO: )
    PGTCEICAYAACATGC (SEQ ID NO: )
    PGTCEICAYAACTAGC (SEQ ID NO: )
    PGTCEICAYAACTGAC (SEQ ID NO: )
15
    PGTCAEICAAYAACTGC (SEQ ID NO: )
    PGTCEAICAAYAACTGC (SEQ ID NO: )
    PGTCEIACAAYAACTGC (SEQ ID NO: )
```

30

- Other insertion variants of human guanylin can have up to four amino acids (i.e., 0, 1, 2, 3 or 4 natural or non-natural amino acids) inserted after each of the 15 amino acids in human guanylin. Thus, the invention includes peptides having the sequence: Pro Xaa₍₀₋₄₎ Gly Xaa₍₀₋₄₎ Thr Xaa₍₀₋₄₎ Cys Xaa₍₀₋₄₎ Glu Xaa₍₀₋₄₎ Cys Xaa₍₀₋₄₎ Ala Xaa₍₀₋₄₎ Tyr Xaa₍₀₋₄₎ Ala Xaa₍₀₋₄₎ Ala Xaa₍₀₋₄₎ Cys Xaa₍₀₋₄₎ Gly Xaa₍₀₋₄₎ Cys Xaa₍₀₋₄₎ (SEQ ID NO:). The inserted amino acids can be any amino acid and can be the same or different. In certain embodiments the inserted amino acids are all Gly or all Ala or a combination of Gly and Ala.
 - FIG. 2 depicts insertion variants of human guanylin in which one, two, three or four amino acids are inserted. The inserted amino acids are between Cys_a and Cys_d as well as amino terminal to Cys_a and carboxy terminal to Cys_d.

The invention also features variants of peptides having the sequence Xaa₁ Xaa₂ Xaa₃ Cys₄ Xaa₅ Xaa₆ Xaa₇ Xaa₈ Xaa₉ Xaa₁₀ Xaa₁₁ Cys₁₂ Xaa₁₃ Xaa₁₄ Xaa₁₅ Xaa₁₆ (SEQ ID NO:1), e.g., variants of PGTCEICAYAACTGC human guanylin (SEQ ID NO:) in which up to four amino acids are deleted and/or up to four amino acids are inserted. The insertions and deletions can be between Cys4 and Cys12 in SEQ ID NO:1 or they can be amino terminal to Cys4 and/or carboxy terminal to Cys12 in SEQ ID NO:1

5

10

15

20

25

When Xaa₁₆ is Trp, Tyr or Phe, the peptide has a chymotrypsin cleavage site that is located at a position where cleavage will liberate the portion of the peptide carboxy-terminal to Xaa₁₆. When Xaa₁₆ is Lys or Arg, the peptide has a trypsin cleavage site that is located at a position where cleavage will liberate portion of the peptide carboxy-terminal to Xaa₁₆. Thus, if the peptide includes an analgesic peptide carboxy-terminal to Xaa₁₆, the peptide will be liberated in the digestive tract upon exposure to the appropriate protease. Among the analgesic peptides which can be included in the peptide are: AspPhe, endomorphin-1, endomorphin-2, nocistatin, dalargin, lupron, and substance P and other analgesic peptides described herein.

When Xaa₁ or the amino-terminal amino acid of the peptide of the invention (e.g., Xaa₂ or Xaa₃) is Trp, Tyr or Phe, the peptide has a chymotrypsin cleavage site that is located at a position where cleavage will liberate the portion of the peptide amino-terminal to Xaa₁ (or Xaa₂ or Xaa₃) along with Xaa₁, Xaa₂ or Xaa₃. When Xaa₁ or the amino-terminal amino acid of the peptide of the invention (e.g., Xaa₂ or Xaa₃) is Lys or Arg, the peptide has a trypsin cleavage site that is located at a position where cleavage will liberate portion of the peptide amino-terminal to Xaa₁ along with Xaa₁, Xaa₂ or Xaa₃). Thus, for example, if the peptide includes an analgesic peptide amino-terminal to Xaa₁, the peptide will be liberated in the digestive tract upon exposure to the appropriate protease. Among the analgesic peptides which can be included in the peptide are: AspPhe, endomorphin-1, endomorphin-2, nocistatin, dalargin, lupron, and substance p and other analgesic peptides described herein.

The peptides can linked, e.g., covalently linked to any of a variety of other analysesic peptides or analysesic compounds. Thus, a peptide described herein can be linked to a second therapeutic

5

10

15

20

25

30

agent, e.g., an agent for treating constipation (e.g., a chloride channel activator such as SPI-0211; Sucampo Pharmaceuticals, Inc.; Bethesda, MD, a laxative such as MiraLax; Braintree Laboratories, Braintree MA) or some other gastrointestinal disorder. Examples of a second therapeutic agent include: acid reducing agents such as proton pump inhibitors (e.g., omeprazole, esomeprazole, lansoprazole, pantorazole and rabeprazole), H2 receptor blockers (e.g., cimetidine, ranitidine, famotidine and nizatidine), pro-motility agents such as motilin agonists (e.g., GM-611 or mitemcinal fumarate), 5HT receptor agonists (e.g., 5HT4 receptor agonists such as Zelnorm®; 5HT3 receptor agonists such as MKC-733), 5HT receptor antagonists (e.g., 5HT1, 5HT2, 5HT3 (e.g., alosetron), 5HT4 receptor antagonists, muscarinic receptor agonists, anti-inflammatory agents, antispasmodics, antidepressants, centrally-acting analgesic agents such as opioid receptor agonists, opioid receptor antagonists (e.g., naltrexone), agents for the treatment of Inflammatory bowel disease, Crohn's disease and ulcerative colitis (e.g., Traficet-ENTM (ChemoCentryx, Inc.; San Carlos, CA), agents that treat gastrointestinal or visceral pain, and cGMP phosphodiesterase inhibitors (motapizone, zaprinast, and suldinac sulfone). The peptides of the invention can also be linked to agents such a tianeptine (Stablon[®]) and other agents described in U.S. 6,683,072; (E)-4 (1,3bis(cyclohexylmethyl)-1,2,34,-tetrahydro-2,6diono-9H-purin-8-vl)cinnamic acid nonaethylene glycol methyl ether ester and related compounds described in WO 02/067942. The peptides can be linked to an agent selected from the group consisting of: Ca channel blockers (e.g., ziconotide), complete or partial 5HT receptor antagonists (for example 5HT3 (e.g., alosetron, ATI-7000; Aryx Thearpeutics, Santa Clara CA), 5HT4, 5HT2, and 5HT1 receptor antagonists), complete or partial 5HT receptor agonists including 5HT3, 5HT2, 5HT4 (e.g., tegaserod, mosapride and renzapride) and 5HT1 receptor agonists, CRF receptor agonists (NBI-34041), β-3 adrenoreceptor agonists, opioid receptor agonists (e.g., loperamide, fedotozine, and fentanyl, naloxone, naltrexone, methyl nalozone, nalmefene, cypridime, beta funaltrexamine, naloxonazine, naltrindole, and nor-binaltorphimine, morphine, diphenyloxylate, enkephalin pentapeptide, asimadoline, and trimebutine), NK1 receptor antagonists (e.g., ezlopitant and SR-14033), CCK receptor agonists (e.g., loxiglumide), NK1 receptor antagonists, NK3 receptor antagonists (e.g., talnetant, osanetant (SR-142801), SSR-241586), norepinephrine-serotonin reuptake inhibitors (NSRI; e.g., milnacipran), vanilloid and cannabanoid receptor agonists (e.g., arvanil), sialorphin, sialorphin-related peptides

comprising the amino acid sequence QHNPR (SEQ ID NO:) for example, VQHNPR (SEQ ID NO:); VRQHNPR (SEQ ID NO:); VRGPQHNPR (SEQ ID NO:); VRGPQHNPR (SEQ ID NO:); VRGPRQHNPR (SEQ ID NO:); and RQHNPR (SEQ ID NO:), compounds or peptides that are inhibitors of neprilysin, frakefamide (H-Tyr-D-Ala-Phe(F)-Phe-NH₂; WO 01/019849 A1), loperamide, Tyr-Arg (kyotorphin), CCK receptor agonists (caerulein), conotoxin peptides, pepetide analogs of thymulin, loxiglumide, dexloxiglumide (the R-isomer of loxiglumide) (WO 88/05774) and other analgesic peptides or compounds.

5

25

30

Amino acid, non-amino acid, peptide and non-peptide spacers can be interposed between a 10 peptides of the invention and a peptide that has some other biological function, e.g., an analgesic peptide or a peptide used to treat obesity. The linker can be one that is cleaved from the flanking peptides in vivo or one that remains linked to the flanking peptides in vivo. For example, glycine, beta-alanine, glycyl-glycine, glycyl-beta-alanine, gamma-aminobutyric acid, 6aminocaproic acid, L-phenylalanine, L-tryptophan and glycil-L-valil-L-phenylalanine can be 15 used as a spacer (Chaltin et al. 2003 Helvetica Chimica Acta 86:533-547; Caliceti et al. 1993 FARMCO 48:919-32) as can polyethylene glycols (Butterworth et al. 1987 J. Med. Chem 30:1295-302) and maleimide derivatives (King et al. 2002 Tetrahedron Lett. 43:1987-1990). Various other linkers are described in the literature (Nestler 1996 Molecular Diversity 2:35-42; Finn et al. 1984 Biochemistry 23:2554-8; Cook et al. 1994 Tetrahedron Lett. 35:6777-80; Brokx 20 et al. 2002 Journal of Controlled Release 78:115-123; Griffin et al. 2003 J. Am. Chem. Soc. 125:6517-6531; Robinson et al. 1998 Proc. Natl. Acad. Sci. USA 95:5929-5934.

The peptides can include the amino acid sequence of a peptide that occurs naturally in a vertebrate (e.g., mammalian) species or in a bacterial species. In addition, the peptides can be partially or completely non-naturally occurring peptides. Also within the invention are peptidomimetics corresponding to the peptides of the invention.

When fully folded, disulfide bonds are present between the first and third cysteines and between the second and fourth cysteines, e.g., there is a disulfide bond between Cys₄ and Cys₁₂ and a

disulfide bond between Xaa₇ and Xaa₁₅ (when Xaa₇ is a Cys and Xaa₁₅ is a Cys). In some embodiments, the peptide has only one disulfide bond, e.g., between the first and third cysteines (i.e., Cys₄ and Cys₁₂; corresponds to the first and second cysteines when Xaa₇ is other than Cys). In certain embodiments one or more Cys can be replaced by Mpt (mercaptoproline) or Pen (penicillamine) or Dpr (diaminopropionic acid) or some other amino acid that can covalently link to another amino acid (e.g., Cys, Mpt, Pen or Dpr). In some embodiments, one or both members of a pair of Cys residues which normally form a disulfide bond can be replaced by homocysteine, 3-mercaptoproline (Kolodziej et al. 1996 *Int J Pept Protein Res* 48:274); β, β dimethylcysteine (Hunt et al. 1993 *Int J Pept Protein Res* 42:249) or diaminopropionic acid (Smith et al. 1978 *J Med Chem* 21:117) to form alternative internal cross-links at the positions of the normal disulfide bonds.

5

10

15

20

25

In addition, one or more disulfide bonds can be replaced by alternative covalent cross-links, e.g., an amide bond, an ester linkage, an alkyl linkage, a thio ester linkage, a lactam bridge, a carbamoyl linkage, a urea linkage, a thiourea linkage, a phosphonate ester linkage, an alkyl linkage, and alkenyl linkage, an ether, a thioether linkage, or an amino linkage. For example, Ledu et al. (Proceedings Nat'l Acad. Sci. 100:11263-78, 2003) described methods for preparing lactam and amide cross-links. Schafmeister et al. (J. Am. Chem. Soc. 122:5891, 2000) describes stable, all carbon cross-links. In some cases, the generation of such alternative cross-links requires replacing the Cys residues with other residues such as Lys or Glu or non-naturally occurring amino acids.

In certain embodiments one or more amino acids can be replaced by a non-naturally occurring amino acid or a naturally or non-naturally occurring amino acid analog. For example, an aromatic amino acid can be replaced by 3,4-dihydroxy-L-phenylalanine, 3-iodo-L-tyrosine, triiodothyronine, L-thyroxine, phenylglycine (Phg) or nor-tyrosine (norTyr). Phg and norTyr and other amino acids including Phe and Tyr can be substituted by, e.g., a halogen, -CH3, -OH, -CH₂NH₃, -C(O)H, -CH₂CH₃, -CN, -CH₂CH₂CH₃, -SH, or another group.

Further examples of unnatural amino acids include: an unnatural analogue of tyrosine; an unnatural analogue of glutamine; an unnatural analogue of phenylalanine; an unnatural analogue

5

10

15

20

25

of serine; an unnatural analogue of threonine; an alkyl, aryl, acyl, azido, cyano, halo, hydrazine, hydrazide, hydroxyl, alkenyl, alkynl, ether, thiol, sulfonyl, seleno, ester, thioacid, borate, boronate, phospho, phosphono, phosphine, heterocyclic, enone, imine, aldehyde, hydroxylamine, keto, or amino substituted amino acid, or any combination thereof; an amino acid with a photoactivatable cross-linker; a spin-labeled amino acid; a fluorescent amino acid; an amino acid with a novel functional group; an amino acid that covalently or noncovalently interacts with another molecule; a metal binding amino acid; a metal-containing amino acid; a radioactive amino acid; a photocaged and/or photoisomerizable amino acid; a biotin or biotin-analogue containing amino acid; a glycosylated or carbohydrate modified amino acid; a keto containing amino acid; amino acids comprising polyethylene glycol or polyether; a heavy atom substituted amino acid (e.g., an amino acid containing deuterium, tritium, ¹³C, ¹⁵N, or ¹⁸O); a chemically cleavable or photocleavable amino acid; an amino acid with an elongated side chain; an amino acid containing a toxic group; a sugar substituted amino acid, e.g., a sugar substituted serine or the like; a carbon-linked sugar-containing amino acid; a redox-active amino acid; an α.-hydroxy containing acid; an amino thio acid containing amino acid; an α, α disubstituted amino acid; a βamino acid; a cyclic amino acid other than proline; an O-methyl-L-tyrosine; an L-3-(2naphthyl)alanine; a 3-methyl-phenylalanine; a p-acetyl-L-phenylalanine; an 0-4-allyl-L-tyrosine; a 4-propyl-L-tyrosine; a tri-O-acetyl-GlcNAcβ-serine; an L-Dopa; a fluorinated phenylalanine; an isopropyl-L-phenylalanine; a p-azido-L-phenylalanine; a p-acyl-L-phenylalanine; a pbenzoyl-L-phenylalanine; an L-phosphoserine; a phosphonotyrosine; a piodo-phenylalanine; a 4-fluorophenylglycine; a p-bromophenylalanine; a p-amino-Lphenylalanine; a isopropyl-L-phenylalanine; L-3-(2-naphthyl)alanine; an amino-, isopropyl-, or O-allyl-containing phenylalanine analogue; a dopa, O-methyl-L-tyrosine; a glycosylated amino acid; a p-(propargyloxy)phenylalanine, dimethyl-Lysine, hydroxy-proline, mercaptopropionic acid, methyl-lysine, 3-nitro-tyrosine, norleucine, pyro-glutamic acid, Z (Carbobenzoxyl), ε-Acetyl-Lysine, \u03b3-alanine, aminobenzoyl derivative, aminobutyric acid (Abu), citrulline, aminohexanoic acid, aminoisobutyric acid, cyclohexylalanine, d-cyclohexylalanine, hydroxyproline, nitro-arginine, nitro-phenylalanine, nitro-tyrosine, norvaline, octahydroindole carboxylate, ornithine, penicillamine, tetrahydroisoquinoline, acetamidomethyl protected amino

acids and a pegylated amino acid. Further examples of unnatural amino acids can be found in U.S. 20030108885, U.S. 20030082575, and the references cited therein.

In some embodiments, an amino acid can be replaced by a naturally-occurring, non-essential amino acid, e.g., taurine.

Methods to manufacture peptides containing unnatural amino acids can be found in, for example, U.S. 20030108885, U.S. 20030082575, Deiters et al., J Am Chem Soc. (2003) 125:11782-3, Chin et al., Science (2003) 301:964-7, and the references cited therein.

Peptides that include non-natural amino acids can also be prepared using the methods described in WO02086075.

The peptides of the invention can be modified using standard modifications. Modifications may occur at the amino (N-), carboxy (C-) terminus, internally or a combination of any of the preceeding. In one aspect of the invention, there may be more than one type of modification on the peptide. Modifications include but are not limited to: acetylation, amidation, biotinylation, cinnamoylation, farnesylation, formylation, myristoylation, palmitoylation, phosphorylation (Ser, Tyr or Thr), stearoylation, succinylation, sulfurylation and cyclisation (via disulfide bridges or amide cyclisation), and modification by Cy3 or Cy5. The peptides of the invention may also be modified by 2, 4-dinitrophenyl (DNP), DNP-lysin, modification by 7-Amino-4-methyl-coumarin (AMC), flourescein, NBD (7-Nitrobenz-2-Oxa-1,3-Diazole), p-nitro-anilide, rhodamine B, EDANS (5-((2-aminoethyl)amino)naphthalene-1- sulfonic acid), dabcyl, dabsyl, dansyl, texas red, FMOC, and Tamra (Tetramethylrhodamine). The peptides of the invention may also be conjugated to, for example, BSA or KLH (Keyhole Limpet Hemocyanin).

The invention also features a purified polypeptide comprising, consisting of or consisting essentially of the amino acid sequence: Xaa₁ Xaa₂ Xaa₃ Cys₄ Xaa₅ Xaa₆ Xaa₇ Xaa₈ Xaa₉ Xaa₁₀ Xaa₁₁ Cys₁₂ Xaa₁₃ Xaa₁₄ Xaa₁₅ Xaa₁₆ (SEQ ID NO:1) wherein:

Xaa₁ is any amino acid or is missing;

5

10

15

20

25

30

Xaa₂ is any amino acid or is missing;

Xaa₃ is any amino acid or is missing;

Xaa₅ is Glu;

Xaa₆ is Tyr, Trp, Phe or Leu;

5 Xaa₇ is Cys;

10

25

Xaa₈ is any of the 20 naturally-occurring amino acids other than Cys or is missing;

Xaa₉ is any of the 20 naturally-occurring amino acids;

Xaa₁₀ is Pro or Gly;

Xaa₁₁ is any of the 20 naturally-occurring amino acids;

Xaa₁₃ is Thr, Val or Gly;

Xaa₁₄ is Gly or Ala;

Xaa₁₅ is Cys; and

Xaa₁₆ is any of the 20 naturally-occurring amino acids or is missing.

In various embodiments: Xaa9 is Asn; Xaa11 is Ala or Thr; Xaa8 is missing; and Xaa16 is Tyr.

In other embodiments Xaa4 is immediately preceded by an amino acid sequence seleted from:
Ser His Thr; Pro Ser Thr; Thr; Pro Asp Pro; Ile Ala Glu Asp Ser His Thr; Ile Ala Gln Asp Pro Ser Thr; Ala Asn Thr; Asp Pro Asn Thr; Lys Asn Thr; Pro Asn Thr; Ile Ala Gln Asp Pro Asn Thr; Lys Pro Asn Thr; Asp Pro Gly Thr; Glu Asp Pro Gly Thr; Pro Gly Thr; Pro Ala Thr; Val Ala Ala Arg Ala Asp Leu; Gly Asp Asp; Asn Asp Glu; Gln Glu Asp; Asn Asp Asp; Arg Thr Ile Ala
Asn Asp Asp; Thr Ile Ala Asn Asp Asp; Asp Asp; Arg Thr Met Asp Asn Asp Glu; Arg Thr Ile Ala Gly Asp Asp; Arg Thr Ile Ala Asn Asp; Asp; Glu Asp; Arg Ser Ile Ser Gln Glu Asp; Thr Asp Glu; Arg Thr Ile Ala Thr Asp Glu; Glu; Ile Ile Thr Pro Pro Asp Pro; Gln Glu Leu; Lys Asp Asp; Gln Glu Glu; Arg Tyr Ile Asn Gln Glu Glu; Ala Ser Ser Tyr Ala Ser; and Thr Ser Ser Tyr Ala Ser.

The invention further features a purified polypeptide comprising, consisting of or consisting essentially the amino acid sequence: Xaa₁ Xaa₂ Xaa₃ Cys₄ Xaa₅ Xaa₆ Xaa₇ Xaa₈ Xaa₉ Xaa₁₀ Xaa₁₁ Cys₁₂ Xaa₁₃ Xaa₁₄ Xaa₁₅ Xaa₁₆ (SEQ ID NO:1) wherein:

Xaa₁ is: a) Ser, Asn, Tyr, Ala, Gln, Pro, Lys, Gly, or Thr, or is missing; b)

preceded by Lys or Tyr; c) any amino acid; d) missing; e) any amino acid other than Cys; or f) Lys or Arg;

Xaa₂ is: a) His, Asp, Glu, Ala, Ser, Asn, Gly, or is missing; b) His, Asp, Glu, Ala, Ser, Asn, Gly, Pro or is missing; c) Asp, Glu, any amino acid or is missing; d) Asp or Glu; e) any amino acid other than Cys; e) Glu; f) missing; g) Trp, Tyr or Phe; or h) Lys or Arg;

5

10

15

20

25

Xaa₃ is: a) Thr, Asp, Ser, Glu, Pro, Val or Leu; Asp or Glu; b) any amino acid other than Cys; c) Glu; d) Thr; e) Thr, Asp, Ser, Glu, Pro, Val or Leu or is missing; f) Trp, Tyr or Phe; or g) Lys or Arg;

Xaa₄ is: a) Cys, Mpt (mercaptoproline), Pen (penicillamine), Dpr (diaminopropionic acid), Asp, or Glu;

Xaa₅ is: a) any amino acid; b) Glu, Asp, Gln, Gly or Pro; c) Glu; d) Glu or Asp; e) Asp, Ile or Glu; f) any amino acid; or g) any amino acid other than Cys;

Xaa₆ is: a) Leu, Ile, Val, Ala, Lys, Arg, Trp, Tyr or Phe; b) Leu, Ile, Val, Lys, Arg, Trp, Tyr or Phe; Leu, Ile, Lys, Arg, Trp, Tyr or Phe; c) Leu, Ile, Val, Trp, Tyr or Phe; d) Trp, Tyr, Phe or Leu; e) Leu, Ile or Val; f) Ile, Trp or Leu; g) Trp, Tyr or Phe; h) Ile or Leu; i) Tyr; j) any amino acid; k) any amino acid except Leu; l) any natural or non-natural aromatic amino acid; or m) any amino acid other than Cys;

Xaa₇ is: a) Cys, Ser, or Tyr; Cys; b) Cys, Mpt (mercaptoproline), Pen (penicillamine), Dpr (diaminopropionic acid), Asp or Glu; c) Ser; or d) an amino acid other than Cys;

Xaa₈ is: a) Ala, Val, or Ile; b) Ala, Val, Thr, Ile, Met or is missing; c) any amino acid; d) Val; e) any amino acid other than Cys; or f) missing;

Xaa₉ is: a) any amino acid; b) any amino acid other than Phe and Tyr; c) any amino acid other than Phe, Tyr, and Trp; d) any amino acid other than Phe, Tyr, Trp, Ile, Leu and Val; e) any amino acid other than Phe, Tyr, Trp, Ile, Leu, Val, and His; f) any amino acid other than Gln; g) any amino acid other than Lys, Arg, Phe, Tyr, and Trp; h) any amino acid other than Lys, Arg, Phe, Tyr, Trp, Ile, Leu and Val; i) any amino acid other than Lys, Arg, Phe, Tyr, Trp, Ile, Leu, Val, and His; j) any non-aromatic amino acid; k) missing; l) Phe, Tyr, Asn, or Trp; m) Asn, Tyr, Asp or Ala; n) Asn, Gln, or Tyr; o) Phe or Tyr; p) Asn; or q) any amino acid other than Cys;

Xaa₁₀ is: a) Ala, Pro or Gly; b) Pro or Gly; c) Pro; d) Ala, Val, Met, Thr or Ile; e) any amino acid; f) Val; g) Val or Pro; h) Ala or Val; i) any amino acid other than Cys; j) Pro; or k) Gly;

Xaa₁₁ is: a) any amino acid; b) Ala, Leu, Ser, Gly, Val, Glu, Gln, Ile, Leu, Lys, Arg, or Asp; c) Ala or Gly; d) Ala; e) Ala or Val; f) any amino acid; g) Ala or Aib (alpha-aminoisobutyric acid); h) any amino acid other than Cys; i) Ala or Thr; or j) Thr.

Xaa₁₂ is: a) Cys, Mpt (mercaptoproline), Pen (penicillamine), Dpr (diaminopropionic acid), Asp, or Glu; or b) any amino acid other than Cys;

Xaa₁₃ is: a) Thr, Ala, Asn, Lys, Arg, or Trp; b) Thr, Ala, Lys, Arg, or Trp; c) any amino acid; d) any non-aromatic amino acid; e) Thr, Ala, or Trp; f) Trp, Tyr or Phe; g) Thr or Ala; h) any amino acid; i) Thr; j) any amino acid other than Cys; k) Thr, Val, or Gly; l) Thr or Val, m) Thr or Gly, n) Val or Thr; o) Val; p) Thr; or q) Gly;

Xaa₁₄ is: a) Gly, Pro or Ala; b) Gly; c) any amino acid; d) Gly, Ala or Ser; e) Gly or Ala; f) any amino acid other than Cys; or g) Ala;

Xaa₁₅ is: a) Cys, Tyr or is missing; b) Cys; c) Cys, Mpt (mercaptoproline), Pen (penicillamine), Dpr (diaminopropionic acid), Asp, Glu; or d) any amino acid other than Cys or is missing; and

Xaa₁₆ is: a) Trp, Tyr, Phe, Asn, Ile, Val, His or Leu; b) Trp, Tyr, Phe, Asn or Leu; c) Trp, Tyr, Phe or Leu; d) Trp, Tyr, or Phe; e) Leu, Ile or Val; f) His, Leu or Ser; g) Tyr or Leu; Lys or Arg; h) His; i) any amino acid, j) Leu, or missing; k) Trp, Tyr, Phe, Lys, Arg or is missing; l) missing; m) any amino acid other than Cys; or n) Tyr.

Also featured is purified polypeptide comprising, consiting of or consisting essentially of the amino acid sequence: Xaa₁ Xaa₂ Xaa₃ Xaa₄ Xaa₅ Xaa₆ Xaa₇ Xaa₈ Xaa₉ Xaa₁₀ Xaa₁₁ Xaa₁₂ Xaa₁₃ Xaa₁₄ Xaa₁₅ Xaa₁₆ (SEQ ID NO:1) wherein:

Xaa₁ is any amino acid or is missing;

5

10

15

20

25

30

Xaa₂ is any amino acid or is missing;

Xaa₃ is any amino acid or is missing;

Xaa₄ is Cys, Mpt (mercaptoproline), Pen (penicillamine), Dpr (diaminopropionic acid), Asp or Glu;

Xaa₅ is Glu;

Xaa₆ is Tyr, Trp, Phe or Leu;

Xaa₇ is Cys, Mpt (mercaptoproline), Pen (penicillamine), Dpr (diaminopropionic acid), Asp or Glu;

Xaa₈ is any amino acid other than Cys or is missing;

Xaa₉ is any amino acid;

Xaa₁₀ is Pro or Gly;

Xaa₁₁ is any amino acid;

Xaa₁₂ is Cys, Mpt (mercaptoproline), Pen (penicillamine), Dpr (diaminopropionic acid), Asp or Glu;

Xaa₁₃ is Thr, Val or Gly;

Xaa₁₄ is Gly or Ala;

Xaa₁₅ is Cys, Mpt (mercaptoproline), Pen (penicillamine), Dpr (diaminopropionic acid), Asp or Glu; and

Xaa₁₆ is any amino acid or is missing.

The various peptides can be present with a counterion. Useful counterions include salts of: acetate, benzenesulfonate, benzoate, calcium edetate, camsylate, carbonate, citrate, edetate (EDTA), edisylate, embonate, esylate, fumarate, gluceptate, gluconate, glutamate, glycollylarsanilate, hexylresorcinate, iodide, bromide, chloride, hydroxynaphthoate, isethionate, lactate, lactobionate, estolate, maleate, malate, mandelate, mesylate, mucate, napsylate, nitrate, pantothenate, phosphate, salicylate, stearate, succinate, sulfate, tartarate, theoclate, acetamidobenzoate, adipate, alginate, aminosalicylate, anhydromethylenecitrate, ascorbate, aspartate, camphorate, caprate, caproate, caprylate, cinnamate, cyclamate, dichloroacetate, formate, gentisate, glucuronate, glycerophosphate, glycolate, hippurate, fluoride, malonate, napadisylate, nicotinate, oleate, orotate, oxalate, oxoglutarate, palmitate, pectinate, pectinate polymer, phenylethylbarbiturate, picrate, propionate, pidolate, sebacate, rhodanide, tosylate, tannate

30

5

10

15

20

25

In a second aspect, the invention also features a therapeutic or prophylactic method comprising administering a composition comprising a purified peptide comprising, consisting essentially or consisting of the amino acid sequence of SEQ ID NO:1. For the treatment of gastrointestinal disorders, the peptide can be administered orally, by rectal suppository or parenterally.

In various embodiments, the patient is suffering from a gastrointestinal disorder; the patient is suffering from a disorder selected from the group consisting of: a gastrointestinal motility disorder, irritable bowel syndrome, a functional gastrointestinal disorder, gastroesophageal reflux disease, duodenogastric reflux, functional heartburn, dyspepsia, functional dyspepsia, nonulcer dyspepsia, gastroparesis, chronic intestinal pseudo-obstruction, colonic pseudo-obstruction, obesity, congestive heart failure, or benign prostatic hyperplasia; the composition is administered orally; the peptide comprises 150, 140, 130, 120, 110, 100, 90, 80, 70, 60, 50, 40, or 30 or fewer amino acids. In other embodiments, the peptide comprises 20 or fewer amino acids, and the peptide comprises no more than 5 amino acids prior to Cys₄. In other embodiments the peptide comprises no more than 20, 15, 10, or 5 peptides subsequent to Cys₁₅. In certain embodiments

Xaa₁₆ is a chymotrypsin or trypsin cleavage site and an analgesic peptide is present immediately following Xaa₁₆.

Among the useful peptides are those comprising, consisting of or consisting essentially of any of the following amino acid sequences:

```
SHTCEICAFAACAGC (opossum guanylin) (SEQ ID NO: );

PGTCEICAYAACTGC (human guanylin) (SEQ ID NO: );

PSTCEICAYAACAGC (pig guanylin) (SEQ ID NO: );

PNTCEICAYAACTGC (rat guanylin) (SEQ ID NO: );

PDPCEICANAACTGCL (European eel guanylin, inferred) (SEQ ID NO: );

NDDCELCVNVACTGCL (human uroguanylin) (SEQ ID NO: );
```

20

```
QEECELCINMACTGY (opossum lymphoguanylin) (SEQ ID NO: );
    GDDCELCVNVACTGCS (pig uroguanylin) (SEQ ID NO: );
    NDECELCVNIACTGC (guinea pig uroguanylin) (SEQ ID NO: );
    TDECELCINVACTGC (rat uroguanylin) (SEQ ID NO: );
    QEDCELCINVACTGC (opossum uroguanylin) (SEQ ID NO: );
5
    MPSTQYIRRPASSYASCIWCTTACASCHGRTTKPSLAT (EAST 1) (SEQ ID NO: );
    MPSTQYIRRPASSYASCIWCATACASCHGRTTKPSLAT (SEQ ID NO: );
    MPSTQYIRRPTSSYASCIWCATACASCHGRTTKPSLAT (SEQ ID NO: );
    MPSTQYIRRPTSSYASCIWCATVCASCHGRTTKPSLAT (SEQ ID NO: );
    MPSTQYIRRPASSYASCIWYATACASCHGRTTEPSLAT (SEQ ID NO: );
10
    QEECELSINMACTGY (opossum lymphoguanylin analog) (SEQ ID NO: );
    YDECEICMFAACTGC (Japanese eel guanylin) (SEQ ID NO:
    VCEICAFAACTGC (Zebrafish guanylin, inferred) (SEQ ID NO:
                                                         );
    ADLCEICAFAACTGCL (Japenese eel renoguanylin, inferred) (SEQ ID NO:
    PGTCEICAYAACTGCL (SEQ ID NO:
15
    PGTCEICAYAACTGCLKK (SEQ ID NO:
    PNTCEICAYAACTGCKKKKKK (SEQ ID NO:
                                            );
    PNTCEICAYAACTGCD (SEQ ID NO:
    PNTCEICAYAACTGCDK (SEQ ID NO: );
```

```
YPNTCEICAYAACTGC (SEQ ID NO:
                                  );
   KNTCEICAYAACTGC (SEQ ID NO:
                                  );
   KPNTCEICAYAACTGC (SEQ ID NO:
                                  );
   EDPGTCEICAYAACTGC (SEQ ID NO:
                                   );
   VTVQDG NFSFSLESVK KLKDLQEPQE PRVGKLRNFA PIPGEPVVPI LCSNPNFPEE
   LKPLCKEPNA QEILQRLEEIAEDPGTCEICAYAACTGC (SEQ ID NO:
                                                           );
   DPGTCEICAYAACTGC (SEQ ID NO:
                                  );
    MNAFLLSALC LLGAWAALAG GVTVQDGNFS FSLESVKKLK DLQEPQEPRV
    GKLRNFAPIP GEPVVPILCS NPNFPEELKP LCKEPNAQEI LQRLEEIAED
   PGTCEICAYAACTGC (SEQ ID NO:
10
                                 );
    MNAFLLFALC LLGAWAALAG GVTVODGNFS FSLEPRVGKL RNFAPIPGEP
    VVPILCSNPN FPEELKPLCK EPNAQEILQR LEEIAEDPGTCEICAYAACTGC (SEQ ID
   NO:
         );
    TGSMNAFLLF ALCLLGAWAA LAGGVTVQDG NFSFSLEPRV GKLRNFAPIP
    GEPVVPILCS NPNFPEELKP LCKEPNAQEI LQRLEEIAEDPGTCEICAYAACTGCLEG
15
    (SEQ ID NO:
                );
   NDECELCVNVACTGCL (SEQ ID NO:
                                        line 17
                                   ):
    ECELCVNVACTGCL (SEQ ID NO:
                                );
   EDCELCINVACTGC (SEQ ID NO:
                                );
   NDDCELCVACTGCL (SEQ ID NO:
20
                                 );
   FKTLRTIANDDCELCVNVACTGCL (SEQ ID NO:
                                            );
   FKTLRTIANDDCLCVNVACTGCL (SEQ ID NO:
                                           );
```

```
DDCELCVNVACTGCL (SEQ ID NO: );

DCELCVNVACTGCL (SEQ ID NO: );

CELCVNVACTGCL (SEQ ID NO: );

KDDCELCVNVACTGCL (SEQ ID NO: );

PNTCEICANPACTGC (SEQ ID NO. ).
```

10

15

20

25

The peptides can include the amino acid sequence of a peptide that occurs naturally in a vertebrate (e.g., mammalian) species or in a bacterial species. In addition, the peptides can be partially or completely non-naturally occurring peptides.

In a third aspect, the invention features a method for treating a patient suffering from constipation, the method comprising administering a composition comprising a peptide comprising, consisting essentially or consisting of the amino acid sequence of SEQ ID NO:1. Clinically accepted criteria that define constipation range from the frequency of bowel movements, the consistency of feces and the ease of bowel movement. One common definition of constipation is less than three bowel movements per week. Other definitions include abnormally hard stools or defecation that requires excessive straining (Schiller 2001 *Aliment Pharmacol Ther* 15:749-763). Constipation may be idiopathic (functional constipation or slow transit constipation) or secondary to other causes including neurologic, metabolic or endocrine disorders. These disorders include diabetes mellitus, hypothyroidism, hyperthyroidism, hypocalcaemia, Multiple sclerosis, Parkinson's disease, spinal cord lesions, Neurofibromatosis, autonomic neuropathy, Chagas disease, Hirschsprung disease and cystic fibrosis. Constipation may also be the result of surgery or due to the use of drugs such as analgesics (like opioids), antihypertensives, anticonvulsants, antidepressants, antispasmodics and antipsychotics.

In various embodiments, the constipation is associated with use of a therapeutic agent; the constipation is associated with a neuropathic disorder; the constipation is post-surgical constipation; the constipation is associated with a gastrointestinal disorder; the constipation is idiopathic (functional constipation or slow transit constipation); the constipation is associated

with neuropathic, metabolic or endocrine disorder (e.g., diabetes mellitus, hypothyroidism, hyperthyroidism, hypocalcaemia, Multiple Sclerosis, Parkinson's disease, spinal cord lesions, neurofibromatosis, autonomic neuropathy, Chagas disease, Hirschsprung disease or cystic fibrosis). Constipation may also be the result of surgery or due to the use of drugs such as analgesics (e.g., opioids), antihypertensives, anticonvulsants, antidepressants, antispasmodics and antipsychotics.

5

10

15

20

25

In a fourth aspect, the invention features a method for treating a patient suffering a gastrointestinal disorder, the method comprising administering to the patient a composition comprising a purified peptide comprising, consisting essentially of or consisting of the amino acid sequence of SEQ ID NO:1.

In various embodiments, the patient is suffering from a gastrointestinal disorder; the patient is suffering from a disorder selected from the group consisting of: a gastrointestinal motility disorder, irritable bowel syndrome, a functional gastrointestinal disorder, gastroesophageal reflux disease, functional heartburn, dyspepsia, functional dyspepsia, nonulcer dyspepsia, gastroparesis, chronic intestinal pseudo-obstruction, colonic pseudo-obstruction; Crohn's disease, ulcerative colitis, Inflammatory bowel disease, colonic pseudo-obstruction, obesity, congestive heart failure, and benign prostatic hyperplasia.

In a fifth aspect, the invention features a method for increasing gastrointestinal motility in a patient, the method comprising administering to the patient a composition comprising a purified peptide comprising, consisting essentially of or consisting of the amino acid sequence of SEQ ID NO:1.

In a sixth aspect, the invention features a method for decreasing gastrointestinal pain or visceral pain in a patient, the method comprising administering to the patient a composition comprising a purified peptide comprising, consisting essentially of or consisting of the amino acid sequence of SEQ ID NO:1.

In a seventh aspect, the invention features a method for increasing the activity of an intestinal guanylate cyclase (GC-C) receptor in a patient, the method comprising administering to the patient a composition comprising a purified peptide comprising, consisting essentially of or consisting of the amino acid sequence of SEQ ID NO:1.

In an eighth aspect, the invention features an isolated nucleic acid molecule comprising a nucleotide sequence encoding a peptide comprising, consisting essentially of or consisting of the amino acid sequence of SEQ ID NO:1.

In a ninth aspect, the invention features a composition comprising a purified polypeptide comprising, consisting essentially of or consisting of the amino acid sequence of SEQ ID NO:1. In an embodiment, the composition is a pharmaceutical composition.

10

15

20

25

In a tenth aspect, the invention features a method for treating obesity, the method comprising administering a composition comprising a purified peptide comprising, consisting essentially of or consisting of the amino acid sequence of SEQ ID NO:1. The peptide can be administered in combination with one or more agents for treatment of obesity, for example, gut hormone fragment peptide YY₃₋₃₆ (PYY₃₋₃₆) (N. Engl. J. Med. 349:941, 2003; ikpeapge daspeelnry yaslrhylnl vtrqry) or a variant thereof, glp-1 (glucagon-like peptide-1), exendin-4 (an inhibitor of glp-1), sibutramine, phentermine, phendimetrazine, benzphetamine hydrochloride (Didrex), orlistat (Xenical), diethylpropion hydrochloride (Tenuate), fluoxetine (Prozac), bupropion, ephedra, chromium, garcinia cambogia, benzocaine, bladderwrack (focus vesiculosus), chitosan, nomame herba, galega (Goat's Rue, French Lilac), conjugated linoleic acid, L-carnitine, fiber (psyllium, plantago, guar fiber), caffeine, dehydroepiandrosterone, germander (teucrium chamaedrys), B-hydroxy-β-methylbutyrate, ATL-962 (Alizyme PLC), and pyruvate. A peptide useful for treating obesity can be administered as a co-therapy with a peptide of the invention either as a distinct molecule or as part of a fusion protein with a peptide of the invention. Thus, for example, PYY₃₋₃₆ can be fused to the carboxy or amino terminus of a peptide of the invention. Such a fusion protein can include a chymostrypsin or trypsin cleavage site that can permit cleavage to separate the two peptides. A peptide useful for treating obesity can be administered as a co-therapy with electrostimulation (U.S. 20040015201).

In an eleventh aspect, the invention features a method for treating congestive heart failure, the method comprising: administering to the patient a composition comprising a purified peptide comprising, consisting essentially of or consisting of the amino acid sequence of SEQ ID NO:1. The peptide can be administered in combination with one or more agents for treatment of congestive heart failure, for example, a natriuretic peptide such as atrial natriuretic peptide, brain natriuretic peptide or C-type natriuretic peptide), a diuretic, or an inhibitor of angiotensin converting enzyme.

5

10

15

20

In a twelfth aspect, the invention features a method for treating benign prostatic hyperplasia, the method comprising: administering to the patient a composition comprising a purified peptide comprising, consisting essentially of or consisting of the amino acid sequence of SEQ ID NO:1. The peptide can be administered in combination with one or more agents for treatment of BPH, for example, a 5-alpha reductase inhibitor (e.g., finasteride) or an alpha adrenergic inhibitor (e.g., doxazosine).

In a thirteenth aspect, the invention features a method for treating a patient suffering a gastrointestinal disorder, the method comprising administering to the patient a composition comprising a complete or partial agonist of the GC-C receptor. In various embodiments, the patient is suffering from a gastrointestinal disorder; the patient is suffering from a disorder selected from the group consisting of: a gastrointestinal motility disorder, irritable bowel syndrome, a functional gastrointestinal disorder, gastroesophageal reflux disease, functional heartburn, dyspepsia, functional dyspepsia, nonulcer dyspepsia, gastroparesis, chronic intestinal pseudo-obstruction, and colonic pseudo-obstruction.

In a fourteenth aspect, the invention features a method for treating a patient suffering from constipation, the method comprising administering a composition comprising a complete or partial agonist of the GC-C receptor.

In a fifteenth aspect, the invention features a method for increasing gastrointestinal motility in a patient, the method comprising administering to the patient a composition comprising a complete or partial agonist of the GC-C receptor.

In a sixteenth aspect, the invention features a method for decreasing gastrointestinal pain or visceral pain in a patient, the method comprising administering to the patient a composition comprising a complete or partial agonist of the GC-C receptor.

5

10

15

20

25

In a seventeenth aspect, the invention features a method for treating congestive heart failure, the method comprising administering a complete or partial agonist of the GC-C receptor. GC-C agonists can act in the kidney and adrenal gland to control natriuresis, kaliuresis, and diuresis thereby reducing the build-up of fluid associated with congestive heart failure (Lorenz et al. *J Clin Invest* 112:1138, 2003; Carrithers et al. *Kidney Int* 65:40, 2004). The agonist can be administered in combination with one or more agents for treatment of congestive heart failure, for example, a natriuretic peptide such as atrial natriuretic peptide, brain natriuretic peptide or C-type natriuretic peptide), a diuretic, or an inhibitor of angiotensin converting enzyme.

In an eighteenth aspect, the invention features a method for treating BPH, the method comprising administering a complete or partial agonist of the GC-C receptor. GC-C agonists acting in the prostate can reduce cellular hypertrophy and complications associated with cellular hypertrophy. The agonist can be administered in combination with one or more agents for treatment of BPH, for example, a 5-alpha reductase inhibitor (e.g., finasteride) or an alpha adrenergic inhibitor (e.g., doxazosine).

In a nineteenth aspect, the invention features a method for treating obesity, the method comprising administering a complete or partial agonist of the GC-C receptor. The agonist can be administered in combination with one or more agents for treatment of obesity, for example, sibutramine.

The peptides and agonists of the GC-C receptor can be used to treat constipation or decreased intestinal motility, slow digestion or slow stomach emptying. The peptides can be used to relieve one or more symptoms of IBS (bloating, pain, constipation), GERD (acid reflux into the esophagus), duodenogastric reflux, functional dyspepsia, or gastroparesis (nausea, vomiting, bloating, delayed gastric emptying) and other disorders described herein.

Clinically accepted criteria that define constipation range from the frequency of bowel movements, the consistency of feces and the ease of bowel movement. One common definition of constipation is less than three bowel movements per week. Other definitions include abnormally hard stools or defecation that requires excessive straining (Schiller 2001, Aliment Pharmacol Ther 15:749-763). Constipation may be idiopathic (functional constipation or slow transit constipation) or secondary to other causes including neurologic, metabolic or endocrine disorders. These disorders include diabetes mellitus, hypothyroidism, hyperthyroidism, hypocalcaemia, Multiple Sclerosis, Parkinson's disease, spinal cord lesions, Neurofibromatosis, autonomic neuropathy, Chagas disease, Hirschsprung's disease and cystic fibrosis. Constipation may also be the result of surgery or due to the use of drugs such as analgesics (like opioids), antihypertensives, anticonvulsants, antidepressants, antispasmodics and antipsychotics.

5

10

15

20

25

30

In a twentieth aspect, the invention features isolated nucleic acid molecules comprising or consisting of a sequence encoding a peptide of the invention. The invention also features vectors, e.g., expression vectors that include such nucleic acid molecules and can be used to express a peptide of the invention in a cultured cell (e.g., a eukaryotic cell or a prokaryotic cell). The vector can further include one or more regulatory elements, e.g., a heterologous promoter or elements required for translation operably linked to the sequence encoding the peptide. In some cases the nucleic acid molecule will encode an amino acid sequence that includes the amino acid sequence of a peptide of the invention. For example, the nucleic acid molecule can encode a preprotein or a preproprotein that can be processed to produce a peptide of the invention.

A vector that includes a nucleotide sequence encoding a peptide of the invention or a peptide or polypeptide comprising a peptide of the invention may be either RNA or DNA, single- or double-stranded, prokaryotic, eukaryotic, or viral. Vectors can include transposons, viral vectors, episomes, (e.g., plasmids), chromosomes inserts, and artificial chromosomes (e.g. BACs or YACs). Suitable bacterial hosts for expression of the encode peptide or polypeptide include, but are not limited to, *E. coli*. Suitable eukaryotic hosts include yeast such as *S. cerevisiae*, other fungi, vertebrate cells, invertebrate cells (e.g., insect cells), plant cells, human cells, human tissue cells, and whole eukaryotic organisms. (e.g., a transgenic plant or a transgenic animal). Further, the vector nucleic acid can be used to generate a virus such as vaccinia or baculovirus.

As noted above the invention includes vectors and genetic constructs suitable for production of a peptide of the invention or a peptide or polypeptide comprising such a peptide. Generally, the genetic construct also includes, in addition to the encoding nucleic acid molecule, elements that allow expression, such as a promoter and regulatory sequences. The expression vectors may contain transcriptional control sequences that control transcriptional initiation, such as promoter, enhancer, operator, and repressor sequences. A variety of transcriptional control sequences are well known to those in the art and may be functional in, but are not limited to, a bacterium, yeast, plant, or animal cell. The expression vector can also include a translation regulatory sequence (e.g., an untranslated 5' sequence, an untranslated 3' sequence, a poly A addition site, or an internal ribosome entry site), a splicing sequence or splicing regulatory sequence, and a transcription termination sequence. The vector can be capable of autonomous replication or it can integrate into host DNA.

5

10

25

The invention also includes isolated host cells harboring one of the forgoing nucleic acid molecules and methods for producing a peptide by culturing such a cell and recovering the peptide or a precursor of the peptide. Recovery of the peptide or precursor may refer to collecting the growth solution and need not involve additional steps of purification. Proteins of the present invention, however, can be purified using standard purification techniques, such as, but not limited to, affinity chromatography, thermaprecipitation, immunoaffinity chromatography, ammonium sulfate precipitation, ion exchange chromatography, filtration, electrophoresis and hydrophobic interaction chromatography.

In a twenty first aspect, the invention features a method of increasing the level of cyclic guanosine 3'-monophosphate (cGMP) in an organ, tissue (e.g., the intestinal mucosa), or cell (e.g., a cell bearing GC-A receptor) by administering a composition that includes a peptide of the invention.

The details of one or more embodiments of the invention are set forth in the accompanying description and claims. The publications and patents referenced herein are incorporated by reference.

DRAWINGS

FIG.1 depicts deletion variants of human guanylin in which one, two, three or four amino acids are deleted. The deleted amino acids are between Cys_a and Cys_d as well as amino terminal to Cys_a.

FIG. 2 depicts insertion variants of human guanylin in which one, two, three or four amino acids are inserted. The inserted amino acids are between Cys_a and Cys_d as well as amino terminal to Cys_a and carboxy terminal to Cys_d.

10

15

20

25

FIG 3 depicts various polypeptides which include the amino acid sequence: Xaa₁ Xaa₂ Xaa₃ Cys₄ Xaa₅ Xaa₆ Xaa₇ Xaa₈ Xaa₉ Xaa₁₀ Xaa₁₁ Cys₁₂ Xaa₁₃ Xaa₁₄ Xaa₁₅ Xaa₁₆ (SEQ ID NO:1) wherein: Xaa₁ is any amino acid or is missing; Xaa₂ is any amino acid or is missing; Xaa₃ is any amino acid or is missing; Xaa₅ is Glu; Xaa₆ is Tyr, Trp, Phe or Leu; Xaa₇ is Cys;

Xaa₈ is any of the 20 naturally-occurring amino acids other than Cys or is missing; Xaa₉ is any of the 20 naturally-occurring amino acids; Xaa₁₀ is Pro or Gly; Xaa₁₁ is any of the 20 naturally-occurring amino acids; Xaa₁₃ is Thr, Val or Gly; Xaa₁₄ is Gly or Ala; Xaa₁₅ is Cys; and Xaa₁₆ is any of the 20 naturally-occurring amino acids or is missing.

DETAILED DESCRIPTION

The peptides of the invention bind to the guanylate cyclase (GC-C) receptor, a key regulator of fluid and electrolyte balance in the intestine and kidney. When stimulated, this receptor, which is located on the apical membrane of the intestinal epithelial surface, causes an increase in intestinal epithelial cyclic GMP (cGMP). This increase in cGMP is believed to cause a decrease in water and sodium absorption and an increase in chloride and potassium ion secretion, leading to changes in intestinal fluid and electrolyte transport and increased intestinal motility. The

intestinal GC-C receptor possesses an extracellular ligand binding region, a transmembrane region, an intracellular protein kinase-like region and a cyclase catalytic domain. Proposed functions for the GC-C receptor are the fluid and electrolyte homeostasis, the regulation of epithelial cell proliferation and the induction of apoptosis (Shaibhubhai 2002 *Curr Opin Drug Dis Devel* 5:261-268).

5

10

20

25

In addition to being expressed in gastrointestinal epithelial cells, GC-C is expressed in extraintestinal tissues including kidney, lung, pancreas, pituitary, adrenal, developing liver, heart and male and female reproductive tissues (reviewed in Vaandrager 2002 *Mol Cell Biochem* 230:73-83). This suggests that the GC-C receptor agonists can be used in the treatment of disorders outside the GI tract, for example, congestive heart failure and benign prostatic hyperplasia.

Ghrelin, a peptide hormone secreted by the stomach, is a key regulator of appetite in humans. Ghrelin expression levels are regulated by fasting and by gastric emptying. (Kim et al., 2003, Neuroreprt 14:1317-20; Gualillo et al., 2003, FEBS Letts 552: 105-9). Thus, by increasing gastrointestinal motility, GC-C receptor agonists may also be used to regulate obesity.

In humans, the GC-C receptor is activated by guanylin (Gn) (U.S. Patent 5,96,097), uroguanylin (Ugn) (U.S. Patent 5,140,102) and lymphoguanylin (Forte et al. 1999 *Endocrinology* 140:1800-1806).

Many gastrointestinal disorders, including IBS, are associated with abdominal or visceral pain. Certain of the peptides of the invention include the analgesic or anti-nociceptive tags such as the carboxy-terminal sequence AspPhe immediately following a Trp, Tyr or Phe (i.e., a chymotrypsin cleavage site) or following Lys or Arg (a trypsin cleavage site). Chymotrypsin in the intestinal tract will cleave such peptides immediately carboxy terminal to the Trp, Phe or Tyr residue, releasing the dipeptide, AspPhe. This dipeptide has been shown to have analgesic activity is animal models (Abdikkahi et al. 2001 Fundam Clin Pharmacol 15:117-23; Nikfar et al 1997, 29:583-6; Edmundson et al 1998 Clin Pharmacol Ther 63:580-93). In this manner such peptides can treat both pain and inflammation. Other analgesic peptides can be present at the carboxy terminus of the peptide (following a cleavage site) including: endomorphin-1,

endomorphin-2, nocistatin, dalargin, lupron, and substance P. As described in greater detail below, various analgesic peptides and compounds can be covalently linked to or used in combination therapy with the therapeutic peptides described herein.

5

10

15

20

25

In the human body an inactive form of chymotrypsin, chymotrypsinogen is produced in the pancreas. When this inactive enzyme reaches the small intestine it is converted to active chymotrypsin by the excision of two di-peptides. Active chymotrypsin will cleave peptides at the peptide bond on the carboxy-terminal side of Trp, Tyr or Phe. The presence of active chymotrypsin in the intestinal tract will lead to cleavage of certain of the peptides of the invention having an appropriately positioned chymotrypsin cleavage site. Certain of the peptides of the invention include a Trp, Tyr or Phe immediately followed by a carboxy-terminal analgesic peptide. It is expected that chymotrypsin cleavage will release the analgesic peptide from peptide of the invention having an appropriately positioned chymotrypsin cleavage site as the peptide passes through the intestinal tract.

Trypsinogen, like chymotrypsin, is a serine protease that is produced in the pancreas and is present in the digestive tract. The active form, trypsin, will cleave peptides having a Lys or Arg. The presence of active trypsin in the intestinal tract will lead to cleavage of certain of the peptides of the invention having an appropriately positioned trypsin cleavage site. It is expected that chymotrypsin cleavage will release the analgesic peptide from peptide of the invention having an appropriately positioned trypsin cleavage site as the peptide passes through the intestinal tract.

In some cases, the peptides of the invention are produced as a prepro protein. The prepro protein can include any suitable prepro sequence, including, for example, mnafllsalc llgawaalag gvtvqdgnfs fslesvkklk dlqepqeprv gklrnfapip gepvvpilcs npnfpeelkp lckepnaqei lqrleeiaed (SEQ ID NO:) and mgcraasgll pgvavvllll lqstqsvyiq yqgfrvqles mkklsdleaq wapsprlqaq sllpavchhp alpqdlqpvc asqeassifk tlrtia (SEQ ID NO:) or a bacterial leader sequence such as: mkksilfiflsvlsfspfaqdakpvesskekitleskkcniakksnksgpesmn. Where the peptide is produced by a bacterial cell, e.g., *E. coli*, the forgoing leader sequence will be cleaved and the mature peptide will be efficiently secreted from the bacterial cell. U.S. Patent No. 5,395,490 describes vectors,

expression systems and methods for the efficient production of certain mature peptides having disulfide bonds in bacterial cells and methods for achieving efficient secretion of such mature peptides. The vectors, expression systems and methods described in U.S. Patent No. 5,395,490 can be used to produce the polypeptides of the present invention.

5 Variant Peptides

10

The invention includes variant peptides that can include one, two, three, four, or five or more (e.g., 6, 7, 8, 9, 10, 11, 12, 13, 14, or 15) amino acid substitutions compared to any of the peptides described above. The substitution(s) can be conservative or non-conservative. The naturally-occurring amino acids can be substituted by D-isomers of any amino acid, non-natural amino acids, natural and non-natural amino acid analogs, and other groups. A conservative amino acid substitution results in the alteration of an amino acid for a similar acting amino acid, or amino acid of like charge, polarity, or hydrophobicity. At some positions, even conservative amino acid substitutions can reduce the activity of the peptide. A conservative substitution can substitute a naturally-occurring amino acid for a non-naturally-occurring amino acid. Among the naturally occurring amino acid substitutions generally considered conservative are:

Ton Amino Acid	Codo	Popless with one of
For Amino Acid	Code	Replace with any of
Alanine	Ala	Gly, Cys, Ser
Arginine	Arg	Lys, His
Asparagine	Asn	Asp, Glu, Gln,
Aspartic Acid	Asp	Asn, Glu, Gln
Cysteine	Cys	Met, Thr, Ser
Glutamine	Gln	Asn, Glu, Asp
Glutamic Acid	Glu	Asp, Asn, Gln
Glycine	Gly	Ala
Histidine	His	Lys, Arg
Isoleucine	Ile	Val, Leu, Met
Leucine	Leu	Val, Ile, Met
Lysine	Lys	Arg, His
Methionine	Met	Ile, Leu, Val
Phenylalanine	Phe	Tyr, His, Trp
Proline	Pro	
Serine	Ser	Thr, Cys, Ala
Threonine	Thr	Ser, Met, Val
Tryptophan	Trp	Phe, Tyr
Tyrosine	Tyr	Phe, His
Valine	Val	Leu, Ile, Met

5

10

In some circumstances it can be desirable to treat patients with a variant peptide that binds to and activates intestinal GC-C receptor, but is less active or more active than the non-variant form of the peptide. Reduced activity can arise from reduced affinity for the receptor or a reduced ability to activate the receptor once bound or reduced stability of the peptide. Increased activity can arise from increased affinity for the receptor or an increased ability to activate the receptor once bound or increased stability of the peptide.

In some peptides one or both members of one or both pairs of Cys residues which normally form a disulfide bond can be replaced by homocysteine, 3-mercaptoproline (Kolodziej et al. 1996 Int J Pept Protein Res 48:274); β , β dimethylcysteine (Hunt et al. 1993 Int J Pept Protein Res 42:249) or diaminopropionic acid (Smith et al. 1978 J Med Chem 21:117) to form alternative internal cross-links at the positions of the normal disulfide bonds.

Production of peptides

5

10

15

20

25

Useful peptides can be produced either in bacteria including, without limitation, *E. coli*, or in other existing systems for peptide or protein production (e.g., *Bacillus subtilis*, baculovirus expression systems using Drosophila Sf9 cells, yeast or filamentous fungal expression systems, mammalian cell expression systems), or they can be chemically synthesized.

If the peptide or variant peptide is to be produced in bacteria, e.g., *E. coli*, the nucleic acid molecule encoding the peptide may also encode a leader sequence that permits the secretion of the mature peptide from the cell. Thus, the sequence encoding the peptide can include the pre sequence and the pro sequence of, for example, a naturally-occurring bacterial ST peptide. The secreted, mature peptide can be purified from the culture medium.

The sequence encoding a peptide of the invention is can be inserted into a vector capable of delivering and maintaining the nucleic acid molecule in a bacterial cell. The DNA molecule may be inserted into an autonomously replicating vector (suitable vectors include, for example, pGEM3Z and pcDNA3, and derivatives thereof). The vector nucleic acid may be a bacterial or bacteriophage DNA such as bacteriophage lambda or M13 and derivatives thereof. Construction of a vector containing a nucleic acid described herein can be followed by transformation of a host cell such as a bacterium. Suitable bacterial hosts include but are not limited to, E. coli, B subtilis, Pseudomonas, Salmonella. The genetic construct also includes, in addition to the encoding nucleic acid molecule, elements that allow expression, such as a promoter and regulatory sequences. The expression vectors may contain transcriptional control sequences that control transcriptional initiation, such as promoter, enhancer, operator, and repressor sequences. A variety of transcriptional control sequences are well known to those in the art. The expression vector can also include a translation regulatory sequence (e.g., an untranslated 5' sequence, an untranslated 3' sequence, or an internal ribosome entry site). The vector can be capable of autonomous replication or it can integrate into host DNA to ensure stability during peptide production.

The protein coding sequence that includes a peptide of the invention can also be fused to a nucleic acid encoding a polypeptide affinity tag, e.g., glutathione S-transferase (GST), maltose E binding protein, protein A, FLAG tag, hexa-histidine, myc tag or the influenza HA tag, in order to facilitate purification. The affinity tag or reporter fusion joins the reading frame of the peptide of interest to the reading frame of the gene encoding the affinity tag such that a translational fusion is generated. Expression of the fusion gene results in translation of a single polypeptide that includes both the peptide of interest and the affinity tag. In some instances where affinity tags are utilized, DNA sequence encoding a protease recognition site will be fused between the reading frames for the affinity tag and the peptide of interest.

5

15

20

25

Genetic constructs and methods suitable for production of immature and mature forms of the peptides and variants of the invention in protein expression systems other than bacteria, and well known to those skilled in the art, can also be used to produce peptides in a biological system.

Mature peptides and variants thereof can be synthesized by the solid-phase method using an automated peptide synthesizer. For example, the peptide can be synthesized on Cyc(4-CH₂ Bxl)-OCH₂-4-(oxymethyl)-phenylacetamidomethyl resin using a double coupling program. Protecting groups must be used appropriately to create the correct disulfide bond pattern. For example, the following protecting groups can be used: t-butyloxycarbonyl (alpha-amino groups); acetamidomethyl (thiol groups of Cys residues B and E); 4-methylbenyl (thiol groups of Cys residues C and F); benzyl (y-carboxyl of glutamic acid and the hydroxyl group of threonine, if present); and bromobenzyl (phenolic group of tyrosine, if present). Coupling is effected with symmetrical anhydride of t-butoxylcarbonylamino acids or hydroxybenzotriazole ester (for asparagine or glutamine residues), and the peptide is deprotected and cleaved from the solid support in hydrogen fluoride, dimethyl sulfide, anisole, and p-thiocresol using 8/1/1/0.5 ratio (v/v/v/w) at 0°C for 60 min. After removal of hydrogen fluoride and dimethyl sulfide by reduced pressure and anisole and p-thiocresol by extraction with ethyl ether and ethyl acetate sequentially, crude peptides are extracted with a mixture of 0.5M sodium phosphate buffer, pH 8.0 and N,N-dimethylformamide using 1/1 ratio, v/v. The disulfide bond for Cys residues B and E is the formed using dimethyl sulfoxide (Tam et al. (1991) J. Am. Chem. Soc. 113:6657-62). The resulting peptide is the purified by reverse-phase chromatography. The disulfide bond

between Cys residues C and F is formed by first dissolving the peptide in 50% acetic acid in water. Saturated iodine solution in glacial acetic acid is added (1 ml iodine solution per 100 ml solution). After incubation at room temperature for 2 days in an enclosed glass container, the solution is diluted five-fold with deionized water and extracted with ethyl ether four times for removal of unreacted iodine. After removal of the residual amount of ethyl ether by rotary evaporation the solution of crude product is lyophilized and purified by successive reverse-phase chromatography.

Intestinal GC-C Receptor Binding and Activity Assays

5

10

15

20

25

The ability of peptides, variant peptides and other compounds to bind to and activate the intestinal GC-C receptor can be tested using the T84 human colon carcinoma cell line (American Type Culture Collection (Bethesda, Md.).

Briefly, cells are grown to confluency in 24-well culture plates with a 1:1 mixture of Ham's F12 medium and Dulbecco's modified Eagle's medium (DMEM), supplemented with 5% fetal calf serum and are used at between passages 54 and 60.

Monolayers of T84 cells in 24-well plates are washed twice with 1 ml/well DMEM, then incubated at 37°C for 10 min with 0.45 ml DMEM containing 1 mM isobutylmethylxanthine (IBMX), a cyclic nucleotide phosphodiesterase inhibitor. Test peptides (50µl) are then added and incubated for 30 minutes at 37°C. The media is aspirated and the reaction is terminated by the addition of ice cold 0.5 ml of 0.1N HCl. The samples are held on ice for 20 minutes and then evaporated to dryness using a heat gun or vacuum centrifugation. The dried samples are resuspended in 0.5ml of phosphate buffer provided in the Cayman Chemical Cyclic GMP EIA kit (Cayman Chemical, Ann Arbor, MI). Cyclic GMP is measured by EIA according to procedures outlined in the Cayman Chemical Cyclic GMP EIA kit.

For the binding assay, T84 cell monolayers in 24-well plates are washed twice with 1 ml of binding buffer (DMEM containing 0.05% bovine serum albumin and 25 mM HEPES, pH 7.2), then incubated for 30 min at 37°C in the presence of mature radioactively labeled *E. coli* ST

peptide and the test material at various concentrations. The cells are then washed 4 times with 1 ml of DMEM and solubilized with 0.5 ml/well 1N NaOH. The level of radioactivity in the solubilized material is then determined using standard methods.

Murine gastrointestinal transit (GIT) assay

15

20

25

In order to determine whether a test compound or a peptide, increases the rate of gastrointestinal transit, the test compound can be tested in the murine gastrointestinal transit (GIT) assay (Moon et al. *Infection and Immunity* 25:127, 1979). In this assay, charcoal, which can be readily visualized in the gastrointestinal tract is administered to mice after the administration of a test compound. The distance traveled by the charcoal is measured and expressed as a percentage of the total length of the colon.

Mice are fasted with free access to water for 12 to 16 hours before the treatment with peptide or control buffer. The peptides are orally administered at 1μg/kg – 1mg/kg of peptide in buffer (20mM Tris pH 7.5) seven minutes before being given an oral dose of 5% Activated Carbon (Aldrich 242276-250G). Control mice are administered buffer only before being given a dose of Activated Carbon. After 15 minutes, the mice are sacrificed and their intestines from the stomach to the cecum are dissected. The total length of the intestine as well as the distance traveled from the stomach to the charcoal front is measured for each animal and the results are expressed as the percent of the total length of the intestine traveled by the charcoal front. Results are reported as the average of 10 mice ± standard deviation. A comparison of the distance traveled by the charcoal between the mice treated with peptide versus the mice treated with vehicle alone is performed using a Student's t test and a statistically significant difference is considered for P<0.05. Positive controls for this assay may include commercially available wild-type ST peptide (Sigma-Aldrich, St Louis, MO) and Zelnorm®, a drug approved for IBS that is an agonist for the serotonin receptor 5HT4.

Suckling mouse model of intestinal secretion (SuMi assay)

The peptides of the invention can be tested for their ability to increase intestinal secretion using a suckling mouse model of intestinal secretion. In this model a test compound is administered to

suckling mice that are between seven and nine days old. After the mice are sacrificed, the gastrointestinal tract from the stomach to the cecum is dissected ("guts"). The remains ("carcass") as well as the guts are weighed and the ratio of guts to carcass weight is calculated. If the ratio is above 0.09, one can conclude that the test compound increases intestinal secretion.

Controls for this assay may include wild-type ST peptide and Zelnorm®

Phenylbenzoquinone-induced writhing model

The PBQ-induced writhing model can be used to assess pain control activity of the peptides and GC-C receptor agonists of the invention. This model is described by Siegmund et al. (1957 Proc. Soc. Exp. Bio. Med. 95:729-731). Briefly, one hour after oral dosing with a test compound, e.g., a peptide, morphine or vehicle, 0.02% phenylbenzoquinone (PBQ) solution (12.5 mL/kg) is injected by intraperitoneal route into the mouse. The number of stretches and writhings are recorded from the 5^{th} to the 10^{th} minute after PBQ injection, and can also be counted between the 35^{th} and 40^{th} minute and between the 60^{th} and 65^{th} minute to provide a kinetic assessment. The results are expressed as the number of stretches and writhings (mean \pm SEM) and the percentage of variation of the nociceptive threshold calculated from the mean value of the vehicle-treated group. The statistical significance of any differences between the treated groups and the control group is determined by a Dunnett's test using the residual variance after a one-way analysis of variance (P<0.05) using SigmaStat Software.

20 Colonic hyperalgesia animal models

Hypersensitivity to colorectal distension is a common feature in patients with IBS and may be responsible for the major symptom of pain. Both inflammatory and non-inflammatory animal models of visceral hyperalgesia to distension have been developed to investigate the effect of compounds on visceral pain in IBS.

25

5

10

15

I. Trinitrobenzenesulphonic acid (TNBS)-induced rectal allodynia model

Male Wistar rats (220-250 g) are premedicated with 0.5 mg/kg of acepromazine injected intraperitoneally (IP) and anesthetized by intramuscular administration of 100 mg/kg of

ketamine. Pairs of nichrome wire electrodes (60 cm in length and 80 μm in diameter) are implanted in the striated muscle of the abdomen, 2 cm laterally from the white line. The free ends of electrodes are exteriorized on the back of the neck and protected by a plastic tube attached to the skin. Electromyographic (EMG) recordings are started 5 days after surgery. Electrical activity of abdominal striated muscle is recorded with an electroencephalograph machine (Mini VIII, Alvar, Paris, France) using a short time constant (0.03 sec.) to remove low-frequency signals (<3 Hz).

Ten days post surgical implantation, trinitrobenzenesulphonic acid (TNBS) is administered to induce rectal inflammation. TNBS (80 mg kg⁻¹ in 0.3 ml 50 % ethanol) is administered intrarectally through a silicone rubber catheter introduced at 3 cm from the anus under light diethyl-ether anesthesia, as described (Morteau et al. 1994 Dig Dis Sci 39:1239). Following TNBS administration, rats are placed in plastic tunnels where they are severely limited in mobility for several days before colorectal distension (CRD). Experimental compound is administered one hour before CRD which is performed by insertion into the rectum, at 1 cm of the anus, a 4 cm long balloon made from a latex condom (Gue et al, 1997 *Neurogastroenterol. Motil.* 9:271). The balloon is fixed on a rigid catheter taken from an embolectomy probe (Fogarty). The catheter attached balloon is fixed at the base of the tail. The balloon, connected to a barostat is inflated progressively by step of 15 mmHg, from 0 to 60 mmHg, each step of inflation lasting 5 min. Evaluation of rectal sensitivity, as measured by EMG, is performed before (1-2 days) and 3 days following rectal instillation of TNBS.

The number of spike bursts that corresponds to abdominal contractions is determined per 5 min periods. Statistical analysis of the number of abdominal contractions and evaluation of the dose-effects relationships is performed by a one way analysis of variance (ANOVA) followed by a post-hoc (Student or Dunnett tests) and regression analysis for ED50 if appropriate.

II. Stress-induced hyperalgesia model

5

10

15

20

25

30

Male Wistar Rats (200-250 g) are surgically implanted with nichrome wire electrodes as in the TNBS model. Ten days post surgical implantation, partial restraint stress (PRS), is performed as

described by Williams et al. for two hours (Williams et al. 1988 Gastroenterology 64:611). Briefly, under light anaesthesia with ethyl-ether, the foreshoulders, upper forelimbs and thoracic trunk are wrapped in a confining harness of paper tape to restrict, but not prevent body movements. Control sham-stress animals are anaesthetized but not wrapped. Thirty minutes before the end of the PRS session, the animals are administered test-compound or vehicle. Thirty minutes to one hour after PRS completion, the CRD distension procedure is performed as described above for the TNBS model with barostat at pressures of 15, 30, 45 and 60mm Hg. Statistical analysis on the number of bursts is determined and analyzed as in the TNBS model above.

10

15

20

25

30

5

Administration of peptides and GC-C receptor agonists

For treatment of gastrointestinal disorders, the peptides and agonists of the invention are can be administered orally, e.g., as a tablet or cachet containing a predetermined amount of the active ingredient, pellet, gel, paste, syrup, bolus, electuary, slurry, capsule; powder; granules; as a solution or a suspension in an aqueous liquid or a non-aqueous liquid; as an oil-in-water liquid emulsion or a water-in-oil liquid emulsion, via a liposomal formulation (see, e.g., EP 736299) or in some other form. Orally administered compositions can include binders, lubricants, inert diluents, lubricating, surface active or dispersing agents, flavoring agents, and humectants. Orally administered formulations such as tablets may optionally be coated or scored and may be formulated so as to provide sustained, delayed or controlled release of the active ingredient therein. The peptides and agonists can be co-administered with other agents used to treat gastrointestinal disorders including but not limited to acid suppressing agents such as Histamine-2 receptor agonists (H2As) and proton pump inhibitors (PPIs). The peptides and agonists can also be administered by rectal suppository. For the treatment of disorders outside the gastrointestinal tract such as congestive heart failure and benign prostatic hypertrophy, peptides and agonists can be administered parenterally or orally.

The peptides described herein can be used alone or in combination with other agents. For example, the peptides can be administered together with one or more analgesic peptides or compounds. The analgesic peptide and/or compound can be covalently attached to a peptide

described herein or it can be a separate agent that is administered together with or sequentially with a peptide described herein in a combination therapy.

5

10

15

20

25

Combination therapy can be achieved by administering two or more agents, e.g., a peptide described herein and an analgesic peptide or compound, each of which is formulated and administered separately, or by administering two or more agents in a single formulation. Other combinations are also encompassed by combination therapy. For example, two agents can be formulated together and administered in conjunction with a separate formulation containing a third agent. While the two or more agents in the combination therapy can be administered simultaneously, they need not be. For example, administration of a first agent (or combination of agents) can precede administration of a second agent (or combination of agents) by minutes, hours, days, or weeks. Thus, the two or more agents can be administered within minutes of each other or within 1, 2, 3, 6, 9, 12, 15, 18, or 24 hours of each other or within 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 12, 14 days of each other or within 2, 3, 4, 5, 6, 7, 8, 9, or 10 weeks of each other. In some cases even longer intervals are possible. While in many cases it is desirable that the two or more agents used in a combination therapy be present in within the patient's body at the same time, this need not be so.

Combination therapy can also include two or more administrations of one or more of the agents used in the combination. For example, if agent X and agent Y are used in a combination, one could administer them sequentially in any combination one or more times, e.g., in the order X-Y-X, X-X-Y, Y-X-Y, Y-Y-X, X-X-Y-Y, etc.

The agents, alone or in combination, can be combined with any pharmaceutically acceptable carrier or medium. Thus, they can be combined with materials that do not produce an adverse, allergic or otherwise unwanted reaction when administered to a patient. The carriers or mediums used can include solvents, dispersants, coatings, absorption promoting agents, controlled release agents, and one or more inert excipients (which include starches, polyols, granulating agents, microcrystalline cellulose, diluents, lubricants, binders, disintegrating agents, and the like), etc. If desired, tablet dosages of the disclosed compositions may be coated by standard aqueous or nonaqueous techniques.

Compositions of the present invention may also optionally include other therapeutic ingredients, anti-caking agents, preservatives, sweetening agents, colorants, flavors, desiccants, plasticizers, dyes, and the like. Any such optional ingredient must be compatible with the compound of the invention to insure the stability of the formulation.

5

10

15

20

The composition may contain other additives as needed, including for example lactose, glucose, fructose, galactose, trehalose, sucrose, maltose, raffinose, maltitol, melezitose, stachyose, lactitol, palatinite, starch, xylitol, mannitol, myoinositol, and the like, and hydrates thereof, and amino acids, for example alanine, glycine and betaine, and peptides and proteins, for example albumen.

Examples of excipients for use as the pharmaceutically acceptable carriers and the pharmaceutically acceptable inert carriers and the aforementioned additional ingredients include, but are not limited to binders, fillers, disintegrants, lubricants, anti-microbial agents, and coating agents such as:

BINDERS: corn starch, potato starch, other starches, gelatin, natural and synthetic gums such as acacia, sodium alginate, alginic acid, other alginates, powdered tragacanth, guar gum, cellulose and its derivatives (*e.g.*, ethyl cellulose, cellulose acetate, carboxymethyl cellulose calcium, sodium carboxymethyl cellulose), polyvinyl pyrrolidone, methyl cellulose, pre-gelatinized starch (*e.g.*, STARCH 1500® and STARCH 1500 LM®, sold by Colorcon, Ltd.), hydroxypropyl methyl cellulose, microcrystalline cellulose (*e.g.* AVICELTM, such as, AVICEL-PH-101TM, - 103TM and -105TM, sold by FMC Corporation, Marcus Hook, PA, USA), or mixtures thereof,

FILLERS: talc, calcium carbonate (e.g., granules or powder), dibasic calcium phosphate, tribasic calcium phosphate, calcium sulfate (e.g., granules or powder), microcrystalline cellulose, powdered cellulose, dextrates, kaolin, mannitol, silicic acid, sorbitol, starch, pre-gelatinized starch, or mixtures thereof,

30 DISINTEGRANTS: agar-agar, alginic acid, calcium carbonate, microcrystalline cellulose,

croscarmellose sodium, crospovidone, polacrilin potassium, sodium starch glycolate, potato or tapioca starch, other starches, pre-gelatinized starch, clays, other algins, other celluloses, gums, or mixtures thereof,

LUBRICANTS: calcium stearate, magnesium stearate, mineral oil, light mineral oil, glycerin, sorbitol, mannitol, polyethylene glycol, other glycols, stearic acid, sodium lauryl sulfate, talc, hydrogenated vegetable oil (e.g., peanut oil, cottonseed oil, sunflower oil, sesame oil, olive oil, corn oil and soybean oil), zinc stearate, ethyl oleate, ethyl laurate, agar, syloid silica gel (AEROSIL 200, W.R. Grace Co., Baltimore, MD USA), a coagulated aerosol of synthetic silica (Deaussa Co., Plano, TX USA), a pyrogenic silicon dioxide (CAB-O-SIL, Cabot Co., Boston, MA USA), or mixtures thereof,

ANTI-CAKING AGENTS: calcium silicate, magnesium silicate, silicon dioxide, colloidal silicon dioxide, talc, or mixtures thereof,

15

20

25

ANTIMICROBIAL AGENTS: benzalkonium chloride, benzethonium chloride, benzoic acid, benzyl alcohol, butyl paraben, cetylpyridinium chloride, cresol, chlorobutanol, dehydroacetic acid, ethylparaben, methylparaben, phenol, phenylethyl alcohol, phenoxyethanol, phenylmercuric acetate, phenylmercuric nitrate, potassium sorbate, propylparaben, sodium benzoate, sodium dehydroacetate, sodium propionate, sorbic acid, thimersol, thymo, or mixtures thereof, and

COATING AGENTS: sodium carboxymethyl cellulose, cellulose acetate phthalate, ethylcellulose, gelatin, pharmaceutical glaze, hydroxypropyl cellulose, hydroxypropyl methylcellulose, hydroxypropyl methyl cellulose phthalate, methylcellulose, polyethylene glycol, polyvinyl acetate phthalate, shellac, sucrose, titanium dioxide, carnauba wax, microcrystalline wax, or mixtures thereof.

The agents either in their free form or as a salt can be combined with a polymer such as polylactic-glycoloic acid (PLGA), poly-(I)-lactic-glycolic-tartaric acid (P(I)LGT) (WO

01/12233), polyglycolic acid (U.S. 3,773,919), polylactic acid (U.S. 4,767,628), poly(εcaprolactone) and poly(alkylene oxide) (U.S. 20030068384) to create a sustained release formulation. Such formulations can be used to implants that release a peptide or another agent over a period of a few days, a few weeks or several months depending on the polymer, the particle size of the polymer, and the size of the implant (see, e.g., U.S. 6,620,422). Other sustained release formulations and polymers for use in such formulations are described in EP 0 467 389 A2, WO 93/24150, U.S. 5,612,052, WO 97/40085, WO 03/075887, WO 01/01964A2, U.S. 5,922,356, WO 94/155587, WO 02/074247A2, WO 98/25642, U.S. 5,968,895, U.S. 6,180,608, U.S. 20030171296, U.S. 20020176841, U.S. 5,672,659, U.S. 5,893,985, U.S. 5,134,122, U.S. 5,192,741, U.S. 5,192,741, U.S. 4,668,506, U.S. 4,713,244, U.S. 5,445,832 U.S. 4,931,279, U.S. 5,980,945, WO 02/058672, WO 9726015, WO 97/04744, and. US20020019446. In such sustained release formulations microparticles of peptide are combined with microparticles of polymer. One or more sustained release implants can be placed in the large intestine, the small intestine or both. U.S. 6,011,011 and WO 94/06452 describe a sustained release formulation providing either polyethylene glycols (i.e. PEG 300 and PEG 400) or triacetin. WO 03/053401 describes a formulation which may both enhance bioavailability and provide controlled release of the agent within the GI tract. Additional controlled release formulations are described in WO 02/38129, EP 326 151, U.S. 5,236,704, WO 02/30398, WO 98/13029; U.S. 20030064105, U.S. 20030138488A1, U.S. 20030216307A1, U.S. 6,667,060, WO 01/49249, WO 01/49311, WO 01/49249, WO 01/49311, and U.S. 5,877,224.

5

10

15

20

25

30

The agents can be administered, e.g., by intravenous injection, intramuscular injection, subcutaneous injection, intraperitoneal injection, topical, sublingual, intraarticular (in the joints), intradermal, buccal, ophthalmic (including intraocular), intranasaly (including using a cannula), or by other routes. The agents can be administered orally, e.g., as a tablet or cachet containing a predetermined amount of the active ingredient, gel, pellet, paste, syrup, bolus, electuary, slurry, capsule, powder, granules, as a solution or a suspension in an aqueous liquid or a non-aqueous liquid, as an oil-in-water liquid emulsion or a water-in-oil liquid emulsion, via a micellar formulation (see, e.g. WO 97/11682) via a liposomal formulation (see, e.g., EP 736299, WO 99/59550 and WO 97/13500), via formulations described in WO 03/094886 or in some other

form. Orally administered compositions can include binders, lubricants, inert diluents, lubricating, surface active or dispersing agents, flavoring agents, and humectants. Orally administered formulations such as tablets may optionally be coated or scored and may be formulated so as to provide sustained, delayed or controlled release of the active ingredient therein. The agents can also be administered transdermally (i.e. via reservoir-type or matrix-type patches, microneedles, thermal poration, hypodermic needles, iontophoresis, electroporation, ultrasound or other forms of sonophoresis, jet injection, or a combination of any of the preceding methods (Prausnitz et al. 2004, Nature Reviews Drug Discovery 3:115-124)). The agents can be administered using high-velocity transdermal particle injection techniques using the hydrogel particle formulation described in U.S. 20020061336. Additional particle formulations are described in WO 00/45792, WO 00/53160, and WO 02/19989. An example of a transdermal formulation containing plaster and the absorption promoter dimethylisosorbide can be found in WO 89/04179. WO 96/11705 provides formulations suitable for transdermal administration. The agents can be administered in the form a suppository or by other vaginal or rectal means. The agents can be administered in a transmembrane formulation as described in WO 90/07923. The agents can be administered non-invasively via the dehydrated particles described in U.S. 6,485,706. The agent can be administered in an enteric-coated drug formulation as described in WO 02/49621. The agents can be administered intranassaly using the formulation described in U.S. 5,179,079. Formulations suitable for parenteral injection are described in WO 00/62759. The agents can be administered using the casein formulation described in U. S. 20030206939 and WO 00/06108. The agents can be administered using the particulate formulations described in U.S. 20020034536.

5

10

15

20

25

30

The agents, alone or in combination with other suitable components, can be administered by pulmonary route utilizing several techniques including but not limited to intratracheal instillation (delivery of solution into the lungs by syringe), intratracheal delivery of liposomes, insufflation (administration of powder formulation by syringe or any other similar device into the lungs) and aerosol inhalation. Aerosols (e.g., jet or ultrasonic nebulizers, metered-dose inhalers (MDIs), and dry-powder inhalers (DPIs)) can also be used in intranasal applications. Aerosol formulations are stable dispersions or suspensions of solid material and liquid droplets in a

5

10

15

20

25

30

gaseous medium and can be placed into pressurized acceptable propellants, such as hydrofluroalkanes (HFAs, i.e. HFA-134a and HFA-227, or a mixture thereof), dichlorodifluoromethane (or other chlorofluocarbon propellants such as a mixture of Propellants 11, 12, and/or 114), propane, nitrogen, and the like. Pulmonary formulations may include permeation enhancers such as fatty acids, and saccharides, chelating agents, enzyme inhibitors (e.g., protease inhibitors), adjuvants (e.g., glycocholate, surfactin, span 85, and nafamostat), preservatives (e.g., benzalkonium chloride or chlorobutanol), and ethanol (normally up to 5% but possibly up to 20%, by weight). Ethanol is commonly included in aerosol compositions as it can improve the function of the metering valve and in some cases also improve the stability of the dispersion. Pulmonary formulations may also include surfactants which include but are not limited to bile salts and those described in U.S. 6,524,557 and references therein. The surfactants described in U.S. 6,524,557, e.g., a C8-C16 fatty acid salt, a bile salt, a phospholipid, or alkyl saccaride are advantageous in that some of them also reportedly enhance absorption of the peptide in the formulation. Also suitable in the invention are dry powder formulations comprising a therapeutically effective amount of active compound blended with an appropriate carrier and adapted for use in connection with a dry-powder inhaler. Absorption enhancers which can be added to dry powder formulations of the present invention include those described in U.S. 6,632,456. WO 02/080884 describes new methods for the surface modification of powders. Aerosol formulations may include U.S. 5,230,884, U.S. 5,292,499, WO 017/8694, WO 01/78696, U.S. 2003019437, U.S. 20030165436, and WO 96/40089 (which includes vegetable oil). Sustained release formulations suitable for inhalation are described in U.S. 20010036481A1, 20030232019A1, and U.S. 20040018243A1 as well as in WO 01/13891, WO 02/067902, WO 03/072080, and WO 03/079885. Pulmonary formulations containing microparticles are described in WO 03/015750, U.S. 20030008013, and WO 00/00176. Pulmonary formulations containing stable glassy state powder are described in U.S. 20020141945 and U.S. 6,309,671. Other aerosol formulations are described in EP 1338272A1 WO 90/09781, U. S. 5,348,730, U.S. 6,436,367, WO 91/04011, and U.S. 6,294,153 and U.S. 6,290,987 describes a liposomal based formulation that can be administered via aerosol or other means. Powder formulations for inhalation are described in U.S. 20030053960 and WO 01/60341. The agents can be administered intranasally as described in U.S. 20010038824.

Solutions of medicament in buffered saline and similar vehicles are commonly employed to generate an aerosol in a nebulizer. Simple nebulizers operate on Bernoulli's principle and employ a stream of air or oxygen to generate the spray particles. More complex nebulizers employ ultrasound to create the spray particles. Both types are well known in the art and are described in standard textbooks of pharmacy such as Sprowls' American Pharmacy and Remington's The Science and Practice of Pharmacy. Other devices for generating aerosols employ compressed gases, usually hydrofluorocarbons and chlorofluorocarbons, which are mixed with the medicament and any necessary excipients in a pressurized container, these devices are likewise described in standard textbooks such as Sprowls and Remington.

10

15

20

25

30

5

The agents can be a free acid or base, or a pharmacologically acceptable salt thereof. Solids can be dissolved or dispersed immediately prior to administration or earlier. In some circumstances the preparations include a preservative to prevent the growth of microorganisms. The pharmaceutical forms suitable for injection can include sterile aqueous or organic solutions or dispersions which include, e.g., water, an alcohol, an organic solvent, an oil or other solvent or dispersant (e.g., glycerol, propylene glycol, polyethylene glycol, and vegetable oils). The formulations may contain antioxidants, buffers, bacteriostats, and solutes that render the formulation isotonic with the blood of the intended recipient, and aqueous and non-aqueous sterile suspensions that can include suspending agents, solubilizers, thickening agents, stabilizers, and preservatives. Pharmaceutical agents can be sterilized by filter sterilization or by other suitable means.

The agent can be fused to immunoglobulins or albumin, or incorporated into a lipsome to improve half-life. The agent can also be conjugated to polyethylene glycol (PEG) chains. Methods for pegylation and additional formulations containing PEG-conjugates (i.e. PEG-based hydrogels, PEG modified liposomes) can be found in Harris and Chess, Nature Reviews Drug Discovery 2: 214-221 and the references therein. The peptides of the invention may also be conjugated to, for example, alkyl groups (e.g., C1-C20 straight or branched alkyl groups); fatty acid radicals; and combinations of PEG, alkyl groups and fatty acid radicals (see U.S. Patent 6,309,633; Soltero et al., 2001 Innovations in Pharmaceutical Technology 106-110). The agent

can be administered via a nanocochleate or cochleate delivery vehicle (BioDelivery Sciences International). The agents can be delivered transmucosally (i.e. across a mucosal surface such as the vagina, eye or nose) using formulations such as that described in U.S. 5,204,108. The agents can be formulated in microcapsules as described in WO 88/01165. The agent can be administered intra-orally using the formulations described in U.S. 20020055496, WO 00/47203, and U.S. 6,495,120. The agent can be delivered using nanoemulsion formulations described in WO 01/91728A2.

Suitable pharmaceutical compositions in accordance with the invention will generally include an amount of the active compound(s) with an acceptable pharmaceutical diluent or excipient, such as a sterile aqueous solution, to give a range of final concentrations, depending on the intended use. The techniques of preparation are generally well known in the art, as exemplified by Remington's Pharmaceutical Sciences (18th Edition, Mack Publishing Company, 1995).

The agents described herein and combination therapy agents can be packaged as a kit that includes single or multiple doses of two or more agents, each packaged or formulated individually, or single or multiple doses of two or more agents packaged or formulated in combination. Thus, one or more agents can be present in first container, and the kit can optionally include one or more agents in a second container. The container or containers are placed within a package, and the package can optionally include administration or dosage instructions. A kit can include additional components such as syringes or other means for administering the agents as well as diluents or other means for formulation.

Methods to increase chemical and/or physical stability of the agents the described herein are found in U.S. 6,541,606, U.S. 6,068,850, U.S. 6,124,261, U.S. 5,904,935, and WO 00/15224, U.S. 20030069182 (via the addition of nicotinamide), U.S. 20030175230A1, U.S. 20030175230A1, U.S. 20030175239A1, U.S. 20020045582, U.S. 20010031726, WO 02/26248, WO 03/014304, WO 98/00152A1, WO 98/00157A1, WO 90/12029, WO 00/04880, and WO 91/04743, WO 97/04796 and the references cited therein.

30

25

5

10

Methods to increase bioavailability of the agents described herein are found in U.S. 6,008,187, U.S. 5,424,289, U.S. 20030198619, WO 90/01329, WO 01/49268, WO 00/32172, and WO 02/064166. Glycyrrhizinate can also be used as an absorption enhancer (see, e.g., EP397447). WO 03/004062 discusses Ulex europaeus I (UEAI) and UEAI mimetics which may be used to target the agents of the invention to the GI tract.

Analgesic Agents

5

10

15

20

25

The peptides described herein can be used in combination therapy with an analgesic agent, e.g., an analgesic compound or an analgesic peptide. The analgesic agent can optionally be covalently attached to a peptide described herein. Among the useful analgesic agents are: Ca channel blockers, 5HT receptor antagonists (for example 5HT3, 5HT4 and 5HT1 receptor antagonists), opioid receptor agonists (loperamide, fedotozine, and fentanyl), NK1 receptor antagonists, CCK receptor agonists (e.g., loxiglumide), NK1 receptor antagonists, NK3 receptor antagonists, norepinephrine-serotonin reuptake inhibitors (NSRI), vanilloid and cannabanoid receptor agonists, and sialorphin. Analgesics agents in the various classes are described in the literature.

Among the useful analgesic peptides are sialorphin-related peptides, including those comprising the amino acid sequence QHNPR (SEQ ID NO:), including: VQHNPR (SEQ ID NO:); VRQHNPR (SEQ ID NO:); VRGPQHNPR (SEQ ID NO:); VRGPQHNPR (SEQ ID NO:); VRGPRQHNPR (SEQ ID NO:); and RQHNPR (SEQ ID NO:); and RQHNPR (SEQ ID NO:). Sialorphin-related peptides bind to neprilysin and inhibit neprilysin-mediated breakdown of substance P and Met-enkephalin. Thus, compounds or peptides that are inhibitors of neprilysin are useful analgesic agents which can be administered with the peptides of the invention in a co-therapy or linked to the peptides of the invention, e.g., by a covalent bond. Sialophin and related peptides are described in U.S. Patent 6,589,750; U.S. 20030078200 A1; and WO 02/051435 A2.

Opioid receptor antagonists and agonists can be administered with the peptides of the invention in co-therapy or linked to the peptide of the invention, e.g., by a covalent bond. For example, opioid receptor antagonists such as naloxone, naltrexone, methyl nalozone, nalmefene, cypridime, beta funaltrexamine, naloxonazine, naltrindole, and nor-binaltorphimine are thought to be useful in the treatment of IBS. It can be useful to formulate opioid antagonists of this type is a delayed and sustained release formulation such that initial release of the antagonist is in the mid to distal small intestine and/or ascending colon. Such antagonists are described in WO 01/32180 A2. Enkephalin pentapeptide (HOE825; Tyr-D-Lys-Gly-Phe-L-homoserine) is an agonist of the mu and delta opioid receptors and is thought to be useful for increasing intestinal motility (Eur. J. Pharm. 219:445, 1992), and this peptide can be used in conjunction with the peptides of the invention. Also useful is trimebutine which is thought to bind to mu/delta/kappa opioid receptors and activate release of motilin and modulate the release of gastrin, vasoactive intestinal peptide, gastrin and glucagons. Kappa opioid receptor agonists such as fedotozine, ketocyclazocine, and compounds described in WO 03/097051 A2 can be used with or linked to the peptides of the invention. In addition, mu opioid receptor agonists such as morphine, diphenyloxylate, frakefamide (H-Tyr-D-Ala-Phe(F)-Phe-NH₂; WO 01/019849 A1) and loperamide can be used.

Tyr-Arg (kyotorphin) is a dipeptide that acts by stimulating the release of met-enkephalins to elicit an analgesic effect (J. Biol. Chem. 262:8165, 1987). Kyotorphin can be used with or linked to the peptides of the invention.

CCK receptor agonists such as caerulein from amphibians and other species are useful analgesic agents that can be used with or linked to the peptides of the invention.

25

5

10

15

20

Conotoxin peptides represent a large class of analgesic peptides that act at voltage gated Ca channels, NMDA receptors or nicotinic receptors. These peptides can be used with or linked to the peptides of the invention.

Peptide analogs of thymulin (FR 2830451) can have analgesic activity and can be used with or linked to the peptides of the invention.

CCK (CCKa or CCKb) receptor antagonists, including loxiglumide and dexloxiglumide (the R-isomer of loxiglumide) (WO 88/05774) can have analgesic activity and can be used with or linked to the peptides of the invention.

Other useful analgesic agents include 5-HT4 agonists such as tegaserod/zelnorm and lirexapride. Such agonists are described in: EP1321142 A1, WO 03/053432A1, EP 505322 A1, EP 505322 B1, U.S. 5,510,353, EP 507672 A1, EP 507672 B1, and U.S. 5,273,983.

10

15

20

25

Calcium channel blockers such as ziconotide and related compounds described in, for example, EP 625162B1, U.S. 5,364,842, U.S. 5,587,454, U.S. 5,824,645, U.S. 5,859,186, U.S. 5,994,305, U.S. 6,087,091, U.S. 6,136,786, WO 93/13128 A1, EP 1336409 A1, EP 835126 A1, EP 835126 B1, U.S. 5,795,864, U.S. 5,891,849, U.S. 6,054,429, WO 97/01351 A1, can be used with or linked to the peptides of the invention.

Various antagonists of the NK-1, NK-2, and NK-3 receptors (for a review see Giardina et al. 2003 *Drugs* 6:758) can be can be used with or linked to the peptides of the invention.

NK1 receptor antagonists such as: aprepitant (Merck & Co Inc), vofopitant, ezlopitant (Pfizer, Inc.), R-673 (Hoffmann-La Roche Ltd), SR-14033 and related compounds described in, for example, EP 873753 A1, U.S. 20010006972 A1, U.S. 20030109417 A1, WO 01/52844 A1, can be used with or linked to the peptides of the invention.

NK-2 receptor antagonists such as nepadutant (Menarini Ricerche SpA), saredutant (Sanofi-Synthelabo), SR-144190 (Sanofi-Synthelabo) and UK-290795 (Pfizer Inc) can be used with or linked to the peptides of the invention.

NK3 receptor antagonists such as osanetant (Sanofi-Synthelabo), talnetant and related compounds described in, for example, WO 02/094187 A2, EP 876347 A1, WO 97/21680 A1, U.S. 6,277,862, WO 98/11090, WO 95/28418, WO 97/19927, and Boden et al. (*J Med Chem*. 39:1664-75, 1996) can be used with or linked to the peptides of the invention.

5

10

15

Norepinephrine-serotonin reuptake inhibitors such as milnacipran and related compounds described in WO 03/077897 A1 can be used with or linked to the peptides of the invention.

Vanilloid receptor antagonists such as arvanil and related compounds described in WO 01/64212 A1 can be used with or linked to the peptides of the invention.

Where the analgesic is a peptide and is covalently linked to a peptide described herein the resulting peptide may also include at least one trypsin or chymotrypsin cleavage site. When present within the peptide, the analgesic peptide may be preceded by (if it is at the carboxy terminus) or followed by (if it is at the amino terminus) a chymotrypsin or trypsin cleavage site that allows release of the analgesic peptide.

In addition to sialorphin-related peptides, analgesic peptides include: AspPhe, endomorphin-1, endomorphin-2, nocistatin, dalargin, lupron, zicnotide, and substance P.

20

25

30

Methods of Treatment

The peptides of the invention can be used alone or in combination therapy for the treatment or prevention of cancer, pre-cancerous growths, or metastatic growths. For example, they can be used for the prevention or treatment of: colorectal/local metastasized colorectal cancer, gastrointestinal tract cancer, lung cancer, cancer or pre-cancerous growths or metastatic growths of epithelial cells, polyps, breast, colorectal, lung, ovarian, pancreatic, prostatic, renal, stomach, bladder, liver, esophageal and testicular carcinoma, carcinoma (e.g., basal cell, basosquamous, Brown-Pearce, ductal carcinoma, Ehrlich tumor, Krebs, Merkel cell, small or non-small cell lung, oat cell, papillary, bronchiolar, squamous cell, transitional cell, Walker), leukemia (e.g., B-

cell, T-cell, HTLV, acute or chronic lymphocytic, mast cell, myeloid), histiocytonia, histiocytosis, Hodgkin's disease, non-Hodgkin's lymphoma, plasmacytoma, reticuloendotheliosis, adenoma, adeno-carcinoma, adenofibroma, adenolymphoma, ameloblastoma, angiokeratoma, angiolymphoid hyperplasia with eosinophilia, sclerosing angioma, angiomatosis, apudoma, branchionia, malignant carcinoid syndrome, carcinoid heart disease, carcinosarcoma, cementoma, cholangioma, cholesteatoma, chondrosarcoma, chondroblastoma, chondrosarcoma, chordoma, choristoma, craniopharyngioma, chrondroma, cylindroma, cystadenocarcinoma, cystadenoma, cystosarconia phyllodes, dysgenninoma, ependymoma, Ewing sarcoma, fibroma, fibrosarcoma, giant cell tumor, ganglioneuroma, glioblastoma, glomangioma, granulosa cell tumor, gynandroblastoma, hamartoma, hemangioendothelioma, hemangioma, hemangiopericytoma, hemangiosarcoma, hepatoma, islet cell tumor, Kaposi sarcoma, leiomyoma, leiomyosarcoma, leukosarcoma, Leydig cell tumor, lipoma, liposarcoma, lymphaugioma, lymphangiomyoma, lymphangiosarcoma, medulloblastoma, meningioma, mesenchymoma, mesonephroma, mesothelioma, myoblastoma, myoma, myosarcoma, myxoma, myxosarcoma, neurilemmoma, neuroma, neuroblastoma, neuroepithelioma, neurofibroma, neurofibromatosis, odontoma, osteoma,, osteosarcoma, papilloma, paraganglioma, paraganglionia. nonchroinaffin, pinealoma, rhabdomyoma, rhabdomyosarcoma, Sertoli cell tumor, teratoma, theca cell tumor, and other diseases in which cells have become dysplastic, immortalized, or transformed.

The peptides of the invention can be used alone or in combination therapy for the treatment or prevention of: Familial Adenomatous Polyposis (FAP) (autosomal dominant syndrome) that precedes colon cancer, hereditary nonpolyposis colorectal cancer (HNPCC), and inherited autosomal dominant syndrome.

For treatment or prevention of cancer, pre-cancerous growths and metastatic growths, the peptides can be used alone or in combination therapy with radiation or chemotherapeutic agents, an inhibitor of a cGMP-dependent phosphodiesterase or a selective cyclooxygenase-2 inhibitor (a number of selective cyclooxygenase-2 inhibitors are described in WO02062369, hereby incorporated by reference).

30

5

10

15

The peptides can be for treatment or prevention of inflammation. Thus, they can be used alone or in combination with inhibitors of cGMP-dependent phosphodiesterase or a selective cyclooxygenase-2 inhibitor for treatment of: organ inflammation, IBD (e.g, Crohn's disease, ulcerative colitis), asthma, nephritis, hepatitis, pancreatitis, bronchitis, cystic fibrosis, ischemic bowel diseases, intestinal inflammations/allergies, coeliac disease, proctitis, eosnophilic gastroenteritis, mastocytosis, and other inflammatory disorders.

5

10

15

20

The peptides can also be used alone or in combination therapy to treat or prevent insulin-related disorders, for example: II diabetes mellitus, hyperglycemia, obesity, disorders associated with disturbances in glucose or electrolyte transport and insulin secretion in cells, or endocrine disorders. They can be also used in insulin resistance treatment and post-surgical and non-post surgery decrease in insulin responsiveness.

The peptides can be used alone or in combination therapy to prevent or treat respiratory disorders, including, inhalation, ventilation and mucus secretion disorders, pulmonary hypertension, chronic obstruction of vessels and airways, and irreversible obstructions of vessels and bronchi.

The peptides can be used in combination therapy with a phosphodiesterase inhibitor (examples of such inhibitors can be found in U.S. 6,333,354, hereby incorporated by reference).

The peptides can also be used alone or in combination therapy to prevent or treat: retinopathy, nephropathy, diabetic angiopathy, and edema formation

The peptides can also be used alone or in combination therapy to prevent or treat neurological disorders, for example, headache, anxiety, movement disorders, aggression, psychosis, seizures, panic attacks, hysteria, sleep disorders, depression, schizoaffective disorders, sleep apnea, attention deficit syndromes, memory loss, and narcolepsy. They may also be used as a sedative.

The peptides and detectabley labeled peptides can be used as markers to identify, detect, stage, or diagnosis diseases and conditions of the small intestine, including:

Crohn's disease, colitis, inflammatory bowel disease, tumors, benign tumors, such as benign stromal tumors, adenoma, angioma, adenomatous (pedunculated and sessile) polyps, malignant, carcinoid tumors, endocrine cell tumors, lymphoma, adenocarcinoma, foregut, midgut, and hindgut carcinoma, gastroinstestinal stromal tumor (GIST), such as leiomyorna, cellular leiomyoma, leiomyoblastoma, and leiomyosarcoma, gastrointestinal autonomic nerve tumor, malabsorption syndromes, celiac diseases, diverticulosis, Meckel's diverticulurn, colonic diverticula, megacolon, Hirschsprung's disease, irritable bowel syndrome, mesenteric ischemia, ischemic colitis, colorectal cancer, colonic polyposis, polyp syndrome, intestinal adenocarcinoma, Liddle syndrome, Brody myopathy, infantile convulsions, and choreoathetosis

The peptides can be conjugated to another molecule (e.g., a diagnostic or therapeutic molecule) to target cells bearing the GCC receptor, e.g., cystic fibrosis lesions and specific cells lining the intestinal tract. Thus, they can be used to target radioactive moieties or therapeutic moieties to the intestine to aid in imaging and diagnosing or treating colorectal/metastasized or local colorectal cancer and to deliver normal copies of the p53 tumor suppressor gene to the intestinal tract.

20 The peptides can be used alone or in combination therapy to treat erectile dysfunction.

The peptides can be used alone or in combination therapy to treat inner ear disorders, e.g., to treat Meniere's disease, including symptoms of the disease such as vertigo, hearing loss, tinnitus, sensation of fullness in the ear, and to maintain fluid homeostasis in the inner ear.

25

30

5

10

15

The peptides can be used alone or in combination therapy to treat disorders associated with fluid and sodium retention, e.g., diseases of the electrolyte-water/electrolyte transport system within the kidney, gut and urogenital system, congestive heart failure, hypertension, hypotension, liver cirrhosis, and nephrotic syndrome. In addition they can be used to facilitate diuresis or control intestinal fluid.

The peptides can be used alone or in combination therapy to treat disorders associated with chloride or bicarbonate secretion, e.g., Cystic Fibrosis.

The peptides can be used alone or in combination therapy to treat disorders associated with bile secretion. In addition, they can be used to facilitate or control chloride and bile fluid secretion in the gall bladder.

The peptides can be used alone or in combination therapy to treat disorders associated with liver cell regeneration.

What is claimed is:

10

1. A purified polypeptide comprising the amino acid sequence: Xaa₁ Xaa₂ Xaa₃ Cys₄ Xaa₅ Xaa₆ Xaa₇ Xaa₈ Xaa₉ Xaa₁₀ Xaa₁₁ Cys₁₂ Xaa₁₃ Xaa₁₄ Xaa₁₅ Xaa₁₆ (SEQ ID NO:1) wherein:

Xaa₁ is Ser, Asn, Tyr, Ala, Gln, Pro, Lys, Gly, or Thr, or is missing;

Xaa₂ is His, Asp, Glu, Ala, Ser, Asn, Gly, or is missing;

Xaa₃ is Thr, Asp, Ser, Glu, Pro, Val or Leu;

Xaa₅ is Asp, Ile or Glu;

Xaa₆ is Ile, Trp or Leu;

Xaa₇ is Cys, Ser, or Tyr;

Xaa₈ is Ala, Val, Thr, Ile, Met or is missing;

Xaa₉ is a) any amino acid, b) Phe, Tyr, Asn, Trp, c) an amino acid other than Phe, Trp, or Tyr, d) non-aromatic amino acid or e) is missing;

Xaa₁₀ is Ala, Val, Met, Thr or Ile;

Xaa₁₁ is Ala or Val;

15 Xaa_{13} is Ala or Thr;

5

10

Xaa₁₄ is Gly, Ala or Ser;

Xaa₁₅ is Cys, Tyr or is missing; and

Xaa₁₆ is: a) Trp, Tyr or Phe to create a chymotrypsin cleavage site; b) Lys or Arg to create a trypsin cleavage site; c) is missing or d) His or Leu or Ser.

- 20 2. The purified polypeptide of claim 1 wherein Xaa₁ is preceded by Lys or Tyr.
 - 3. A composition comprising the polypeptide of claim 1 and a pharmaceutically acceptable carrier.
- 4. A composition comprising a polypeptide comprising the amino acid sequence: Xaa₁ Xaa₂ Xaa₃ Cys₄ Xaa₅ Xaa₆ Xaa₇ Xaa₈ Xaa₉ Xaa₁₀ Xaa₁₁ Cys₁₂ Xaa₁₃ Xaa₁₄ Xaa₁₅ Xaa₁₆ (SEQ ID
 25 NO:1) wherein:

Xaa₁ is Ser, Asn, Tyr, Ala, Gln, Pro, Lys, Gly, or Thr, or is missing;

Xaa₂ is His, Asp, Glu, Ala, Ser, Asn, Gly, Pro or is missing;

Xaa₃ is Thr, Asp, Ser, Glu, Pro, Val or Leu;

Xaa₅ is Asp, Ile or Glu;

Xaa₆ is Ile, Trp or Leu;

Xaa₇ is Cys, Ser, or Tyr;

Xaa₈ is Ala, Val, Thr, Ile, Met or is missing;

5 Xaa₉ is Phe, Tyr, Asn, Trp, an amino acid other than Phe, Trp, or Tyr, is a non-aromatic amino acid or is missing;

Xaa₁₀ is Ala, Val, Met, Thr or Ile;

Xaa₁₁ is Ala or Val;

Xaa₁₃ is Ala or Thr; Xaa₁₄ is Gly, Ala or Ser;

Xaa₁₅ is Cys, Tyr or is missing;

10

Xaa₁₆ is: a) Trp, Tyr or Phe to create a chymotrypsin cleavage site; b) Lys or Arg to create a trypsin cleavage site; c) is missing or d) His or Leu or Ser

and a pharmaceutically acceptable carrier.

5. A purified polypeptide comprising the amino acid sequence: Xaa₁ Xaa₂ Xaa₃ Cys₄ Xaa₅ Xaa₆ Xaa₇ Xaa₈ Xaa₉ Xaa₁₀ Xaa₁₁ Cys₁₂ Xaa₁₃ Xaa₁₄ Xaa₁₅ Xaa₁₆ (SEQ ID NO:1) wherein:

Xaa₁ is Asn, any amino acid or is missing;

Xaa₂ is Asp, Glu, any amino acid or is missing;

Xaa₃ is Asp or Glu;

20 Xaa₅ is any amino acid or Glu;

Xaa₆ is any amino acid or Leu;

Xaa₇ is Cys;

Xaa₈ is any amino acid or Val;

Xaa₉ is Asn, Gln, Tyr;

25 Xaa₁₀ is is any amino acid or Val;

Xaa₁₁ is any amino acid or Ala;

Xaa₁₃ is is any amino acid or Thr;

Xaa₁₄ is is any amino acid or Gly;

Xaa₁₅ is Cys;

30 Xaa₁₆ is any amino acid, Leu or missing

6. A purified polypeptide comprising the amino acid sequence: Asn₁ Xaa₂ Xaa₃ Xaa₄ Glu₅ Leu₆ Xaa₇ Val₈ Asn₉ Xaa₁₀ Xaa₁₁ Xaa₁₂ Thr₁₃ Xaa₁₄ Xaa₁₅ Leu₁₆ (SEQ ID NO:___)

Xaa₂ is Asp or Glu;

Xaa₃ is Asp or Glu;

5

10

15

Xaa₄ is Cys or Mpt (mercaptoproline) or Pen (penicillamine) or Dpr (diaminopropionic acid) or Asp or Glu;

Xaa₇ is Cys or Mpt (mercaptoproline) or Pen (penicillamine) or Dpr (diaminopropionic acid) or Asp or Glu;

Xaa₁₀ is Val or Pro;

Xaa₁₁ is Ala or Aib (alpha-aminoisobutyric acid);

Xaa₁₂ is Cys or Mpt (mercaptoproline) or Pen (penicillamine) or Dpr (diaminopropionic acid) or Asp or Glu;

Xaa₁₄ is Gly or Ala;

Xaa₁₅ is Cys or Mpt (mercaptoproline) or Pen (penicillamine) or Dpr (diaminopropionic acid) or Asp or Glu; and

- 7. The polypeptide of claim 1 wherein Xaa₁₅ is other than Cys or is missing and Xaa₇ is Ser or an amino acid other than Cys.
- 8. The polypeptide of claim 1 wherein at least 5 of Xaa₁, Xaa₂, Xaa₃, Xaa₅, Xaa₆, Xaa₇, Xaa₈, Xaa₉, Xaa₁₀, Xaa₁₁, Xaa₁₃, Xaa₁₄, and Xaa₁₆ are any amino acid other than Cys.
 - 9. The polypeptide of claim 1 wherein: Xaa₉ is any amino acid other than Gln.
 - 10. The polypeptide of claim 1 wherein Xaa₂ and Xaa₃ are Glu.
 - 11. A polypeptide comprising the amino acid sequence of claim 1 wherein the polypeptide is not cleaved after Xaa₉ by chymotrypsin.
- 25 12. The polypeptide of claim 1 wherein the polypeptide does not comprise the amino acid sequence PGTCEICAYAACTGC.

13. A purified polypeptide comprising the amino acid sequence KPGTCEICAYAACTGC.

- 14. A purified polypeptide selected from the group consisting of:
- a) a polypeptide comprising the amino acid sequence PGTCEICAXAACTGC wherein X is any amino acid other than Phe;
- b) a polypeptide comprising the amino acid sequence PGTCEICAXAACTGC wherein X is any amino acid other than Phe and Trp;
- c) a polypeptide comprising the amino acid sequence PGTCEICAXAACTGC wherein X is any amino acid other than Phe, Trp, Ile, Leu and Val;
- d) a polypeptide comprising the amino acid sequence PGTCEICAXAACTGC wherein X is any amino acid other than Phe, Trp, Ile, Leu, Val and His;
 - e) a polypeptide comprising the amino acid sequence PGTCEICAXAACTGC wherein X is any non-aromatic amino acid or
 - f) a polypeptide comprising the amino acid sequence PGTCEICAXAACTGC wherein X is missing.
 - 15. A purified polypeptide comprising an amino acid sequence selected from the group consisting of:

```
PGTCEICASAACTGC (SEQ ID NO: )
```

PGTCEICATAACTGC (SEQ ID NO:)

20 PGTCEICANAACTGC (SEQ ID NO:)

5

10

15

25

PGTCEICAQAACTGC (SEQ ID NO:)

PGTCEICARAACTGC (SEQ ID NO:)

PGTCEICAEAACTGC (SEQ ID NO:)

PGTCEICADAACTGC (SEQ ID NO:)

PGTCEICAGAACTGC (SEQ ID NO:)

PGTCEICAAAACTGC (SEQ ID NO:)

PGTCEICAMAACTGC (SEQ ID NO:)

PGTCEICAIAACTGC (SEQ ID NO:)

PGTCEICALAACTGC (SEQ ID NO:)

30 PGTCEICAVAACTGC (SEQ ID NO:) and

PGTCEICAHAACTGC (SEQ ID NO:)

- 16. A purified polypeptide comprising an amino acid sequence shown in Figure 1.
- 5 17. A purified polypeptide comprising an amino acid sequence shown in Figure 2 wherein Xaa is any amino acid.
 - 18. The purified polypeptide of claim 17 wherein Xaa is any amino acid other than Cys.
- 19. A purified polypeptide comprising an amino acid sequence selected from the group consisting of:

```
PGTCEGICAYAACTGC (SEQ ID NO: )
```

PGTCEIGCAYAACTGC (SEQ ID NO:)

PGTCEICGAYAACTGC (SEQ ID NO:)

15 PGTCEICAGYAACTGC (SEQ ID NO:)

PGTCEICAYGAACTGC (SEQ ID NO:)

PGTCEICAYAGACTGC (SEQ ID NO:)

PGTCEICAYAAGCTGC (SEQ ID NO:)

PGTCEICAYAACGTGC (SEQ ID NO:)

20 PGTCEICAYAACTGGC (SEQ ID NO:)

PGTCAEICAYAACTGC (SEQ ID NO:)

PGTCEAICAYAACTGC (SEQ ID NO:)

PGTCEIACAYAACTGC (SEQ ID NO:)

PGTCEICAAYAACTGC (SEQ ID NO:)

25 PGTCEICAYAAACTGC (SEQ ID NO:)

PGTCEICAYAACATGC (SEQ ID NO:)

PGTCEICAYAACTAGC (SEQ ID NO:)

PGTCEICAYAACTGAC (SEQ ID NO:)

PGTCAEICAAYAACTGC (SEQ ID NO:)

30 PGTCEAICAAYAACTGC (SEQ ID NO:) and

PGTCEIACAAYAACTGC (SEQ ID NO:).

5

- 20. The polypeptide of claim 1 further comprising an amino acid sequence selected from: Asp Phe, the amino acid sequence of endomorphin-1, the amino acid sequence of endomorphin-2, the amino acid sequence of nocistatin, the amino acid sequence of dalargin, the amino acid sequence of lupron, and the amino acid sequence of substance P.
- 21. A method for treating a gastrointestinal disorder comprising administering a composition comprising the purified polypeptide of claim 1.
- 22. The method of claim 21 wherein the gastrointestinal disorder is: a gastrointestinal motility disorder, irritable bowel syndrome, a functional gastrointestinal disorder, gastroesophageal reflux disease, duodenogastric reflux, functional heartburn, dyspepsia, functional dyspepsia, nonulcer dyspepsia, gastroparesis, chronic intestinal pseudo-obstruction, or colonic pseudo-obstruction.
- 23. A method for treating obesity comprising administering a composition comprising the purified polypeptide of claim 1.
 - 24. A method for treating congestive heart failure comprising administering a composition comprising the purified polypeptide of claim 1.
 - 25. A method for treating benign prostatic hyperplasia comprising administering a composition comprising the purified polypeptide of claim 1.
- 26. A method for treating constipation comprising administering a composition comprising the purified polypeptide of claim 1
 - 27. The method of claim 21 wherein the polypeptide does not comprise the amino acid sequence PGTCEICAYAACTGC or the amino acid sequence

NDDCELCVNVACTGCL.

28. A method for increasing gastrointestinal motility in a patient, the method comprising administering to the patient the polypeptide of claim 1.

29. A method for decreasing gastrointestinal pain or visceral pain in a patient, the method comprising administering to the patient the polypeptide of claim 1.

5

10

15

- 30. A method for increasing the activity of an intestinal guanylate cyclase (GC-C) receptor in a patient, the method comprising administering to the patient the polypeptide of claim 1.
- 31. A method for treating a patient suffering a gastrointestinal disorder, the method comprising administering to the patient a composition comprising a complete or partial agonist of the GC-C receptor.
- 32. A method for treating a patient suffering from constipation, the method comprising administering a composition comprising a complete or partial agonist of the GC-C receptor.
- 33. A method for increasing gastrointestinal motility in a patient, the method comprising administering to the patient a composition comprising a complete or partial agonist of the GC-C receptor.
- 34. A method for decreasing gastrointestinal pain or visceral pain in a patient, the method comprising administering to the patient a composition comprising a complete or partial agonist of the GC-C receptor.
- 35. A method for treating congestive heart failure, the method comprising administering a complete or partial agonist of the GC-C receptor.
 - 36. A method for treating benign prostatic hyperplasia, the method comprising administering a complete or partial agonist of the GC-C receptor.

37. A method for treating obesity, the method comprising administering a complete or partial agonist of the GC-C receptor.

38. A purified polypeptide comprising the amino acid sequence: Xaa₁ Xaa₂ Xaa₃ Cys₄ Xaa₅ Xaa₆ Xaa₇ Xaa₈ Xaa₉ Xaa₁₀ Xaa₁₁ Cys₁₂ Xaa₁₃ Xaa₁₄ Xaa₁₅ Xaa₁₆ (SEQ ID NO:1) wherein:

Xaa₁ is any amino acid or is missing;

Xaa2 is any amino acid or is missing;

Xaa₃ is any amino acid or is missing;

Xaa₅ is Glu;

Xaa₆ is Tyr, Trp, Phe or Leu;

10 Xaa₇ is Cys;

5

15

Xaa₈ is any of the 20 naturally-occurring amino acids other than Cys or is missing;

Xaa₉ is any of the 20 naturally-occurring amino acids;

Xaa₁₀ is Pro or Gly;

Xaa₁₁ is any of the 20 naturally-occurring amino acids;

Xaa₁₃ is Thr, Val or Gly;

Xaa₁₄ is Gly or Ala;

Xaa₁₅ is Cys; and

Xaa₁₆ is any of the 20 naturally-occurring amino acids or is missing.

- 39. The purified polypeptide of claim 38 wherein Xaa₉ is Asn.
- 20 40. The purified polypeptide of claim 38 wherein Xaa₁₁ is Ala or Thr.
 - 41. The purified polypeptide of claim 38 wherein Xaa₈ is missing.
 - 42. The purified polypeptide of claim 38 wherein Xaa₁₆ is Tyr.
- 25 43. The purified polypeptide of claim 38 wherein Xaa₄ is immediately preceded by an amino acid sequence seleted from: Ser His Thr; Pro Ser Thr; Pro Asp Pro; Ile Ala Glu Asp Ser His

Thr; Ile Ala Gln Asp Pro Ser Thr; Ala Asn Thr; Asn Thr; Asp Pro Asn Thr; Lys Asn Thr; Pro Asn Thr; Ile Ala Gln Asp Pro Asn Thr; Lys Pro Asn Thr; Asp Pro Gly Thr; Glu Asp Pro Gly Thr; Pro Gly Thr; Pro Ala Thr; Val Ala Ala Arg Ala Asp Leu; Gly Asp Asp; Asn Asp Glu; Gln Glu Asp; Asn Asp Asp; Arg Thr Ile Ala Asn Asp Asp; Thr Ile Ala Asn Asp Asp; Arg Thr Met Asp Asn Asp Glu; Arg Thr Ile Ala Gly Asp Asp; Arg Thr Ile Ala Asn Asp; Asp; Glu Asp; Arg Ser Ile Ser Gln Glu Asp; Thr Asp Glu; Arg Thr Ile Ala Thr Asp Glu; Glu; Ile Ile Thr Pro Pro Asp Pro; Gln Glu Leu; Lys Asp Asp; Gln Glu Glu; Arg Tyr Ile Asn Gln Glu Glu; Ala Ser Ser Tyr Ala Ser; and Thr Ser Ser Tyr Ala Ser.

10 44. A pharmaceutical composition comprising the polypeptide of claim 38 and a pharmaceutically acceptable carrier.

5

15

20

25

45. A purified polypeptide comprising the amino acid sequence: Xaa₁ Xaa₂ Xaa₃ Cys₄ Xaa₅ Xaa₆ Xaa₇ Xaa₈ Xaa₉ Xaa₁₀ Xaa₁₁ Cys₁₂ Xaa₁₃ Xaa₁₄ Xaa₁₅ Xaa₁₆ (SEQ ID NO:1) wherein:

Xaa₁ is: a) Ser, Asn, Tyr, Ala, Gln, Pro, Lys, Gly, or Thr, or is missing; b) preceded by Lys or Tyr; c) any amino acid; d) missing; e) any amino acid other than Cys; or f) Lys or Arg;

Xaa₂ is: a) His, Asp, Glu, Ala, Ser, Asn, Gly, or is missing; b) His, Asp, Glu, Ala, Ser, Asn, Gly, Pro or is missing; c) Asp, Glu, any amino acid or is missing; d) Asp or Glu; e) any amino acid other than Cys; e) Glu; f) missing; g) Trp, Tyr or Phe; or h) Lys or Arg;

Xaa₃ is: a) Thr, Asp, Ser, Glu, Pro, Val or Leu; Asp or Glu; b) any amino acid other than Cys; c) Glu; d) Thr; e) Thr, Asp, Ser, Glu, Pro, Val or Leu or is missing; f) Trp, Tyr or Phe; or g) Lys or Arg;

Xaa₄ is: a) Cys, Mpt (mercaptoproline), Pen (penicillamine), Dpr (diaminopropionic acid), Asp, or Glu;

Xaa₅ is: a) any amino acid; b) Glu, Asp, Gln, Gly or Pro; c) Glu; d) Glu or Asp; e) Asp, Ile or Glu; f) any amino acid; or g) any amino acid other than Cys;

Xaa₆ is: a) Leu, Ile, Val, Ala, Lys, Arg, Trp, Tyr or Phe; b) Leu, Ile, Val, Lys, Arg, Trp, Tyr or Phe; Leu, Ile, Lys, Arg, Trp, Tyr or Phe; c) Leu, Ile, Val, Trp, Tyr or Phe; d) Trp, Tyr, Phe or Leu; e) Leu, Ile or Val; f) Ile, Trp or Leu; g) Trp, Tyr or Phe; h) Ile or Leu; i) Tyr; j) any

amino acid; k) any amino acid except Leu; l) any natural or non-natural aromatic amino acid; or m) any amino acid other than Cys;

Xaa₇ is: a) Cys, Ser, or Tyr; Cys; b) Cys, Mpt (mercaptoproline), Pen (penicillamine), Dpr (diaminopropionic acid), Asp or Glu; c) Ser; or d) an amino acid other than Cys;

5

10

15

20

25

30

Xaa₈ is: a) Ala, Val, or Ile; b) Ala, Val, Thr, Ile, Met or is missing; c) any amino acid; d) Val; e) any amino acid other than Cys; or f) missing;

Xaa₉ is: a) any amino acid; b) any amino acid other than Phe and Tyr; c) any amino acid other than Phe, Tyr, and Trp; d) any amino acid other than Phe, Tyr, Trp, Ile, Leu and Val; e) any amino acid other than Phe, Tyr, Trp, Ile, Leu, Val, and His; f) any amino acid other than Gln; g) any amino acid other than Lys, Arg, Phe, Tyr, and Trp; h) any amino acid other than Lys, Arg, Phe, Tyr, Trp, Ile, Leu and Val; i) any amino acid other than Lys, Arg, Phe, Tyr, Trp, Ile, Leu, Val, and His; j) any non-aromatic amino acid; k) missing; l) Phe, Tyr, Asn, or Trp; m) Asn, Tyr, Asp or Ala; n) Asn, Gln, or Tyr; o) Phe or Tyr; p) Asn; or q) any amino acid other than Cys;

Xaa₁₀ is: a) Ala, Pro or Gly; b) Pro or Gly; c) Pro; d) Ala, Val, Met, Thr or Ile; e) any amino acid; f) Val; g) Val or Pro; h) Ala or Val; i) any amino acid other than Cys; j) Pro; or k) Gly;

Xaa₁₁ is: a) any amino acid; b) Ala, Leu, Ser, Gly, Val, Glu, Gln, Ile, Leu, Lys, Arg, or Asp; c) Ala or Gly; d) Ala; e) Ala or Val; f) any amino acid; g) Ala or Aib (alpha-aminoisobutyric acid); h) any amino acid other than Cys; i) Ala or Thr; or j) Thr.

Xaa₁₂ is: a) Cys, Mpt (mercaptoproline), Pen (penicillamine), Dpr (diaminopropionic acid), Asp, or Glu; or b) any amino acid other than Cys;

Xaa₁₃ is: a) Thr, Ala, Asn, Lys, Arg, or Trp; b) Thr, Ala, Lys, Arg, or Trp; c) any amino acid; d) any non-aromatic amino acid; e) Thr, Ala, or Trp; f) Trp, Tyr or Phe; g) Thr or Ala; h) any amino acid; i) Thr; j) any amino acid other than Cys; k) Thr, Val, or Gly; l) Thr or Val, m) Thr or Gly, n) Val or Thr; o) Val; p) Thr; or q) Gly;

Xaa₁₄ is: a) Gly, Pro or Ala; b) Gly; c) any amino acid; d) Gly, Ala or Ser; e) Gly or Ala; f) any amino acid other than Cys; or g) Ala;

Xaa₁₅ is: a) Cys, Tyr or is missing; b) Cys; c) Cys, Mpt (mercaptoproline), Pen (penicillamine), Dpr (diaminopropionic acid), Asp, Glu; or d) any amino acid other than Cys or is missing; and

Xaa₁₆ is: a) Trp, Tyr, Phe, Asn, Ile, Val, His or Leu; b) Trp, Tyr, Phe, Asn or Leu; c) Trp, Tyr, Phe or Leu; d) Trp, Tyr, or Phe; e) Leu, Ile or Val; f) His, Leu or Ser; g) Tyr or Leu; Lys or Arg; h) His; i) any amino acid, j) Leu, or missing; k) Trp, Tyr, Phe, Lys, Arg or is missing; l) missing; m) any amino acid other than Cys; or n) Tyr.

5

- 46. A composition comprising the polypeptide of claim 45 and a pharmaceutically acceptable carrier.
- 47. A purified polypeptide comprising the amino acid sequence: Xaa₁ Xaa₂ Xaa₃ Xaa₄ Xaa₅

 10 Xaa₆ Xaa₇ Xaa₈ Xaa₉ Xaa₁₀ Xaa₁₁ Xaa₁₂ Xaa₁₃ Xaa₁₄ Xaa₁₅ Xaa₁₆ (SEQ ID NO:1) wherein:

Xaa₁ is any amino acid or is missing;

Xaa2 is any amino acid or is missing;

Xaa₃ is any amino acid or is missing;

Xaa4 is Cys, Mpt (mercaptoproline), Pen (penicillamine), Dpr (diaminopropionic acid),

15 Asp or Glu;

Xaa₅ is Glu;

Xaa₆ is Tyr, Trp, Phe or Leu;

Xaa₇ is Cys, Mpt (mercaptoproline), Pen (penicillamine), Dpr (diaminopropionic acid), Asp or Glu;

Xaa₈ is any amino acid other than Cys or is missing;

(

Xaa₉ is any amino acid;

Xaa₁₀ is Pro or Gly;

Xaa₁₁ is any amino acid;

Xaa₁₂ is Cys, Mpt (mercaptoproline), Pen (penicillamine), Dpr (diaminopropionic acid),

25 Asp or Glu;

20

30

Xaa₁₃ is Thr, Val or Gly;

Xaa₁₄ is Gly or Ala;

Xaa₁₅ is Cys, Mpt (mercaptoproline), Pen (penicillamine), Dpr (diaminopropionic acid), Asp or Glu; and

Xaa₁₆ is any amino acid or is missing.

FIG. 1 (sheet 1 of 13)

1/172

Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys.

Human Guanylin (SEQ ID NO:)

--- Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys.

--- Thr Cys Gly Gly Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys.

```
(SEQ ID NO: )
--- Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
--- --- Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                           (SEQ ID NO:
 --- --- Cys --- Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                           (SEQ ID NO:
 --- --- Cys Gly --- Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                           (SEQ ID NO: )
  -- --- Cys Gly Glu --- Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                           (SEQ ID NO: )
                                                                           (SEQ ID NO: )
     --- Cys Gly Glu Ile Cys --- Tyr Ala Ala Cys Thr Gly Cys
 --- --- Cys Gly Glu Ile Cys Ala --- Ala Ala Cys Thr Gly Cys
                                                                           (SEQ ID NO:
     --- Cys Gly Glu Ile Cys Ala Tyr --- Ala Cys Thr Gly Cys
                                                                           (SEQ ID NO: )
 --- --- Cys Gly Glu Ile Cys Ala Tyr Ala --- Cys Thr Gly Cys
                                                                           (SEQ ID NO:
     --- Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys --- Gly Cys
                                                                           (SEQ ID NO: )
     --- Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr --- Cys
                                                                           (SEQ ID NO: )
 --- --- Thr Cys --- Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                           (SEQ ID NO: )
     --- Thr Cys --- --- Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                           (SEQ ID NO: )
     --- Thr Cys --- Glu --- Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                           (SEQ ID NO: )
--- --- Thr Cys --- Glu Ile Cys --- Tyr Ala Ala Cys Thr Gly Cys
                                                                           (SEQ ID NO: )
--- --- Thr Cys --- Glu Ile Cys Ala --- Ala Ala Cys Thr Gly Cys
                                                                           (SEQ ID NO: )
     --- Thr Cys --- Glu Ile Cys Ala Tyr --- Ala Cys Thr Gly Cys
                                                                           (SEQ ID NO: )
--- --- Thr Cys --- Glu Ile Cys Ala Tyr Ala --- Cys Thr Gly Cys
                                                                           (SEQ ID NO: )
--- --- Thr Cys --- Glu Ile Cys Ala Tyr Ala Ala Cys --- Gly Cys
                                                                           (SEQ ID NO: )
     --- Thr Cys --- Glu Ile Cys Ala Tyr Ala Ala Cys Thr --- Cys
                                                                           (SEQ ID NO: )
 --- --- Thr Cys Gly --- Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                           (SEQ ID NO: )
    --- Thr Cys Gly --- --- Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                           (SEQ ID NO: )
--- Thr Cys Gly --- Ile Cys --- Tyr Ala Ala Cys Thr Gly Cys
--- Thr Cys Gly --- Ile Cys Ala --- Ala Ala Cys Thr Gly Cys
--- Thr Cys Gly --- Ile Cys Ala Tyr --- Ala Cys Thr Gly Cys
                                                                           (SEQ ID NO: )
                                                                           (SEQ ID NO: )
                                                                           (SEQ ID NO: )
    --- Thr Cys Gly --- Ile Cys Ala Tyr Ala --- Cys Thr Gly Cys
                                                                           (SEQ ID NO: )
--- Thr Cys Gly --- Ile Cys Ala Tyr Ala Ala Cys --- Gly Cys
                                                                           (SEQ ID NO: )
    --- Thr Cys Gly --- Ile Cys Ala Tyr Ala Ala Cys Thr --- Cys
                                                                           (SEQ ID NO: )
--- --- Thr Cys Gly Glu --- Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                           (SEQ ID NO: )
--- Thr Cys Gly Glu --- Cys --- Tyr Ala Ala Cys Thr Gly Cys
                                                                           (SEQ ID NO: )
--- Thr Cys Gly Glu --- Cys Ala --- Ala Ala Cys Thr Gly Cys
--- Thr Cys Gly Glu --- Cys Ala Tyr --- Ala Cys Thr Gly Cys
                                                                           (SEQ ID NO: )
                                                                           (SEQ ID NO: )
    --- Thr Cys Gly Glu --- Cys Ala Tyr Ala --- Cys Thr Gly Cys
                                                                           (SEQ ID NO: )
--- Thr Cys Gly Glu --- Cys Ala Tyr Ala Ala Cys --- Gly Cys --- Thr Cys Gly Glu --- Cys Ala Tyr Ala Ala Cys Thr --- Cys
                                                                           (SEQ ID NO: )
                                                                           (SEQ ID NO: )
--- Thr Cys Gly Glu Ile Cys --- Tyr Ala Ala Cys Thr Gly Cys
                                                                           (SEQ ID NO:
--- --- Thr Cys Gly Glu Ile Cys --- --- Ala Ala Cys Thr Gly Cys
                                                                           (SEQ ID NO:
--- Thr Cys Gly Glu Ile Cys --- Tyr --- Ala Cys Thr Gly Cys --- Thr Cys Gly Glu Ile Cys --- Tyr Ala --- Cys Thr Gly Cys
                                                                           (SEQ ID NO: )
                                                                           (SEQ ID NO:
--- --- Thr Cys Gly Glu Ile Cys --- Tyr Ala Ala Cys --- Gly Cys
                                                                           (SEQ ID NO: )
--- Thr Cys Gly Glu Ile Cys --- Tyr Ala Ala Cys Thr --- Cys
                                                                           (SEQ ID NO: )
--- Thr Cys Gly Glu Ile Cys Ala --- Ala Ala Cys Thr Gly Cys --- Thr Cys Gly Glu Ile Cys Ala --- Ala Cys Thr Gly Cys
                                                                           (SEQ ID NO: )
                                                                           (SEQ ID NO: )
--- --- Thr Cys Gly Glu Ile Cys Ala --- Ala --- Cys Thr Gly Cys
                                                                          (SEQ ID NO: )
--- Thr Cys Gly Glu Ile Cys Ala --- Ala Ala Cys --- Gly Cys --- Thr Cys Gly Glu Ile Cys Ala --- Ala Ala Cys Thr --- Cys
                                                                           (SEQ ID NO: )
                                                                           (SEQ ID NO: )
--- Thr Cys Gly Glu Ile Cys Ala Tyr --- Ala Cys Thr Gly Cys
                                                                           (SEQ ID NO: )
--- --- Thr Cys Gly Glu Ile Cys Ala Tyr --- Cys Thr Gly Cys
--- Thr Cys Gly Glu Ile Cys Ala Tyr --- Ala Cys --- Gly Cys --- Thr Cys Gly Glu Ile Cys Ala Tyr --- Ala Cys Thr --- Cys
                                                                           (SEQ ID NO: )
                                                                           (SEQ ID NO: )
--- --- Thr Cys Gly Glu Ile Cys Ala Tyr Ala --- Cys Thr Gly Cys
                                                                           (SEQ ID NO: )
--- --- Thr Cys Gly Glu Ile Cys Ala Tyr Ala --- Cys --- Gly Cys
                                                                           (SEQ ID NO: )
--- Thr Cys Gly Glu Ile Cys Ala Tyr Ala --- Cys Thr --- Cys --- Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys --- Gly Cys
                                                                           (SEQ ID NO: )
                                                                           (SEQ ID NO: )
--- --- Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys --- --- Cys
                                                                           (SEQ ID NO: )
--- --- Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr --- Cys
                                                                           (SEQ ID NO: )
--- Gly --- Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
--- Gly --- Cys --- Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                           (SEQ ID NO: )
                                                                          (SEQ ID NO: )
```

FIG. 1 (sheet 2 of 13)

```
--- Gly --- Cys --- -- Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                                                                                        (SEQ ID NO: )
  --- Gly --- Cys --- Glu --- Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                                                                                        (SEQ ID NO: )
 --- Gly --- Cys --- Glu Ile Cys --- Tyr Ala Ala Cys Thr Gly Cys --- Gly --- Cys --- Glu Ile Cys Ala --- Ala Ala Cys Thr Gly Cys
                                                                                                                                                        (SEQ ID NO:
                                                                                                                                                        (SEQ ID NO:
--- Gly --- Cys --- Glu Ile Cys Ala Tyr --- Ala Cys Thr Gly Cys
                                                                                                                                                        (SEQ ID NO: )
 --- Gly --- Cys --- Glu Ile Cys Ala Tyr Ala --- Cys Thr Gly Cys --- Gly --- Cys --- Glu Ile Cys Ala Tyr Ala Ala Cys --- Gly Cys --- Gly --- Cys --- Glu Ile Cys Ala Tyr Ala Ala Cys Thr --- Cys --- Cy
                                                                                                                                                        (SEQ ID NO: )
                                                                                                                                                        (SEQ ID NO:
                                                                                                                                                        (SEQ ID NO: )
  --- Gly --- Cys Gly --- Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                                                                                        (SEQ ID NO: )
 --- Gly --- Cys Gly --- Cys Ala Tyr Ala Ala Cys Thr Gly Cys
--- Gly --- Cys Gly --- Ile Cys --- Tyr Ala Ala Cys Thr Gly Cys
--- Gly --- Cys Gly --- Ile Cys Ala --- Ala Ala Cys Thr Gly Cys
                                                                                                                                                        (SEQ ID NO:
                                                                                                                                                        (SEQ ID NO:
                                                                                                                                                        (SEQ ID NO:
  --- Gly --- Cys Gly --- Ile Cys Ala Tyr --- Ala Cys Thr Gly Cys
                                                                                                                                                        (SEQ ID NO: )
  --- Gly --- Cys Gly --- Ile Cys Ala Tyr Ala --- Cys Thr Gly Cys
                                                                                                                                                        (SEQ ID NO:
 --- Gly --- Cys Gly --- Ile Cys Ala Tyr Ala Ala Cys --- Gly Cys
                                                                                                                                                        (SEQ ID NO: )
 --- Gly --- Cys Gly --- Ile Cys Ala Tyr Ala Ala Cys Thr --- Cys
                                                                                                                                                        (SEQ ID NO: )
 --- Gly --- Cys Gly Glu --- Cys Ala Tyr Ala Ala Cys Thr Gly Cys
--- Gly --- Cys Gly Glu --- Cys --- Tyr Ala Ala Cys Thr Gly Cys
                                                                                                                                                        (SEQ ID NO: )
                                                                                                                                                        (SEQ ID NO: )
--- Gly --- Cys Gly Glu --- Cys Ala --- Ala Ala Cys Thr Gly Cys
--- Gly --- Cys Gly Glu --- Cys Ala Tyr --- Ala Cys Thr Gly Cys
--- Gly --- Cys Gly Glu --- Cys Ala Tyr --- Ala Cys Thr Gly Cys
--- Gly --- Cys Gly Glu --- Cys Ala Tyr Ala --- Cys Thr Gly Cys
--- Gly --- Cys Gly Glu --- Cys Ala Tyr Ala Ala Cys --- Gly Cys
--- Gly --- Cys Gly Glu --- Cys Ala Tyr Ala Ala Cys Thr --- Cys
                                                                                                                                                        (SEQ ID NO: )
                                                                                                                                                        (SEQ ID NO: )
                                                                                                                                                        (SEQ ID NO: )
                                                                                                                                                        (SEQ ID NO: )
                                                                                                                                                        (SEQ ID NO: )
 --- Gly --- Cys Gly Glu Ile Cys --- Tyr Ala Ala Cys Thr Gly Cys --- Gly --- Cys Gly Glu Ile Cys --- Ala Ala Cys Thr Gly Cys
                                                                                                                                                        (SEQ ID NO: )
                                                                                                                                                        (SEQ ID NO: )
 --- Gly --- Cys Gly Glu Ile Cys --- Tyr --- Ala Cys Thr Gly Cys
                                                                                                                                                        (SEQ ID NO: )
 --- Gly --- Cys Gly Glu He Cys --- Tyr Ala Cys Thr Gly Cys
--- Gly --- Cys Gly Glu He Cys --- Tyr Ala Ala Cys Thr Gly Cys
--- Gly --- Cys Gly Glu He Cys --- Tyr Ala Ala Cys --- Gly Cys
--- Gly --- Cys Gly Glu He Cys --- Tyr Ala Ala Cys Thr --- Cys
                                                                                                                                                        (SEQ ID NO: )
                                                                                                                                                        (SEQ ID NO: )
                                                                                                                                                        (SEQ ID NO: )
--- Gly --- Cys Gly Glu Ile Cys Ala --- Ala Ala Cys Thr Gly Cys
--- Gly --- Cys Gly Glu Ile Cys Ala --- Ala Cys Thr Gly Cys
--- Gly --- Cys Gly Glu Ile Cys Ala --- Ala Cys Thr Gly Cys
--- Gly --- Cys Gly Glu Ile Cys Ala --- Ala Ala Cys --- Gly Cys
--- Gly --- Cys Gly Glu Ile Cys Ala --- Ala Ala Cys --- Gly Cys
                                                                                                                                                        (SEQ ID NO: )
                                                                                                                                                        (SEQ ID NO: )
                                                                                                                                                        (SEQ ID NO:
                                                                                                                                                        (SEQ ID NO: )
 --- Gly --- Cys Gly Glu Ile Cys Ala --- Ala Ala Cys Thr --- Cys
                                                                                                                                                        (SEQ ID NO: )
 --- Gly --- Cys Gly Glu Ile Cys Ala Tyr --- Ala Cys Thr Gly Cys
--- Gly --- Cys Gly Glu Ile Cys Ala Tyr --- Cys Thr Gly Cys
                                                                                                                                                        (SEQ ID NO: )
(SEQ ID NO: )
 --- Gly --- Cys Gly Glu Ile Cys Ala Tyr --- Ala Cys --- Gly Cys
                                                                                                                                                        (SEQ ID NO: )
 --- Gly --- Cys Gly Glu Ile Cys Ala Tyr --- Ala Cys Thr --- Cys
                                                                                                                                                        (SEQ ID NO: )
 --- Gly --- Cys Gly Glu Ile Cys Ala Tyr Ala --- Cys Thr Gly Cys --- Gly --- Cys Gly Glu Ile Cys Ala Tyr Ala --- Cys --- Gly Cys
                                                                                                                                                        (SEQ ID NO:
                                                                                                                                                        (SEQ ID NO: )
 --- Gly --- Cys Gly Glu Ile Cys Ala Tyr Ala --- Cys Thr --- Cys
                                                                                                                                                        (SEQ ID NO: )
 --- Gly --- Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys --- Gly Cys --- Gly --- Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys --- Cys
                                                                                                                                                        (SEQ ID NO: )
                                                                                                                                                        (SEQ ID NO:
 --- Gly --- Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr --- Cys
                                                                                                                                                        (SEQ ID NO: )
--- Gly Thr Cys --- Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys --- Gly Thr Cys --- Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys --- Gly Thr Cys --- Cys Ala Tyr Ala Ala Cys Thr Gly Cys --- Gly Thr Cys --- --- Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                                                                                        (SEQ ID NO: )
                                                                                                                                                        (SEQ ID NO: )
(SEQ ID NO: )
 --- Gly Thr Cys --- --- Ile Cys --- Tyr Ala Ala Cys Thr Gly Cys
                                                                                                                                                        (SEQ ID NO: )
--- Gly Thr Cys --- --- Ile Cys Ala --- Ala Ala Cys Thr Gly Cys --- Gly Thr Cys --- Ile Cys Ala Tyr --- Ala Cys Thr Gly Cys
                                                                                                                                                        (SEQ ID NO: )
(SEQ ID NO: )
--- Gly Thr Cys --- --- Ile Cys Ala Tyr Ala --- Cys Thr Gly Cys
                                                                                                                                                        (SEQ ID NO: )
--- Gly Thr Cys --- Ile Cys Ala Tyr Ala Ala Cys --- Gly Cys --- Gly Thr Cys --- Ile Cys Ala Tyr Ala Ala Cys Thr --- Cys
                                                                                                                                                        (SEQ ID NO: )
                                                                                                                                                        (SEQ ID NO: ) (SEQ ID NO: )
--- Gly Thr Cys --- Glu --- Cys Ala Tyr Ala Ala Cys Thr Gly Cys
--- Gly Thr Cys --- Glu --- Cys --- Tyr Ala Ala Cys Thr Gly Cys
                                                                                                                                                        (SEQ ID NO: )
--- Gly Thr Cys --- Glu --- Cys Ala --- Ala Ala Cys Thr Gly Cys --- Gly Thr Cys --- Glu --- Cys Ala Tyr --- Ala Cys Thr Gly Cys
                                                                                                                                                        (SEQ ID NO: )
                                                                                                                                                        (SEQ ID NO: )
--- Gly Thr Cys --- Glu --- Cys Ala Tyr Ala --- Cys Thr Gly Cys
                                                                                                                                                        (SEQ ID NO: )
--- Gly Thr Cys --- Glu --- Cys Ala Tyr Ala Ala Cys --- Gly Cys
                                                                                                                                                        (SEQ ID NO: )
--- Gly Thr Cys --- Glu --- Cys Ala Tyr Ala Ala Cys Thr --- Cys --- Gly Thr Cys --- Glu Ile Cys --- Tyr Ala Ala Cys Thr Gly Cys --- Gly Thr Cys --- Glu Ile Cys --- Ala Ala Cys Thr Gly Cys --- Gly Thr Cys --- Glu Ile Cys --- Ala Ala Cys Thr Gly Cys
                                                                                                                                                        (SEQ ID NO: )
                                                                                                                                                        (SEQ ID NO:
                                                                                                                                                       (SEQ ID NO: )
--- Gly Thr Cys --- Glu Ile Cys --- Tyr --- Ala Cys Thr Gly Cys
                                                                                                                                                      (SEQ ID NO: )
```

FIG. 1 (sheet B of 13)

```
--- Gly Thr Cys --- Glu Ile Cys --- Tyr Ala --- Cys Thr Gly Cys
                                                                                                                           (SEQ ID NO: )
--- Gly Thr Cys --- Glu Ile Cys --- Tyr Ala Ala Cys --- Gly Cys
--- Gly Thr Cys --- Glu Ile Cys --- Tyr Ala Ala Cys Thr --- Cys
--- Gly Thr Cys --- Glu Ile Cys Ala --- Ala Ala Cys Thr Gly Cys
--- Gly Thr Cys --- Glu Ile Cys Ala --- Ala Cys Thr Gly Cys
--- Gly Thr Cys --- Glu Ile Cys Ala --- Ala Cys Thr Gly Cys
                                                                                                                           (SEQ ID NO: )
                                                                                                                           (SEQ ID NO: )
                                                                                                                           (SEQ ID NO: )
                                                                                                                           (SEQ ID NO:
       Gly Thr Cys --- Glu Ile Cys Ala --- Ala --- Cys Thr Gly Cys Gly Thr Cys --- Glu Ile Cys Ala --- Ala Ala Cys --- Gly Cys Gly Thr Cys --- Glu Ile Cys Ala --- Ala Ala Cys Thr --- Cys
                                                                                                                           (SEQ ID NO:
                                                                                                                           (SEQ ID NO:
                                                                                                                           (SEO ID NO: )
--- Gly Thr Cys --- Glu Ile Cys Ala Tyr --- Ala Cys Thr Gly Cys
                                                                                                                           (SEQ ID NO: )
--- Gly Thr Cys --- Glu Ile Cys Ala Tyr --- Cys Thr Gly Cys
--- Gly Thr Cys --- Glu Ile Cys Ala Tyr --- Ala Cys --- Gly Cys
--- Gly Thr Cys --- Glu Ile Cys Ala Tyr --- Ala Cys Thr --- Cys
                                                                                                                           (SEQ ID NO:
                                                                                                                           (SEQ ID NO:
                                                                                                                           (SEQ ID NO:
       Gly Thr Cys --- Glu Ile Cys Ala Tyr Ala --- Cys Thr Gly Cys Gly Thr Cys --- Glu Ile Cys Ala Tyr Ala --- Cys --- Gly Cys Gly Thr Cys --- Glu Ile Cys Ala Tyr Ala --- Cys Thr --- Cys
                                                                                                                           (SEQ ID NO:
                                                                                                                           (SEQ ID NO:
                                                                                                                           (SEQ ID NO: )
--- Gly Thr Cys --- Glu Ile Cys Ala Tyr Ala Ala Cys --- Gly Cys
                                                                                                                           (SEQ ID NO: )
--- Gly Thr Cys --- Glu Ile Cys Ala Tyr Ala Ala Cys --- Cys --- Gly Thr Cys --- Glu Ile Cys Ala Tyr Ala Ala Cys Thr --- Cys
                                                                                                                           (SEQ ID NO:
                                                                                                                           (SEQ ID NO:
       Gly Thr Cys Gly --- Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                                                           (SEQ ID NO:
       Gly Thr Cys Gly --- Cys Ala Tyr Ala Ala Cys Thr Gly Cys Gly Thr Cys Gly --- Cys Ala Tyr Ala Ala Cys Thr Gly Cys Gly Thr Cys Gly --- Cys --- Tyr Ala Ala Cys Thr Gly Cys Gly Thr Cys Gly --- Cys Ala --- Ala Ala Cys Thr Gly Cys
                                                                                                                           (SEQ ID NO:
                                                                                                                           (SEQ ID NO:
                                                                                                                           (SEQ ID NO:
--- Gly Thr Cys Gly --- --- Cys Ala Tyr --- Ala Cys Thr Gly Cys
                                                                                                                           (SEQ ID NO:
--- Gly Thr Cys Gly --- Cys Ala Tyr Ala --- Cys Thr Gly Cys --- Gly Thr Cys Gly --- Cys Ala Tyr Ala Ala Cys --- Gly Cys
                                                                                                                           (SEQ ID NO:
                                                                                                                           (SEQ ID NO:
--- Gly Thr Cys Gly --- --- Cys Ala Tyr Ala Ala Cys Thr --- Cys
                                                                                                                           (SEQ ID NO:
       Gly Thr Cys Gly --- Ile Cys --- Tyr Ala Ala Cys Thr Gly Cys Gly Thr Cys Gly --- Ile Cys --- Ala Ala Cys Thr Gly Cys Gly Thr Cys Gly --- Ile Cys --- Tyr --- Ala Cys Thr Gly Cys Gly Thr Cys Gly --- Ile Cys --- Tyr --- Ala Cys Thr Gly Cys
                                                                                                                           (SEQ ID NO:
                                                                                                                           (SEQ ID NO:
                                                                                                                           (SEQ ID NO:
--- Gly Thr Cys Gly --- Ile Cys --- Tyr Ala --- Cys Thr Gly Cys
                                                                                                                           (SEQ ID NO: )
       Gly Thr Cys Gly --- Ile Cys --- Tyr Ala Ala Cys --- Gly Cys Gly Thr Cys Gly --- Ile Cys --- Tyr Ala Ala Cys Thr --- Cys
                                                                                                                           (SEQ ID NO:
                                                                                                                           (SEQ ID NO:
--- Gly Thr Cys Gly --- Ile Cys Ala --- Ala Ala Cys Thr Gly Cys
--- Gly Thr Cys Gly --- Ile Cys Ala --- Ala Cys Thr Gly Cys
                                                                                                                           (SEQ ID NO: )
                                                                                                                            (SEQ ID NO:
--- Gly Thr Cys Gly --- Ile Cys Ala --- Ala Cys Thr Gly Cys
--- Gly Thr Cys Gly --- Ile Cys Ala --- Ala Ala Cys --- Gly Cys
--- Gly Thr Cys Gly --- Ile Cys Ala --- Ala Ala Cys --- Gly Cys
--- Gly Thr Cys Gly --- Ile Cys Ala --- Ala Ala Cys Thr --- Cys
                                                                                                                            (SEQ ID NO:
                                                                                                                            (SEQ ID NO:
                                                                                                                            (SEQ ID NO: )
--- Gly Thr Cys Gly --- Ile Cys Ala Tyr --- Ala Cys Thr Gly Cys
--- Gly Thr Cys Gly --- Ile Cys Ala Tyr --- Cys Thr Gly Cys
                                                                                                                            (SEQ ID NO: )
                                                                                                                            (SEQ ID NO: )
--- Gly Thr Cys Gly --- Ile Cys Ala Tyr --- Ala Cys --- Gly Cys
                                                                                                                            (SEQ ID NO: )
--- Gly Thr Cys Gly --- Ile Cys Ala Tyr --- Ala Cys Thr --- Cys
                                                                                                                            (SEQ ID NO: )
--- Gly Thr Cys Gly --- Ile Cys Ala Tyr Ala --- Cys Thr Gly Cys
--- Gly Thr Cys Gly --- Ile Cys Ala Tyr Ala --- Cys Thr Gly Cys
--- Gly Thr Cys Gly --- Ile Cys Ala Tyr Ala --- Cys --- Gly Cys
--- Gly Thr Cys Gly --- Ile Cys Ala Tyr Ala --- Cys Thr --- Cys
                                                                                                                            (SEQ ID NO: )
                                                                                                                            (SEQ ID NO: )
                                                                                                                            (SEQ ID NO: )
--- Gly Thr Cys Gly --- Ile Cys Ala Tyr Ala Ala Cys --- Gly Cys --- Gly Thr Cys Gly --- Ile Cys Ala Tyr Ala Ala Cys --- Cys Gly Thr Cys Gly --- Ile Cys Ala Tyr Ala Ala Cys Thr --- Cys Gly Thr Cys Gly --- Ile Cys Ala Tyr Ala Ala Cys Thr --- Cys
                                                                                                                            (SEQ ID NO: )
                                                                                                                            (SEQ ID NO: )
                                                                                                                            (SEQ ID NO: )
--- Gly Thr Cys Gly Glu --- Cys Ala Tyr Ala Ala Cys Thr Gly Cys
--- Gly Thr Cys Gly Glu --- Cys --- Tyr Ala Ala Cys Thr Gly Cys
--- Gly Thr Cys Gly Glu --- Cys --- Ala Ala Cys Thr Gly Cys
                                                                                                                            (SEQ ID NO: )
                                                                                                                            (SEQ ID NO: )
                                                                                                                            (SEQ ID NO: )
--- Gly Thr Cys Gly Glu --- Cys --- Tyr --- Ala Cys Thr Gly Cys
                                                                                                                            (SEQ ID NO: )
                                                                                                                            (SEQ ID NO: )
--- Gly Thr Cys Gly Glu --- Cys --- Tyr Ala --- Cys Thr Gly Cys
       Gly Thr Cys Gly Glu --- Cys --- Tyr Ala Ala Cys --- Gly Cys Gly Thr Cys Gly Glu --- Cys --- Tyr Ala Ala Cys Thr --- Cys
                                                                                                                            (SEQ ID NO: )
                                                                                                                            (SEQ ID NO: )
--- Gly Thr Cys Gly Glu --- Cys Ala --- Ala Ala Cys Thr Gly Cys
--- Gly Thr Cys Gly Glu --- Cys Ala --- Ala Cys Thr Gly Cys
--- Gly Thr Cys Gly Glu --- Cys Ala --- Ala Cys Thr Gly Cys
--- Gly Thr Cys Gly Glu --- Cys Ala --- Ala Ala Cys Thr Gly Cys
--- Gly Thr Cys Gly Glu --- Cys Ala --- Ala Ala Cys --- Gly Cys
                                                                                                                            (SEQ ID NO: )
                                                                                                                            (SEQ ID NO: )
                                                                                                                            (SEQ ID NO: )
                                                                                                                            (SEQ ID NO: )
--- Gly Thr Cys Gly Glu --- Cys Ala --- Ala Ala Cys Thr --- Cys
                                                                                                                            (SEQ ID NO: )
--- Gly Thr Cys Gly Glu --- Cys Ala Tyr --- Ala Cys Thr Gly Cys
--- Gly Thr Cys Gly Glu --- Cys Ala Tyr --- Cys Thr Gly Cys
--- Gly Thr Cys Gly Glu --- Cys Ala Tyr --- Ala Cys --- Gly Cys
                                                                                                                            (SEQ ID NO: )
                                                                                                                            (SEQ ID NO: )
                                                                                                                            (SEQ ID NO: )
--- Gly Thr Cys Gly Glu --- Cys Ala Tyr --- Ala Cys Thr --- Cys
                                                                                                                           (SEQ ID NO: )
```

PCT/US2004/018751

WO 2005/016244

FIG. 1 (Sheet 4 of 13)

```
--- Gly Thr Cys Gly Glu --- Cys Ala Tyr Ala --- Cys Thr Gly Cys
                                                                                                 (SEQ ID NO: )
--- Gly Thr Cys Gly Glu --- Cys Ala Tyr Ala --- Cys --- Gly Cys --- Gly Thr Cys Gly Glu --- Cys Ala Tyr Ala --- Cys Thr --- Cys --- Gly Thr Cys Gly Glu --- Cys Ala Tyr Ala Ala Cys --- Gly Cys
                                                                                                 (SEQ ID NO: )
                                                                                                 (SEQ ID NO: )
                                                                                                 (SEQ ID NO:
      Gly Thr Cys Gly Glu --- Cys Ala Tyr Ala Ala Cys --- Cys
                                                                                                 (SEQ ID NO: )
      Gly Thr Cys Gly Glu --- Cys Ala Tyr Ala Ala Cys Thr --- Cys
                                                                                                 (SEQ ID NO: )
 --- Gly Thr Cys Gly Glu Ile Cys --- Tyr Ala Ala Cys Thr Gly Cys --- Gly Thr Cys Gly Glu Ile Cys --- Ala Ala Cys Thr Gly Cys
                                                                                                 (SEQ ID NO:
                                                                                                 (SEQ ID NO:
      Gly Thr Cys Gly Glu Ile Cys --- --- Ala Cys Thr Gly Cys
                                                                                                 (SEQ ID NO: )
--- Gly Thr Cys Gly Glu Ile Cys --- Ala --- Cys Thr Gly Cys --- Gly Thr Cys Gly Glu Ile Cys --- Ala Ala Cys --- Gly Cys --- Gly Thr Cys Gly Glu Ile Cys --- Ala Ala Cys Thr --- Cys
                                                                                                 (SEQ ID NO: )
                                                                                                 (SEQ ID NO:
                                                                                                 (SEQ ID NO:
      Gly Thr Cys Gly Glu Ile Cys --- Tyr --- Ala Cys Thr Gly Cys
                                                                                                 (SEQ ID NO:
      Gly Thr Cys Gly Glu Ile Cys --- Tyr --- Cys Thr Gly Cys Gly Thr Cys Gly Glu Ile Cys --- Tyr --- Ala Cys --- Gly Cys Gly Thr Cys Gly Glu Ile Cys --- Tyr --- Ala Cys Thr --- Cys
                                                                                                 (SEQ ID NO:
                                                                                                 (SEQ ID NO:
                                                                                                 (SEQ ID NO:
      Gly Thr Cys Gly Glu Ile Cys --- Tyr Ala --- Cys Thr Gly Cys Gly Thr Cys Gly Glu Ile Cys --- Tyr Ala --- Cys --- Gly Cys Gly Thr Cys Gly Glu Ile Cys --- Tyr Ala --- Cys Thr --- Cys
                                                                                                 (SEQ ID NO:
                                                                                                 (SEQ ID NO:
                                                                                                 (SEQ ID NO:
--- Gly Thr Cys Gly Glu Ile Cys --- Tyr Ala Ala Cys --- Gly Cys
                                                                                                 (SEQ ID NO:
--- Gly Thr Cys Gly Glu Ile Cys --- Tyr Ala Ala Cys --- Cys --- Gly Thr Cys Gly Glu Ile Cys --- Tyr Ala Ala Cys Thr --- Cys
                                                                                                 (SEQ ID NO:
                                                                                                 (SEQ ID NO:
--- Gly Thr Cys Gly Glu Ile Cys Ala --- Ala Ala Cys Thr Gly Cys
                                                                                                 (SEQ ID NO:
--- Gly Thr Cys Gly Glu Ile Cys Ala --- Ala Cys Thr Gly Cys
--- Gly Thr Cys Gly Glu Ile Cys Ala --- Cys Thr Gly Cys
                                                                                                 (SEQ ID NO:
                                                                                                 (SEQ ID NO:
--- Gly Thr Cys Gly Glu Ile Cys Ala --- Ala Cys --- Gly Cys --- Gly Thr Cys Gly Glu Ile Cys Ala --- Ala Cys Thr --- Cys
                                                                                                 (SEQ ID NO:
                                                                                                 (SEQ ID NO: -)
     Gly Thr Cys Gly Glu Ile Cys Ala --- Ala --- Cys Thr Gly Cys Gly Thr Cys Gly Glu Ile Cys Ala --- Ala --- Cys Thr Gly Cys Gly Thr Cys Gly Glu Ile Cys Ala --- Ala --- Cys Thr --- Cys
                                                                                                 (SEQ ID NO:
                                                                                                 (SEQ ID NO:
                                                                                                 (SEQ ID NO:
      Gly Thr Cys Gly Glu Ile Cys Ala --- Ala Ala Cys --- Gly Cys Gly Thr Cys Gly Glu Ile Cys Ala --- Ala Ala Cys --- Cys Gly Thr Cys Gly Glu Ile Cys Ala --- Ala Ala Cys Thr --- Cys Gly Thr Cys Gly Glu Ile Cys Ala --- Ala Ala Cys Thr --- Cys
                                                                                                 (SEQ ID NO: )
                                                                                                 (SEQ ID NO:
                                                                                                 (SEQ ID NO:
      Gly Thr Cys Gly Glu Ile Cys Ala Tyr --- Ala Cys Thr Gly Cys Gly Thr Cys Gly Glu Ile Cys Ala Tyr --- Cys Thr Gly Cys Gly Thr Cys Gly Glu Ile Cys Ala Tyr --- Cys --- Gly Cys Gly Thr Cys Gly Glu Ile Cys Ala Tyr --- Cys --- Gly Cys
                                                                                                 (SEQ ID NO:
                                                                                                 (SEQ ID NO:
                                                                                                 (SEQ ID NO:
      Gly Thr Cys Gly Glu Ile Cys Ala Tyr --- Cys Thr --- Cys
                                                                                                 (SEQ ID NO:
     Gly Thr Cys Gly Glu Ile Cys Ala Tyr --- Ala Cys --- Gly Cys Gly Thr Cys Gly Glu Ile Cys Ala Tyr --- Ala Cys --- Cys Gly Thr Cys Gly Glu Ile Cys Ala Tyr --- Ala Cys Thr --- Cys
                                                                                                 (SEQ ID NO: )
                                                                                                 (SEQ ID NO:
                                                                                                 (SEQ ID NO:
      Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala --- Cys Thr Gly Cys
                                                                                                 (SEQ ID NO:
--- Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala --- Cys --- Gly Cys --- Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala --- Cys --- Cys
                                                                                                 (SEQ ID NO:
                                                                                                 (SEQ ID NO:
--- Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala --- Cys Thr --- Cys
                                                                                                 (SEQ ID NO:
--- Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys --- Gly Cys
                                                                                                 (SEQ ID NO: )
--- Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys --- Cys --- Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr --- Cys
                                                                                                 (SEQ ID NO:
                                                                                                 (SEQ ID NO:
Pro --- Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                                 (SEQ ID NO:
Pro --- Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                                 (SEQ ID NO:
Pro --- Cys --- Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                                 (SEQ ID NO:
Pro --- Cys --- --- Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                                 (SEQ ID NO:
Pro --- Cys --- Glu --- Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                                 (SEQ ID NO: )
Pro --- Cys --- Glu Ile Cys --- Tyr Ala Ala Cys Thr Gly Cys
Pro --- Cys --- Glu Ile Cys Ala --- Ala Ala Cys Thr Gly Cys
                                                                                                 (SEQ ID NO:
                                                                                                 (SEQ ID NO:
Pro --- Cys --- Glu Ile Cys Ala Tyr --- Ala Cys Thr Gly Cys
                                                                                                 (SEQ ID NO:
Pro --- Cys --- Glu Ile Cys Ala Tyr Ala --- Cys Thr Gly Cys
                                                                                                 (SEQ ID NO:
Pro --- Cys --- Glu Ile Cys Ala Tyr Ala Ala Cys --- Gly Cys Pro --- Cys --- Glu Ile Cys Ala Tyr Ala Ala Cys Thr --- Cys
                                                                                                 (SEQ ID NO:
                                                                                                 (SEQ ID NO:
Pro --- Cys Gly --- Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                                 (SEQ ID NO: )
Pro --- Cys Gly --- Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                                 (SEQ ID NO: )
Pro --- Cys Gly --- Ile Cys --- Tyr Ala Ala Cys Thr Gly Cys
                                                                                                 (SEQ ID NO:
Pro --- Cys Gly --- Ile Cys Ala --- Ala Ala Cys Thr Gly Cys
                                                                                                 (SEQ ID NO: )
Pro --- Cys Gly --- Ile Cys Ala Tyr --- Ala Cys Thr Gly Cys
                                                                                                (SEQ ID NO: )
```

FIG. I (sheet 5 of 13)

```
Pro --- Cys Gly --- Ile Cys Ala Tyr Ala --- Cys Thr Gly Cys
                                                                           (SEQ ID NO: )
Pro --- Cys Gly --- Ile Cys Ala Tyr Ala Ala Cys --- Gly Cys
                                                                            (SEQ ID NO: )
Pro --- Cys Gly --- Ile Cys Ala Tyr Ala Ala Cys Thr --- Cys
                                                                            (SEQ ID NO: )
Pro --- Cys Gly Glu --- Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                            (SEQ ID NO: )
Pro --- Cys Gly Glu --- Cys --- Tyr Ala Ala Cys Thr Gly Cys
Pro --- Cys Gly Glu --- Cys Ala --- Ala Ala Cys Thr Gly Cys
                                                                            (SEQ ID NO:
                                                                            (SEQ ID NO:
Pro --- Cys Gly Glu --- Cys Ala Tyr --- Ala Cys Thr Gly Cys
                                                                            (SEO ID NO: )
Pro --- Cys Gly Glu --- Cys Ala Tyr Ala --- Cys Thr Gly Cys
                                                                            (SEQ ID NO: )
Pro --- Cys Gly Glu --- Cys Ala Tyr Ala Ala Cys --- Gly Cys Pro --- Cys Gly Glu --- Cys Ala Tyr Ala Ala Cys Thr --- Cys
                                                                            (SEQ ID NO: )
                                                                            (SEQ ID NO: )
Pro --- Cys Gly Glu Ile Cys --- Tyr Ala Ala Cys Thr Gly Cys
Pro --- Cys Gly Glu Ile Cys --- Ala Ala Cys Thr Gly Cys
                                                                            (SEQ ID NO: )
                                                                            (SEQ ID NO: )
Pro --- Cys Gly Glu Ile Cys --- Tyr --- Ala Cys Thr Gly Cys
Pro --- Cys Gly Glu Ile Cys --- Tyr Ala --- Cys Thr Gly Cys
                                                                            (SEQ ID NO: )
                                                                            (SEQ ID NO: )
Pro --- Cys Gly Glu Ile Cys --- Tyr Ala Ala Cys --- Gly Cys
                                                                            (SEQ ID NO: )
Pro --- Cys Gly Glu Ile Cys --- Tyr Ala Ala Cys Thr --- Cys
                                                                            (SEQ ID NO: )
Pro --- Cys Gly Glu Ile Cys Ala --- Ala Ala Cys Thr Gly Cys
                                                                            (SEQ ID NO: )
Pro --- Cys Gly Glu Ile Cys Ala --- Ala Cys Thr Gly Cys
                                                                            (SEQ ID NO: )
Pro --- Cys Gly Glu Ile Cys Ala --- Ala --- Cys Thr Gly Cys
                                                                            (SEQ ID NO: )
Pro --- Cys Gly Glu Ile Cys Ala --- Ala Ala Cys --- Gly Cys Pro --- Cys Gly Glu Ile Cys Ala --- Ala Ala Cys Thr --- Cys
                                                                            (SEQ ID NO: )
                                                                            (SEQ ID NO: )
Pro --- Cys Gly Glu Ile Cys Ala Tyr --- Ala Cys Thr Gly Cys
                                                                            (SEQ ID NO: )
Pro --- Cys Gly Glu Ile Cys Ala Tyr --- Cys Thr Gly Cys
                                                                            (SEQ ID NO: )
Pro --- Cys Gly Glu Ile Cys Ala Tyr --- Ala Cys --- Gly Cys Pro --- Cys Gly Glu Ile Cys Ala Tyr --- Ala Cys Thr --- Cys
                                                                            (SEQ ID NO:
                                                                            (SEQ ID NO: )
Pro --- Cys Gly Glu Ile Cys Ala Tyr Ala --- Cys Thr Gly Cys
                                                                            (SEQ ID NO: )
Pro --- Cys Gly Glu Ile Cys Ala Tyr Ala --- Cys --- Gly Cys
Pro --- Cys Gly Glu Ile Cys Ala Tyr Ala --- Cys Thr --- Cys
                                                                            (SEQ ID NO: )
                                                                            (SEQ ID NO: )
Pro --- Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys --- Gly Cys
                                                                            (SEQ ID NO: )
Pro --- Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys --- Cys Pro --- Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr --- Cys
                                                                            (SEQ ID NO: )
                                                                            (SEQ ID NO: )
Pro --- Thr Cys --- Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                            (SEQ ID NO: )
Pro --- Thr Cys --- --- Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                            (SEQ ID NO: )
Pro --- Thr Cys --- --- Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                            (SEQ ID NO:
Pro --- Thr Cys --- Tle Cys --- Tyr Ala Ala Cys Thr Gly Cys
                                                                            (SEQ ID NO: )
Pro --- Thr Cys --- --- Ile Cys Ala --- Ala Ala Cys Thr Gly Cys
                                                                            (SEQ ID NO: )
Pro --- Thr Cys --- --- Ile Cys Ala Tyr --- Ala Cys Thr Gly Cys
                                                                            (SEQ ID NO: )
Pro --- Thr Cys --- --- Ile Cys Ala Tyr Ala --- Cys Thr Gly Cys
                                                                            (SEQ ID NO:
Pro --- Thr Cys --- --- Ile Cys Ala Tyr Ala Ala Cys --- Gly Cys
                                                                            (SEQ ID NO:
Pro --- Thr Cys --- --- Ile Cys Ala Tyr Ala Ala Cys Thr --- Cys
                                                                            (SEQ ID NO:
Pro --- Thr Cys --- Glu --- Cys Ala Tyr Ala Ala Cys Thr Gly Cys
Pro --- Thr Cys --- Glu --- Cys --- Tyr Ala Ala Cys Thr Gly Cys
                                                                            (SEQ ID NO:
                                                                            (SEQ ID NO: )
Pro --- Thr Cys --- Glu --- Cys Ala --- Ala Ala Cys Thr Gly Cys
                                                                            (SEQ ID NO: )
Pro --- Thr Cys --- Glu --- Cys Ala Tyr --- Ala Cys Thr Gly Cys
                                                                            (SEQ ID NO: )
Pro --- Thr Cys --- Glu --- Cys Ala Tyr Ala --- Cys Thr Gly Cys
                                                                            (SEQ ID NO:
Pro --- Thr Cys --- Glu --- Cys Ala Tyr Ala Ala Cys --- Gly Cys
                                                                            (SEQ ID NO: )
Pro --- Thr Cys --- Glu --- Cys Ala Tyr Ala Ala Cys Thr --- Cys
                                                                            (SEQ ID NO: )
Pro --- Thr Cys --- Glu Ile Cys --- Tyr Ala Ala Cys Thr Gly Cys
Pro --- Thr Cys --- Glu Ile Cys --- Ala Ala Cys Thr Gly Cys
                                                                            (SEQ ID NO:
                                                                            (SEQ ID NO:
Pro --- Thr Cys --- Glu Ile Cys --- Tyr --- Ala Cys Thr Gly Cys
                                                                            (SEQ ID NO: )
Pro --- Thr Cys --- Glu Ile Cys --- Tyr Ala --- Cys Thr Gly Cys
                                                                            (SEQ ID NO: )
Pro --- Thr Cys --- Glu Ile Cys --- Tyr Ala Ala Cys --- Gly Cys
Pro --- Thr Cys --- Glu Ile Cys --- Tyr Ala Ala Cys Thr --- Cys
                                                                            (SEQ ID NO:
                                                                            (SEQ ID.NO:
Pro --- Thr Cys --- Glu Ile Cys Ala --- Ala Ala Cys Thr Gly Cys
                                                                            (SEQ ID NO:
Pro --- Thr Cys --- Glu Ile Cys Ala --- --- Ala Cys Thr Gly Cys
                                                                            (SEQ ID NO:
Pro --- Thr Cys --- Glu Ile Cys Ala --- Ala --- Cys Thr Gly Cys
Pro --- Thr Cys --- Glu Ile Cys Ala --- Ala Ala Cys --- Gly Cys
                                                                            (SEQ ID NO:
                                                                            (SEQ ID NO: )
Pro --- Thr Cys --- Glu Ile Cys Ala --- Ala Ala Cys Thr --- Cys
                                                                            (SEQ ID NO: )
Pro --- Thr Cys --- Glu Ile Cys Ala Tyr --- Ala Cys Thr Gly Cys
                                                                            (SEO ID NO: )
Pro --- Thr Cys --- Glu Ile Cys Ala Tyr --- Cys Thr Gly Cys
                                                                            (SEQ ID NO:
Pro --- Thr Cys --- Glu Ile Cys Ala Tyr --- Ala Cys --- Gly Cys
                                                                            (SEQ ID NO: )
Pro --- Thr Cys --- Glu Ile Cys Ala Tyr --- Ala Cys Thr --- Cys
                                                                            (SEQ ID NO: )
Pro --- Thr Cys --- Glu Ile Cys Ala Tyr Ala --- Cys Thr Gly Cys
                                                                            (SEQ ID NO: )
```

FIG. 1 (sheet 6 of 13)

```
Pro --- Thr Cys --- Glu Ile Cys Ala Tyr Ala --- Cys --- Gly Cys Pro --- Thr Cys --- Glu Ile Cys Ala Tyr Ala --- Cys Thr --- Cys
                                                                                                                              (SEQ ID NO: )
                                                                                                                              (SEQ ID NO:
 Pro --- Thr Cys --- Glu Ile Cys Ala Tyr Ala Ala Cys --- Gly Cys
                                                                                                                              (SEQ ID NO:
 Pro --- Thr Cys --- Glu Ile Cys Ala Tyr Ala Ala Cys --- Cys
                                                                                                                              (SEQ ID NO:
 Pro --- Thr Cys --- Glu Ile Cys Ala Tyr Ala Ala Cys Thr --- Cys
Pro --- Thr Cys Gly --- Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                                                              (SEQ ID NO:
                                                                                                                              (SEQ ID NO:
 Pro --- Thr Cys Gly --- --- Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                                                              (SEQ ID NO:
Pro --- Thr Cys Gly --- -- Cys --- Tyr Ala Ala Cys Thr Gly Cys
Pro --- Thr Cys Gly --- -- Cys Ala --- Ala Ala Cys Thr Gly Cys
Pro --- Thr Cys Gly --- -- Cys Ala Tyr --- Ala Cys Thr Gly Cys
                                                                                                                              (SEQ ID NO:
                                                                                                                              (SEQ ID NO:
                                                                                                                              (SEQ ID NO:
 Pro --- Thr Cys Gly --- --- Cys Ala Tyr Ala --- Cys Thr Gly Cys
                                                                                                                              (SEQ ID NO:
 Pro --- Thr Cys Gly --- Cys Ala Tyr Ala Ala Cys --- Gly Cys
Pro --- Thr Cys Gly --- Cys Ala Tyr Ala Ala Cys Thr --- Cys
                                                                                                                              (SEQ ID NO:
                                                                                                                              (SEQ ID NO:
Pro --- Thr Cys Gly --- Ile Cys --- Tyr Ala Ala Cys Thr Gly Cys
Pro --- Thr Cys Gly --- Ile Cys --- Ala Ala Cys Thr Gly Cys
                                                                                                                              (SEQ ID NO:
                                                                                                                              (SEQ ID NO:
Pro --- Thr Cys Gly --- Ile Cys --- Ala Ala Cys Thr Gly Cys
Pro --- Thr Cys Gly --- Ile Cys --- Tyr --- Ala Cys Thr Gly Cys
Pro --- Thr Cys Gly --- Ile Cys --- Tyr Ala Ala Cys --- Gly Cys
Pro --- Thr Cys Gly --- Ile Cys --- Tyr Ala Ala Cys Thr --- Cys
Pro --- Thr Cys Gly --- Ile Cys Ala --- Ala Ala Cys Thr Gly Cys
Pro --- Thr Cys Gly --- Ile Cys Ala --- Ala Cys Thr Gly Cys
Pro --- Thr Cys Gly --- Ile Cys Ala --- Ala Cys Thr Gly Cys
                                                                                                                              (SEQ ID NO: )
                                                                                                                              (SEQ ID NO:
                                                                                                                              (SEQ ID NO:
                                                                                                                              (SEQ ID NO:
                                                                                                                              (SEQ ID NO:
                                                                                                                              (SEQ ID NO:
 Pro --- Thr Cys Gly --- Ile Cys Ala --- Ala --- Cys Thr Gly Cys
                                                                                                                              (SEQ ID NO: )
Pro --- Thr Cys Gly --- Ile Cys Ala --- Ala Ala Cys --- Gly Cys
Pro --- Thr Cys Gly --- Ile Cys Ala --- Ala Ala Cys Thr --- Cys
                                                                                                                              (SEQ ID NO: )
                                                                                                                              (SEQ ID NO:
 Pro --- Thr Cys Gly --- Ile Cys Ala Tyr --- Ala Cys Thr Gly Cys
                                                                                                                              (SEQ ID NO:
 Pro --- Thr Cys Gly --- Ile Cys Ala Tyr --- Cys Thr Gly Cys
                                                                                                                              (SEQ ID NO:
Pro --- Thr Cys Gly --- Ile Cys Ala Tyr --- Ala Cys --- Gly Cys
Pro --- Thr Cys Gly --- Ile Cys Ala Tyr --- Ala Cys Thr --- Cys
                                                                                                                              (SEQ ID NO:
                                                                                                                              (SEQ ID NO:
 Pro --- Thr Cys Gly --- Ile Cys Ala Tyr Ala --- Cys Thr Gly Cys
                                                                                                                              (SEQ ID NO:
Pro --- Thr Cys Gly --- Ile Cys Ala Tyr Ala --- Cys --- Gly Cys
Pro --- Thr Cys Gly --- Ile Cys Ala Tyr Ala --- Cys Thr --- Cys
                                                                                                                              (SEQ ID NO: )
                                                                                                                              (SEQ ID NO:
Pro --- Thr Cys Gly --- Ile Cys Ala Tyr Ala Ala Cys --- Gly Cys
                                                                                                                              (SEQ ID NO:
Pro --- Thr Cys Gly --- Ile Cys Ala Tyr Ala Ala Cys --- -- Cys Pro --- Thr Cys Gly --- Ile Cys Ala Tyr Ala Ala Cys Thr --- Cys
                                                                                                                              (SEQ ID NO:
                                                                                                                              (SEQ ID NO:
Pro --- Thr Cys Gly Glu --- Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                                                              (SEQ ID NO:
Pro --- Thr Cys Gly Glu --- Cys Ala 1y1 Ala Ala Cys Thr Gly Cys
Pro --- Thr Cys Gly Glu --- Cys --- Tyr Ala Ala Cys Thr Gly Cys
Pro --- Thr Cys Gly Glu --- Cys --- Tyr Ala Ala Cys Thr Gly Cys
Pro --- Thr Cys Gly Glu --- Cys --- Tyr Ala --- Cys Thr Gly Cys
Pro --- Thr Cys Gly Glu --- Cys --- Tyr Ala --- Cys Thr Gly Cys

Thr Cys Gly Glu --- Cys --- Tyr Ala Ala Cys --- Gly Cys
                                                                                                                              (SEQ ID NO:
                                                                                                                              (SEQ ID NO: )
                                                                                                                              (SEQ ID NO:
                                                                                                                              (SEQ ID NO:
Pro --- Thr Cys Gly Glu --- Cys --- Tyr Ala Ala Cys --- Gly Cys
Pro --- Thr Cys Gly Glu --- Cys --- Tyr Ala Ala Cys Thr --- Cys
Pro --- Thr Cys Gly Glu --- Cys Ala --- Ala Ala Cys Thr Gly Cys
                                                                                                                              (SEQ ID NO:
                                                                                                                              (SEQ ID NO:
                                                                                                                              (SEQ ID NO:
Pro --- Thr Cys Gly Glu --- Cys Ala --- --- Ala Cys Thr Gly Cys
                                                                                                                              (SEQ ID NO:
Pro --- Thr Cys Gly Glu --- Cys Ala --- Ala Cys Thr Gly Cys
Pro --- Thr Cys Gly Glu --- Cys Ala --- Ala Ala Cys --- Gly Cys
Pro --- Thr Cys Gly Glu --- Cys Ala --- Ala Ala Cys --- Gly Cys
Pro --- Thr Cys Gly Glu --- Cys Ala --- Ala Ala Cys Thr --- Cys
                                                                                                                              (SEQ ID NO:
                                                                                                                              (SEQ ID NO:
                                                                                                                              (SEQ ID NO:
Pro --- Thr Cys Gly Glu --- Cys Ala Tyr --- Ala Cys Thr Gly Cys
Pro --- Thr Cys Gly Glu --- Cys Ala Tyr --- Cys Thr Gly Cys
Pro --- Thr Cys Gly Glu --- Cys Ala Tyr --- Ala Cys --- Gly Cys
Pro --- Thr Cys Gly Glu --- Cys Ala Tyr --- Ala Cys Thr --- Cys
Pro --- Thr Cys Gly Glu --- Cys Ala Tyr --- Ala Cys Thr --- Cys
                                                                                                                              (SEQ ID NO: )
                                                                                                                              (SEQ ID NO: )
                                                                                                                              (SEQ ID NO:
                                                                                                                              (SEQ ID NO: )
Pro --- Thr Cys Gly Glu --- Cys Ala Tyr Ala --- Cys Thr Gly Cys
Pro --- Thr Cys Gly Glu --- Cys Ala Tyr Ala --- Cys --- Gly Cys
Pro --- Thr Cys Gly Glu --- Cys Ala Tyr Ala --- Cys Thr --- Cys
                                                                                                                              (SEQ ID NO: )
                                                                                                                              (SEQ ID NO:
                                                                                                                              (SEQ ID NO:
Pro --- Thr Cys Gly Glu --- Cys Ala Tyr Ala Ala Cys --- Gly Cys
                                                                                                                              (SEQ ID NO: )
Pro --- Thr Cys Gly Glu --- Cys Ala Tyr Ala Ala Cys --- Cys Pro --- Thr Cys Gly Glu --- Cys Ala Tyr Ala Ala Cys Thr --- Cys
                                                                                                                              (SEQ ID NO:
                                                                                                                              (SEQ ID NO:
Pro --- Thr Cys Gly Glu Ile Cys --- Tyr Ala Ala Cys Thr Gly Cys
Pro --- Thr Cys Gly Glu Ile Cys --- Ala Ala Cys Thr Gly Cys
Pro --- Thr Cys Gly Glu Ile Cys --- Ala Cys Thr Gly Cys
Pro --- Thr Cys Gly Glu Ile Cys --- Ala Cys Thr Gly Cys
Pro --- Thr Cys Gly Glu Ile Cys --- Ala --- Cys Thr Gly Cys
                                                                                                                              (SEQ ID NO:
                                                                                                                              (SEQ ID NO: )
                                                                                                                              (SEQ ID NO: )
                                                                                                                              (SEQ ID NO: )
Pro --- Thr Cys Gly Glu Ile Cys --- Ala Ala Cys --- Gly Cys
Pro --- Thr Cys Gly Glu Ile Cys --- Ala Ala Cys Thr --- Cys
Pro --- Thr Cys Gly Glu Ile Cys --- Tyr --- Ala Cys Thr Gly Cys
                                                                                                                             (SEQ ID NO: )
                                                                                                                             (SEQ ID NO: )
                                                                                                                             (SEQ ID NO: )
```

FIG. 1 (sheed 7 of 13)

```
Pro --- Thr Cys Gly Glu Ile Cys --- Tyr --- Cys Thr Gly Cys
                                                                                                      (SEQ ID NO: )
 Pro --- Thr Cys Gly Glu Ile Cys --- Tyr --- Ala Cys --- Gly Cys
                                                                                                      (SEQ ID NO: )
 Pro --- Thr Cys Gly Glu Ile Cys --- Tyr --- Ala Cys Thr --- Cys
Pro --- Thr Cys Gly Glu Ile Cys --- Tyr Ala --- Cys Thr Gly Cys
Pro --- Thr Cys Gly Glu Ile Cys --- Tyr Ala --- Cys --- Gly Cys
                                                                                                      (SEQ ID NO: )
                                                                                                      (SEQ ID NO: )
                                                                                                      (SEO ID NO: )
 Pro --- Thr Cys Gly Glu Ile Cys --- Tyr Ala --- Cys Thr --- Cys
Pro --- Thr Cys Gly Glu Ile Cys --- Tyr Ala Ala Cys --- Gly Cys
Pro --- Thr Cys Gly Glu Ile Cys --- Tyr Ala Ala Cys --- Cys
                                                                                                      (SEQ ID NO:
                                                                                                      (SEQ ID NO:
                                                                                                      (SEQ ID NO:
 Pro --- Thr Cys Gly Glu Ile Cys --- Tyr Ala Ala Cys Thr --- Cys
                                                                                                      (SEQ ID NO; )
 Pro --- Thr Cys Gly Glu Ile Cys Ala --- Ala Ala Cys Thr Gly Cys
Pro --- Thr Cys Gly Glu Ile Cys Ala --- Ala Cys Thr Gly Cys
Pro --- Thr Cys Gly Glu Ile Cys Ala --- Cys Thr Gly Cys
                                                                                                      (SEQ ID NO: )
                                                                                                      (SEQ ID NO:
                                                                                                      (SEQ ID NO: )
 Pro --- Thr Cys Gly Glu Ile Cys Ala --- Ala Cys --- Gly Cys
Pro --- Thr Cys Gly Glu Ile Cys Ala --- Ala Cys Thr --- Cys
                                                                                                      (SEQ ID NO: )
                                                                                                     (SEQ ID NO:
 Pro --- Thr Cys Gly Glu Ile Cys Ala --- Ala --- Cys Thr Gly Cys
                                                                                                     (SEQ ID NO:
 Pro --- Thr Cys Gly Glu Ile Cys Ala --- Ala --- Cys --- Gly Cys
                                                                                                     (SEQ ID NO: )
Pro --- Thr Cys Gly Glu Ile Cys Ala --- Ala --- Cys Thr --- Cys Pro --- Thr Cys Gly Glu Ile Cys Ala --- Ala Ala Cys --- Gly Cys Pro --- Thr Cys Gly Glu Ile Cys Ala --- Ala Ala Cys --- Cys
                                                                                                     (SEQ ID NO: )
                                                                                                     (SEQ ID NO:
                                                                                                     (SEQ ID NO:
 Pro --- Thr Cys Gly Glu Ile Cys Ala --- Ala Ala Cys Thr --- Cys
                                                                                                     (SEQ ID NO: )
Pro --- Thr Cys Gly Glu Ile Cys Ala Tyr --- Ala Cys Thr Gly Cys
Pro --- Thr Cys Gly Glu Ile Cys Ala Tyr --- Cys Thr Gly Cys
                                                                                                     (SEQ ID NO:
                                                                                                     (SEQ ID NO:
Pro --- Thr Cys Gly Glu Ile Cys Ala Tyr --- Cys --- Gly Cys
Pro --- Thr Cys Gly Glu Ile Cys Ala Tyr --- Cys Thr --- Cys
                                                                                                     (SEQ ID NO: )
                                                                                                     (SEQ ID NO: )
 Pro --- Thr Cys Gly Glu Ile Cys Ala Tyr --- Ala Cys --- Gly Cys
                                                                                                     (SEQ ID NO:
Pro --- Thr Cys Gly Glu Ile Cys Ala Tyr --- Ala Cys --- --- Cys
                                                                                                     (SEQ ID NO:
Pro --- Thr Cys Gly Glu Ile Cys Ala Tyr --- Ala Cys Thr --- Cys
                                                                                                     (SEQ ID NO: )
Pro --- Thr Cys Gly Glu Ile Cys Ala Tyr Ala --- Cys Thr Gly Cys
Pro --- Thr Cys Gly Glu Ile Cys Ala Tyr Ala --- Cys --- Gly Cys
                                                                                                     (SEQ ID NO: )
                                                                                                     (SEQ ID NO: )
Pro --- Thr Cys Gly Glu Ile Cys Ala Tyr Ala --- Cys --- --- Cys
                                                                                                     (SEQ ID NO: )
Pro --- Thr Cys Gly Glu Ile Cys Ala Tyr Ala --- Cys Thr --- Cys
                                                                                                     (SEQ ID NO: )
Pro --- Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys --- Gly Cys
Pro --- Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys --- Cys
                                                                                                     (SEQ ID NO: )
                                                                                                     (SEQ ID NO: )
Pro --- Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr --- Cys
                                                                                                     (SEQ ID NO:
Pro Gly --- Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
Pro Gly --- Cys --- Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                                     (SEQ ID NO:
                                                                                                     (SEQ ID NO:
Pro Gly --- Cys --- Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                                     (SEQ ID NO: )
Pro Gly --- Cys --- --- Cys Ala Tyr Ala Ala Cys Thr Gly Cys
Pro Gly --- Cys --- --- Ile Cys --- Tyr Ala Ala Cys Thr Gly Cys
Pro Gly --- Cys --- --- Ile Cys Ala --- Ala Ala Cys Thr Gly Cys
Pro Gly --- Cys --- --- Ile Cys Ala --- Ala Ala Cys Thr Gly Cys
                                                                                                     (SEQ ID NO: )
                                                                                                     (SEQ ID NO: )
(SEQ ID NO: )
Pro Gly --- Cys --- --- Ile Cys Ala Tyr --- Ala Cys Thr Gly Cys Pro Gly --- Cys --- --- Ile Cys Ala Tyr Ala --- Cys Thr Gly Cys
                                                                                                     (SEQ ID NO:
                                                                                                     (SEQ ID NO:
Pro Gly --- Cys --- -- Ile Cys Ala Tyr Ala Ala Cys --- Gly Cys
Pro Gly --- Cys --- --- Ile Cys Ala Tyr Ala Ala Cys Thr --- Cys
                                                                                                     (SEQ ID NO:
                                                                                                     (SEQ ID NO: )
Pro Gly --- Cys --- Glu --- Cys Ala Tyr Ala Ala Cys Thr Gly Cys Pro Gly --- Cys --- Glu --- Cys --- Tyr Ala Ala Cys Thr Gly Cys Pro Gly --- Cys --- Glu --- Cys Ala --- Ala Ala Cys Thr Gly Cys
                                                                                                     (SEQ ID NO: )
                                                                                                     (SEQ ID NO: )
                                                                                                     (SEQ ID NO: )
Pro Gly --- Cys --- Glu --- Cys Ala Tyr --- Ala Cys Thr Gly Cys
                                                                                                     (SEQ ID NO:
Pro Gly --- Cys --- Glu --- Cys Ala Tyr Ala --- Cys Thr Gly Cys
Pro Gly --- Cys --- Glu --- Cys Ala Tyr Ala Ala Cys --- Gly Cys
Pro Gly --- Cys --- Glu --- Cys Ala Tyr Ala Ala Cys Thr --- Cys
Pro Gly --- Cys --- Glu --- Cys Ala Tyr Ala Ala Cys Thr --- Cys
                                                                                                     (SEQ ID NO:
                                                                                                     (SEQ ID NO:
                                                                                                     (SEQ ID NO: )
Pro Gly --- Cys --- Glu Ile Cys --- Tyr Ala Ala Cys Thr Gly Cys
                                                                                                     (SEQ ID NO: )
Pro Gly --- Cys --- Glu Ile Cys --- Ala Ala Cys Thr Gly Cys Pro Gly --- Cys --- Glu Ile Cys --- Tyr --- Ala Cys Thr Gly Cys
                                                                                                     (SEQ ID NO: )
                                                                                                     (SEQ ID NO: )
Pro Gly --- Cys --- Glu Ile Cys --- Tyr Ala --- Cys Thr Gly Cys
                                                                                                     (SEQ ID NO: )
Pro Gly --- Cys --- Glu Ile Cys --- Tyr Ala Ala Cys --- Gly Cys
Pro Gly --- Cys --- Glu Ile Cys --- Tyr Ala Ala Cys Thr --- Cys
                                                                                                     (SEQ ID NO: )
                                                                                                     (SEQ ID NO: )
Pro Gly --- Cys --- Glu Ile Cys Ala --- Ala Ala Cys Thr Gly Cys
                                                                                                     (SEQ ID NO: )
Pro Gly --- Cys --- Glu Ile Cys Ala --- Ala Cys Thr Gly Cys
Pro Gly --- Cys --- Glu Ile Cys Ala --- Ala --- Cys Thr Gly Cys
                                                                                                     (SEQ ID NO: )
Pro Gly --- Cys --- Glu Ile Cys Ala --- Ala Ala Cys --- Gly Cys
Pro Gly --- Cys --- Glu Ile Cys Ala --- Ala Ala Cys Thr --- Cys
                                                                                                     (SEQ ID NO: )
                                                                                                    (SEQ ID NO: )
Pro Gly --- Cys --- Glu Ile Cys Ala Tyr --- Ala Cys Thr Gly Cys
                                                                                                   (SEQ ID NO: )
```

FIG. 1 (sheet 8 of 13)

```
Pro Gly --- Cys --- Glu Ile Cys Ala Tyr --- Cys Thr Gly Cys
                                                                                             (SEQ ID NO: )
Pro Gly --- Cys --- Glu Ile Cys Ala Tyr --- Ala Cys --- Gly Cys
 Pro Gly --- Cys --- Glu Ile Cys Ala Tyr --- Ala Cys Thr --- Cys
                                                                                             (SEQ ID NO: )
Pro Gly --- Cys --- Glu Ile Cys Ala Tyr Ala --- Cys Thr Gly Cys
Pro Gly --- Cys --- Glu Ile Cys Ala Tyr Ala --- Cys --- Gly Cys
                                                                                             (SEQ ID NO:
                                                                                             (SEQ ID NO: )
Pro Gly --- Cys --- Glu Ile Cys Ala Tyr Ala --- Cys Thr --- Cys
 Pro Gly --- Cys --- Glu Ile Cys Ala Tyr Ala Ala Cys --- Gly Cys
                                                                                             (SEQ ID NO: )
 Pro Gly --- Cys --- Glu Ile Cys Ala Tyr Ala Ala Cys --- Cys
                                                                                             (SEQ ID NO:
 Pro Gly --- Cys --- Glu Ile Cys Ala Tyr Ala Ala Cys Thr --- Cys
                                                                                             (SEQ ID NO: )
Pro Gly --- Cys Gly --- Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                             (SEQ ID NO: )
Pro Gly --- Cys Gly --- Cys Ala Tyr Ala Ala Cys Thr Gly Cys
Pro Gly --- Cys Gly --- Cys Ala Tyr Ala Ala Cys Thr Gly Cys
Pro Gly --- Cys Gly --- Cys Ala --- Ala Ala Cys Thr Gly Cys
Pro Gly --- Cys Gly --- Cys Ala --- Ala Ala Cys Thr Gly Cys
                                                                                             (SEQ ID NO: )
                                                                                             (SEQ ID NO:
                                                                                             (SEQ ID NO: )
Pro Gly --- Cys Gly --- Cys Ala Tyr --- Ala Cys Thr Gly Cys
Pro Gly --- Cys Gly --- Cys Ala Tyr Ala --- Cys Thr Gly Cys
                                                                                             (SEQ ID NO: )
                                                                                             (SEQ ID NO:
Pro Gly --- Cys Gly --- Cys Ala Tyr Ala Ala Cys --- Gly Cys
                                                                                             (SEQ ID NO: )
Pro Gly --- Cys Gly --- Cys Ala Tyr Ala Ala Cys Thr --- Cys
                                                                                             (SEQ ID NO: )
Pro Gly --- Cys Gly --- Ile Cys --- Tyr Ala Ala Cys Thr Gly Cys
Pro Gly --- Cys Gly --- Ile Cys --- Ala Ala Cys Thr Gly Cys
                                                                                             (SEQ ID NO: )
                                                                                             (SEQ ID NO: )
Pro Gly --- Cys Gly --- Ile Cys --- Tyr --- Ala Cys Thr Gly Cys
                                                                                             (SEQ ID NO: )
Pro Gly --- Cys Gly --- Ile Cys --- Tyr Ala --- Cys Thr Gly Cys Pro Gly --- Cys Gly --- Ile Cys --- Tyr Ala Ala Cys --- Gly Cys Pro Gly --- Cys Gly --- Ile Cys --- Tyr Ala Ala Cys Thr --- Cys
                                                                                             (SEQ ID NO: )
                                                                                             (SEQ ID NO: )
                                                                                             (SEQ ID NO: )
Pro Gly --- Cys Gly --- Ile Cys Ala --- Ala Ala Cys Thr Gly Cys
                                                                                             (SEQ ID NO: )
Pro Gly --- Cys Gly --- Ile Cys Ala --- Ala Cys Thr Gly Cys
                                                                                             (SEQ ID NO: )
Pro Gly --- Cys Gly --- Ile Cys Ala --- Ala --- Cys Thr Gly Cys
                                                                                             (SEQ ID NO: )
Pro Gly --- Cys Gly --- Ile Cys Ala --- Ala Ala Cys --- Gly Cys
                                                                                             (SEQ ID NO: )
Pro Gly --- Cys Gly --- Ile Cys Ala --- Ala Ala Cys Thr --- Cys
                                                                                             (SEQ ID NO: )
Pro Gly --- Cys Gly --- Ile Cys Ala Tyr --- Ala Cys Thr Gly Cys
Pro Gly --- Cys Gly --- Ile Cys Ala Tyr --- Cys Thr Gly Cys
                                                                                             (SEQ ID NO: )
                                                                                             (SEQ ID NO: )
Pro Gly --- Cys Gly --- Ile Cys Ala Tyr --- Ala Cys --- Gly Cys
                                                                                             (SEQ ID NO: )
Pro Gly --- Cys Gly --- Ile Cys Ala Tyr --- Ala Cys Thr --- Cys
Pro Gly --- Cys Gly --- Ile Cys Ala Tyr Ala --- Cys Thr Gly Cys
                                                                                             (SEQ ID NO: )
                                                                                             (SEQ ID NO: )
Pro Gly --- Cys Gly --- Ile Cys Ala Tyr Ala --- Cys --- Gly Cys
                                                                                             (SEO ID NO: )
Pro Gly --- Cys Gly --- Ile Cys Ala Tyr Ala --- Cys Thr --- Cys
                                                                                             (SEQ ID NO: )
Pro Gly --- Cys Gly --- Ile Cys Ala Tyr Ala Ala Cys --- Gly Cys
Pro Gly --- Cys Gly --- Ile Cys Ala Tyr Ala Ala Cys --- Cys
                                                                                             (SEQ ID NO: )
                                                                                             (SEQ ID NO: )
Pro Gly --- Cys Gly --- Ile Cys Ala Tyr Ala Ala Cys Thr --- Cys
                                                                                             (SEQ ID NO: )
Pro Gly --- Cys Gly Glu --- Cys Ala Tyr Ala Ala Cys Thr Gly Cys Pro Gly --- Cys Gly Glu --- Cys --- Tyr Ala Ala Cys Thr Gly Cys Pro Gly --- Cys Gly Glu --- Cys --- Ala Ala Cys Thr Gly Cys
                                                                                             (SEQ ID NO: )
                                                                                             (SEQ ID NO:
                                                                                             (SEQ ID NO: )
Pro Gly --- Cys Gly Glu --- Cys --- Tyr --- Ala Cys Thr Gly Cys
Pro Gly --- Cys Gly Glu --- Cys --- Tyr Ala --- Cys Thr Gly Cys
Pro Gly --- Cys Gly Glu --- Cys --- Tyr Ala Ala Cys --- Gly Cys
Pro Gly --- Cys Gly Glu --- Cys --- Tyr Ala Ala Cys --- Gly Cys
                                                                                             (SEQ ID NO: )
                                                                                             (SEQ ID NO: )
                                                                                             (SEQ ID NO: )
Pro Gly --- Cys Gly Glu --- Cys --- Tyr Ala Ala Cys Thr --- Cys
                                                                                             (SEQ ID NO: )
Pro Gly --- Cys Gly Glu --- Cys Ala --- Ala Ala Cys Thr Gly Cys
Pro Gly --- Cys Gly Glu --- Cys Ala --- Ala Cys Thr Gly Cys
                                                                                             (SEQ ID NO: )
                                                                                             (SEQ ID NO: )
Pro Gly --- Cys Gly Glu --- Cys Ala --- Ala --- Cys Thr Gly Cys
                                                                                             (SEQ ID NO: )
Pro Gly --- Cys Gly Glu --- Cys Ala --- Ala Ala Cys --- Gly Cys
                                                                                             (SEQ ID NO: )
Pro Gly --- Cys Gly Glu --- Cys Ala --- Ala Ala Cys Thr --- Cys Pro Gly --- Cys Gly Glu --- Cys Ala Tyr --- Ala Cys Thr Gly Cys
                                                                                             (SEQ ID NO: )
                                                                                             (SEQ ID NO: )
Pro Gly --- Cys Gly Glu --- Cys Ala Tyr --- Cys Thr Gly Cys
                                                                                             (SEQ ID NO: )
Pro Gly --- Cys Gly Glu --- Cys Ala Tyr --- Ala Cys --- Gly Cys
Pro Gly --- Cys Gly Glu --- Cys Ala Tyr --- Ala Cys Thr --- Cys
Pro Gly --- Cys Gly Glu --- Cys Ala Tyr Ala --- Cys Thr Gly Cys
                                                                                             (SEQ ID NO: )
                                                                                             (SEQ ID NO: )
                                                                                             (SEQ ID NO: )
Pro Gly --- Cys Gly Glu --- Cys Ala Tyr Ala --- Cys --- Gly Cys
                                                                                             (SEQ ID NO: )
Pro Gly --- Cys Gly Glu --- Cys Ala Tyr Ala --- Cys Thr --- Cys Pro Gly --- Cys Gly Glu --- Cys Ala Tyr Ala Ala Cys --- Gly Cys
                                                                                             (SEO ID NO: )
                                                                                             (SEQ ID NO: )
Pro Gly --- Cys Gly Glu --- Cys Ala Tyr Ala Ala Cys --- Cys
                                                                                             (SEQ ID NO: )
Pro Gly --- Cys Gly Glu --- Cys Ala Tyr Ala Ala Cys Thr --- Cys
                                                                                             (SEQ ID NO: )
Pro Gly --- Cys Gly Glu Ile Cys --- Tyr Ala Ala Cys Thr Gly Cys
Pro Gly --- Cys Gly Glu Ile Cys --- Ala Ala Cys Thr Gly Cys
Pro Gly --- Cys Gly Glu Ile Cys --- Ala Cys Thr Gly Cys
                                                                                             (SEQ ID NO: )
                                                                                             (SEQ ID NO: )
                                                                                             (SEQ ID NO: )
```

WO 2005/016244

FIG.1 (sheet 9 of 13)

```
Pro Gly --- Cys Gly Glu Ile Cys --- Ala --- Cys Thr Gly Cys.
 Pro Gly --- Cys Gly Glu Ile Cys --- Ala Ala Cys --- Gly Cys
Pro Gly --- Cys Gly Glu Ile Cys --- Ala Ala Cys Thr --- Cys
                                                                                                             (SEQ ID NO: )
                                                                                                             (SEQ ID NO:
 Pro Gly --- Cys Gly Glu Ile Cys --- Tyr --- Ala Cys Thr Gly Cys
                                                                                                             (SEQ ID NO:
 Pro Gly --- Cys Gly Glu Ile Cys --- Tyr --- Cys Thr Gly Cys
 Pro Gly --- Cys Gly Glu Ile Cys --- Tyr --- Ala Cys --- Gly Cys
Pro Gly --- Cys Gly Glu Ile Cys --- Tyr --- Ala Cys Thr --- Cys
                                                                                                             (SEQ ID NO: )
                                                                                                             (SEQ ID NO:
 Pro Gly --- Cys Gly Glu Ile Cys --- Tyr Ala --- Cys Thr Gly Cys
                                                                                                             (SEQ ID NO: )
 Pro Gly --- Cys Gly Glu Ile Cys --- Tyr Ala --- Cys --- Gly Cys
                                                                                                             (SEQ ID NO: )
 Pro Gly --- Cys Gly Glu Ile Cys --- Tyr Ala --- Cys Thr --- Cys
                                                                                                             (SEQ ID NO: )
 Pro Gly --- Cys Gly Glu Ile Cys --- Tyr Ala Ala Cys --- Gly Cys Pro Gly --- Cys Gly Glu Ile Cys --- Tyr Ala Ala Cys --- Cys
                                                                                                             (SEQ ID NO:
                                                                                                             (SEQ ID NO: )
 Pro Gly --- Cys Gly Glu Ile Cys --- Tyr Ala Ala Cys Thr --- Cys
                                                                                                             (SEQ ID NO: )
 Pro Gly --- Cys Gly Glu Ile Cys Ala --- Ala Ala Cys Thr Gly Cys
Pro Gly --- Cys Gly Glu Ile Cys Ala --- Ala Cys Thr Gly Cys
                                                                                                             (SEQ ID NO:
                                                                                                             (SEQ ID NO:
Pro Gly --- Cys Gly Glu Ile Cys Ala --- --- Cys Thr Gly Cys
                                                                                                            (SEQ ID NO: )
 Pro Gly --- Cys Gly Glu Ile Cys Ala --- Ala Cys --- Gly Cys
Pro Gly --- Cys Gly Glu Ile Cys Ala --- Ala Cys Thr --- Cys
                                                                                                            (SEQ ID NO: )
                                                                                                             (SEQ ID NO:
Pro Gly --- Cys Gly Glu Ile Cys Ala --- Ala --- Cys Thr Gly Cys
                                                                                                             (SEQ ID NO: )
Pro Gly --- Cys Gly Glu Ile Cys Ala --- Ala --- Cys Thr Gly Cys
Pro Gly --- Cys Gly Glu Ile Cys Ala --- Ala --- Cys --- Gly Cys
Pro Gly --- Cys Gly Glu Ile Cys Ala --- Ala --- Cys Thr --- Cys
Pro Gly --- Cys Gly Glu Ile Cys Ala --- Ala Ala Cys --- Gly Cys
                                                                                                             (SEQ ID NO: )
                                                                                                             (SEQ ID NO: )
                                                                                                             (SEQ ID NO: )
Pro Gly --- Cys Gly Glu Ile Cys Ala --- Ala Ala Cys --- Cys
Pro Gly --- Cys Gly Glu Ile Cys Ala --- Ala Ala Cys Thr --- Cys
                                                                                                             (SEQ ID NO: )
                                                                                                             (SEQ ID NO: )
Pro Gly --- Cys Gly Glu Ile Cys Ala Tyr --- Ala Cys Thr --- Cys Pro Gly --- Cys Gly Glu Ile Cys Ala Tyr --- Ala Cys Thr Gly Cys Pro Gly --- Cys Gly Glu Ile Cys Ala Tyr --- Cys Thr Gly Cys Pro Gly --- Cys Gly Glu Ile Cys Ala Tyr --- Cys --- Gly Cys Pro Gly --- Cys Gly Glu Ile Cys Ala Tyr --- Cys Thr --- Cys Pro Gly --- Cys Gly Glu Ile Cys Ala Tyr --- Ala Cys --- Gly Cys
                                                                                                          (SEQ ID NO:
                                                                                                             (SEQ ID NO: )
                                                                                                             (SEQ ID NO: )
                                                                                                             (SEQ ID NO:
                                                                                                             (SEQ ID NO: )
Pro Gly --- Cys Gly Glu Ile Cys Ala Tyr --- Ala Cys --- Cys
                                                                                                             (SEQ ID NO: )
Pro Gly --- Cys Gly Glu Ile Cys Ala Tyr --- Ala Cys Thr --- Cys
                                                                                                             (SEQ ID NO: )
Pro Gly --- Cys Gly Glu Ile Cys Ala Tyr Ala --- Cys Thr Gly Cys
Pro Gly --- Cys Gly Glu Ile Cys Ala Tyr Ala --- Cys --- Gly Cys
                                                                                                             (SEQ ID NO: )
                                                                                                             (SEQ ID NO: )
Pro Gly --- Cys Gly Glu Ile Cys Ala Tyr Ala --- Cys --- Cys Pro Gly --- Cys Gly Glu Ile Cys Ala Tyr Ala --- Cys Thr --- Cys
                                                                                                             (SEQ ID NO: )
                                                                                                            (SEQ ID NO:
Pro Gly --- Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys --- Gly Cys
                                                                                                             (SEQ ID NO:
Pro Gly --- Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys --- Cys
                                                                                                            (SEQ ID NO: )
Pro Gly --- Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr --- Cys
                                                                                                            (SEQ ID NO: )
Pro Gly Thr Cys --- Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
Pro Gly Thr Cys --- --- Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                                             (SEQ ID NO: )
                                                                                                             (SEQ ID NO:
Pro Gly Thr Cys --- --- Lie Cys Ala Tyr Ala Ala Cys Thr Gly Cys
Pro Gly Thr Cys --- --- Cys Ala Tyr Ala Ala Cys Thr Gly Cys
Pro Gly Thr Cys --- --- Cys --- Tyr Ala Ala Cys Thr Gly Cys
Pro Gly Thr Cys --- --- Cys Ala --- Ala Ala Cys Thr Gly Cys
Pro Gly Thr Cys --- --- Cys Ala Tyr --- Ala Cys Thr Gly Cys
                                                                                                             (SEQ ID NO:
                                                                                                             (SEQ ID NO:
                                                                                                             (SEQ ID NO:
                                                                                                             (SEQ ID NO: )
Pro Gly Thr Cys --- --- Cys Ala Tyr Ala --- Cys Thr Gly Cys Pro Gly Thr Cys --- --- Cys Ala Tyr Ala Ala Cys --- Gly Cys Pro Gly Thr Cys --- --- Cys Ala Tyr Ala Ala Cys Thr --- Cys Pro Gly Thr Cys --- --- Cys Ala Tyr Ala Ala Cys Thr --- Cys
                                                                                                             (SEQ ID NO: )
                                                                                                             (SEQ ID NO:
                                                                                                             (SEQ ID NO:
Pro Gly Thr Cys --- Ile Cys --- Tyr Ala Ala Cys Thr Gly Cys
Pro Gly Thr Cys --- Ile Cys --- Ala Ala Cys Thr Gly Cys
Pro Gly Thr Cys --- Ile Cys --- Tyr --- Ala Cys Thr Gly Cys
                                                                                                             (SEQ ID NO:
                                                                                                             (SEQ ID NO:
                                                                                                             (SEQ ID NO:
Pro Gly Thr Cys --- --- Ile Cys --- Tyr Ala --- Cys Thr Gly Cys
                                                                                                             (SEQ.ID NO:
Pro Gly Thr Cys --- -- Ile Cys --- Tyr Ala Ala Cys --- Gly Cys Pro Gly Thr Cys --- -- Ile Cys --- Tyr Ala Ala Cys Thr --- Cys
                                                                                                             (SEQ ID NO:
                                                                                                             (SEQ ID NO:
Pro Gly Thr Cys --- --- Ile Cys Ala --- Ala Ala Cys Thr Gly Cys
Pro Gly Thr Cys --- --- Ile Cys Ala --- --- Ala Cys Thr Gly Cys
                                                                                                             (SEQ ID NO:
                                                                                                             (SEQ ID NO: )
Pro Gly Thr Cys --- Ile Cys Ala --- Ala --- Cys Thr Gly Cys (SEQ ID NO: Pro Gly Thr Cys --- Ile Cys Ala --- Ala Ala Cys --- Gly Cys (SEQ ID NO: Pro Gly Thr Cys --- Ile Cys Ala --- Ala Ala Cys Thr --- Cys (SEQ ID NO: Pro Gly Thr Cys --- Ile Cys Ala --- Ala Ala Cys Thr --- Cys (SEQ ID NO:
                                                                                                             (SEQ ID NO: )
Pro Gly Thr Cys --- --- Ile Cys Ala Tyr --- Ala Cys Thr Gly Cys
                                                                                                             (SEQ ID NO: )
Pro Gly Thr Cys --- --- Ile Cys Ala Tyr --- Cys Thr Gly Cys
                                                                                                             (SEQ ID NO:
Pro Gly Thr Cys --- -- Ile Cys Ala Tyr --- Ala Cys --- Gly Cys Pro Gly Thr Cys --- -- Ile Cys Ala Tyr --- Ala Cys Thr --- Cys
                                                                                                             (SEQ ID NO:
                                                                                                           (SEQ ID NO: )
Pro Gly Thr Cys --- --- Ile Cys Ala Tyr Ala --- Cys Thr Gly Cys (SEQ ID NO: )
```

Fig. 1 (sheet 10 of 13)

```
Pro Gly Thr Cys --- Ile Cys Ala Tyr Ala --- Cys --- Gly Cys Pro Gly Thr Cys --- Ile Cys Ala Tyr Ala --- Cys Thr --- Cys
                                                                                                                     (SEQ ID NO: )
                                                                                                                       (SEQ ID NO: )
 Pro Gly Thr Cys --- --- Ile Cys Ala Tyr Ala Ala Cys --- Gly Cys
                                                                                                                      (SEQ ID NO: )
 Pro Gly Thr Cys --- --- Ile Cys Ala Tyr Ala Ala Cys --- --- Cys
                                                                                                                      (SEQ ID NO: )
 Pro Gly Thr Cys --- --- Ile Cys Ala Tyr Ala Ala Cys Thr --- Cys
                                                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys --- Glu --- Cys Ala Tyr Ala Ala Cys Thr Gly Cys
Pro Gly Thr Cys --- Glu --- Cys --- Tyr Ala Ala Cys Thr Gly Cys
                                                                                                                       (SEQ ID NO:
                                                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys --- Glu --- Cys --- Tyr Ala Ala Cys Thr Gly Cys
Pro Gly Thr Cys --- Glu --- Cys --- Ala Ala Cys Thr Gly Cys
Pro Gly Thr Cys --- Glu --- Cys --- Tyr --- Ala Cys Thr Gly Cys
Pro Gly Thr Cys --- Glu --- Cys --- Tyr Ala --- Cys Thr Gly Cys
                                                                                                                      (SEQ ID NO: )
                                                                                                                      (SEQ ID NO: )
                                                                                                                       (SEQ ID NO:
 Pro Gly Thr Cys --- Glu --- Cys --- Tyr Ala Ala Cys --- Gly Cys
                                                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys --- Glu --- Cys --- Tyr Ala Ala Cys Thr --- Cys Pro Gly Thr Cys --- Glu --- Cys Ala --- Ala Ala Cys Thr Gly Cys Pro Gly Thr Cys --- Glu --- Cys Ala --- Ala Cys Thr Gly Cys Pro Gly Thr Cys --- Glu --- Cys Ala --- Ala Cys Thr Gly Cys
                                                                                                                       (SEQ ID NO: )
                                                                                                                       (SEQ ID NO: )
                                                                                                                       (SEQ ID NO: )
 Pro Gly Thr Cys --- Glu --- Cys Ala --- Ala --- Cys Thr Gly Cys
                                                                                                                       (SEQ ID NO: )
 Pro Gly Thr Cys --- Glu --- Cys Ala --- Ala Ala Cys --- Gly Cys
Pro Gly Thr Cys --- Glu --- Cys Ala --- Ala Ala Cys Thr --- Cys
                                                                                                                      (SEQ ID NO: )
                                                                                                                       (SEQ ID NO: )
 Pro Gly Thr Cys --- Glu --- Cys Ala Tyr --- Ala Cys Thr Gly Cys
                                                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys --- Glu --- Cys Ala Tyr --- Ala Cys Thr Gly Cys
Pro Gly Thr Cys --- Glu --- Cys Ala Tyr --- Cys Thr Gly Cys
Pro Gly Thr Cys --- Glu --- Cys Ala Tyr --- Ala Cys --- Gly Cys
Pro Gly Thr Cys --- Glu --- Cys Ala Tyr --- Ala Cys Thr --- Cys
                                                                                                                       (SEQ ID NO: )
                                                                                                                       (SEQ ID NO: )
                                                                                                                       (SEQ ID NO: )
 Pro Gly Thr Cys --- Glu --- Cys Ala Tyr Ala --- Cys Thr Gly Cys
                                                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys --- Glu --- Cys Ala Tyr Ala --- Cys --- Gly Cys Pro Gly Thr Cys --- Glu --- Cys Ala Tyr Ala --- Cys Thr --- Cys
                                                                                                                      (SEQ ID NO: )
                                                                                                                       (SEQ ID NO: )
Pro Gly Thr Cys --- Glu --- Cys Ala Tyr Ala Ala Cys --- Gly Cys
                                                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys --- Glu --- Cys Ala Tyr Ala Ala Cys --- Cys Pro Gly Thr Cys --- Glu --- Cys Ala Tyr Ala Ala Cys Thr --- Cys
                                                                                                                      (SEQ ID NO: )
                                                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys --- Glu Ile Cys --- Tyr Ala Ala Cys Thr Gly Cys
                                                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys --- Glu He Cys --- Tyr Ala Ala Cys Thr Gly Cys
Pro Gly Thr Cys --- Glu He Cys --- Ala Ala Cys Thr Gly Cys
Pro Gly Thr Cys --- Glu He Cys --- Ala Cys Thr Gly Cys
Pro Gly Thr Cys --- Glu He Cys --- Ala --- Cys Thr Gly Cys
Pro Gly Thr Cys --- Glu He Cys --- Ala Ala Cys --- Gly Cys
                                                                                                                      (SEQ ID NO: )
                                                                                                                      (SEQ ID NO: )
                                                                                                                       (SEQ ID NO: )
                                                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys --- Glu Ile Cys --- Ala Ala Cys Thr --- Cys
                                                                                                                       (SEQ ID NO: )
Pro Gly Thr Cys --- Glu Ile Cys --- Tyr --- Ala Cys Thr Gly Cys
Pro Gly Thr Cys --- Glu Ile Cys --- Tyr --- Cys Thr Gly Cys
Pro Gly Thr Cys --- Glu Ile Cys --- Tyr --- Ala Cys --- Gly Cys
                                                                                                                       (SEQ ID NO: )
                                                                                                                      (SEQ ID NO: )
                                                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys --- Glu Ile Cys --- Tyr --- Ala Cys Thr --- Cys
Pro Gly Thr Cys --- Glu Ile Cys --- Tyr Ala --- Cys Thr Gly Cys
Pro Gly Thr Cys --- Glu Ile Cys --- Tyr Ala --- Cys --- Gly Cys
                                                                                                                       (SEQ ID NO: )
                                                                                                                       (SEQ ID NO: )
                                                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys --- Glu Ile Cys --- Tyr Ala --- Cys Thr --- Cys
                                                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys --- Glu Ile Cys --- Tyr Ala --- Cys Thr --- Cys
Pro Gly Thr Cys --- Glu Ile Cys --- Tyr Ala Ala Cys --- Gly Cys
Pro Gly Thr Cys --- Glu Ile Cys --- Tyr Ala Ala Cys --- Cys
Pro Gly Thr Cys --- Glu Ile Cys --- Tyr Ala Ala Cys Thr --- Cys
Pro Gly Thr Cys --- Glu Ile Cys Ala --- Ala Ala Cys Thr Gly Cys
Pro Gly Thr Cys --- Glu Ile Cys Ala --- Ala Cys Thr Gly Cys
Pro Gly Thr Cys --- Glu Ile Cys Ala --- Cys Thr Gly Cys
                                                                                                                      (SEQ ID NO: )
                                                                                                                      (SEQ ID NO: )
                                                                                                                       (SEQ ID NO: )
                                                                                                                    (SEQ ID NO: )
                                                                                                                       (SEQ ID NO: )
                                                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys --- Glu Ile Cys Ala --- Ala Cys --- Gly Cys
                                                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys --- Glu Ile Cys Ala --- Ala Cys Thr --- Cys
Pro Gly Thr Cys --- Glu Ile Cys Ala --- Ala --- Cys Thr Gly Cys
                                                                                                                      (SEQ ID NO: )
                                                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys --- Glu Ile Cys Ala --- Ala --- Cys --- Gly Cys
                                                                                                                      (SEO ID NO: )
Pro Gly Thr Cys --- Glu Ile Cys Ala --- Ala --- Cys Thr --- Cys
                                                                                                                       (SEQ ID NO: )
Pro Gly Thr Cys --- Glu Ile Cys Ala --- Ala Ala Cys --- Gly Cys Pro Gly Thr Cys --- Glu Ile Cys Ala --- Ala Ala Cys --- Cys Pro Gly Thr Cys --- Glu Ile Cys Ala --- Ala Ala Cys Thr --- Cys
                                                                                                                       (SEQ ID NO: )
                                                                                                                       (SEQ ID NO: )
                                                                                                                       (SEQ ID NO: )
Pro Gly Thr Cys --- Glu Ile Cys Ala Tyr --- Ala Cys Thr Gly Cys
Pro Gly Thr Cys --- Glu Ile Cys Ala Tyr --- Cys Thr Gly Cys
Pro Gly Thr Cys --- Glu Ile Cys Ala Tyr --- Cys Thr Gly Cys
Pro Gly Thr Cys --- Glu Ile Cys Ala Tyr --- Cys Thr Cys
Pro Gly Thr Cys --- Glu Ile Cys Ala Tyr --- Cys Thr --- Cys
                                                                                                                       (SEQ ID NO: )
                                                                                                                       (SEQ ID NO: )
                                                                                                                       (SEQ ID NO: )
                                                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys --- Glu Ile Cys Ala Tyr --- Ala Cys --- Gly Cys
Pro Gly Thr Cys --- Glu Ile Cys Ala Tyr --- Ala Cys --- Cys
                                                                                                                       (SEQ ID NO: )
                                                                                                                       (SEQ ID NO: )
Pro Gly Thr Cys --- Glu Ile Cys Ala Tyr --- Ala Cys Thr --- Cys
                                                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys --- Glu Ile Cys Ala Tyr Ala --- Cys Thr Gly Cys Pro Gly Thr Cys --- Glu Ile Cys Ala Tyr Ala --- Cys --- Gly Cys
                                                                                                                      (SEQ ID NO: )
                                                                                                                      (SEQ ID NO: )
```

FIG.1: (sheet 11 of 13)

```
Pro Gly Thr Cys --- Glu Ile Cys Ala Tyr Ala --- Cys --- Cys Pro Gly Thr Cys --- Glu Ile Cys Ala Tyr Ala --- Cys Thr --- Cys
                                                                                                              (SEQ ID NO: )
                                                                                                               (SEQ ID NO: )
 Pro Gly Thr Cys --- Glu Ile Cys Ala Tyr Ala Ala Cys --- Gly Cys
                                                                                                               (SEQ ID NO: )
 Pro Gly Thr Cys --- Glu Ile Cys Ala Tyr Ala Ala Cys --- Cys
                                                                                                               (SEQ ID NO: )
 Pro Gly Thr Cys --- Glu Ile Cys Ala Tyr Ala Ala Cys Thr --- Cys
                                                                                                               (SEQ ID NO:
Pro Gly Thr Cys Gly --- Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Pro Gly Thr Cys Gly --- Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                                               (SEQ ID NO:
                                                                                                               (SEQ ID NO:
 Pro Gly Thr Cys Gly --- Cys --- Tyr Ala Ala Cys Thr Gly Cys
                                                                                                               (SEQ ID NO:
Pro Gly Thr Cys Gly --- --- Cys --- Ala Ala Cys Thr Gly Cys
                                                                                                               (SEQ ID NO: )
Pro Gly Thr Cys Gly --- Cys --- Tyr --- Ala Cys Thr Gly Cys Pro Gly Thr Cys Gly --- Cys --- Tyr Ala --- Cys Thr Gly Cys
                                                                                                               (SEQ ID NO: )
                                                                                                               (SEQ ID NO:
Pro Gly Thr Cys Gly --- Cys --- Tyr Ala Ala Cys --- Gly Cys
                                                                                                              (SEQ ID NO:
Pro Gly Thr Cys Gly --- Cys --- Tyr Ala Ala Cys Thr --- Cys Pro Gly Thr Cys Gly --- Cys Ala --- Ala Ala Cys Thr Gly Cys Pro Gly Thr Cys Gly --- Cys Ala --- Ala Cys Thr Gly Cys Pro Gly Thr Cys Gly --- Cys Ala --- Ala Cys Thr Gly Cys
                                                                                                               (SEQ ID NO:
                                                                                                               (SEQ ID NO:
                                                                                                              (SEQ ID NO:
Pro Gly Thr Cys Gly --- --- Cys Ala --- Ala --- Cys Thr Gly Cys
                                                                                                              (SEQ ID NO:
Pro Gly Thr Cys Gly --- Cys Ala --- Ala Ala Cys --- Gly Cys Pro Gly Thr Cys Gly --- Cys Ala --- Ala Ala Cys Thr --- Cys
                                                                                                              (SEQ ID NO:
                                                                                                              (SEQ ID NO:
Pro Gly Thr Cys Gly --- --- Cys Ala Tyr --- Ala Cys Thr Gly Cys
                                                                                                              (SEQ ID NO:
Pro Gly Thr Cys Gly --- Cys Ala Tyr --- Ala Cys Thr Gly Cys
Pro Gly Thr Cys Gly --- Cys Ala Tyr --- Cys Thr Gly Cys
Pro Gly Thr Cys Gly --- Cys Ala Tyr --- Ala Cys --- Gly Cys
Pro Gly Thr Cys Gly --- Cys Ala Tyr --- Ala Cys Thr --- Cys
                                                                                                              (SEQ ID NO:
                                                                                                              (SEQ ID NO:
                                                                                                               (SEQ ID NO:
Pro Gly Thr Cys Gly --- --- Cys Ala Tyr Ala --- Cys Thr Gly Cys
                                                                                                              (SEQ ID NO:
Pro Gly Thr Cys Gly --- Cys Ala Tyr Ala --- Cys Thr --- Cys Pro Gly Thr Cys Gly --- Cys Ala Tyr Ala --- Cys Thr --- Cys
                                                                                                              (SEQ ID NO:
                                                                                                               (SEQ ID NO:
Pro Gly Thr Cys Gly --- --- Cys Ala Tyr Ala Ala Cys --- Gly Cys
                                                                                                              (SEQ ID NO:
Pro Gly Thr Cys Gly --- Cys Ala Tyr Ala Ala Cys --- Gly Cys Pro Gly Thr Cys Gly --- Cys Ala Tyr Ala Ala Cys --- Cys Pro Gly Thr Cys Gly --- Cys Ala Tyr Ala Ala Cys Thr --- Cys Pro Gly Thr Cys Gly --- Ile Cys --- Tyr Ala Ala Cys Thr Gly Cys
                                                                                                              (SEQ ID NO:
                                                                                                              (SEQ ID NO:
                                                                                                              (SEQ ID NO:
Pro Gly Thr Cys Gly --- Ile Cys --- --- Ala Ala Cys Thr Gly Cys
Pro Gly Thr Cys Gly --- Ile Cys --- --- Ala Cys Thr Gly Cys
Pro Gly Thr Cys Gly --- Ile Cys --- --- Ala --- Cys Thr Gly Cys
                                                                                                              (SEQ ID NO: )
                                                                                                              (SEQ ID NO: )
                                                                                                              (SEQ ID NO:
Pro Gly Thr Cys Gly --- Ile Cys --- Ala Ala Cys --- Gly Cys
                                                                                                              (SEQ ID NO:
Pro Gly Thr Cys Gly --- Ile Cys --- Ala Ala Cys Thr --- Cys
Pro Gly Thr Cys Gly --- Ile Cys --- Tyr --- Ala Cys Thr Gly Cys
Pro Gly Thr Cys Gly --- Ile Cys --- Tyr --- Cys Thr Gly Cys
Pro Gly Thr Cys Gly --- Ile Cys --- Tyr --- Cys Thr Gly Cys
                                                                                                              (SEQ ID NO:
                                                                                                              (SEQ ID NO: )
                                                                                                              (SEQ ID NO:
Pro Gly Thr Cys Gly --- Ile Cys --- Tyr --- Ala Cys --- Gly Cys
                                                                                                              (SEQ ID NO: )
Pro Gly Thr Cys Gly --- Ile Cys --- Tyr --- Ala Cys Thr --- Cys
                                                                                                              (SEQ ID NO: )
Pro Gly Thr Cys Gly --- Ile Cys --- Tyr Ala --- Cys Thr Gly Cys Pro Gly Thr Cys Gly --- Ile Cys --- Tyr Ala --- Cys --- Gly Cys
                                                                                                              (SEQ ID NO: )
                                                                                                              (SEQ ID NO:
Pro Gly Thr Cys Gly --- Ile Cys --- Tyr Ala --- Cys Thr --- Cys
                                                                                                              (SEQ ID NO:
Pro Gly Thr Cys Gly --- Ile Cys --- Tyr Ala Ala Cys --- Gly Cys
Pro Gly Thr Cys Gly --- Ile Cys --- Tyr Ala Ala Cys --- Cys
Pro Gly Thr Cys Gly --- Ile Cys --- Tyr Ala Ala Cys Thr --- Cys
                                                                                                              (SEQ ID NO:
                                                                                                              (SEQ ID NO:
                                                                                                              (SEQ ID NO: )
Pro Gly Thr Cys Gly --- Ile Cys Ala --- Ala Ala Cys Thr Gly Cys Pro Gly Thr Cys Gly --- Ile Cys Ala --- Ala Cys Thr Gly Cys Pro Gly Thr Cys Gly --- Ile Cys Ala --- --- Ala Cys Thr Gly Cys Pro Gly Thr Cys Gly --- Ile Cys Ala --- --- Cys Thr Gly Cys
                                                                                                              (SEQ ID NO: )
                                                                                                              (SEQ ID NO: )
                                                                                                              (SEQ ID NO:
Pro Gly Thr Cys Gly --- He Cys Ala --- Cys Thr Gly Cys
Pro Gly Thr Cys Gly --- He Cys Ala --- Ala Cys --- Gly Cys
Pro Gly Thr Cys Gly --- He Cys Ala --- Ala Cys Thr --- Cys
Pro Gly Thr Cys Gly --- He Cys Ala --- Ala --- Cys Thr Gly Cys
Pro Gly Thr Cys Gly --- He Cys Ala --- Ala --- Cys --- Gly Cys
                                                                                                              (SEQ ID NO:
                                                                                                              (SEQ ID NO:
                                                                                                              (SEQ ID NO:
                                                                                                              (SEQ ID NO: )
Pro Gly Thr Cys Gly --- Ile Cys Ala --- Ala --- Cys Thr --- Cys
                                                                                                              (SEQ ID NO: )
Pro Gly Thr Cys Gly --- Ile Cys Ala --- Ala Ala Cys --- Gly Cys Pro Gly Thr Cys Gly --- Ile Cys Ala --- Ala Ala Cys --- Cys
                                                                                                              (SEQ ID NO: )
                                                                                                              (SEQ ID NO: )
Pro Gly Thr Cys Gly --- Ile Cys Ala --- Ala Ala Cys Thr --- Cys
                                                                                                              (SEQ ID NO: )
Pro Gly Thr Cys Gly --- Ile Cys Ala Tyr --- Ala Cys Thr Gly Cys
Pro Gly Thr Cys Gly --- Ile Cys Ala Tyr --- Cys Thr Gly Cys
Pro Gly Thr Cys Gly --- Ile Cys Ala Tyr --- Cys Thr Gly Cys
                                                                                                              (SEQ ID NO: )
                                                                                                              (SEQ ID NO:
                                                                                                              (SEQ ID NO: )
Pro Gly Thr Cys Gly --- Ile Cys Ala Tyr --- Cys Thr --- Cys
                                                                                                              (SEQ ID NO: )
Pro Gly Thr Cys Gly --- Ile Cys Ala Tyr --- Ala Cys --- Gly Cys
Pro Gly Thr Cys Gly --- Ile Cys Ala Tyr --- Ala Cys --- Cys
Pro Gly Thr Cys Gly --- Ile Cys Ala Tyr --- Ala Cys Thr --- Cys
                                                                                                              (SEQ ID NO: )
                                                                                                              (SEQ ID NO:
                                                                                                             (SEQ ID NO: )
Pro Gly Thr Cys Gly --- Ile Cys Ala Tyr Ala --- Cys Thr Gly Cys
                                                                                                            (SEQ ID NO: )
```

FIG. 1 (sheet 12-0113)

```
Pro Gly Thr Cys Gly --- Ile Cys Ala Tyr Ala --- Cys --- Gly Cys
                                                                                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly --- Ile Cys Ala Tyr Ala --- Cys --- Cys
Pro Gly Thr Cys Gly --- Ile Cys Ala Tyr Ala --- Cys Thr --- Cys
Pro Gly Thr Cys Gly --- Ile Cys Ala Tyr Ala Ala Cys --- Gly Cys
                                                                                                                                                    (SEQ ID NO: )
                                                                                                                                                     (SEQ ID NO: )
                                                                                                                                                     (SEQ ID NO:
 Pro Gly Thr Cys Gly --- Ile Cys Ala Tyr Ala Ala Cys --- --- Cys
                                                                                                                                                    (SEQ ID NO:
 Pro Gly Thr Cys Gly --- Ile Cys Ala Tyr Ala Ala Cys Thr --- Cys
                                                                                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu --- Cys Ala Tyr Ala Ala Cys Thr Gly Cys
Pro Gly Thr Cys Gly Glu --- Cys --- Tyr Ala Ala Cys Thr Gly Cys
                                                                                                                                                    (SEQ ID NO: )
                                                                                                                                                     (SEQ ID NO: )
 Pro Gly Thr Cys Gly Glu --- Cys --- Ala Ala Cys Thr Gly Cys
                                                                                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu --- Cys --- Ala Ala Cys Thr Gly Cys
Pro Gly Thr Cys Gly Glu --- Cys --- --- Ala Cys Thr Gly Cys
Pro Gly Thr Cys Gly Glu --- Cys --- Ala Ala Cys --- Gly Cys
Pro Gly Thr Cys Gly Glu --- Cys --- Ala Ala Cys --- Gly Cys
Pro Gly Thr Cys Gly Glu --- Cys --- Ala Ala Cys Thr --- Cys
Pro Gly Thr Cys Gly Glu --- Cys --- Tyr --- Ala Cys Thr Gly Cys
Pro Gly Thr Cys Gly Glu --- Cys --- Tyr --- Cys Thr Gly Cys
                                                                                                                                                     (SEQ ID NO: )
                                                                                                                                                     (SEQ ID NO: )
                                                                                                                                                    (SEQ ID NO:
                                                                                                                                                     (SEQ ID NO: )
                                                                                                                                                     (SEQ ID NO:
                                                                                                                                                    (SEQ ID NO:
Pro Gly Thr Cys Gly Glu --- Cys --- Tyr --- Cys Inr Gly Cys Pro Gly Thr Cys Gly Glu --- Cys --- Tyr --- Ala Cys --- Gly Cys Pro Gly Thr Cys Gly Glu --- Cys --- Tyr Ala Cys Thr Gly Cys Pro Gly Thr Cys Gly Glu --- Cys --- Tyr Ala --- Cys Thr Gly Cys Pro Gly Thr Cys Gly Glu --- Cys --- Tyr Ala --- Cys --- Gly Cys
                                                                                                                                                    (SEQ ID NO: )
                                                                                                                                                     (SEQ ID NO: )
                                                                                                                                                     (SEQ ID NO:
                                                                                                                                                    (SEQ ID NO:
Pro Gly Thr Cys Gly Glu --- Cys --- Tyr Ala --- Cys Thr --- Cys
                                                                                                                                                    (SEQ ID NO:
Pro Gly Thr Cys Gly Glu --- Cys --- Tyr Ala Ala Cys --- Gly Cys Pro Gly Thr Cys Gly Glu --- Cys --- Tyr Ala Ala Cys --- Cys Pro Gly Thr Cys Gly Glu --- Cys --- Tyr Ala Ala Cys Thr --- Cys
                                                                                                                                                     (SEQ ID NO:
                                                                                                                                                     (SEQ ID NO: )
                                                                                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu --- Cys Ala --- Ala Ala Cys Thr Gly Cys
Pro Gly Thr Cys Gly Glu --- Cys Ala --- Ala Cys Thr Gly Cys
Pro Gly Thr Cys Gly Glu --- Cys Ala --- --- Ala Cys Thr Gly Cys
Pro Gly Thr Cys Gly Glu --- Cys Ala --- --- Cys Thr Gly Cys
                                                                                                                                                    (SEQ ID NO: )
                                                                                                                                                    (SEQ ID NO:
                                                                                                                                                    (SEQ ID NO:
Pro Gly Thr Cys Gly Glu --- Cys Ala --- Cys Thr Gly Cys
Pro Gly Thr Cys Gly Glu --- Cys Ala --- Ala Cys --- Gly Cys
Pro Gly Thr Cys Gly Glu --- Cys Ala --- Ala Cys Thr --- Cys
Pro Gly Thr Cys Gly Glu --- Cys Ala --- Ala --- Cys Thr Gly Cys
Pro Gly Thr Cys Gly Glu --- Cys Ala --- Ala --- Cys --- Gly Cys
                                                                                                                                                    (SEQ ID NO: )
                                                                                                                                                    (SEQ ID NO:
                                                                                                                                                    (SEQ ID NO:
                                                                                                                                                    (SEQ ID NO:
Pro Gly Thr Cys Gly Glu --- Cys Ala --- Ala --- Cys Thr --- Cys Pro Gly Thr Cys Gly Glu --- Cys Ala --- Ala Ala Cys --- Gly Cys Pro Gly Thr Cys Gly Glu --- Cys Ala --- Ala Ala Cys --- Cys Pro Gly Thr Cys Gly Glu --- Cys Ala --- Ala Ala Cys --- Cys
                                                                                                                                                    (SEQ ID NO: )
                                                                                                                                                    (SEQ ID NO:
                                                                                                                                                    (SEQ ID NO:
Pro Gly Thr Cys Gly Glu --- Cys Ala --- Ala Ala Cys Thr --- Cys
                                                                                                                                                    (SEQ ID NO:
Pro Gly Thr Cys Gly Glu --- Cys Ala Tyr --- Ala Cys Thr Gly Cys Pro Gly Thr Cys Gly Glu --- Cys Ala Tyr --- Cys Thr Gly Cys Pro Gly Thr Cys Gly Glu --- Cys Ala Tyr --- Cys Thr Gly Cys Pro Gly Thr Cys Gly Glu --- Cys Ala Tyr --- Cys --- Gly Cys
                                                                                                                                                    (SEQ ID NO:
                                                                                                                                                    (SEQ ID NO:
                                                                                                                                                    (SEO ID NO:
Pro Gly Thr Cys Gly Glu --- Cys Ala Tyr --- Cys Thr --- Cys Pro Gly Thr Cys Gly Glu --- Cys Ala Tyr --- Ala Cys --- Gly Cys Pro Gly Thr Cys Gly Glu --- Cys Ala Tyr --- Ala Cys --- Cys
                                                                                                                                                    (SEQ ID NO:
                                                                                                                                                    (SEQ ID NO:
                                                                                                                                                    (SEQ ID NO:
Pro Gly Thr Cys Gly Glu --- Cys Ala Tyr --- Ala Cys --- Cys
Pro Gly Thr Cys Gly Glu --- Cys Ala Tyr --- Ala Cys Thr --- Cys
Pro Gly Thr Cys Gly Glu --- Cys Ala Tyr Ala --- Cys Thr Gly Cys
Pro Gly Thr Cys Gly Glu --- Cys Ala Tyr Ala --- Cys --- Gly Cys
Pro Gly Thr Cys Gly Glu --- Cys Ala Tyr Ala --- Cys --- Cys
                                                                                                                                                    (SEQ ID NO:
                                                                                                                                                    (SEQ ID NO: )
                                                                                                                                                    (SEQ ID NO:
                                                                                                                                                    (SEQ ID NO:
Pro Gly Thr Cys Gly Glu --- Cys Ala Tyr Ala --- Cys Thr --- Cys Pro Gly Thr Cys Gly Glu --- Cys Ala Tyr Ala Ala Cys --- Gly Cys Pro Gly Thr Cys Gly Glu --- Cys Ala Tyr Ala Ala Cys --- Cys Pro Gly Thr Cys Gly Glu --- Cys Ala Tyr Ala Ala Cys --- Cys
                                                                                                                                                    (SEQ ID NO: )
                                                                                                                                                    (SEQ ID NO: )
                                                                                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu --- Cys Ala Tyr Ala Ala Cys Thr --- Cys
                                                                                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys --- Tyr Ala Ala Cys Thr Gly Cys
Pro Gly Thr Cys Gly Glu Ile Cys --- Ala Ala Cys Thr Gly Cys
Pro Gly Thr Cys Gly Glu Ile Cys --- Ala Cys Thr Gly Cys
Pro Gly Thr Cys Gly Glu Ile Cys --- --- Ala Cys Thr Gly Cys
                                                                                                                                                    (SEQ ID NO: )
                                                                                                                                                    (SEQ ID NO:
                                                                                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys --- --- Cys Thr Gly Cys
Pro Gly Thr Cys Gly Glu Ile Cys --- --- Ala Cys --- Gly Cys
Pro Gly Thr Cys Gly Glu Ile Cys --- --- Ala Cys Thr --- Cys
                                                                                                                                                    (SEQ ID NO: )
                                                                                                                                                    (SEQ ID NO: )
                                                                                                                                                    (SEQ ID NO:
Pro Gly Thr Cys Gly Glu Ile Cys --- Ala --- Cys Thr Gly Cys
                                                                                                                                                    (SEQ ID NO:
Pro Gly Thr Cys Gly Glu Ile Cys --- Ala --- Cys Ihr Gly Cys
Pro Gly Thr Cys Gly Glu Ile Cys --- Ala --- Cys --- Gly Cys
Pro Gly Thr Cys Gly Glu Ile Cys --- Ala --- Cys Thr --- Cys
Pro Gly Thr Cys Gly Glu Ile Cys --- Ala Ala Cys --- Gly Cys
                                                                                                                                                    (SEQ ID NO:
                                                                                                                                                    (SEQ ID NO:
                                                                                                                                                    (SEQ ID NO:
Pro Gly Thr Cys Gly Glu Ile Cys --- Ala Ala Cys --- Cys
                                                                                                                                                    (SEQ ID NO:
Pro Gly Thr Cys Gly Glu Ile Cys --- Ala Ala Cys Thr --- Cys
Pro Gly Thr Cys Gly Glu Ile Cys --- Tyr --- Ala Cys Thr Gly Cys
Pro Gly Thr Cys Gly Glu Ile Cys --- Tyr --- Cys Thr Gly Cys
Pro Gly Thr Cys Gly Glu Ile Cys --- Tyr --- Cys Thr Gly Cys
Pro Gly Thr Cys Gly Glu Ile Cys --- Tyr --- Cys --- Gly Cys
                                                                                                                                                    (SEQ ID NO:
                                                                                                                                                    (SEQ ID NO:
                                                                                                                                                    (SEQ ID NO:
                                                                                                                                                    (SEQ ID NO: )
```

FIG. 1 (sheet 13 of 13)

```
Pro Gly Thr Cys Gly Glu Ile Cys --- Tyr --- Cys Thr --- Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys --- Tyr --- Ala Cys --- Gly Cys
                                                                                                                                         (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu He Cys --- Tyr --- Ala Cys --- Gly Cys
Pro Gly Thr Cys Gly Glu He Cys --- Tyr --- Ala Cys --- Cys
Pro Gly Thr Cys Gly Glu He Cys --- Tyr --- Ala Cys Thr --- Cys
Pro Gly Thr Cys Gly Glu He Cys --- Tyr Ala --- Cys Thr Gly Cys
                                                                                                                                          (SEQ ID NO: )
                                                                                                                                          (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys --- Tyr Ala --- Cys --- Gly Cys
                                                                                                                                          (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys --- Tyr Ala --- Cys --- Cys Pro Gly Thr Cys Gly Glu Ile Cys --- Tyr Ala --- Cys Thr --- Cys
                                                                                                                                          (SEQ ID NO: )
                                                                                                                                          (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys --- Tyr Ala Ala Cys --- Gly Cys
                                                                                                                                          (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys --- Tyr Ala Ala Cys --- Cys
Pro Gly Thr Cys Gly Glu Ile Cys --- Tyr Ala Ala Cys Thr --- Cys
Pro Gly Thr Cys Gly Glu Ile Cys --- Tyr Ala Ala Cys Thr --- Cys
Pro Gly Thr Cys Gly Glu Ile Cys Ala --- Ala Ala Cys Thr Gly Cys
Pro Gly Thr Cys Gly Glu Ile Cys Ala --- Ala Cys Thr Gly Cys
                                                                                                                                          (SEQ ID NO: )
                                                                                                                                          (SEQ ID NO: )
                                                                                                                                          (SEQ ID NO: )
                                                                                                                                          (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala --- --- Cys Thr Gly Cys
Pro Gly Thr Cys Gly Glu Ile Cys Ala --- --- Cys Thr Gly Cys
Pro Gly Thr Cys Gly Glu Ile Cys Ala --- --- Cys --- Gly Cys
Pro Gly Thr Cys Gly Glu Ile Cys Ala --- --- Cys Thr --- Cys
                                                                                                                                          (SEQ ID NO: )
                                                                                                                                          (SEQ ID NO: )
                                                                                                                                          (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala --- --- Ala Cys --- Gly Cys Pro Gly Thr Cys Gly Glu Ile Cys Ala --- --- Ala Cys --- Cys Pro Gly Thr Cys Gly Glu Ile Cys Ala --- --- Ala Cys Thr --- Cys Cys Thr Cys Gly Glu Ile Cys Ala --- --- Ala Cys Thr --- Cys
                                                                                                                                          (SEQ ID NO: )
                                                                                                                                          (SEQ ID NO: )
                                                                                                                                         (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala --- Ala --- Cys Thr Gly Cys
Pro Gly Thr Cys Gly Glu Ile Cys Ala --- Ala --- Cys --- Gly Cys
                                                                                                                                          (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala --- Ala --- Cys --- Cys
Pro Gly Thr Cys Gly Glu Ile Cys Ala --- Ala --- Cys Thr --- Cys
                                                                                                                                          (SEQ ID NO:
                                                                                                                                          (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala --- Ala Ala Cys --- Cys
Pro Gly Thr Cys Gly Glu Ile Cys Ala --- Ala Ala Cys --- Gly Cys
Pro Gly Thr Cys Gly Glu Ile Cys Ala --- Ala Ala Cys --- Cys
Pro Gly Thr Cys Gly Glu Ile Cys Ala --- Ala Ala Cys Thr --- Cys
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr --- Ala Cys Thr Gly Cys
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr --- Cys Thr Gly Cys
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr --- Cys --- Gly Cys
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr --- Cys --- Cys
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr --- Cys Thr --- Cys
                                                                                                                                          (SEQ ID NO: )
                                                                                                                                          (SEQ ID NO:
                                                                                                                                          (SEQ ID NO: )
                                                                                                                                          (SEQ ID NO: )
                                                                                                                                          (SEQ ID NO: )
                                                                                                                                          (SEQ ID NO:
                                                                                                                                          (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr --- Cys Thr --- Cys
                                                                                                                                          (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr --- Ala Cys --- Gly Cys Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr --- Ala Cys --- Cys Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr --- Ala Cys Thr --- Cys
                                                                                                                                          (SEQ ID NO:
                                                                                                                                          (SEQ ID NO:
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala --- Cys Thr Gly Cys Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala --- Cys --- Gly Cys Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala --- Cys --- Cys
                                                                                                                                          (SEQ ID NO: )
                                                                                                                                          (SEQ ID NO:
                                                                                                                                          (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala --- Cys Thr --- Cys
                                                                                                                                          (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys --- Gly Cys Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys --- Cys Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr --- Cys
                                                                                                                                          (SEQ ID NO: )
                                                                                                                                         (SEQ ID NO: )
```

```
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Xaa' Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Xaa' Xaa' Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO:
Pro Gly Xaa' Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: ')
Pro Gly Xaa' Xaa' Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
```

```
Pro Gly Xaa' Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
```

```
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                     (SEO ID NO: )
```

```
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
```

```
Pro Gly Xaa' Thr Xaa' Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO:
Pro Gly Xaa' Thr Xaa' Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Île Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
```

```
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                    (SEO ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys (SEO ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys (SEO ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                    (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa' (SEO ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys
                                                                                    (SEO ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                    (SEO ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                    (SEO ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                    (SEO ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                    (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                    (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                     (SEO ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                    (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                     (SEO ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                    (SEO ID NO: ).
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                    (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                    (SEQ ID NO: )
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
```

```
Pro Gly Xaa' Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys (SEQ ID MO: )
Pro Gly Xaa' Thr Cys Xaa' Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEO ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Kaa' Thr Cys Kaa' Gly Glu Kaa' Ile Kaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEO ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
```

```
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
```

```
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys (SEQ ID NO: )
```

```
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
```

```
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: ')
Pro Gly Xaa' Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
```

```
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys (SEQ ID NO: )
```

```
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO; )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly'Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys (SEQ ID NO: )
```

```
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEO ID NO:
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Kaa' Thr Cys Gly Glu Ile Kaa' Cys Ala Tyr Kaa' Ala Ala Cys Thr Gly Kaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys (SEO ID NO: )
```

```
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Kaa' Thr Cys Gly Glu Ile Cys Kaa' Ala Tyr Ala Kaa' Ala Cys Kaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa' (SEQ ID NO: )
```

```
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa! Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: ')
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
```

```
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa! Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO; )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
```

```
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                     (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Xaa' Cys (SEQ ID NO: )
```

```
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys Xaa'
                                                                                      (SEO ID NO: )
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
```

```
Pro Gly Xaa' Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa' Xaa'
                                                                                    (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Xaa' Xaa' Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Xaa' Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Xaa' Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEO ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID'NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys (SEO ID NO: )
```

```
Pro Gly Thr Xaa' Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
.Pro Gly Thr Xaa' Xaa' Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: .)
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys (SEQ ID NO: )
```

```
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys. (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                    (SEO ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
```

```
Pro Gly Thr Xaa' Cys Xaa' Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu-Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys (SEO ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys (SEQ ID NO: )
```

```
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEO ID NO: )
Pro Gly Thr Kaa' Cys Kaa' Gly Glu Ile Cys Kaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Xaa! Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys (SEQ ID NO: )
```

```
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
```

```
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO:
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO:
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO:
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Kaa' Cys Gly Kaa' Glu Ile Cys Kaa' Ala Tyr Ala Ala Cys Kaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys (SEQ ID NO: )
```

```
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
```

```
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO:
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                       (SEQ ID NO:
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
```

```
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
```

```
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEO ID NO: ).
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
```

```
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
```

```
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Týr Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys (SEQ ID NO: )
```

```
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Xaa' Cys Thr Gly Cys (SEQ ID NO: )
```

```
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Xaa' Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Xaa' Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Xaa' Cys (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys Xaa'
                                                                                     (SEQ ID NO: )
```

```
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa' Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Xaa' Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cvs Xaa' Xaa' Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
```

```
Pro Gly Thr Cys Xaa' Xaa' Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys (SEQ ID NO: )
```

```
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xạa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys (SEO ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
```

```
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Kaa' Gly Kaa' Kaa' Glu Ile Cys Ala Tyr Ala Ala Cys Kaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
```

```
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO:
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys (SEQ ID NO: )
```

```
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Xaa! Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys (SEQ ID NO: ]
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys. (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
```

```
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys (SEQ ID NO: )
```

```
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
```

```
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Kaa' Gly Glu Ile Kaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Kaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys (SEQ ID NO:)
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys (SEQ ID NO: )
```

```
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Alâ Cys Thr Gly Xaa' Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                    (SEQ ID NO: )
```

```
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
```

```
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Xaa' Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Xaa' Thr Gly Cys (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Xaa' Ala Cys Thr Gly Cys (SEQ ID NO: )
```

```
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Xaa' Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa! Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Xaa' Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Xaa' Gly Cys
                                                                                      (SEO ID NO: )
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys Xaa'
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Xaa' Cys (SEQ ID NO: )
```

```
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Xaa' Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa' Xaa'
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEO ID NO:
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                      (SEQ ID NO:
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa' Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa' Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Xaa' Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa' Xaa'
                                                                                     (SEQ ID NO: )
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
Pro Gly Thr Cys Gly Xaa' Xaa' Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
```

```
Pro Gly Thr Cys Gly Xaa' Xaa' Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
Pro Gly Thr Cys Gly Xaa' Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                    (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Kaa' Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Kaa' Kaa' Glu Ile Cys Kaa' Kaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys (SEO ID NO: )
Pro Gly Thr Cys Gly Kaa' Kaa' Glu Ile Cys Kaa' Ala Tyr Ala Ala Cys Kaa' Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
```

```
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                    · (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                     (SEQ ID NO: )
```

```
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Kaa' Glu Kaa' Ile Kaa' Cys Ala Tyr Ala Ala Kaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEO ID NO: )
```

```
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Kaa' Glu Kaa' Ile Cys Ala Tyr Kaa' Kaa' Ala Ala Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Kaa' Glu Kaa' Ile Cys Ala Tyr Kaa' Ala Ala Kaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Kaa' Glu Kaa' Ile Cys Ala Tyr Kaa' Ala Ala Cys Kaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Kaa' Glu Kaa' Ile Cys Ala Tyr Ala Kaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Kaa' Glu Kaa' Ile Cys Ala Tyr Ala Ala Cys Kaa' Kaa' Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Kaa' Glu Kaa' Ile Cys Ala Tyr Ala Ala Cys Kaa' Thr Kaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Kaa' Glu Kaa' Ile Cys Ala Tyr Ala Ala Cys Kaa' Thr Gly Kaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cvs Gly Xaa' Glu Ile Xaa' Xaa' Cvs Ala Tyr Ala Xaa' Ala Cys Thr Gly Cvs
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys (SEQ ID NO: )
```

```
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO; )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys (SEQ ID NO: )
```

```
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Kaa' Glu Ile Kaa' Cys Ala Tyr Ala Ala Cys Kaa' Kaa' Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Kaa' Glu Ile Kaa' Cys Ala Tyr Ala Ala Cys Kaa' Thr Gly Kaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Kaa' Glu Ile Kaa' Cys Ala Tyr Ala Ala Cys Thr Kaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Kaa' Glu Ile Kaa' Cys Ala Tyr Ala Ala Cys Thr Gly Kaa' Kaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Kaa' Glu Ile Cys Kaa' Kaa' Ala Tyr Ala Ala Kaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Kaa' Glu Ile Cys Kaa' Kaa' Ala Tyr Ala Ala Cys Thr Kaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Kaa' Glu Ile Cys Kaa' Ala Kaa' Tyr Ala Ala Cys Thr Kaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: ')
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa' (SEQ ID NO: )
```

```
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                    (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly. Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys (SEQ ID NO: )
```

```
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa' (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Xaa' Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Xaa' Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Xaa' Gly Cys (SEQ ID NO:)
```

```
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Xaa' Gly Cys (SEQ ID NO: )
```

```
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Kaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa' Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Xaa' Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
```

```
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa' Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa' Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Xaa' Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa' Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys (SEQ ID NO: )
```

```
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                    (SEQ ID NO: ).
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                    (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys
                                                                                   (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                    (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa' (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys (SEQ ID NO: )
```

```
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa' (SEQ ID NO: )
```

```
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys (SEQ ID NO: )
```

```
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys
                                                                                    (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                    (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                     (SEQ ID NO; )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
```

```
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys (SEQ ID NO: )
```

```
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Xaa' Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Xaa' Xaa' Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Xaa' Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Xaa' Thr Gly Cys (SEQ ID NO: ).
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Xaa' Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
```

```
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys,
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO:
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEO ID NO:
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO:
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Xaa' Gly Cys
                                                                                      (SEQ ID NO:
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO:
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
```

```
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly-Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Xaa' Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
```

```
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                    (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Glý Thr Cys Gly Glu Ile Xaa' Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys. (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa' (SEQ ID NO: )
```

```
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Kaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Kaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Kaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa' (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys (SEQ ID NO: )
```

```
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
```

```
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: ).
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Xaa' Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys Xaa'
```

```
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Xaa' Thr Gly Cys (SEQ ID NO; )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Xaa' Xaa' Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Xaa' Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Xaa' Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Xaa' Xaa' Ala Cys Thr Gly Cys (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Xaa' Xaa' Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Xaa' Thr Gly Cys (SEO ID NO: )
```

```
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Xaa' Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO; )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO:
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Xaa' Thr Gly Cys
                                                                                     (SEO ID NO:
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys Xaa'
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa' Xaa'
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Xaa' Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Xaa' Gly Cys (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: ')
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Xaa' Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
```

```
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys Xaa'
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa' Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Xaa' Gly Cys
                                                                                    (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys Xaa'
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa' Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys Xaa'
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa' Xaa'
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Xaa' Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa' Xaa' (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glù Ile Cys Xaa' Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys (SEQ ID NO: )
```

```
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                    (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa' (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                     (SEQ ID NO: )
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Xaa' Tyr AIa Xaa' Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys (SEQ ID NO:.)
```

```
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Xaa' Xaa' Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Xaa' Ala Xaa' Ala Cys Thr Gly Cys (SEQ ID NO: )
```

```
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
```

```
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Xaa' Xaa' Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys Xaa' (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Xaa' Xaa' Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Xaa' Cys Xaa' Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Xaa' Xaa' Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Xaa' Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Xaa' Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys Xaa' (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa' Xaa' (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Xaa' Xaa' Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xàa' Xaa' Thr Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Xaa' Cys (SEQ ID NO: )
```

```
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys Xaa'
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa' Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Kaa' Ala Tyr Ala Ala Cys Thr Kaa' Kaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa' Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa' Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Xaa' Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa' Xaa' (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys (SEQ ID NO: )
```

```
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Xaa' Xaa' Ala Ala Cys Thr Gly Cys (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Xaa' Ala Xaa' Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Xaa' Ala Ala Xaa' Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Xaa' Ala Ala Cys Xaa' Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Xaa' Ala Ala Cys Thr Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Xaa' Xaa' Ala Cys Thr Gly Cys (SEQ ID NO: )
```

```
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Xaa' Ala Xaa' Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Xaa' Cys Thr Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                    (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Xaa' Thr Xaa' Gly Cys (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Xaa' Cys (SEQ ID NO: )
```

```
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                        (SEO ID NO: )
  Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                        (SEO ID NO:
  Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                       (SEQ ID NO: )
  Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                        (SEQ ID NO:
  Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                        (SEQ ID NO:
  Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                        (SEQ ID NO:
  Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                        (SEQ ID NO:
  Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                        (SEQ ID NO:
  Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                        (SEQ ID NO:
  Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                        (SEQ ID NO:
  Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                        (SEO ID NO:
  Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                        (SEQ ID NO:
  Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Xaa' Xaa' Cys Thr Gly Cys
                                                                                        (SEQ ID NO:
  Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Xaa' Cys Xaa' Thr Gly Cys
                                                                                        (SEO ID NO:
  Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Xaa' Cys Thr Xaa' Gly Cys
                                                                                       (SEQ ID NO:
  Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Xaa' Cys
                                                                                        (SEO ID NO:
  Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys Xaa'
                                                                                        (SEQ ID NO:
  Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                        (SEQ ID NO:
  Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Xaa' Xaa' Thr Gly Cys
                                                                                       (SEQ ID NO: )
  Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Xaa' Thr Xaa' Gly Cys
                                                                                        (SEO ID NO: )
  Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Xaa' Cys (SEQ ID NO: )
  Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys Xaa'
                                                                                        (SEQ ID NO: )
  Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                        (SEQ ID NO: )
  Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Xaa' Xaa' Gly Cys
                                                                                        (SEQ ID NO: )
  Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Xaa' Cys
                                                                                        (SEQ ID NO:
  Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys Xaa'
                                                                                        (SEQ ID NO:
  Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                        (SEO ID NO:
  Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Xaa' Cys (SEQ ID NO:
  Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys Xaa'
                                                                                        (SEQ ID NO:
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                        (SEQ ID NO:
  Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa' Xaa'
                                                                                        (SEQ ID NO: )
  Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa! Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                        (SEQ ID NO: )
  Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                        (SEQ ID NO: )
  Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Xaa' Xaa' Thr Gly Cys
                                                                                        (SEQ ID NO: )
  Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Xaa' Thr Xaa' Gly Cys
                                                                                        (SEQ ID NO: )
  Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Xaa' Cys
                                                                                        (SEQ ID NO: )
  Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys Xaa'
                                                                                        (SEQ ID NO: )
  Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                        (SEQ ID NO: )
  Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Xaa' Xaa' Gly Cys
                                                                                       (SEQ ID NO: )
  Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Xaa' Cys
                                                                                        (SEO ID NO: )
  Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys Xaa'
                                                                                        (SEQ ID NO: )
  Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                        (SEQ ID NO: )
  Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Xaa' Cys (SEQ ID NO: )
```

```
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys Xaa'
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa' Xaa'
                                                                                    (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Xaa' Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Xaa' Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys Xaa' (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa' Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa' Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Xaa' Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa' Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: ')
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Xaa' Ala Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Xaa' Xaa' Ala Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Xaa' Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Xaa' Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Xaa' Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Xaa' Ala Ala Cys Thr Xaa' Gly Cys (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Xaa' Ala Ala Cys Thr Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Xaa' Xaa' Ala Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Xaa' Ala Xaa' Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Xaa' Ala Cys Xaa' Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Xaa' Ala Cys Thr Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Xaa' Ala Cys Thr Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Xaa' Ala Cys Thr Gly Cys Xaa' (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Xaa' Xaa' Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Xaa' Cys Xaa' Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Xaa' Cys Thr Xaa' Gly Cys (SEQ ID NO: )
```

```
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Xaa' Cys Thr Gly Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO:
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO:
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO:
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO:
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO:
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                     (SEQ ID NO:
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                     (SEQ ID NO:
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                     (SEO ID NO:
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEO ID NO:
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Xaa' Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Xaa' Ala Cys Thr Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Xaa' Cys Thr Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Xaa' Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                     (SEQ ID NO: )
```

```
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Xaa' Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Xaa' Xaa' Cys Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Xaa' Cys Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Xaa' Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Xaa' Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Xaa' Xaa' Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Xaa' Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Xaa' Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Xaa' Gly Cys Xaa' (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Xaa' Xaa' Cys (SEQ ID NO; )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Xaa' Cys Thr Gly Cys Xaa' Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Xaa' Xaa' Thr Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Xaa' Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Xaa' Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Xaa' Thr Gly Cys Xaa'
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Xaa' Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Xaa' Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Xaa' Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Xaa' Cys Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Xaa' Thr Gly Cys Xaa' Xaa'
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Xaa' Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Xaa' Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Xaa' Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
```

```
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Xaa' Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Xaa' Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Xaa' Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO:
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO:
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Xaa' Ala Ala Cys Thr Gly Cys Xaa' Xaa' Xaa'
                                                                                      (SEQ ID NO:
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Xaa' Xaa' Ala Cys Thr Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Xaa' Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
```

```
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Xaa' Xaa' Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Xaa' Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Xaa' Xaa' Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Xaa' Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Xaa' Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Xaa' Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Xaa' Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Xaa' Xaa' Gly Cys
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Xaa' Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Xaa' Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Xaa' Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Xaa' Cys Xaa'
                                                                                     (SEQ ID NO: )
```

```
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Xaa' Gly Cys Xaa' Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Xaa' Xaa' Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Xaa' Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Xaa' Ala Cys Thr Gly Cys Xaa' Xaa' Xaa'
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Xaa' Xaa' Cys Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Xaa' Cys Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Xaa' Cys Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Xaa' Xaa' Thr Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Xaa' Thr Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Xaa' Thr Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Xaa' Thr Gly Cys Xaa'
                                                                                     (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Xaa' Xaa' Gly Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Xaa' Gly Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Xaa' Xaa' Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Xaa' Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Xaa' Xaa' Thr Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Xaa' Thr Xaa' Gly Cys (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Xaa' Thr Gly Xaa' Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Xaa' Xaa' Gly Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Xaa' Gly Xaa' Cys
                                                                                    (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Xaa' Gly Cys Xaa'
                                                                                      (SEO ID NO: )
```

```
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Xaa' Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEO ID NO:
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Xaa' Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Xaa' Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Xaa' Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Xaa' Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO:
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Xaa' Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID, NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Xaa' Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Xaa' Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa' Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Xaa' Cys Thr Gly Cys Xaa' Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Xaa' Thr Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Xaa' Xaa' Thr Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Xaa' Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Xaa' Thr Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Xaa' Xaa' Gly Cys
                                                                                      (SEO ID NO:
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys Xaa'
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Xaa' Thr Gly Cys Xaa' Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Xaa' Xaa' Gly Cys (SEQ ID NO: )
```

```
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Xaa' Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Xaa' Gly Cys Xaa' Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Xaa' Cys Xaa'
                                                                                      (SEQ ID NO:
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Xaa' Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa'
                                                                                      (SEQ ID NO:
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO:
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Xaa' Thr Gly Cys Xaa' Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Xaa' Gly Cys
                                                                                      (SEQ ID NO:
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Xaa' Xaa' Gly Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO:
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Xaa' Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Xaa' Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa' Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Xaa' Gly Cys Xaa' Xaa' Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys
                                                                                      (SEO ID NO:
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Xaa' Cys
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Xaa' Xaa' Cys
                                                                                     (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Xaa' Cys Xaa'
                                                                                      (SEO ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Cys Xaa'
                                                                                      (SEQ ID NO: )
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Xaa' Xaa' Xaa'
                                                                                      (SEQ ID NO: )
```

Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa'	(SEQ ID NO:)
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa' Xaa'	(SEQ ID NO:)
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Xaa' Cys Xaa' Xaa' Xaa'	(SEQ ID NO:)
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa'	(SEQ ID NO:)
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa'	(SEQ ID NO:)
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa' Xaa'	(SEQ ID NO:)
Pro Gly Thr Cys Gly Glu Ile Cys Ala Tyr Ala Ala Cys Thr Gly Cys Xaa' Xaa' Xaa'	(SEQ ID NO:)

FIGURE 3 (sheet 1 of 68)

```
Cys Glu Tyr Cys Ala Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Ala Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Ala Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Ala Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Ala Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Ala Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Ala Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Ala Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Ala Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Ala Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Ala Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Ala Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Ala Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Ala Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Ala Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Ala Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Ala Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Ala Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Ala Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Ala Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Ala Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Ala Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Ala Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Ala Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Arg Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Arg Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Arg Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Arg Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Arg Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Arg Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Arg Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Arg Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Arg Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Arg Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Arg Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Arg Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Arg Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Arg Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Arg Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Arg Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Arg Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Arg Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Arg Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Arg Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Arg Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Arg Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Arg Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Arg Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Asn Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Asn Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Asn Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Asn Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Asn Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Asn Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Asn Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Asn Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Asn Asn Pro Thr Cys Val Gly Cys Tyr
```

FIGURE 3 (sheet 2 of 68)

```
Cvs Glu Tyr Cys Asn Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Asn Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Asn Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Asn Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Asn Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Asn Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Asn Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Asn Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Asn Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Asn Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Asn Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Asn Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Asn Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Asn Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Asn Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Asp Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Asp Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Asp Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Asp Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Asp Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Asp Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Asp Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Asp Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Asp Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Asp Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Asp Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Asp Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Asp Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Asp Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Asp Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Asp Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Asp Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Asp Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Asp Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Asp Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Asp Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Asp Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Asp Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Asp Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Gln Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Gln Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Gln Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Gln Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Gln Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Gln Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Gln Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Gln Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Gln Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Gln Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Gln Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Gln Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Gln Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Gln Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Gln Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Gln Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Gln Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Gln Asn Gly Ala Cys Gly Ala Cys Tyr
```

FIGURE 3 (sheet 3 of 68)

```
Cys Glu Tyr Cys Gln Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Gln Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Gln Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Gln Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Gln Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Gln Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Glu Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Glu Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Glu Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Glu Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Glu Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Glu Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Glu Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Glu Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Glu Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Glu Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Glu Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Glu Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Glu Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Glu Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Glu Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Glu Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Glu Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Glu Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Glu Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Glu Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Glu Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Glu Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Glu Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Glu Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Gly Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Gly Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Gly Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Gly Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Gly Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Gly Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Gly Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Gly Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Gly Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Gly Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Gly Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Gly Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Gly Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Gly Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Gly Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Gly Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Gly Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Gly Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Gly Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Gly Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Gly Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Gly Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Gly Asn Gly Thr Cys Gly Gly Cys Tyr Cys Glu Tyr Cys Gly Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys His Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys His Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys His Asn Pro Ala Cys Val Gly Cys Tyr
```

FIGURE 3 (sheet 4 of 68)

```
Cys Glu Tyr Cys His Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Tyr Cys His Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys His Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys His Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys His Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys His Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Tyr Cys His Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Tyr Cys His Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys His Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys His Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys His Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys His Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Tyr Cys His Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Tyr Cys His Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys His Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys His Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys His Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys His Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Tyr Cys His Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Tyr Cys His Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys His Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Ile Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Ile Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Ile Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Ile Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Ile Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Ile Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Ile Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Ile Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Ile Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Ile Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Ile Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Ile Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Ile Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Ile Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Ile Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Ile Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Ile Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Ile Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Ile Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Ile Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Ile Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Ile Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Ile Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Ile Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Leu Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Leu Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Leu Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Leu Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Leu Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Leu Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Leu Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Leu Asn Pro Thr Cys Thr Ala Cys Tyr
Cvs Glu Tyr Cys Leu Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Leu Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Leu Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Leu Asn Pro Thr Cys Gly Ala Cys Tyr
```

FIGURE 3 (sheet 5 of 68) 7"

```
Cvs Glu Tyr Cys Leu Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Leu Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Leu Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Leu Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Leu Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Leu Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Leu Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Leu Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Leu Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Leu Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Leu Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Leu Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Lys Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Lys Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Lys Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Lys Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Lys Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Lys Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Lys Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Lys Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Lys Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Lys Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Lys Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Lys Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Lys Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Lys Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Lys Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Lys Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Lys Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Lys Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Lys Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Lys Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Lys Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Lys Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Lys Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Lys Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Met Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Met Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Met Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Met Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Met Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Met Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Met Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Met Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Met Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Met Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Met Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Met Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Met Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Met Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Met Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Met Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Met Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Met Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Met Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Met Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Met Asn Gly Thr Cys Val Gly Cys Tyr
```

FIGURE 3 (sheet 6 of 68)

```
Cys Glu Tyr Cys Met Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Met Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Met Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Phe Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Phe Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Phe Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Phe Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Phe Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Phe Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Phe Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Phe Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Phe Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Phe Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Phe Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Phe Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Phe Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Phe Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Phe Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Phe Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Phe Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Phe Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Phe Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Phe Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Phe Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Phe Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Phe Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Phe Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Pro Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Pro Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Pro Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Pro Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Pro Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Pro Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Pro Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Pro Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Pro Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Pro Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Pro Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Pro Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Pro Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Pro Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Pro Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Pro Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Pro Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Pro Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Pro Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Pro Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Pro Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Pro Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Pro Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Pro Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Ser Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Ser Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Ser Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Ser Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Ser Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Ser Asn Pro Ala Cys Gly Ala Cys Tyr
```

FIGURE 3 (sheet 7 of 68)

111/172

Cvs Glu Tyr Cys Ser Asn Pro Thr Cys Thr Gly Cys Tyr Cys Glu Tyr Cys Ser Asn Pro Thr Cys Thr Ala Cys Tyr Cys Glu Tyr Cys Ser Asn Pro Thr Cys Val Gly Cys Tyr Cys Glu Tyr Cys Ser Asn Pro Thr Cys Val Ala Cys Tyr Cys Glu Tyr Cys Ser Asn Pro Thr Cys Gly Gly Cys Tyr Cys Glu Tyr Cys Ser Asn Pro Thr Cys Gly Ala Cys Tyr Cys Glu Tyr Cys Ser Asn Gly Ala Cys Thr Gly Cys Tyr Cys Glu Tyr Cys Ser Asn Gly Ala Cys Thr Ala Cys Tyr Cys Glu Tyr Cys Ser Asn Gly Ala Cys Val Gly Cys Tyr Cys Glu Tyr Cys Ser Asn Gly Ala Cys Val Ala Cys Tyr Cys Glu Tyr Cys Ser Asn Gly Ala Cys Gly Gly Cys Tyr Cys Glu Tyr Cys Ser Asn Gly Ala Cys Gly Ala Cys Tyr Cys Glu Tyr Cys Ser Asn Gly Thr Cys Thr Gly Cys Tyr Cys Glu Tyr Cys Ser Asn Gly Thr Cys Thr Ala Cys Tyr Cys Glu Tyr Cys Ser Asn Gly Thr Cys Val Gly Cys Tyr Cys Glu Tyr Cys Ser Asn Gly Thr Cys Val Ala Cys Tyr Cys Glu Tyr Cys Ser Asn Gly Thr Cys Gly Gly Cys Tyr Cys Glu Tyr Cys Ser Asn Gly Thr Cys Gly Ala Cys Tyr Cys Glu Tyr Cys Thr Asn Pro Ala Cys Thr Gly Cys Tyr Cys Glu Tyr Cys Thr Asn Pro Ala Cys Thr Ala Cys Tyr Cys Glu Tyr Cys Thr Asn Pro Ala Cys Val Gly Cys Tyr Cys Glu Tyr Cys Thr Asn Pro Ala Cys Val Ala Cys Tyr Cys Glu Tyr Cys Thr Asn Pro Ala Cys Gly Gly Cys Tyr Cys Glu Tyr Cys Thr Asn Pro Ala Cys Gly Ala Cys Tyr Cys Glu Tyr Cys Thr Asn Pro Thr Cys Thr Gly Cys Tyr Cys Glu Tyr Cys Thr Asn Pro Thr Cys Thr Ala Cys Tyr Cys Glu Tyr Cys Thr Asn Pro Thr Cys Val Gly Cys Tyr Cys Glu Tyr Cys Thr Asn Pro Thr Cys Val Ala Cys Tyr Cys Glu Tyr Cys Thr Asn Pro Thr Cys Gly Gly Cys Tyr Cys Glu Tyr Cys Thr Asn Pro Thr Cys Gly Ala Cys Tyr Cys Glu Tyr Cys Thr Asn Gly Ala Cys Thr Gly Cys Tyr Cys Glu Tyr Cys Thr Asn Gly Ala Cys Thr Ala Cys Tyr Cys Glu Tyr Cys Thr Asn Gly Ala Cys Val Gly Cys Tyr Cys Glu Tyr Cys Thr Asn Gly Ala Cys Val Ala Cys Tyr Cys Glu Tyr Cys Thr Asn Gly Ala Cys Gly Gly Cys Tyr Cys Glu Tyr Cys Thr Asn Gly Ala Cys Gly Ala Cys Tyr Cys Glu Tyr Cys Thr Asn Gly Thr Cys Thr Gly Cys Tyr Cys Glu Tyr Cys Thr Asn Gly Thr Cys Thr Ala Cys Tyr Cys Glu Tyr Cys Thr Asn Gly Thr Cys Val Gly Cys Tyr Cys Glu Tyr Cys Thr Asn Gly Thr Cys Val Ala Cys Tyr Cys Glu Tyr Cys Thr Asn Gly Thr Cys Gly Gly Cys Tyr Cys Glu Tyr Cys Thr Asn Gly Thr Cys Gly Ala Cys Tyr Cys Glu Tyr Cys Trp Asn Pro Ala Cys Thr Gly Cys Tyr Cys Glu Tyr Cys Trp Asn Pro Ala Cys Thr Ala Cys Tyr Cys Glu Tyr Cys Trp Asn Pro Ala Cys Val Gly Cys Tyr Cys Glu Tyr Cys Trp Asn Pro Ala Cys Val Ala Cys Tyr Cys Glu Tyr Cys Trp Asn Pro Ala Cys Gly Gly Cys Tyr Cys Glu Tyr Cys Trp Asn Pro Ala Cys Gly Ala Cys Tyr Cys Glu Tyr Cys Trp Asn Pro Thr Cys Thr Gly Cys Tyr Cys Glu Tyr Cys Trp Asn Pro Thr Cys Thr Ala Cys Tyr Cys Glu Tyr Cys Trp Asn Pro Thr Cys Val Gly Cys Tyr Cys Glu Tyr Cys Trp Asn Pro Thr Cys Val Ala Cys Tyr Cys Glu Tyr Cys Trp Asn Pro Thr Cys Gly Gly Cys Tyr Cys Glu Tyr Cys Trp Asn Pro Thr Cys Gly Ala Cys Tyr Cys Glu Tyr Cys Trp Asn Gly Ala Cys Thr Gly Cys Tyr Cys Glu Tyr Cys Trp Asn Gly Ala Cys Thr Ala Cys Tyr Cys Glu Tyr Cys Trp Asn Gly Ala Cys Val Gly Cys Tyr

FIGURE 3 (sheet 8 of 68)

```
Cys Glu Tyr Cys Trp Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Trp Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Trp Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Trp Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Trp Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Trp Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Trp Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Trp Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Trp Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Tyr Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Tyr Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Tyr Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Tyr Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Tyr Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Tyr Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Tyr Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Tyr Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Tyr Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Tyr Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Tyr Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Tyr Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Tyr Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Tyr Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Tyr Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Tyr Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Tyr Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Tyr Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Tyr Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Tyr Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Tyr Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Tyr Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Tyr Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Tyr Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Val Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Val Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Val Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Val Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Val Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Val Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Val Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Val Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Val Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Val Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Val Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Val Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Val Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Val Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Val Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Val Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Val Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Val Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Val Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys Val Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys Val Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Tyr Cys Val Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Tyr Cys Val Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys Val Asn Gly Thr Cys Gly Ala Cys Tyr
```

FIGURE 3 (sheet 9 of 68)

```
Cys Glu Tyr Cys --- Asn Pro Ala Cys Thr Gly Cys Tyr
Cvs Glu Tyr Cys --- Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys --- Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Tyr Cys --- Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Tyr Cys --- Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys --- Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Tyr.Cys --- Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys --- Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys --- Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Tyr Cys --- Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Tyr Cys --- Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys --- Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys --- Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys --- Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Tyr Cys --- Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Tyr Cys --- Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Tyr Cys --- Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys --- Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys --- Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Tyr Cys --- Asn Gly Thr Cys Thr Ala Cys Tyr Cys Glu Tyr Cys --- Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Tyr Cys --- Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Tyr Cys --- Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Tyr Cys --- Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Ala Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Ala Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Ala Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Trp Cys Ala Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Trp Cys Ala Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Ala Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Ala Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Ala Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Ala Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Trp Cys Ala Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Trp Cys Ala Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Ala Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Ala Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Ala Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Ala Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Trp Cys Ala Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Trp Cys Ala Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Ala Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Ala Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Ala Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Ala Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Trp Cys Ala Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Trp Cys Ala Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Ala Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Arg Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Arg Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Arg Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Trp Cys Arg Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Trp Cys Arg Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Arg Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Arg Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Arg Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Arg Asn Pro Thr Cys Val Gly Cys Tyr
```

FIGURE 3 (sheet 10 of 68)

```
Cys Glu Trp Cys Arg Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Trp Cys Arg Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Arg Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Arg Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Arg Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Arg Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Trp Cys Arg Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Trp Cys Arg Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Arg Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Arg Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Arg Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Arg Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Trp Cys Arg Asn Gly Thr Cys Val Ala Cys Tyr Cys Glu Trp Cys Arg Asn Gly Thr Cys Gly Gly Cys Tyr Cys Glu Trp Cys Arg Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Asn Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Asn Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Asn Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Trp Cys Asn Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Trp Cys Asn Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Asn Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Asn Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Asn Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Asn Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Trp Cys Asn Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Trp Cys Asn Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Asn Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Asn Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Asn Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Asn Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Trp Cys Asn Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Trp Cys Asn Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Asn Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Asn Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Asn Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Asn Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Trp Cys Asn Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Trp Cys Asn Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Asn Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Asp Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Asp Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Asp Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Trp Cys Asp Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Trp Cys Asp Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Asp Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Asp Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Asp Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Asp Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Trp Cys Asp Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Trp Cys Asp Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Asp Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Asp Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Asp Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Asp Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Trp Cys Asp Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Trp Cys Asp Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Asp Asn Gly Ala Cys Gly Ala Cys Tyr
```

FIGURE 3 (sheet 11 of 68)

115/172

Cys Glu Trp Cys Asp Asn Gly Thr Cys Thr Gly Cys Tyr Cys Glu Trp Cys Asp Asn Gly Thr Cys Thr Ala Cys Tyr Cys Glu Trp Cys Asp Asn Gly Thr Cys Val Gly Cys Tyr Cys Glu Trp Cys Asp Asn Gly Thr Cys Val Ala Cys Tyr Cvs Glu Trp Cys Asp Asn Gly Thr Cys Gly Gly Cys Tyr Cys Glu Trp Cys Asp Asn Gly Thr Cys Gly Ala Cys Tyr Cys Glu Trp Cys Gln Asn Pro Ala Cys Thr Gly Cys Tyr Cys Glu Trp Cys Gln Asn Pro Ala Cys Thr Ala Cys Tyr Cys Glu Trp Cys Gln Asn Pro Ala Cys Val Gly Cys Tyr Cys Glu Trp Cys Gln Asn Pro Ala Cys Val Ala Cys Tyr Cys Glu Trp Cys Gln Asn Pro Ala Cys Gly Gly Cys Tyr Cys Glu Trp Cys Gln Asn Pro Ala Cys Gly Ala Cys Tyr Cys Glu Trp Cys Gln Asn Pro Thr Cys Thr Gly Cys Tyr Cys Glu Trp Cys Gln Asn Pro Thr Cys Thr Ala Cys Tyr Cys Glu Trp Cys Gln Asn Pro Thr Cys Val Gly Cys Tyr Cys Glu Trp Cys Gln Asn Pro Thr Cys Val Ala Cys Tyr Cys Glu Trp Cys Gln Asn Pro Thr Cys Gly Gly Cys Tyr Cvs Glu Trp Cys Gln Asn Pro Thr Cys Gly Ala Cys Tyr Cys Glu Trp Cys Gln Asn Gly Ala Cys Thr Gly Cys Tyr Cys Glu Trp Cys Gln Asn Gly Ala Cys Thr Ala Cys Tyr Cys Glu Trp Cys Gln Asn Gly Ala Cys Val Gly Cys Tyr Cys Glu Trp Cys Gln Asn Gly Ala Cys Val Ala Cys Tyr Cys Glu Trp Cys Gln Asn Gly Ala Cys Gly Gly Cys Tyr Cys Glu Trp Cys Gln Asn Gly Ala Cys Gly Ala Cys Tyr Cys Glu Trp Cys Gln Asn Gly Thr Cys Thr Gly Cys Tyr Cys Glu Trp Cys Gln Asn Gly Thr Cys Thr Ala Cys Tyr Cys Glu Trp Cys Gln Asn Gly Thr Cys Val Gly Cys Tyr Cys Glu Trp Cys Gln Asn Gly Thr Cys Val Ala Cys Tyr Cys Glu Trp Cys Gln Asn Gly Thr Cys Gly Gly Cys Tyr Cys Glu Trp Cys Gln Asn Gly Thr Cys Gly Ala Cys Tyr Cys Glu Trp Cys Glu Asn Pro Ala Cys Thr Gly Cys Tyr Cys Glu Trp Cys Glu Asn Pro Ala Cys Thr Ala Cys Tyr Cys Glu Trp Cys Glu Asn Pro Ala Cys Val Gly Cys Tyr Cys Glu Trp Cys Glu Asn Pro Ala Cys Val Ala Cys Tyr Cys Glu Trp Cys Glu Asn Pro Ala Cys Gly Gly Cys Tyr Cys Glu Trp Cys Glu Asn Pro Ala Cys Gly Ala Cys Tyr Cys Glu Trp Cys Glu Asn Pro Thr Cys Thr Gly Cys Tyr Cys Glu Trp Cys Glu Asn Pro Thr Cys Thr Ala Cys Tyr Cys Glu Trp Cys Glu Asn Pro Thr Cys Val Gly Cys Tyr Cys Glu Trp Cys Glu Asn Pro Thr Cys Val Ala Cys Tyr Cys Glu Trp Cys Glu Asn Pro Thr Cys Gly Gly Cys Tyr Cys Glu Trp Cys Glu Asn Pro Thr Cys Gly Ala Cys Tyr Cys Glu Trp Cys Glu Asn Gly Ala Cys Thr Gly Cys Tyr Cys Glu Trp Cys Glu Asn Gly Ala Cys Thr Ala Cys Tyr Cys Glu Trp Cys Glu Asn Gly Ala Cys Val Gly Cys Tyr Cys Glu Trp Cys Glu Asn Gly Ala Cys Val Ala Cys Tyr Cys Glu Trp Cys Glu Asn Gly Ala Cys Gly Gly Cys Tyr Cys Glu Trp Cys Glu Asn Gly Ala Cys Gly Ala Cys Tyr Cys Glu Trp Cys Glu Asn Gly Thr Cys Thr Gly Cys Tyr Cys Glu Trp Cys Glu Asn Gly Thr Cys Thr Ala Cys Tyr Cys Glu Trp Cys Glu Asn Gly Thr Cys Val Gly Cys Tyr Cys Glu Trp Cys Glu Asn Gly Thr Cys Val Ala Cys Tyr Cys Glu Trp Cys Glu Asn Gly Thr Cys Gly Gly Cys Tyr Cys Glu Trp Cys Glu Asn Gly Thr Cys Gly Ala Cys Tyr Cys Glu Trp Cys Gly Asn Pro Ala Cys Thr Gly Cys Tyr Cys Glu Trp Cys Gly Asn Pro Ala Cys Thr Ala Cys Tyr Cys Glu Trp Cys Gly Asn Pro Ala Cys Val Gly Cys Tyr

FIGURE 3 (sheed 12 of 68)

```
Cys Glu Trp Cys Gly Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Trp Cys Gly Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Gly Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Gly Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Gly Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Gly Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Trp Cys Gly Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Trp Cys Gly Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Gly Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Gly Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Gly Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Gly Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Trp Cys Gly Asn Gly Ala Cys Val Ala Cys Tyr
_{	extsf{Vys}}^{-} Glu Trp Cys Gly Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Gly Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Gly Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Gly Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Gly Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Trp Cys Gly Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Trp Cys Gly Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Gly Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Trp Cys His Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Trp Cys His Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Trp Cys His Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Trp Cys His Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Trp Cys His Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Trp Cys His Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Trp Cys His Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Trp Cys His Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Trp Cys His Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Trp Cys His Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Trp Cys His Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Trp Cys His Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Trp Cys His Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Trp Cys His Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Trp Cys His Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Trp Cys His Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Trp Cys His Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Trp Cys His Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Trp Cys His Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Trp Cys His Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Trp Cys His Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Trp Cys His Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Trp Cys His Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Trp Cys His Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Ile Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Ile Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Ile Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Trp Cys Ile Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Trp Cys Ile Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Ile Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Ile Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Ile Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Ile Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Trp Cys Ile Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Trp Cys Ile Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Ile Asn Pro Thr Cys Gly Ala Cys Tyr
```

FIGURE 3 (sheet 15 of 68)

```
Cys Glu Trp Cys Ile Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Ile Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Ile Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Trp Cys Ile Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Trp Cys Ile Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Ile Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Ile Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Ile Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Ile Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Trp Cys Ile Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Trp Cys Ile Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Ile Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Leu Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Leu Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Leu Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Trp Cys Leu Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Trp Cys Leu Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Leu Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Leu Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Leu Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Leu Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Trp Cys Leu Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Trp Cys Leu Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Leu Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Leu Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Leu Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Leu Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Trp Cys Leu Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Trp Cys Leu Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Leu Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Leu Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Leu Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Leu Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Trp Cys Leu Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Trp Cys Leu Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Leu Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Lys Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Lys Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Lys Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Trp Cys Lys Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Trp Cys Lys Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Lys Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Lys Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Lys Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Lys Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Trp Cys Lys Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Trp Cys Lys Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Lys Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Lys Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Lys Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Lys Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Trp Cys Lys Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Trp Cys Lys Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Lys Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Lys Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Lys Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Lys Asn Gly Thr Cys Val Gly Cys Tyr
```

FIGURE 3 (sheet 14 of 68)

```
Cys Glu Trp Cys Lys Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Trp Cys Lys Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Lys Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Met Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Met Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Met Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Trp Cys Met Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Trp Cys Met Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Met Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Met Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Met Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Met Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Trp Cys Met Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Trp Cys Met Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Met Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Met Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Met Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Met Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Trp Cys Met Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Trp Cys Met Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Met Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Met Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Met Asn Gly Thr Cys Thr Gly Cys Tyr Cys Glu Trp Cys Met Asn Gly Thr Cys Thr Ala Cys Tyr Cys Glu Trp Cys Met Asn Gly Thr Cys Val Gly Cys Tyr Cys Glu Trp Cys Met Asn Gly Thr Cys Val Ala Cys Tyr Cys Glu Trp Cys Met Asn Gly Thr Cys Gly Gly Cys Tyr Cys Glu Trp Cys Met Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Phe Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Phe Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Phe Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Trp Cys Phe Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Trp Cys Phe Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Phe Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Phe Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Phe Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Phe Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Trp Cys Phe Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Trp Cys Phe Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Phe Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Phe Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Phe Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Phe Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Trp Cys Phe Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Trp Cys Phe Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Phe Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Phe Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Phe Ash Gly Thr Cys Thr Gly Cys Tyr Cys Glu Trp Cys Phe Ash Gly Thr Cys Thr Ala Cys Tyr Cys Glu Trp Cys Phe Ash Gly Thr Cys Val Gly Cys Tyr Cys Glu Trp Cys Phe Ash Gly Thr Cys Val Ala Cys Tyr Cys Glu Trp Cys Phe Ash Gly Thr Cys Gly Gly Cys Tyr Cys Glu Trp Cys Phe Ash Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Pro Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Pro Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Pro Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Trp Cys Pro Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Trp Cys Pro Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Pro Asn Pro Ala Cys Gly Ala Cys Tyr
```

FIGURE 3 (sheet 15 of 68)

```
Cys Glu Trp Cys Pro Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Pro Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Pro Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Trp Cys Pro Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Trp Cys Pro Asn Pro Thr Cys Gly Gly Cys Tyr
Cvs Glu Trp Cys Pro Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Pro Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Pro Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Pro Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Trp Cys Pro Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Trp Cys Pro Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Pro Asn Gly Ala Cys Gly Ala Cys Tyr
Cvs Glu Trp Cys Pro Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Pro Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Pro Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Trp Cys Pro Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Trp Cys Pro Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Pro Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Ser Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Ser Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Ser Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Trp Cys Ser Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Trp Cys Ser Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Ser Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Ser Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Ser Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Ser Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Trp Cys Ser Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Trp Cys Ser Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Ser Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Ser Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Ser Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Ser Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Trp Cys Ser Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Trp Cys Ser Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Ser Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Ser Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Ser Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Ser Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Trp Cys Ser Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Trp Cys Ser Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Ser Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Thr Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Thr Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Thr Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Trp Cys Thr Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Trp Cys Thr Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Thr Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Thr Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Thr Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Thr Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Trp Cys Thr Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Trp Cys Thr Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Thr Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Thr Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Thr Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Thr Asn Gly Ala Cys Val Gly Cys Tyr
```

FIGURE 3 (sheet 16 of 68)

```
Cvs Glu Trp Cys Thr Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Trp Cys Thr Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Thr Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Thr Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Thr Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Thr Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Trp Cys Thr Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Trp Cys Thr Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Thr Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Trp Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Trp Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Trp Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Trp Cys Trp Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Trp Cys Trp Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Trp Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Trp Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Trp Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Trp Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Trp Cys Trp Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Trp Cys Trp Asn Pro Thr Cys Gly Gly Cys Tyr
Cvs Glu Trp Cys Trp Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Trp Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Trp Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Trp Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Trp Cys Trp Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Trp Cys Trp Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Trp Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Trp Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Trp Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Trp Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Trp Cys Trp Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Trp Cys Trp Asn Gly Thr Cys Gly Gly Cys Tyr
Cvs Glu Trp Cys Trp Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Tyr Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Tyr Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Tyr Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Trp Cys Tyr Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Trp Cys Tyr Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Tyr Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Tyr Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Tyr Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Tyr Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Trp Cys Tyr Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Trp Cys Tyr Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Tyr Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Tyr Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Tyr Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Tyr Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Trp Cys Tyr Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Trp Cys Tyr Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Tyr Asn Gly Ala Cys Gly Ala Cys Tyr
Cvs Glu Trp Cys Tyr Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Tyr Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Tyr Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Trp Cys Tyr Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Trp Cys Tyr Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Tyr Asn Gly Thr Cys Gly Ala Cys Tyr
```

FIGURE 3 (sheet 117 of 68)

```
Cys Glu Trp Cys Val Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Val Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Val Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Trp Cys Val Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Trp Cys Val Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Val Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Val Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Val Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Val Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Trp Cys Val Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Trp Cys Val Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Val Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Val Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Trp Cys Val Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Trp Cys Val Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Trp Cys Val Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Trp Cys Val Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Val Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Trp Cys Val Asn Gly Thr Cys Thr Gly Cys Tyr Cys Glu Trp Cys Val Asn Gly Thr Cys Thr Ala Cys Tyr Cys Glu Trp Cys Val Asn Gly Thr Cys Val Gly Cys Tyr Cys Glu Trp Cys Val Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Trp Cys Val Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Trp Cys Val Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Trp Cys --- Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Trp Cys --- Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Trp Cys --- Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Trp Cys --- Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Trp Cys --- Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Trp Cys --- Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Trp Cys --- Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Trp Cys --- Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Trp Cys --- Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Trp Cys --- Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Trp Cys --- Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Trp Cys --- Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Trp Cys --- Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Trp Cys --- Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Trp Cys --- Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Trp Cys --- Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Trp Cys --- Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Trp Cys --- Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Trp Cys --- Asn Gly Thr Cys Thr Gly Cys Tyr Cys Glu Trp Cys --- Asn Gly Thr Cys Thr Ala Cys Tyr Cys Glu Trp Cys --- Asn Gly Thr Cys Val Gly Cys Tyr Cys Glu Trp Cys --- Asn Gly Thr Cys Val Ala Cys Tyr Cys Glu Trp Cys --- Asn Gly Thr Cys Gly Gly Cys Tyr Cys Glu Trp Cys --- Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Trp Cys --- Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Ala Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Ala Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Ala Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Phe Cys Ala Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Phe Cys Ala Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Ala Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Ala Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Ala Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Ala Asn Pro Thr Cys Val Gly Cys Tyr
```

FIGURE 3 (sheet 18 of 68)

```
Cys Glu Phe Cys Ala Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Phe Cys Ala Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Ala Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Ala Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Ala Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Ala Asn Gly Ala Cys Val Gly Cys Tyr
Cvs Glu Phe Cys Ala Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Phe Cys Ala Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Ala Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Ala Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Ala Asn Gly Thr Cys Thr Ala Cys Tyr Cys Glu Phe Cys Ala Asn Gly Thr Cys Val Gly Cys Tyr Cys Glu Phe Cys Ala Asn Gly Thr Cys Val Ala Cys Tyr Cys Glu Phe Cys Ala Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Ala Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Arg Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Arg Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Arg Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Phe Cys Arg Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Phe Cys Arg Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Arg Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Arg Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Arg Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Arg Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Phe Cys Arg Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Phe Cys Arg Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Arg Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Arg Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Arg Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Arg Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Phe Cys Arg Asn Gly Ala Cys Val Ala Cys Tyr
Cvs Glu Phe Cys Arg Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Arg Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Arg Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Arg Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Arg Asn Gly Thr Cys Val Gly Cys Tyr Cys Glu Phe Cys Arg Asn Gly Thr Cys Val Ala Cys Tyr Cys Glu Phe Cys Arg Asn Gly Thr Cys Gly Gly Cys Tyr Cys Glu Phe Cys Arg Asn Gly Thr Cys Gly Ala Cys Tyr Cys Glu Phe Cys Arg Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Asn Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Asn Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Asn Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Phe Cys Asn Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Phe Cys Asn Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Asn Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Asn Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Asn Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Asn Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Phe Cys Asn Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Phe Cys Asn Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Asn Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Asn Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Asn Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Asn Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Phe Cys Asn Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Phe Cys Asn Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Asn Asn Gly Ala Cys Gly Ala Cys Tyr
```

FIGURE 3 (sheet 19 of 68)

```
Cys Glu Phe Cys Asn Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Asn Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Asn Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Phe Cys Asn Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Phe Cys Asn Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Asn Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Asp Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Asp Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Asp Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Phe Cys Asp Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Phe Cys Asp Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Asp Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Asp Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Asp Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Asp Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Phe Cys Asp Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Phe Cys Asp Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Asp Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Asp Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Asp Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Asp Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Phe Cys Asp Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Phe Cys Asp Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Asp Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Asp Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Asp Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Asp Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Phe Cys Asp Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Phe Cys Asp Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Asp Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Gln Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Gln Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Gln Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Phe Cys Gln Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Phe Cys Gln Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Gln Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Gln Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Gln Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Gln Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Phe Cys Gln Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Phe Cys Gln Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Gln Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Gln Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Gln Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Gln Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Phe Cys Gln Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Phe Cys Gln Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Gln Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Gln Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Gln Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Gln Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Phe Cys Gln Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Phe Cys Gln Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Gln Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Glu Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Glu Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Glu Asn Pro Ala Cys Val Gly Cys Tyr
```

FIGURE 3 (sheet 20 of 68)

```
Cys Glu Phe Cys Glu Asn Pro Alá Cys Val Ala Cys Tyr
Cys Glu Phe Cys Glu Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Glu Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Glu Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Glu Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Glu Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Phe Cys Glu Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Phe Cys Glu Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Glu Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Glu Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Glu Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Glu Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Phe Cys Glu Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Phe Cys Glu Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Glu Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Glu Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Glu Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Glu Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Phe Cys Glu Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Phe Cys Glu Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Glu Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Gly Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Gly Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Gly Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Phe Cys Gly Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Phe Cys Gly Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Gly Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Gly Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Gly Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Gly Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Phe Cys Gly Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Phe Cys Gly Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Gly Asn Pro Thr Cys Gly Ala Cys Tyr
{f Cys} Glu Phe Cys Gly Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Gly Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Gly Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Phe Cys Gly Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Phe Cys Gly Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Gly Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Gly Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Gly Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Gly Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Phe Cys Gly Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Phe Cys Gly Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Gly Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Phe Cys His Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Phe Cys His Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Phe Cys His Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Phe Cys His Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Phe Cys His Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Phe Cys His Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Phe Cys His Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Phe Cys His Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Phe Cys His Asn Pro Thr Cys Val Gly Cys Tyr
Cvs Glu Phe Cys His Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Phe Cys His Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Phe Cys His Asn Pro Thr Cys Gly Ala Cys Tyr
```

FIGURE 3 (sheet 21 of 68)

```
Cys Glu Phe Cys His Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Phe Cys His Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Phe Cys His Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Phe Cys His Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Phe Cys His Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Phe Cys His Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Phe Cys His Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Phe Cys His Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Phe Cys His Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Phe Cys His Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Phe Cys His Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Phe Cys His Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Ile Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Ile Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Ile Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Phe Cys Ile Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Phe Cys Ile Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Ile Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Ile Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Ile Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Ile Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Phe Cys Ile Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Phe Cys Ile Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Ile Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Ile Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Ile Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Ile Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Phe Cys Ile Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Phe Cys Ile Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Ile Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Ile Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Ile Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Ile Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Phe Cys Ile Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Phe Cys Ile Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Ile Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Leu Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Leu Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Leu Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Phe Cys Leu Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Phe Cys Leu Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Leu Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Leu Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Leu Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Leu Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Phe Cys Leu Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Phe Cys Leu Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Leu Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Leu Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Leu Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Leu Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Phe Cys Leu Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Phe Cys Leu Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Leu Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Leu Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Leu Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Leu Asn Gly Thr Cys Val Gly Cys Tyr
```

FIGURE 3 (sheet 22 of 68)

```
Cys Glu Phe Cys Leu Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Phe Cys Leu Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Leu Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Lys Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Lys Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Lys Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Phe Cys Lys Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Phe Cys Lys Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Lys Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Lys Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Lys Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Lys Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Phe Cys Lys Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Phe Cys Lys Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Lys Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Lys Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Lys Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Lys Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Phe Cys Lys Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Phe Cys Lys Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Lys Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Lys Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Lys Asn Gly Thr Cys Thr Ala Cys Tyr Cys Glu Phe Cys Lys Asn Gly Thr Cys Val Gly Cys Tyr Cys Glu Phe Cys Lys Asn Gly Thr Cys Val Ala Cys Tyr Cys Glu Phe Cys Lys Asn Gly Thr Cys Val Ala Cys Tyr Cys Glu Phe Cys Lys Asn Gly Thr Cys Gly Gly Cys Tyr Cys Glu Phe Cys Lys Asn Gly Thr Cys Gly Ala Cys Tyr Cys Glu Phe Cys Lys Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Met Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Met Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Met Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Phe Cys Met Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Phe Cys Met Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Met Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Met Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Met Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Met Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Phe Cys Met Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Phe Cys Met Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Met Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Met Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Met Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Met Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Phe Cys Met Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Phe Cys Met Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Met Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Met Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Met Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Met Asn Gly Thr Cys Val Gly Cys Tyr Cys Glu Phe Cys Met Asn Gly Thr Cys Val Gly Cys Tyr Cys Glu Phe Cys Met Asn Gly Thr Cys Val Ala Cys Tyr Cys Glu Phe Cys Met Asn Gly Thr Cys Gly Gly Cys Tyr Cys Glu Phe Cys Met Asn Gly Thr Cys Gly Ala Cys Tyr Cys Glu Phe Cys Phe Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Phe Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Phe Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Phe Cys Phe Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Phe Cys Phe Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Phe Asn Pro Ala Cys Gly Ala Cys Tyr
```

FIGURE 3 (sheet 23 of 68)

```
Cys Glu Phe Cys Phe Asn Pro Thr Cys Thr Gly Cys Tyr
 Cys Glu Phe Cys Phe Asn Pro Thr Cys Thr Ala Cys Tyr
 Cys Glu Phe Cys Phe Asn Pro Thr Cys Val Gly Cys Tyr
 Cys Glu Phe Cys Phe Asn Pro Thr Cys Val Ala Cys Tyr
 Cys Glu Phe Cys Phe Asn Pro Thr Cys Gly Gly Cys Tyr
 Cys Glu Phe Cys Phe Asn Pro Thr Cys Gly Ala Cys Tyr
 Cys Glu Phe Cys Phe Asn Gly Ala Cys Thr Gly Cys Tyr
 Cys Glu Phe Cys Phe Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Phe Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Phe Cys Phe Asn Gly Ala Cys Val Ala Cys Tyr
 Cys Glu Phe Cys Phe Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Phe Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Phe Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Phe Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Phe Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Phe Cys Phe Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Phe Cys Phe Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Phe Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Pro Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Pro Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Pro Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Phe Cys Pro Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Phe Cys Pro Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Pro Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Pro Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Pro Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Pro Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Phe Cys Pro Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Phe Cys Pro Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Pro Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Pro Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Pro Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Pro Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Phe Cys Pro Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Phe Cys Pro Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Pro Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Pro Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Pro Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Pro Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Phe Cys Pro Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Phe Cys Pro Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Pro Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Pro Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Ser Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Ser Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Ser Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Phe Cys Ser Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Phe Cys Ser Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Ser Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Ser Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Ser Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Ser Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Phe Cys Ser Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Phe Cys Ser Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Ser Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Ser Asn Gly Ala Cys Thr Gly Cys Tyr Cys Glu Phe Cys Ser Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Ser Asn Gly Ala Cys Val Gly Cys Tyr
```

FIGURE 5 (sheet 24 of 68)

```
Cys Glu Phe Cys Ser Asn Gly Ala Cys Val Ala Cys Tyr
 Cys Glu Phe Cys Ser Asn Gly Ala Cys Gly Gly Cys Tyr
 Cys Glu Phe Cys Ser Asn Gly Ala Cys Gly Ala Cys Tyr
 Cys Glu Phe Cys Ser Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Ser Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Ser Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Phe Cys Ser Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Phe Cys Ser Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Ser Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Thr Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Thr Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Thr Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Phe Cys Thr Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Phe Cys Thr Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Thr Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Thr Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Thr Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Thr Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Phe Cys Thr Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Phe Cys Thr Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Thr Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Thr Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Thr Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Thr Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Phe Cys Thr Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Phe Cys Thr Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Thr Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Thr Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Thr Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Thr Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Phe Cys Thr Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Phe Cys Thr Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Thr Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Trp Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Trp Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Trp Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Phe Cys Trp Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Phe Cys Trp Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Trp Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Trp Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Trp Asn Pro Thr Cys Thr Ala Cys Tyr Cys Glu Phe Cys Trp Asn Pro Thr Cys Val. Gly Cys Tyr
Cys Glu Phe Cys Trp Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Phe Cys Trp Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Trp Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Trp Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Trp Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Trp Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Phe Cys Trp Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Phe Cys Trp Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Trp Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Trp Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Trp Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Trp Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Phe Cys Trp Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Phe Cys Trp Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Trp Asn Gly Thr Cys Gly Ala Cys Tyr
```

FIGURE 3 (sheet 25 of 68)

```
Cys Glu Phe Cys Tyr Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Tyr Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Tyr Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Phe Cys Tyr Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Phe Cys Tyr Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Tyr Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Tyr Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Tyr Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Tyr Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Phe Cys Tyr Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Phe Cys Tyr Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Tyr Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Tyr Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Tyr Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Tyr Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Phe Cys Tyr Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Phe Cys Tyr Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Tyr Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Tyr Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Tyr Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Tyr Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Phe Cys Tyr Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Phe Cys Tyr Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Tyr Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Val Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Val Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Val Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Phe Cys Val Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Phe Cys Val Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Val Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Val Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Val Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Val Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Phe Cys Val Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Phe Cys Val Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Val Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Val Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Val Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Val Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Phe Cys Val Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Phe Cys Val Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Val Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Phe Cys Val Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Phe Cys Val Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Phe Cys Val Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Phe Cys Val Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Phe Cys Val Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Phe Cys Val Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Phe Cys --- Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Phe Cys --- Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Phe Cys --- Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Phe Cys --- Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Phe Cys --- Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Phe Cys --- Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Phe Cys --- Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Phe Cys --- Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Phe Cys --- Asn Pro Thr Cys Val Gly Cys Tyr
```

WO 2005/016244

FIGURE 3 (sheet 26 of 68)

```
Cys Glu Phe Cys --- Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Phe Cys --- Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Phe Cys --- Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Phe Cys --- Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Phe Cys --- Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Phe Cys --- Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Phe Cys --- Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Phe Cys --- Asn Gly Ala Cys Gly Gly Cys Tyr Cys Glu Phe Cys --- Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Phe Cys --- Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Phe Cys --- Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Phe Cys --- Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Phe Cys --- Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Phe Cys --- Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Phe Cys --- Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Ala Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Ala Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Ala Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Leu Cys Ala Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Leu Cys Ala Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Ala Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Ala Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Ala Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Ala Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Leu Cys Ala Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Leu Cys Ala Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Ala Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Ala Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Ala Asn Gly Ala Cys Thr Ala Cys Tyr.
Cys Glu Leu Cys Ala Asn Gly Ala Cys Val Gly Cys Tyr Cys Glu Leu Cys Ala Asn Gly Ala Cys Val Ala Cys Tyr Cys Glu Leu Cys Ala Asn Gly Ala Cys Gly Gly Cys Tyr Cys Glu Leu Cys Ala Asn Gly Ala Cys Gly Gly Cys Tyr Cys Glu Leu Cys Ala Asn Gly Ala Cys Gly Ala Cys Tyr Cys Glu Leu Cys Ala Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Ala Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Ala Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Leu Cys Ala Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Leu Cys Ala Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Ala Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Arg Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Arg Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Arg Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Leu Cys Arg Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Leu Cys Arg Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Arg Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Arg Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Arg Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Arg Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Leu Cys Arg Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Leu Cys Arg Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Arg Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Arg Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Arg Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Arg Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Leu Cys Arg Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Leu Cys Arg Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Arg Asn Gly Ala Cys Gly Ala Cys Tyr
```

WO 2005/016244

FIGURE 3 (sheet 27 of 68)

```
Cys Glu Leu Cys Arg Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Arg Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Arg Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Leu Cys Arg Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Leu Cys Arg Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Arg Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Asn Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Asn Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Asn Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Leu Cys Asn Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Leu Cys Asn Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Asn Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Asn Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Asn Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Asn Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Leu Cys Asn Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Leu Cys Asn Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Asn Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Asn Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Asn Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Asn Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Leu Cys Asn Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Leu Cys Asn Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Asn Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Asn Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Asn Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Asn Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Leu Cys Asn Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Leu Cys Asn Asn Gly Thr Cys Gly Gly Cys Tyr
Cvs Glu Leu Cys Asn Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Asp Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Asp Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Asp Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Leu Cys Asp Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Leu Cys Asp Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Asp Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Asp Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Asp Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Asp Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Leu Cys Asp Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Leu Cys Asp Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Asp Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Asp Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Asp Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Asp Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Leu Cys Asp Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Leu Cys Asp Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Asp Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Asp Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Asp Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Asp Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Leu Cys Asp Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Leu Cys Asp Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Asp Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Gln Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Gln Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Gln Asn Pro Ala Cys Val Gly Cys Tyr
```

FIGURE 3 (sheet 28 of 68)

```
Cvs Glu Leu Cys Gln Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Leu Cys Gln Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Gln Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Gln Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Gln Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Gln Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Leu Cys Gln Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Leu Cys Gln Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Gln Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Gln Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Gln Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Gln Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Leu Cys Gln Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Leu Cys Gln Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Gln Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Gln Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Gln Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Gln Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Leu Cys Gln Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Leu Cys Gln Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Gln Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Glu Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Glu Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Glu Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Leu Cys Glu Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Leu Cys Glu Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Glu Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Glu Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Glu Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Glu Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Leu Cys Glu Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Leu Cys Glu Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Glu Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Glu Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Glu Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Glu Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Leu Cys Glu Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Leu Cys Glu Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Glu Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Glu Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Glu Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Glu Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Leu Cys Glu Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Leu Cys Glu Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Glu Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Gly Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Gly Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Gly Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Leu Cys Gly Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Leu Cys Gly Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Gly Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Gly Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Gly Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Gly Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Leu Cys Gly Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Leu Cys Gly Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Gly Asn Pro Thr Cys Gly Ala Cys Tyr
```

FIGURE 3 (sheet 29 of 68)

```
Cvs Glu Leu Cys Gly Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Gly Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Gly Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Leu Cys Gly Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Leu Cys Gly Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Gly Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Gly Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Gly Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Gly Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Leu Cys Gly Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Leu Cys Gly Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Gly Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Leu Cys His Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Leu Cys His Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Leu Cys His Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Leu Cys His Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Leu Cys His Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Leu Cys His Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Leu Cys His Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Leu Cys His Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Leu Cys His Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Leu Cys His Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Leu Cys His Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Leu Cys His Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Leu Cys His Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Leu Cys His Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Leu Cys His Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Leu Cys His Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Leu Cys His Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Leu Cys His Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Leu Cys His Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Leu Cys His Asn Gly Thr Cys Thr Ala Cys Tyr
Cvs Glu Leu Cys His Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Leu Cys His Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Leu Cys His Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Leu Cys His Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Ile Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Ile Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Ile Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Leu Cys Ile Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Leu Cys Ile Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Ile Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Ile Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Ile Asn Pro Thr Cys Thr Ala Cys Tyr
Cvs Glu Leu Cys Ile Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Leu Cys Ile Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Leu Cys Ile Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Ile Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Ile Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Ile Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Ile Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Leu Cys Ile Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Leu Cys Ile Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Ile Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Ile Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Ile Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Ile Asn Gly Thr Cys Val Gly Cys Tyr
```

FIGURE 3 (sheet 30 of 68)

```
Cys Glu Leu Cys Ile Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Leu Cys Ile Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Ile Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Leu Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Leu Asn Pro Ala Cys Thr Ala Cys Tyr
Cvs Glu Leu Cys Leu Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Leu Cys Leu Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Leu Cys Leu Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Leu Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Leu Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Leu Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Leu Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Leu Cys Leu Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Leu Cys Leu Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Leu Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Leu Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Leu Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Leu Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Leu Cys Leu Asn Gly Ala Cys Val Ala Cys Tyr
Cvs Glu Leu Cys Leu Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Leu Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Leu Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Leu Asn Gly Thr Cys Thr Ala Cys Tyr Cys Glu Leu Cys Leu Asn Gly Thr Cys Val Gly Cys Tyr Cys Glu Leu Cys Leu Asn Gly Thr Cys Val Ala Cys Tyr Cys Glu Leu Cys Leu Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Leu Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Lys Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Lys Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Lys Asn Pro Ala Cys Val Gly Cys Tyr
Cvs Glu Leu Cys Lys Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Leu Cys Lys Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Lys Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Lys Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Lys Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Lys Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Leu Cys Lys Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Leu Cys Lys Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Lys Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Lys Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Lys Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Lys Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Leu Cys Lys Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Leu Cys Lys Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Lys Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Lys Asn Gly Thr Cys Thr Gly Cys Tyr Cys Glu Leu Cys Lys Asn Gly Thr Cys Thr Ala Cys Tyr Cys Glu Leu Cys Lys Asn Gly Thr Cys Val Gly Cys Tyr Cys Glu Leu Cys Lys Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Leu Cys Lys Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Lys Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Met Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Met Asn Pro Ala Cys Thr Ala Cys Tyr
Cvs Glu Leu Cys Met Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Leu Cys Met Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Leu Cys Met Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Met Asn Pro Ala Cys Gly Ala Cys Tyr
```

FIGURE 3 (sheet 31 of 68)

```
Cys Glu Leu Cys Met Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Met Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Met Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Leu Cys Met Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Leu Cys Met Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Met Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Met Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Met Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Met Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Leu Cys Met Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Leu Cys Met Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Met Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Met Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Met Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Met Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Leu Cys Met Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Leu Cys Met Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Met Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Phe Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Phe Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Phe Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Leu Cys Phe Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Leu Cys Phe Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Phe Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Phe Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Phe Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Phe Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Leu Cys Phe Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Leu Cys Phe Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Phe Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Phe Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Phe Asn Gly Ala Cys Thr Ala Cys Tyr
Cvs Glu Leu Cys Phe Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Leu Cys Phe Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Leu Cys Phe Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Phe Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Phe Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Phe Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Phe Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Leu Cys Phe Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Leu Cys Phe Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Phe Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Pro Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Pro Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Pro Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Leu Cys Pro Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Leu Cys Pro Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Pro Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Pro Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Pro Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Pro Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Leu Cys Pro Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Leu Cys Pro Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Pro Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Pro Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Pro Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Pro Asn Gly Ala Cys Val Gly Cys Tyr
```

FIGURE 3 (sheet 32 of 68)

```
Cys Glu Leu Cys Pro Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Leu Cys Pro Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Pro Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Pro Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Pro Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Pro Asn Gly Thr Cys Val Gly Cys Tyr
Cvs Glu Leu Cys Pro Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Leu Cys Pro Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Pro Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Ser Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Ser Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Ser Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Leu Cys Ser Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Leu Cys Ser Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Ser Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Ser Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Ser Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Ser Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Leu Cys Ser Asn Pro Thr Cys Val Ala Cys Tyr
Cvs Glu Leu Cys Ser Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Ser Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Ser Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Ser Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Ser Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Leu Cys Ser Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Leu Cys Ser Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Ser Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Ser Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Ser Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Ser Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Leu Cys Ser Asn Gly Thr Cys Val Ala Cys Tyr
Cvs Glu Leu Cys Ser Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Ser Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Thr Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Thr Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Thr Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Leu Cys Thr Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Leu Cys Thr Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Thr Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Thr Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Thr Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Thr Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Leu Cys Thr Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Leu Cys Thr Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Thr Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Thr Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Thr Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Thr Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Leu Cys Thr Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Leu Cys Thr Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Thr Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Thr Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Thr Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Thr Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Leu Cys Thr Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Leu Cys Thr Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Thr Asn Gly Thr Cys Gly Ala Cys Tyr
```

WO 2005/016244

FIGURE 3 (sheet 33 of 68)

```
Cys Glu Leu Cys Trp Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Trp Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Trp Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Leu Cys Trp Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Leu Cys Trp Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Trp Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Trp Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Trp Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Trp Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Leu Cys Trp Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Leu Cys Trp Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Trp Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Trp Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Trp Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Trp Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Leu Cys Trp Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Leu Cys Trp Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Trp Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Trp Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Trp Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Trp Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Leu Cys Trp Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Leu Cys Trp Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Trp Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Tyr Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Tyr Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Tyr Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Leu Cys Tyr Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Leu Cys Tyr Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Tyr Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Tyr Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Tyr Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Tyr Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Leu Cys Tyr Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Leu Cys Tyr Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Tyr Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Tyr Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Tyr Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Tyr Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Leu Cys Tyr Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Leu Cys Tyr Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Tyr Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Tyr Asn Gly Thr Cys Thr Gly Cys Tyr Cys Glu Leu Cys Tyr Asn Gly Thr Cys Thr Ala Cys Tyr Cys Glu Leu Cys Tyr Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Leu Cys Tyr Asn Gly Thr Cys Val Ala Cys Tyr
Cys Glu Leu Cys Tyr Asn Gly Thr Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Tyr Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Val Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Val Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Val Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Leu Cys Val Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Leu Cys Val Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Val Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Val Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Val Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Val Asn Pro Thr Cys Val Gly Cys Tyr
```

FIGURE 3 (sheet 34 of 68)

```
Cys Glu Leu Cys Val Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Leu Cys Val Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Val Asn Pro Thr Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Val Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Val Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Val Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Leu Cys Val Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Leu Cys Val Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Leu Cys Val Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Leu Cys Val Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Leu Cys Val Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Leu Cys Val Asn Gly Thr Cys Val Gly Cys Tyr
Cys Glu Leu Cys Val Asn Gly Thr Cys Val Ala Cys Tyr Cys Glu Leu Cys Val Asn Gly Thr Cys Gly Gly Cys Tyr Cys Glu Leu Cys Val Asn Gly Thr Cys Gly Ala Cys Tyr Cys Glu Leu Cys Val Asn Gly Thr Cys Gly Ala Cys Tyr Cys Glu Leu Cys --- Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Glu Leu Cys --- Asn Pro Ala Cys Thr Ala Cys Tyr
Cys Glu Leu Cys --- Asn Pro Ala Cys Val Gly Cys Tyr
Cys Glu Leu Cys --- Asn Pro Ala Cys Val Ala Cys Tyr
Cys Glu Leu Cys --- Asn Pro Ala Cys Gly Gly Cys Tyr
Cys Glu Leu Cys --- Asn Pro Ala Cys Gly Ala Cys Tyr
Cys Glu Leu Cys --- Asn Pro Thr Cys Thr Gly Cys Tyr
Cys Glu Leu Cys --- Asn Pro Thr Cys Thr Ala Cys Tyr
Cys Glu Leu Cys --- Asn Pro Thr Cys Val Gly Cys Tyr
Cys Glu Leu Cys --- Asn Pro Thr Cys Val Ala Cys Tyr
Cys Glu Leu Cys --- Asn Pro Thr Cys Gly Gly Cys Tyr
Cys Glu Leu Cys --- Asn Pro Thr Cys Gly Ala Cys Tyr Cys Glu Leu Cys --- Asn Gly Ala Cys Thr Gly Cys Tyr
Cys Glu Leu Cys --- Asn Gly Ala Cys Thr Ala Cys Tyr
Cys Glu Leu Cys --- Asn Gly Ala Cys Val Gly Cys Tyr
Cys Glu Leu Cys --- Asn Gly Ala Cys Val Ala Cys Tyr
Cys Glu Leu Cys --- Asn Gly Ala Cys Gly Gly Cys Tyr
Cys Glu Leu Cys --- Asn Gly Ala Cys Gly Ala Cys Tyr
Cys Glu Leu Cys --- Asn Gly Thr Cys Thr Gly Cys Tyr
Cys Glu Leu Cys --- Asn Gly Thr Cys Thr Ala Cys Tyr
Cys Glu Leu Cys --- Asn Gly Thr Cys Val Gly Cys Tyr Cys Glu Leu Cys --- Asn Gly Thr Cys Val Ala Cys Tyr Cys Glu Leu Cys --- Asn Gly Thr Cys Gly Ala Cys Tyr Cys Glu Leu Cys --- Asn Gly Thr Cys Gly Ala Cys Tyr Cys Glu Leu Cys --- Asn Gly Thr Cys Gly Ala Cys Tyr
Cys Glu Tyr Cys Ala Asn Pro Ala Cys Thr Gly Cys
Cys Glu Tyr Cys Ala Asn Pro Ala Cys Thr Ala Cys
Cys Glu Tyr Cys Ala Asn Pro Ala Cys Val Gly Cys
Cys Glu Tyr Cys Ala Asn Pro Ala Cys Val Ala Cys
Cys Glu Tyr Cys Ala Asn Pro Ala Cys Gly Gly Cys
Cys Glu Tyr Cys Ala Asn Pro Ala Cys Gly Ala Cys
Cys Glu Tyr Cys Ala Asn Pro Thr Cys Thr Gly Cys
Cys Glu Tyr Cys Ala Asn Pro Thr Cys Thr Ala Cys
Cys Glu Tyr Cys Ala Asn Pro Thr Cys Val Gly Cys
Cys Glu Tyr Cys Ala Asn Pro Thr Cys Val Ala Cys
Cys Glu Tyr Cys Ala Asn Pro Thr Cys Gly Gly Cys
Cys Glu Tyr Cys Ala Asn Pro Thr Cys Gly Ala Cys
Cys Glu Tyr Cys Ala Asn Gly Ala Cys Thr Gly Cys
Cys Glu Tyr Cys Ala Asn Gly Ala Cys Thr Ala Cys
Cys Glu Tyr Cys Ala Asn Gly Ala Cys Val Gly Cys
Cys Glu Tyr Cys Ala Asn Gly Ala Cys Val Ala Cys
Cys Glu Tyr Cys Ala Asn Gly Ala Cys Gly Gly Cys
Cys Glu Tyr Cys Ala Asn Gly Ala Cys Gly Ala Cys
```

FIGURE 3 (sheet 35 of 68)

```
Cys Glu Tyr Cys Ala Asn Gly Thr Cys Thr Gly Cys
Cys Glu Tyr Cys Ala Asn Gly Thr Cys Thr Ala Cys
Cys Glu Tyr Cys Ala Asn Gly Thr Cys Val Gly Cys
Cys Glu Tyr Cys Ala Asn Gly Thr Cys Val Ala Cys
Cvs Glu Tyr Cys Ala Asn Gly Thr Cys Gly Gly Cys
Cys Glu Tyr Cys Ala Asn Gly Thr Cys Gly Ala Cys
Cys Glu Tyr Cys Arg Asn Pro Ala Cys Thr Gly Cys
Cys Glu Tyr Cys Arg Asn Pro Ala Cys Thr Ala Cys
Cys Glu Tyr Cys Arg Asn Pro Ala Cys Val Gly Cys
Cys Glu Tyr Cys Arg Asn Pro Ala Cys Val Ala Cys
Cys Glu Tyr Cys Arg Asn Pro Ala Cys Gly Gly Cys
Cys Glu Tyr Cys Arg Asn Pro Ala Cys Gly Ala Cys
Cys Glu Tyr Cys Arg Asn Pro Thr Cys Thr Gly Cys
Cys Glu Tyr Cys Arg Asn Pro Thr Cys Thr Ala Cys
Cys Glu Tyr Cys Arg Asn Pro Thr Cys Val Gly Cys
Cys Glu Tyr Cys Arg Asn Pro Thr Cys Val Ala Cys
Cys Glu Tyr Cys Arg Asn Pro Thr Cys Gly Gly Cys
Cys Glu Tyr Cys Arg Asn Pro Thr Cys Gly Ala Cys
Cys Glu Tyr Cys Arg Asn Gly Ala Cys Thr Gly Cys
Cys Glu Tyr Cys Arg Asn Gly Ala Cys Thr Ala Cys
Cys Glu Tyr Cys Arg Asn Gly Ala Cys Val Gly Cys
Cys Glu Tyr Cys Arg Asn Gly Ala Cys Val Ala Cys
Cys Glu Tyr Cys Arg Asn Gly Ala Cys Gly Gly Cys
Cys Glu Tyr Cys Arg Asn Gly Ala Cys Gly Ala Cys Cys Glu Tyr Cys Arg Asn Gly Thr Cys Thr Gly Cys Cys Glu Tyr Cys Arg Asn Gly Thr Cys Thr Ala Cys
Cys Glu Tyr Cys Arg Asn Gly Thr Cys Val Gly Cys
Cys Glu Tyr Cys Arg Asn Gly Thr Cys Val Ala Cys
Cys Glu Tyr Cys Arg Asn Gly Thr Cys Gly Gly Cys
Cys Glu Tyr Cys Arg Asn Gly Thr Cys Gly Ala Cys
Cys Glu Tyr Cys Asn Asn Pro Ala Cys Thr Gly Cys
Cys Glu Tyr Cys Asn Asn Pro Ala Cys Thr Ala Cys
Cys Glu Tyr Cys Asn Asn Pro Ala Cys Val Gly Cys
Cys Glu Tyr Cys Asn Asn Pro Ala Cys Val Ala Cys
Cys Glu Tyr Cys Asn Asn Pro Ala Cys Gly Gly Cys
Cys Glu Tyr Cys Asn Asn Pro Ala Cys Gly Ala Cys
Cys Glu Tyr Cys Asn Asn Pro Thr Cys Thr Gly Cys
Cys Glu Tyr Cys Asn Asn Pro Thr Cys Thr Ala Cys
Cys Glu Tyr Cys Asn Asn Pro Thr Cys Val Gly Cys
Cys Glu Tyr Cys Asn Asn Pro Thr Cys Val Ala Cys
Cys Glu Tyr Cys Asn Asn Pro Thr Cys Gly Gly Cys
Cys Glu Tyr Cys Asn Asn Pro Thr Cys Gly Ala Cys
Cys Glu Tyr Cys Asn Asn Gly Ala Cys Thr Gly Cys
Cys Glu Tyr Cys Asn Asn Gly Ala Cys Thr Ala Cys
Cys Glu Tyr Cys Asn Asn Gly Ala Cys Val Gly Cys
Cys Glu Tyr Cys Asn Asn Gly Ala Cys Val Ala Cys
Cys Glu Tyr Cys Asn Asn Gly Ala Cys Gly Gly Cys
Cys Glu Tyr Cys Asn Asn Gly Ala Cys Gly Ala Cys
Cys Glu Tyr Cys Asn Asn Gly Thr Cys Thr Gly Cys
Cys Glu Tyr Cys Asn Asn Gly Thr Cys Thr Ala Cys
Cys Glu Tyr Cys Asn Asn Gly Thr Cys Val Gly Cys
Cys Glu Tyr Cys Asn Asn Gly Thr Cys Val Ala Cys
Cys Glu Tyr Cys Asn Asn Gly Thr Cys Gly Gly Cys
Cys Glu Tyr Cys Asn Asn Gly Thr Cys Gly Ala Cys
Cys Glu Tyr Cys Asp Asn Pro Ala Cys Thr Gly Cys
Cys Glu Tyr Cys Asp Asn Pro Ala Cys Thr Ala Cys
Cys Glu Tyr Cys Asp Asn Pro Ala Cys Val Gly Cys
```

FIGURE 3 (sheet 36 of 68)

```
Cys Glu Tyr Cys Asp Asn Pro Ala Cys Val Ala Cys
Cys Glu Tyr Cys Asp Asn Pro Ala Cys Gly Gly Cys
Cys Glu Tyr Cys Asp Asn Pro Ala Cys Gly Ala Cys
Cys Glu Tyr Cys Asp Asn Pro Thr Cys Thr Gly Cys
Cys Glu Tyr Cys Asp Asn Pro Thr Cys Thr Ala Cys
Cys Glu Tyr Cys Asp Asn Pro Thr Cys Val Gly Cys
Cvs Glu Tyr Cys Asp Asn Pro Thr Cys Val Ala Cys
Cys Glu Tyr Cys Asp Asn Pro Thr Cys Gly Gly Cys
Cys Glu Tyr Cys Asp Asn Pro Thr Cys Gly Ala Cys
Cys Glu Tyr Cys Asp Asn Gly Ala Cys Thr Gly Cys
Cys Glu Tyr Cys Asp Asn Gly Ala Cys Thr Ala Cys
Cys Glu Tyr Cys Asp Asn Gly Ala Cys Val Gly Cys
Cys Glu Tyr Cys Asp Asn Gly Ala Cys Val Ala Cys
Cvs Glu Tyr Cys Asp Asn Gly Ala Cys Gly Gly Cys
Cys Glu Tyr Cys Asp Asn Gly Ala Cys Gly Ala Cys
Cys Glu Tyr Cys Asp Asn Gly Thr Cys Thr Gly Cys
Cys Glu Tyr Cys Asp Asn Gly Thr Cys Thr Ala Cys
Cys Glu Tyr Cys Asp Asn Gly Thr Cys Val Gly Cys
Cys Glu Tyr Cys Asp Asn Gly Thr Cys Val Ala Cys
Cys Glu Tyr Cys Asp Asn Gly Thr Cys Gly Gly Cys
Cys Glu Tyr Cys Asp Asn Gly Thr Cys Gly Ala Cys
Cys Glu Tyr Cys Gln Asn Pro Ala Cys Thr Gly Cys
Cys Glu Tyr Cys Gln Asn Pro Ala Cys Thr Ala Cys
Cys Glu Tyr Cys Gln Asn Pro Ala Cys Val Gly Cys
Cys Glu Tyr Cys Gln Asn Pro Ala Cys Val Ala Cys
Cys Glu Tyr Cys Gln Asn Pro Ala Cys Gly Gly Cys
Cys Glu Tyr Cys Gln Asn Pro Ala Cys Gly Ala Cys
Cys Glu Tyr Cys Gln Asn Pro Thr Cys Thr Gly Cys
Cys Glu Tyr Cys Gln Asn Pro Thr Cys Thr Ala Cys
Cys Glu Tyr Cys Gln Asn Pro Thr Cys Val Gly Cys
Cys Glu Tyr Cys Gln Asn Pro Thr Cys Val Ala Cys
Cys Glu Tyr Cys Gln Asn Pro Thr Cys Gly Gly Cys
Cys Glu Tyr Cys Gln Asn Pro Thr Cys Gly Ala Cys
Cys Glu Tyr Cys Gln Asn Gly Ala Cys Thr Gly Cys
Cys Glu Tyr Cys Gln Asn Gly Ala Cys Thr Ala Cys
Cys Glu Tyr Cys Gln Asn Gly Ala Cys Val Gly Cys
Cys Glu Tyr Cys Gln Asn Gly Ala Cys Val Ala Cys
Cys Glu Tyr Cys Gln Asn Gly Ala Cys Gly Gly Cys
Cys Glu Tyr Cys Gln Asn Gly Ala Cys Gly Ala Cys
Cys Glu Tyr Cys Gln Asn Gly Thr Cys Thr Gly Cys
Cys Glu Tyr Cys Gln Asn Gly Thr Cys Thr Ala Cys
Cys Glu Tyr Cys Gln Asn Gly Thr Cys Val Gly Cys
Cys Glu Tyr Cys Gln Asn Gly Thr Cys Val Ala Cys
Cys Glu Tyr Cys Gln Asn Gly Thr Cys Gly Gly Cys
Cys Glu Tyr Cys Gln Asn Gly Thr Cys Gly Ala Cys
Cys Glu Tyr Cys Glu Asn Pro Ala Cys Thr Gly Cys
Cys Glu Tyr Cys Glu Asn Pro Ala Cys Thr Ala Cys
Cys Glu Tyr 'Cys Glu Asn Pro Ala Cys Val Gly Cys
Cys Glu Tyr Cys Glu Asn Pro Ala Cys Val Ala Cys
Cys Glu Tyr Cys Glu Asn Pro Ala Cys Gly Gly Cys
Cys Glu Tyr Cys Glu Asn Pro Ala Cys Gly Ala Cys
Cys Glu Tyr Cys Glu Asn Pro Thr Cys Thr Gly Cys
Cys Glu Tyr Cys Glu Asn Pro Thr Cys Thr Ala Cys
Cys Glu Tyr Cys Glu Asn Pro Thr Cys Val Gly Cys
Cys Glu Tyr Cys Glu Asn Pro Thr Cys Val Ala Cys
Cys Glu Tyr Cys Glu Asn Pro Thr Cys Gly Gly Cys
Cys Glu Tyr Cys Glu Asn Pro Thr Cys Gly Ala Cys
```

FIGURE 3 (sheet 37 of 68)

```
Cys Glu Tyr Cys Glu Asn Gly Ala Cys Thr Gly Cys
Cys Glu Tyr Cys Glu Asn Gly Ala Cys Thr Ala Cys
Cys Glu Tyr Cys Glu Asn Gly Ala Cys Val Gly Cys
Cys Glu Tyr Cys Glu Asn Gly Ala Cys Val Ala Cys
Cys Glu Tyr Cys Glu Asn Gly Ala Cys Gly Gly Cys
Cys Glu Tyr Cys Glu Asn Gly Ala Cys Gly Ala Cys
Cys Glu Tyr Cys Glu Asn Gly Thr Cys Thr Gly Cys
Cys Glu Tyr Cys Glu Asn Gly Thr Cys Thr Ala Cys
Cys Glu Tyr Cys Glu Asn Gly Thr Cys Val Gly Cys
Cys Glu Tyr Cys Glu Asn Gly Thr Cys Val Ala Cys
Cys Glu Tyr Cys Glu Asn Gly Thr Cys Gly Gly Cys
Cys Glu Tyr Cys Glu Asn Gly Thr Cys Gly Ala Cys
Cys Glu Tyr Cys Gly Asn Pro Ala Cys Thr Gly Cys
Cys Glu Tyr Cys Gly Asn Pro Ala Cys Thr Ala Cys
Cys Glu Tyr Cys Gly Asn Pro Ala Cys Val Gly Cys
Cys Glu Tyr Cys Gly Asn Pro Ala Cys Val Ala Cys
Cys Glu Tyr Cys Gly Asn Pro Ala Cys Gly Gly Cys
Cys Glu Tyr Cys Gly Asn Pro Ala Cys Gly Ala Cys
Cys Glu Tyr Cys Gly Asn Pro Thr Cys Thr Gly Cys
Cys Glu Tyr Cys Gly Asn Pro Thr Cys Thr Ala Cys
Cys Glu Tyr Cys Gly Asn Pro Thr Cys Val Gly Cys
Cys Glu Tyr Cys Gly Asn Pro Thr Cys Val Ala Cys
Cys Glu Tyr Cys Gly Asn Pro Thr Cys Gly Gly Cys
Cys Glu Tyr Cys Gly Asn Pro Thr Cys Gly Ala Cys
Cys Glu Tyr Cys Gly Asn Gly Ala Cys Thr Gly Cys
Cys Glu Tyr Cys Gly Asn Gly Ala Cys Thr Ala Cys
Cys Glu Tyr Cys Gly Asn Gly Ala Cys Val Gly Cys
Cys Glu Tyr Cys Gly Asn Gly Ala Cys Val Ala Cys
Cys Glu Tyr Cys Gly Asn Gly Ala Cys Gly Gly Cys
Cys Glu Tyr Cys Gly Asn Gly Ala Cys Gly Ala Cys
Cys Glu-Tyr Cys Gly Asn Gly Thr Cys Thr Gly Cys
Cys Glu Tyr Cys Gly Asn Gly Thr Cys Thr Ala Cys
Cys Glu Tyr Cys Gly Asn Gly Thr Cys Val Gly Cys
Cys Glu Tyr Cys Gly Asn Gly Thr Cys Val Ala Cys
Cys Glu Tyr Cys Gly Asn Gly Thr Cys Gly Gly Cys
Cys Glu Tyr Cys Gly Asn Gly Thr Cys Gly Ala Cys
Cys Glu Tyr Cys His Asn Pro Ala Cys Thr Gly Cys
Cys Glu Tyr Cys His Asn Pro Ala Cys Thr Ala Cys
Cys Glu Tyr Cys His Asn Pro Ala Cys Val Gly Cys
Cys Glu Tyr Cys His Asn Pro Ala Cys Val Ala Cys
Cys Glu Tyr Cys His Asn Pro Ala Cys Gly Gly Cys
Cys Glu Tyr Cys His Asn Pro Ala Cys Gly Ala Cys
Cys Glu Tyr Cys His Asn Pro Thr Cys Thr Gly Cys
Cys Glu Tyr Cys His Asn Pro Thr Cys Thr Ala Cys
Cys Glu Tyr Cys His Asn Pro Thr Cys Val Gly Cys
Cys Glu Tyr Cys His Asn Pro Thr Cys Val Ala Cys
Cys Glu Tyr Cys His Asn Pro Thr Cys Gly Gly Cys
Cys Glu Tyr Cys His Asn Pro Thr Cys Gly Ala Cys
Cys Glu Tyr Cys His Asn Gly Ala Cys Thr Gly Cys
Cys Glu Tyr Cys His Asn Gly Ala Cys Thr Ala Cys
Cys Glu Tyr Cys His Asn Gly Ala Cys Val Gly Cys
Cys Glu Tyr Cys His Asn Gly Ala Cys Val Ala Cys
Cys Glu Tyr Cys His Asn Gly Ala Cys Gly Gly Cys
Cys Glu Tyr Cys His Asn Gly Ala Cys Gly Ala Cys
Cys Glu Tyr Cys His Asn Gly Thr Cys Thr Gly Cys
Cys Glu Tyr Cys His Asn Gly Thr Cys Thr Ala Cys
Cys Glu Tyr Cys His Asn Gly Thr Cys Val Gly Cys
```

FIGURE 3 (sheef 38 of 68)

```
Cys Glu Tyr Cys His Asn Gly Thr Cys Val Ala Cys
Cys Glu Tyr Cys His Asn Gly Thr Cys Gly Gly Cys
Cys Glu Tyr Cys His Asn Gly Thr Cys Gly Ala Cys
Cys Glu Tyr Cys Ile Asn Pro Ala Cys Thr Gly Cys
Cys Glu Tyr Cys Ile Asn Pro Ala Cys Thr Ala Cys
Cys Glu Tyr Cys Ile Asn Pro Ala Cys Val Gly Cys
Cys Glu Tyr Cys Ile Asn Pro Ala Cys Val Ala Cys
Cys Glu Tyr Cys Ile Asn Pro Ala Cys Gly Gly Cys
Cys Glu Tyr Cys Ile Asn Pro Ala Cys Gly Ala Cys
Cys Glu Tyr Cys Ile Asn Pro Thr Cys Thr Gly Cys
Cys Glu Tyr Cys Ile Asn Pro Thr Cys Thr Ala Cys
Cys Glu Tyr Cys Ile Asn Pro Thr Cys Val Gly Cys
Cys Glu Tyr Cys Ile Asn Pro Thr Cys Val Ala Cys
Cys Glu Tyr Cys Ile Asn Pro Thr Cys Gly Gly Cys
Cys Glu Tyr Cys Ile Asn Pro Thr Cys Gly Ala Cys.
Cys Glu Tyr Cys Ile Asn Gly Ala Cys Thr Gly Cys
Cys Glu Tyr Cys Ile Asn Gly Ala Cys Thr Ala Cys
Cys Glu Tyr Cys Ile Asn Gly Ala Cys Val Gly Cys
Cys Glu Tyr Cys Ile Asn Gly Ala Cys Val Ala Cys
Cys Glu Tyr Cys Ile Asn Gly Ala Cys Gly Gly Cys
Cys Glu Tyr Cys Ile Asn Gly Ala Cys Gly Ala Cys
Cys Glu Tyr Cys Ile Asn Gly Thr Cys Thr Gly Cys
Cys Glu Tyr Cys Ile Asn Gly Thr Cys Thr Ala Cys Cys Glu Tyr Cys Ile Asn Gly Thr Cys Val Gly Cys Cys Glu Tyr Cys Ile Asn Gly Thr Cys Val Ala Cys Cys Glu Tyr Cys Ile Asn Gly Thr Cys Gly Gly Cys
Cys Glu Tyr Cys Ile Asn Gly Thr Cys Gly Ala Cys
Cys Glu Tyr Cys Leu Asn Pro Ala Cys Thr Gly Cys
Cys Glu Tyr Cys Leu Asn Pro Ala Cys Thr Ala Cys
Cys Glu Tyr Cys Leu Asn Pro Ala Cys Val Gly Cys
Cys Glu Tyr Cys Leu Asn Pro Ala Cys Val Ala Cys
Cys Glu Tyr Cys Leu Asn Pro Ala Cys Gly Gly Cys
Cys Glu Tyr Cys Leu Asn Pro Ala Cys Gly Ala Cys
Cys Glu Tyr Cys Leu Asn Pro Thr Cys Thr Gly Cys
Cys Glu Tyr Cys Leu Asn Pro Thr Cys Thr Ala Cys
Cys Glu Tyr Cys Leu Asn Pro Thr Cys Val Gly Cys
Cys Glu Tyr Cys Leu Asn Pro Thr Cys Val Ala Cys
Cys Glu Tyr Cys Leu Asn Pro Thr Cys Gly Gly Cys
Cys Glu Tyr Cys Leu Asn Pro Thr Cys Gly Ala Cys
Cys Glu Tyr Cys Leu Asn Gly Ala Cys Thr Gly Cys
Cys Glu Tyr Cys Leu Asn Gly Ala Cys Thr Ala Cys
Cys Glu Tyr Cys Leu Asn Gly Ala Cys Val Gly Cys
Cys Glu Tyr Cys Leu Asn Gly Ala Cys Val Ala Cys
Cys Glu Tyr Cys Leu Asn Gly Ala Cys Gly Gly Cys
Cys Glu Tyr Cys Leu Asn Gly Ala Cys Gly Ala Cys
Cys Glu Tyr Cys Leu Asn Gly Thr Cys Thr Gly Cys
Cys Glu Tyr Cys Leu Asn Gly Thr Cys Thr Ala Cys Cys Glu Tyr Cys Leu Asn Gly Thr Cys Val Gly Cys Cys Glu Tyr Cys Leu Asn Gly Thr Cys Val Ala Cys Cys Glu Tyr Cys Leu Asn Gly Thr Cys Gly Gly Cys
Cys Glu Tyr Cys Leu Asn Gly Thr Cys Gly Ala Cys
Cys Glu Tyr Cys Lys Asn Pro Ala Cys Thr Gly Cys
Cys Glu Tyr Cys Lys Asn Pro Ala Cys Thr Ala Cys
Cys Glu Tyr Cys Lys Asn Pro Ala Cys Val Gly Cys
Cys Glu Tyr Cys Lys Asn Pro Ala Cys Val Ala Cys
Cys Glu Tyr Cys Lys Asn Pro Ala Cys Gly Gly Cys
Cys Glu Tyr Cys Lys Asn Pro Ala Cys Gly Ala Cys
```

FIGURE 3 (sheet 39 of 68)

```
Cvs Glu Tyr Cys Lys Asn Pro Thr Cys Thr Gly Cys
Cys Glu Tyr Cys Lys Asn Pro Thr Cys Thr Ala Cys
Cys Glu Tyr Cys Lys Asn Pro Thr Cys Val Gly Cys
Cys Glu Tyr Cys Lys Asn Pro Thr Cys Val Ala Cys
Cys Glu Tyr Cys Lys Asn Pro Thr Cys Gly Gly Cys
Cys Glu Tyr Cys Lys Asn Pro Thr Cys Gly Ala Cys
Cys Glu Tyr Cys Lys Asn Gly Ala Cys Thr Gly Cys
Cvs Glu Tyr Cys Lys Asn Gly Ala Cys Thr Ala Cys
Cys Glu Tyr Cys Lys Asn Gly Ala Cys Val Gly Cys
Cys Glu Tyr Cys Lys Asn Gly Ala Cys Val Ala Cys
Cys Glu Tyr Cys Lys Asn Gly Ala Cys Gly Gly Cys
Cys Glu Tyr Cys Lys Asn Gly Ala Cys Gly Ala Cys
Cys Glu Tyr Cys Lys Asn Gly Thr Cys Thr Gly Cys
Cys Glu Tyr Cys Lys Asn Gly Thr Cys Thr Ala Cys
Cys Glu Tyr Cys Lys Asn Gly Thr Cys Val Gly Cys Cys Glu Tyr Cys Lys Asn Gly Thr Cys Val Ala Cys Cys Glu Tyr Cys Lys Asn Gly Thr Cys Gly Gly Cys Cys Glu Tyr Cys Lys Asn Gly Thr Cys Gly Gly Cys Cys Glu Tyr Cys Lys Asn Gly Thr Cys Gly Ala Cys
Cys Glu Tyr Cys Met Asn Pro Ala Cys Thr Gly Cys
Cys Glu Tyr Cys Met Asn Pro Ala Cys Thr Ala Cys
Cys Glu Tyr Cys Met Asn Pro Ala Cys Val Gly Cys
Cys Glu Tyr Cys Met Asn Pro Ala Cys Val Ala Cys
Cys Glu Tyr Cys Met Asn Pro Ala Cys Gly Gly Cys
Cys Glu Tyr Cys Met Asn Pro Ala Cys Gly Ala Cys
Cys Glu Tyr Cys Met Asn Pro Thr Cys Thr Gly Cys
Cys Glu Tyr Cys Met Asn Pro Thr Cys Thr Ala Cys
Cys Glu Tyr Cys Met Asn Pro Thr Cys Val Gly Cys
Cys Glu Tyr Cys Met Asn Pro Thr Cys Val Ala Cys
Cys Glu Tyr Cys Met Asn Pro Thr Cys Gly Gly Cys
Cys Glu Tyr Cys Met Asn Pro Thr Cys Gly Ala Cys
Cys Glu Tyr Cys Met Asn Gly Ala Cys Thr Gly Cys
Cys Glu Tyr Cys Met Asn Gly Ala Cys Thr Ala Cys
Cys Glu Tyr Cys Met Asn Gly Ala Cys Val Gly Cys
Cys Glu Tyr Cys Met Asn Gly Ala Cys Val Ala Cys
Cys Glu Tyr Cys Met Asn Gly Ala Cys Gly Gly Cys
Cys Glu Tyr Cys Met Asn Gly Ala Cys Gly Ala Cys
Cys Glu Tyr Cys Met Asn Gly Thr Cys Thr Gly Cys
Cys Glu Tyr Cys Met Asn Gly Thr Cys Thr Ala Cys
Cys Glu Tyr Cys Met Asn Gly Thr Cys Val Gly Cys
Cys Glu Tyr Cys Met Asn Gly Thr Cys Val Ala Cys
Cys Glu Tyr Cys Met Asn Gly Thr Cys Gly Gly Cys
Cys Glu Tyr Cys Met Asn Gly Thr Cys Gly Ala Cys
Cys Glu Tyr Cys Phe Asn Pro Ala Cys Thr Gly Cys
Cys Glu Tyr Cys Phe Asn Pro Ala Cys Thr Ala Cys
Cys Glu Tyr Cys Phe Asn Pro Ala Cys Val Gly Cys
Cys Glu Tyr Cys Phe Asn Pro Ala Cys Val Ala Cys
Cys Glu Tyr Cys Phe Asn Pro Ala Cys Gly Gly Cys
Cys Glu Tyr Cys Phe Asn Pro Ala Cys Gly Ala Cys
Cys Glu Tyr Cys Phe Asn Pro Thr Cys Thr Gly Cys
Cys Glu Tyr Cys Phe Asn Pro Thr Cys Thr Ala Cys
Cys Glu Tyr Cys Phe Asn Pro Thr Cys Val Gly Cys
Cys Glu Tyr Cys Phe Asn Pro Thr Cys Val Ala Cys
Cys Glu Tyr Cys Phe Asn Pro Thr Cys Gly Gly Cys
Cys Glu Tyr Cys Phe Asn Pro Thr Cys Gly Ala Cys
Cys Glu Tyr Cys Phe Asn Gly Ala Cys Thr Gly Cys
Cys Glu Tyr Cys Phe Asn Gly Ala Cys Thr Ala Cys
Cys Glu Tyr Cys Phe Asn Gly Ala Cys Val Gly Cys
```

FIGURE 3 (sheet 40 of 68)

```
Cys Glu Tyr Cys Phe Asn Gly Ala Cys Val Ala Cys
Cys Glu Tyr Cys Phe Asn Gly Ala Cys Gly Gly Cys
Cys Glu Tyr Cys Phe Asn Gly Ala Cys Gly Ala Cys
Cys Glu Tyr Cys Phe Asn Gly Thr Cys Thr Gly Cys
Cys Glu Tyr Cys Phe Asn Gly Thr Cys Thr Ala Cys
Cys Glu Tyr Cys Phe Asn Gly Thr Cys Val Gly Cys
Cys Glu Tyr Cys Phe Asn Gly Thr Cys Val Ala Cys
Cys Glu Tyr Cys Phe Asn Gly Thr Cys Gly Gly Cys
Cys Glu Tyr Cys Phe Asn Gly Thr Cys Gly Ala Cys
Cys Glu Tyr Cys Pro Asn Pro Ala Cys Thr Gly Cys
Cys Glu Tyr Cys Pro Asn Pro Ala Cys Thr Ala Cys
Cys Glu Tyr Cys Pro Asn Pro Ala Cys Val Gly Cys
Cys Glu Tyr Cys Pro Asn Pro Ala Cys Val Ala Cys
Cys Glu Tyr Cys Pro Asn Pro Ala Cys Gly Gly Cys
Cys Glu Tyr Cys Pro Asn Pro Ala Cys Gly Ala Cys
Cys Glu Tyr Cys Pro Asn Pro Thr Cys Thr Gly Cys
Cys Glu Tyr Cys Pro Asn Pro Thr Cys Thr Ala Cys
Cys Glu Tyr Cys Pro Asn Pro Thr Cys Val Gly Cys
Cys Glu Tyr Cys Pro Asn Pro Thr Cys Val Ala Cys
Cys Glu Tyr Cys Pro Asn Pro Thr Cys Gly Gly Cys
Cys Glu Tyr Cys Pro Asn Pro Thr Cys Gly Ala Cys
Cys Glu Tyr Cys Pro Asn Gly Ala Cys Thr Gly Cys
Cys Glu Tyr Cys Pro Asn Gly Ala Cys Thr Ala Cys
Cys Glu Tyr Cys Pro Asn Gly Ala Cys Val Gly Cys
Cys Glu Tyr Cys Pro Asn Gly Ala Cys Val Ala Cys
Cys Glu Tyr Cys Pro Asn Gly Ala Cys Gly Gly Cys
Cys Glu Tyr Cys Pro Asn Gly Ala Cys Gly Ala Cys
Cys Glu Tyr Cys Pro Asn Gly Thr Cys Thr Gly Cys
Cys Glu Tyr Cys Pro Asn Gly Thr Cys Thr Ala Cys
Cys Glu Tyr Cys Pro Asn Gly Thr Cys Val Gly Cys
Cys Glu Tyr Cys Pro Asn Gly Thr Cys Val Ala Cys
Cys Glu Tyr Cys Pro Asn Gly Thr Cys Gly Gly Cys
Cvs Glu Tyr Cys Pro Asn Gly Thr Cys Gly Ala Cys
Cys Glu Tyr Cys Ser Asn Pro Ala Cys Thr Gly Cys
Cys Glu Tyr Cys Ser Asn Pro Ala Cys Thr Ala Cys
Cys Glu Tyr Cys Ser Asn Pro Ala Cys Val Gly Cys
Cys Glu Tyr Cys Ser Asn Pro Ala Cys Val Ala Cys
Cys Glu Tyr Cys Ser Asn Pro Ala Cys Gly Gly Cys
Cys Glu Tyr Cys Ser Asn Pro Ala Cys Gly Ala Cys
Cys Glu Tyr Cys Ser Asn Pro Thr Cys Thr Gly Cys
Cys Glu Tyr Cys Ser Asn Pro Thr Cys Thr Ala Cys
Cys Glu Tyr Cys Ser Asn Pro Thr Cys Val Gly Cys
Cys Glu Tyr Cys Ser Asn Pro Thr Cys Val Ala Cys
Cys Glu Tyr Cys Ser Asn Pro Thr Cys Gly Gly Cys
Cys Glu Tyr Cys Ser Asn Pro Thr Cys Gly Ala Cys
Cys Glu Tyr Cys Ser Asn Gly Ala Cys Thr Gly Cys
Cys Glu Tyr Cys Ser Asn Gly Ala Cys Thr Ala Cys
Cys Glu Tyr Cys Ser Asn Gly Ala Cys Val Gly Cys
Cys Glu Tyr Cys Ser Asn Gly Ala Cys Val Ala Cys
Cys Glu Tyr Cys Ser Asn Gly Ala Cys Gly Gly Cys
Cys Glu Tyr Cys Ser Asn Gly Ala Cys Gly Ala Cys
Cys Glu Tyr Cys Ser Asn Gly Thr Cys Thr Gly Cys
Cys Glu Tyr Cys Ser Asn Gly Thr Cys Thr Ala Cys
Cys Glu Tyr Cys Ser Asn Gly Thr Cys Val Gly Cys
Cys Glu Tyr Cys Ser Asn Gly Thr Cys Val Ala Cys
Cys Glu Tyr Cys Ser Asn Gly Thr Cys Gly Gly Cys
Cys Glu Tyr Cys Ser Asn Gly Thr Cys Gly Ala Cys
```

FIGURE 3 (sheet 41 of 68)

```
Cvs Glu Tyr Cys Thr Asn Pro Ala Cys Thr Gly Cys
Cys Glu Tyr Cys Thr Asn Pro Ala Cys Thr Ala Cys
Cys Glu Tyr Cys Thr Asn Pro Ala Cys Val Gly Cys
Cys Glu Tyr Cys Thr Asn Pro Ala Cys Val Ala Cys
Cys Glu Tyr Cys Thr Asn Pro Ala Cys Gly Gly Cys
Cys Glu Tyr Cys Thr Asn Pro Ala Cys Gly Ala Cys
Cys Glu Tyr Cys Thr Asn Pro Thr Cys Thr Gly Cys
Cys Glu Tyr Cys Thr Asn Pro Thr Cys Thr Ala Cys
Cys Glu Tyr Cys Thr Asn Pro Thr Cys Val Gly Cys
Cys Glu Tyr Cys Thr Asn Pro Thr Cys Val Ala Cys
Cys Glu Tyr Cys Thr Asn Pro Thr Cys Gly Gly Cys
Cys Glu Tyr Cys Thr Asn Pro Thr Cys Gly Ala Cys
Cys Glu Tyr Cys Thr Asn Gly Ala Cys Thr Gly Cys
Cys Glu Tyr Cys Thr Asn Gly Ala Cys Thr Ala Cys
Cys Glu Tyr Cys Thr Asn Gly Ala Cys Val Gly Cys
Cys Glu Tyr Cys Thr Asn Gly Ala Cys Val Ala Cys
Cys Glu Tyr Cys Thr Asn Gly Ala Cys Gly Gly Cys
Cys Glu Tyr Cys Thr Asn Gly Ala Cys Gly Ala Cys Cys Glu Tyr Cys Thr Asn Gly Thr Cys Thr Gly Cys Cys Glu Tyr Cys Thr Asn Gly Thr Cys Thr Ala Cys
Cys Glu Tyr Cys Thr Asn Gly Thr Cys Val Gly Cys
Cys Glu Tyr Cys Thr Asn Gly Thr Cys Val Ala Cys
Cys Glu Tyr Cys Thr Asn Gly Thr Cys Gly Gly Cys
Cys Glu Tyr Cys Thr Asn Gly Thr Cys Gly Ala Cys
Cys Glu Tyr Cys Trp Asn Pro Ala Cys Thr Gly Cys
Cys Glu Tyr Cys Trp Asn Pro Ala Cys Thr Ala Cys
Cys Glu Tyr Cys Trp Asn Pro Ala Cys Val Gly Cys
Cys Glu Tyr Cys Trp Asn Pro Ala Cys Val Ala Cys
Cys Glu Tyr Cys Trp Asn Pro Ala Cys Gly Gly Cys
Cys Glu Tyr Cys Trp Asn Pro Ala Cys Gly Ala Cys
Cys Glu Tyr Cys Trp Asn Pro Thr Cys Thr Gly Cys
Cys Glu Tyr Cys Trp Asn Pro Thr Cys Thr Ala Cys
Cys Glu Tyr Cys Trp Asn Pro Thr Cys Val Gly Cys
Cys Glu Tyr Cys Trp Asn Pro Thr Cys Val Ala Cys
Cys Glu Tyr Cys Trp Asn Pro Thr Cys Gly Gly Cys
Cys Glu Tyr Cys Trp Asn Pro Thr Cys Gly Ala Cys
Cys Glu Tyr Cys Trp Asn Gly Ala Cys Thr Gly Cys
Cys Glu Tyr Cys Trp Asn Gly Ala Cys Thr Ala Cys
Cys Glu Tyr Cys Trp Asn Gly Ala Cys Val Gly Cys
Cys Glu Tyr Cys Trp Asn Gly Ala Cys Val Ala Cys
Cys Glu Tyr Cys Trp Asn Gly Ala Cys Gly Gly Cys
Cys Glu Tyr Cys Trp Asn Gly Ala Cys Gly Ala Cys
Cys Glu Tyr Cys Trp Asn Gly Thr Cys Thr Gly Cys
Cys Glu Tyr Cys Trp Asn Gly Thr Cys Thr Ala Cys
Cys Glu Tyr Cys Trp Asn Gly Thr Cys Val Gly Cys
Cys Glu Tyr Cys Trp Asn Gly Thr Cys Val Ala Cys
Cys Glu Tyr Cys Trp Asn Gly Thr Cys Gly Gly Cys
Cys Glu Tyr Cys Trp Asn Gly Thr Cys Gly Ala Cys
Cys Glu Tyr Cys Tyr Asn Pro Ala Cys Thr Gly Cys
Cys Glu Tyr Cys Tyr Asn Pro Ala Cys Thr Ala Cys
Cys Glu Tyr Cys Tyr Asn Pro Ala Cys Val Gly Cys
Cys Glu Tyr Cys Tyr Asn Pro Ala Cys Val Ala Cys
Cys Glu Tyr Cys Tyr Asn Pro Ala Cys Gly Gly Cys
Cys Glu Tyr Cys Tyr Asn Pro Ala Cys Gly Ala Cys
Cys Glu Tyr Cys Tyr Asn Pro Thr Cys Thr Gly Cys
Cys Glu Tyr Cys Tyr Asn Pro Thr Cys Thr Ala Cys
Cys Glu Tyr Cys Tyr Asn Pro Thr Cys Val Gly Cys
```

FIGURE 3 (sheet 42 of 68)

```
Cys Glu Tyr Cys Tyr Asn Pro Thr Cys Val Ala Cys
Cys Glu Tyr Cys Tyr Asn Pro Thr Cys Gly Gly Cys
Cys Glu Tyr Cys Tyr Asn Pro Thr Cys Gly Ala Cys
Cys Glu Tyr Cys Tyr Asn Gly Ala Cys Thr Gly Cys
Cys Glu Tyr Cys Tyr Asn Gly Ala Cys Thr Ala Cys
Cys Glu Tyr Cys Tyr Asn Gly Ala Cys Val Gly Cys
Cys Glu Tyr Cys Tyr Asn Gly Ala Cys Val Ala Cys
Cys Glu Tyr Cys Tyr Asn Gly Ala Cys Gly Gly Cys
Cys Glu Tyr Cys Tyr Asn Gly Ala Cys Gly Ala Cys
Cys Glu Tyr Cys Tyr Asn Gly Thr Cys Thr Gly Cys
Cys Glu Tyr Cys Tyr Asn Gly Thr Cys Thr Ala Cys
Cys Glu Tyr Cys Tyr Asn Gly Thr Cys Val Gly Cys
Cys Glu Tyr Cys Tyr Asn Gly Thr Cys Val Ala Cys
Cys Glu Tyr Cys Tyr Asn Gly Thr Cys Gly Gly Cys
Cys Glu Tyr Cys Tyr Asn Gly Thr Cys Gly Ala Cys
Cys Glu Tyr Cys Val Asn Pro Ala Cys Thr Gly Cys
Cys Glu Tyr Cys Val Asn Pro Ala Cys Thr Ala Cys
Cys Glu Tyr Cys Val Asn Pro Ala Cys Val Gly Cys
Cys Glu Tyr Cys Val Asn Pro Ala Cys Val Ala Cys
Cys Glu Tyr Cys Val Asn Pro Ala Cys Gly Gly Cys
Cys Glu Tyr Cys Val Asn Pro Ala Cys Gly Ala Cys
Cys Glu Tyr Cys Val Asn Pro Thr Cys Thr Gly Cys
Cys Glu Tyr Cys Val Asn Pro Thr Cys Thr Ala Cys
Cys Glu Tyr Cys Val Asn Pro Thr Cys Val Gly Cys
Cys Glu Tyr Cys Val Asn Pro Thr Cys Val Ala Cys
Cys Glu Tyr Cys Val Asn Pro Thr Cys Gly Gly Cys
Cys Glu Tyr Cys Val Asn Pro Thr Cys Gly Ala Cys
Cys Glu Tyr Cys Val Asn Gly Ala Cys Thr Gly Cys
Cys Glu Tyr Cys Val Asn Gly Ala Cys Thr Ala Cys
Cys Glu Tyr Cys Val Asn Gly Ala Cys Val Gly Cys
Cys Glu Tyr Cys Val Asn Gly Ala Cys Val Ala Cys
Cys Glu Tyr Cys Val Asn Gly Ala Cys Gly Gly Cys
Cys Glu Tyr Cys Val Asn Gly Ala Cys Gly Ala Cys
Cys Glu Tyr Cys Val Asn Gly Thr Cys Thr Gly Cys
Cys Glu Tyr Cys Val Asn Gly Thr Cys Thr Ala Cys
Cys Glu Tyr Cys Val Asn Gly Thr Cys Val Gly Cys
Cys Glu Tyr Cys Val Asn Gly Thr Cys Val Ala Cys
Cys Glu Tyr Cys Val Asn Gly Thr Cys Gly Gly Cys
Cys Glu Tyr Cys Val Asn Gly Thr Cys Gly Ala Cys
Cys Glu Tyr Cys --- Asn Pro Ala Cys Thr Gly Cys
Cys Glu Tyr Cys --- Asn Pro Ala Cys Thr Ala Cys
Cys Glu Tyr Cys --- Asn Pro Ala Cys Val Gly Cys
Cys Glu Tyr Cys --- Asn Pro Ala Cys Val Ala Cys
Cys Glu Tyr Cys --- Asn Pro Ala Cys Gly Gly Cys
Cys Glu Tyr Cys --- Asn Pro Ala Cys Gly Ala Cys
Cys Glu Tyr Cys --- Asn Pro Thr Cys Thr Gly Cys
Cys Glu Tyr Cys --- Asn Pro Thr Cys Thr Ala Cys
Cys Glu Tyr Cys --- Asn Pro Thr Cys Val Gly Cys
Cys Glu Tyr Cys --- Asn Pro Thr Cys Val Ala Cys
Cys Glu Tyr Cys --- Asn Pro Thr Cys Gly Gly Cys
Cys Glu Tyr Cys --- Asn Pro Thr Cys Gly Ala Cys
Cys Glu Tyr Cys --- Asn Gly Ala Cys Thr Gly Cys
Cys Glu Tyr Cys --- Asn Gly Ala Cys Thr Ala Cys
Cys Glu Tyr Cys --- Asn Gly Ala Cys Val Gly Cys
Cys Glu Tyr Cys --- Asn Gly Ala Cys Val Ala Cys
Cys Glu Tyr Cys --- Asn Gly Ala Cys Gly Gly Cys
Cys Glu Tyr Cys --- Asn Gly Ala Cys Gly Ala Cys
```

FIGURE 3 (sheet 43 of 68)

```
Cys Glu Tyr Cys --- Asn Gly Thr Cys Thr Gly Cys
Cys Glu Tyr Cys --- Asn Gly Thr Cys Thr Ala Cys
Cys Glu Tyr Cys --- Asn Gly Thr Cys Val Gly Cys
Cys Glu Tyr Cys --- Asn Gly Thr Cys Val Ala Cys
Cys Glu Tyr Cys --- Asn Gly Thr Cys Gly Gly Cys
Cys Glu Tyr Cys --- Asn Gly Thr Cys Gly Ala Cys
Cys Glu Trp Cys Ala Asn Pro Ala Cys Thr Gly Cys
Cys Glu Trp Cys Ala Asn Pro Ala Cys Thr Ala Cys
Cys Glu Trp Cys Ala Asn Pro Ala Cys Val Gly Cys
Cys Glu Trp Cys Ala Asn Pro Ala Cys Val Ala Cys
Cys Glu Trp Cys Ala Asn Pro Ala Cys Gly Gly Cys
Cys Glu Trp Cys Ala Asn Pro Ala Cys Gly Ala Cys
_{\mathrm{Cys}}^{\mathrm{-}} Glu Trp Cys Ala Asn Pro Thr Cys Thr Gly Cys
Cys Glu Trp Cys Ala Asn Pro Thr Cys Thr Ala Cys
Cys Glu Trp Cys Ala Asn Pro Thr Cys Val Gly Cys
Cys Glu Trp Cys Ala Asn Pro Thr Cys Val Ala Cys
Cys Glu Trp Cys Ala Asn Pro Thr Cys Gly Gly Cys
Cys Glu Trp Cys Ala Asn Pro Thr Cys Gly Ala Cys
Cys Glu Trp Cys Ala Asn Gly Ala Cys Thr Gly Cys
Cys Glu Trp Cys Ala Asn Gly Ala Cys Thr Ala Cys
Cys Glu Trp Cys Ala Asn Gly Ala Cys Val Gly Cys
Cys Glu Trp Cys Ala Asn Gly Ala Cys Val Ala Cys
Cys Glu Trp Cys Ala Asn Gly Ala Cys Gly Gly Cys
Cys Glu Trp Cys Ala Asn Gly Ala Cys Gly Ala Cys
Cys Glu Trp Cys Ala Asn Gly Thr Cys Thr Gly Cys
Cys Glu Trp Cys Ala Asn Gly Thr Cys Thr Ala Cys
Cys Glu Trp Cys Ala Asn Gly Thr Cys Val Gly Cys
Cys Glu Trp Cys Ala Asn Gly Thr Cys Val Ala Cys
Cys Glu Trp Cys Ala Asn Gly Thr Cys Gly Gly Cys
Cys Glu Trp Cys Ala Asn Gly Thr Cys Gly Ala Cys
Cys Glu Trp Cys Arg Asn Pro Ala Cys Thr Gly Cys
Cys Glu Trp Cys Arg Asn Pro Ala Cys Thr Ala Cys
Cys Glu Trp Cys Arg Asn Pro Ala Cys Val Gly Cys
Cys Glu Trp Cys Arg Asn Pro Ala Cys Val Ala Cys
Cys Glu Trp Cys Arg Asn Pro Ala Cys Gly Gly Cys
Cys Glu Trp Cys Arg Asn Pro Ala Cys Gly Ala Cys
Cys Glu Trp Cys Arg Asn Pro Thr Cys Thr Gly Cys
Cys Glu Trp Cys Arg Asn Pro Thr Cys Thr Ala Cys
Cys Glu Trp Cys Arg Asn Pro Thr Cys Val Gly Cys
Cys Glu Trp Cys Arg Asn Pro Thr Cys Val Ala Cys
Cys Glu Trp Cys Arg Asn Pro Thr Cys Gly Gly Cys
Cys Glu Trp Cys Arg Asn Pro Thr Cys Gly Ala Cys
Cys Glu Trp Cys Arg Asn Gly Ala Cys Thr Gly Cys
Cys Glu Trp Cys Arg Asn Gly Ala Cys Thr Ala Cys
Cys Glu Trp Cys Arg Asn Gly Ala Cys Val Gly Cys
Cys Glu Trp Cys Arg Asn Gly Ala Cys Val Ala Cys
Cys Glu Trp Cys Arg Asn Gly Ala Cys Gly Gly Cys
Cys Glu Trp Cys Arg Asn Gly Ala Cys Gly Ala Cys
Cys Glu Trp Cys Arg Asn Gly Thr Cys Thr Gly Cys Cys Glu Trp Cys Arg Asn Gly Thr Cys Thr Ala Cys Cys Glu Trp Cys Arg Asn Gly Thr Cys Val Gly Cys
Cys Glu Trp Cys Arg Asn Gly Thr Cys Val Ala Cys
Cys Glu Trp Cys Arg Asn Gly Thr Cys Gly Gly Cys
Cys Glu Trp Cys Arg Asn Gly Thr Cys Gly Ala Cys
Cys Glu Trp Cys Asn Asn Pro Ala Cys Thr Gly Cys
Cys Glu Trp Cys Asn Asn Pro Ala Cys Thr Ala Cys
Cys Glu Trp Cys Asn Asn Pro Ala Cys Val Gly Cys
```

WO 2005/016244

FIGURE 3 (sheet 44 of 68)

```
Cys Glu Trp Cys Asn Asn Pro Ala Cys Val Ala Cys
Cys Glu Trp Cys Asn Asn Pro Ala Cys Gly Gly Cys
Cys Glu Trp Cys Asn Asn Pro Ala Cys Gly Ala Cys
Cys Glu Trp Cys Asn Asn Pro Thr Cys Thr Gly Cys
Cvs Glu Trp Cys Asn Asn Pro Thr Cys Thr Ala Cys
Cys Glu Trp Cys Asn Asn Pro Thr Cys Val Gly Cys
Cys Glu Trp Cys Asn Asn Pro Thr Cys Val Ala Cys
Cys Glu Trp Cys Asn Asn Pro Thr Cys Gly Gly Cys
Cys Glu Trp Cys Asn Asn Pro Thr Cys Gly Ala Cys
Cys Glu Trp Cys Asn Asn Gly Ala Cys Thr Gly Cys
Cys Glu Trp Cys Asn Asn Gly Ala Cys Thr Ala Cys
Cys Glu Trp Cys Asn Asn Gly Ala Cys Val Gly Cys
Cys Glu Trp Cys Asn Asn Gly Ala Cys Val Ala Cys
Cys Glu Trp Cys Asn Asn Gly Ala Cys Gly Gly Cys
Cys Glu Trp Cys Asn Asn Gly Ala Cys Gly Ala Cys
Cys Glu Trp Cys Asn Asn Gly Thr Cys Thr Gly Cys
Cys Glu Trp Cys Asn Asn Gly Thr Cys Thr Ala Cys
Cys Glu Trp Cys Asn Asn Gly Thr Cys Val Gly Cys
Cys Glu Trp Cys Asn Asn Gly Thr Cys Val Ala Cys
Cys Glu Trp Cys Asn Asn Gly Thr Cys Gly Gly Cys
Cys Glu Trp Cys Asn Asn Gly Thr Cys Gly Ala Cys
Cys Glu Trp Cys Asp Asn Pro Ala Cys Thr Gly Cys
Cys Glu Trp Cys Asp Asn Pro Ala Cys Thr Ala Cys
Cys Glu Trp Cys Asp Asn Pro Ala Cys Val Gly Cys
Cys Glu Trp Cys Asp Asn Pro Ala Cys Val Ala Cys
Cys Glu Trp Cys Asp Asn Pro Ala Cys Gly Gly Cys
Cys Glu Trp Cys Asp Asn Pro Ala Cys Gly Ala Cys
Cys Glu Trp Cys Asp Asn Pro Thr Cys Thr Gly Cys
Cys Glu Trp Cys Asp Asn Pro Thr Cys Thr Ala Cys
Cys Glu Trp Cys Asp Asn Pro Thr Cys Val Gly Cys
Cys Glu Trp Cys Asp Asn Pro Thr Cys Val Ala Cys
Cys Glu Trp Cys Asp Asn Pro Thr Cys Gly Gly Cys
Cys Glu Trp Cys Asp Asn Pro Thr Cys Gly Ala Cys
Cys Glu Trp Cys Asp Asn Gly Ala Cys Thr Gly Cys
Cys Glu Trp Cys Asp Asn Gly Ala Cys Thr Ala Cys
Cys Glu Trp Cys Asp Asn Gly Ala Cys Val Gly Cys
Cys Glu Trp Cys Asp Asn Gly Ala Cys Val Ala Cys
Cys Glu Trp Cys Asp Asn Gly Ala Cys Gly Gly Cys
Cys Glu Trp Cys Asp Asn Gly Ala Cys Gly Ala Cys
Cys Glu Trp Cys Asp Asn Gly Thr Cys Thr Gly Cys
Cys Glu Trp Cys Asp Asn Gly Thr Cys Thr Ala Cys
Cys Glu Trp Cys Asp Asn Gly Thr Cys Val Gly Cys
Cys Glu Trp Cys Asp Asn Gly Thr Cys Val Ala Cys
Cys Glu Trp Cys Asp Asn Gly Thr Cys Gly Gly Cys
Cys Glu Trp Cys Asp Asn Gly Thr Cys Gly Ala Cys
Cys Glu Trp Cys Gln Asn Pro Ala Cys Thr Gly Cys
Cys Glu Trp Cys Gln Asn Pro Ala Cys Thr Ala Cys
Cys Glu Trp Cys Gln Asn Pro Ala Cys Val Gly Cys
Cys Glu Trp Cys Gln Asn Pro Ala Cys Val Ala Cys
Cys Glu Trp Cys Gln Asn Pro Ala Cys Gly Gly Cys
Cys Glu Trp Cys Gln Asn Pro Ala Cys Gly Ala Cys
Cys Glu Trp Cys Gln Asn Pro Thr Cys Thr Gly Cys
Cys Glu Trp Cys Gln Asn Pro Thr Cys Thr Ala Cys
Cys Glu Trp Cys Gln Asn Pro Thr Cys Val Gly Cys
Cys Glu Trp Cys Gln Asn Pro Thr Cys Val Ala Cys
Cys Glu Trp Cys Gln Asn Pro Thr Cys Gly Gly Cys
Cys Glu Trp Cys Gln Asn Pro Thr Cys Gly Ala Cys
```

FIGURE 3 (sheet 45 of 68)

```
Cys Glu Trp Cys Gln Asn Gly Ala Cys Thr Gly Cys
Cys Glu Trp Cys Gln Asn Gly Ala Cys Thr Ala Cys
Cvs Glu Trp Cys Gln Asn Gly Ala Cys Val Gly Cys
Cvs Glu Trp Cys Gln Asn Gly Ala Cys Val Ala Cys
Cys Glu Trp Cys Gln Asn Gly Ala Cys Gly Gly Cys
Cys Glu Trp Cys Gln Asn Gly Ala Cys Gly Ala Cys
Cys Glu Trp Cys Gln Asn Gly Thr Cys Thr Gly Cys
Cys Glu Trp Cys Gln Asn Gly Thr Cys Thr Ala Cys
Cys Glu Trp Cys Gln Asn Gly Thr Cys Val Gly Cys
Cys Glu Trp Cys Gln Asn Gly Thr Cys Val Ala Cys
Cys Glu Trp Cys Gln Asn Gly Thr Cys Gly Gly Cys
Cys Glu Trp Cys Gln Asn Gly Thr Cys Gly Ala Cys
Cys Glu Trp Cys Glu Asn Pro Ala Cys Thr Gly Cys
Cys Glu Trp Cys Glu Asn Pro Ala Cys Thr Ala Cys
Cys Glu Trp Cys Glu Asn Pro Ala Cys Val Gly Cys
Cys Glu Trp Cys Glu Asn Pro Ala Cys Val Ala Cys
Cys Glu Trp Cys Glu Asn Pro Ala Cys Gly Gly Cys
Cys Glu Trp Cys Glu Asn Pro Ala Cys Gly Ala Cys
Cys Glu Trp Cys Glu Asn Pro Thr Cys Thr Gly Cys
Cys Glu Trp Cys Glu Asn Pro Thr Cys Thr Ala Cys
Cys Glu Trp Cys Glu Asn Pro Thr Cys Val Gly Cys
Cys Glu Trp Cys Glu Asn Pro Thr Cys Val Ala Cys
Cys Glu Trp Cys Glu Asn Pro Thr Cys Gly Gly Cys
Cys Glu Trp Cys Glu Asn Pro Thr Cys Gly Ala Cys
Cys Glu Trp Cys Glu Asn Gly Ala Cys Thr Gly Cys
Cys Glu Trp Cys Glu Asn Gly Ala Cys Thr Ala Cys
Cys Glu Trp Cys Glu Asn Gly Ala Cys Val Gly Cys
Cys Glu Trp Cys Glu Asn Gly Ala Cys Val Ala Cys
Cys Glu Trp Cys Glu Asn Gly Ala Cys Gly Gly Cys
Cvs Glu Trp Cys Glu Asn Gly Ala Cys Gly Ala Cys
Cys Glu Trp Cys Glu Asn Gly Thr Cys Thr Gly Cys
Cys Glu Trp Cys Glu Asn Gly Thr Cys Thr Ala Cys Cys Glu Trp Cys Glu Asn Gly Thr Cys Val Gly Cys Cys Glu Trp Cys Glu Asn Gly Thr Cys Val Ala Cys Cys Glu Trp Cys Glu Asn Gly Thr Cys Val Ala Cys Cys Glu Trp Cys Glu Asn Gly Thr Cys Gly Gly Cys
Cys Glu Trp Cys Glu Asn Gly Thr Cys Gly Ala Cys
Cys Glu Trp Cys Gly Asn Pro Ala Cys Thr Gly Cys
Cys Glu Trp Cys Gly Asn Pro Ala Cys Thr Ala Cys
Cys Glu Trp Cys Gly Asn Pro Ala Cys Val Gly Cys
Cys Glu Trp Cys Gly Asn Pro Ala Cys Val Ala Cys
Cys Glu Trp Cys Gly Asn Pro Ala Cys Gly Gly Cys
Cys Glu Trp Cys Gly Asn Pro Ala Cys Gly Ala Cys
Cys Glu Trp Cys Gly Asn Pro Thr Cys Thr Gly Cys
Cys Glu Trp Cys Gly Asn Pro Thr Cys Thr Ala Cys
Cys Glu Trp Cys Gly Asn Pro Thr Cys Val Gly Cys
Cys Glu Trp Cys Gly Asn Pro Thr Cys Val Ala Cys
Cys Glu Trp Cys Gly Asn Pro Thr Cys Gly Gly Cys
Cys Glu Trp Cys Gly Asn Pro Thr Cys Gly Ala Cys
Cys Glu Trp Cys Gly Asn Gly Ala Cys Thr Gly Cys
Cys Glu Trp Cys Gly Asn Gly Ala Cys Thr Ala Cys
Cys Glu Trp Cys Gly Asn Gly Ala Cys Val Gly Cys
Cys Glu Trp Cys Gly Asn Gly Ala Cys Val Ala Cys
Cys Glu Trp Cys Gly Asn Gly Ala Cys Gly Gly Cys
Cys Glu Trp Cys Gly Asn Gly Ala Cys Gly Ala Cys
Cys Glu Trp Cys Gly Asn Gly Thr Cys Thr Gly Cys
Cys Glu Trp Cys Gly Asn Gly Thr Cys Thr Ala Cys
Cys Glu Trp Cys Gly Asn Gly Thr Cys Val Gly Cys
```

FIGURE 3 (sheet 46 of 68)

150/172

Cys Glu Trp Cys Gly Asn Gly Thr Cys Val Ala Cys Cys Glu Trp Cys Gly Asn Gly Thr Cys Gly Gly Cys Cys Glu Trp Cys Gly Asn Gly Thr Cys Gly Ala Cys Cys Glu Trp Cys His Asn Pro Ala Cys Thr Gly Cys Cys Glu Trp Cys His Asn Pro Ala Cys Thr Ala Cys Cys Glu Trp Cys His Asn Pro Ala Cys Val Gly Cys Cvs Glu Trp Cys His Asn Pro Ala Cys Val Ala Cys Cys Glu Trp Cys His Asn Pro Ala Cys Gly Gly Cys Cvs Glu Trp Cys His Asn Pro Ala Cys Gly Ala Cys Cys Glu Trp Cys His Asn Pro Thr Cys Thr Gly Cys Cys Glu Trp Cys His Asn Pro Thr Cys Thr Ala Cys Cys Glu Trp Cys His Asn Pro Thr Cys Val Gly Cys Cys Glu Trp Cys His Asn Pro Thr Cys Val Ala Cys Cys Glu Trp Cys His Asn Pro Thr Cys Gly Gly Cys Cys Glu Trp Cys His Asn Pro Thr Cys Gly Ala Cys Cys Glu Trp Cys His Asn Gly Ala Cys Thr Gly Cys Cys Glu Trp Cys His Asn Gly Ala Cys Thr Ala Cys Cys Glu Trp Cys His Asn Gly Ala Cys Val Gly Cys Cys Glu Trp Cys His Asn Gly Ala Cys Val Ala Cys Cys Glu Trp Cys His Asn Gly Ala Cys Gly Gly Cys Cys Glu Trp Cys His Asn Gly Ala Cys Gly Ala Cys Cys Glu Trp Cys His Asn Gly Thr Cys Thr Gly Cys Cys Glu Trp Cys His Asn Gly Thr Cys Thr Ala Cys Cys Glu Trp Cys His Asn Gly Thr Cys Val Gly Cys Cys Glu Trp Cys His Asn Gly Thr Cys Val Ala Cys Cvs Glu Trp Cys His Asn Gly Thr Cys Gly Gly Cys Cys Glu Trp Cys His Asn Gly Thr Cys Gly Ala Cys Cys Glu Trp Cys Ile Asn Pro Ala Cys Thr Gly Cys Cys Glu Trp Cys Ile Asn Pro Ala Cys Thr Ala Cys Cys Glu Trp Cys Ile Asn Pro Ala Cys Val Gly Cys Cys Glu Trp Cys Ile Asn Pro Ala Cys Val Ala Cys Cys Glu Trp Cys Ile Asn Pro Ala Cys Gly Gly Cys Cys Glu Trp Cys Ile Asn Pro Ala Cys Gly Ala Cys Cys Glu Trp Cys Ile Asn Pro Thr Cys Thr Gly Cys Cys Glu Trp Cys Ile Asn Pro Thr Cys Thr Ala Cys Cys Glu Trp Cys Ile Asn Pro Thr Cys Val Gly Cys Cys Glu Trp Cys Ile Asn Pro Thr Cys Val Ala Cys Cys Glu Trp Cys Ile Asn Pro Thr Cys Gly Gly Cys Cys Glu Trp Cys Ile Asn Pro Thr Cys Gly Ala Cys Cys Glu Trp Cys Ile Asn Gly Ala Cys Thr Gly Cys Cys Glu Trp Cys Ile Asn Gly Ala Cys Thr Ala Cys Cys Glu Trp Cys Ile Asn Gly Ala Cys Val Gly Cys Cys Glu Trp Cys Ile Asn Gly Ala Cys Val Ala Cys Cys Glu Trp Cys Ile Asn Gly Ala Cys Gly Gly Cys Cys Glu Trp Cys Ile Asn Gly Ala Cys Gly Ala Cys Cys Glu Trp Cys Ile Asn Gly Thr Cys Thr Gly Cys Cys Glu Trp Cys Ile Asn Gly Thr Cys Thr Ala Cys $\bar{\text{Cys}}$ Glu Trp Cys Ile Asn Gly Thr Cys Val Gly Cys Cys Glu Trp Cys Ile Asn Gly Thr Cys Val Ala Cys Cys Glu Trp Cys Ile Asn Gly Thr Cys Gly Gly Cys Cys Glu Trp Cys Ile Asn Gly Thr Cys Gly Ala Cys Cys Glu Trp Cys Leu Asn Pro Ala Cys Thr Gly Cys Cys Glu Trp Cys Leu Asn Pro Ala Cys Thr Ala Cys Cys Glu Trp Cys Leu Asn Pro Ala Cys Val Gly Cys Cys Glu Trp Cys Leu Asn Pro Ala Cys Val Ala Cys Cys Glu Trp Cys Leu Asn Pro Ala Cys Gly Gly Cys Cys Glu Trp Cys Leu Asn Pro Ala Cys Gly Ala Cys

FIGURE 3 (sheet 47 of 68)

```
Cys Glu Trp Cys Leu Asn Pro Thr Cys Thr Gly Cys
Cys Glu Trp Cys Leu Asn Pro Thr Cys Thr Ala Cys
Cvs Glu Trp Cys Leu Asn Pro Thr Cys Val Gly Cys
Cys Glu Trp Cys Leu Asn Pro Thr Cys Val Ala Cys
Cys Glu Trp Cys Leu Asn Pro Thr Cys Gly Gly Cys
Cys Glu Trp Cys Leu Asn Pro Thr Cys Gly Ala Cys
Cys Glu Trp Cys Leu Asn Gly Ala Cys Thr Gly Cys
Cys Glu Trp Cys Leu Asn Gly Ala Cys Thr Ala Cys
Cys Glu Trp Cys Leu Asn Gly Ala Cys Val Gly Cys Cys Glu Trp Cys Leu Asn Gly Ala Cys Val Ala Cys
Cys Glu Trp Cys Leu Asn Gly Ala Cys Gly Gly Cys
Cvs Glu Trp Cys Leu Asn Gly Ala Cys Gly Ala Cys
Cys Glu Trp Cys Leu Asn Gly Thr Cys Thr Gly Cys
Cys Glu Trp Cys Leu Asn Gly Thr Cys Thr Ala Cys
Cys Glu Trp Cys Leu Asn Gly Thr Cys Val Gly Cys
Cvs Glu Trp Cys Leu Asn Gly Thr Cys Val Ala Cys
Cys Glu Trp Cys Leu Asn Gly Thr Cys Gly Gly Cys
Cys Glu Trp Cys Leu Asn Gly Thr Cys Gly Ala Cys
Cys Glu Trp Cys Lys Asn Pro Ala Cys Thr Gly Cys
Cys Glu Trp Cys Lys Asn Pro Ala Cys Thr Ala Cys
Cys Glu Trp Cys Lys Asn Pro Ala Cys Val Gly Cys
Cys Glu Trp Cys Lys Asn Pro Ala Cys Val Ala Cys
Cys Glu Trp Cys Lys Asn Pro Ala Cys Gly Gly Cys
Cys Glu Trp Cys Lys Asn Pro Ala Cys Gly Ala Cys
Cys Glu Trp Cys Lys Asn Pro Thr Cys Thr Gly Cys
Cys Glu Trp Cys Lys Asn Pro Thr Cys Thr Ala Cys
Cys Glu Trp Cys Lys Asn Pro Thr Cys Val Gly Cys
Cvs Glu Trp Cys Lys Asn Pro Thr Cys Val Ala Cys
Cys Glu Trp Cys Lys Asn Pro Thr Cys Gly Gly Cys
Cys Glu Trp Cys Lys Asn Pro Thr Cys Gly Ala Cys
Cys Glu Trp Cys Lys Asn Gly Ala Cys Thr Gly Cys
Cys Glu Trp Cys Lys Asn Gly Ala Cys Thr Ala Cys
Cys Glu Trp Cys Lys Asn Gly Ala Cys Val Gly Cys
Cys Glu Trp Cys Lys Asn Gly Ala Cys Val Ala Cys
Cys Glu Trp Cys Lys Asn Gly Ala Cys Gly Gly Cys
Cys Glu Trp Cys Lys Asn Gly Ala Cys Gly Ala Cys
Cys Glu Trp Cys Lys Asn Gly Thr Cys Thr Gly Cys
Cys Glu Trp Cys Lys Asn Gly Thr Cys Thr Ala Cys
Cys Glu Trp Cys Lys Asn Gly Thr Cys Val Gly Cys
Cys Glu Trp Cys Lys Asn Gly Thr Cys Val Ala Cys
Cys Glu Trp Cys Lys Asn Gly Thr Cys Gly Gly Cys
Cys Glu Trp Cys Lys Asn Gly Thr Cys Gly Ala Cys
Cys Glu Trp Cys Met Asn Pro Ala Cys Thr Gly Cys
Cys Glu Trp Cys Met Asn Pro Ala Cys Thr Ala Cys
Cys Glu Trp Cys Met Asn Pro Ala Cys Val Gly Cys
Cys Glu Trp Cys Met Asn Pro Ala Cys Val Ala Cys
Cys Glu Trp Cys Met Asn Pro Ala Cys Gly Gly Cys
Cys Glu Trp Cys Met Asn Pro Ala Cys Gly Ala Cys
Cys Glu Trp Cys Met Asn Pro Thr Cys Thr Gly Cys
Cys Glu Trp Cys Met Asn Pro Thr Cys Thr Ala Cys
Cys Glu Trp Cys Met Asn Pro Thr Cys Val Gly Cys
Cys Glu Trp Cys Met Asn Pro Thr Cys Val Ala Cys
Cys Glu Trp Cys Met Asn Pro Thr Cys Gly Gly Cys
Cys Glu Trp Cys Met Asn Pro Thr Cys Gly Ala Cys
Cys Glu Trp Cys Met Asn Gly Ala Cys Thr Gly Cys
Cys Glu Trp Cys Met Asn Gly Ala Cys Thr Ala Cys
Cys Glu Trp Cys Met Asn Gly Ala Cys Val Gly Cys
```

FIGURE 3 (sheet 48 of 68)

```
Cvs Glu Trp Cys Met Asn Gly Ala Cys Val Ala Cys
Cys Glu Trp Cys Met Asn Gly Ala Cys Gly Gly Cys
Cys Glu Trp Cys Met Asn Gly Ala Cys Gly Ala Cys
Cys Glu Trp Cys Met Asn Gly Thr Cys Thr Gly Cys
Cys Glu Trp Cys Met Asn Gly Thr Cys Thr Ala Cys
Cvs Glu Trp Cys Met Asn Gly Thr Cys Val Gly Cys
Cvs Glu Trp Cys Met Asn Gly Thr Cys Val Ala Cys
Cys Glu Trp Cys Met Asn Gly Thr Cys Gly Gly Cys
Cys Glu Trp Cys Met Asn Gly Thr Cys Gly Ala Cys
Cys Glu Trp Cys Phe Asn Pro Ala Cys Thr Gly Cys
Cys Glu Trp Cys Phe Asn Pro Ala Cys Thr Ala Cys
Cys Glu Trp Cys Phe Asn Pro Ala Cys Val Gly Cys
Cys Glu Trp Cys Phe Asn Pro Ala Cys Val Ala Cys
Cys Glu Trp Cys Phe Asn Pro Ala Cys Gly Gly Cys
Cys Glu Trp Cys Phe Asn Pro Ala Cys Gly Ala Cys
Cys Glu Trp Cys Phe Asn Pro Thr Cys Thr Gly Cys
Cys Glu Trp Cys Phe Asn Pro Thr Cys Thr Ala Cys
Cys Glu Trp Cys Phe Asn Pro Thr Cys Val Gly Cys
Cys Glu Trp Cys Phe Asn Pro Thr Cys Val Ala Cys
Cvs Glu Trp Cys Phe Asn Pro Thr Cys Gly Gly Cys
Cys Glu Trp Cys Phe Asn Pro Thr Cys Gly Ala Cys
Cys Glu Trp Cys Phe Asn Gly Ala Cys Thr Gly Cys
Cys Glu Trp Cys Phe Asn Gly Ala Cys Thr Ala Cys Cys Glu Trp Cys Phe Asn Gly Ala Cys Val Gly Cys
Cys Glu Trp Cys Phe Asn Gly Ala Cys Val Ala Cys
Cvs Glu Trp Cys Phe Asn Gly Ala Cys Gly Gly Cys
Cys Glu Trp Cys Phe Asn Gly Ala Cys Gly Ala Cys
Cys Glu Trp Cys Phe Asn Gly Thr Cys Thr Gly Cys
Cys Glu Trp Cys Phe Asn Gly Thr Cys Thr Ala Cys
Cys Glu Trp Cys Phe Asn Gly Thr Cys Val Gly Cys
Cvs Glu Trp Cys Phe Asn Gly Thr Cys Val Ala Cys
Cys Glu Trp Cys Phe Asn Gly Thr Cys Gly Gly Cys
Cys Glu Trp Cys Phe Asn Gly Thr Cys Gly Ala Cys
Cys Glu Trp Cys Pro Asn Pro Ala Cys Thr Gly Cys
Cys Glu Trp Cys Pro Asn Pro Ala Cys Thr Ala Cys
Cys Glu Trp Cys Pro Asn Pro Ala Cys Val Gly Cys
Cys Glu Trp Cys Pro Asn Pro Ala Cys Val Ala Cys
Cys Glu Trp Cys Pro Asn Pro Ala Cys Gly Gly Cys
Cys Glu Trp Cys Pro Asn Pro Ala Cys Gly Ala Cys
Cys Glu Trp Cys Pro Asn Pro Thr Cys Thr Gly Cys
Cys Glu Trp Cys Pro Asn Pro Thr Cys Thr Ala Cys
Cvs Glu Trp Cys Pro Asn Pro Thr Cys Val Gly Cys
Cys Glu Trp Cys Pro Asn Pro Thr Cys Val Ala Cys
Cys Glu Trp Cys Pro Asn Pro Thr Cys Gly Gly Cys
Cys Glu Trp Cys Pro Asn Pro Thr Cys Gly Ala Cys
Cys Glu Trp Cys Pro Asn Gly Ala Cys Thr Gly Cys
Cys Glu Trp Cys Pro Asn Gly Ala Cys Thr Ala Cys
Cys Glu Trp Cys Pro Asn Gly Ala Cys Val Gly Cys
Cys Glu Trp Cys Pro Asn Gly Ala Cys Val Ala Cys
Cys Glu Trp Cys Pro Asn Gly Ala Cys Gly Gly Cys
Cys Glu Trp Cys Pro Asn Gly Ala Cys Gly Ala Cys
Cys Glu Trp Cys Pro Asn Gly Thr Cys Thr Gly Cys
Cys Glu Trp Cys Pro Asn Gly Thr Cys Thr Ala Cys
Cys Glu Trp Cys Pro Asn Gly Thr Cys Val Gly Cys
Cys Glu Trp Cys Pro Asn Gly Thr Cys Val Ala Cys
Cys Glu Trp Cys Pro Asn Gly Thr Cys Gly Gly Cys
Cys Glu Trp Cys Pro Asn Gly Thr Cys Gly Ala Cys
```

FIGURE 3 (sheet 49 of 68)

```
Cys Glu Trp Cys Ser Asn Pro Ala Cys Thr Gly Cys
Cys Glu Trp Cys Ser Asn Pro Ala Cys Thr Ala Cys
Cys Glu Trp Cys Ser Asn Pro Ala Cys Val Gly Cys
Cys Glu Trp Cys Ser Asn Pro Ala Cys Val Ala Cys
Cys Glu Trp Cys Ser Asn Pro Ala Cys Gly Gly Cys
Cys Glu Trp Cys Ser Asn Pro Ala Cys Gly Ala Cys
Cys Glu Trp Cys Ser Asn Pro Thr Cys Thr Gly Cys
Cys Glu Trp Cys Ser Asn Pro Thr Cys Thr Ala Cys
Cys Glu Trp Cys Ser Asn Pro Thr Cys Val Gly Cys
Cys Glu Trp Cys Ser Asn Pro Thr Cys Val Ala Cys
Cys Glu Trp Cys Ser Asn Pro Thr Cys Gly Gly Cys
Cys Glu Trp Cys Ser Asn Pro Thr Cys Gly Ala Cys
Cys Glu Trp Cys Ser Asn Gly Ala Cys Thr Gly Cys
Cys Glu Trp Cys Ser Asn Gly Ala Cys Thr Ala Cys
Cys Glu Trp Cys Ser Asn Gly Ala Cys Val Gly Cys
Cys Glu Trp Cys Ser Asn Gly Ala Cys Val Ala Cys
Cys Glu Trp Cys Ser Asn Gly Ala Cys Gly Gly Cys
Cys Glu Trp Cys Ser Asn Gly Ala Cys Gly Ala Cys
Cys Glu Trp Cys Ser Asn Gly Thr Cys Thr Gly Cys Cys Glu Trp Cys Ser Asn Gly Thr Cys Thr Ala Cys Cys Glu Trp Cys Ser Asn Gly Thr Cys Val Gly Cys Cys Glu Trp Cys Ser Asn Gly Thr Cys Val Ala Cys Cys Glu Trp Cys Ser Asn Gly Thr Cys Val Ala Cys
Cys Glu Trp Cys Ser Asn Gly Thr Cys Gly Gly Cys
Cys Glu Trp Cys Ser Asn Gly Thr Cys Gly Ala Cys
Cys Glu Trp Cys Thr Asn Pro Ala Cys Thr Gly Cys
Cys Glu Trp Cys Thr Asn Pro Ala Cys Thr Ala Cys
Cys Glu Trp Cys Thr Asn Pro Ala Cys Val Gly Cys
Cys Glu Trp Cys Thr Asn Pro Ala Cys Val Ala Cys
Cys Glu Trp Cys Thr Asn Pro Ala Cys Gly Gly Cys
Cys Glu Trp Cys Thr Asn Pro Ala Cys Gly Ala Cys
Cys Glu Trp Cys Thr Asn Pro Thr Cys Thr Gly Cys
Cys Glu Trp Cys Thr Asn Pro Thr Cys Thr Ala Cys
Cys Glu Trp Cys Thr Asn Pro Thr Cys Val Gly Cys
Cys Glu Trp Cys Thr Asn Pro Thr Cys Val Ala Cys
Cys Glu Trp Cys Thr Asn Pro Thr Cys Gly Gly Cys
Cys Glu Trp Cys Thr Asn Pro Thr Cys Gly Ala Cys
Cys Glu Trp Cys Thr Asn Gly Ala Cys Thr Gly Cys
Cys Glu Trp Cys Thr Asn Gly Ala Cys Thr Ala Cys
Cys Glu Trp Cys Thr Asn Gly Ala Cys Val Gly Cys
Cys Glu Trp Cys Thr Asn Gly Ala Cys Val Ala Cys
Cys Glu Trp Cys Thr Asn Gly Ala Cys Gly Gly Cys
Cys Glu Trp Cys Thr Asn Gly Ala Cys Gly Ala Cys
Cys Glu Trp Cys Thr Asn Gly Thr Cys Thr Gly Cys
Cys Glu Trp Cys Thr Asn Gly Thr Cys Thr Ala Cys
Cys Glu Trp Cys Thr Asn Gly Thr Cys Val Gly Cys
Cys Glu Trp Cys Thr Asn Gly Thr Cys Val Ala Cys
Cys Glu Trp Cys Thr Asn Gly Thr Cys Gly Gly Cys
Cys Glu Trp Cys Thr Asn Gly Thr Cys Gly Ala Cys
Cys Glu Trp Cys Trp Asn Pro Ala Cys Thr Gly Cys
Cys Glu Trp Cys Trp Asn Pro Ala Cys Thr Ala Cys
Cys Glu Trp Cys Trp Asn Pro Ala Cys Val Gly Cys
Cys Glu Trp Cys Trp Asn Pro Ala Cys Val Ala Cys
Cys Glu Trp Cys Trp Asn Pro Ala Cys Gly Gly Cys
Cys Glu Trp Cys Trp Asn Pro Ala Cys Gly Ala Cys
Cys Glu Trp Cys Trp Asn Pro Thr Cys Thr Gly Cys
Cys Glu Trp Cys Trp Asn Pro Thr Cys Thr Ala Cys
Cys Glu Trp Cys Trp Asn Pro Thr Cys Val Gly Cys
```

FIGURE 3 (sheet 50 of 68)

```
Cys Glu Trp Cys Trp Asn Pro Thr Cys Val Ala Cys
Cvs Glu Trp Cys Trp Asn Pro Thr Cys Gly Gly Cys
Cys Glu Trp Cys Trp Asn Pro Thr Cys Gly Ala Cys
Cys Glu Trp Cys Trp Asn Gly Ala Cys Thr Gly Cys
Cys Glu Trp Cys Trp Asn Gly Ala Cys Thr Ala Cys
Cys Glu Trp Cys Trp Asn Gly Ala Cys Val Gly Cys
Cys Glu Trp Cys Trp Asn Gly Ala Cys Val Ala Cys
Cys Glu Trp Cys Trp Asn Gly Ala Cys Gly Gly Cys
Cys Glu Trp Cys Trp Asn Gly Ala Cys Gly Ala Cys
Cys Glu Trp Cys Trp Asn Gly Thr Cys Thr Gly Cys
Cys Glu Trp Cys Trp Asn Gly Thr Cys Thr Ala Cys
Cys Glu Trp Cys Trp Asn Gly Thr Cys Val Gly Cys
Cys Glu Trp Cys Trp Asn Gly Thr Cys Val Ala Cys
Cys Glu Trp Cys Trp Asn Gly Thr Cys Gly Gly Cys
Cys Glu Trp Cys Trp Asn Gly Thr Cys Gly Ala Cys
Cys Glu Trp Cys Tyr Asn Pro Ala Cys Thr Gly Cys
Cys Glu Trp Cys Tyr Asn Pro Ala Cys Thr Ala Cys
Cys Glu Trp Cys Tyr Asn Pro Ala Cys Val Gly Cys
Cys Glu Trp Cys Tyr Asn Pro Ala Cys Val Ala Cys
Cys Glu Trp Cys Tyr Asn Pro Ala Cys Gly Gly Cys
Cys Glu Trp Cys Tyr Asn Pro Ala Cys Gly Ala Cys
Cys Glu Trp Cys Tyr Asn Pro Thr Cys Thr Gly Cys
Cys Glu Trp Cys Tyr Asn Pro Thr Cys Thr Ala Cys
Cys Glu Trp Cys Tyr Asn Pro Thr Cys Val Gly Cys
Cys Glu Trp Cys Tyr Asn Pro Thr Cys Val Ala Cys
Cys Glu Trp Cys Tyr Asn Pro Thr Cys Gly Gly Cys
Cys Glu Trp Cys Tyr Asn Pro Thr Cys Gly Ala Cys
Cys Glu Trp Cys Tyr Asn Gly Ala Cys Thr Gly Cys
Cys Glu Trp Cys Tyr Asn Gly Ala Cys Thr Ala Cys
Cys Glu Trp Cys Tyr Asn Gly Ala Cys Val Gly Cys
Cys Glu Trp Cys Tyr Asn Gly Ala Cys Val Ala Cys
Cys Glu Trp Cys Tyr Asn Gly Ala Cys Gly Gly Cys
Cys Glu Trp Cys Tyr Asn Gly Ala Cys Gly Ala Cys
Cys Glu Trp Cys Tyr Asn Gly Thr Cys Thr Gly Cys
Cys Glu Trp Cys Tyr Asn Gly Thr Cys Thr Ala Cys
Cys Glu Trp Cys Tyr Asn Gly Thr Cys Val Gly Cys
Cys Glu Trp Cys Tyr Asn Gly Thr Cys Val Ala Cys
Cys Glu Trp Cys Tyr Asn Gly Thr Cys Gly Gly Cys
Cys Glu Trp Cys Tyr Asn Gly Thr Cys Gly Ala Cys
Cys Glu Trp Cys Val Asn Pro Ala Cys Thr Gly Cys
Cys Glu Trp Cys Val Asn Pro Ala Cys Thr Ala Cys
Cys Glu Trp Cys Val Asn Pro Ala Cys Val Gly Cys
Cys Glu Trp Cys Val Asn Pro Ala Cys Val Ala Cys
Cys Glu Trp Cys Val Asn Pro Ala Cys Gly Gly Cys
Cys Glu Trp Cys Val Asn Pro Ala Cys Gly Ala Cys
Cys Glu Trp Cys Val Asn Pro Thr Cys Thr Gly Cys
Cys Glu Trp Cys Val Asn Pro Thr Cys Thr Ala Cys
Cys Glu Trp Cys Val Asn Pro Thr Cys Val Gly Cys
Cys Glu Trp Cys Val Asn Pro Thr Cys Val Ala Cys
Cys Glu Trp Cys Val Asn Pro Thr Cys Gly Gly Cys
Cys Glu Trp Cys Val Asn Pro Thr Cys Gly Ala Cys
Cys Glu Trp Cys Val Asn Gly Ala Cys Thr Gly Cys
Cys Glu Trp Cys Val Asn Gly Ala Cys Thr Ala Cys
Cys Glu Trp Cys Val Asn Gly Ala Cys Val Gly Cys
Cys Glu Trp Cys Val Asn Gly Ala Cys Val Ala Cys
Cys Glu Trp Cys Val Asn Gly Ala Cys Gly Gly Cys
Cys Glu Trp Cys Val Asn Gly Ala Cys Gly Ala Cys
```

FIGURE 3 (sheet 51 of 68)

```
Cys Glu Trp Cys Val Asn Gly Thr Cys Thr Gly Cys
Cys Glu Trp Cys Val Asn Gly Thr Cys Thr Ala Cys
Cys Glu Trp Cys Val Asn Gly Thr Cys Val Gly Cys
Cys Glu Trp Cys Val Asn Gly Thr Cys Val Ala Cys
Cys Glu Trp Cys Val Asn Gly Thr Cys Gly Gly Cys
Cys Glu Trp Cys Val Asn Gly Thr Cys Gly Ala Cys
Cys Glu Trp Cys --- Asn Pro Ala Cys Thr Gly Cys
Cys Glu Trp Cys --- Asn Pro Ala Cys Thr Ala Cys Cys Glu Trp Cys --- Asn Pro Ala Cys Val Gly Cys
Cys Glu Trp Cys --- Asn Pro Ala Cys Val Ala Cys
Cys Glu Trp Cys --- Asn Pro Ala Cys Gly Gly Cys
Cys Glu Trp Cys --- Asn Pro Ala Cys Gly Ala Cys
Cys Glu Trp Cys --- Asn Pro Thr Cys Thr Gly Cys
Cys Glu Trp Cys --- Asn Pro Thr Cys Thr Ala Cys
Cys Glu Trp Cys --- Asn Pro Thr Cys Val Gly Cys
Cys Glu Trp Cys --- Asn Pro Thr Cys Val Ala Cys
Cys Glu Trp Cys --- Asn Pro Thr Cys Gly Gly Cys
Cys Glu Trp Cys --- Asn Pro Thr Cys Gly Ala Cys
Cys Glu Trp Cys --- Asn Gly Ala Cys Thr Gly Cys
Cys Glu Trp Cys --- Asn Gly Ala Cys Thr Ala Cys Cys Glu Trp Cys --- Asn Gly Ala Cys Val Gly Cys
Cys Glu Trp Cys --- Asn Gly Ala Cys Val Ala Cys
Cys Glu Trp Cys --- Asn Gly Ala Cys Gly Gly Cys
Cys Glu Trp Cys --- Asn Gly Ala Cys Gly Ala Cys
Cys Glu Trp Cys --- Asn Gly Thr Cys Thr Gly Cys
Cys Glu Trp Cys --- Asn Gly Thr Cys Thr Ala Cys
Cys Glu Trp Cys --- Asn Gly Thr Cys Val Gly Cys
Cys Glu Trp Cys --- Asn Gly Thr Cys Val Ala Cys
Cys Glu Trp Cys --- Asn Gly Thr Cys Gly Gly Cys
Cys Glu Trp Cys --- Asn Gly Thr Cys Gly Ala Cys
Cys Glu Phe Cys Ala Asn Pro Ala Cys Thr Gly Cys
Cys Glu Phe Cys Ala Asn Pro Ala Cys Thr Ala Cys
Cys Glu Phe Cys Ala Asn Pro Ala Cys Val Gly Cys
Cys Glu Phe Cys Ala Asn Pro Ala Cys Val Ala Cys
Cys Glu Phe Cys Ala Asn Pro Ala Cys Gly Gly Cys
Cys Glu Phe Cys Ala Asn Pro Ala Cys Gly Ala Cys
Cys Glu Phe Cys Ala Asn Pro Thr Cys Thr Gly Cys
Cys Glu Phe Cys Ala Asn Pro Thr Cys Thr Ala Cys
Cys Glu Phe Cys Ala Asn Pro Thr Cys Val Gly Cys
Cys Glu Phe Cys Ala Asn Pro Thr Cys Val Ala Cys
Cys Glu Phe Cys Ala Asn Pro Thr Cys Gly Gly Cys
Cys Glu Phe Cys Ala Asn Pro Thr Cys Gly Ala Cys
Cys Glu Phe Cys Ala Asn Gly Ala Cys Thr Gly Cys
Cys Glu Phe Cys Ala Asn Gly Ala Cys Thr Ala Cys Cys Glu Phe Cys Ala Asn Gly Ala Cys Val Gly Cys
Cys Glu Phe Cys Ala Asn Gly Ala Cys Val Ala Cys
Cys Glu Phe Cys Ala Asn Gly Ala Cys Gly Gly Cys
Cys Glu Phe Cys Ala Asn Gly Ala Cys Gly Ala Cys
Cys Glu Phe Cys Ala Asn Gly Thr Cys Thr Gly Cys
Cys Glu Phe Cys Ala Asn Gly Thr Cys Thr Ala Cys
Cys Glu Phe Cys Ala Asn Gly Thr Cys Val Gly Cys
Cys Glu Phe Cys Ala Asn Gly Thr Cys Val Ala Cys
Cys Glu Phe Cys Ala Asn Gly Thr Cys Gly Gly Cys
Cys Glu Phe Cys Ala Asn Gly Thr Cys Gly Ala Cys
Cys Glu Phe Cys Arg Asn Pro Ala Cys Thr Gly Cys
Cys Glu Phe Cys Arg Asn Pro Ala Cys Thr Ala Cys
Cys Glu Phe Cys Arg Asn Pro Ala Cys Val Gly Cys
```

FIGURE 3 (sheet 52 of 68)

156/172

Cys Glu Phe Cys Arg Asn Pro Ala Cys Val Ala Cys Cys Glu Phe Cys Arg Asn Pro Ala Cys Gly Gly Cys Cys Glu Phe Cys Arg Asn Pro Ala Cys Gly Ala Cys Cys Glu Phe Cys Arg Asn Pro Thr Cys Thr Gly Cys Cys Glu Phe Cys Arg Asn Pro Thr Cys Thr Ala Cys Cys Glu Phe Cys Arg Asn Pro Thr Cys Val Gly Cys Cys Glu Phe Cys Arg Asn Pro Thr Cys Val Ala Cys Cys Glu Phe Cys Arg Asn Pro Thr Cys Gly Gly Cys Cys Glu Phe Cys Arg Asn Pro Thr Cys Gly Ala Cys Cys Glu Phe Cys Arg Asn Gly Ala Cys Thr Gly Cys Cys Glu Phe Cys Arg Asn Gly Ala Cys Thr Ala Cys Cys Glu Phe Cys Arg Asn Gly Ala Cys Val Gly Cys Cys Glu Phe Cys Arg Asn Gly Ala Cys Val Ala Cys Cys Glu Phe Cys Arg Asn Gly Ala Cys Gly Gly Cys Cys Glu Phe Cys Arg Asn Gly Ala Cys Gly Ala Cys Cys Glu Phe Cys Arg Asn Gly Thr Cys Thr Gly Cys Cys Glu Phe Cys Arg Asn Gly Thr Cys Thr Ala Cys Cys Glu Phe Cys Arg Asn Gly Thr Cys Val Gly Cys Cys Glu Phe Cys Arg Asn Gly Thr Cys Val Ala Cys Cys Glu Phe Cys Arg Asn Gly Thr Cys Gly Gly Cys Cys Glu Phe Cys Arg Asn Gly Thr Cys Gly Ala Cys Cys Glu Phe Cys Asn Asn Pro Ala Cys Thr Gly Cys Cys Glu Phe Cys Asn Asn Pro Ala Cys Thr Ala Cys Cys Glu Phe Cys Asn Asn Pro Ala Cys Val Gly Cys Cys Glu Phe Cys Asn Asn Pro Ala Cys Val Ala Cys Cys Glu Phe Cys Asn Asn Pro Ala Cys Gly Gly Cys Cys Glu Phe Cys Asn Asn Pro Ala Cys Gly Ala Cys Cys Glu Phe Cys Asn Asn Pro Thr Cys Thr Gly Cys Cys Glu Phe Cys Asn Asn Pro Thr Cys Thr Ala Cys Cys Glu Phe Cys Asn Asn Pro Thr Cys Val Gly Cys Cys Glu Phe Cys Asn Asn Pro Thr Cys Val Ala Cys Cys Glu Phe Cys Asn Asn Pro Thr Cys Gly Gly Cys Cys Glu Phe Cys Asn Asn Pro Thr Cys Gly Ala Cys Cys Glu Phe Cys Asn Asn Gly Ala Cys Thr Gly Cys Cys Glu Phe Cys Asn Asn Gly Ala Cys Thr Ala Cys Cys Glu Phe Cys Asn Asn Gly Ala Cys Val Gly Cys Cys Glu Phe Cys Asn Asn Gly Ala Cys Val Ala Cys Cys Glu Phe Cys Asn Asn Gly Ala Cys Gly Gly Cys Cys Glu Phe Cys Asn Asn Gly Ala Cys Gly Gly Cys Glu Phe Cys Asn Asn Gly Ala Cys Gly Ala Cys Cys Glu Phe Cys Asn Asn Gly Thr Cys Thr Gly Cys Cys Glu Phe Cys Asn Asn Gly Thr Cys Thr Ala Cys Cys Glu Phe Cys Asn Asn Gly Thr Cys Val Gly Cys Cys Glu Phe Cys Asn Asn Gly Thr Cys Val Ala Cys Cys Glu Phe Cys Asn Asn Gly Thr Cys Gly Gly Cys Cys Glu Phe Cys Asn Asn Gly Thr Cys Gly Ala Cys Cys Glu Phe Cys Asp Asn Pro Ala Cys Thr Gly Cys Cys Glu Phe Cys Asp Asn Pro Ala Cys Thr Ala Cys Cys Glu Phe Cys Asp Asn Pro Ala Cys Val Gly Cys Cys Glu Phe Cys Asp Asn Pro Ala Cys Val Ala Cys Cys Glu Phe Cys Asp Asn Pro Ala Cys Gly Gly Cys Cys Glu Phe Cys Asp Asn Pro Ala Cys Gly Ala Cys Cys Glu Phe Cys Asp Asn Pro Thr Cys Thr Gly Cys Cys Glu Phe Cys Asp Asn Pro Thr Cys Thr Ala Cys Cys Glu Phe Cys Asp Asn Pro Thr Cys Val Gly Cys Cys Glu Phe Cys Asp Asn Pro Thr Cys Val Ala Cys Cys Glu Phe Cys Asp Asn Pro Thr Cys Gly Gly Cys Cys Glu Phe Cys Asp Asn Pro Thr Cys Gly Ala Cys

FIGURE 3 (sheet 53 of 68)

```
Cys Glu Phe Cys Asp Asn Gly Ala Cys Thr Gly Cys
Cys Glu Phe Cys Asp Asn Gly Ala Cys Thr Ala Cys
Cvs Glu Phe Cys Asp Asn Gly Ala Cys Val Gly Cys
Cys Glu Phe Cys Asp Asn Gly Ala Cys Val Ala Cys
Cys Glu Phe Cys Asp Asn Gly Ala Cys Gly Gly Cys
Cys Glu Phe Cys Asp Asn Gly Ala Cys Gly Ala Cys Cys Glu Phe Cys Asp Asn Gly Thr Cys Thr Gly Cys Cys Glu Phe Cys Asp Asn Gly Thr Cys Thr Ala Cys Cys Glu Phe Cys Asp Asn Gly Thr Cys Val Gly Cys
Cys Glu Phe Cys Asp Asn Gly Thr Cys Val Ala Cys
Cys Glu Phe Cys Asp Asn Gly Thr Cys Gly Gly Cys
Cys Glu Phe Cys Asp Asn Gly Thr Cys Gly Ala Cys
Cys Glu Phe Cys Gln Asn Pro Ala Cys Thr Gly Cys
Cys Glu Phe Cys Gln Asn Pro Ala Cys Thr Ala Cys
Cys Glu Phe Cys Gln Asn Pro Ala Cys Val Gly Cys
Cys Glu Phe Cys Gln Asn Pro Ala Cys Val Ala Cys
Cys Glu Phe Cys Gln Asn Pro Ala Cys Gly Gly Cys
Cys Glu Phe Cys Gln Asn Pro Ala Cys Gly Ala Cys
Cys Glu Phe Cys Gln Asn Pro Thr Cys Thr Gly Cys
Cys Glu Phe Cys Gln Asn Pro Thr Cys Thr Ala Cys
Cys Glu Phe Cys Gln Asn Pro Thr Cys Val Gly Cys
Cys Glu Phe Cys Gln Asn Pro Thr Cys Val Ala Cys
Cys Glu Phe Cys Gln Asn Pro Thr Cys Gly Gly Cys
Cys Glu Phe Cys Gln Asn Pro Thr Cys Gly Ala Cys
Cys Glu Phe Cys Gln Asn Gly Ala Cys Thr Gly Cys
Cys Glu Phe Cys Gln Asn Gly Ala Cys Thr Ala Cys
Cys Glu Phe Cys Gln Asn Gly Ala Cys Val Gly Cys
Cys Glu Phe Cys Gln Asn Gly Ala Cys Val Ala Cys
Cys Glu Phe Cys Gln Asn Gly Ala Cys Gly Gly Cys
Cys Glu Phe Cys Gln Asn Gly Ala Cys Gly Ala Cys Cys Glu Phe Cys Gln Asn Gly Thr Cys Thr Gly Cys Cys Glu Phe Cys Gln Asn Gly Thr Cys Thr Ala Cys Cys Glu Phe Cys Gln Asn Gly Thr Cys Val Gly Cys
Cys Glu Phe Cys Gln Asn Gly Thr Cys Val Ala Cys
Cys Glu Phe Cys Gln Asn Gly Thr Cys Gly Gly Cys
Cys Glu Phe Cys Gln Asn Gly Thr Cys Gly Ala Cys
Cys Glu Phe Cys Glu Asn Pro Ala Cys Thr Gly Cys
Cys Glu Phe Cys Glu Asn Pro Ala Cys Thr Ala Cys
Cys Glu Phe Cys Glu Asn Pro Ala Cys Val Gly Cys
Cys Glu Phe Cys Glu Asn Pro Ala Cys Val Ala Cys
Cys Glu Phe Cys Glu Asn Pro Ala Cys Gly Gly Cys
Cys Glu Phe Cys Glu Asn Pro Ala Cys Gly Ala Cys
Cys Glu Phe Cys Glu Asn Pro Thr Cys Thr Gly Cys
Cys Glu Phe Cys Glu Asn Pro Thr Cys Thr Ala Cys
Cys Glu Phe Cys Glu Asn Pro Thr Cys Val Gly Cys
Cys Glu Phe Cys Glu Asn Pro Thr Cys Val Ala Cys
Cys Glu Phe Cys Glu Asn Pro Thr Cys Gly Gly Cys
Cys Glu Phe Cys Glu Asn Pro Thr Cys Gly Ala Cys
Cys Glu Phe Cys Glu Asn Gly Ala Cys Thr Gly Cys
Cys Glu Phe Cys Glu Asn Gly Ala Cys Thr Ala Cys
Cys Glu Phe Cys Glu Asn Gly Ala Cys Val Gly Cys
Cys Glu Phe Cys Glu Asn Gly Ala Cys Val Ala Cys
Cys Glu Phe Cys Glu Asn Gly Ala Cys Gly Gly Cys
Cys Glu Phe Cys Glu Asn Gly Ala Cys Gly Ala Cys
Cys Glu Phe Cys Glu Asn Gly Thr Cys Thr Gly Cys
Cys Glu Phe Cys Glu Asn Gly Thr Cys Thr Ala Cys
Cys Glu Phe Cys Glu Asn Gly Thr Cys Val Gly Cys
```

FIGURE 3 (sheet 54 of 68)

```
Cys Glu Phe Cys Glu Asn Gly Thr Cys Val Ala Cys
Cys Glu Phe Cys Glu Asn Gly Thr Cys Gly Gly Cys
Cvs Glu Phe Cys Glu Asn Gly Thr Cys Gly Ala Cys
Cys Glu Phe Cys Gly Asn Pro Ala Cys Thr Gly Cys
Cys Glu Phe Cys Gly Asn Pro Ala Cys Thr Ala Cys
Cys Glu Phe Cys Gly Asn Pro Ala Cys Val Gly Cys
Cys Glu Phe Cys Gly Asn Pro Ala Cys Val Ala Cys
Cys Glu Phe Cys Gly Asn Pro Ala Cys Gly Gly Cys Cys Glu Phe Cys Gly Asn Pro Ala Cys Gly Ala Cys
Cys Glu Phe Cys Gly Asn Pro Thr Cys Thr Gly Cys
Cys Glu Phe Cys Gly Asn Pro Thr Cys Thr Ala Cys
Cys Glu Phe Cys Gly Asn Pro Thr Cys Val Gly Cys
Cys Glu Phe Cys Gly Asn Pro Thr Cys Val Ala Cys
Cys Glu Phe Cys Gly Asn Pro Thr Cys Gly Gly Cys
Cys Glu Phe Cys Gly Asn Pro Thr Cys Gly Ala Cys
Cys Glu Phe Cys Gly Asn Gly Ala Cys Thr Gly Cys
Cys Glu Phe Cys Gly Asn Gly Ala Cys Thr Ala Cys
Cys Glu Phe Cys Gly Asn Gly Ala Cys Val Gly Cys
Cys Glu Phe Cys Gly Asn Gly Ala Cys Val Ala Cys
Cys Glu Phe Cys Gly Asn Gly Ala Cys Gly Gly Cys
Cvs Glu Phe Cys Gly Asn Gly Ala Cys Gly Ala Cys
Cys Glu Phe Cys Gly Asn Gly Thr Cys Thr Gly Cys
Cys Glu Phe Cys Gly Asn Gly Thr Cys Thr Ala Cys
Cys Glu Phe Cys Gly Asn Gly Thr Cys Val Gly Cys
Cys Glu Phe Cys Gly Asn Gly Thr Cys Val Ala Cys
Cvs Glu Phe Cys Gly Asn Gly Thr Cys Gly Gly Cys
Cys Glu Phe Cys Gly Asn Gly Thr Cys Gly Ala Cys
Cys Glu Phe Cys His Asn Pro Ala Cys Thr Gly Cys
Cys Glu Phe Cys His Asn Pro Ala Cys Thr Ala Cys
Cys Glu Phe Cys His Asn Pro Ala Cys Val Gly Cys
Cys Glu Phe Cys His Asn Pro Ala Cys Val Ala Cys
Cys Glu Phe Cys His Asn Pro Ala Cys Gly Gly Cys
Cys Glu Phe Cys His Asn Pro Ala Cys Gly Ala Cys
Cys Glu Phe Cys His Asn Pro Thr Cys Thr Gly Cys
Cys Glu Phe Cys His Asn Pro Thr Cys Thr Ala Cys
Cys Glu Phe Cys His Asn Pro Thr Cys Val Gly Cys
Cys Glu Phe Cys His Asn Pro Thr Cys Val Ala Cys
Cys Glu Phe Cys His Asn Pro Thr Cys Gly Gly Cys
Cys Glu Phe Cys His Asn Pro Thr Cys Gly Ala Cys
Cys Glu Phe Cys His Asn Gly Ala Cys Thr Gly Cys
Cys Glu Phe Cys His Asn Gly Ala Cys Thr Ala Cys
Cys Glu Phe Cys His Asn Gly Ala Cys Val Gly Cys
Cys Glu Phe Cys His Asn Gly Ala Cys Val Ala Cys
Cys Glu Phe Cys His Asn Gly Ala Cys Gly Gly Cys
Cys Glu Phe Cys His Asn Gly Ala Cys Gly Ala Cys
Cys Glu Phe Cys His Asn Gly Thr Cys Thr Gly Cys
Cys Glu Phe Cys His Asn Gly Thr Cys Thr Ala Cys
Cys Glu Phe Cys His Asn Gly Thr Cys Val Gly Cys
Cys Glu Phe Cys His Asn Gly Thr Cys Val Ala Cys
Cys Glu Phe Cys His Asn Gly Thr Cys Gly Gly Cys
Cys Glu Phe Cys His Asn Gly Thr. Cys Gly Ala Cys
Cys Glu Phe Cys Ile Asn Pro Ala Cys Thr Gly Cys
Cys Glu Phe Cys Ile Asn Pro Ala Cys Thr Ala Cys
Cys Glu Phe Cys Ile Asn Pro Ala Cys Val Gly Cys
Cys Glu Phe Cys Ile Asn Pro Ala Cys Val Ala Cys
Cys Glu Phe Cys Ile Asn Pro Ala Cys Gly Gly Cys
Cys Glu Phe Cys Ile Asn Pro Ala Cys Gly Ala Cys
```

FIGURE 3 (sheet 55 of 68)

```
Cys Glu Phe Cys Ile Asn Pro Thr Cys Thr Gly Cys
Cys Glu Phe Cys Ile Asn Pro Thr Cys Thr Ala Cys
Cys Glu Phe Cys Ile Asn Pro Thr Cys Val Gly Cys
Cys Glu Phe Cys Ile Asn Pro Thr Cys Val Ala Cys
Cys Glu Phe Cys Ile Asn Pro Thr Cys Gly Gly Cys
Cys Glu Phe Cys Ile Asn Pro Thr Cys Gly Ala Cys
Cys Glu Phe Cys Ile Asn Gly Ala Cys Thr Gly Cys
Cys Glu Phe Cys Ile Asn Gly Ala Cys Thr Ala Cys
Cys Glu Phe Cys Ile Asn Gly Ala Cys Val Gly Cys
Cys Glu Phe Cys Ile Asn Gly Ala Cys Val Ala Cys
Cys Glu Phe Cys Ile Asn Gly Ala Cys Gly Gly Cys
Cys Glu Phe Cys Ile Asn Gly Ala Cys Gly Ala Cys
Cys Glu Phe Cys Ile Asn Gly Thr Cys Thr Gly Cys
Cys Glu Phe Cys Ile Asn Gly Thr Cys Thr Ala Cys
Cys Glu Phe Cys Ile Asn Gly Thr Cys Val Gly Cys
Cvs Glu Phe Cys Ile Asn Gly Thr Cys Val Ala Cys
Cys Glu Phe Cys Ile Asn Gly Thr Cys Gly Gly Cys
Cys Glu Phe Cys Ile Asn Gly Thr Cys Gly Ala Cys
Cys Glu Phe Cys Leu Asn Pro Ala Cys Thr Gly Cys
Cys Glu Phe Cys Leu Asn Pro Ala Cys Thr Ala Cys
Cys Glu Phe Cys Leu Asn Pro Ala Cys Val Gly Cys
Cys Glu Phe Cys Leu Asn Pro Ala Cys Val Ala Cys
Cys Glu Phe Cys Leu Asn Pro Ala Cys Gly Gly Cys
Cys Glu Phe Cys Leu Asn Pro Ala Cys Gly Ala Cys
Cys Glu Phe Cys Leu Asn Pro Thr Cys Thr Gly Cys
Cys Glu Phe Cys Leu Asn Pro Thr Cys Thr Ala Cys
Cys Glu Phe Cys Leu Asn Pro Thr Cys Val Gly Cys
Cys Glu Phe Cys Leu Asn Pro Thr Cys Val Ala Cys
Cys Glu Phe Cys Leu Asn Pro Thr Cys Gly Gly Cys
Cys Glu Phe Cys Leu Asn Pro Thr Cys Gly Ala Cys
Cys Glu Phe Cys Leu Asn Gly Ala Cys Thr Gly Cys
Cys Glu Phe Cys Leu Asn Gly Ala Cys Thr Ala Cys
Cys Glu Phe Cys Leu Asn Gly Ala Cys Val Gly Cys
Cys Glu Phe Cys Leu Asn Gly Ala Cys Val Ala Cys
Cys Glu Phe Cys Leu Asn Gly Ala Cys Gly Gly Cys
Cys Glu Phe Cys Leu Asn Gly Ala Cys Gly Ala Cys
Cys Glu Phe Cys Leu Asn Gly Thr Cys Thr Gly Cys
Cys Glu Phe Cys Leu Asn Gly Thr Cys Thr Ala Cys
Cys Glu Phe Cys Leu Asn Gly Thr Cys Val Gly Cys
Cys Glu Phe Cys Leu Asn Gly Thr Cys Val Ala Cys
Cys Glu Phe Cys Leu Asn Gly Thr Cys Gly Gly Cys
Cys Glu Phe Cys Leu Asn Gly Thr Cys Gly Ala Cys
Cys Glu Phe Cys Lys Asn Pro Ala Cys Thr Gly Cys
Cys Glu Phe Cys Lys Asn Pro Ala Cys Thr Ala Cys
Cys Glu Phe Cys Lys Asn Pro Ala Cys Val Gly Cys
Cys Glu Phe Cys Lys Asn Pro Ala Cys Val Ala Cys
Cys Glu Phe Cys Lys Asn Pro Ala Cys Gly Gly Cys
Cys Glu Phe Cys Lys Asn Pro Ala Cys Gly Ala Cys
Cys Glu Phe Cys Lys Asn Pro Thr Cys Thr Gly Cys
Cys Glu Phe Cys Lys Asn Pro Thr Cys Thr Ala Cys
Cys Glu Phe Cys Lys Asn Pro Thr Cys Val Gly Cys
Cys Glu Phe Cys Lys Asn Pro Thr Cys Val Ala Cys
Cys Glu Phe Cys Lys Asn Pro Thr Cys Gly Gly Cys
Cys Glu Phe Cys Lys Asn Pro Thr Cys Gly Ala Cys
Cys Glu Phe Cys Lys Asn Gly Ala Cys Thr Gly Cys
Cys Glu Phe Cys Lys Asn Gly Ala Cys Thr Ala Cys
Cys Glu Phe Cys Lys Asn Gly Ala Cys Val Gly Cys
```

FIGURE 3 (sheet 56 of 68)

```
Cys Glu Phe Cys Lys Asn Gly Ala Cys Val Ala Cys
Cys Glu Phe Cys Lys Asn Gly Ala Cys Gly Gly Cys
Cvs Glu Phe Cys Lys Asn Gly Ala Cys Gly Ala Cys
Cys Glu Phe Cys Lys Asn Gly Thr Cys Thr Gly Cys Cys Glu Phe Cys Lys Asn Gly Thr Cys Thr Ala Cys Cys Glu Phe Cys Lys Asn Gly Thr Cys Val Gly Cys Cys Glu Phe Cys Lys Asn Gly Thr Cys Val Gly Cys Cys Glu Phe Cys Lys Asn Gly Thr Cys Val Ala Cys
Cys Glu Phe Cys Lys Asn Gly Thr Cys Gly Gly Cys
Cys Glu Phe Cys Lys Asn Gly Thr Cys Gly Ala Cys
Cys Glu Phe Cys Met Asn Pro Ala Cys Thr Gly Cys
Cys Glu Phe Cys Met Asn Pro Ala Cys Thr Ala Cys
Cys Glu Phe Cys Met Asn Pro Ala Cys Val Gly Cys
Cys Glu Phe Cys Met Asn Pro Ala Cys Val Ala Cys
Cys Glu Phe Cys Met Asn Pro Ala Cys Gly Gly Cys
Cvs Glu Phe Cys Met Asn Pro Ala Cys Gly Ala Cys
Cys Glu Phe Cys Met Asn Pro Thr Cys Thr Gly Cys
Cys Glu Phe Cys Met Asn Pro Thr Cys Thr Ala Cys
Cys Glu Phe Cys Met Asn Pro Thr Cys Val Gly Cys
Cys Glu Phe Cys Met Asn Pro Thr Cys Val Ala Cys
Cys Glu Phe Cys Met Asn Pro Thr Cys Gly Gly Cys
Cys Glu Phe Cys Met Asn Pro Thr Cys Gly Ala Cys
Cys Glu Phe Cys Met Asn Gly Ala Cys Thr Gly Cys
Cys Glu Phe Cys Met Asn Gly Ala Cys Thr Ala Cys
Cys Glu Phe Cys Met Asn Gly Ala Cys Val Gly Cys
Cys Glu Phe Cys Met Asn Gly Ala Cys Val Ala Cys
Cys Glu Phe Cys Met Asn Gly Ala Cys Gly Gly Cys
Cys Glu Phe Cys Met Asn Gly Ala Cys Gly Ala Cys
Cys Glu Phe Cys Met Asn Gly Thr Cys Thr Gly Cys Cys Glu Phe Cys Met Asn Gly Thr Cys Thr Ala Cys Cys Glu Phe Cys Met Asn Gly Thr Cys Val Gly Cys Cys Glu Phe Cys Met Asn Gly Thr Cys Val Ala Cys Cys Glu Phe Cys Met Asn Gly Thr Cys Val Ala Cys
Cys Glu Phe Cys Met Asn Gly Thr Cys Gly Gly Cys
Cys Glu Phe Cys Met Asn Gly Thr Cys Gly Ala Cys
Cys Glu Phe Cys Phe Asn Pro Ala Cys Thr Gly Cys
Cys Glu Phe Cys Phe Asn Pro Ala Cys Thr Ala Cys
Cys Glu Phe Cys Phe Asn Pro Ala Cys Val Gly Cys
Cys Glu Phe Cys Phe Asn Pro Ala Cys Val Ala Cys
Cys Glu Phe Cys Phe Asn Pro Ala Cys Gly Gly Cys
Cys Glu Phe Cys Phe Asn Pro Ala Cys Gly Ala Cys
Cys Glu Phe Cys Phe Asn Pro Thr Cys Thr Gly Cys
Cys Glu Phe Cys Phe Asn Pro Thr Cys Thr Ala Cys Cys Glu Phe Cys Phe Asn Pro Thr Cys Val Gly Cys
Cys Glu Phe Cys Phe Asn Pro Thr Cys Val Ala Cys
Cys Glu Phe Cys Phe Asn Pro Thr Cys Gly Gly Cys
Cys Glu Phe Cys Phe Asn Pro Thr Cys Gly Ala Cys
Cys Glu Phe Cys Phe Asn Gly Ala Cys Thr Gly Cys
Cvs Glu Phe Cys Phe Asn Gly Ala Cys Thr Ala Cys
Cys Glu Phe Cys Phe Asn Gly Ala Cys Val Gly Cys
Cys Glu Phe Cys Phe Asn Gly Ala Cys Val Ala Cys
Cys Glu Phe Cys Phe Asn Gly Ala Cys Gly Gly Cys
Cys Glu Phe Cys Phe Asn Gly Ala Cys Gly Ala Cys
Cys Glu Phe Cys Phe Asn Gly Thr Cys Thr Gly Cys
Cys Glu Phe Cys Phe Asn Gly Thr Cys Thr Ala Cys
Cys Glu Phe Cys Phe Asn Gly Thr Cys Val Gly Cys
Cys Glu Phe Cys Phe Asn Gly Thr Cys Val Ala Cys
Cys Glu Phe Cys Phe Asn Gly Thr Cys Gly Gly Cys
Cys Glu Phe Cys Phe Asn Gly Thr Cys Gly Ala Cys
```

WO 2005/016244 PCT/US2004/018751

FIGURE 3 (sheet 57 of 68)

```
Cys Glu Phe Cys Pro Asn Pro Ala Cys Thr Gly Cys
Cys Glu Phe Cys Pro Asn Pro Ala Cys Thr Ala Cys
Cys Glu Phe Cys Pro Asn Pro Ala Cys Val Gly Cys
Cys Glu Phe Cys Pro Asn Pro Ala Cys Val Ala Cys
Cys Glu Phe Cys Pro Asn Pro Ala Cys Gly Gly Cys
Cys Glu Phe Cys Pro Asn Pro Ala Cys Gly Ala Cys
Cys Glu Phe Cys Pro Asn Pro Thr Cys Thr Gly Cys
Cys Glu Phe Cys Pro Asn Pro Thr Cys Thr Ala Cys
Cys Glu Phe Cys Pro Asn Pro Thr Cys Val Gly Cys
Cys Glu Phe Cys Pro Asn Pro Thr Cys Val Ala Cys
Cys Glu Phe Cys Pro Asn Pro Thr Cys Gly Gly Cys
Cys Glu Phe Cys Pro Asn Pro Thr Cys Gly Ala Cys
Cys Glu Phe Cys Pro Asn Gly Ala Cys Thr Gly Cys
Cys Glu Phe Cys Pro Asn Gly Ala Cys Thr Ala Cys
Cys Glu Phe Cys Pro Asn Gly Ala Cys Val Gly Cys
Cys Glu Phe Cys Pro Asn Gly Ala Cys Val Ala Cys
Cys Glu Phe Cys Pro Asn Gly Ala Cys Gly Gly Cys
Cys Glu Phe Cys Pro Asn Gly Ala Cys Gly Ala Cys Cys Glu Phe Cys Pro Asn Gly Thr Cys Thr Gly Cys Cys Glu Phe Cys Pro Asn Gly Thr Cys Thr Ala Cys Cys Glu Phe Cys Pro Asn Gly Thr Cys Val Gly Cys
Cys Glu Phe Cys Pro Asn Gly Thr Cys Val Ala Cys
Cys Glu Phe Cys Pro Asn Gly Thr Cys Gly Gly Cys
Cys Glu Phe Cys Pro Asn Gly Thr Cys Gly Ala Cys
Cys Glu Phe Cys Ser Asn Pro Ala Cys Thr Gly Cys
Cys Glu Phe Cys Ser Asn Pro Ala Cys Thr Ala Cys
Cys Glu Phe Cys Ser Asn Pro Ala Cys Val Gly Cys
Cys Glu Phe Cys Ser Asn Pro Ala Cys Val Ala Cys
Cys Glu Phe Cys Ser Asn Pro Ala Cys Gly Gly Cys
Cys Glu Phe Cys Ser Asn Pro Ala Cys Gly Ala Cys
Cys Glu Phe Cys Ser Asn Pro Thr Cys Thr Gly Cys
Cys Glu Phe Cys Ser Asn Pro Thr Cys Thr Ala Cys
Cys Glu Phe Cys Ser Asn Pro Thr Cys Val Gly Cys
Cys Glu Phe Cys Ser Asn Pro Thr Cys Val Ala Cys
Cys Glu Phe Cys Ser Asn Pro Thr Cys Gly Gly Cys
Cys Glu Phe Cys Ser Asn Pro Thr Cys Gly Ala Cys
Cys Glu Phe Cys Ser Asn Gly Ala Cys Thr Gly Cys
Cys Glu Phe Cys Ser Asn Gly Ala Cys Thr Ala Cys
Cys Glu Phe Cys Ser Asn Gly Ala Cys Val Gly Cys
Cys Glu Phe Cys Ser Asn Gly Ala Cys Val Ala Cys
Cys Glu Phe Cys Ser Asn Gly Ala Cys Gly Gly Cys
Cys Glu Phe Cys Ser Asn Gly Ala Cys Gly Ala Cys
Cys Glu Phe Cys Ser Asn Gly Thr Cys Thr Gly Cys
Cys Glu Phe Cys Ser Asn Gly Thr Cys Thr Ala Cys
Cys Glu Phe Cys Ser Asn Gly Thr Cys Val Gly Cys
Cys Glu Phe Cys Ser Asn Gly Thr Cys Val Ala Cys
Cys Glu Phe Cys Ser Asn Gly Thr Cys Gly Gly Cys
Cys Glu Phe Cys Ser Asn Gly Thr Cys Gly Ala Cys
Cys Glu Phe Cys Thr Asn Pro Ala Cys Thr Gly Cys
Cys Glu Phe Cys Thr Asn Pro Ala Cys Thr Ala Cys
Cys Glu Phe Cys Thr Asn Pro Ala Cys Val Gly Cys
Cys Glu Phe Cys Thr Asn Pro Ala Cys Val Ala Cys
Cys Glu Phe Cys Thr Asn Pro Ala Cys Gly Gly Cys
Cys Glu Phe Cys Thr Asn Pro Ala Cys Gly Ala Cys
Cys Glu Phe Cys Thr Asn Pro Thr Cys Thr Gly Cys
Cys Glu Phe Cys Thr Asn Pro Thr Cys Thr Ala Cys
Cys Glu Phe Cys Thr Asn Pro Thr Cys Val Gly Cys
```

FIGURE 3 (sheet 58 of 68)

```
Cys Glu Phe Cys Thr Asn Pro Thr Cys Val Ala Cys
Cys Glu Phe Cys Thr Asn Pro Thr Cys Gly Gly Cys
Cys Glu Phe Cys Thr Asn Pro Thr Cys Gly Ala Cys
Cys Glu Phe Cys Thr Asn Gly Ala Cys Thr Gly Cys
Cys Glu Phe Cys Thr Asn Gly Ala Cys Thr Ala Cys
Cys Glu Phe Cys Thr Asn Gly Ala Cys Val Gly Cys
Cys Glu Phe Cys Thr Asn Gly Ala Cys Val Ala Cys
Cys Glu Phe Cys Thr Asn Gly Ala Cys Gly Gly Cys
Cys Glu Phe Cys Thr Asn Gly Ala Cys Gly Ala Cys
Cys Glu Phe Cys Thr Asn Gly Thr Cys Thr Gly Cys
Cys Glu Phe Cys Thr Asn Gly Thr Cys Thr Ala Cys
Cys Glu Phe Cys Thr Asn Gly Thr Cys Val Gly Cys
Cys Glu Phe Cys Thr Asn Gly Thr Cys Val Ala Cys
Cys Glu Phe Cys Thr Asn Gly Thr Cys Gly Gly Cys
Cys Glu Phe Cys Thr Asn Gly Thr Cys Gly Ala Cys
Cys Glu Phe Cys Trp Asn Pro Ala Cys Thr Gly Cys
Cys Glu Phe Cys Trp Asn Pro Ala Cys Thr Ala Cys
Cys Glu Phe Cys Trp Asn Pro Ala Cys Val Gly Cys
Cys Glu Phe Cys Trp Asn Pro Ala Cys Val Ala Cys
Cys Glu Phe Cys Trp Asn Pro Ala Cys Gly Gly Cys
Cys Glu Phe Cys Trp Asn Pro Ala Cys Gly Ala Cys
Cys Glu Phe Cys Trp Asn Pro Thr Cys Thr Gly Cys
Cys Glu Phe Cys Trp Asn Pro Thr Cys Thr Ala Cys
Cys Glu Phe Cys Trp Asn Pro Thr Cys Val Gly Cys
Cys Glu Phe Cys Trp Asn Pro Thr Cys Val Ala Cys
Cys Glu Phe Cys Trp Asn Pro Thr Cys Gly Gly Cys
Cys Glu Phe Cys Trp Asn Pro Thr Cys Gly Ala Cys
Cys Glu Phe Cys Trp Asn Gly Ala Cys Thr Gly Cys
Cys Glu Phe Cys Trp Asn Gly Ala Cys Thr Ala Cys
Cys Glu Phe Cys Trp Asn Gly Ala Cys Val Gly Cys
Cys Glu Phe Cys Trp Asn Gly Ala Cys Val Ala Cys
Cys Glu Phe Cys Trp Asn Gly Ala Cys Gly Gly Cys
Cys Glu Phe Cys Trp Asn Gly Ala Cys Gly Ala Cys
Cys Glu Phe Cys Trp Asn Gly Thr Cys Thr Gly Cys
Cys Glu Phe Cys Trp Asn Gly Thr Cys Thr Ala Cys
Cys Glu Phe Cys Trp Asn Gly Thr Cys Val Gly Cys
Cys Glu Phe Cys Trp Asn Gly Thr Cys Val Ala Cys Cys Glu Phe Cys Trp Asn Gly Thr Cys Gly Gly Cys Cys Glu Phe Cys Trp Asn Gly Thr Cys Gly Ala Cys Cys Glu Phe Cys Trp Asn Gly Thr Cys Gly Ala Cys
Cys Glu Phe Cys Tyr Asn Pro Ala Cys Thr Gly Cys
Cys Glu Phe Cys Tyr Asn Pro Ala Cys Thr Ala Cys
Cys Glu Phe Cys Tyr Asn Pro Ala Cys Val Gly Cys
Cys Glu Phe Cys Tyr Asn Pro Ala Cys Val Ala Cys
Cys Glu Phe Cys Tyr Asn Pro Ala Cys Gly Gly Cys
Cys Glu Phe Cys Tyr Asn Pro Ala Cys Gly Ala Cys
Cys Glu Phe Cys Tyr Asn Pro Thr Cys Thr Gly Cys
Cys Glu Phe Cys Tyr Asn Pro Thr Cys Thr Ala Cys
Cys Glu Phe Cys Tyr Asn Pro Thr Cys Val Gly Cys
Cys Glu Phe Cys Tyr Asn Pro Thr Cys Val Ala Cys
Cys Glu Phe Cys Tyr Asn Pro Thr Cys Gly Gly Cys
Cys Glu Phe Cys Tyr Asn Pro Thr Cys Gly Ala Cys
Cys Glu Phe Cys Tyr Asn Gly Ala Cys Thr Gly Cys
Cys Glu Phe Cys Tyr Asn Gly Ala Cys Thr Ala Cys
Cys Glu Phe Cys Tyr Asn Gly Ala Cys Val Gly Cys
Cys Glu Phe Cys Tyr Asn Gly Ala Cys Val Ala Cys
Cys Glu Phe Cys Tyr Asn Gly Ala Cys Gly Gly Cys
Cys Glu Phe Cys Tyr Asn Gly Ala Cys Gly Ala Cys
```

FIGURE 3 (sheet 59 of 68)

```
Cys Glu Phe Cys Tyr Asn Gly Thr Cys Thr Gly Cys
Cys Glu Phe Cys Tyr Asn Gly Thr Cys Thr Ala Cys
Cys Glu Phe Cys Tyr Asn Gly Thr Cys Val Gly Cys
Cys Glu Phe Cys Tyr Asn Gly Thr Cys Val Ala Cys
Cys Glu Phe Cys Tyr Asn Gly Thr Cys Gly Gly Cys
Cys Glu Phe Cys Tyr Asn Gly Thr Cys Gly Ala Cys
Cys Glu Phe Cys Val Asn Pro Ala Cys Thr Gly Cys
Cys Glu Phe Cys Val Asn Pro Ala Cys Thr Ala Cys
Cys Glu Phe Cys Val Asn Pro Ala Cys Val Gly Cys
Cys Glu Phe Cys Val Asn Pro Ala Cys Val Ala Cys
Cys Glu Phe Cys Val Asn Pro Ala Cys Gly Gly Cys
Cys Glu Phe Cys Val Asn Pro Ala Cys Gly Ala Cys
Cys Glu Phe Cys Val Asn Pro Thr Cys Thr Gly Cys
Cys Glu Phe Cys Val Asn Pro Thr Cys Thr Ala Cys
Cys Glu Phe Cys Val Asn Pro Thr Cys Val Gly Cys
Cys Glu Phe Cys Val Asn Pro Thr Cys Val Ala Cys
Cys Glu Phe Cys Val Asn Pro Thr Cys Gly Gly Cys
Cys Glu Phe Cys Val Asn Pro Thr Cys Gly Ala Cys
Cys Glu Phe Cys Val Asn Gly Ala Cys Thr Gly Cys
Cys Glu Phe Cys Val Asn Gly Ala Cys Thr Ala Cys
Cys Glu Phe Cys Val Asn Gly Ala Cys Val Gly Cys
Cys Glu Phe Cys Val Asn Gly Ala Cys Val Ala Cys
Cys Glu Phe Cys Val Asn Gly Ala Cys Gly Gly Cys
Cys Glu Phe Cys Val Asn Gly Ala Cys Gly Ala Cys
Cys Glu Phe Cys Val Asn Gly Thr Cys Thr Gly Cys
Cys Glu Phe Cys Val Asn Gly Thr Cys Thr Ala Cys
Cys Glu Phe Cys Val Asn Gly Thr Cys Val Gly Cys
Cys Glu Phe Cys Val Asn Gly Thr Cys Val Ala Cys
Cys Glu Phe Cys Val Asn Gly Thr Cys Gly Gly Cys
Cys Glu Phe Cys Val Asn Gly Thr Cys Gly Ala Cys Cys Glu Phe Cys --- Asn Pro Ala Cys Thr Gly Cys
Cys Glu Phe Cys --- Asn Pro Ala Cys Thr Ala Cys
Cys Glu Phe Cys --- Asn Pro Ala Cys Val Gly Cys
Cys Glu Phe Cys --- Asn Pro Ala Cys Val Ala Cys
Cys Glu Phe Cys --- Asn Pro Ala Cys Gly Gly Cys
Cys Glu Phe Cys --- Asn Pro Ala Cys Gly Ala Cys
Cys Glu Phe Cys --- Asn Pro Thr Cys Thr Gly Cys
Cys Glu Phe Cys --- Asn Pro Thr Cys Thr Ala Cys
Cys Glu Phe Cys --- Asn Pro Thr Cys Val Gly Cys
Cys Glu Phe Cys --- Asn Pro Thr Cys Val Ala Cys
Cys Glu Phe Cys --- Asn Pro Thr Cys Gly Gly Cys
Cys Glu Phe Cys --- Asn Pro Thr Cys Gly Ala Cys
Cys Glu Phe Cys --- Asn Gly Ala Cys Thr Gly Cys
Cys Glu Phe Cys --- Asn Gly Ala Cys Thr Ala Cys
Cys Glu Phe Cys --- Asn Gly Ala Cys Val Gly Cys
Cys Glu Phe Cys --- Asn Gly Ala Cys Val Ala Cys
Cys Glu Phe Cys --- Asn Gly Ala Cys Gly Gly Cys
Cys Glu Phe Cys --- Asn Gly Ala Cys Gly Ala Cys
Cys Glu Phe Cys --- Asn Gly Thr Cys Thr Gly Cys
Cys Glu Phe Cys --- Asn Gly Thr Cys Thr Ala Cys
Cys Glu Phe Cys --- Asn Gly Thr Cys Val Gly Cys
Cys Glu Phe Cys --- Asn Gly Thr Cys Val Ala Cys
Cys Glu Phe Cys --- Asn Gly Thr Cys Gly Gly Cys
Cys Glu Phe Cys --- Asn Gly Thr Cys Gly Ala Cys
Cys Glu Leu Cys Ala Asn Pro Ala Cys Thr Gly Cys
Cys Glu Leu Cys Ala Asn Pro Ala Cys Thr Ala Cys
Cys Glu Leu Cys Ala Asn Pro Ala Cys Val Gly Cys
```

FIGURE 3 (sheet 60 of 68)

```
Cys Glu Leu Cys Ala Asn Pro Ala Cys Val Ala Cys
Cys Glu Leu Cys Ala Asn Pro Ala Cys Gly Gly Cys
Cys Glu Leu Cys Ala Asn Pro Ala Cys Gly Ala Cys
Cys Glu Leu Cys Ala Asn Pro Thr Cys Thr Gly Cys
Cys Glu Leu Cys Ala Asn Pro Thr Cys Thr Ala Cys
Cys Glu Leu Cys Ala Asn Pro Thr Cys Val Gly Cys
Cys Glu Leu Cys Ala Asn Pro Thr Cys Val Ala Cys
Cys Glu Leu Cys Ala Asn Pro Thr Cys Gly Gly Cys
Cys Glu Leu Cys Ala Asn Pro Thr Cys Gly Ala Cys
Cys Glu Leu Cys Ala Asn Gly Ala Cys Thr Gly Cys
Cys Glu Leu Cys Ala Asn Gly Ala Cys Thr Ala Cys
Cys Glu Leu Cys Ala Asn Gly Ala Cys Val Gly Cys
Cys Glu Leu Cys Ala Asn Gly Ala Cys Val Ala Cys
Cys Glu Leu Cys Ala Asn Gly Ala Cys Gly Gly Cys
Cys Glu Leu Cys Ala Asn Gly Ala Cys Gly Ala Cys
Cys Glu Leu Cys Ala Asn Gly Thr Cys Thr Gly Cys
Cys Glu Leu Cys Ala Asn Gly Thr Cys Thr Ala Cys Cys Glu Leu Cys Ala Asn Gly Thr Cys Val Gly Cys Cys Glu Leu Cys Ala Asn Gly Thr Cys Val Ala Cys Cys Glu Leu Cys Ala Asn Gly Thr Cys Gly Gly Cys Cys Glu Leu Cys Ala Asn Gly Thr Cys Gly Gly Cys
Cys Glu Leu Cys Ala Asn Gly Thr Cys Gly Ala Cys
Cys Glu Leu Cys Arg Asn Pro Ala Cys Thr Gly Cys
Cys Glu Leu Cys Arg Asn Pro Ala Cys Thr Ala Cys
Cys Glu Leu Cys Arg Asn Pro Ala Cys Val Gly Cys
Cys Glu Leu Cys Arg Asn Pro Ala Cys Val Ala Cys
Cys Glu Leu Cys Arg Asn Pro Ala Cys Gly Gly Cys
Cys Glu Leu Cys Arg Asn Pro Ala Cys Gly Ala Cys
Cys Glu Leu Cys Arg Asn Pro Thr Cys Thr Gly Cys
Cys Glu Leu Cys Arg Asn Pro Thr Cys Thr Ala Cys
Cys Glu Leu Cys Arg Asn Pro Thr Cys Val Gly Cys
Cys Glu Leu Cys Arg Asn Pro Thr Cys Val Ala Cys
Cys Glu Leu Cys Arg Asn Pro Thr Cys Gly Gly Cys
Cys Glu Leu Cys Arg Asn Pro Thr Cys Gly Ala Cys
Cys Glu Leu Cys Arg Asn Gly Ala Cys Thr Gly Cys
Cys Glu Leu Cys Arg Asn Gly Ala Cys Thr Ala Cys
Cys Glu Leu Cys Arg Asn Gly Ala Cys Val Gly Cys
Cys Glu Leu Cys Arg Asn Gly Ala Cys Val Ala Cys
Cys Glu Leu Cys Arg Asn Gly Ala Cys Gly Gly Cys
Cys Glu Leu Cys Arg Asn Gly Ala Cys Gly Ala Cys
Cys Glu Leu Cys Arg Asn Gly Thr Cys Thr Gly Cys
Cys Glu Leu Cys Arg Asn Gly Thr Cys Thr Ala Cys
Cys Glu Leu Cys Arg Asn Gly Thr Cys Val Gly Cys
Cys Glu Leu Cys Arg Asn Gly Thr Cys Val Ala Cys
Cys Glu Leu Cys Arg Asn Gly Thr Cys Gly Gly Cys
Cys Glu Leu Cys Arg Asn Gly Thr Cys Gly Ala Cys
Cys Glu Leu Cys Asn Asn Pro Ala Cys Thr Gly Cys
Cys Glu Leu Cys Asn Asn Pro Ala Cys Thr Ala Cys
Cys Glu Leu Cys Asn Asn Pro Ala Cys Val Gly Cys
Cys Glu Leu Cys Asn Asn Pro Ala Cys Val Ala Cys
Cys Glu Leu Cys Asn Asn Pro Ala Cys Gly Gly Cys
Cys Glu Leu Cys Asn Asn Pro Ala Cys Gly Ala Cys
Cys Glu Leu Cys Asn Asn Pro Thr Cys Thr Gly Cys
Cys Glu Leu Cys Asn Asn Pro Thr Cys Thr Ala Cys
Cys Glu Leu Cys Asn Asn Pro Thr Cys Val Gly Cys
Cys Glu Leu Cys Asn Asn Pro Thr Cys Val Ala Cys
Cys Glu Leu Cys Asn Asn Pro Thr Cys Gly Gly Cys
Cys Glu Leu Cys Asn Asn Pro Thr Cys Gly Ala Cys
```

FIGURE 3 (sheet 51 of 58)

```
Cys Glu Leu Cys Asn Asn Gly Ala Cys Thr Gly Cys
Cys Glu Leu Cys Asn Asn Gly Ala Cys Thr Ala Cys
Cys Glu Leu Cys Asn Asn Gly Ala Cys Val Gly Cys
Cys Glu Leu Cys Asn Asn Gly Ala Cys Val Ala Cys
Cys Glu Leu Cys Asn Asn Gly Ala Cys Gly Gly Cys
Cys Glu Leu Cys Asn Asn Gly Ala Cys Gly Ala Cys
Cys Glu Leu Cys Asn Asn Gly Thr Cys Thr Gly Cys Cys Glu Leu Cys Asn Asn Gly Thr Cys Thr Ala Cys Cys Glu Leu Cys Asn Asn Gly Thr Cys Thr Ala Cys Cys Glu Leu Cys Asn Asn Gly Thr Cys Val Gly Cys Cys Glu Leu Cys Asn Asn Gly Thr Cys Val Ala Cys Cys Glu Leu Cys Asn Asn Gly Thr Cys Gly Gly Cys
Cys Glu Leu Cys Asn Asn Gly Thr Cys Gly Ala Cys
Cys Glu Leu Cys Asp Asn Pro Ala Cys Thr Gly Cys
Cys Glu Leu Cys Asp Asn Pro Ala Cys Thr Ala Cys
Cys Glu Leu Cys Asp Asn Pro Ala Cys Val Gly Cys
Cys Glu Leu Cys Asp Asn Pro Ala Cys Val Ala Cys
Cys Glu Leu Cys Asp Asn Pro Ala Cys Gly Gly Cys
Cys Glu Leu Cys Asp Asn Pro Ala Cys Gly Ala Cys
Cys Glu Leu Cys Asp Asn Pro Thr Cys Thr Gly Cys
Cys Glu Leu Cys Asp Asn Pro Thr Cys Thr Ala Cys
Cys Glu Leu Cys Asp Asn Pro Thr Cys Val Gly Cys
Cys Glu Leu Cys Asp Asn Pro Thr Cys Val Ala Cys
Cys Glu Leu Cys Asp Asn Pro Thr Cys Gly Gly Cys
Cys Glu Leu Cys Asp Asn Pro Thr Cys Gly Ala Cys
Cys Glu Leu Cys Asp Asn Gly Ala Cys Thr Gly Cys
Cys Glu Leu Cys Asp Asn Gly Ala Cys Thr Ala Cys
Cys Glu Leu Cys Asp Asn Gly Ala Cys Val Gly Cys
Cys Glu Leu Cys Asp Asn Gly Ala Cys Val Ala Cys
Cys Glu Leu Cys Asp Asn Gly Ala Cys Gly Gly Cys
Cys Glu Leu Cys Asp Asn Gly Ala Cys Gly Ala Cys
Cys Glu Leu Cys Asp Asn Gly Thr Cys Thr Gly Cys
Cys Glu Leu Cys Asp Asn Gly Thr Cys Thr Ala Cys
Cys Glu Leu Cys Asp Asn Gly Thr Cys Thr Ala Cys
Cys Glu Leu Cys Asp Asn Gly Thr Cys Val Gly Cys
Cys Glu Leu Cys Asp Asn Gly Thr Cys Val Ala Cys
Cys Glu Leu Cys Asp Asn Gly Thr Cys Gly Gly Cys
Cys Glu Leu Cys Asp Asn Gly Thr Cys Gly Ala Cys
Cys Glu Leu Cys Gln Asn Pro Ala Cys Thr Gly Cys
Cys Glu Leu Cys Gln Asn Pro Ala Cys Thr Ala Cys
Cys Glu Leu Cys Gln Asn Pro Ala Cys Val Gly Cys
Cys Glu Leu Cys Gln Asn Pro Ala Cys Val Ala Cys
Cys Glu Leu Cys Gln Asn Pro Ala Cys Gly Gly Cys
Cys Glu Leu Cys Gln Asn Pro Ala Cys Gly Ala Cys
Cys Glu Leu Cys Gln Asn Pro Thr Cys Thr Gly Cys
Cys Glu Leu Cys Gln Asn Pro Thr Cys Thr Ala Cys
Cys Glu Leu Cys Gln Asn Pro Thr Cys Val Gly Cys
Cys Glu Leu Cys Gln Asn Pro Thr Cys Val Ala Cys
Cys Glu Leu Cys Gln Asn Pro Thr Cys Gly Gly Cys
Cys Glu Leu Cys Gln Asn Pro Thr Cys Gly Ala Cys
Cys Glu Leu Cys Gln Asn Gly Ala Cys Thr Gly Cys
Cys Glu Leu Cys Gln Asn Gly Ala Cys Thr Ala Cys
Cys Glu Leu Cys Gln Asn Gly Ala Cys Val Gly Cys
Cys Glu Leu Cys Gln Asn Gly Ala Cys Val Ala Cys
Cys Glu Leu Cys Gln Asn Gly Ala Cys Gly Gly Cys
Cys Glu Leu Cys Gln Asn Gly Ala Cys Gly Ala Cys
Cys Glu Leu Cys Gln Asn Gly Thr Cys Thr Gly Cys
Cys Glu Leu Cys Gln Asn Gly Thr Cys Thr Ala Cys
Cys Glu Leu Cys Gln Asn Gly Thr Cys Val Gly Cys
```

FIGURE 3 (sheet 62 of 68)

```
Cys Glu Leu Cys Gln Asn Gly Thr Cys Val Ala Cys
Cys Glu Leu Cys Gln Asn Gly Thr Cys Gly Gly Cys
Cys Glu Leu Cys Gln Asn Gly Thr Cys Gly Ala Cys
Cys Glu Leu Cys Glu Asn Pro Ala Cys Thr Gly Cys
Cys Glu Leu Cys Glu Asn Pro Ala Cys Thr Ala Cys
Cys Glu Leu Cys Glu Asn Pro Ala Cys Val Gly Cys
Cys Glu Leu Cys Glu Asn Pro Ala Cys Val Ala Cys
Cys Glu Leu Cys Glu Asn Pro Ala Cys Gly Gly Cys
Cys Glu Leu Cys Glu Asn Pro Ala Cys Gly Ala Cys
Cys Glu Leu Cys Glu Asn Pro Thr Cys Thr Gly Cys
Cys Glu Leu Cys Glu Asn Pro Thr Cys Thr Ala Cys
Cys Glu Leu Cys Glu Asn Pro Thr Cys Val Gly Cys
Cys Glu Leu Cys Glu Asn Pro Thr Cys Val Ala Cys
Cys Glu Leu Cys Glu Asn Pro Thr Cys Gly Gly Cys
Cys Glu Leu Cys Glu Asn Pro Thr Cys Gly Ala Cys
Cys Glu Leu Cys Glu Asn Gly Ala Cys Thr Gly Cys
Cys Glu Leu Cys Glu Asn Gly Ala Cys Thr Ala Cys
Cys Glu Leu Cys Glu Asn Gly Ala Cys Val Gly Cys
Cys Glu Leu Cys Glu Asn Gly Ala Cys Val Ala Cys
Cys Glu Leu Cys Glu Asn Gly Ala Cys Gly Gly Cys
Cys Glu Leu Cys Glu Asn Gly Ala Cys Gly Ala Cys
Cys Glu Leu Cys Glu Asn Gly Thr Cys Thr Gly Cys
Cys Glu Leu Cys Glu Asn Gly Thr Cys Thr Ala Cys
Cys Glu Leu Cys Glu Asn Gly Thr Cys Val Gly Cys
Cys Glu Leu Cys Glu Asn Gly Thr Cys Val Ala Cys
Cys Glu Leu Cys Glu Asn Gly Thr Cys Gly Gly Cys
Cys Glu Leu Cys Glu Asn Gly Thr Cys Gly Ala Cys
Cys Glu Leu Cys Gly Asn Pro Ala Cys Thr Gly Cys
Cys Glu Leu Cys Gly Asn Pro Ala Cys Thr Ala Cys
Cvs Glu Leu Cys Gly Asn Pro Ala Cys Val Gly Cys
Cys Glu Leu Cys Gly Asn Pro Ala Cys Val Ala Cys
Cys Glu Leu Cys Gly Asn Pro Ala Cys Gly Gly Cys
Cys Glu Leu Cys Gly Asn Pro Ala Cys Gly Ala Cys
Cys Glu Leu Cys Gly Asn Pro Thr Cys Thr Gly Cys
Cys Glu Leu Cys Gly Asn Pro Thr Cys Thr Ala Cys
Cys Glu Leu Cys Gly Asn Pro Thr Cys Val Gly Cys
Cys Glu Leu Cys Gly Asn Pro Thr Cys Val Ala Cys
Cys Glu Leu Cys Gly Asn Pro Thr Cys Gly Gly Cys
Cys Glu Leu Cys Gly Asn Pro Thr Cys Gly Ala Cys
Cys Glu Leu Cys Gly Asn Gly Ala Cys Thr Gly Cys
Cys Glu Leu Cys Gly Asn Gly Ala Cys Thr Ala Cys
Cys Glu Leu Cys Gly Asn Gly Ala Cys Val Gly Cys
Cys Glu Leu Cys Gly Asn Gly Ala Cys Val Ala Cys
Cys Glu Leu Cys Gly Asn Gly Ala Cys Gly Gly Cys
Cys Glu Leu Cys Gly Asn Gly Ala Cys Gly Ala Cys
Cys Glu Leu Cys Gly Asn Gly Thr Cys Thr Gly Cys
Cys Glu Leu Cys Gly Asn Gly Thr Cys Thr Ala Cys
Cys Glu Leu Cys Gly Asn Gly Thr Cys Val Gly Cys
Cys Glu Leu Cys Gly Asn Gly Thr Cys Val Ala Cys
Cys Glu Leu Cys Gly Asn Gly Thr Cys Gly Gly Cys
Cys Glu Leu Cys Gly Asn Gly Thr Cys Gly Ala Cys
Cys Glu Leu Cys His Asn Pro Ala Cys Thr Gly Cys
Cys Glu Leu Cys His Asn Pro Ala Cys Thr Ala Cys
Cys Glu Leu Cys His Asn Pro Ala Cys Val Gly Cys
Cys Glu Leu Cys His Asn Pro Ala Cys Val Ala Cys
Cys Glu Leu Cys His Asn Pro Ala Cys Gly Gly Cys
Cys Glu Leu Cys His Asn Pro Ala Cys Gly Ala Cys
```

FIGURE 3 (sheet 63 of 68)

```
Cys Glu Leu Cys His Asn Pro Thr Cys Thr Gly Cys
Cys Glu Leu Cys His Asn Pro Thr Cys Thr Ala Cys
Cys Glu Leu Cys His Asn Pro Thr Cys Val Gly Cys
Cys Glu Leu Cys His Asn Pro Thr Cys Val Ala Cys
Cys Glu Leu Cys His Asn Pro Thr Cys Gly Gly Cys
Cvs Glu Leu Cys His Asn Pro Thr Cys Gly Ala Cys
Cys Glu Leu Cys His Asn Gly Ala Cys Thr Gly Cys
Cys Glu Leu Cys His Asn Gly Ala Cys Thr Ala Cys
Cys Glu Leu Cys His Asn Gly Ala Cys Val Gly Cys
Cys Glu Leu Cys His Asn Gly Ala Cys Val Ala Cys
Cys Glu Leu Cys His Asn Gly Ala Cys Gly Gly Cys
Cys Glu Leu Cys His Asn Gly Ala Cys Gly Ala Cys
Cys Glu Leu Cys His Asn Gly Thr Cys Thr Gly Cys
Cys Glu Leu Cys His Asn Gly Thr Cys Thr Ala Cys
Cys Glu Leu Cys His Asn Gly Thr Cys Val Gly Cys
Cys Glu Leu Cys His Asn Gly Thr Cys Val Ala Cys
Cys Glu Leu Cys His Asn Gly Thr Cys Gly Gly Cys
Cys Glu Leu Cys His Asn Gly Thr Cys Gly Ala Cys
Cys Glu Leu Cys Ile Asn Pro Ala Cys Thr Gly Cys
Cys Glu Leu Cys Ile Asn Pro Ala Cys Thr Ala Cys
Cys Glu Leu Cys Ile Asn Pro Ala Cys Val Gly Cys
Cys Glu Leu Cys Ile Asn Pro Ala Cys Val Ala Cys
Cys Glu Leu Cys Ile Asn Pro Ala Cys Gly Gly Cys
Cys Glu Leu Cys Ile Asn Pro Ala Cys Gly Ala Cys
Cys Glu Leu Cys Ile Asn Pro Thr Cys Thr Gly Cys
Cys Glu Leu Cys Ile Asn Pro Thr Cys Thr Ala Cys
Cys Glu Leu Cys Ile Asn Pro Thr Cys Val Gly Cys
Cys Glu Leu Cys Ile Asn Pro Thr Cys Val Ala Cys
Cys Glu Leu Cys Ile Asn Pro Thr Cys Gly Gly Cys
Cys Glu Leu Cys Ile Asn Pro Thr Cys Gly Ala Cys
Cys Glu Leu Cys Ile Asn Gly Ala Cys Thr Gly Cys
Cys Glu Leu Cys Ile Asn Gly Ala Cys Thr Ala Cys
Cys Glu Leu Cys Ile Asn Gly Ala Cys Val Gly Cys
Cys Glu Leu Cys Ile Asn Gly Ala Cys Val Ala Cys Cys Glu Leu Cys Ile Asn Gly Ala Cys Gly Gly Cys Cys Glu Leu Cys Ile Asn Gly Ala Cys Gly Ala Cys
Cys Glu Leu Cys Ile Asn Gly Thr Cys Thr Gly Cys
Cys Glu Leu Cys Ile Asn Gly Thr Cys Thr Ala Cys
Cys Glu Leu Cys Ile Asn Gly Thr Cys Val Gly Cys
Cys Glu Leu Cys Ile Asn Gly Thr Cys Val Ala Cys
Cys Glu Leu Cys Ile Asn Gly Thr Cys Gly Gly Cys
Cys Glu Leu Cys Ile Asn Gly Thr Cys Gly Ala Cys
Cys Glu Leu Cys Leu Asn Pro Ala Cys Thr Gly Cys
Cys Glu Leu Cys Leu Asn Pro Ala Cys Thr Ala Cys
Cys Glu Leu Cys Leu Asn Pro Ala Cys Val Gly Cys
Cys Glu Leu Cys Leu Asn Pro Ala Cys Val Ala Cys
Cys Glu Leu Cys Leu Asn Pro Ala Cys Gly Gly Cys
Cys Glu Leu Cys Leu Asn Pro Ala Cys Gly Ala Cys
Cys Glu Leu Cys Leu Asn Pro Thr Cys Thr Gly Cys
Cys Glu Leu Cys Leu Asn Pro Thr Cys Thr Ala Cys
Cys Glu Leu Cys Leu Asn Pro Thr Cys Val Gly Cys
Cys Glu Leu Cys Leu Asn Pro Thr Cys Val Ala Cys
Cys Glu Leu Cys Leu Asn Pro Thr Cys Gly Gly Cys
Cys Glu Leu Cys Leu Asn Pro Thr Cys Gly Ala Cys
Cys Glu Leu Cys Leu Asn Gly Ala Cys Thr Gly Cys
Cys Glu Leu Cys Leu Asn Gly Ala Cys Thr Ala Cys
Cys Glu Leu Cys Leu Asn Gly Ala Cys Val Gly Cys
```

FIGURE 3 (sheet 64 of 68)

```
Cys Glu Leu Cys Leu Asn Gly Ala Cys Val Ala Cys
Cys Glu Leu Cys Leu Asn Gly Ala Cys Gly Gly Cys
Cys Glu Leu Cys Leu Asn Gly Ala Cys Gly Ala Cys
Cys Glu Leu Cys Leu Asn Gly Thr Cys Thr Gly Cys
Cys Glu Leu Cys Leu Asn Gly Thr Cys Thr Ala Cys
Cys Glu Leu Cys Leu Asn Gly Thr Cys Val Gly Cys
Cys Glu Leu Cys Leu Asn Gly Thr Cys Val Ala Cys
Cys Glu Leu Cys Leu Asn Gly Thr Cys Gly Gly Cys Cys Glu Leu Cys Leu Asn Gly Thr Cys Gly Ala Cys
Cys Glu Leu Cys Lys Asn Pro Ala Cys Thr Gly Cys
Cys Glu Leu Cys Lys Asn Pro Ala Cys Thr Ala Cys
Cys Glu Leu Cys Lys Asn Pro Ala Cys Val Gly Cys
Cys Glu Leu Cys Lys Asn Pro Ala Cys Val Ala Cys
Cys Glu Leu Cys Lys Asn Pro Ala Cys Gly Gly Cys
Cys Glu Leu Cys Lys Asn Pro Ala Cys Gly Ala Cys
Cys Glu Leu Cys Lys Asn Pro Thr Cys Thr Gly Cys
Cys Glu Leu Cys Lys Asn Pro Thr Cys Thr Ala Cys
Cvs Glu Leu Cys Lys Asn Pro Thr Cys Val Gly Cys
Cys Glu Leu Cys Lys Asn Pro Thr Cys Val Ala Cys
Cys Glu Leu Cys Lys Asn Pro Thr Cys Gly Gly Cys
Cys Glu Leu Cys Lys Asn Pro Thr Cys Gly Ala Cys
Cys Glu Leu Cys Lys Asn Gly Ala Cys Thr Gly Cys
Cys Glu Leu Cys Lys Asn Gly Ala Cys Thr Ala Cys
Cvs Glu Leu Cys Lys Asn Gly Ala Cys Val Gly Cys
Cys Glu Leu Cys Lys Asn Gly Ala Cys Val Ala Cys
Cys Glu Leu Cys Lys Asn Gly Ala Cys Gly Gly Cys
Cys Glu Leu Cys Lys Asn Gly Ala Cys Gly Ala Cys
Cys Glu Leu Cys Lys Asn Gly Thr Cys Thr Gly Cys
Cys Glu Leu Cys Lys Asn Gly Thr Cys Thr Ala Cys
Cys Glu Leu Cys Lys Asn Gly Thr Cys Val Gly Cys
Cys Glu Leu Cys Lys Asn Gly Thr Cys Val Ala Cys
Cys Glu Leu Cys Lys Asn Gly Thr Cys Gly Gly Cys
Cys Glu Leu Cys Lys Asn Gly Thr Cys Gly Ala Cys
Cys Glu Leu Cys Met Asn Pro Ala Cys Thr Gly Cys
Cys Glu Leu Cys Met Asn Pro Ala Cys Thr Ala Cys
Cys Glu Leu Cys Met Asn Pro Ala Cys Val Gly Cys
Cys Glu Leu Cys Met Asn Pro Ala Cys Val Ala Cys
Cys Glu Leu Cys Met Asn Pro Ala Cys Gly Gly Cys
Cys Glu Leu Cys Met Asn Pro Ala Cys Gly Ala Cys
Cys Glu Leu Cys Met Asn Pro Thr Cys Thr Gly Cys
Cys Glu Leu Cys Met Asn Pro Thr Cys Thr Ala Cys
Cys Glu Leu Cys Met Asn Pro Thr Cys Val Gly Cys
Cys Glu Leu Cys Met Asn Pro Thr Cys Val Ala Cys
Cys Glu Leu Cys Met Asn Pro Thr Cys Gly Gly Cys
Cys Glu Leu Cys Met Asn Pro Thr Cys Gly Ala Cys
Cys Glu Leu Cys Met Asn Gly Ala Cys Thr Gly Cys
Cys Glu Leu Cys Met Asn Gly Ala Cys Thr Ala Cys
Cys Glu Leu Cys Met Asn Gly Ala Cys Val Gly Cys
Cys Glu Leu Cys Met Asn Gly Ala Cys Val Ala Cys
Cys Glu Leu Cys Met Asn Gly Ala Cys Gly Gly Cys
Cys Glu Leu Cys Met Asn Gly Ala Cys Gly Ala Cys
Cys Glu Leu Cys Met Asn Gly Thr Cys Thr Gly Cys
Cys Glu Leu Cys Met Asn Gly Thr Cys Thr Ala Cys
Cys Glu Leu Cys Met Asn Gly Thr Cys Val Gly Cys
Cys Glu Leu Cys Met Asn Gly Thr Cys Val Ala Cys
Cys Glu Leu Cys Met Asn Gly Thr Cys Gly Gly Cys
Cys Glu Leu Cys Met Asn Gly Thr Cys Gly Ala Cys
```

FIGURE 3 (sheet 65 of 68)

```
Cys Glu Leu Cys Phe Asn Pro Ala Cys Thr Gly Cys
Cys Glu Leu Cys Phe Asn Pro Ala Cys Thr Ala Cys
Cys Glu Leu Cys Phe Asn Pro Ala Cys Val Gly Cys
Cys Glu Leu Cys Phe Asn Pro Ala Cys Val Ala Cys
Cys Glu Leu Cys Phe Asn Pro Ala Cys Gly Gly Cys
Cys Glu Leu Cys Phe Asn Pro Ala Cys Gly Ala Cys
Cvs Glu Leu Cys Phe Asn Pro Thr Cys Thr Gly Cys
Cys Glu Leu Cys Phe Asn Pro Thr Cys Thr Ala Cys
Cys Glu Leu Cys Phe Asn Pro Thr Cys Val Gly Cys
Cys Glu Leu Cys Phe Asn Pro Thr Cys Val Ala Cys
Cys Glu Leu Cys Phe Asn Pro Thr Cys Gly Gly Cys
Cys Glu Leu Cys Phe Asn Pro Thr Cys Gly Ala Cys
Cys Glu Leu Cys Phe Asn Gly Ala Cys Thr Gly Cys
Cys Glu Leu Cys Phe Asn Gly Ala Cys Thr Ala Cys
Cys Glu Leu Cys Phe Asn Gly Ala Cys Val Gly Cys
Cys Glu Leu Cys Phe Asn Gly Ala Cys Val Ala Cys
Cys Glu Leu Cys Phe Asn Gly Ala Cys Gly Gly Cys
Cys Glu Leu Cys Phe Asn Gly Ala Cys Gly Ala Cys
Cys Glu Leu Cys Phe Asn Gly Thr Cys Thr Gly Cys
Cvs Glu Leu Cys Phe Asn Gly Thr Cys Thr Ala Cys
Cys Glu Leu Cys Phe Asn Gly Thr Cys Val Gly Cys Cys Glu Leu Cys Phe Asn Gly Thr Cys Val Ala Cys Cys Glu Leu Cys Phe Asn Gly Thr Cys Gly Gly Cys Cys Glu Leu Cys Phe Asn Gly Thr Cys Gly Ala Cys
Cys Glu Leu Cys Pro Asn Pro Ala Cys Thr Gly Cys
Cys Glu Leu Cys Pro Asn Pro Ala Cys Thr Ala Cys
Cys Glu Leu Cys Pro Asn Pro Ala Cys Val Gly Cys
Cys Glu Leu Cys Pro Asn Pro Ala Cys Val Ala Cys
Cys Glu Leu Cys Pro Asn Pro Ala Cys Gly Gly Cys
Cys Glu Leu Cys Pro Asn Pro Ala Cys Gly Ala Cys
Cvs Glu Leu Cys Pro Asn Pro Thr Cys Thr Gly Cys
Cys Glu Leu Cys Pro Asn Pro Thr Cys Thr Ala Cys
Cys Glu Leu Cys Pro Asn Pro Thr Cys Val Gly Cys
Cys Glu Leu Cys Pro Asn Pro Thr Cys Val Ala Cys
Cys Glu Leu Cys Pro Asn Pro Thr Cys Gly Gly Cys
Cys Glu Leu Cys Pro Asn Pro Thr Cys Gly Ala Cys
Cys Glu Leu Cys Pro Asn Gly Ala Cys Thr Gly Cys
Cys Glu Leu Cys Pro Asn Gly Ala Cys Thr Ala Cys
Cys Glu Leu Cys Pro Asn Gly Ala Cys Val Gly Cys
Cys Glu Leu Cys Pro Asn Gly Ala Cys Val Ala Cys
Cys Glu Leu Cys Pro Asn Gly Ala Cys Gly Gly Cys
Cys Glu Leu Cys Pro Asn Gly Ala Cys Gly Ala Cys
Cys Glu Leu Cys Pro Asn Gly Thr Cys Thr Gly Cys
Cys Glu Leu Cys Pro Asn Gly Thr Cys Thr Ala Cys
Cys Glu Leu Cys Pro Asn Gly Thr Cys Val Gly Cys Cys Glu Leu Cys Pro Asn Gly Thr Cys Val Ala Cys Cys Glu Leu Cys Pro Asn Gly Thr Cys Gly Gly Cys Cys Glu Leu Cys Pro Asn Gly Thr Cys Gly Gly Cys Cys Glu Leu Cys Pro Asn Gly Thr Cys Gly Ala Cys
Cys Glu Leu Cys Ser Asn Pro Ala Cys Thr Gly Cys
Cys Glu Leu Cys Ser Asn Pro Ala Cys Thr Ala Cys
Cys Glu Leu Cys Ser Asn Pro Ala Cys Val Gly Cys
Cys Glu Leu Cys Ser Asn Pro Ala Cys Val Ala Cys
Cys Glu Leu Cys Ser Asn Pro Ala Cys Gly Gly Cys
Cys Glu Leu Cys Ser Asn Pro Ala Cys Gly Ala Cys
Cys Glu Leu Cys Ser Asn Pro Thr Cys Thr Gly Cys
Cys Glu Leu Cys Ser Asn Pro Thr Cys Thr Ala Cys
Cys Glu Leu Cys Ser Asn Pro Thr Cys Val Gly Cys
```

WO 2005/016244 PCT/US2004/018751

FIGURE 3 (sheet 66 of 68)

```
Cys Glu Leu Cys Ser Asn Pro Thr Cys Val Ala Cys
Cys Glu Leu Cys Ser Asn Pro Thr Cys Gly Gly Cys
Cys Glu Leu Cys Ser Asn Pro Thr Cys Gly Ala Cys
Cys Glu Leu Cys Ser Asn Gly Ala Cys Thr Gly Cys
Cys Glu Leu Cys Ser Asn Gly Ala Cys Thr Ala Cys
Cys Glu Leu Cys Ser Asn Gly Ala Cys Val Gly Cys
Cvs Glu Leu Cys Ser Asn Gly Ala Cys Val Ala Cys
Cys Glu Leu Cys Ser Asn Gly Ala Cys Gly Gly Cys
Cys Glu Leu Cys Ser Asn Gly Ala Cys Gly Ala Cys
Cys Glu Leu Cys Ser Asn Gly Thr Cys Thr Gly Cys Cys Glu Leu Cys Ser Asn Gly Thr Cys Thr Ala Cys Cys Glu Leu Cys Ser Asn Gly Thr Cys Val Gly Cys Cys Glu Leu Cys Ser Asn Gly Thr Cys Val Ala Cys
Cys Glu Leu Cys Ser Asn Gly Thr Cys Gly Gly Cys
Cys Glu Leu Cys Ser Asn Gly Thr Cys Gly Ala Cys
Cys Glu Leu Cys Thr Asn Pro Ala Cys Thr Gly Cys
Cys Glu Leu Cys Thr Asn Pro Ala Cys Thr Ala Cys
Cys Glu Leu Cys Thr Asn Pro Ala Cys Val Gly Cys
Cys Glu Leu Cys Thr Asn Pro Ala Cys Val Ala Cys
Cys Glu Leu Cys Thr Asn Pro Ala Cys Gly Gly Cys
Cys Glu Leu Cys Thr Asn Pro Ala Cys Gly Ala Cys
Cys Glu Leu Cys Thr Asn Pro Thr Cys Thr Gly Cys
Cys Glu Leu Cys Thr Asn Pro Thr Cys Thr Ala Cys
Cys Glu Leu Cys Thr Asn Pro Thr Cys Val Gly Cys
Cys Glu Leu Cys Thr Asn Pro Thr Cys Val Ala Cys
Cvs Glu Leu Cys Thr Asn Pro Thr Cys Gly Gly Cys
Cys Glu Leu Cys Thr Asn Pro Thr Cys Gly Ala Cys
Cys Glu Leu Cys Thr Asn Gly Ala Cys Thr Gly Cys
Cys Glu Leu Cys Thr Asn Gly Ala Cys Thr Ala Cys
Cys Glu Leu Cys Thr Asn Gly Ala Cys Val Gly Cys
Cys Glu Leu Cys Thr Asn Gly Ala Cys Val Ala Cys
Cvs Glu Leu Cys Thr Asn Gly Ala Cys Gly Gly Cys
Cys Glu Leu Cys Thr Asn Gly Ala Cys Gly Ala Cys
Cys Glu Leu Cys Thr Asn Gly Thr Cys Thr Gly Cys
Cys Glu Leu Cys Thr Asn Gly Thr Cys Thr Ala Cys
Cys Glu Leu Cys Thr Asn Gly Thr Cys Val Gly Cys
Cys Glu Leu Cys Thr Asn Gly Thr Cys Val Ala Cys
Cys Glu Leu Cys Thr Asn Gly Thr Cys Gly Gly Cys
Cys Glu Leu Cys Thr Asn Gly Thr Cys Gly Ala Cys
Cys Glu Leu Cys Trp Asn Pro Ala Cys Thr Gly Cys
Cys Glu Leu Cys Trp Asn Pro Ala Cys Thr Ala Cys
Cys Glu Leu Cys Trp Asn Pro Ala Cys Val Gly Cys
Cys Glu Leu Cys Trp Asn Pro Ala Cys Val Ala Cys
Cys Glu Leu Cys Trp Asn Pro Ala Cys Gly Gly Cys
Cys Glu Leu Cys Trp Asn Pro Ala Cys Gly Ala Cys
Cys Glu Leu Cys Trp Asn Pro Thr Cys Thr Gly Cys
Cys Glu Leu Cys Trp Asn Pro Thr Cys Thr Ala Cys
Cys Glu Leu Cys Trp Asn Pro Thr Cys Val Gly Cys
Cys Glu Leu Cys Trp Asn Pro Thr Cys Val Ala Cys
Cys Glu Leu Cys Trp Asn Pro Thr Cys Gly Gly Cys
Cys Glu Leu Cys Trp Asn Pro Thr Cys Gly Ala Cys
Cys Glu Leu Cys Trp Asn Gly Ala Cys Thr Gly Cys
Cys Glu Leu Cys Trp Asn Gly Ala Cys Thr Ala Cys
Cys Glu Leu Cys Trp Asn Gly Ala Cys Val Gly Cys
Cys Glu Leu Cys Trp Asn Gly Ala Cys Val Ala Cys
Cys Glu Leu Cys Trp Asn Gly Ala Cys Gly Gly Cys
Cys Glu Leu Cys Trp Asn Gly Ala Cys Gly Ala Cys
```

WO 2005/016244 PCT/US2004/018751

FIGURE 3 (sheet 67 of 68)

```
Cys Glu Leu Cys Trp Asn Gly Thr Cys Thr Gly Cys
Cys Glu Leu Cys Trp Asn Gly Thr Cys Thr Ala Cys
Cys Glu Leu Cys Trp Asn Gly Thr Cys Val Gly Cys
Cys Glu Leu Cys Trp Asn Gly Thr Cys Val Ala Cys
Cys Glu Leu Cys Trp Asn Gly Thr Cys Gly Gly Cys
Cvs Glu Leu Cys Trp Asn Gly Thr Cys Gly Ala Cys
Cys Glu Leu Cys Tyr Asn Pro Ala Cys Thr Gly Cys
Cys Glu Leu Cys Tyr Asn Pro Ala Cys Thr Ala Cys
Cys Glu Leu Cys Tyr Asn Pro Ala Cys Val Gly Cys
Cys Glu Leu Cys Tyr Asn Pro Ala Cys Val Ala Cys
Cys Glu Leu Cys Tyr Asn Pro Ala Cys Gly Gly Cys
Cys Glu Leu Cys Tyr Asn Pro Ala Cys Gly Ala Cys
Cvs Glu Leu Cys Tyr Asn Pro Thr Cys Thr Gly Cys
Cys Glu Leu Cys Tyr Asn Pro Thr Cys Thr Ala Cys
Cys Glu Leu Cys Tyr Asn Pro Thr Cys Val Gly Cys
Cys Glu Leu Cys Tyr Asn Pro Thr Cys Val Ala Cys
Cys Glu Leu Cys Tyr Asn Pro Thr Cys Gly Gly Cys
Cvs Glu Leu Cys Tyr Asn Pro Thr Cys Gly Ala Cys
Cys Glu Leu Cys Tyr Asn Gly Ala Cys Thr Gly Cys
Cvs Glu Leu Cys Tyr Asn Gly Ala Cys Thr Ala Cys
Cys Glu Leu Cys Tyr Asn Gly Ala Cys Val Gly Cys
Cys Glu Leu Cys Tyr Asn Gly Ala Cys Val Ala Cys
Cys Glu Leu Cys Tyr Asn Gly Ala Cys Gly Gly Cys
Cys Glu Leu Cys Tyr Asn Gly Ala Cys Gly Ala Cys
Cys Glu Leu Cys Tyr Asn Gly Thr Cys Thr Gly Cys
Cys Glu Leu Cys Tyr Asn Gly Thr Cys Thr Ala Cys
Cys Glu Leu Cys Tyr Asn Gly Thr Cys Val Gly Cys
Cys Glu Leu Cys Tyr Asn Gly Thr Cys Val Ala Cys
Cys Glu Leu Cys Tyr Asn Gly Thr Cys Gly Gly Cys
Cys Glu Leu Cys Tyr Asn Gly Thr Cys Gly Ala Cys
Cys Glu Leu Cys Val Asn Pro Ala Cys Thr Gly Cys
Cvs Glu Leu Cys Val Asn Pro Ala Cys Thr Ala Cys
Cys Glu Leu Cys Val Asn Pro Ala Cys Val Gly Cys
Cys Glu Leu Cys Val Asn Pro Ala Cys Val Ala Cys
Cys Glu Leu Cys Val Asn Pro Ala Cys Gly Gly Cys
Cys Glu Leu Cys Val Asn Pro Ala Cys Gly Ala Cys
Cys Glu Leu Cys Val Asn Pro Thr Cys Thr Gly Cys
Cys Glu Leu Cys Val Asn Pro Thr Cys Thr Ala Cys
Cys Glu Leu Cys Val Asn Pro Thr Cys Val Gly Cys
Cys Glu Leu Cys Val Asn Pro Thr Cys Val Ala Cys
Cys Glu Leu Cys Val Asn Pro Thr Cys Gly Gly Cys
Cys Glu Leu Cys Val Asn Pro Thr Cys Gly Ala Cys
Cys Glu Leu Cys Val Asn Gly Ala Cys Thr Gly Cys
Cys Glu Leu Cys Val Asn Gly Ala Cys Thr Ala Cys
Cys Glu Leu Cys Val Asn Gly Ala Cys Val Gly Cys
Cys Glu Leu Cys Val Asn Gly Ala Cys Val Ala Cys
Cys Glu Leu Cys Val Asn Gly Ala Cys Gly Gly Cys
Cys Glu Leu Cys Val Asn Gly Ala Cys Gly Ala Cys
Cys Glu Leu Cys Val Asn Gly Thr Cys Thr Gly Cys
Cys Glu Leu Cys Val Asn Gly Thr Cys Thr Ala Cys
Cys Glu Leu Cys Val Asn Gly Thr Cys Val Gly Cys
Cys Glu Leu Cys Val Asn Gly Thr Cys Val Ala Cys
Cys Glu Leu Cys Val Asn Gly Thr Cys Gly Gly Cys
Cys Glu Leu Cys Val Asn Gly Thr Cys Gly Ala Cys
Cys Glu Leu Cys --- Asn Pro Ala Cys Thr Gly Cys
Cys Glu Leu Cys --- Asn Pro Ala Cys Thr Ala Cys
Cys Glu Leu Cys --- Asn Pro Ala Cys Val Gly Cys
```

FIGURE 3 (sheet 68 of 68)

```
        Cys
        Glu
        Leu
        Cys
        ---
        Asn
        Pro
        Ala
        Cys
        Gly
        Gly
        Cys

        Cys
        Glu
        Leu
        Cys
        ---
        Asn
        Pro
        Ala
        Cys
        Gly
        Ala
        Cys

        Cys
        Glu
        Leu
        Cys
        ---
        Asn
        Pro
        Thr
        Cys
        Thr
        Ala
        Cys

        Cys
        Glu
        Leu
        Cys
        ---
        Asn
        Pro
        Thr
        Cys
        Thr
        Ala
        Cys

        Cys
        Glu
        Leu
        Cys
        ---
        Asn
        Pro
        Thr
        Cys
        Gly
        Cys

        Cys
        Glu
        Leu
        Cys
        ---
        Asn
        Pro
        Thr
        Cys
        Gly
        Gly
        Cys

        Cys
        Glu
        Leu
        Cys
        ---
        Asn
        Pro
        Thr
        Cys
        Gly
        Ala
        Cys

        Cys
        Glu
        Leu
        Cys
        ---
        Asn
        Gly
```

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of: COMISKEY, Stephen, Confirmation No.: 8164

et al.

Application No.: 14/845,644 Group Art Unit: 1676

Filed: September 4, 2015 Examiner: Jia-Hai LEE

FOR: FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS

OF USE

Mail Stop Amendment

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

DO NOT ENTER: /J.L/ AMENDMENT AND RESPONSE TO FINAL OFFICE ACTION

09/23/2016

This amendment and response is submitted in response to the Final Office Action mailed on June 3, 2016 in the above-identified application. This response is timely filed by September 3, 2016. As September 3, 2016 is a Saturday, and the following Monday, September 5, 2016, is a federal holiday, this response is timely filed by September 6, 2016 per the next-business-day rule.

Amendments to the Claims are reflected in the listing of the claims which begins on page 2 of this paper.

Remarks/Arguments begin on page 4 of this paper.

	Application No.	Applicant(s)	
AFCP 2.0	14/845,644	COMISKEY ET AL.	
Decision	Examiner	Art Unit	
	JIA-HAI LEE	1676	
This is in response to the After Final Consideration Pilot request	t filed 06 September 2016.		
1. Improper Request – The AFCP 2.0 request is improper for the request will be treated under pre-pilot procedure.	r the following reason(s) and the after	er final amendment submitted with	
☐ An AFCP 2.0 request form PTO/SB/434 (or equivalent document) was not submitted.			
A non-broadening amendment to at le	ast one independent claim was not so	ubmitted.	
☐ A proper AFCP 2.0 request was subm	itted in response to the most recent f	inal rejection.	
Other:			
2. Proper Request			
A. After final amendment submitted with the request. The after final amendment cannot be reviewed.		guidelines of the pilot program.	
☐ The after final amendment will be treat	nted under pre-pilot procedure.		
B. Updated search and/or completed additional consideration. The examiner performed an updated search and/or completed additional consideration of the after final amendment within the time authorized for the pilot program. The result(s) of the updated search and/or completed additional consideration are:			
1. All of the rejections in the most receiver herewith.	ent final Office action are overcome	and a Notice of Allowance is issued	
☐ 2. The after final amendment would no See attached interview summary for		he most recent final Office action.	
3. The after final amendment was revi further details.	ewed, and it raises a new issue(s). So	ee attached interview summary for	
	etermining allowability could not be	made within the guidelines of the	
☐ 5. Other:			
Examiner Note: Please attach an interview summary when necessary as described above.			

Doc code: RCEX

PTO/SB/30EFS (07-09)

Approved for use through 07/31/2012. OMB 0651-0031 U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Doc description: Request for Continued Examination (RCE)

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

REQUEST FOR CONTINUED EXAMINATION(RCE)TRANSMITTAL (Submitted Only via EFS-Web)							
Application Number	14/845,644	Filing Date	2015-09-04	Docket Number (if applicable)	SYPA-009/C02US 321994-22	Art Unit	1676
First Named Inventor	Stephen COMIS	KEY	-	Examiner Name	LEE, Jia-Hai		
Request for C	ontinued Examina	ation (RCE) p	ractice under 37 CI		above-identified application. oply to any utility or plant applica WWW.USPTO.GOV	ation filed	prior to June 8
		SU	IBMISSION REQ	UIRED UNDER 37	CFR 1.114		
in which they	were filed unless	applicant inst		applicant does not wi	nents enclosed with the RCE wil sh to have any previously filed t		
	v submitted. If a fi on even if this box			any amendments file	d after the final Office action ma	y be con	sidered as a
☐ Co	nsider the argume	ents in the Ap	peal Brief or Reply	Brief previously filed	on		
Oth	ner 						
⊠ Am	nendment/Reply						
☐ Info	ormation Disclosu	ire Statement	(IDS)				
Affidavit(s)/ Declaration(s)							
Other							
	MISCELLANEOUS						
Suspension (Period o	on of action on th of suspension sha	e above-ident II not exceed	tified application is 3 months; Fee und	requested under 37 er 37 CFR 1.17(i) red	CFR 1.103(c) for a period of moquired)	onths _	
Other Certification and Request For Prioritized Examination Under 37 CFR 1.102(e)							
FEES							
The RCE fee under 37 CFR 1.17(e) is required by 37 CFR 1.114 when the RCE is filed. The Director is hereby authorized to charge any underpayment of fees, or credit any overpayments, to Deposit Account No 501283							
	;	SIGNATURE	OF APPLICAN	Γ, ATTORNEY, OF	R AGENT REQUIRED		
× Patent	Practiti on er Sign	ature					
Applicant Signature							

Doc code: RCEX
Doc description: Request for Continued Examination (RCE)

PTO/SB/30EFS (07-09) Approved for use through 07/31/2012. OMB 0651-0031

U.S. Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Signature of Registered U.S. Patent Practitioner			
Signature	/Anne E. Fleckenstein/	Date (YYYY-MM-DD)	2016-12-05
Name	Anne E. Fleckenstein	Registration Number	62951

This collection of information is required by 37 CFR 1.114. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Privacy Act Statement

The Privacy Act of 1974 (P.L. 93-579) requires that you be given certain information in connection with your submission of the attached form related to a patent application or patent. Accordingly, pursuant to the requirements of the Act, please be advised that: (1) the general authority for the collection of this information is 35 U.S.C. 2(b)(2); (2) furnishing of the information solicited is voluntary; and (3) the principal purpose for which the information is used by the U.S. Patent and Trademark Office is to process and/or examine your submission related to a patent application or patent. If you do not furnish the requested information, the U.S. Patent and Trademark Office may not be able to process and/or examine your submission, which may result in termination of proceedings or abandonment of the application or expiration of the patent.

The information provided by you in this form will be subject to the following routine uses:

- 1. The information on this form will be treated confidentially to the extent allowed under the Freedom of Information Act (5 U.S.C. 552) and the Privacy Act (5 U.S.C. 552a). Records from this system of records may be disclosed to the Department of Justice to determine whether the Freedom of Information Act requires disclosure of these records.
- A record from this system of records may be disclosed, as a routine use, in the course of presenting evidence to a court, magistrate, or administrative tribunal, including disclosures to opposing counsel in the course of settlement negotiations.
- 3. A record in this system of records may be disclosed, as a routine use, to a Member of Congress submitting a request involving an individual, to whom the record pertains, when the individual has requested assistance from the Member with respect to the subject matter of the record.
- 4. A record in this system of records may be disclosed, as a routine use, to a contractor of the Agency having need for the information in order to perform a contract. Recipients of information shall be required to comply with the requirements of the Privacy Act of 1974, as amended, pursuant to 5 U.S.C. 552a(m).
- 5. A record related to an International Application filed under the Patent Cooperation Treaty in this system of records may be disclosed, as a routine use, to the International Bureau of the World Intellectual Property Organization, pursuant to the Patent Cooperation Treaty.
- 6. A record in this system of records may be disclosed, as a routine use, to another federal agency for purposes of National Security review (35 U.S.C. 181) and for review pursuant to the Atomic Energy Act (42 U.S.C. 218(c)).
- 7. A record from this system of records may be disclosed, as a routine use, to the Administrator, General Services, or his/her designee, during an inspection of records conducted by GSA as part of that agency's responsibility to recommend improvements in records management practices and programs, under authority of 44 U.S.C. 2904 and 2906. Such disclosure shall be made in accordance with the GSA regulations governing inspection of records for this purpose, and any other relevant (i.e., GSA or Commerce) directive. Such disclosure shall not be used to make determinations about individuals.
- 8. A record from this system of records may be disclosed, as a routine use, to the public after either publication of the application pursuant to 35 U.S.C. 122(b) or issuance of a patent pursuant to 35 U.S.C. 151. Further, a record may be disclosed, subject to the limitations of 37 CFR 1.14, as a routine use, to the public if the record was filed in an application which became abandoned or in which the proceedings were terminated and which application is referenced by either a published application, an application open to public inspections or an issued patent.
- 9. A record from this system of records may be disclosed, as a routine use, to a Federal, State, or local law enforcement agency, if the USPTO becomes aware of a violation or potential violation of law or regulation.

EFS - Web 2.1.15 0696

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of: COMISKEY, Stephen, Confirmation No.: 8164

et al.

Application No.: 14/845,644 Group Art Unit: 1676

Filed: September 4, 2015 Examiner: Jia-Hai LEE

FOR: FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS

OF USE

Mail Stop Amendment

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

AMENDMENT AND RESPONSE TO FINAL OFFICE ACTION AND ADVISORY ACTION AND REQUEST FOR CONTINUED EXAMINATION

This amendment and response is submitted in response to the Final Office Action mailed on June 3, 2016 and the Advisory Action mailed September 29, 2016 in the above-identified application. The fee for a three-month extension of time is submitted herewith, making this response timely filed by December 3, 2016. As December 3, 2016 is a Saturday, this response is timely filed by Monday, December 5, 2016 per the next-business-day rule. This response is being filed with a Request for Continued Examination.

Amendments to the Claims are reflected in the listing of the claims which begins on page 2 of this paper.

Remarks/Arguments begin on page 5 of this paper.

IN THE CLAIMS:

Set forth below in ascending order, with status identifiers, is a complete listing of all claims currently under examination. Changes to any amended claims are indicated by strikethrough and underlining. This listing also reflects any cancellation and/or addition of claims.

- 1. (Currently Amended) A method for treating chronic constipation in a human subject comprising orally administering to said human subject a composition emprising consisting of a per unit dose of 3 mg or 6 mg of a peptide consisting of SEQ ID NO:1 wherein the peptide is a [4,12; 7,15] bicycle, an inert low moisture carrier, and a lubricant, and wherein the peptide has a chromatographic purity of no less than 91% after storage for at least three months and one or more pharmaceutically acceptable excipients.
- 2. (Original) The method of claim 1, wherein the constipation is associated with irritable bowel syndrome or chronic idiopathic constipation.
- 3. (Currently Amended) A method of treating or alleviating a symptom associated with chronic idiopathic constipation or irritable bowel syndrome in a human subject comprising orally administering to said human subject a composition emprising consisting of a per unit dose of 3 mg or 6 mg of a peptide consisting of SEQ ID NO:1 wherein the peptide is a [4,12; 7,15] bicycle, an inert low moisture carrier, and a lubricant, and wherein the peptide has a chromatographic purity of no less than 91% after storage for at least three months and one or more pharmaceutically acceptable excipients.
- 4. (Original) The method of claim 3, wherein the symptom is constipation or abdominal pain.
- 5. (Original) The method of claim 1, further comprising administering to said patient an effective dose of an inhibitor of cGMP-dependent phosphodiesterase either concurrently or sequentially with said guanylate cyclase receptor agonist.

- 6. (Original) The method of claim 5, wherein said inhibitor of cGMP-dependent phosphodiesterase is selected from the group consisting of sulindac sulfone, zaprinast, and motapizone.
- 7. (Original) The method of claim 1, further comprising administering to said patient an effective dose of a laxative.
- 8. (Original) The method of claim 3, further comprising administering to said patient an effective dose of an inhibitor of cGMP-dependent phosphodiesterase either concurrently or sequentially with said guanylate cyclase receptor agonist.
- 9. (Original) The method of claim 8, wherein said inhibitor of cGMP-dependent phosphodiesterase is selected from the group consisting of sulindac sulfone, zaprinast, and motapizone.
- 10. (Original) The method of claim 3, further comprising administering to said patient an effective dose of a laxative.
- 11. (New) The method of claim 1, wherein the inert low moisture carrier is microcrystalline cellulose.
- 12. (New) The method of claim 1, wherein the lubricant is magnesium stearate.
- 13. (New) The method of claim 1, wherein the inert low moisture carrier is microcrystalline cellulose and the lubricant is magnesium stearate.
- 14. (New) The method of claim 3, wherein the inert low moisture carrier is microcrystalline cellulose.
- 15. (New) The method of claim 3, wherein the lubricant is magnesium stearate.

Page 4

16. (New) The method of claim 3, wherein the inert low moisture carrier is microcrystalline cellulose and the lubricant is magnesium stearate.

REMARKS

Claims 1-16 are pending. Claims 11-16 are new. Claims 1 and 3 are amended herein to recite the composition comprises a low-moisture inert carrier and a lubricant, and the peptide has a chromatographic purity of no less than 91% after storage for at least three months. Support for these amendments can be found throughout the application as filed, and specifically for example, in Example 14 and paragraph [040]. Support for new claims 11 and 14 can be found throughout the application as filed, and specifically for example at paragraph [015]. Support for new claims 12 and 15 can be found throughout the application as filed, and specifically for example at paragraph [015]. Support for new claims 13 and 16 can be found throughout the application as filed, and specifically for example at paragraph [067]. No new matter is added.

Claims 1-10 are not obvious

The Examiner rejected claims 1-10 under 35 U.S.C. § 103(a) as allegedly being obvious over Shailubhai *et al.* (WO 2008/151257' "the '257 publication") in view of Shailubhai *et al.* (2008; "Shailubhai Abstract"). Office Action mailed June 3, at page 4. Specifically, the Examiner alleges the '257 publication teaches the use of a guanylate cyclase agonist SP-304 to treat gastrointestinal disorders including irritable bowel syndrome and constipation. *Id.* at pages 4-5. The Examiner further asserts the '257 publication teaches the SP-304 peptide can be formulated in a pharmaceutical composition in unit dose form between 100 µg and 3g together with one or more pharmaceutically acceptable excipients. *Id.* at page 5. While the Examiner concedes that the '257 publication does not specify a unit dose suitable for administration to humans, the Examiner contends the Shailubhai Abstract teaches the use of SP-304 for the treatment of chronic constipation, irritable bowel syndrome with constipation, and other GI disease via oral administration. *Id.* The Examiner thus argues that it would have been obvious to the skilled artisan to have combined the SP-304 peptide disclosed in the '257 publication with the Shailubhai Abstract's teaching of safe and effective administration of 2.7 mg or 5.4 mg of SP-304 with a reasonable expectation of success. *Id.* at page 7.

Applicants respectfully disagree. A *prima facie* case of "obviousness requires a suggestion of all limitations in a claim." *CFMT, Inc. v. Yieldup Intern. Corp.*, 349 F.3d 1333,

Page 6

1342 (Fed. Cir. 2003) (citing *In re Royka*, 490 F.2d 981, 985 (CCPA 1974)). The present claims are amended to recite the formulation consists of a per unit dose of 3 mg or 6 mg of a peptide consisting of SEQ ID NO:1 wherein the peptide is a [4,12; 7,15] bicycle, an inert low moisture carrier, and a lubricant, and wherein the peptide has a chromatographic purity of no less than 91% after storage for at least three months. This is neither taught nor suggested in the cited art. The '257 publication does not teach or suggest a formulation consisting of a per unit dose of 3 mg or 6 mg of a peptide consisting of SEQ ID NO:1 wherein the peptide is a [4,12; 7,15] bicycle, an inert low moisture carrier, and a lubricant where the peptide has a chromatographic purity of no less than 91% after storage for at least three months. Nothing in the '257 publication teaches or suggests a formulation with such characteristics. The Examiner has therefore failed to make a *prima facie* case of obviousness.

Nor does the Shailubhai Abstract cure the deficiencies of the '257 publication. Neither of these references teaches or suggests a formulation consisting of a per unit dose of 3 mg or 6 mg of a peptide consisting of SEQ ID NO:1 wherein the peptide is a [4,12; 7,15] bicycle, an inert low moisture carrier, and a lubricant, and wherein the peptide has a chromatographic purity of no less than 91% after storage for at least three months. The rejection fails for this reason alone.

Even assuming, arguendo, that the skilled person would find a reason to combine the '257 publication with the teaching of the Shailubhai Abstract, such combination still would not have led one to arrive at the instant claims. For a determination of obviousness the prior art must suggest to one of ordinary skill in the art that this method should be carried out and that one of ordinary skill would have a reasonable likelihood of success, when viewed in the light of the prior art. Moreover, the mere fact that references can be combined or modified does not render the resultant combination obvious unless the results would have been predictable to one of ordinary skill in the art. Objective evidence relevant to the issue of obviousness must be evaluated by Office personnel. Such evidence, sometimes referred to as "secondary considerations," may include evidence of unexpected results.

Applicants previously submitted a §1.132 declaration of Dr. Comiskey ("Comiskey Decl.") on September 6, 2016 demonstrating that formulations having a low-moisture inert carrier as recited in the amended claims shows superior results compared with formulations taught in the art, and are more stable than expected compared to formulations comprising a

Page 7

regular-grade carrier. *See* Comiskey Decl. at ¶ 7. Formulations containing a low-moisture carrier demonstrate unexpectedly dramatically decreased amounts of impurities. *See* Comiskey Decl. at ¶ 7-8. These data demonstrate that the formulation required by the claimed methods provides an unexpectedly superior result relative to formulations taught in the art. As noted by Dr. Comiskey, stability of the active ingredient, the peptide of SEQ ID NO: 1, is essential to ensure proper dosing in the treatment of chronic constipation or irritable bowel syndrome. *See* Comiskey Decl. at ¶ 9

The cited art therefore does not provide a suggestion of all elements of the pending claims. Nor does it teach or predict the surprising stability demonstrated by the instantly claimed formulations. Accordingly the claimed formulations are not obvious, and Applicants respectfully request withdrawal of the instant rejection.

Advisory Action mailed September 29, 2016

In the Advisory Action mailed September 29, 2016 the Examiner indicated that the proposed claim amendments have not been entered, and if they were, they are subject to a new ground of rejection. See Advisory Action, "Continuation of 12". Specifically, the Examiner contends the claims would be rejected under 35 U.S.C. § 103(a) as allegedly unpatentable over Currie et al. (WO 2005/016244; "Currie") in view of FMC biopolymer (2005; "FMC"), Fretzen (US 2010/0048489; "Fretzen"), and Shailubhai (Digestive Disease Week; 2008; "Shailubhai Abstract"). Id. The Examiner made the same rejection in co-pending US Application No. 13/421,769. Id. The Examiner argues Currie discloses bicyclic GC-C receptor agonist peptides in formulations that can include binders, lubricants, inert diluents, or microcrystalline cellulose purchased from FMC Corporation. See Office Action mailed October 5, 2016 in co-pending US Appln. No. 13/421,769, pages 6-7. The Examiner argues FMC shows a range of low moisture Avicel PH grades. Id. at page 7. The Examiner contends Fretzen et al. teaches an orally administered formulation of a GC-C receptor agonist polypeptide comprising microcrystalline cellulose, and a lubricant. Id. at page 8. The Examiner further argues Fretzen et al. "shows the chromatographic purity of the GC-C receptor agonist polypeptide decreases by less than 9%....". Id. The Examiner states the Shailubhai Abstract teaches a dose range for SP-304 of 2.7mg-5.4mg. Id. at page 9. Thus, the Examiner contends the skilled artisan would have been motivated

Page 8

by Fretzen to store Currie's therapeutic in a sealed container containing a desiccant to achieve the chromatographic purity as claimed by Fretzen. *Id.* Applicants respectfully disagree.

A prima facie case of "obviousness requires a suggestion of all limitations in a claim." CFMT, Inc. v. Yieldup Intern. Corp., 349 F.3d 1333, 1342 (Fed. Cir. 2003) (citing In re Royka, 490 F.2d 981, 985 (CCPA 1974)). The present claims are amended to recite the formulation consists of a per unit dose of 3 mg or 6 mg of a peptide consisting of SEQ ID NO:1 wherein the peptide is a [4,12; 7,15] bicycle, an inert low moisture carrier, and a lubricant, and wherein the peptide has a chromatographic purity of no less than 91% after storage for at least three months. This is neither taught nor suggested in the cited art. None of the cited art teaches or suggests a formulation consisting of a per unit dose of 3 mg or 6 mg of a peptide consisting of SEQ ID NO:1 wherein the peptide is a [4,12; 7,15] bicycle, an inert low moisture carrier, and a lubricant where the peptide has a chromatographic purity of no less than 91% after storage for at least three months. For these reasons alone, Applicants assert that the claims are non-obvious over the cited references. This is especially true given the unexpected superior stability of the formulation recited in the amended claims. See Comiskey Decl. at ¶ 7-8.

Furthermore, there is no objective reason provided by the teachings of Currie in view of view of FMC, Fretzen *et al.*, and the Shailubhai Abstract that would lead the skilled artisan to combine these references, nor is there any evidence that the resultant combination of these references would lead the skilled artisan to arrive at the claimed invention with predictable results. These references, when considered in their entirety, fail to provide the skilled artisan with a reasonable expectation of success.

Currie is cited as teaching bicyclic GC-C receptor agonist peptides in formulations that can include binders, lubricants, inert diluents, or microcrystalline cellulose purchased from FMC Corporation. *See* Office Action in '769 application, pages 6-7. Currie teaches thousands of different GC-C receptor agonist peptides, one of which is the claimed peptide. Currie teaches an equally long list of binders, lubricants, inert diluents, or microcrystalline cellulose, one of which is a low moisture carrier. There is no teaching in Currie that SEQ ID NO:1 is a preferred GC-C receptor agonist. There is therefore no motivation to select SEQ ID NO: 1 in particular from the list of GC-C receptor agonists. There is no teaching in Currie that an inert low moisture carrier and a lubricant are preferred excipients, and therefore there is no motivation to select those

Page 9

particular excipients from the list of excipients. Furthermore, there is certainly no motivation to select SEQ ID NO:1, an inert low moisture carrier, and a lubricant for use in a pharmaceutical composition, let alone a pharmaceutical composition having a per unit dose of 3 mg or 6 mg to treat chronic constipation or irritable syndrome as required by the claims. Accordingly, the teachings of Currie fail to establish a *prima facie* case of obviousness against the current claims.

Given the fatal deficiency of Currie, one of ordinary skill would have had no motivation to combine the teachings of Currie with FMC, Fretzen, and the Shailubhai Abstract either alone or in combination to reach the claimed invention with a reasonable expectation of success. The mere fact that something is possible does not, standing alone, support an obviousness rejection. Rather, an objective reason to combine the references is required. *See* MPEP § 2143.01 (IV). Here, the Examiner has not provided the required articulated reasoning and, in fact, nothing in the cited art provides any reason to arrive at the formulation recited claim 1 to treat constipation or irritable bowel syndrome. The Examiner has therefore failed to make a *prima facie* case of obviousness.

FMC merely discloses a range of low moisture Avicel PH grades. Fretzen teaches GC-C receptor agonist formulations with the claimed chromatographic purity¹. Specifically, the Examiner points to the chromatographic purity of the formulations disclosed in Table 7 of Fretzen. However, as shown in the table below, none of these formulations *consist* of a GC-C receptor agonist peptide an inert low moisture carrier and a lubricant.

Example	Formulation Components	% Linaclotide (taken from Table 7 of Fretzen)
1	CaCl ₂ , leucine, hypromellose, linaclotide, celphere CP-305	99.13
3	CaCl ₂ , leucine, hypromellose, linaclotide, celphere CP-305	99.42
4	CaCl ₂ , leucine, hypromellose, linaclotide, celphere CP-305	97.83
5	CaCl ₂ , leucine, hypromellose, linaclotide, celphere CP-305	98.68
6	MgCl ₂ , leucine, hypromellose, linaclotide, celphere CP-305	95.51
7	ZnAc, leucine, hypromellose, linaclotide, celphere CP-305	95.36
8	Leucine, hypromellose, linaclotide, celphere CP-305	94.90
9	CaCl ₂ , hypromellose, linaclotide, celphere CP-305	96.55

¹ See Office Action mailed October 5, 2016 in the '769 application, at page 8.

139336787 v1

D	age	1	0
1	age	1	v

10	hypromellose, linaclotide, celphere CP-305	87.77
11	hypromellose, linaclotide, celphere CP-305	91.63
12	CuCl ₂ , hypromellose, linaclotide, celphere CP-305	43.15
13	ZnAc, hypromellose, linaclotide, celphere CP-305	94.01
14	MgCl ₂ , hypromellose, linaclotide, celphere CP-305	92.70
15	Methionine, hypromellose, linaclotide, celphere CP-305	93.24
17	CaCl ₂ , hypromellose, linaclotide, celphere CP-305	95.16

Moreover, all of the formulations disclosed in Fretzen contain components in addition to a GC-C receptor agonist, an inert low moisture carrier, and a lubricant. Importantly, as shown in the table above, the most stable formulations (e.g. those from examples 1, 3, 4, and 5) all contain CaCl₂ and leucine, while the least stable (e.g. those from examples 10, 11, and 12) all lack an amino acid and/or a cation. Given the chromatographic purities demonstrated by the formulations disclosed in Fretzen, the skilled artisan would not have been motivated to alter the Fretzen formulations to remove components. Moreover, the skilled artisan would not have done so with a reasonable expectation of success of obtaining the claimed chromatographic purity.

Finally and of critical importance, Fretzen fails to disclose any formulation with the claimed GC-C receptor agonist peptide. There are three different families of GC-C receptor agonist peptides— Uroguanylin, Guanylin and heat-stable enterotoxin. Although, each of these family of peptide share the common function of binding the GC-C receptor they all have different physiological purposes.

Uroguanylin is secreted by enterochromaffin cells in the duodenum and proximal small intestine. Uroguanylin acts as an agonist of the guanylyl cyclase receptor GC-C and regulates electrolyte and water transport in intestinal and renal epithelia. Guanylin is secreted by goblet cells in the colon and induces chloride secretion and decreases intestinal fluid absorption. Both uroguanylin and guanylin are *endogenous* peptide hormones that physiologically regulate R-GC signaling proteins in target cells. In contrast, heat-stable enterotoxins are *bacterial* enterotoxins, which have greater potency than the endogenous peptides, and induce excessive fluid secretion into intestinal lumen leading to secretory diarrhea (i.e., Travellers' Diarrhea)

The claimed peptide is structurally related to the endogenous hormone uroguanylin. In contrast, the Fretzen peptides are structurally related to *bacterial* heat-stable enterotoxin. Thus one skilled in the art would not have been motivated to alter the Fretzen formulations to replace a bacterially derived peptide with a endogenous human derived peptides. Moreover, the skilled artisan would not have done so with a reasonable expectation of success of obtaining the claimed chromatographic purity.

Further, as explained above, Applicants have surprisingly discovered that formulations consisting of just a uroguanylin derived GC-C receptor agonist, an inert low moisture carrier, and a lubricant show superior results compared with formulations taught in the art, and are more stable than expected compared to formulations comprising a regular-grade carrier. *See* Comiskey Decl. at ¶ 7.

The cited art therefore does not provide a suggestion of all elements of the pending claims. Nor does it teach or predict the surprising stability demonstrated by the instantly claimed formulations. Accordingly the claimed formulations are not obvious, and Applicants respectfully request withdrawal of the instant rejection.

CONCLUSION

In view of the foregoing, Applicant respectfully submits that no further impediments exist to the allowance of this application and, therefore, requests an indication of allowability. However, the Examiner is requested to call the undersigned if any questions or comments arise.

The Director is hereby authorized to charge any appropriate fees under 37 C.F.R. §§1.16, 1.17, and 1.21 that may be required by this paper, and to credit any overpayment, to Deposit Account No. 50-1283.

Page 12

Dated: December 5, 2016 Respectfully submitted,

COOLEY LLP

COOLEY LLP

ATTN: Patent Group

By: /Anne E. Fleckenstein/_ 1299 Pennsylvania Avenue NW, Suite 700 Anne E. Fleckenstein, Ph.D.

Washington, DC 20004

Reg. No. 62,951

Tel: (202)728-7030 Fax: (202) 842-7899 **Doc Code: TRACK1.REQ**

Document Description: TrackOne Request

PTO/SB/424 (12-11)

CERTIFICATION AND REQUEST FOR PRIORITIZED EXAMINATION UNDER 37 CFR 1.102(e) (Page 1 of 1)

First Named Inventor:	Stephen COMISKEY	Nonprovisional Application Number (if known):	14/845,644
Title of Invention:	FORMULATIONS OF GUANYLA	TE CYCLASE C AGONISTS AN	D METHODS OF USE

APPLICANT HEREBY CERTIFIES THE FOLLOWING AND REQUESTS PRIORITIZED EXAMINATION FOR THE ABOVE-IDENTIFIED APPLICATION.

- 1. The processing fee set forth in 37 CFR 1.17(i), the prioritized examination fee set forth in 37 CFR 1.17(c), and if not already paid, the publication fee set forth in 37 CFR 1.18(d) have been filed with the request. The basic filing fee, search fee, examination fee, and any required excess claims and application size fees are filed with the request or have been already been paid.
- 2. The application contains or is amended to contain no more than four independent claims and no more than thirty total claims, and no multiple dependent claims.
- 3. The applicable box is checked below:
 - I. Original Application (Track One) Prioritized Examination under § 1.102(e)(1)
- i. (a) The application is an original nonprovisional utility application filed under 35 U.S.C. 111(a).
 This certification and request is being filed with the utility application via EFS-Web.
 ---OR---
 - (b) The application is an original nonprovisional plant application filed under 35 U.S.C. 111(a). This certification and request is being filed with the plant application in paper.
- ii. An executed oath or declaration under 37 CFR 1.63 is filed with the application.
 - II. Request for Continued Examination Prioritized Examination under § 1.102(e)(2)
- i. A request for continued examination has been filed with, or prior to, this form.
- ii. If the application is a utility application, this certification and request is being filed via EFS-Web.
- iii. The application is an original nonprovisional utility application filed under 35 U.S.C. 111(a), or is a national stage entry under 35 U.S.C. 371.
- iv. This certification and request is being filed prior to the mailing of a first Office action responsive to the request for continued examination.
- v. No prior request for continued examination has been granted prioritized examination status under 37 CFR 1.102(e)(2).

Signature /Anne E. Fleckenstein/	Date December 5, 2016	
Name (Print/Typed) Anne E. Fleckenstein	Practitioner Registration Number 62,951	
Note: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required in accordance with 37 CFR 1.33 and 11.18. Please see 37 CFR 1.4(d) for the form of the signature. If necessary, submit multiple forms for more than one signature, see below*.		

*Total of $\frac{1}{1}$ forms are submitted.

Privacy Act Statement

The **Privacy Act of 1974 (P.L. 93-579)** requires that you be given certain information in connection with your submission of the attached form related to a patent application or patent. Accordingly, pursuant to the requirements of the Act, please be advised that: (1) the general authority for the collection of this information is 35 U.S.C. 2(b)(2); (2) furnishing of the information solicited is voluntary; and (3) the principal purpose for which the information is used by the U.S. Patent and Trademark Office is to process and/or examine your submission related to a patent application or patent. If you do not furnish the requested information, the U.S. Patent and Trademark Office may not be able to process and/or examine your submission, which may result in termination of proceedings or abandonment of the application or expiration of the patent.

The information provided by you in this form will be subject to the following routine uses:

- The information on this form will be treated confidentially to the extent allowed under the Freedom of Information Act (5 U.S.C. 552) and the Privacy Act (5 U.S.C 552a). Records from this system of records may be disclosed to the Department of Justice to determine whether disclosure of these records is required by the Freedom of Information Act.
- 2. A record from this system of records may be disclosed, as a routine use, in the course of presenting evidence to a court, magistrate, or administrative tribunal, including disclosures to opposing counsel in the course of settlement negotiations.
- 3. A record in this system of records may be disclosed, as a routine use, to a Member of Congress submitting a request involving an individual, to whom the record pertains, when the individual has requested assistance from the Member with respect to the subject matter of the record.
- 4. A record in this system of records may be disclosed, as a routine use, to a contractor of the Agency having need for the information in order to perform a contract. Recipients of information shall be required to comply with the requirements of the Privacy Act of 1974, as amended, pursuant to 5 U.S.C. 552a(m).
- 5. A record related to an International Application filed under the Patent Cooperation Treaty in this system of records may be disclosed, as a routine use, to the International Bureau of the World Intellectual Property Organization, pursuant to the Patent Cooperation Treaty.
- A record in this system of records may be disclosed, as a routine use, to another federal agency for purposes of National Security review (35 U.S.C. 181) and for review pursuant to the Atomic Energy Act (42 U.S.C. 218(c)).
- 7. A record from this system of records may be disclosed, as a routine use, to the Administrator, General Services, or his/her designee, during an inspection of records conducted by GSA as part of that agency's responsibility to recommend improvements in records management practices and programs, under authority of 44 U.S.C. 2904 and 2906. Such disclosure shall be made in accordance with the GSA regulations governing inspection of records for this purpose, and any other relevant (i.e., GSA or Commerce) directive. Such disclosure shall not be used to make determinations about individuals.
- 8. A record from this system of records may be disclosed, as a routine use, to the public after either publication of the application pursuant to 35 U.S.C. 122(b) or issuance of a patent pursuant to 35 U.S.C. 151. Further, a record may be disclosed, subject to the limitations of 37 CFR 1.14, as a routine use, to the public if the record was filed in an application which became abandoned or in which the proceedings were terminated and which application is referenced by either a published application, an application open to public inspection or an issued patent.
- 9. A record from this system of records may be disclosed, as a routine use, to a Federal, State, or local law enforcement agency, if the USPTO becomes aware of a violation or potential violation of law or regulation.

Electronic Patent Application Fee Transmittal					
Application Number:	14845644				
Filing Date:	04-	Sep-2015			
Title of Invention:	FO US	rmulations of Gi E	UANYLATE CYC	CLASE C AGONISTS	AND METHODS OF
First Named Inventor/Applicant Name:	Ste	phen COMISKEY			
Filer:	An	ne Elizabeth Flecke	nstein		
Attorney Docket Number:	SYPA-009/C02US 321994-224				
Filed as Small Entity					
Filing Fees for Utility under 35 USC 111(a)					
Description		Fee Code	Quantity	Amount	Sub-Total in USD(\$)
Basic Filing:					
REQUEST FOR PRIORITIZED EXAMINATION		2817	1	2000	2000
Pages:					
Claims:					
Miscellaneous-Filing:					
PROCESSING FEE, EXCEPT PROV. APPLS.		2830	1	70	70
Petition:					
Patent-Appeals-and-Interference:					

Description	Fee Code	Quantity	Amount	Sub-Total in USD(\$)
Post-Allowance-and-Post-Issuance:				
Extension-of-Time:				
Extension - 3 months with \$0 paid	2253	1	700	700
Miscellaneous:				
RCE- 1st Request	2801	1	600	600
OTHER PUBLICATION PROCESSING FEE	2808	1	130	130
	Tot	al in USD	(\$)	3500

Electronic Acknowledgement Receipt		
EFS ID:	27692257	
Application Number:	14845644	
International Application Number:		
Confirmation Number:	8164	
Title of Invention:	FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE	
First Named Inventor/Applicant Name:	Stephen COMISKEY	
Customer Number:	58249	
Filer:	Anne Elizabeth Fleckenstein	
Filer Authorized By:		
Attorney Docket Number:	SYPA-009/C02US 321994-224	
Receipt Date:	05-DEC-2016	
Filing Date:	04-SEP-2015	
Time Stamp:	15:32:50	
Application Type:	Utility under 35 USC 111(a)	

Payment information:

Submitted with Payment	no
------------------------	----

File Listing:

Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
			697704		
1	Request for Continued Examination (RCE)	SYPA_009_C02US_RCETransmi ttal.pdf	702af07c0a7d56d9eb62072b7ef659c2451 71525	no	3
Warnings:				07	'13

Information:					
			165339		
2	Amendment Submitted/Entered with Filing of CPA/RCE	SYPA-009_C02US_response_F OA_and_AA.pdf	30bf3856264b930ce67f87a15025dced781 05a7b	no	12
Warnings:			1		
Information:					
	TrackOne Request		141020 c8b3024ef47de3d408a2667b7f73894f56c3 892c		
3		SYPA_009_C02US_RCETrackOn e.pdf		no	2
Warnings:			1		
Information:					
			37475		
4	Fee Worksheet (SB06)	fee-info.pdf	203e1454aaa493441b6dc6813a7911dc553 a2e70	no	2
Warnings:			<u> </u>		
Information:					
		Total Files Size (in bytes)	104	41538	

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.

New International Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.

ation unless it displays a valid OMB control nu

PA	ATENT APPL	CATION FE Substitute fo			RECORD		n or Docket Number 1/845,644	Filing Date 09/04/2015	To be Mailed
							ENTITY: L	ARGE 🛛 SMA	LL MICRO
				APPLICA	ATION AS FIL	ED – PAF	RTI		
			(Column 1)	(Column 2)				
	FOR	١	NUMBER FIL	.ED	NUMBER EXTRA		RATE (\$)	F	FEE (\$)
	BASIC FEE (37 CFR 1.16(a), (b),	or (c))	N/A		N/A		N/A		
	SEARCH FEE (37 CFR 1.16(k), (i), o	or (m))	N/A		N/A		N/A		
	EXAMINATION FE (37 CFR 1.16(o), (p),		N/A		N/A		N/A		
	TAL CLAIMS CFR 1.16(i))		mir	nus 20 = *			X \$ =		
IND	EPENDENT CLAIM CFR 1.16(h))	S	m	inus 3 = *			X \$ =		
	APPLICATION SIZE 37 CFR 1.16(s))	of p for s frac	aper, the a small entity	ation and drawing application size for the form of the size for each addition of the size for size for a size	ee due is \$310 (onal 50 sheets o	\$155 or			
	MULTIPLE DEPEN	IDENT CLAIM PE	RESENT (3	7 CFR 1.16(j))					
* If t	he difference in colu	ımn 1 is less thar	n zero, ente	r "0" in column 2.			TOTAL		
		(Column 1)		(Column 2)	(Column 3		ART II	_	
AMENDMENT	12/05/2016	CLAIMS REMAINING AFTER AMENDMENT		HIGHEST NUMBER PREVIOUSLY PAID FOR	PRESENT EX	TRA	RATE (\$)	A DDITI(ONAL FEE (\$)
)ME	Total (37 CFR 1.16(i))	∗ 16	Minus	** 20	= 0		x \$40 =		0
	Independent (37 CFR 1.16(h))	* 2	Minus	***3	= 0		x \$210 =		0
AMI	Application Si	ze Fee (37 CFR	1.16(s))						
	FIRST PRESEN	ITATION OF MULT	IPLE DEPEN	DENT CLAIM (37 CFF	R 1.16(j))				
							TOTAL ADD'L FE		0
		(Column 1)		(Column 2)	(Column 3)			
		CLAIMS REMAINING AFTER AMENDMENT		HIGHEST NUMBER PREVIOUSLY PAID FOR	PRESENT EX	TRA	RATE (\$)	ADDITI	ONAL FEE (\$)
ENT	Total (37 CFR 1.16(i))	*	Minus	**	=		X \$ =		
ENDM	Independent (37 CFR 1.16(h))	*	Minus	***	=		X \$ =		
IEN I	Application Size Fee (37 CFR 1.16(s))								
AM	FIRST PRESEN	ITATION OF MULT	IPLE DEPEN	DENT CLAIM (37 CFF	R 1.16(j))				
							TOTAL ADD'L FE		
** If	the entry in column the "Highest Numbe f the "Highest Numb	er Previously Paid	d For" IN Th	HIS SPACE is less	than 20, enter "20'	' .	LIE CORALIA BET	ANCOURT	

This collection of information is required by 37 CFR 1.16. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS

ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

FEE TRANSMITTAL

RECEIVED CENTRAL FAX CENTER

DEC 0 5 2016

Ø 001/003

PTO/SB/17 (03-13)

Approved for use through 01/31/2014, OMB 0651-0032 U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

> Complete if known 14/845,644

Under the Paperwork Reduction Act of 1995 no persons are required to respond to a collection of information unless it displays a valid OMB control number


Application Number

3 .					6310	ng Daté	_	Septen	noer 4, 20	110
Applicant asser	ts small e	ntity status.	See 37 CFR 1.3	27.	Fire	t Named In	ventor	Stephe	n COMIS	KEY
Applicant certif	les micro	entity statu	s. See 37 CF	R 1.29.		miner Name	9	LEE, Ji	ia-Hal	
Form#TO/SB/15A been submitted p	or B or equ	dvalent mus	t either be end	losed or ha	Art	Unit		1676	•	
TOTAL AMOUNT OF PA		(\$) 3	500.00		Pra	ctitioner Do	cket No.	SYPA-009	/C02US	21994-22
METHORIDF PAYME Check Cree Deposit Account For the above-l	lit Card Deposit Adentified d	Money (ccount Num aposit acco	Order	1 <u>3′</u> Deposh	Account Novize	ame: <u>Cool</u> d to (check i arge fee(s) in	ell that app dicated be	low, except fo	r the filing (
	CFR 1.16 : ion on this	and 1.17 form may b			_	dit any over			m. Provide	credit card
FEE CALCULATION	IL/TIZATION (un F10-203	· 	•						
1. BASICFILING, SE	ARCH, AND	EXAMINA	TION FEES (U	= undiscou	nted fee; S	= small enti	ty fee; M =	micro entity	fee)	
		FIUNG FEES			ARCH FEES			AMINATION F		
Application Type	U (\$)	<u>5.(\$)</u>	M (\$)	<u>U (\$)</u> 600	<u>\$ (\$)</u> 300	<u>M (\$)</u> 150	<u>U (\$)</u> 720	<u>5 (\$)</u> 360	<u>M (\$)</u> 180	Fees Pald (\$)
Utility (280 180	140° 90	70 45	120	60	30	460	230	115	
Design 🖓 Plant	180	90	45 45	380	190	95	580	290	145	
riant . Relssue 🕈	280	140	70	600	300	150	2,160	1,080	540	
Provisional	260	130	65	0	0	0	0	0	. 0	
* The \$140 small entity		fee for a utili	ty application E	further red	uced to \$70 f	r a small enti	ty status opp	olicent who files	the application	n via EFS-Web.
2. EXCESS CLAIM FE			• • • •						•	
3 ,	_				Her	Iscounted M	ee (\$) S	mail Entity Fe	e (S) Mi	pro Entity Fee (\$)
<u>Fee Despilption</u> Each claim over 20 (i	nchidles R	piccupe)			3	80	<u> </u>	40		20
Eich Ingependent ci			Reissues)			420		210		105
Multiple Wependent						780		390		195
Trital Clarins			<u> Detra Claims</u>	Fee	(\$)	Fee Pa	id (\$)			
				_		.—				
•										
APPLEATION SE	F FFF			· -						
If the specification a time appropriation size in 4 L(a)(1)(b) and 37 C Total Sheits	nd drawing iee due is \$ FR 1.16(s). <u>Extra S</u>	\$400 (\$200 I	for small entit <u>Number (</u>	y) (\$100 fo <u>of each add</u>	r micro enti <u>Itlonal 50 c</u>	onically filed ty) for each a r fraction the ole number)	additional : <u>ercof</u>	or computer II: 50 sheets or fr <u>Fee (\$)</u>	action then	r 37 CFR 1.52(e)), eof. See 35 U.S.C Fee Paid (\$)
- 100 = 4 OTHER FEE(S)		/50			ah ma wii	om Herriver)				Fees Paid (\$
	-Hon \$120) fee (no em	all or micro e	ntity discou	int)					
NAMEROUSE CROSSIN		, rec illy 의기	-11 At C							
Non-Engish specific Non-electronic filing Other (記述, late filin	r fee under	37 CFR 1.1	6(t) for a util	ty applicat	lon, \$400 fe	e (\$200 sma	al) or micro	entity)		\$3,500.00

	SIJBMITTED BY			
Ì		/Anne E. Fleckenstein/	Registration No. 82,951	Telephona (202) 728-7030
ı	Name (Stint/Type)	Anne E. Fleckenstein		Date December 5, 2016

This collection of information is required by 37 CFR 1.136. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) as application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 30 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS, SEND T(): Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

if you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.



RECEIVED CENTRAL FAX CENTER

DEC 0 5 2016

0	Ô	Ô	2	1	0	Ô	3

Electronic A	cknowledgement Receipt
EF\$ ID:	27692257
Application Number:	14845644
international Application Number:	
Confirmation Number:	8164
Title of Invention:	FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND MEU-LODS, 12/86/2016 SERVIT MEU-LODS, 148456 USE Sale Ref: 00000026 DA#: 501283 148456 01 FC:2253 700.00 DA 02 FC:2830 70.00 DA 03 FC:2808 130.00 DA 04 FC:2801 600.00 DA 05 FC:2817 2000.00 DA
First Named Inventor/Applicant Name:	Stephen COMISKEY
Customer Number:	58249
Filer:	Anne Elizabeth Fleckenstein
Filer Authorized By:	
Attorney Docket Number:	SYPA-009/C02US 321994-224
Receipt Date:	05-DEC-2016
Filing Date:	04-SEP-2015
Time Stamp:	15:32:50
Application Type:	Utility under 35 USC 111(a)

Payment information:

Submittedwith	1 Payment	no			
File Listing	;				
Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
			697704		·
1 ;	Request for Continued Examination (RCE)	SYPA_009_C02US_RCETransmi ttal.pdf	703±107:chi7d56:d9etr52072h74f950e3451 7132d	no	· 3
Warnings					

12/05/2016 17:04 FAX

Info	mat	lon:			· · · · · · · · · · · · · · · · · · ·		
		3			165339		
2		X 60 89 %	Amendment Submitted/Entered with Filing of CPA/RCE	SYPA-009_C02US_response_F OA_and_AA.pdf	30503356264990cs6797a15025dcsd781 95e7b	пò	12
Warı	n ing :	51 7	,				
Info	mat	le∳r:					
					141020		
	3	Tr	TrackOne Request	SYPA_009_C02US_RCETrackOn e.pdf	c#n302Ael47ds2d408s2667b7f7389#f56c3 993c	no	2
Wan	ning	67 {	·				
Info	mat	leh:	•	•			
		;			37475		
	4	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Fee Worksheet (5806)	fee-info.pdf	203e1454eee49344156dc681Ja7911dc652 63870	. no	2
Wari	nings	N	,		•		
Info	mat	leậ:					
				Total Files Size (in bytes)	10	41538	

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card; is described in MPEP 503.

New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt; in due course.

New Interretional Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the international Application Number and of the international Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.


UNITED STATES PATENT AND TRADEMARK OFFICE



Commissioner for Patents United States Patent and Trademark Office P.O. Box 1450 Alexandria, VA 22313-1450

Alexandria, VA 22313-1450 www.uspto.gov

COOLEY LLP ATTN: Patent Group 1299 Pennsylvania Avenue, NW Suite 700 Washington DC 20004



Doc Code: TRACK1.GRANT

	Prior	Granting Request for itized Examination Application No.: 14/845,644 Application No.: 14/845,644
1.	THE R	EQUEST FILED <u>December 5, 2016</u> IS <u>GRANTED.</u>
	The above- A. B.	identified application has met the requirements for prioritized examination for an original nonprovisional application (Track I). for an application undergoing continued examination (RCE).
2.		pove-identified application will undergo prioritized examination. The application will be pecial status throughout its entire course of prosecution until one of the following occurs:
	A.	filing a petition for extension of time to extend the time period for filing a reply;
	B.	filing an amendment to amend the application to contain more than four independent
		claims, more than thirty total claims, or a multiple dependent claim;
	C.	filing a <u>request for continued examination</u> ;
	D.	filing a notice of appeal;
	E.	filing a request for suspension of action;
	F.	mailing of a notice of allowance;
	G.	mailing of a final Office action;
	H.	completion of examination as defined in 37 CFR 41.102; or
	1.	abandonment of the application.
	Telephone	inquiries with regard to this decision should be directed to Brian W. Brown at 571-272-5338.
	/Brian W. [Signatu	

U.S. Patent and Trademark Office PTO-2298 (Rev. 02-2012)



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450

NOTICE OF ALLOWANCE AND FEE(S) DUE

58249 7590 02/10/2017 COOLEY LLP ATTN: Patent Group 1299 Pennsylvania Avenue, NW Suite 700

Washington, DC 20004

EXAMINER

LEE, JIA-HAI

ART UNIT PAPER NUMBER

1676

DATE MAILED: 02/10/2017

321994-224

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
14/845.644	09/04/2015	Stephen COMISKEY	SYPA-009/C02US	8164

TITLE OF INVENTION: FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE

APPLN. TYPE	ENTITY STATUS	ISSUE FEE DUE	PUBLICATION FEE DUE	PREV. PAID ISSUE FEE	TOTAL FEE(S) DUE	DATE DUE
nonprovisional	SMALL	\$480	\$0	\$0	\$480	05/10/2017

THE APPLICATION IDENTIFIED ABOVE HAS BEEN EXAMINED AND IS ALLOWED FOR ISSUANCE AS A PATENT. PROSECUTION ON THE MERITS IS CLOSED. THIS NOTICE OF ALLOWANCE IS NOT A GRANT OF PATENT RIGHTS. THIS APPLICATION IS SUBJECT TO WITHDRAWAL FROM ISSUE AT THE INITIATIVE OF THE OFFICE OR UPON PETITION BY THE APPLICANT. SEE 37 CFR 1.313 AND MPEP 1308.

THE ISSUE FEE AND PUBLICATION FEE (IF REQUIRED) MUST BE PAID WITHIN THREE MONTHS FROM THE MAILING DATE OF THIS NOTICE OR THIS APPLICATION SHALL BE REGARDED AS ABANDONED. THIS STATUTORY PERIOD CANNOT BE EXTENDED. SEE 35 U.S.C. 151. THE ISSUE FEE DUE INDICATED ABOVE DOES NOT REFLECT A CREDIT FOR ANY PREVIOUSLY PAID ISSUE FEE IN THIS APPLICATION. IF AN ISSUE FEE HAS PREVIOUSLY BEEN PAID IN THIS APPLICATION (AS SHOWN ABOVE), THE RETURN OF PART B OF THIS FORM WILL BE CONSIDERED A REQUEST TO REAPPLY THE PREVIOUSLY PAID ISSUE FEE TOWARD THE ISSUE FEE NOW DUE.

HOW TO REPLY TO THIS NOTICE:

I. Review the ENTITY STATUS shown above. If the ENTITY STATUS is shown as SMALL or MICRO, verify whether entitlement to that entity status still applies.

If the ENTITY STATUS is the same as shown above, pay the TOTAL FEE(S) DUE shown above.

If the ENTITY STATUS is changed from that shown above, on PART B - FEE(S) TRANSMITTAL, complete section number 5 titled "Change in Entity Status (from status indicated above)".

For purposes of this notice, small entity fees are 1/2 the amount of undiscounted fees, and micro entity fees are 1/2 the amount of small entity fees

II. PART B - FEE(S) TRANSMITTAL, or its equivalent, must be completed and returned to the United States Patent and Trademark Office (USPTO) with your ISSUE FEE and PUBLICATION FEE (if required). If you are charging the fee(s) to your deposit account, section "4b" of Part B - Fee(s) Transmittal should be completed and an extra copy of the form should be submitted. If an equivalent of Part B is filed, a request to reapply a previously paid issue fee must be clearly made, and delays in processing may occur due to the difficulty in recognizing the paper as an equivalent of Part B.

III. All communications regarding this application must give the application number. Please direct all communications prior to issuance to Mail Stop ISSUE FEE unless advised to the contrary.

IMPORTANT REMINDER: Utility patents issuing on applications filed on or after Dec. 12, 1980 may require payment of maintenance fees. It is patentee's responsibility to ensure timely payment of maintenance fees when due.

PART B - FEE(S) TRANSMITTAL

Complete and send this form, together with applicable fee(s), to: Mail Mail Stop ISSUE FEE

Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450

(571)-273-2885 or <u>Fax</u>

INSTRUCTIONS: This form should be used for transmitting the ISSUE FEE and PUBLICATION FEE (if required). Blocks 1 through 5 should be completed where appropriate. All further correspondence including the Patent, advance orders and notification of maintenance fees will be mailed to the current correspondence address as

maintenance fee notifications. CURRENT CORRESPONDENCE ADDRESS (Note: Use Block 1 for any change of address			Fee(: A certificate of s s) Transmittal. Thi	mailing s certifi l paper.	can only be used fo	r domestic mailings of the or any other accompanying nt or formal drawing, must
58249 COOLEY LLF ATTN: Patent G)	0/2017	I her State addr trans	eby certify that thi	e Feele	of Mailing or Transı) Transmittal is being icient postage for firs ISSUE FEE address) 273-2885, on the da	mission deposited with the United t class mail in an envelope above, or being facsimile te indicated below.
Suite 700	ma Avenue, Nw						(Depositor's name)
Washington, DC	20004		_				(Signature)
							(Date)
APPLICATION NO.	FILING DATE		FIRST NAMED INVENTOR		ATTO	RNEY DOCKET NO.	CONFIRMATION NO.
14/845,644	09/04/2015		Stephen COMISKEY		SY	PA-009/C02US	8164
TITLE OF INVENTION	: FORMULATIONS OF	F GUANYLATE CYCLA	SE C AGONISTS AND M	ETHODS OF USE	;	321994-224	
APPLN. TYPE	ENTITY STATUS	ISSUE FEE DUE	PUBLICATION FEE DUE	PREV. PAID ISSUE	E FEE	TOTAL FEE(S) DUE	DATE DUE
nonprovisional	SMALL	\$480	\$0	\$0		\$480	05/10/2017
EXAM	IINER	ART UNIT	CLASS-SUBCLASS				
LEE, JI	A-HAI	1676	424-451000				
"Fee Address" ind PTO/SB/47; Rev 03-0 Number is required. 3. ASSIGNEE NAME A PLEASE NOTE: Un	ND RESIDENCE DATA less an assignee is ident h in 37 CFR 3.11. Com	" Indication form ed. Use of a Customer A TO BE PRINTED ON '	(1) The names of up to or agents OR, alternativ (2) The name of a singl registered attorney or a 2 registered patent attoo listed, no name will be THE PATENT (print or typ data will appear on the paT a substitute for filing an a (B) RESIDENCE: (CITY	rely, e firm (having as a gent) and the name rneys or agents. If a printed. e) ttent. If an assigne assignment.	members of upno name	er a 2	ocument has been filed for
Please check the appropr	iate assignee category or	categories (will not be p	rinted on the patent): \Box	Individual 🖵 Co	rporatio	on or other private gro	oup entity 🗖 Government
	are submitted: No small entity discount properties	permitted)	b. Payment of Fee(s): (Plea A check is enclosed. Payment by credit care The director is hereby overpayment, to Depo	d. Form PTO-2038 authorized to chars	is attac	hed.	
_	ng micro entity status. Se	ee 37 CFR 1.29	NOTE: Absent a valid cer fee payment in the micro	rtification of Micro entity amount will	Entity not be a	Status (see forms PTC accepted at the risk of	D/SB/15A and 15B), issue application abandonment.
Applicant asserting small entity status. See 37 CFR 1.27		37 CFR 1.27	<u>NOTE:</u> If the application was previously under micro entity status, checking this box will be taken to be a notification of loss of entitlement to micro entity status.				
Applicant changing to regular undiscounted fee status.		d fee status.	NOTE: Checking this box will be taken to be a notification of loss of entitlement to small or micro entity status, as applicable.				
NOTE: This form must b	oe signed in accordance v	with 37 CFR 1.31 and 1.3	3. See 37 CFR 1.4 for signa	ture requirements	and cert	tifications.	
Authorized Signature				Date			
Typed or printed name				Registration N	o		

Page 2 of 3 0721



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS

P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

DATE MAILED: 02/10/2017

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
14/845,644	09/04/2015	Stephen COMISKEY	SYPA-009/C02US 321994-224	8164
58249 75	90 02/10/2017		EXAM	INER
COOLEY LLP			LEE, JI	A-HAI
ATTN: Patent Gro	up			
1299 Pennsylvania			ART UNIT	PAPER NUMBER
Suite 700			1676	
Washington, DC 20	0004			

Determination of Patent Term Adjustment under 35 U.S.C. 154 (b)

(Applications filed on or after May 29, 2000)

The Office has discontinued providing a Patent Term Adjustment (PTA) calculation with the Notice of Allowance.

Section 1(h)(2) of the AIA Technical Corrections Act amended 35 U.S.C. 154(b)(3)(B)(i) to eliminate the requirement that the Office provide a patent term adjustment determination with the notice of allowance. See Revisions to Patent Term Adjustment, 78 Fed. Reg. 19416, 19417 (Apr. 1, 2013). Therefore, the Office is no longer providing an initial patent term adjustment determination with the notice of allowance. The Office will continue to provide a patent term adjustment determination with the Issue Notification Letter that is mailed to applicant approximately three weeks prior to the issue date of the patent, and will include the patent term adjustment on the patent. Any request for reconsideration of the patent term adjustment determination (or reinstatement of patent term adjustment) should follow the process outlined in 37 CFR 1.705.

Any questions regarding the Patent Term Extension or Adjustment determination should be directed to the Office of Patent Legal Administration at (571)-272-7702. Questions relating to issue and publication fee payments should be directed to the Customer Service Center of the Office of Patent Publication at 1-(888)-786-0101 or (571)-272-4200.

OMB Clearance and PRA Burden Statement for PTOL-85 Part B

The Paperwork Reduction Act (PRA) of 1995 requires Federal agencies to obtain Office of Management and Budget approval before requesting most types of information from the public. When OMB approves an agency request to collect information from the public, OMB (i) provides a valid OMB Control Number and expiration date for the agency to display on the instrument that will be used to collect the information and (ii) requires the agency to inform the public about the OMB Control Number's legal significance in accordance with 5 CFR 1320.5(b).

The information collected by PTOL-85 Part B is required by 37 CFR 1.311. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, Virginia 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450. Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Privacy Act Statement

The Privacy Act of 1974 (P.L. 93-579) requires that you be given certain information in connection with your submission of the attached form related to a patent application or patent. Accordingly, pursuant to the requirements of the Act, please be advised that: (1) the general authority for the collection of this information is 35 U.S.C. 2(b)(2); (2) furnishing of the information solicited is voluntary; and (3) the principal purpose for which the information is used by the U.S. Patent and Trademark Office is to process and/or examine your submission related to a patent application or patent. If you do not furnish the requested information, the U.S. Patent and Trademark Office may not be able to process and/or examine your submission, which may result in termination of proceedings or abandonment of the application or expiration of the patent.

The information provided by you in this form will be subject to the following routine uses:

- 1. The information on this form will be treated confidentially to the extent allowed under the Freedom of Information Act (5 U.S.C. 552) and the Privacy Act (5 U.S.C 552a). Records from this system of records may be disclosed to the Department of Justice to determine whether disclosure of these records is required by the Freedom of Information Act.
- 2. A record from this system of records may be disclosed, as a routine use, in the course of presenting evidence to a court, magistrate, or administrative tribunal, including disclosures to opposing counsel in the course of settlement negotiations.
- 3. A record in this system of records may be disclosed, as a routine use, to a Member of Congress submitting a request involving an individual, to whom the record pertains, when the individual has requested assistance from the Member with respect to the subject matter of the record.
- 4. A record in this system of records may be disclosed, as a routine use, to a contractor of the Agency having need for the information in order to perform a contract. Recipients of information shall be required to comply with the requirements of the Privacy Act of 1974, as amended, pursuant to 5 U.S.C. 552a(m).
- 5. A record related to an International Application filed under the Patent Cooperation Treaty in this system of records may be disclosed, as a routine use, to the International Bureau of the World Intellectual Property Organization, pursuant to the Patent Cooperation Treaty.
- 6. A record in this system of records may be disclosed, as a routine use, to another federal agency for purposes of National Security review (35 U.S.C. 181) and for review pursuant to the Atomic Energy Act (42 U.S.C.
- 7. A record from this system of records may be disclosed, as a routine use, to the Administrator, General Services, or his/her designee, during an inspection of records conducted by GSA as part of that agency's responsibility to recommend improvements in records management practices and programs, under authority of 44 U.S.C. 2904 and 2906. Such disclosure shall be made in accordance with the GSA regulations governing inspection of records for this purpose, and any other relevant (i.e., GSA or Commerce) directive. Such disclosure shall not be used to make determinations about individuals.
- 8. A record from this system of records may be disclosed, as a routine use, to the public after either publication of the application pursuant to 35 U.S.C. 122(b) or issuance of a patent pursuant to 35 U.S.C. 151. Further, a record may be disclosed, subject to the limitations of 37 CFR 1.14, as a routine use, to the public if the record was filed in an application which became abandoned or in which the proceedings were terminated and which application is referenced by either a published application, an application open to public inspection or an issued patent.
- 9. A record from this system of records may be disclosed, as a routine use, to a Federal, State, or local law enforcement agency, if the USPTO becomes aware of a violation or potential violation of law or regulation 0723

	.		
	Application No.	Applicant(s)	
	14/845,644	COMISKEY E	ET AL.
Notice of Allowability	Examiner JIA-HAI LEE	Art Unit 1676	AIA (First Inventor to File) Status No

The MAILING DATE of this communication appears on the All claims being allowable, PROSECUTION ON THE MERITS IS (OR REM herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other a NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. Tof the Office or upon petition by the applicant. See 37 CFR 1.313 and MPE	IAINS) CLOSED in this application. If not included appropriate communication will be mailed in due course. THIS his application is subject to withdrawal from issue at the initiative
1. This communication is responsive to <u>12/05/2016</u> .	
A declaration(s)/affidavit(s) under 37 CFR 1.130(b) was/were filed	d on
 An election was made by the applicant in response to a restriction recrequirement and election have been incorporated into this action. 	quirement set forth during the interview on; the restriction
 The allowed claim(s) is/are <u>1-16</u>. As a result of the allowed claim(s), y Highway program at a participating intellectual property office for the http://www.uspto.gov/patents/init_events/pph/index.jsp or send an inc 	corresponding application. For more information, please see
4. Acknowledgment is made of a claim for foreign priority under 35 U.S.	C. § 119(a)-(d) or (f).
Certified copies:	
a) ☐ All b) ☐ Some *c) ☐ None of the:	
 Certified copies of the priority documents have been rec 	eived.
2. Certified copies of the priority documents have been rec	
Copies of the certified copies of the priority documents h	nave been received in this national stage application from the
International Bureau (PCT Rule 17.2(a)).	
* Certified copies not received:	
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this connoted below. Failure to timely comply will result in ABANDONMENT of the THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	
5. \square CORRECTED DRAWINGS (as "replacement sheets") must be subm	itted.
including changes required by the attached Examiner's Amenda Paper No./Mail Date	
Identifying indicia such as the application number (see 37 CFR 1.84(c)) sho each sheet. Replacement sheet(s) should be labeled as such in the header	ould be written on the drawings in the front (not the back) of according to 37 CFR 1.121(d).
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGIC attached Examiner's comment regarding REQUIREMENT FOR THE D 	
Attachment(s)	
1. Notice of References Cited (PTO-892)	5. Examiner's Amendment/Comment
2. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	6. 🛮 Examiner's Statement of Reasons for Allowance
Examiner's Comment Regarding Requirement for Deposit of Biological Material	7. Other
4. Interview Summary (PTO-413), Paper No./Mail Date	
/J. L./ Examiner, Art Unit 1676	

U.S. Patent and Trademark Office PTOL-37 (Rev. 08-13) 20170103

DETAILED ACTION

The present application is being examined under the pre-AIA first to invent provisions.

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 12/05/2016 has been entered including the new claims 11-16.

Withdrawn Rejection

The prior rejection of claims 1-10 under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Shailubhai et al. (WO 2008/151257 A2, IDS #76) in view of Shailubhai et al. (Digestive Disease Week. San Diego: 2008) has been withdrawn because the combined references did not teach or suggest a composition consisting of a per unit dose of 3 mg or 6 mg of a [4, 12; 7, 15] bicyclic peptide consisting of SEQ ID NO: 1, an inert low moisture carrier, and a lubricant, and wherein the peptide has a chromatographic purity of no less than 91 % after storage for at least three months in the amended claims.

The provisional rejection of claims 1-5, 7-8, and 10 on the ground of nonstatutory

Art Unit: 1676

double patenting as being obvious over claims 1 and 4 of copending Application No. 14/301,812 in view of Shailubhai et al. (Digestive Disease Week. San Diego: 2008) has been withdrawn because the amendments to the claims overcome the rejection.

The provisional rejection of claims 1-10 on the ground of nonstatutory double patenting as being unpatentable over claims 2-9 and 42-43 (an oral dosage formulation of SEQ ID NO: 1/SP-304), 26 and 32 (a process of making SP-304), and 36-40 (a method of using SP-304 to treat disease) of copending Application No. 13/421,769 in view of Shailubhai et al. (Digestive Disease Week. San Diego: 2008) has been withdrawn in view of the approved terminal disclaimer dated 9/22/2016.

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance:

The closest prior art reference Shailubhai et al. (Digestive Disease Week. San Diego: 2008) taught the use of a per unit dose of a [4, 12; 7, 15] bicyclic peptide consisting of SEQ ID NO: 1 (named SP-304) at substantially the same dosage of 2.7, 5.4, and 8.1 mg in a clinical trial, but the reference did not teach or suggest the composition further comprising an inert low moisture carrier and a lubricant, and wherein the peptide has a chromatographic purity of no less than 91 % after storage for at least three months as claimed.

The other closest reference Shailubhai et al. (WO 2008/151257 A2, IDS #76) suggest the use of SP-304 to treat gastrointestinal disorders comprising irritable bowel syndrome (IBS) and constipation (p5, line 8-21). Shailubhai et al. further suggest the

Page 3

three months as claimed.

oral composition comprising a binder such as microcrystalline cellulose, gum tragacanth or gelatin; an excipient such as starch or lactose, a disintegrating agent such as alginic acid, Primogel, or com starch and/or a lubricant such as magnesium stearate or Sterotes (p41, line 19-30). However, Shailubhai et al. did not teach the composition consisting of SP-304, an inert low moisture carrier and a lubricant, and wherein the peptide has a chromatographic purity of no less than 91 % after storage for at least

For the reasons described above, the amended claims are allowable.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JIA-HAI LEE whose telephone number is (571)270-1691. The examiner can normally be reached on Mon-Fri from 9:00 A.M. to 5:30 P.M..

Examiner interviews are available via telephone, in-person, and video conferencing using a USPTO supplied web-based collaboration tool. To schedule an interview, applicant is encouraged to use the USPTO Automated Interview Request (AIR) at http://www.uspto.gov/interviewpractice.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Karlheinz R. Skowronek can be reached on 571-272-9047. The fax phone

Page 4

Application/Control Number: 14/845,644 Page 5

Art Unit: 1676

number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/J. L./ Examiner, Art Unit 1676 26-January-2017

(FILE 'HOME' ENTERED AT 20:22:20 ON 05 JAN 2017)

FILE 'REGISTRY' ENTERED AT 20:23:34 ON 05 JAN 2017

L1 79 SEA SPE=ON ABB=ON PLU=ON NDECELCVNVACTGCL/SQSP

- L2 93 SEA SPE=ON ABB=ON PLU=ON L1
- L3 4 SEA SPE=ON ABB=ON PLU=ON INERT (L) (LOW MOISTURE) (L)
 CARRIER
- L4 29258 SEA SPE=ON ABB=ON PLU=ON (MICROCRYSTALLINE CELLULOSE)
- L5 205762 SEA SPE=ON ABB=ON PLU=ON LUBRICANT OR (MAGNESIUM STEARATE)
- L6 169554 SEA SPE=ON ABB=ON PLU=ON CONSTIPATION OR (IRRITABLE BOWEL SYNDROME)
- L7 0 SEA SPE=ON ABB=ON PLU=ON L2 AND L4 AND L5
- L8 74 SEA SPE=ON ABB=ON PLU=ON L2 AND L6
- L9 0 SEA SPE=ON ABB=ON PLU=ON L8 AND L4
- L10 5 SEA SPE=ON ABB=ON PLU=ON L8 AND L5
- L11 27 SEA SPE=ON ABB=ON PLU=ON COMISKEY STEPHEN/AU
- L12 129 SEA SPE=ON ABB=ON PLU=ON FENG RONG/AU
- L13 45 SEA SPE=ON ABB=ON PLU=ON FOSS JOHN/AU
- L14 124 SEA SPE=ON ABB=ON PLU=ON SHAILUBHAI KUNWAR/AU
- L15 261 SEA SPE=ON ABB=ON PLU=ON L11 OR L12 OR L13 OR L14
- L16 53 SEA SPE=ON ABB=ON PLU=ON L15 AND L6
- L17 16 SEA SPE=ON ABB=ON PLU=ON L16 AND L2
- L18 6 SEA SPE=ON ABB=ON PLU=ON L17 AND (AD<2012 OR PD<2012 OR PRD<2012)
- L19 8 SEA SPE=ON ABB=ON PLU=ON L18 OR L10
- L20 8 DUP REM L19 (0 DUPLICATES REMOVED)

D L20 1-8 IBIB ABS HITIND

Search Notes



Application/Control No.	Applicant(s)/Patent Under Reexamination
14845644	COMISKEY ET AL.
Examiner	Art Unit
JIA-HAI LEE	1676

CPC- SEARCHED		
Symbol	Date	Examiner

CPC COMBINATION SETS - SEARCHED		
Symbol	Date	Examiner

	US CLASSIFICATION SEA	ARCHED	
Class	Subclass	Date	Examiner

SEARCH NOTES		
Search Notes	Date	Examiner
EAST, Database: USPATFUL, USPGPUB, EPO, JPO, DERWENT, Search history enclosed	1/26/2017	JL
STN, Databases: Biosis, Embase, Medline, Caplus, Search history enclosed	1/5/2017	JL
PALM Inventor Search	1/26/2017	JL

INTERFERENCE SEARCH				
US Class/ CPC Symbol	US Subclass / CPC Group	Date	Examiner	
•	EAST, Database: USPATFUL, USPGPUB,	1/26/2017	JL	
	STN, Databases: Biosis, Embase, Medline, Caplus, Search history enclosed	1/5/2017	JL	
	PALM Inventor Search	1/26/2017	JL	

/J.L./ Examiner.Art Unit 1676	

U.S. Patent and Trademark Office Part of Paper No **072307**0103

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	254	(guanylate near cyclase) and (chronic near constipation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2017/01/26 22:53
L2	66	(guanylate near cyclase) same (chronic near constipation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2017/01/26 22:53
L3	13	L2 and @py<"2010"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2017/01/26 22:53
L4	47025	(guanylate near cyclase) or (GCC near agonist) or (chronic near constipation) or (irritable near bowel near syndrome)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2017/01/26 22:53
L5	31	(guanylate near cyclase) and (GCC near agonist) and (chronic near constipation) and (irritable near bowel near syndrome)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2017/01/26 22:53
L6	1946	L4 and laxative	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2017/01/26 22:53
L7	331	L6 and phosphodiesterase	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2017/01/26 22:53
L8	159	L7 and cGMP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2017/01/26 22:53
L9	32	L8 and @py<"2010"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2017/01/26 22:53
L10	121	(Stephen near3 COMI SKEY).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2017/01/26 22:53

2007		**************************************	***************************************			
L11	290	(Rong near3 FENG).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2017/01/26 22:53
L12	138	(John near3 FOSS).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2017/01/26 22:53
L13	235	(Kunwar near3 SHAILUBHAI).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2017/01/26 22:53
L14	690	L10 or L11 or L12 or L13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2017/01/26 22:53
L15	38	L14 and (chronic near constipation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2017/01/26 22:53
L16	52	(SYNERGY near3 PHARMACEUTI CALS) .asn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2017/01/26 22:53
L17	22	L16 and (chronic near constipation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2017/01/26 22:53
L18	167	SP304 or SP-304 pr (SP near "304")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2017/01/26 22:53
L19	28	L18 same unit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2017/01/26 22:53
L20	0	L18 same constipation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2017/01/26 22:53
L21	37	L18 and constipation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2017/01/26 22:53
L22	36	L21 and unit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2017/01/26 22:53

L23	3	(microcrystalline celloluse)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	W ITH	ON	2017/01/26 22:53
L24	2	(microcrystalline near3 celloluse)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2017/01/26 22:53
L25	964766	(magnesium with stearate) or lubricant	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2017/01/26 22:53
L26	160993	(microcrystalline with celloluse) or (inert with carrier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2017/01/26 22:53
L27	551	(SP near3 "304") or NDECELCVNVACTGCL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	W ITH	ON	2017/01/26 22:53
L28	0	L25 same L26 same L27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2017/01/26 22:53
L29	70	L25 and L26 and L27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2017/01/26 22:53
L30	20	L29 and @py< "2012"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2017/01/26 22:53

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L31	14	NDECELCVNVACTGCL	US-PGPUB; USPAT	WITH	ON	2017/01/26 22:53
L32	69923	low with moisture	US-PGPUB; USPAT	WITH	ON	2017/01/26 22:53
L33	0	L31 and L32	US-PGPUB; USPAT	WITH	ON	2017/01/26 22:53
L34	575	SP304 or SP-304 or uroguanylin	US-PGPUB; USPAT	WITH	ON	2017/01/26 22:53
L35	4	L34 and L32	US-PGPUB; USPAT	WITH	ON	2017/01/26 22:53
L36	22	(Stephen near3 COMI SKEY).in.	US-PGPUB; USPAT	WITH	ON	2017/01/26 22:53
L37	74	(Rong near3 FENG).in.	US-PGPUB;	WITH	ON	2017/01/26

			USPAT		L	22:53
L38	41	(John near3 FOSS).in.	US-PGPUB; USPAT	WITH	ON	2017/01/26 22:53
L39	66	(Kunwar near3 SHAILUBHAI).in.	US-PGPUB; USPAT	WITH	ON	2017/01/26 22:53
L40	38	(SYNERGY near3 PHARMACEUTICALS).asn.	US-PGPUB; USPAT	WITH	ON	2017/01/26 22:53
L41	194	L36 or L37 or L38 or L39 or L40	US-PGPUB; USPAT	WITH	ON	2017/01/26 22:53
L42	2	L41 and L32	US-PGPUB; USPAT	WITH	ON	2017/01/26 22:53
L43	2	L41 and L32	US-PGPUB; USPAT	WITH	ON	2017/01/26 22:53
L45	128	inert same low same moisture same carrier	US-PGPUB; USPAT	WITH	ON	2017/01/26 23:01
L46	226842	lubricanr or (magnesium near3 stearate)	US-PGPUB; USPAT	WITH	ON	2017/01/26 23:02
L47	114207	microcrystalline same cellulose	US-PGPUB; USPAT	WITH	ON	2017/01/26 23:03
L48	0	L34 same L45 same L46	US-PGPUB; USPAT	WITH	ON	2017/01/26 23:04
L49	0	L34 and L45 and L46	US-PGPUB; USPAT	WITH	ON	2017/01/26 23:05
L50	6036	chromatographic purity	US-PGPUB; USPAT	WITH	ON	2017/01/26 23:05
L51	0	L34 same L50	US-PGPUB; USPAT	WITH	ON	2017/01/26 23:06
L52	11	L34 and L50	US-PGPUB; USPAT	WITH	ON	2017/01/26 23:06

Issue Classification



App	lication	/Control	No.
-----	----------	----------	-----

14845644

Examiner

JIA-HAI LEE

Applicant(s)/Patent Under Reexamination

COMISKEY ET AL.

Art Unit

1676

СРС	CPC						
Symbol	Symbol				Туре	Version	
A61K		38	1	12	F	2013-01-01	
C07K		7	1	54	I	2013-01-01	
C12Y		406	1	01002	А	2013-01-01	
A61K		9	1	1623	ı	2013-01-01	
A61K		9	1	1652	1	2013-01-01	
A61K		9	1	1676	1	2013-01-01	
A61K		9	1	2054	I	2013-01-01	
A61K		9	1	4858	1	2013-01-01	
A61K		9	1	4866	I	2013-01-01	
A61K		38	1	10	I	2013-01-01	
A61K		45		06	I	2013-01-01	
A61K		31		192	1	2013-01-01	
A61K		31	1	501	1	2013-01-01	
A61K		31	1	519	1	2013-01-01	
A61K		31	1	53	1	2013-01-01	
A61K		31	7	765	1	2013-01-01	
A61K		31	1	78		2013-01-01	

CPC Comb	CPC Combination Sets							
Symbol				Туре	Set	Ranking	Version	
A61K	31	/ 192		1	1	1	2013-01-01	
A61K	2300	/ 00		Α	1	2	2013-01-01	
A61K	31	/ 519		1	2	1	2013-01-01	
A61K	2300	/ 00		Α	2	2	2013-01-01	
A61K	31	/ 501			3	1	2013-01-01	
A61K	2300	// 00		А	3	2	2013-01-01	
A61K	31	/ 53		1	4	1	2013-01-01	
A61K	2300	/ 00		Α	4	2	2013-01-01	
A61K	31	765		1	5	1	2013-01-01	
A61K	2300	00		Α	5	2	2013-01-01	

/J.L./ Examiner.Art Unit 1676	01/26/2017	Total Claims Allowed:	
(Assistant Examiner)	(Date)		
/SATYANARAYANA R GUDIBANDE/ Primary Examiner.Art Unit 1676	02/06/2017	O.G. Print Claim(s)	O.G. Print Figure
(Primary Examiner)	(Date)	1	N/A

U.S. Patent and Trademark Office Part of Paper No. 20170103

Issue Classification



Application/Control No.	Applicant(s)/Patent Under Reexamination
14845644	COMISKEY ET AL.
Examiner	Art Unit
.IIA-HALLEE	1676

A61K	31	/ 78	1	6	1	2013-01-01
A61K	2300	/ 00	A	6	2	2013-01-01

/J.L./ Examiner.Art Unit 1676	01/26/2017	Total Claims Allowed:		
(Assistant Examiner)	(Date)	16		
/SATYANARAYANA R GUDIBANDE/ Primary Examiner.Art Unit 1676	02/06/2017	O.G. Print Claim(s)	O.G. Print Figure	
(Primary Examiner)	(Date)	1	N/A	

Issue	Classification

Application/Control No.	Applicant(s)/Patent Under Reexamination
14845644	COMISKEY ET AL.
Examiner	Art Unit
JIA-HAI LEE	1676

US ORIGINAL CLASSIFICATION						INTERNATIONAL CLASSIFICATION									
	CLASS SUBCLASS				CLAIMED						NON-CLAIMED				
424			451			Α	6	1	К	38 / 10 (2006.01.01)					
CROSS REFERENCE(S)			Α	6	1	к	9 / 48 (2006.01.01)								
			Α	6	1	К	9 / 00 (2006.01.01)								
CLASS	SUB	CLASS (ONE	SUBCLAS	S PER BLO	CK)										
													_		
													-		
													\dashv		

/J.L./ Examiner.Art Unit 1676	01/26/2017		ns Allowed:	
(Assistant Examiner)	(Date)	16		
/SATYANARAYANA R GUDIBANDE/ Primary Examiner.Art Unit 1676	02/06/2017	O.G. Print Claim(s)	O.G. Print Figure	
(Primary Examiner)	(Date)	1	N/A	

Issue Classification

|--|

Application/Control No.	Applicant(s)/Patent Under Reexamination
14845644	COMISKEY ET AL.
Examiner	Art Unit
ΙΙΔ-ΗΔΙΙΕΕ	1676

×	Claims renumbered in the same order as presented by applicant CPA T.D. R.1.47														
Final	Original	Final	Original	Final	Original	Final	Original	Final	Original	Final	Original	Final	Original	Final	Original

/J.L./ Examiner.Art Unit 1676	01/26/2017	Total Claims Allowed:		
(Assistant Examiner)	(Date)	10		
/SATYANARAYANA R GUDIBANDE/ Primary Examiner.Art Unit 1676	02/06/2017	O.G. Print Claim(s)	O.G. Print Figure	
(Primary Examiner)	(Date)	1	N/A	

PART B - FEE(S) TRANSMITTAL

Complete and send this form, together with applicable fee(s), to: Mail Mail Stop ISSUE FEE

Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450
or Fax (571)-273-2885

INSTRUCTIONS: This form should be used for transmitting the ISSUE FEE and PUBLICATION FEE (if required). Blocks 1 through 5 should be completed where appropriate. All further correspondence including the Patent, advance orders and notification of maintenance fees will be mailed to the current correspondence address as

indicated unless correct maintenance fee notifica	ted belôw or directed oth	nerwise in Block 1, by (a) specifying a new corres	pondence address; and	d/or (b) indicating a sepa	arate "FEE ADDRESS" for			
CURRENT CORRESPOND	DENCE ADDRESS (Note: Use BI	ock 1 for any change of address)	Fee(pape	s) Transmittal. This ce ers. Each additional pa	rtificate cannot be used f	or domestic mailings of the for any other accompanying ent or formal drawing, must			
58249 COOLEY LLI ATTN: Patent (Group	/2017	State addr	reby certify that this F es Postal Service with ressed to the Mail St	sufficient postage for fir	g deposited with the United st class mail in an envelope above, or being facsimile			
Suite 700	nia Avenue, NW					(Depositor's name)			
Washington, DO	€ 20004					(Signature)			
						(Date)			
APPLICATION NO.	FILING DATE		FIRST NAMED INVENTOR	AT	TORNEY DOCKET NO.	CONFIRMATION NO.			
14/845,644	09/04/2015		Stephen COMISKEY	•	SYPA-009/C02US	8164			
TITLE OF INVENTION	N: FORMULATIONS OF	GUANYLATE CYCLA	ASE C AGONISTS AND M	ETHODS OF USE	321994-224				
APPLN. TYPE	ENTITY STATUS	ISSUE FEE DUE	PUBLICATION FEE DUE	PREV. PAID ISSUE FE	E TOTAL FEE(S) DUE	DATE DUE			
nonprovisional	SMALL	\$480	\$0	\$0	\$480	05/10/2017			
				_					
EXAN	MINER	ART UNIT	CLASS-SUBCLASS						
LEE, J	IA-HAI	1676	424-451000						
CFR 1.363). Change of corresponders form PTO/S The Address form PTO/S The Address inc PTO/SB/47; Rev 03-1 Number is required ASSIGNEE NAME A PLEASE NOTE: Un recordation as set for (A) NAME OF ASSI	AND RESIDENCE DATA tless an assignee is ident th in 37 CFR 3.11. Com	nge of Correspondence "Indication form ed. Use of a Customer A TO BE PRINTED ON ified below, no assignee oletion of this form is NO	T a substitute for filing an (B) RESIDENCE: (CITY	o 3 registered patent at vely, le firm (having as a me gent) and the names corneys or agents. If no reprinted. be) atent. If an assignee i assignment.	mber a 2 Ivor El f up to lame is 3	a Kozakiewicz rifi ocument has been filed for			
Please check the appropr	riate assignee category or	categories (will not be p	rinted on the patent): \Box	Individual Corpo	ration or other private gr	oup entity 🚨 Government			
4a. The following fee(s) Issue Fee Publication Fee (I) Advance Order - +	No small entity discount p		4b. Payment of Fee(s): (Please first reapply any previously paid issue fee shown above) A check is enclosed. Payment by credit card. Form PTO-2038 is attached. The director is hereby authorized to charge the required fee(s), any deficiency, or credits any overpayment, to Deposit Account Number 50-1283 (enclose an extra copy of this form).						
Applicant certifyi	atus (from status indicateding micro entity status. Se	e 37 CFR 1.29	fee payment in the micro	entity amount will not	be accepted at the risk of	O/SB/15A and 15B), issue application abandonment.			
	ng small entity status. See		NOTE: If the application was previously under micro entity status, checking this box will be taken to be a notification of loss of entitlement to micro entity status. NOTE: Checking this box will be taken to be a notification of loss of entitlement to small or micro						
			entity status, as applicable	е.		demant to sman of fineto			
NOTE: This form must	be signed in accordance v	vith 37 CFR 1.31 and 1.3	3. See 37 CFR 1.4 for signa	ature requirements and	certifications.				
Authorized Signature				Date Febru	ary 16, 2017				
Typed or printed nam	ne Anne E. Fleck	enstein		Registration No	62,951				

Page 2 of 3 0739

Electronic Patent Application Fee Transmittal										
Application Number:	148	345644								
Filing Date:	04-	Sep-2015								
Title of Invention:	FO US		UANYLATE CY	CLASE C AGONISTS	AND METHODS OF					
First Named Inventor/Applicant Name:	Stephen COMISKEY									
Filer:	Anne Elizabeth Fleckenstein									
Attorney Docket Number:	SYPA-009/C02US 321994-224									
Filed as Small Entity										
Filing Fees for Utility under 35 USC 111(a)										
Description		Fee Code	Quantity	Amount	Sub-Total in USD(\$)					
Basic Filing:										
Pages:										
Claims:										
Miscellaneous-Filing:										
Petition:										
Patent-Appeals-and-Interference:										
Post-Allowance-and-Post-Issuance:										
UTILITY APPL ISSUE FEE		2501	1	480	480					

Description	Fee Code	Quantity	Amount	Sub-Total in USD(\$)
Extension-of-Time:				
Miscellaneous:				
	Tot	480		

Electronic Acknowledgement Receipt			
EFS ID:	28373378		
Application Number:	14845644		
International Application Number:			
Confirmation Number:	8164		
Title of Invention:	FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE		
First Named Inventor/Applicant Name:	Stephen COMISKEY		
Customer Number:	58249		
Filer:	Anne Elizabeth Fleckenstein		
Filer Authorized By:			
Attorney Docket Number:	SYPA-009/C02US 321994-224		
Receipt Date:	16-FEB-2017		
Filing Date:	04-SEP-2015		
Time Stamp:	14:07:26		
Application Type:	Utility under 35 USC 111(a)		

Payment information:

Submitted with Payment	yes
Payment Type	DA
Payment was successfully received in RAM	\$480
RAM confirmation Number	021717INTEFSW00000428501283
Deposit Account	
Authorized User	

The Director of the USPTO is hereby authorized to charge indicated fees and credit any overpayment as follows:

File Listing:					
Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
			354423		
1	Issue Fee Payment (PTO-85B)	SYPA_009_C02US_IssueFeeTra nsmittal.pdf	a1101b11d3466de7c4203a2bbb2a8e9d80 d6e31c	no	1
Warnings:					

Information:

			30469		
2	Fee Worksheet (SB06)	fee-info.pdf	af74c0d4ec33fdf7c90d56fe75362ce8fafad3 c4	no	2

Total Files Size (in bytes):

Warnings:

Information:

ot on the noted date by the USPTO of the indicated documents.

384892

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.

New International Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.

Change(s) applied	Application/Control No.	Applicant(s)/Pater	nt Under
to document, /S.R.R. Notice of References Cited	14/845,644	Reexamination COMISKEY ET A	L.
/5.K.Kijolice of Helefences Offed	Examiner	Art Unit	
2/16/2017	JIA-HAI LEE	1676	Page 1 of 1

U.S. PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	CPC Classification	US Classification	
*	Α	US-2010/0048489 A1	02-2010	Fretzen; Angelika	A61K9/1611	514/1.1	
	В	US-					
	C	US-					
	D	US-					
	Е	US-					
	F	US-					
	G	US-					
	Ι	US-					
	_	US-					
	J	US-					
	К	US-					
	┙	US-					
	М	US-					

FOREIGN PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	CPC Classification
	Ν	WO2005016244A2	02-2005	DE WO	Currie et al.	A61K
	0					
	Ρ					
	σ					
	R					
	Ø					
	Т					

NON-PATENT DOCUMENTS

	NOTE ATENT DOCUMENTO							
*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)						
	U	FMC BioPolymer Catalog. 2005.						
	V							
	w							
	х							

*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).) Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.

Receipt date: 09/04/2015 14845644 - GAU: 1676

PTO/SB/08a (09-08)

Approved for use through 10/31/2008. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

SHEET 4 OF 19

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Com	plete if Known
Application Number	To Be Assigned
Filing Date	September 4, 2015
First Named Inventor	Stephen COMISKEY
Art Unit	To Be Assigned
Examiner Name	To Be Assigned
Attorney Docket Number	SYPA-009/C02US

FOREIGN PATENT DOCUMENTS						
Examiner Initials*	Cite No. ¹	Foreign Patent Document Country Code ³ -Number ⁴ -Kind Code ⁵ (<i>if known</i>)	Publication Date MM-DD- YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages Or Relevant Figures Appear	${f T}^6$
	60.	DE 19744027	04-08-1999	Hoechst Marion Rouseel Deutschland GmbH		
	61.	WO 88/05306	07-28-1988	The General Hospital Corporation		
	62.	WO 93/12068 A1	06-24-1993	Brigham and Women's Hospital		
(s) applied	63.	WR 1999/026567 A1 WC	06-03-1999	Optonol Ltd		
ment.	64.	WO 01/25266 A1	04-12-2001	Pharmacia Corporation		
	65.	WO 02/062369 A2	08-15-2002	Pharmacia Corporation		
01 <i>7</i>	66.	WO 2002/078683 A1	10-10-2002	Synergy Pharmaceuticals, Inc.		
	67.	WO 2002/098912 A3	12-12-2002	Cetin		
	68.	WO 2004/069165	08-19-2004	Microbia Inc. et al.		
	69.	WO 2005/016244 A2	02-24-2005	Microbia, Inc. et al.		
	70.	WO 2005/087797	09-22-2005	Microbia, Inc. et al.		
	71.	WO 2006/086653 A2	08-17-2006	Microbia, Inc. et al.		
	72.	WO 2007/101158 A2	09-07-2007	Microbia, Inc. et al.		
	73.	WO 2007/022531	02-22-2007	Microbia, Inc. et al.		
	74.	WO 2008/106429	09-04-2008	Microbia, Inc. et al.		
	75.	WO 2008/137318 A1	11-13-2008	Ironwood Pharmaceuticals, Inc. et al.		

Examiner Signature:		Date	Considered	
EXAMINER: Initial if r	ference considered, whether or not citation is in conformance with MPEI	P 609.	Draw line thro	ough citation if not in
conformance and not cor	sidered. Include copy of this form with next communication to applicant			

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. sKind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND**TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

121042409v1

Receipt date: 09/04/2015 14845644 - GAU: 1676

Change(s) applied

PTO/SB/08a (09-08)
Approved for use through 10/31/2008. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
to document,

SHEET 1 OF 19

/SR.R./ 2/16/2017

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Com	plete if Known
Application Number	To Be Assigned
Filing Date	September 4, 2015
First Named Inventor	Stephen COMISKEY
Art Unit	To Be Assigned
Examiner Name	To Be Assigned
Attorney Docket Number	SYPA-009/C02US

	U.S. PATENT DOCUMENTS							
Examiner Initials*	Cite No. ¹	Document Number Number-Kind Code2 (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear			
	1.	2002/0128176 A1	09-12-2002	Forssmann et al.				
	2.	2002/0078683	06-27-2002	Katayama et al.				
	3.	2002/0133168	09-19-2002	Smeldley et al.				
	4.	2002/0143015	10-03-2002	Fryburg et al.				
	5.	2003/0073628	04-17-2003	Shailubhai et al.				
	6.	2004/0015140 A1	01-22-2004	Shields				
	7.	2005/0016244	01-27-2005	Hergemoller				
	8.	2005/0032684 A1	02-10-2005	Cetin et al.				
	9.	2005/0107734	05-19-2005	Coroneo				
	10.	2005/0266047	12-01-2005	Tu et al				
	11.	-005/0267297-	12-01-2005	Berlin	2005/0267197			
	12.	2006/0086653	04-27-2006	St. Germain				
	13.	2006/0094658	05-04-2006	Currie				
	14.	2007/0101158	05-03-2007	Elliott				
	15.	2008/0137318	06-12-2008	Rangaraj et al.				
	16.	2008/0151257	06-26-2008	Yasuda et al.				
	17.	2009/0048175 A1	02-19-2009	Shailubhai et al.				
	18.	2009/0192083 A1	07-30-2009	Currie				
	19.	2009/0253634 A1	10-08-2009	Currie et al.				
	20.	2010/0069306 A1	03-18-2010	Shailubhai et al.				

Examiner Signature:		Doto	Considered		
Examiner Signature.		Date	Collsidered		
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in					
aanfarmanaa and not aar	gidered. Include convert this form with part communication to applicant				

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. sKind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND**TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

121042409v1



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450

Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	ISSUE DATE	PATENT NO.	ATTORNEY DOCKET NO.	CONFIRMATION NO.
14/845,644	04/04/2017	9610321	SYPA-009/C02US 321994-224	8164

58249 7590

03/15/2017

COOLEY LLP ATTN: Patent Group

1299 Pennsylvania Avenue, NW

Suite 700

Washington, DC 20004

ISSUE NOTIFICATION

The projected patent number and issue date are specified above.

Determination of Patent Term Adjustment under 35 U.S.C. 154 (b)

(application filed on or after May 29, 2000)

The Patent Term Adjustment is 0 day(s). Any patent to issue from the above-identified application will include an indication of the adjustment on the front page.

If a Continued Prosecution Application (CPA) was filed in the above-identified application, the filing date that determines Patent Term Adjustment is the filing date of the most recent CPA.

Applicant will be able to obtain more detailed information by accessing the Patent Application Information Retrieval (PAIR) WEB site (http://pair.uspto.gov).

Any questions regarding the Patent Term Extension or Adjustment determination should be directed to the Office of Patent Legal Administration at (571)-272-7702. Questions relating to issue and publication fee payments should be directed to the Application Assistance Unit (AAU) of the Office of Data Management (ODM) at (571)-272-4200.

APPLICANT(s) (Please see PAIR WEB site http://pair.uspto.gov for additional applicants):

Stephen COMISKEY, Doylestown, PA; SYNERGY PHARMACEUTICALS INC., NEW YORK, NY Rong FENG, Langhorne, PA; John FOSS, Doylestown, PA; Kunwar SHAILUBHAI, Audubon, PA;

The United States represents the largest, most dynamic marketplace in the world and is an unparalleled location for business investment, innovation, and commercialization of new technologies. The USA offers tremendous resources and advantages for those who invest and manufacture goods here. Through SelectUSA, our nation works to encourage and facilitate business investment. To learn more about why the USA is the best country in the world to develop technology, manufacture products, and grow your business, visit <u>SelectUSA.gov</u>.

IR103 (Rev. 10/09) 0747

PTO/A/A/81A (02-15)

and a second	SEE Business and	pproved for use through 03/31/2021. OMB 0651-0035 Frademark Office: U.S. DEPARTMENT OF COMMENCE
PATENT POWER OF ATTORNEY	(<u>Regard to a subsection of infor</u> Patent Number	9,610,321
PATENT - POWER OF ATTORNEY	Issue Date	April 4, 2017
OR	First Named Inventor	Stephen Comiskey
REVOCATION OF POWER OF ATTORNEY	Title	Formulations of Guanylate Cyclase C
WITH A NEW POWER OF ATTORNEY		Agonists and Methods of Use
AND		y gornote and mothers of ecc
CHANGE OF CORRESPONDENCE ADDRESS	Attorney Docket No.	376464-2005US3 (00110)
Thereby rayoke all pravious powers of attorney given in the above-ide	ntified patent	
A Fower of Attorney is submitted herewith.		
OR I hereby appoint Practitioner(s) associated with the Customer Num	nhar idaa etti vatta etta t	
 attorney(s) or agent(s) with respect to the patent identified above 	, and to transact all busines:	right as my/our in the United 162421
States Patent and Trademark Office connected therewith: OR		102721
I hereby appoint Practitioner(s) named below as my/our attorney(all business in the United States Patent and Trademark Office com	s) or agent(s) with respect to vected therewith:	s the patent identified above, and to transact
Practitioner(s) Name	~~~	stration Number
Fireste recognize or change the correspondence address for the above of the above. The address associated with the above-identified Customer Number of the address associated with the Customer Number identified in the OR	£1.	
L Individual Name		
Address		
City Country	State	
Telephone	Email	
I am the:	***************************************	
Applicant		
OR Patent owner.		
Statement under 37 LFR 3.73CHEFFIN PTP/AIA/96) subgented here		······································
SIGNATURE of Appli	cant or Patent Owner	***************************************
Sanature Name Substitution		Date August 27, 2519
Title and Company VP see Assistant Control Control Bausch Health Ireland	Limited	Telephone 1
NOTE: Signatures of all the applicants of patent owners of the entire in	iterest or their representativ	%(s) are required. If more than one ciseasons
is required, summit multiple forms, check the box below, and identify the	e total number of forms sub	omitted in the blank below.
A total of forms are submitted.		

This collection of information is required by 37 CFR 1.31, 1.32, and 1.35. The information is required to obtain or retain a benefit by the public, which is to update (and by the USPTO to process) the file of a patent or recommination proceeding. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 3 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. 80x 1450, Alexandria, VA 22313-1450. DO NOT SEND FEEL OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. 80x 1450, Alexandria, VA 22313-1450.

If you need estitance in completing the form, call 1-800-PTO-9199 and select option 3.

Privacy Act Statement

The **Privacy Act of 1974 (P.L. 93-579)** requires that you be given certain information in connection with your submission of the attached form related to a patent application or patent. Accordingly, pursuant to the requirements of the Act, please be advised that: (1) the general authority for the collection of this information is 35 U.S.C. 2(b)(2); (2) furnishing of the information solicited is voluntary; and (3) the principal purpose for which the information is used by the U.S. Patent and Trademark Office is to process and/or examine your submission related to a patent application or patent. If you do not furnish the requested information, the U.S. Patent and Trademark Office may not be able to process and/or examine your submission, which may result in termination of proceedings or abandonment of the application or expiration of the patent.

The information provided by you in this form will be subject to the following routine uses:

- The information on this form will be treated confidentially to the extent allowed under the Freedom of Information Act (5 U.S.C. 552) and the Privacy Act (5 U.S.C 552a). Records from this system of records may be disclosed to the Department of Justice to determine whether disclosure of these records is required by the Freedom of Information Act.
- A record from this system of records may be disclosed, as a routine use, in the course of presenting evidence to a court, magistrate, or administrative tribunal, including disclosures to opposing counsel in the course of settlement negotiations.
- 3. A record in this system of records may be disclosed, as a routine use, to a Member of Congress submitting a request involving an individual, to whom the record pertains, when the individual has requested assistance from the Member with respect to the subject matter of the record.
- 4. A record in this system of records may be disclosed, as a routine use, to a contractor of the Agency having need for the information in order to perform a contract. Recipients of information shall be required to comply with the requirements of the Privacy Act of 1974, as amended, pursuant to 5 U.S.C. 552a(m).
- A record related to an International Application filed under the Patent Cooperation Treaty in this
 system of records may be disclosed, as a routine use, to the International Bureau of the World
 Intellectual Property Organization, pursuant to the Patent Cooperation Treaty.
- A record in this system of records may be disclosed, as a routine use, to another federal agency for purposes of National Security review (35 U.S.C. 181) and for review pursuant to the Atomic Energy Act (42 U.S.C. 218(c)).
- 7. A record from this system of records may be disclosed, as a routine use, to the Administrator, General Services, or his/her designee, during an inspection of records conducted by GSA as part of that agency's responsibility to recommend improvements in records management practices and programs, under authority of 44 U.S.C. 2904 and 2906. Such disclosure shall be made in accordance with the GSA regulations governing inspection of records for this purpose, and any other relevant (i.e., GSA or Commerce) directive. Such disclosure shall not be used to make determinations about individuals.
- 8. A record from this system of records may be disclosed, as a routine use, to the public after either publication of the application pursuant to 35 U.S.C. 122(b) or issuance of a patent pursuant to 35 U.S.C. 151. Further, a record may be disclosed, subject to the limitations of 37 CFR 1.14, as a routine use, to the public if the record was filed in an application which became abandoned or in which the proceedings were terminated and which application is referenced by either a published application, an application open to public inspection or an issued patent.
- A record from this system of records may be disclosed, as a routine use, to a Federal, State, or local law enforcement agency, if the USPTO becomes aware of a violation or potential violation of law or regulation.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

	<u>IT UNDER 37 CFR 3.73(c)</u>
Applicant/Patent Owner: Synergy Pharmaceuticals I	
Application No./Patent No.: 9,610,321	Filed/Issue Date: April 4, 2017
	ASE C AGONISTS AND METHODS OF USE
Bausch Health Ireland Limited , a	corporation
(Name of Assignee)	Type of Assignee, e.g., corporation, partnership, university, government agency, etc.)
states that, for the patent application/patent identified a	bove, it is (choose one of options 1, 2, 3 or 4 below):
1. $\begin{tabular}{c} \checkmark \end{tabular}$ The assignee of the entire right, title, and interest	st.
2. An assignee of less than the entire right, title, a	nd interest (check applicable box):
The extent (by percentage) of its ownership holding the balance of the interest <u>must be sub</u>	interest is%. Additional Statement(s) by the owners mitted to account for 100% of the ownership interest.
There are unspecified percentages of owne right, title and interest are:	rship. The other parties, including inventors, who together own the entire
Additional Statement(s) by the owner(s) hold right, title, and interest.	ling the balance of the interest must be submitted to account for the entire
3. The assignee of an undivided interest in the en The other parties, including inventors, who together ow	tirety (a complete assignment from one of the joint inventors was made). n the entire right, title, and interest are:
Additional Statement(s) by the owner(s) hold right, title, and interest.	ng the balance of the interest must be submitted to account for the entire
	(e.g., bankruptcy, probate), of an undivided interest in the entirety (a e certified document(s) showing the transfer is attached.
The interest identified in option 1, 2 or 3 above (not opt	ion 4) is evidenced by either (choose one of options A or B below):
	at Reel, Frame, or for which a copy
B. A chain of title from the inventor(s), of the pater	nt application/patent identified above, to the current assignee as follows:
1. From: inventors	To: Synergy Pharmaceuticals, Inc.
	nited States Patent and Trademark Office at
	or for which a copy thereof is attached.
	To: Bausch Health Ireland Limited
	nited States Patent and Trademark Office at
Reel, Frame	, or for which a copy thereof is attached.

[Page 1 of 2]
This collection of information is required by 37 CFR 3.73(b). The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

		STATEME	NT UNDER 37 CFR 3.73(c)
3. From:			To:
			United States Patent and Trademark Office at
	Reel	, Frame	, or for which a copy thereof is attached.
4. From:			To:
	The docum	ent was recorded in the	United States Patent and Trademark Office at
	Reel	, Frame	, or for which a copy thereof is attached.
5. From:			To:
	The docum	ent was recorded in the	United States Patent and Trademark Office at
	Reel	, Frame	, or for which a copy thereof is attached.
6. From:			To:
	The docum	ent was recorded in the	United States Patent and Trademark Office at
	Reel	, Frame	, or for which a copy thereof is attached.
Ac	Iditional documer	ts in the chain of title are	e listed on a supplemental sheet(s).
			mentary evidence of the chain of title from the original owner to the itted for recordation pursuant to 37 CFR 3.11.
			he original assignment document(s)) must be submitted to Assignment record the assignment in the records of the USPTO. See MPEP 302.08]
The undersig	gned (whose title	is supplied below) is aut	thorized to act on behalf of the assignee.
/Domingo	os J. Silva/		September 28, 2020
Signature			Date
Doming	jos J. Silva		64197
Printed or Typed Name			Title or Registration Number

[Page 2 of 2]

Privacy Act Statement

The **Privacy Act of 1974 (P.L. 93-579)** requires that you be given certain information in connection with your submission of the attached form related to a patent application or patent. Accordingly, pursuant to the requirements of the Act, please be advised that: (1) the general authority for the collection of this information is 35 U.S.C. 2(b)(2); (2) furnishing of the information solicited is voluntary; and (3) the principal purpose for which the information is used by the U.S. Patent and Trademark Office is to process and/or examine your submission related to a patent application or patent. If you do not furnish the requested information, the U.S. Patent and Trademark Office may not be able to process and/or examine your submission, which may result in termination of proceedings or abandonment of the application or expiration of the patent.

The information provided by you in this form will be subject to the following routine uses:

- The information on this form will be treated confidentially to the extent allowed under the Freedom of Information Act (5 U.S.C. 552) and the Privacy Act (5 U.S.C 552a). Records from this system of records may be disclosed to the Department of Justice to determine whether disclosure of these records is required by the Freedom of Information Act.
- 2. A record from this system of records may be disclosed, as a routine use, in the course of presenting evidence to a court, magistrate, or administrative tribunal, including disclosures to opposing counsel in the course of settlement negotiations.
- 3. A record in this system of records may be disclosed, as a routine use, to a Member of Congress submitting a request involving an individual, to whom the record pertains, when the individual has requested assistance from the Member with respect to the subject matter of the record.
- 4. A record in this system of records may be disclosed, as a routine use, to a contractor of the Agency having need for the information in order to perform a contract. Recipients of information shall be required to comply with the requirements of the Privacy Act of 1974, as amended, pursuant to 5 U.S.C. 552a(m).
- 5. A record related to an International Application filed under the Patent Cooperation Treaty in this system of records may be disclosed, as a routine use, to the International Bureau of the World Intellectual Property Organization, pursuant to the Patent Cooperation Treaty.
- 6. A record in this system of records may be disclosed, as a routine use, to another federal agency for purposes of National Security review (35 U.S.C. 181) and for review pursuant to the Atomic Energy Act (42 U.S.C. 218(c)).
- 7. A record from this system of records may be disclosed, as a routine use, to the Administrator, General Services, or his/her designee, during an inspection of records conducted by GSA as part of that agency's responsibility to recommend improvements in records management practices and programs, under authority of 44 U.S.C. 2904 and 2906. Such disclosure shall be made in accordance with the GSA regulations governing inspection of records for this purpose, and any other relevant (*i.e.*, GSA or Commerce) directive. Such disclosure shall not be used to make determinations about individuals.
- 8. A record from this system of records may be disclosed, as a routine use, to the public after either publication of the application pursuant to 35 U.S.C. 122(b) or issuance of a patent pursuant to 35 U.S.C. 151. Further, a record may be disclosed, subject to the limitations of 37 CFR 1.14, as a routine use, to the public if the record was filed in an application which became abandoned or in which the proceedings were terminated and which application is referenced by either a published application, an application open to public inspection or an issued patent.
- 9. A record from this system of records may be disclosed, as a routine use, to a Federal, State, or local law enforcement agency, if the USPTO becomes aware of a violation or potential violation of law or regulation.

PATENT ASSIGNMENT AGREEMENT – UNITED STATES

THIS PATENT PROPERTY ASSIGNMENT AGREEMENT – UNITED STATES, dated as of March 6, 2019 (this "Agreement"), is made by and among Bausch Health Ireland Limited, a private limited company organized under the laws of Ireland (the "Assignee"), and Synergy Pharmaceuticals Inc., a Delaware corporation (the "Parent"), and its wholly-owned subsidiary, Synergy Advanced Pharmaceuticals, Inc., a Delaware corporation ("SF Sub") (each of the Parent and SF Sub, an "Assignor" and collectively, the "Assignors"). Each of the Assignee and the Assignors are referred to individually herein as a "Party" and collectively as the "Parties." Capitalized terms used herein and not otherwise defined shall have the respective meanings set forth in the Asset Purchase Agreement (as defined below).

RECITALS:

WHEREAS, the Assignee and the Assignors have entered into that certain Asset Purchase Agreement, dated as of December 11, 2018, as amended and restated on January 4, 2019 (as further amended, restated, supplemented or otherwise modified from time to time, the "Asset Purchase Agreement"); and

WHEREAS, this Agreement is made and delivered pursuant to the terms and subject to the conditions set forth in the Asset Purchase Agreement.

AGREEMENT:

NOW, THEREFORE, subject to the terms and conditions of the Asset Purchase Agreement, and in consideration of the representations, warranties, covenants and agreements set forth therein, the Parties hereto agree as follows:

- 1. Acquired Patents. For good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Assignors hereby irrevocably and unconditionally sell, transfer, assign, convey, and deliver to the Assignee and its successors and permitted assigns, forever, and the Assignee accepts and acquires from the Assignors all of the Assignors' right, title, and interest (of every nature, kind, and description, tangible or intangible (including goodwill), whether real, personal, or mixed, whether accrued, contingent, or otherwise, wherever located), in each case free and clear of any and all Encumbrances (other than Permitted Post-Closing Encumbrances) in, to, and under all of Seller's right, title and interest in and to those patents and patent applications set forth on Schedule I hereto (the "Acquired Patents"), including (i) all of Assignors' rights in and to all income, royalties, damages and payments now or hereafter due or payable with respect thereto, (ii) all causes of action (whether in law or in equity) with respect thereto, and (iii) the right to sue, counterclaim, and recover for past, present and future infringement of the Acquired Patents.
- 2. <u>Further Assurances</u>. This Agreement has been executed and delivered by the Assignors with the agreement that the same may be recorded with the United States Patent and Trademark Office and with other applicable governmental entity or registrar in other jurisdictions outside the United States. From time to time hereafter, and without further consideration, each of the Assignors, the Assignee, and their respective successors and permitted

assigns, covenant and agree that each of the Assignors, the Assignee, and their respective successors and permitted assigns shall execute and deliver, or shall cause to be executed and delivered, such further instruments of conveyance and transfer and take such additional action as the other Party may reasonably request to effect, consummate, confirm, or evidence the transfer to the Assignee, its successors, and permitted assigns of the Acquired Patents in accordance with the foregoing. Assignor shall provide Assignee and its successors and assigns reasonable cooperation and assistance at Assignee's request and expense (including the execution and delivery of any and all country specific forms of assignment, affidavits, declarations, oaths, exhibits, powers of attorney or other documentation) as are reasonably requested by Assignee to effect, record, register or maintain this Assignment and/or the rights assigned herein. The Parties hereby authorize the relevant authority at the United States Patent and Trademark Office and respective foreign patent and trademark offices to record this Agreement and record Assignee as the owner of the Acquired Patents and to issue any and all Acquired Patents to Assignee, as assignee of Assignor's entire right, title and interest in, to and under the same.

- 3. <u>Power of Attorney</u>. The Assignors hereby constitute and appoint the Assignee as the Assignors' true and lawful attorney in fact, with full power of substitution in the Assignors' name and stead, to take any and all steps, including proceedings at law, in equity or otherwise, to execute, acknowledge and deliver any and all instruments and assurances necessary or expedient in order to vest or perfect the aforesaid rights more effectively in the Assignee or to protect the same or to enforce any claim or right of any kind with respect thereto. The Assignors hereby declare that the foregoing power is coupled with an interest and as such is irrevocable.
- 4. <u>Notices</u>. All notices, requests, claims, demands or other communications hereunder to any Party shall be given in the manner set forth in the Asset Purchase Agreement. Any Party may change its address for receiving notices, requests, and other documents by giving written notice of such change to the other Parties in accordance with the Asset Purchase Agreement.
- 5. <u>Severability</u>. If any provision of this Agreement or the application thereof to any Person or circumstance is held invalid or unenforceable, the remainder of this Agreement, and the application of such provision to other Persons or circumstances, shall not be affected thereby, and to such end, the provisions of this Agreement are agreed to be severable.
- 6. <u>Effectiveness</u>. This Agreement shall be effective as of the Closing Date pursuant to the terms of the Asset Purchase Agreement.
- 7. <u>Amendments; Waivers</u>. This Agreement may not be waived, altered, amended or modified except by an instrument in writing signed by, or on behalf of each of the Parties hereto.
- 8. <u>Counterparts</u>. This Agreement may be executed in two or more counterparts, each of which shall be deemed to be an original but all of which shall constitute one and the same agreement.
- 9. Governing Law; Submission of Jurisdiction; Waiver of Jury Trial. With regard to patent, trademark and copyright issues, this Agreement shall be governed by and construed in accordance with the federal Laws of the United States. For all other matters, this Agreement shall be governed by and construed in accordance with the Laws of the State of Delaware

without regard to the rules of conflict of Laws of the State of Delaware or any other jurisdiction. Each of the Parties irrevocably and unconditionally consents to submit to the exclusive jurisdiction of the Bankruptcy Court for any litigation arising out of or relating to this Agreement and the transactions contemplated thereby (and agrees not to commence any litigation relating thereto except in the Bankruptcy Court), provided, however, that if the Chapter 11 Case has been closed and/or the Bankruptcy Court declines jurisdiction, each of the Parties agree to and hereby irrevocably and unconditionally consents to submit to the exclusive jurisdiction of the United States District Court sitting in Wilmington, Delaware. Each of the Parties irrevocably and unconditionally waives any objection to the laying of venue of any such litigation in any such court. Each Party hereby consents to service of process in the manner set forth in Section 4. EACH PARTY HERETO IRREVOCABLY AND UNCONDITIONALLY WAIVES ANY RIGHT IT MAY HAVE TO A TRIAL BY JURY IN RESPECT OF ANY LITIGATION ARISING OUT OF OR RELATING TO THIS AGREEMENT OR THE TRANSACTIONS CONTEMPLATED HEREBY.

10. <u>Third Parties</u>. This Agreement will be binding upon, inure to the benefit of and be enforceable by the Parties hereto and their respective successors and permitted assigns and shall not be binding upon, inure to the benefit of, or be enforceable by any other party.

[Signature Pages Follow]

IN WITNESS WHEREOF, the Parties have caused this Assignment to be executed by their respective officers thereunto duly authorized as of the date first above written.

ASSIGNORS:

SYNERGY	PHA	RMA	CEUTIC	ALS	INC.

Gemighani

Title: EVP and Chief Financial Officer

SYNERGY ADVANCED PHARMACEUTICALS, INC.

Title: EVP and Chief Financial Officer

STATE OF Connecticut) : ss.: Darren COUNTY OF Fairfield)

On this It day of Word 20, before me personally appeared Gay G femignant capacity as EVP cal CFO of Synergy Pharmaceuticals Inc., and Gay G Gem, The his/her capacity as EVP of Synergy Advanced Pharmaceuticals Inc., and Gay G Gem, The his/her capacity as FUP on CFof Synergy Advanced Pharmaceuticals, Inc., who each proved to me on the basis of satisfactory evidence to be the person(s) whose name(s) is subscribed to or who executed the foregoing instrument in his authorized capacity, and who duly acknowledged to me that execution of the same is his/her own free act and deed and made with appropriate authority.

MICHAEL HENRY BERGMANN Notary Public Connecticut My Commission Expires Mar 31, 2019

My Commission Expires:

Notary Public

[Notary Seal]

IN WITNESS WHEREOF, the Parties have caused this Assignment to be executed by their respective officers thereunto duly authorized as of the date first above written.

ASSIGNEE:

BAUSCH HEALTH IRELAND LIMITED

By: Collection Name: Graham Jackson Title: Graham Jackson

Director

Schedule I

Acquired Patents

Title/Mark	Application No.	Application Date	Registration No.	Registration Date	Case Status	Country
GUANYLATE CYCLASE RECEPTOR AGONISTS FOR THE TREATMENT OF TISSUE INFLAMMATION AND CARCINOGENESIS	10/107,814	3/28/2002	7,041,786	5/9/2006	Granted	United States of America
GUANYLATE CYCLASE RECEPTOR AGONISTS FOR THE TREATMENT OF TISSUE INFLAMMATION AND CARCINOGENESIS	11/347,115	2/2/2006	7,799,897	9/21/2010	Granted	United States of America
GUANYLATE CYCLASE RECEPTOR AGONISTS FOR THE TREATMENT OF TISSUE INFLAMMATION AND CARCINOGENESIS	12/763,707	4/20/2010	8,114,831	2/14/2012	Granted	United States of America
GUANYLATE CYCLASE RECEPTOR AGONISTS FOR THE TREATMENT OF TISSUE INFLAMMATION AND CARCINOGENESIS	13/339,785	12/29/2011	8,637,451	1/28/2014	Granted	United States of America
GUANYLATE CYCLASE RECEPTOR AGONISTS FOR THE TREATMENT OF TISSUE INFLAMMATION AND CARCINOGENESIS	14/137,256	12/20/2013			Pending	United States of America
AGONISTS OF GUANYLATE CYCLASE USEFUL FOR THE TREATMENT OF GASTROINTESTINAL DISORDERS, INFLAMMATION, CANCER AND OTHER DISORDERS	12/133,344	6/4/2008	7,879,802	2/1/2011	Granted	United States of America
AGONISTS OF GUANYLATE CYCLASE USEFUL FOR THE TREATMENT OF HYPERCHOLESTEROLEMIA, ATHEROSCLEROSIS, CORONARY HEART DISEASE, GALLSTONE, OBESITY AND OTHER CARDIOVASCULAR DISEASES	12/630,654	12/3/2009	8,969,514	3/3/2015	Granted	United States of America

AGONISTS OF GUANYLATE CYCLASE USEFUL FOR THE TREATMENT OF GASTROINTESTINAL DISORDERS, INFLAMMATION, CANCER AND OTHER DISORDERS	13/010,267	1/20/2011	8,716,224	5/6/2014	Granted	United States of America
AGONISTS OF GUANYLATE CYCLASE USEFUL FOR THE TREATMENT OF GASTROINTESTINAL DISORDERS, INFLAMMATION, CANCER AND OTHER DISORDERS	13/857,283	4/5/2013	8,901,075	12/2/2014	Granted	United States of America
AGONISTS OF GUANYLATE CYCLASE USEFUL FOR THE TREATMENT OF GASTROINTESTINAL DISORDERS, INFLAMMATION, CANCER AND OTHER DISORDERS	14/528,257	10/30/2014	9,266,926	2/23/2016	Granted	United States of America
AGONISTS OF GUANYLATE CYCLASE USEFUL FOR THE TREATMENT OF HYPERCHOLESTEROLEMIA, ATHEROSCLEROSIS, CORONARY HEART DISLEASE, GALLSTONE, OBESITY AND OTHER CARDIOVASCULAR DISEASES	14/742,456	6/17/2015	9,814,752	11/14/2017	Granted	United States of America
AGONISTS OF GUANYLATE CYCLASE USEFUL FOR THE TREATMENT OF GASTROINTESTINAL DISORDERS, INFLAMMATION, CANCER AND OTHER DISORDERS	15/049,740	2/22/2016	9,914,752	3/13/2018	Granted	United States of America
AGONISTS OF GUANYLATE CYCLASE USEFUL FOR THE TREATMENT OF GASTROINTESTINAL DISORDERS, INFLAMMATION, CANCER AND OTHER DISORDERS	15/471,462	3/28/2017			Pending	United States of America
AGONISTS OF GUANYLATE CYCLASE USEFUL FOR THE TREATMENT OF GASTROINTESTINAL DISORDERS, INFLAMMATION, CANCER AND OTHER DISORDERS	15/918,047	3/12/2018			Pending	United States of America
AGONISTS OF GUANYLATE CYCLASE USEFUL FOR THE TREATMENT OF GASTROINTESTINAL DISORDERS, INFLAMMATION, CANCER AND OTHER DISORDERS	14/228,843	3/28/2014	9,238,677	1/19/2016	Granted	United States of America

	······					·······
METHOD OF INHIBITING BILE ACID ABSORPTION BY ADMINISTERING AN AGONIST OF A GUANYLATE CYCLASE RECEPTOR	13/513,224	12/3/2010	9,089,612	7/28/2015	Granted	United States of America
AGONISTS OF GUANYLATE CYCLASE USEFUL FOR THE TREATMENT OF GASTROINTESTINAL DISORDERS, INFLAMMATION, CANCER AND OTHER DISORDERS	12/478,505	6/4/2009	8,207,295	6/26/2012	Granted	United States of America
AGONISTS OF GUANYLATE CYCLASE USEFUL FOR THE TREATMENT OF GASTROINTESTINAL DISORDERS, INFLAMMATION, CANCER AND OTHER DISORDERS	13/467.703	5/9/2012	8,357,775	1/22/2013	Granted	United States of America
AGONISTS OF GUANYLATE CYCLASE USEFUL FOR THE TREATMENT OF GASTROINTESTINAL DISORDERS, INFLAMMATION, CANCER AND OTHER DISORDERS	13/716,874	12/17/2012	8,497,348	7/30/2013	Granted	United States of America
AGONISTS OF GUANYLATE CYCLASE USEFUL FOR THE TREATMENT OF GASTROINTESTINAL DISORDERS, INFLAMMATION, CANCER AND OTHER DISORDERS	14/831,293	8/20/2015	9,920,095	3/20/2018	Granted	United States of America
AGONISTS OF GUANYLATE CYCLASE USEFUL FOR THE TREATMENT OF GASTROINTESTINAL DISORDERS, INFLAMMATION, CANCER AND OTHER DISORDERS	12/504,288	7/16/2009	8,034,782	10/11/2011	Granted	United States of America
AGONISTS OF GUANYLATE CYCLASE USEFUL FOR THE TREATMENT OF GASTROINTESTINAL DISORDERS, INFLAMMATION, CANCER AND OTHER DISORDERS	14/632,314	2/26/2015	9,505,805	11/29/2016	Granted	United States of America
AGONISTS OF GUANYLATE CYCLASE USEFUL FOR THE TREATMENT OF GASTROINTESTINAL DISORDERS, INFLAMMATION, CANCER AND OTHER DISORDERS	13/226,300	9/6/2011	8,367,800	2/5/2013	Granted	United States of America
AGONISTS OF GUANYLATE CYCLASE USEFUL FOR THE TREATMENT OF GASTROINTESTINAL DISORDERS, INFLAMMATION, CANCER AND OTHER DISORDERS	13/731,483	12/31/2012	8,569,246	10/29/2013	Granted	United States of America

AGONISTS OF GUANYLATE CYCLASE USEFUL FOR THE TREATMENT OF GASTROINTESTINAL DISORDERS, INFLAMMATION, CANCER AND OTHER DISORDERS	13/955,710	7/31/2013	8,664,354	3/4/2014	Granted	United States of America
FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE	14/301,812	6/11/2014	10,034,836	7/31/2018	Granted	United States of America
FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE	16/018,278	6/26/2018			Pending	United States of America
PROCESS OF PREPARING GUANYLATE CYCLASE C AGONIST	15/405,787	1/13/2017			Pending	United States of America
PROCESS OF PREPARING GUANYLATE CYCLASE C AGONIST	14/001,638	3/1/2012	9,580,471	2/28/2017	Granted	United States of America
FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE	14/845,644	9/4/2015	9,610,321	4/4/2017	Granted	United States of America
FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE	15/467,631	3/23/2017	9,925,231	3/27/2018	Granted	United States of America
FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE	15/467,648	3/23/2017	9,919,024	3/20/2018	Granted	United States of America
FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE	15/924,940	3/19/2018			Pending	United States of America
FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE	13/421,769	3/15/2012	9,616,097	4/11/2017	Granted	United States of America
AGONISTS OF GUANYLATE CYCLASE USEFUL FOR DOWNREGULATION OF PRO-INFLAMMATORY CYTOKINES	15/026,560	10/9/2014			Pending	United States of America
COMPOSITIONS USEFUL FOR THE TREATMENT OF GASTROINTESTINAL DISORDERS	14/207,749	3/13/2014	9,486,494	11/8/2016	Granted	United States of America

COMPOSITIONS USEFUL FOR THE TREATMENT OF GASTROINTESTINAL DISORDERS	15/272,873	9/22/2016			Pending	United States of America
AGONISTS OF GUANYLATE CYCLASE AND THEIR USES	14/189,645	2/25/2014	9,545,446	1/17/2017	Granted	United States of America
AGONISTS OF GUANYLATE CYCLASE AND THEIR USES	15/381,680	12/16/2016			Pending	United States of America
AGONISTS OF GUANYLATE CYCLASE AND THEIR USES	14/207,753	3/13/2014	9,708,367	7/18/2017	Granted	United States of America
AGONISTS OF GUANYLATE CYCLASE AND THEIR USES	15/622,526	6/14/2017	10,118,946	11/6/2018	Granted	United States of America
AGONISTS OF GUANYLATE CYCLASE AND THEIR USES	16/150,703	10/3/2018			Pending	United States of America
FORMULATIONS AND METHODS FOR TREATING ULCERATIVE COLITIS	16/069,313	1/11/2017			Pending	United States of America
COMPOSITIONS AND METHOD FOR THE TREATMENT AND DETECTION OF COLON CANCER	15/777,273	11/18/2016			Pending	United States of America
AGONISTS OF GUANYLATE CYCLASE USEFUL FOR THE TREATMENT OF OPIOID INDUCED DYSFUNCTIONS	15/026,563	10/10/2014			Pending	United States of America
AGONISTS OF GUANYLATE CYCLASE USEFUL FOR THE TREATMENT OF OPIOID INDUCED DYSFUNCTIONS	14/944,499	11/18/2015			Pending	United States of America
ULTRA-PURE AGONISTS OF GUANYLATE CYCLASE C, METHOD OF MAKING AND USING SAME	16/000,251	6/5/2018			Pending	United States of America
ULTRA-PURE AGONISTS OF GUANYLATE CYCLASE C, METHOD OF MAKING AND USING SAME	14/896,019	6/5/2014	10,011,637	7/3/2018	Granted	United States of America

INTER PARTES REVIEW OF USP 8,101,579 ENTITLED METHODS AND COMPOSITIONS FOR THE TREATMENT OF GASTROINTESTINAL DISORDERS (IPR 2018-01363)		8,101,579		Pending	United States of America	
---	--	-----------	--	---------	-----------------------------	--

Electronic Acl	Electronic Acknowledgement Receipt				
EFS ID:	40687250				
Application Number:	14845644				
International Application Number:					
Confirmation Number:	8164				
Title of Invention:	FORMULATIONS OF GUANYLATE CYCLASE C AGONISTS AND METHODS OF USE				
First Named Inventor/Applicant Name:	Stephen COMISKEY				
Customer Number:	58249				
Filer:	Domingos J. Silva/Catherine Rose				
Filer Authorized By:	Domingos J. Silva				
Attorney Docket Number:	SYPA-009/C02US 321994-224				
Receipt Date:	28-SEP-2020				
Filing Date:	04-SEP-2015				
Time Stamp:	14:11:17				
Application Type:	Utility under 35 USC 111(a)				

Payment information:

Submitted with Payment	no
------------------------	----

File Listing:

Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
			302929		
1	Power of Attorney	Executed_General_BauschHeal thPatentPOA.pdf	12eec354c05916892a8a5300cc83a2cc847 bd67a	no	2
Warnings:				07	64

	n the PDF is too large. The pages should be pper and may affect subsequent processing		tted, the pages will be re	sized upon en	itry into the
Information:					
			309297		
Assignee showing of ownership per 37 CFR 3.73		Statement_373c_Assignment. pdf	0da13deef1468046c04875544679d953d4e 9db2c	no	14
Warnings:					
Information:					
		Total Files Size (in bytes)	6	12226	

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.

New International Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS

P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NUMBER	FILING OR 371(C) DATE	FIRST NAMED APPLICANT	ATTY.DOCKET NO./TITLE	REQUEST ID
14/845,644	09/04/2015	Synergy Pharmaceuticals Inc.	376464-2005US3 (00110)	122074

Acknowledgement of Loss of Entitlement to Entity Status Discount

The entity status change request below filed through Private PAIR on 09/29/2020 has been accepted.

CERTIFICATIONS:

Change of Entity Status:

X Applicant changing to regular undiscounted fee status.

NOTE: Checking this box will be taken to be notification of loss of entitlement to small or micro entity status, as applicable.

This portion must be completed by the signatory or signatories making the entity status change in accordance with 37 CFR 1.4(d)(4).

Signature:	/Domingos J. Silva/
Name:	DOMINGOS J. SILVA
Registration Number:	64197



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NUMBER FILING OR 371(C) DATE FIRST NAMED APPLICANT ATTY. DOCKET NO./TITLE

SYPA-009/C02US

14/845,644 09/04/2015 Stephen COMISKEY 321994-224

CONFIRMATION NO. 8164
POWER OF ATTORNEY NOTICE

58249 COOLEY LLP ATTN: IP Docketing Department 1299 Pennsylvania Avenue, NW Suite 700 Washington, DC 20004



Date Mailed: 10/01/2020

NOTICE REGARDING CHANGE OF POWER OF ATTORNEY

This is in response to the Power of Attorney filed 09/28/2020.

• The Power of Attorney to you in this application has been revoked by the assignee who has intervened as provided by 37 CFR 3.71. Future correspondence will be mailed to the new address of record(37 CFR 1.33).

Questions about the contents of this notice and the requirements it sets forth should be directed to the Office of Data Management, Application Assistance Unit, at (571) 272-4000 or (571) 272-4200 or 1-888-786-0101.

/mbeyene/	



United States Patent and Trademark Office

United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov UNITED STATES DEPARTMENT OF COMMERCE

APPLICATION NUMBER FILING OR 371(C) DATE FIRST NAMED APPLICANT 14/845,644 09/04/2015 Stephen COMISKEY

ATTY. DOCKET NO./TITLE 376464-2005US3 (00110)

CONFIRMATION NO. 8164

POA ACCEPTANCE LETTER

162421 SAUL EWING ARNSTEIN & LEHR LLP (Bausch Health) Attn: Patent Docket Clerk, Centre Square West, 1500 Market Street, 38th Floor Philadelphia, PA 19102-2186

Date Mailed: 10/01/2020

NOTICE OF ACCEPTANCE OF POWER OF ATTORNEY

This is in response to the Power of Attorney filed 09/28/2020.

The Power of Attorney in this application is accepted. Correspondence in this application will be mailed to the above address as provided by 37 CFR 1.33.

> Questions about the contents of this notice and the requirements it sets forth should be directed to the Office of Data Management, Application Assistance Unit, at (571) 272-4000 or (571) 272-4200 or 1-888-786-0101.

/mbeyene/	

AO 120 (Rev. 08/10)

TO:

Mail Stop 8 Director of the U.S. Patent and Trademark Office P.O. Box 1450 Alexandria, VA 22313-1450

REPORT ON THE FILING OR DETERMINATION OF AN ACTION REGARDING A PATENT OR TRADEMARK

In Compliar filed in the U.S. Di		15 U.S.C. § 1116 you are hereby advised that a court action has been for the District of Delaware on the following	
	Patents. (the patent act		
DOCKET NO.	DATE FILED 4/29/2021	U.S. DISTRICT COURT for the District of Delaware	
PLAINTIFF BAUSCH HEALTH IRE and SALIX PHARMAC		DEFENDANT MYLAN LABORATORIES LTD., AGILA SPECIALTIES INC., MYLAN API US LLC, MYLAN INC., VIATRIS INC. and MYLAN PHARMACEUTICALS INC a VIATRIS COMPANY	
PATENT OR TRADEMARK NO.	DATE OF PATENT OR TRADEMARK	HOLDER OF PATENT OR TRADEMARK	
1 7,041,786	5/9/2006	Bausch Health Ireland Limited and Salix Pharmaceuticals, Inc.	
2 7,799,897	9/21/2010	Bausch Health Ireland Limited and Salix Pharmaceuticals, Inc.	
3 8,637,451	1/28/2014	Bausch Health Ireland Limited and Salix Pharmaceuticals, Inc.	
4 9,610,321	4/4/2017	Bausch Health Ireland Limited and Salix Pharmaceuticals, Inc	
5 9,616,097	4/11/2017	Bausch Health Ireland Limited and Salix Pharmaceuticals, Inc	
DATE INCLUDED PATENT OR	INCLUDED BY Am DATE OF PATENT	e following patent(s)/ trademark(s) have been included: endment	
TRADEMARK NO.	OR TRADEMARK		
2			
3			
4			
5			
In the abo	ove—entitled case, the following	decision has been rendered or judgement issued:	
DECISION/JUDGEMENT			
CLERK	(BY	DATE DATE	

Copy 1—Upon initiation of action, mail this copy to Director Copy 3—Upon termination of action, mail this copy to Director Copy 2—Upon filing document adding patent(s), mail this copy to Director Copy 4—Case file copy

AO 120 (Rev. 08/10)

TO:

Mail Stop 8 Director of the U.S. Patent and Trademark Office P.O. Box 1450 Alexandria, VA 22313-1450

REPORT ON THE FILING OR DETERMINATION OF AN ACTION REGARDING A PATENT OR TRADEMARK

In Compliance filed in the U.S. Dist		5 U.S.C. § 1116 you are hereby advised that a court action has been for the District of Delaware on the following	
☐ Trademarks or ■	Patents. (the patent action	on involves 35 U.S.C. § 292.):	
DOCKET NO.	DATE FILED 4/29/2021	U.S. DISTRICT COURT for the District of Delaware	
PLAINTIFF BAUSCH HEALTH IREL and SALIX PHARMACE		DEFENDANT MYLAN LABORATORIES LTD., AGILA SPECIALTIES INC., MYLAN API US LLC, MYLAN INC., VIATRIS INC. and MYLAN PHARMACEUTICALS INC a VIATRIS COMPANY	
PATENT OR TRADEMARK NO.	DATE OF PATENT OR TRADEMARK	HOLDER OF PATENT OR TRADEMARK	
1 9,919,024	3/20/2018	Bausch Health Ireland Limited and Salix Pharmaceuticals, Inc.	
2 9,925,231	3/27/2018	Bausch Health Ireland Limited and Salix Pharmaceuticals, Inc.	
3 10,011,637	7/3/2018	Bausch Health Ireland Limited and Salix Pharmaceuticals, Inc.	
4			
5			
DATE INCLUDED	In the above—entitled case, the INCLUDED BY	following patent(s)/ trademark(s) have been included:	
DATE INCLUDED	Amer	endment	
PATENT OR TRADEMARK NO.	DATE OF PATENT OR TRADEMARK	HOLDER OF PATENT OR TRADEMARK	
1			
2			
3			
4			
5			
In the abov	ve—entitled case, the following	decision has been rendered or judgement issued:	
DECISION/JUDGEMENT			
CLERK	(BY)	DATE DATE	

Copy 1—Upon initiation of action, mail this copy to Director Copy 3—Upon termination of action, mail this copy to Director Copy 2—Upon filing document adding patent(s), mail this copy to Director Copy 4—Case file copy

AO 120 (Rev. 08/10)

Mail Stop 8

REPORT ON THE

	S. Patent and Trademar P.O. Box 1450 adria, VA 22313-1450	k Office	FILING OR DETERMIN ACTION REGARDING A TRADEMAN	A PATENT OR	
filed in the U.S. Dist	rict Court	for the	1116 you are hereby advised that a court act District of Delaware	tion has been on the following	
,	Patents. () the patent :	************************		***************************************	
DOCKET NO. 21-611-LPS	DATE FILED 4/29/2021	U.S. DI	STRICT COURT for the District of Delaw	are	
PLAINTIFF BAUSCH HEALTH IRELAND LIMITED and SALIX PHARMACEUTICALS, INC.			DEFENDANT MYLAN LABORATORIES LTD., AGIL MYLAN API US LLC, MYLAN INC., VI MYLAN PHARMACEUTICALS INC:	ATRIS INC. and	
PATENT OR TRADEMARK NO.	DATE OF PATENT OR TRADEMARK		HOLDER OF PATENT OR TRADEMARK		
1 7,041,786	5/9/2006	Bau	Bausch Health Ireland Limited and Salix Pharmaceuticals, Inc.		
2 7,799,897	9/21/2010	Sau	Bausch Health Ireland Limited and Salix Pharmaceuticals, Inc.		
3 8,637,451	1/28/2014	Sau	Bausch Health Ireland Limited and Salix Pharmaceuticals, Inc.		
4 9,610,321	4/4/2017	Bau	sch Health Ireland Limited and Salix	Pharmaceuticals, Inc.	
5 9,616,097	4/11/2017	Sau	sch Health Ireland Limited and Salix	Pharmaceuticals, Inc.	
	In the above—entitled case,	the following	patent(s)/ trademark(s) have been included:		
DATE INCLUDED	ENCLUDED BY	mendment	☐ Asswer ☐ Cross Bill [Other Pleading	
PATENT OR	DATE OF PATENT		HOLDER OF PATENT OR TRA		
TRADEMARK NO.	OR TRADEMARK				
2					
3	•				
4					
\$	<u> </u>				
In the above	re-entitled case, the following	na decision h	as been rendered or judgement issued:		
DECISION/JUDGEMENT	TOTAL DESCRIPTION AND AND AND AND AND AND AND AND AND AN			······································	
Notree of V	oluntary Diam	38 114			
CLERK	8 -	BY) DEPUTY	CLERK	DATE	
John A Cerrio				5-6-2021	

Copy 1—Upon initiation of action, mail this copy to Director—Copy 3—Upon termination of action, mail this copy to Director—Copy 2—Upon filing document adding patent(s), mail this copy to Director—Copy 4—Case file copy

1age 2 of 2

AO (20 (Rev. 08/10)

TO:

Mail Stop 8 Director of the U.S. Patent and Trademark Office P.O. Box 1450 Alexandria, VA 22313-1450

REPORT ON THE FILING OR DETERMINATION OF AN ACTION REGARDING A PATENT OR TRADEMARK

e hereby advised that a court action has been Delaware on the following	
§ 292.):	
URT for the District of Delaware	
N.J.	
ABORATORIES LTD., AGILA SPECIALTIES INC.,	
API US LLC, MYLAN INC., VIATRIS INC. and	
PHARMACEUTICALS INC a VIATRIS COMPANY	
IOLDER OF PATENT OR TRADEMARK	
Bausch Health Ireland Limited and Salix Pharmaceuticals, Inc.	
Bausch Health Ireland Limited and Salix Pharmaceuticals, Inc.	
Ireland Limited and Salix Pharmaceuticals, Inc.	
. S	
xdemark(s) have been included:	
em ex anima em examination de la companya del companya de la companya de la companya del companya de la company	
ver 🔲 Cross Bill 🔲 Other Pleading	
IOLDER OF PATENT OR TRADEMARK	
······································	
red or judgernem issued:	
ned or judgement issued:	
red or judgement izsued:	
oed or judgement issued:	
seq or judgemen issued:	
red or judgement issued:	
red or judgement izsued:	
red or judgement issued:	

Copy 1—Upon initiation of action, mail this copy to Director—Copy 3—Upon termination of action, mail this copy to Director Copy 2—Upon filing document adding patent(s), mail this copy to Director—Copy 4—Case file copy

IN THE UNITED STATES DISTRICT COURT FOR THE DISTRICT OF DELAWARE

BAUSCH HEALTH IRELAND LIMITED, and SALIX PHARMACEUTICALS, INC.

Plaintiff's,

٧.

MYLAN LABORATORIES LTD., AGILA SPECIALTIES INC., MYLAN API US LLC, MYLAN INC., VIATRIS INC. and MYLAN PHARMACEUTICALS INC. — a VIATRIS COMPANY,

Defendants.

C.A. No. 1:21-cy-00611-LPS

NOTICE OF VOLUNTARY DISMISSAL WITHOUT PREJUDICE

Plaintiffs Bausch Health Ireland Limited and Salix Pharmaceuticals, Inc., pursuant to Fed.

R. Civ. P. 41(a)(1)(A)(i), hereby voluntarily dismiss this action, without prejudice.

GIBBONS P.C.

OF COUNSEL:

Bryan C. Diner
Justin J. Hasford
FINNEGAN, HENDERSON,
FARABOW, GARRETT &
DUNNER, LLP
901 New York Avenue, NW
Washington, DC 20001-4413
Tel: (202) 408-4000

Dated: May 5, 2021

By: /s/ Christopher Viceconte
Christopher Viceconte (No. 5568)
Jennifer M. Rutter (No. 6200)

300 Delaware Avenue, Suite 1015 Wilmington, Delaware 19801

Tel: (302) 518-6322 Fax: (302) 397-2050

cviceconte@gibbonslaw.com jrutter@gibbonslaw.com

Attorneys for Plaintiffs Bausch Health Ireland Limited and Salix Pharmaceuticals, Inc.