

EXHIBIT 7

Network Working Group
Request for Comments: 2616
Obsoletes: 2068
Category: Standards Track

R. Fielding
UC Irvine
J. Gettys
Compaq/W3C
J. Mogul
Compaq
H. Frystyk
W3C/MIT
L. Masinter
Xerox
P. Leach
Microsoft
T. Berners-Lee
W3C/MIT
June 1999

Hypertext Transfer Protocol -- HTTP/1.1

Status of this Memo

This document specifies an Internet standards track protocol for the Internet community, and requests discussion and suggestions for improvements. Please refer to the current edition of the "Internet Official Protocol Standards" (STD 1) for the standardization state and status of this protocol. Distribution of this memo is unlimited.

Copyright Notice

Copyright (C) The Internet Society (1999). All Rights Reserved.

Abstract

The Hypertext Transfer Protocol (HTTP) is an application-level protocol for distributed, collaborative, hypermedia information systems. It is a generic, stateless, protocol which can be used for many tasks beyond its use for hypertext, such as name servers and distributed object management systems, through extension of its request methods, error codes and headers [47]. A feature of HTTP is the typing and negotiation of data representation, allowing systems to be built independently of the data being transferred.

HTTP has been in use by the World-Wide Web global information initiative since 1990. This specification defines the protocol referred to as "HTTP/1.1", and is an update to RFC 2068 [33].

Table of Contents

- 1 Introduction7
- 1.1 Purpose.....7
- 1.2 Requirements8
- 1.3 Terminology8
- 1.4 Overall Operation12
- 2 Notational Conventions and Generic Grammar14
- 2.1 Augmented BNF14
- 2.2 Basic Rules15
- 3 Protocol Parameters17
- 3.1 HTTP Version17
- 3.2 Uniform Resource Identifiers18
- 3.2.1 General Syntax19
- 3.2.2 http URL19
- 3.2.3 URI Comparison20
- 3.3 Date/Time Formats20
- 3.3.1 Full Date20
- 3.3.2 Delta Seconds21
- 3.4 Character Sets21
- 3.4.1 Missing Charset22
- 3.5 Content Codings23
- 3.6 Transfer Codings24
- 3.6.1 Chunked Transfer Coding25
- 3.7 Media Types26
- 3.7.1 Canonicalization and Text Defaults27
- 3.7.2 Multipart Types27
- 3.8 Product Tokens28
- 3.9 Quality Values29
- 3.10 Language Tags29
- 3.11 Entity Tags30
- 3.12 Range Units30
- 4 HTTP Message31
- 4.1 Message Types31
- 4.2 Message Headers31
- 4.3 Message Body32
- 4.4 Message Length33
- 4.5 General Header Fields34
- 5 Request35
- 5.1 Request-Line35
- 5.1.1 Method36
- 5.1.2 Request-URI36
- 5.2 The Resource Identified by a Request38
- 5.3 Request Header Fields38
- 6 Response39
- 6.1 Status-Line39
- 6.1.1 Status Code and Reason Phrase39
- 6.2 Response Header Fields41

- 7 Entity42
 - 7.1 Entity Header Fields42
 - 7.2 Entity Body43
 - 7.2.1 Type43
 - 7.2.2 Entity Length43
- 8 Connections44
 - 8.1 Persistent Connections44
 - 8.1.1 Purpose44
 - 8.1.2 Overall Operation45
 - 8.1.3 Proxy Servers46
 - 8.1.4 Practical Considerations46
 - 8.2 Message Transmission Requirements47
 - 8.2.1 Persistent Connections and Flow Control47
 - 8.2.2 Monitoring Connections for Error Status Messages48
 - 8.2.3 Use of the 100 (Continue) Status48
 - 8.2.4 Client Behavior if Server Prematurely Closes Connection ..50
- 9 Method Definitions51
 - 9.1 Safe and Idempotent Methods51
 - 9.1.1 Safe Methods51
 - 9.1.2 Idempotent Methods51
 - 9.2 OPTIONS52
 - 9.3 GET53
 - 9.4 HEAD54
 - 9.5 POST54
 - 9.6 PUT55
 - 9.7 DELETE56
 - 9.8 TRACE56
 - 9.9 CONNECT57
- 10 Status Code Definitions57
 - 10.1 Informational 1xx57
 - 10.1.1 100 Continue58
 - 10.1.2 101 Switching Protocols58
 - 10.2 Successful 2xx58
 - 10.2.1 200 OK58
 - 10.2.2 201 Created59
 - 10.2.3 202 Accepted59
 - 10.2.4 203 Non-Authoritative Information59
 - 10.2.5 204 No Content60
 - 10.2.6 205 Reset Content60
 - 10.2.7 206 Partial Content60
 - 10.3 Redirection 3xx61
 - 10.3.1 300 Multiple Choices61
 - 10.3.2 301 Moved Permanently62
 - 10.3.3 302 Found62
 - 10.3.4 303 See Other63
 - 10.3.5 304 Not Modified63
 - 10.3.6 305 Use Proxy64
 - 10.3.7 306 (Unused)64

10.3.8	307 Temporary Redirect	65
10.4	Client Error 4xx	65
10.4.1	400 Bad Request	65
10.4.2	401 Unauthorized	66
10.4.3	402 Payment Required	66
10.4.4	403 Forbidden	66
10.4.5	404 Not Found	66
10.4.6	405 Method Not Allowed	66
10.4.7	406 Not Acceptable	67
10.4.8	407 Proxy Authentication Required	67
10.4.9	408 Request Timeout	67
10.4.10	409 Conflict	67
10.4.11	410 Gone	68
10.4.12	411 Length Required	68
10.4.13	412 Precondition Failed	68
10.4.14	413 Request Entity Too Large	69
10.4.15	414 Request-URI Too Long	69
10.4.16	415 Unsupported Media Type	69
10.4.17	416 Requested Range Not Satisfiable	69
10.4.18	417 Expectation Failed	70
10.5	Server Error 5xx	70
10.5.1	500 Internal Server Error	70
10.5.2	501 Not Implemented	70
10.5.3	502 Bad Gateway	70
10.5.4	503 Service Unavailable	70
10.5.5	504 Gateway Timeout	71
10.5.6	505 HTTP Version Not Supported	71
11	Access Authentication	71
12	Content Negotiation	71
12.1	Server-driven Negotiation	72
12.2	Agent-driven Negotiation	73
12.3	Transparent Negotiation	74
13	Caching in HTTP	74
13.1.1	Cache Correctness	75
13.1.2	Warnings	76
13.1.3	Cache-control Mechanisms	77
13.1.4	Explicit User Agent Warnings	78
13.1.5	Exceptions to the Rules and Warnings	78
13.1.6	Client-controlled Behavior	79
13.2	Expiration Model	79
13.2.1	Server-Specified Expiration	79
13.2.2	Heuristic Expiration	80
13.2.3	Age Calculations	80
13.2.4	Expiration Calculations	83
13.2.5	Disambiguating Expiration Values	84
13.2.6	Disambiguating Multiple Responses	84
13.3	Validation Model	85
13.3.1	Last-Modified Dates	86

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.