



User Name: Patrick Maloney

Date and Time: Tuesday, December 21, 2021 4:38:00 PM EST

Job Number: 160417269

Document (1)

1. [2012 Pat. App. LEXIS 2784](#)

Client/Matter: divx

Search Terms: 2012 Pat. App. LEXIS 2784

Search Type: Natural Language

[2012 Pat. App. LEXIS 2784](#)

Board of Patent Appeals and Interferences

May 31, 2012, Decided

Appeal 2011-006601 from Technology Center 1700 Satish Chandra, Examiner

USPTO Bd of Patent Appeals & Interferences; Patent

Trial & Appeal Bd Decs.

Reporter

2012 Pat. App. LEXIS 2784 *

Ex parte ORBOTECH LT SOLAR, LLC (In rem Application 11/826,336)

Notice:

ROUTINE OPINION. Pursuant to the Patent Trial and Appeal Board Standard Operating Procedure 2, the opinion below has been designated a routine opinion.

Core Terms

plate, teach, porous, hole, shower, diffusion, has, elongate, plasma, slot, apparatus, width, fink, ratio, shower head, contaminant, showerhead, clean, skill, wafer, upstream, said, thickness, baffle, vapor, deposition, configure, particle, section, flange

Counsel

Joseph Bach, NIXON PEABODY LLP, of Washington, D.C.

Panel: [*1] Before Fred E. Mckelvey, Richard E. Schafer and Richard Torczon, Administrative Patent Judges.

Opinion By: TORCZON

Opinion

TORCZON, *Administrative Patent Judge.*

DECISION ON APPEAL

The appellant (Orbotech) seeks relief from the final rejection of its claims 1-6, 11 and 13-17 under [35 U.S.C. 134](#). We AFFIRM.

OPINION

BACKGROUND

The invention relates to a chemical vapor deposition (CVD) apparatus using a "showerhead".¹ Claim 1,² one of two independent claims on appeal, defines the invention as follows:

1. A showerhead for a CVD apparatus, comprising:

a shower plate being made of a metal and comprising a flat plate and a flange section extending from an outer edge of the flat plate; and

a porous plate contacting a rear face of said shower plate and situated within the flange section, the porous plate having pores of diameter 0.5-100 [μ] m,

wherein a plurality of elongated gas diffusion holes having length larger than width are formed in a plate section of said shower plate, which faces a workpiece, and penetrate the plate section in the thickness direction, the elongated gas diffusion holes having depth equal [***2**] to or greater than the width, and

said porous plate covers all of the gas diffusion holes.

The showerhead has both a shower plate and a porous plate. The shower plate is metal and has a flange and elongated gas diffusion holes. The porous plate is behind (away from the workpiece) the shower plate, covers the holes in the shower plate and has micrometer-scale pores.

THE REJECTIONS

The examiner finally rejected³ most of the claims as having been obvious over the combined teachings of the Suzuki⁴ and Srivastava⁵ published applications, patents to Su⁶ and Janakiraman,⁷ and the Japanese published

¹Specification (Spec.) 1:1-5.

²All claim language is reproduced from the unchallenged claims appendix. Brief (Br.) 24-28; Examiner's Answer (Ans.) 3.

³E.g., Fin. Rej. 2, citing [35 U.S.C. 103](#).

⁴K. Suzuki et al., *Method and apparatus for reducing particle contamination in a deposition system*, US 2007/0215048 A1 (Suzuki).

⁵A.K. Srivastava, *Gas distribution plate assembly for plasma reactors*, US 2005/0150601 A1 (Srivastava).

⁶Y.-J. Su, *Gas distribution plate for semiconductor wafer processing apparatus with means for inhibiting arcing*, 5,589,002 (granted 31 December 1996) (Su).

⁷K. Janakiraman et al., *Gas distribution showerhead*, US 6,793,733 B2 (granted 21 September 2004) (Janakiraman).

applications ⁸ of Oshima ⁹ and Nishimoto. ¹⁰ The examiner also rejected these claims as having been obvious over the combined teachings of the same references excluding Suzuki and Oshima. ¹¹ Specifically, the examiner maintains the following combination [*3] of rejections:

Claims 1, 2, 11 and 13-17 over Suzuki, Srivastava, Oshima, Su, Janakiraman and Nishimoto.

Claims 3 and 4 over the base combination plus a published application of Fink. ¹²

Claim 5 over the base combination plus a published application of Larson. ¹³

Claim 6 over the base combination plus patents to Dhindsa ¹⁴ and Arai. ¹⁵

Claims 1, 2, 11, 13, 15 and 16 are alternatively rejected over Nishimoto, Srivastava, Su and Janakiraman.

Claims 3 and 4 over this second base combination plus Fink.

Claim 5 over the second base combination plus Larson or a patent to Lee. ¹⁶

Claim 6 over the second base combination plus Dhindsa and Arai.

[*4] [*5]

Suzuki

The examiner relies on the Suzuki patent to teach a CVD apparatus with a shower plate. Suzuki Figure 1 (below, right) is a schematic view of Suzuki's CVD system. The system has a process chamber **10** with a vapor distribution plate **34** facing a substrate **25**. The system has a vapor delivery system **40** with a set of particle diffusers **47a**,

⁸The record available to the board includes an English-language abstract for each Japanese published application, but no translation of the published application itself. No one has pointed us to an objection to the form or reliability of these materials so we proceed to judgment on the materials before us.

⁹K. Oshima, *Shower plate and method of manufacturing the same, and shower head using the same*, Kokai 2003-282462 (pub'd 3 October 2003) (Oshima). In the record, this reference has been cited as "Kazuyoshi".

¹⁰S. Nishimoto, *Plasma processing system*, Kokai 2003-338492 (pub'd 28 November 2003) (Nishimoto).

¹¹Fin. Rej. 13.

¹²S.T. Fink, *Method and apparatus for delivering process gas to a process chamber*, US 2005/0011447 A1 (Fink).

¹³D.J. Larson et al., *Quartz guard ring*, US 2008/0099448 A1 (Larson).

¹⁴R. Dhindsa et al., *Gas distribution apparatus for semiconductor processing*, US 6,245,192 B1 (granted 12 June 2001) (Dhindsa).

¹⁵I. Arai et al., *Plasma processing method and plasma processing apparatus*, 6,110,287 (granted 29 August 2000) (Arai).

¹⁶C. Lee et al., *Methods and apparatus for passivating a substrate in a plasma reactor*, 5,968,275 (granted 19 October 1999) (Lee).

47**b**, 47**c** and a vapor distribution plate 34. The examiner finds the vapor distribution plate 34 is a shower plate. The examiner notes an in-situ cleaning unit 70 linked to the vapor delivery system 40. The cleaning unit 70:¹⁷

[p]er a frequency determined by the operator, ...can perform routine cleanings of the deposition system 1 in order to remove accumulated residue on internal surfaces of deposition system 1. The in-situ cleaning system 70 can, for example, comprise a radical generator configured to introduce chemical radical capable of chemically [*6] reacting and removing such residue. Additionally, for example, the in-situ cleaning system 70 can, for example, include an ozone generator configured to introduce a partial pressure of ozone. For instance, the radical generator can include an upstream plasma source configured to generate oxygen or fluorine radical from oxygen (O[2]), nitrogen trifluoride (NF[3]), O[3], XeF[2], ClF[3], or C[3]F[8] (or, more generally, C[x]F[y]), respectively. The radical generator can include an Astron(R) reactive gas generator, [which is] commercially available...

The examiner finds that Suzuki Figure 2 (right, detail, schematic of another embodiment) teaches an unlabeled flange on the diffuser plate 147**a** contacting the showerhead 134.

[*7]

According to the examiner, Suzuki does not disclose that the plate is flat and metal or that the flange extends beyond the flat plate.¹⁸ Orbotech argues that Suzuki also lacks elongated gas diffusion holes.¹⁹

Srivastava

Srivastava Figure 3 (right) shows a cross-sectional view of a gas distribution plate assembly 54 including a flange 78. The plate may be made of aluminum.²⁰

The examiner finds that substituting a plate like Srivastava's into an apparatus like Suzuki would be consistent with the ordinary level of skill in the art inasmuch as it would involve using a known device for its intended purpose.

The examiner finds that the combination [*8] of Suzuki and Srivastava does not teach the claimed pore configuration.

Oshima Kazuyoshi

¹⁷ Fin. Rej. 2, citing Suzuki P0058.

¹⁸ Fin. Rej. 3.

¹⁹ Br. 10.

²⁰ Srivastava P0037.

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.