


SCAAT: Incremental Tracking with Incomplete Information

TR96-051
October 1996



Gregory F. Welch

Department of Computer Science
CB #3175, Sitterson Hall
UNC-Chapel Hill
Chapel Hill, NC 27599-3175



UNC is an Equal Opportunity/Affirmative Action Institution

SCAAT: Incremental Tracking with Incomplete Information

by

Gregory Francis Welch

A dissertation submitted to the faculty of the University of North Carolina at Chapel Hill in partial fulfillment of the requirements for the degree of Doctor of Philosophy in the Department of Computer Science.

Chapel Hill

1996

Approved by:

Dr. Gary Bishop, Adviser

Dr. Henry Fuchs

Vernon Chi, Reader

Dr. Anselmo Lastra

Dr. Russell Taylor, Reader

Dr. John Poulton

© 1996
Gregory Francis Welch
ALL RIGHTS RESERVED

ABSTRACT

Gregory Francis Welch
SCAAT: Incremental Tracking with Incomplete Information
(Under the direction of T. Gary Bishop)

The Kalman filter provides a powerful mathematical framework within which a minimum mean-square-error estimate of a user's position and orientation can be tracked using a sequence of *single* sensor observations, as opposed to *groups* of observations. We refer to this new approach as *single-constraint-at-a-time* or SCAAT tracking. The method improves accuracy by properly assimilating sequential observations, filtering sensor measurements, and by concurrently *autocalibrating* mechanical or electrical devices. The method facilitates user motion prediction, multisensor data fusion, and in systems where the observations are only available sequentially it provides estimates at a higher rate and with lower latency than a multiple-constraint approach.

Improved accuracy is realized primarily for three reasons. First, the method avoids mathematically treating truly sequential observations as if they were simultaneous. Second, because each estimate is based on the observation of an individual device, perceived error (statistically unusual estimates) can be more directly attributed to the corresponding device. This can be used for concurrent autocalibration which can be elegantly incorporated into the existing Kalman filter. Third, the Kalman filter inherently addresses the effects of noisy device measurements. Beyond accuracy, the method nicely facilitates motion prediction because the Kalman filter already incorporates a model of the user's dynamics, and because it provides smoothed estimates of the user state, including potentially unmeasured elements. Finally, in systems where the observations are only available sequentially, the method can be used to weave together information from individual devices in a very flexible manner, producing a new estimate as soon as each individual observation becomes available, thus facilitating multisensor data fusion and improving the estimate rates and latencies.

The most significant aspect of this work is the introduction and exploration of the SCAAT approach to 3D tracking for *virtual environments*. However I also believe that this work may prove to be of interest to the larger scientific and engineering community in addressing a more general class of tracking and estimation problems.

ACKNOWLEDGEMENTS

Thanks to

Gary Bishop for being my advisor and friend, for being creative, insightful, and humorous, and for sharing with me his original idea for *one-LED-at-a-time tracking*;

Gary Bishop, Vernon Chi, Henry Fuchs, Anselmo Lastra, John Poulton, and Russell Taylor for serving on my doctoral dissertation committee;

Vernon Chi and Russell Taylor for their extremely valuable contributions to my dissertation while acting as official readers;

Russell Taylor for consenting to replace Henry Fuchs as an official reader following Henry's unexpected surgery just prior to my defense;

John Poulton for his support and humor, and for agreeing to serve on my committee following Henry Fuchs' surgery (in case Henry could not fully participate);

Henry Fuchs for remaining on my committee (in a limited capacity) in spite of orders to "drop everything" following his surgery;

Dr. Gil Crouse, Jr. of BBN Systems and Technologies (Arlington, VA) for introducing me to the bearings-only tracking work done in the 1970s and 1980s;

Mark Mine for enticing me to come to UNC-CH, for Mark and his wife Sandra sharing their home with me and my wife Linda for many months after our arrival in Chapel Hill, and Mark most recently for helping arrive at the phrase *single-constraint-at-a-time*;

and most of all

Linda, my wife, for her support, patience, and warmth, and in particular for commuting between our home in Carrboro and her job in Clayton each day (55 miles, approximately one hour) so that I might spend less of *my* time commuting. I will happily chauffeur us around for the rest of my life.

Financial support for this work came from the following grants:

DARPA/ETO contract no. DABT 63-93-C-0048, "Enabling Technologies and Application Demonstrations for Synthetic Environments", Principle Investigators Frederick P. Brooks Jr. and Henry Fuchs (UNC Chapel Hill);

NSF Cooperative Agreement no. ASC-8920219 and DARPA: "Science and Technology Center for Computer Graphics and Scientific Visualization", Center Director A. van Dam (Brown University), Principle Investigators Andy van Dam, Al Barr (California Institute of Technology), Don Greenberg (Cornell University), Henry Fuchs (UNC Chapel Hill), and Rich Riesenfeld (University of Utah).

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.