



US006661832B1

(12) **United States Patent**
Sindhushayana et al.

(10) **Patent No.: US 6,661,832 B1**
(45) **Date of Patent: Dec. 9, 2003**

(54) **SYSTEM AND METHOD FOR PROVIDING AN ACCURATE ESTIMATION OF RECEIVED SIGNAL INTERFERENCE FOR USE IN WIRELESS COMMUNICATIONS SYSTEMS**

5,881,057 A * 3/1999 Komatsu 370/335
5,903,554 A * 5/1999 Saints 370/342
6,032,026 A * 2/2000 Seki et al. 455/63.1
6,141,334 A * 10/2000 Flanagan et al. 370/342

FOREIGN PATENT DOCUMENTS

(75) Inventors: **Nagabhushana T. Sindhushayana**, San Diego, CA (US); **Eduardo A. S. Esteves**, Del Mar, CA (US)

EP 0776105 5/1997
WO 9604718 2/1996
WO 9820617 5/1998

* cited by examiner

(73) Assignee: **Qualcomm Incorporated**, San Diego, CA (US)

Primary Examiner—Betsy Lee Deppe
(74) *Attorney, Agent, or Firm*—Philip Wadsworth; Kent D. Baker; Bruce W. Greenhaus

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(57) **ABSTRACT**

(21) Appl. No.: **09/310,053**

A system for providing an accurate interference value signal received over a channel and transmitted by an external transceiver. The system includes a first receiver section for receiving the signal, which has a desired signal component and an interference component. A signal extracting circuit extracts an estimate of the desired signal component from the received signal. A noise estimation circuit provides the accurate interference value based on the estimate of the desired signal component and the received signal. A look-up table transforms the accurate noise and/or interference value to a normalization factor. A carrier signal-to-interference ratio circuit employs the normalization factor and the received signal to compute an accurate carrier signal-to-interference ratio estimate. Path-combining circuitry generates optimal path-combining weights based on the received signal and the normalization factor. In the illustrative embodiment, the system further includes a circuit for employing the accurate interference value to compute a carrier signal-to-interference ratio. An optimal path-combining circuit computes optimal path-combining weights for multiple signal paths comprising the signal using the accurate interference value and provides optimally combined signal paths in response thereto. A log-likelihood ratio circuit computes a log-likelihood value based on the carrier signal-to-interference ratio and the optimally combined signal paths. A decoder decodes the received signal using the log-likelihood value. An additional circuit generates a rate and/or power control message and transmits the rate and/or power control message to the external transceiver.

(22) Filed: **May 11, 1999**

(51) **Int. Cl.**⁷ **H04B 1/707**

(52) **U.S. Cl.** **375/144; 375/148; 375/227; 370/342**


(58) **Field of Search** 375/144, 147, 375/148, 224, 227, 346, 347; 370/320, 335, 342, 441; 455/63, 65, 67.1, 67.3, 135, 226.1, 226.2, 226.3, 296

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,901,307 A	2/1990	Gilhousen et al.	370/18
5,056,109 A	10/1991	Gilhousen et al.	375/1
5,103,459 A	4/1992	Gilhousen et al.	375/1
5,109,390 A	4/1992	Gilhousen et al.	375/1
5,245,629 A	9/1993	Hall	375/1
5,396,516 A	3/1995	Padovani et al.	375/225
5,414,796 A	5/1995	Jacobs et al.	395/2.3
5,416,797 A	5/1995	Gilhousen et al.	375/705
5,440,582 A *	8/1995	Birchler et al.	375/227
5,548,808 A	8/1996	Bruckert et al.	455/33.2
5,559,790 A	9/1996	Yano et al.	370/18
5,566,165 A *	10/1996	Sawahashi et al.	370/342
5,566,206 A	10/1996	Butler et al.	375/225
5,568,483 A	10/1996	Padovani et al.	370/84
5,577,025 A	11/1996	Skinner et al.	370/22
5,603,096 A	2/1997	Gilhousen et al.	455/69
5,721,754 A	2/1998	Chen	375/227
5,754,533 A	5/1998	Bender et al.	370/252
5,774,496 A	6/1998	Butler et al.	375/225

36 Claims, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.