WILEY ELECTRICAL AND ELECTRONICS ENGINEERING DICTIONARY

Steven M. Kaplan Lexicographer



IEEE PRESS



A JOHN WILEY & SONS, INC., PUBLICATION

DOCKE.

Δ

R M Find authenticated court documents without watermarks at <u>docketalarm.com</u>.

Copyright © 2004 by John Wiley & Sons, Inc. All rights reserved.

Published by John Wiley & Sons, Inc., Hoboken, New Jersey. Published simultaneously in Canada.

No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, scanning or otherwise, except as permitted under Section 107 or 108 of the 1976 United States Copyright Act, without either the prior written permission of the Publisher, or authorization through payment of the appropriate per-copy fee to the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923, 978-750-8400, fax 978-646-8600, or on the web at www.copyright.com. Requests to the Publisher for permission should be addressed to the Permissions Department, John Wiley & Sons, Inc., 111 River Street, Hoboken, NJ 07030, (201) 748-6011, fax (201) 748-6008.

Limit of Liability/Disclaimer of Warranty: While the publisher and author have used their best efforts in preparing this book, they make no representation or warranties with respect to the accuracy or completeness of the contents of this book and specifically disclaim any implied warranties of | merchantability or fitness for a particular purpose. No warranty may be created or extended by sales representatives or written sales materials. The advice and strategies contained herein may not be suitable for your situation. You should consult with a professional where appropriate. Neither the publisher nor author shall be liable for any loss of profit or any other commercial damages, including but not limited to special, incidental, consequential, or other damages.

For general information on our other products and services please contact our Customer Care Department within the U.S. at 877-762-2974, outside the U.S. at 317-572-3993 or fax 317-572-4002.

Wiley also publishes its books in a variety of electronic formats. Some content that appears in print, however, may not be available in electronic format.

Library of Congress Cataloging-in-Publication Data is available.

Kaplan, Steven M.

Wiley Electrical and Electronics Engineering Dictionary

ISBN 0-471-40224-9

Printed in the United States of America.

10 9 8 7 6 5 4 3 2 1

Find authenticated court documents without watermarks at docketalarm.com.

Litzendraht wire

mizes skin effect, and provides for low losses at radio frequencies.

428

Litzendraht wire Same as Litz wire.

 live 1. Anything connected electrically to a source of voltage. Also known as energized (1), alive, or hot (1).
2. A broadcast occurring at the actual time events take place. Also called live broadcast, or real-time broadcast.
3. In acoustics, a room that is reverberant.

live broadcast Same as live (2).

- **live chassis** A chassis, such as that of a TV or computer, which is connected electrically to a source of voltage.
- live circuit A circuit that is connected electrically to a source of voltage. Also known as energized circuit, or alive circuit.
- live conductor 1. A conductor which is connected electrically to a source of voltage. 2. A conductor through which an electric current is flowing.
- live end In an enclosure, such as a sound studio, a wall or area where there is the greatest amount of sound reflection. This contrasts with a dead end (2), where sound absorption is maximized.
- **live room** A room in which there is significant reverberation, as opposed to a **dead room**, where sound-absorbing materials are utilized to minimize or eliminate all sound reflections.
- live wire 1. A wire which is connected electrically to a source of voltage. Also called hot wire (1). 2. A wire through which an electric current is flowing.
- LiveMotion Popular software utilized to create dynamic and interactive content, especially for the Web.
- LLC Abbreviation of Logical Link Control.
- LLC layer Abbreviation of Logical Link Control Layer.
- LLC Sublayer Abbreviation of Logical Link Control Sublayer.
- Im Symbol for lumen.
- lm-h Abbreviation of lumen-hour.
- Im-hr Abbreviation of lumen-hour.
- lm/m² Abbreviation of lumens per square meter.
- Im-s Abbreviation of lumen-second.

Im-sec Abbreviation of lumen-second.

- lm/W Abbreviation of lumens per watt.
- LMDS Abbreviation of local multipoint distribution service.
- LMI Abbreviation of Local Management Interface.
- In Symbol for natural logarithm
- LNA Abbreviation of low-noise amplifier.
- LNB Abbreviation of low-noise block down-converter.
- LNP Abbreviation of local number portability.
- LO Abbreviation of local oscillator.
- LO Abbieviation of local oscillato
- lo Abbreviation of low.

lo-res Abbreviation of low-resolution.

load 1. The power consumed by a component, device, piece of equipment, machine, or system while performing its functions. This power may be electrical, mechanical, nuclear, wind, and so on. Also, any component, device, piece of equipment, machine, or system consuming this power. Also called output load (1). 2. Any component, circuit, device, piece of equipment, or system which consumes, dissipates, radiates, or otherwise utilizes power, especially electricity. There are countless examples, including resistors, amplifiers, TVs, speakers, antennas, lamps, and appliances. Also,

- from a signal source such as an amplifier or oscillator. Also called **output load** (4). **5.** To utilize inductors and/or capacitors to increase the electrical length of an antenna, or otherwise alter its characteristics. **6.** In dielectric and induction heating, the object or material being heated. **7.** To insert a computer storage medium, such as a disc or tape, into a drive or other device utilized to read and/or write to it. **8.** To transfer data to or from a computer storage medium, such as a disk or tape. For example, to load a program into memory for execution. Also, to transfer data to or from a database. **9.** To place data in a computer register. **10.** To insert a disk, cassette, reel, cartridge, drum, or other object composed of, or containing a recordable medium into a device utilized for recording and/or reproduction. **11.** In a communications network, the amount of traffic at a given moment.
- load-and-go The capability of a program or routine to be executed immediately after loading. Its abbreviation is load & go.
- load balance Also called load division. 1. The even distribution of a load. For example, to equally distribute a work load among a set of parallel processors. 2. To evenly distribute a load among multiple power sources.
- **load capacitance** The capacitance presented by a given load, or as seen from a given point such as the input terminals.
- **load capacity** The maximum load that can be handled safely, without failure, or within a given level or performance. For instance, the maximum number of messages that can be simultaneously exchanged over a given transmission medium, or the greatest weight a robot can manipulate.
- **load cell** A piezoelectric crystal utilized as a strain gauge. The greater the force applied, the greater the potential difference across the crystal.
- **load characteristic** The relationship between the instantaneous values of two varying quantities, such as electrode current and electrode voltage, under specified load circumstances. Also called **dynamic characteristic**.
- **load circuit** The complete circuit via which a load is connected to its power source.
- **load coil 1.** In an induction heater, an AC carrying coil which induces RF currents in the workpiece being heated. Also called **work coil. 2.** Same as **loading coil**.
- **load current 1.** The current drawn by a load. It is the current flowing through a load circuit. **2.** The current required by a load for operation.
- load division Same as load balance.
- load factor 1. For a given time interval, the ratio of the average load to the peak load. 2. The ratio of a given load to the maximum load.
- **load impedance** The impedance presented by a given load, or as seen from a given point such as the input terminals.
- load leads The conductors which connect a power source to a load.
- **load line** A line which is drawn through a series of characteristic curves to illustrate the effect a given load will have on the relationship between two variables. For instance, such a line drawn through a series of transistor characteristic curves, to show the relationship between the input current and voltage as the load resistance varies.
- **load management** The reduction in overall demand for available energy resources by transferring power needs to offpeak periods. This may entail consumers adjusting usage patterns, or load shifting.
- **load matching** The varying of the impedance of a load circuit, so as to match that of a source. This helps insure that the maximum possible power is transferred from source to

Find authenticated court documents without watermarks at docketalarm.com.