

```

1 <html>
2
3 <head>
4 <meta http-equiv="Content-Type" content="text/html; charset=windows-1252">
5 <meta name="GENERATOR" content="Microsoft FrontPage 4.0">
6 <meta name="ProgId" content="FrontPage.Editor.Document">
7 <title>ID</title>
8
9 <!--mstheme--><link rel="stylesheet" type="text/css" href="_themes/cmalone/cmalle1111.css"
><meta name="Microsoft Theme" content="cmalone 1111, default">
10 <meta name="Microsoft Border" content="tl, default">
11 </head>
12
13 <body><!--msnavigation--><table border="0" cellpadding="0" cellspacing="0" width="100%"
><tr><td>
14
15 <p align="center"><font size="6"><strong></strong></font>
16 </p>
17 <p align="center">&nbsp;</p>
18
19 </td></tr><!--msnavigation--></table><!--msnavigation--><table border="0" cellpadding="0"
cellspacing="0" width="100%"><tr><td valign="top" width="1%">
20
21 <p><a href="http://" target="_top"></a>
22 </p>
23
24 </td><td valign="top" width="24"></td><!--msnavigation--><td valign="top">
25
26
27
28 <table width="100%" border="1">
29 <thead>
30 <tr>
31 <td><b>ID</b></td>
32 <td><b>File_ID</b></td>
33 <td><b>Person_ID</b></td>
34 </tr>
35 </thead>
36 <tbody>
37 <!--webbot bot="DatabaseRegionStart" startspan
38 s-columnnames="ID,File_ID,Person_ID" s-columntypes="3,3,3"
39 s-dataconnection="pict_inpt" b-tableformat="TRUE" b-menuformat="FALSE"
40 s-menuchoice s-menuvalue b-tableborder="TRUE" b-tableexpand="TRUE"
41 b-tableheader="TRUE" b-listlabels="TRUE" b-listseparator="TRUE"
42 i-ListFormat="0" b-makeform="TRUE" s-recordsource="People_in_Pict"
43 s-displaycolumns="ID,File_ID,Person_ID" s-criteria s-order
44 s-sql="SELECT * FROM People_in_Pict" b-procedure="FALSE" clientside
45 SuggestedExt="asp" s-DefaultFields s-NoRecordsFound="No records returned."
46 i-MaxRecords="256" i-GroupSize="0" BOTID="0" u-dblib="_fpclass/fpdblib.inc"
47 u-dbrgn1="_fpclass/fpdbrgn1.inc" u-dbrgn2="_fpclass/fpdbrgn2.inc"
48 tag="TBODY"
49 local_preview="&lt;tr&gt;&lt;td colspan=64 bgcolor=&quot;#FFFF00&quot;
align=&quot;left&quot; width=&quot;100%&quot;&gt;&lt;font
color=&quot;#000000&quot;&gt;Database Results regions will not preview unless this
page is fetched from a Web server with a web browser. The following table row will
repeat once for every record returned by the
query.&lt;/font&gt;&lt;/td&gt;&lt;/tr&gt;"
50 preview="&lt;tr&gt;&lt;td colspan=64 bgcolor=&quot;#FFFF00&quot;
align=&quot;left&quot; width=&quot;100%&quot;&gt;&lt;font
color=&quot;#000000&quot;&gt;This is the start of a Database Results
region.&lt;/font&gt;&lt;/td&gt;&lt;/tr&gt;" --><!--#include
file="_fpclass/fpdblib.inc"-->

```

```

returned.</td></tr>"
55 fp_sDataConn="pict_inpt"
56 fp_iMaxRecords=256
57 fp_iCommandType=1
58 fp_iPageSize=0
59 fp_fTableFormat=True
60 fp_fMenuFormat=False
61 fp_sMenuChoice=""
62 fp_sMenuValue=""
63 fp_iDisplayCols=3
64 fp_fCustomQuery=False
65 BOTID=0
66 fp_iRegion=BOTID
67 %>
68 <!--#include file="_fpclass/fpdbg1.inc"-->
69 <!--webbot bot="DatabaseRegionStart" i-Checksum="48966" endspan -->
70 <tr>
71 <td><!--webbot bot="DatabaseResultColumn" startspan
72 s-columnnames="ID,File_ID,Person_ID" s-column="ID" b-tableformat="TRUE"
73 b-hasHTML="FALSE" clientside
74 local_preview="&lt;font
size=&quot;-1&quot;&gt;&amp;lt;&amp;lt;&lt;/font&gt;ID&lt;font
size=&quot;-1&quot;&gt;&amp;gt;&amp;gt;&lt;/font&gt;"
75 preview="&lt;font size=&quot;-1&quot;&gt;&amp;lt;&amp;lt;&lt;/font&gt;ID&lt;font
size=&quot;-1&quot;&gt;&amp;gt;&amp;gt;&lt;/font&gt;" --><%=FP_FieldVal(fp_rs,
"ID")%><!--webbot
76 bot="DatabaseResultColumn" i-Checksum="62813" endspan -->
77 </td>
78 <td><!--webbot bot="DatabaseResultColumn" startspan
79 s-columnnames="ID,File_ID,Person_ID" s-column="File_ID"
80 b-tableformat="TRUE" b-hasHTML="FALSE" clientside
81 local_preview="&lt;font
size=&quot;-1&quot;&gt;&amp;lt;&amp;lt;&lt;/font&gt;File_ID&lt;font
size=&quot;-1&quot;&gt;&amp;gt;&amp;gt;&lt;/font&gt;"
82 preview="&lt;font
size=&quot;-1&quot;&gt;&amp;lt;&amp;lt;&lt;/font&gt;File_ID&lt;font
size=&quot;-1&quot;&gt;&amp;gt;&amp;gt;&lt;/font&gt;" --><%=FP_FieldVal(fp_rs,
"File_ID")%><!--webbot
83 bot="DatabaseResultColumn" i-Checksum="11933" endspan -->
84 </td>
85 <td><!--webbot bot="DatabaseResultColumn" startspan
86 s-columnnames="ID,File_ID,Person_ID" s-column="Person_ID"
87 b-tableformat="TRUE" b-hasHTML="FALSE" clientside
88 local_preview="&lt;font
size=&quot;-1&quot;&gt;&amp;lt;&amp;lt;&lt;/font&gt;Person_ID&lt;font
size=&quot;-1&quot;&gt;&amp;gt;&amp;gt;&lt;/font&gt;"
89 preview="&lt;font
size=&quot;-1&quot;&gt;&amp;lt;&amp;lt;&lt;/font&gt;Person_ID&lt;font
size=&quot;-1&quot;&gt;&amp;gt;&amp;gt;&lt;/font&gt;" --><%=FP_FieldVal(fp_rs,
"Person_ID")%><!--webbot
90 bot="DatabaseResultColumn" i-Checksum="15780" endspan -->
91 </td>
92 </tr>
93 <!--webbot bot="DatabaseRegionEnd" startspan b-tableformat="TRUE"
94 b-menuformat="FALSE" u-dbrgn2="_fpclass/fpdbg2.inc" i-groupsize="0"
95 clientside tag="TBODY"
96 local_preview="&lt;tr&gt;&lt;td colspan=64 bgcolor=&quot;#FFFF00&quot;
align=&quot;left&quot; width=&quot;100%&quot;&gt;&lt;font
color=&quot;#000000&quot;&gt;This is the end of a Database Results
region.&lt;/font&gt;&lt;/td&gt;&lt;/tr&gt;"
97 preview="&lt;tr&gt;&lt;td colspan=64 bgcolor=&quot;#FFFF00&quot;
align=&quot;left&quot; width=&quot;100%&quot;&gt;&lt;font
color=&quot;#000000&quot;&gt;This is the end of a Database Results

```

```
99         </tbody>
100     </table>
101     &nbsp;
102     <!--msnavigation--></td></tr><!--msnavigation--></table></body>
103
104 </html>
105
```