



Maby, MAVENCLAD patient since 2019.

# SAFETY & SIDE EFFECTS

Learn about the possible risks of MAVENCLAD.

Safety Overview

Serious Side Effects

Common Side Effects

## The safety profile of MAVENCLAD has been extensively evaluated

When it comes to choosing a relapsing multiple sclerosis (MS) treatment, safety is a key factor. Clinical trial evaluations, follow-ups, and real-world experience support the safety profile of MAVENCLAD.



As part of the **clinical trial** program for MAVENCLAD, about 24% of cladribine-treated patients in the program were followed for up to 8 years. The average time of the study follow-up was about 4.8 years.

It is not known if MAVENCLAD is safe and effective for people to restart MAVENCLAD treatment 2 years after completing their 2 yearly treatment courses.

**56,000+ PEOPLE HAVE BEEN TREATED GLOBALLY WITH MAVENCLAD IN THE REAL-WORLD SETTING.**

## MAVENCLAD side effects

These clinical trials also evaluated the risk of side effects from MAVENCLAD. The types and seriousness of side effects vary from patient to patient. For a list of possible side effects and their symptoms, please see the **Medication Guide**.

This is not intended to replace discussions with your healthcare provider. If you think you are experiencing any of these side effects or symptoms, please talk to your healthcare provider immediately.

**Below are some of the possible, serious side effects with MAVENCLAD.**



### CANCER (MALIGNANCIES)

Treatment with MAVENCLAD may increase your risk of developing cancer. In clinical studies:

#### PATIENTS ON MAVENCLAD

**1.1%** DEVELOPED A  
MALIGNANCY

**(10 OUT OF 923 PATIENTS)**

VS

#### PATIENTS ON PLACEBO

**0.5%** DEVELOPED A  
MALIGNANCY

**(3 OUT OF 641 PATIENTS)**

Work with your healthcare team to determine which cancer screenings are necessary.



## BIRTH DEFECTS

Because of the risk of birth defects, do not take MAVENCLAD if you are pregnant or of childbearing potential and not using effective birth control. Patients should use effective birth control (contraception) while on treatment with MAVENCLAD and for at least 6 months after the last dose of each yearly treatment course.



## LOW BLOOD CELL COUNTS

Low blood cell counts have happened and may increase the risk of infections during treatment with MAVENCLAD. Your healthcare provider will do blood tests before, during, and after your treatment with MAVENCLAD, as needed.



## SERIOUS INFECTIONS

Patients have experienced TB, hepatitis B or C, and shingles (herpes zoster). Fatal cases of TB (1 case) and hepatitis (1 case) have happened with cladribine during clinical studies. In clinical studies:

### PATIENTS ON MAVENCLAD

**2%** DEVELOPED  
SHINGLES

(12 OUT OF 662 PATIENTS)\*

VS

### PATIENTS ON PLACEBO

**0.2%** DEVELOPED  
SHINGLES

(1 OUT OF 641 PATIENTS)†

Talk to your healthcare provider to make sure your vaccinations are up to date.

\*6% of MAVENCLAD-treated patients developed a herpes viral infection, of which 2% were herpes zoster and 2.6% were oral herpes.

†2% of placebo patients developed a herpes viral infection, of which 0.2% were herpes zoster and 1.2% were oral herpes.



## PROGRESSIVE MULTIFOCAL LEUKOENCEPHALOPATHY (PML)

PML is a rare brain infection that usually leads to death or severe disability. No cases of PML have been seen in MS patients taking MAVENCLAD, but it may happen in people with weakened immune systems.

**LIVER PROBLEMS**

MAVENCLAD may cause liver problems. Your healthcare provider should do blood tests to check your liver before you start taking MAVENCLAD. In clinical studies:

**PATIENTS ON MAVENCLAD**

**0.3%** HAD LIVER PROBLEMS

(2 OUT OF 662 PATIENTS)

VS

**PATIENTS ON PLACEBO**

**0%** HAD LIVER PROBLEMS

(0 OUT OF 641 PATIENTS)

**ALLERGIC REACTIONS (HYPERSENSITIVITIES)**

MAVENCLAD can cause serious allergic reactions such as skin rash, swelling or itching of the face, lips, tongue or throat, or trouble breathing. Stop your treatment with MAVENCLAD and go to the closest emergency room for help right away if you have any signs or symptoms of allergic reactions.

**HEART FAILURE**

MAVENCLAD may cause heart failure, which means your heart may not pump as well as it should. Call your healthcare provider or go to the closest emergency room for medical help right away if you have any signs or symptoms of heart failure. In clinical studies:

**PATIENTS ON MAVENCLAD\***

**0.05%** HAD HEART FAILURE

(1 OUT OF 1,976 PATIENTS)

VS

**PATIENTS ON PLACEBO**


**0%** HAD HEART FAILURE

(0 OUT OF 802 PATIENTS)

\*Includes patients treated with both oral and IV forms of cladribine.

## Common side effects seen in clinical trials

Some of the most common side effects experienced by patients included:



### UPPER RESPIRATORY INFECTION

---

**PATIENTS** **38%**  
**ON MAVENCLAD**

---

**PATIENTS** **32%**  
**ON PLACEBO**

# Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

## Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

## Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

## Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

## API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

## LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

## FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

## E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.