

Analyzing Intrinsic Motion Textures Created from Naturalistic Video Captures

Angus Graeme Forbes¹, Christopher Jette¹ and Andrew Predoehl²

¹*School of Information: Science, Technology, and Arts, University of Arizona, Tucson, United States*

²*Department of Computer Science, University of Arizona, Tucson, United States*
angus.forbes@sista.arizona.edu, cnj@email.arizona.edu, predoehl@email.arizona.edu

Keywords: Intrinsic Motion Textures, Psychophysics, Perception, Metrics for Motion, Dynamic Textures.

Abstract: This paper presents an initial exploration of the plausibility of incorporating subtle motions as a useful modality for encoding (or augmenting the encoding of) data for information visualization tasks. Psychophysics research indicates that the human visual system is highly responsive to identifying and differentiating even the subtlest motions intrinsic to an object. We examine aspects of this *intrinsic* motion, whereby an object stays in one place while a texture applied to that object changes in subtle but perceptible ways. We hypothesize that the use of subtle intrinsic motions (as opposed to more obvious *extrinsic* motion) will avoid the clutter and visual fatigue that often discourages visualization designers from incorporating motion. Using transformed video captures of naturalistic motions gathered from the world, we conduct a preliminary user study that attempts to ascertain the *minimum* amount of motion that is *easily perceptible* to a viewer. We introduce metrics which allow us to categorize these motions in terms of *flicker* (local amplitude and frequency), *flutter* (global amplitude and frequency), and average maximum *contrast* between a pixel and its immediate neighbors. Using these metrics (and a few others), we identify plausible ranges of motion that might be appropriate for visualization tasks, either on their own or in conjunction with other modalities (such as color or shape), without increasing visual fatigue. Based on an analysis of these initial preliminary results, we propose that the use of what we term “intrinsic motion textures” may be a promising modality appropriate for a range of visualization tasks.

1 INTRODUCTION

Rustling leaves, flickering flames, sunlight sparkling on water – every day we are continually confronted with naturalistic motion as we navigate the world. Information visualization, as a field, examines how meaning is effectively conveyed through visually-encoded data. However, dynamic visualizations that encode data using motion have not been as widely explored, as motion is generally considered to be too distracting a modality for representing information effectively. The human visual system is exceptionally adept at identifying differences in texture (Emrith et al., 2010), and observing both the movement of objects or the movement within an object (Chalupa et al., 2004). While far from being fully understood, a growing body of research indicates the presence of multiple neurological mechanisms for processing *extrinsic* motion (the movement of an object) and *intrinsic* motion (local movement within a single object) (Lu and Sperling, 2001; Nishida et al., 1997). Extrinsic and intrinsic motion is also termed “first-order”

or “second-order,” respectively: first-order motion referring to the perception of a change in luminance across the visual field; second-order motion referring instead to the perception of changes in texture or contrast. While both types of motion can indicate a global movement of a single entity, in this paper we examine the use of second-order motion to indicate motions within a stationary object. We introduce a method for transforming real-world motion into abstract motion textures with subtle motions, which we are calling *intrinsic motion textures*. These transformed video captures of real-world naturalistic motion allow us to experiment with non-distracting motion without including their representational aspects. Through the transformation of, say, the movement of water in a stream, we are able to capture the motion without directly reminding users that they are looking at water. We also introduce an easy-to-calculate set of metrics to characterize these intrinsic motions. While the vast range of possible motions makes it rather daunting to attempt to encompass all types of movement via a single set of metrics, ours capture the main features of

Lighthouse Ltd




Figure 1: Stages of the video capture of naturalistic motion being transformed into an intrinsic motion texture. Here we show a single frame (A) as it is (B) cropped, (C) desaturated, (D) contrast-compressed with a low pixel range, and (E) pixelated. A further step uses temporal smoothing to mitigate extra flickering introduced from the pixelation.

intrinsic motion. We conducted a user study asking participants to evaluate a set of intrinsic motion textures. We were primarily interested in gathering insight into the following question – *What is the least amount of motion needed in order to easily identify differences between highly similar motions?* We discovered that even intrinsic motion textures with a low contrast range are easily distinguishable, as long as certain amounts of *flicker*, *flutter*, and average maximum *contrast* (defined below) are present.

In the influential text, “Semiology of Graphics,” Jacques Bertin introduces a typology of retinal variables applicable to the communication of information. Although explicitly discussing static print media, Bertin hints at the ability of texture, unlike other retinal variables, to produce a vibratory effect that is the “collusion” of physiological and psychological effects. Although he does not explore this issue of vibratory effects further, he encourages designers “to make the most of this variation, to obtain the resonance without provoking an uncomfortable sensation, to flirt with ambiguity without succumbing to it.” Bertin speaks of texture in terms of the varying thicknesses of lines, points, or shapes to indicate an overview similarity or differentiation between different qualities, or an ordered-ness within the same quality. However, he does not believe that the use of texture is refined enough to allow viewers to perceive proportionality and therefore is not effective at allowing users to perform quantitative tasks using texture alone (Bertin, 2010).

Nonetheless, investigations into the use of static textures in visualization contexts have found that they can be effective for representing quantitative data in certain tasks. A seminal paper (Ware and Knight, 1995) uses Gabor patches to parametrically investigate aspects of texture that may be useful in information display, such as orientation, size, and contrast. Applied research introduced in (Kujala and Lukka, 2003) explores the use of a “parameter hierarchy” in the procedural creation of perceptually distinct textures for the effective display of information. More

recently, (Byelas and Telea, 2009) uses overlapping textures to indicate multivariate data in software diagrams, explicitly attempting to indicate an increased number of variables within the diagram. (House et al., 2006) describes a technique for the perceptual optimization of complex visualizations involving layered textures. And (Interrante and Kim, 2001) and (Kim et al., 2004) explore the efficacy of using various orientations and types of textures to facilitate shape perception. These examples are mostly explicitly concerned with the potential expanded range of variables that can be expressed, while at the same time aware that the cost of this expanded range might be perceptual fatigue or cognitive overload, or worse, an inability to clearly distinguish differences. (Interrante, 2000) examines the use of overlapping naturalistic textures to indicate multivariate data while mitigating against the “extraneous stress” that might occur with synthesized textures. In addition to being a potentially effective representation of a wide range of quantitative information, the use of certain aspects of naturalistic textures, such as variability, might be used to indicate extra information, such as uncertainty. Interestingly, recent perceptual experiments, such as (Emrith et al., 2010), confirm that humans perceive even minute alterations in texture, but note that it is in fact somewhat easier to discern differences between synthetic textures than natural textures.

Motion is often used to signal transitions between views and contexts, to signal interruptions, and to indicate temporal aspects of data. However, it is less frequently used as an encoding mechanism for quantitative or qualitative information. (Forbes et al., 2010) presents a data visualization framework that enables animation to be mapped to dynamic streams of data, and (Bostock et al., 2011) describes a framework that includes “transition” operators for animating data points. The use of motion in visualization elicits concern about visual clutter and perceptual fatigue, even while potentially providing an expanded toolset for representing information. At its most extreme, the injudicious use of motion in information might cause

significant visual stress (Ware, 2004). One group of security researchers (Conti et al., 2005) even describes the potential for malicious hackers to takeover an information visualization system and alter its visual output to induce epileptic seizures.

Results from (Bartram and Ware, 2002) show that small, brief, and graphically simple extrinsic motions are perceptually efficient ways to distinguish objects in a crowded display. In particular, they note that a synchronization of elements is required in order for them to be effectively recognized as similar. That is, the timing of the motion is as important as the motion itself. Research into extrinsic motion cues, or “moticons” (Bartram et al., 2003), finds that motion coding is independent from color and shape coding and that more subtle motions are less distracting to users yet easily perceived. A series of experiments that analyzed extrinsic aspects of motion—velocity, direction, and on-off blinking—finds that these properties are all effective at encoding multiple data values in a prototype astrophysics simulation, provided they meet certain basic thresholds of perceptibility (Huber and Healey, 2005). A technique termed “motion highlighting” explores the potential applicability of motion to node-link diagrams (Ware and Bobrow, 2004). Results of motion highlighting experiments indicate that the translating or scaling of node is more useful for supporting rapid interactive queries on node-link diagrams than static highlighting methods.

Dynamic textures are sequences of images that exhibit some form of temporal coherence, or more specifically, they are individual images that are “realizations of the output of a dynamical system driven by an independent and identically distributed process” (Doretto et al., 2003). Dynamic textures have been effectively used in scientific visualizations and have been more extensively investigated in computer graphics and computer vision research. For instance, (Van Wijk, 2002) uses an iterative series of texture distortions to represent fluid flows, and (Forbes and Odai, 2012; Forbes et al., 2013) applies this technique to creative media arts projects. Work by (Lum et al., 2003) explores adding moving particles to a surface texture of a static object in which the particles are placed along the principal curvature direction to better indicate the object’s shape and spatial relationships. Within a more general computer graphics context, dynamic textures are used in a variety of applications. For instance, dynamic textures have been used as a computationally efficient way to add realism to a scene. (Chuang et al., 2005) presents an interactive system that procedurally generates dynamic textures from selected components of a single image that can then be added to a scene. Similarly, a variety of

techniques have been introduced to automatically create “temporal textures” from a single image in order to mimic natural phenomenon such as clouds, water, and fire (Lai and Wu, 2007; Ruiters et al., 2010; Okabe et al., 2011). In addition to having the potential to be used as an effective modality for representing quantitative information, recent research has explored the use of dynamic textures as a medium for providing semantically contextualized information. (Lockyer et al., 2011) explores the “expressive scope” of ambient motion textures for “emphasis and more subtle ambient visualization.” In particular, this research focused on the effective communication of particular emotions through the use of intrinsic motion cues within a dynamic texture.

For the most part, research on motion in information visualization is concerned with extrinsic motion, or at least does not differentiate between extrinsic and intrinsic motion. For instance, (Ware and Bobrow, 2004), also cited above, discusses a motion highlighting technique whereby the animation of a stationary link generate a “crawling” motion. Although it is not presented specifically as a dynamic texture, it is clear that this “crawling” motion is of a different nature than the translation patterns used to highlight nodes. A recent evaluation found that animated representations were more effective than almost all static representations of link representations (Holten et al., 2011). It seems reasonable that other visualization systems could utilize a conflation of textures and motion; rather than attempting to procedurally generate dynamic textures, we could gather them directly. This would have the immediate advantage that they were, at least in some degree, inherently non-distracting for the simple reason that they occur continually in the real-world. An earlier (unpublished) study by one of the authors found that the use of moving sinusoidal gratings introduced visual fatigue precisely because of the qualities that made it unrealistic: its fixed rotation, its predictable frequency and amplitude, and its repetitive sequence of pixel values. Instead, Dynamic textures using fluctuating, intrinsic, real-world motion are cohesive without being repetitive; differentiable without being distracting.

In order to expedite the creation of intrinsic motion textures in order to analyze their potential effectiveness in visualization systems, we gathered real-world video of natural phenomena containing intrinsic motion: fire, water, clouds, etc. Although we believe that these textures have a representational component that might be useful in some visualization circumstances, for this study we isolated the phenomena using these steps: (A) record the natural phenomenon; (B) crop the resulting video; (C) desaturate the video;

(D) constrain the pixel range of the video; (E) pixelate the video; (F) apply temporal smoothing to the video. The video is thus transformed into a low-contrast, desaturated, pixelated, and mostly unrecognizable version of itself that nonetheless retains important qualities of the original natural motion. Figure 1 shows a frame from a naturalistic video as it is processed through this pipeline. These intrinsic motion textures can then be defined metrically, in terms of particular features, and included in studies where we can associate these features with empirical observations, such as discernibility and differentiability.

2 Metric definitions

Much research has been done to develop ways to effectively and efficiently characterize motion. A commonly used method, optical flow, assumes that there is a unique velocity vector at each pixel. Other methods relax that assumption. For instance, (Langer and Mann, 2003) introduces “optical snow,” which is able to characterize motions that have prevalent discontinuities between frames. The intrinsic motions that we have gathered likewise include large amounts of flickering that are not captured with optical flow type analyses. Since we are, for now, interested primarily in the single task of determining the ease of discrimination between motions, we constructed a way to create simpler metrics that define a video via a set of eight features that sufficiently characterize intrinsic motions. They are grouped into the following categories: *flicker*, *flutter*, and *variability*.

We now introduce notation that defines our metrics precisely. Let $I_{q,t}$ denote the integer intensity value of a pixel in the video, at spatial position q and at time t . Assuming the video pixels lie in a rectangular grid of width W , height H , and that the video has duration of T discrete video frames, $q \in Q = \{1, \dots, W\} \times \{1, \dots, H\}$ and $t \in \{1, \dots, T\}$. The first characteristic of interest we define is the *contrast range* K of a video:

Definition 1 (Contrast range).

$$K = \max_{\substack{q \in Q \\ 1 \leq t \leq T}} \{I_{q,t}\} - \min_{\substack{q \in Q \\ 1 \leq t \leq T}} \{I_{q,t}\}.$$

In the present study, instead of using K as a video feature for comparison, we partitioned our test videos into collections with of similar contrast range, because two videos with widely differing contrasts are very obviously distinct. Specifically, we gathered videos with contrast ranges of 20 or less, 21 to 40, 41 to 60, and 61 to 80, into groups called G_{20} , G_{40} , G_{60} , and G_{80} , respectively.

The variability metrics reflect the spatial variation in a single video frame. Let $Q' \subset Q$ be the set of pixel positions in the interior of the grid. Each pixel position $q \in Q'$ therefore has eight spatially adjacent neighbors, the set of which we denote $N(q)$. The *roughness* R is defined as the average intensity difference of the highest-contrast neighbors:

Definition 2 (Roughness).

$$R = \frac{1}{WH} \cdot \frac{1}{T} \sum_{q \in Q'} \sum_{t=1}^T \max_{s \in N(q)} |I_{q,t} - I_{s,t}|.$$

Edginess E_θ is the average number of large-contrast juxtapositions, per pixel, per frame. The contrast is regarded as large if the intensity difference is at least θ :

Definition 3 (Edginess).

$$E_\theta = \frac{1}{WH} \cdot \frac{1}{T} \sum_{q \in Q'} \sum_{t=1}^T \mathbb{1}_{\{\tau: \theta \leq \max_{s \in N(q)} |I_{q,\tau} - I_{s,\tau}|\}}(t).$$

In the current study, we set the threshold value θ equal to one-eighth the maximum contrast range of the relevant collection (G_{20} , G_{40} , G_{60} , or G_{80}). For example, when comparing two videos from group G_{40} , we used the $E_{40/8} = E_5$ edginess metric.

Our flicker metrics depend on the local maxima and minima (peaks and valleys) of pixel intensity in the time domain. To specify them formally, we introduce definitions of *peak* and *valley* as follows.

Definition 4 (Peak intensity value). $I_{q,t}$ is a *peak intensity value of width* j , provided

- $j > 0$,
- $1 < t \leq T - j$,
- $I_{q,t-1} < I_{q,t} = I_{q,t+1} = \dots = I_{q,t+j-1}$, and
- $I_{q,t+j-1} > I_{q,t+j}$.

Though cumbersome, this definition is consistent with an intuitive notion of local maximum. We also define *valley intensity value* analogously for local minima. Let n_q denote the number of peaks of width 1 or more at position q . Let $p_{1,q}, p_{2,q}, \dots, p_{n_q,q}$ be the peak intensity values at position q , such that $p_{i,q}$ is the intensity value of the i th peak, in chronological order. Similarly, let $v_{1,q}, v_{2,q}, \dots, v_{n_q,q}$ denote the valley intensity values (assuming they are equally numerous as the peaks). Now we can precisely state our metrics for flicker. First, the average number of peaks per pixel, per frame, is called *local frequency*, F_L :

Definition 5 (Local frequency).

$$F_L = \frac{1}{WH} \cdot \frac{1}{T} \sum_{q \in Q} n_q.$$

We define the average peak-to-valley difference, per pixel, as *local amplitude*, A_L :

Definition 6 (Local amplitude).

$$A_L = \frac{1}{WH} \sum_{q \in Q} \frac{1}{n_q} \sum_{i=1}^{n_q} (p_{i,q} - v_{i,q}),$$

if $n_q > 0$, otherwise $A_L = 0$.

We define *local choppiness*, $C_{L,\theta}$, as the average number of large intensity jumps per pixel, per frame. A jump at position q is large if equals or exceeds threshold value θ .

Definition 7 (Local choppiness).

$$C_{L,\theta} = \frac{1}{WH} \cdot \frac{1}{T} \sum_{q \in Q} \sum_{t=2}^T 1_{\{\tau: |I_{q,\tau} - I_{q,\tau-1}| \geq \theta\}}(t)$$

Similar to our use of Def. 3, in our study we set the threshold value here to one-eighth of the contrast range of whichever videos we are comparing. So when comparing videos from group G_{40} , we use local choppiness metric $C_{L,5}$.

Our flutter metrics are similar to the flicker metrics, but they depend on the average intensity of the entire video frame at a given moment. Let J_t denote the average pixel intensity of the frame at time t , i.e., $J_t = \frac{1}{WH} \sum_{q \in Q} I_{q,t}$. This sequence also has peaks and valleys, which we assume are m in number. At the risk of confusion, we will denote its peak values and valley values (regardless of width) as p_1, p_2, \dots, p_m and v_1, v_2, \dots, v_m respectively, in chronological order. (Note that these values have only one subscript.) The average number of these peaks, per frame, is called *global frequency*, F_G :

Definition 8 (Global frequency).

$$F_G = m/T.$$

The average of these peak-to-valley differences is the *global amplitude*, A_G :

Definition 9 (Global amplitude).

$$A_G = \frac{1}{m} \sum_{i=1}^m (p_i - v_i),$$

if $m > 0$, otherwise $A_G = 0$.

We define *global choppiness* $C_{G,\theta}$ as the average number of large increases in average intensity, with threshold θ :

Definition 10 (Global choppiness).

$$C_{G,\theta} = \frac{1}{T} \sum_{t=2}^T 1_{\{\tau: |J_t - J_{t-1}| \geq \theta\}}(t).$$

Again, in our study we set the this metric's threshold just as those of Defs. 3 and 7. So, when comparing videos from group G_{40} , we compute metric $C_{G,5}$.

These metrics are easy to calculate and capture both the global and the local, pixel level aspects of the videos. They may not however capture larger-scale movement within the motion textures. However, since our express aim is to use motion textures that do not contain large-scale motion, we believe that these metrics are appropriate as a first attempt to characterize intrinsic motions.

3 User Study

The main goal of our preliminary user study was to determine the minimum amount of movement required in order for a participant to quickly differentiate between similar motions. Since motion can be highly distracting and since humans are exceptionally good at noticing differences in motion, by finding lower bounds on various parameters that make motion distinguishable we can identify the minimum values of easily-discernible features. Future work will use a more rigorously defined empirical study using techniques to measure just-noticeable difference, as well as explore user response to visualization tasks incorporating motion textures. For this preliminary study we wanted to obtain an initial sense of what attributes were most easily noticeable at low-contrast ranges, and which of these attributes were thought to be the least distracting.

To find this minimum feature set, we created a study that presented the participant with a pair of videos. The user was then asked to indicate whether he or she agreed or disagreed with a series of statements about the videos. We gathered 32 unique videos of naturalistic motion and processed them as described in section 3.1. We created 4 "bins" and made versions of each of these videos with different levels of contrast. Bin 1 contained videos with a contrast range of +/- 10; Bin 2, +/- 20; Bin 3, +/- 30; Bin 4, +/- 40. For Bin 1, it was very difficult to tell most of the videos apart, especially when looking at a single (unmoving) frame from the video. In other words, the contrast was so low that without movement it would be almost impossible to tell them apart. For Bin 2, it seemed that about half of the time it was easy to tell the videos apart and the other half of the time it was difficult. For Bin 3, it became much easier to tell any of the videos apart from any of the others. And finally, for Bin 4 it was easy to tell all of the videos apart. However, we thought that if the movements became more chaotic (higher absolute flicker amplitude

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.