

(12) United States Patent

Citron et al.

(10) Patent No.: US 6,607,285 B2

(45) **Date of Patent:** Aug. 19, 2003

(54) LIGHT ADJUSTMENT APPARATUS

(75) Inventors: Steven D. Citron, Kirkland, WA (US);
Darin Richard Aaby, Monroe, WA
(US); Bradley Kent Allen, Redmond,

(US); Bradley Kent Allen, Redmond, WA (US); Michael J. Quiring, Snohomish, WA (US); Mark Christopher Mattson, Oceanside, CA (US); Dabngeun Ngonevolalath,

Snohomish, WA (US)

(73) Assignee: Genie Industries, Inc., Redmond, WA

(US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35

U.S.C. 154(b) by 0 days.

(21) Appl. No.: 10/053,863

(22) Filed: Jan. 18, 2002

(65) **Prior Publication Data**

US 2003/0137840 A1 Jul. 24, 2003

(51) Int. Cl.⁷ F21V 21/14

(56) References Cited

U.S. PATENT DOCUMENTS

4,228,489	Α	* 10/1980	Martin 362/250
4,423,471	Α	12/1983	Gordin et al.

4,488,209	Α	12/1984	Gosswiller
4,712,167	A	12/1987	Gordin et al.
5,207,747	A	5/1993	Gordin et al.
5,272,609	A	12/1993	Nelson
2002/0093822	A1 *	7/2002	Leen 362/253

OTHER PUBLICATIONS

U.S. patent application Ser. No. 09/780,891, Allen et al., filed Feb. 9, 2001.

* cited by examiner


Primary Examiner—Sandra O'Shea Assistant Examiner—Tsidu Iko

(74) Attorney, Agent, or Firm-Perkins Coie LLP

(57) ABSTRACT

Light adjustment apparatuses and methods for adjusting light assemblies are disclosed herein. One embodiment can include a light holder having a housing, a mounting bracket coupled to the housing, a support member rotatably attached to the mounting bracket, and a lock to restrict the mounting bracket from rotating relative to the support member about an axis of rotation. In another embodiment, a method is provided for adjusting a light assembly. The method includes removing a lock from a first lock receiver in a mounting bracket and a second lock receiver in a support member; rotating the mounting bracket and a light assembly attached to the mounting bracket as a unit so that the light is aimed at a selected orientation; aligning a third lock receiver in the mounting bracket with the second lock receiver in the support member; and placing the lock in the third lock receiver of the mounting bracket and the second lock receiver of the support member.

24 Claims, 4 Drawing Sheets





US 6,607,285 B2






Fig. 1



Aug. 19, 2003






Fig. 4






Fig. 5

DOCKET A L A R M

Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time** alerts and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.

