




US 20070115802A1

(19) **United States**(12) **Patent Application Publication**
Yu et al.(10) **Pub. No.: US 2007/0115802 A1**(43) **Pub. Date: May 24, 2007**(54) **TRANSMITTING AND RECEIVING
SYSTEMS FOR INCREASING SERVICE
COVERAGE IN ORTHOGONAL
FREQUENCY DIVISION MULTIPLEXING
WIRELESS LOCAL AREA NETWORK, AND
METHOD THEREOF****Publication Classification**(51) **Int. Cl.**
H04J 11/00 (2006.01)
(52) **U.S. Cl.** **370/208**(76) **Inventors:** **Hee-Jung Yu**, Daejeon-city (KR);
Eun-Young Choi, Daejeon-city (KR);
Chan-Ho Yoon, Seoul (KR); **Jung-Bo
Son**, Masan-city (KR); **Il-Gu Lee**,
Seoul (KR); **Deuk-Su Lyu**,
Daejeon-city (KR); **Tae-hyun Jeon**,
Sungnam-city (KR); **Seung-Wook Min**,
Seoul (KR); **Sok-Kyu Lee**,
Daejeon-city (KR); **Seung-Chan Bang**,
Daejeon-city (KR); **Seung-Ku Hwang**,
Daejeon-city (KR)**Correspondence Address:**
LADAS & PARRY LLP
224 SOUTH MICHIGAN AVENUE
SUITE 1600
CHICAGO, IL 60604 (US)(21) **Appl. No.: 11/635,927**(22) **Filed: Dec. 8, 2006**(30) **Foreign Application Priority Data**Sep. 12, 2005 (KR) 10-2005-0120849
Feb. 6, 2006 (KR) 10-2006-0049871(57) **ABSTRACT**

The present invention relates to an orthogonal frequency division multiplexing wireless local area network (LAN) transmitting/receiving system for providing expanded service coverage, and a method thereof. According to the present invention, first OFDM modulation is performed for an even-numbered time, and second OFDM modulation is performed by changing subcarrier allocation positions of first OFDM modulated symbols for an odd-numbered time. In addition, a transmitting frame including a plurality of signal fields according to the first and second OFDM modulation is transmitted. The receiving system determines a format configuration of the received frame to determine whether a signal field is repeatedly generated in the frame. When it is determined that the signal field is not repeatedly generated, corresponding demodulation is performed. When it is determined that the signal field is repeatedly performed, the signal field is demodulated by using first bit allocation information and is demodulated by using second bit allocation information having a 1/2 value of the first bit allocation information. A data field is demodulated according to the demodulated signal field.






FIG.1

FIG.2





FIG.3






FIG.4



Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.