Pa

Sec

200

Niels

9.2.1 In the perio later SMC evol work beca How or th

> unc dare

> > Thi tec

> > > SM au 10

series of TSG meetings scheduled for March 2001 in Palm Springs, US. This will obviously result in a further stabilisation and extension of the UMTS specifications.

3GPP is running very well. The individual members from the six OPs seem to be very satisfied with this arrangement - and the production line is in full swing.

Without exaggeration, one can give 3GPP the attribute of a success story. One may quote again here Mr Ed Roney who even addressed the 3GPP concept - prior to its realisation - as a

"paradigm shift". As the results of the GSM and UMTS related standardisation work represent a great part of ETSI's deliverables, it might be justified to note here that during the year 2000, ETSI published more than seven new deliverables each working day (Monday through Friday), i.e. one deliverable per hour!

Further information may be found on the 3GPP website at http://www.3gpp.org.

is will obviously

seem to be very

7. One may quote realisation – as a

ent a great part of year 2000, ETSI through Friday),

gpp.org.

## Chapter 9: The Third Generation Partnership Project (3GPP)

# Section 2: UMTS in 3GPP (December 1998–May 2001)

Niels Peter Skov Andersen<sup>1</sup>

#### 9.2.1 A Change of Environment

In the period 1982 until end of 1998 the work on the GSM standard, and in the later part of the period on UMTS, had been performed in the same environment, starting under CEPT and later transferred into ETSI. The Technical Committee GSM, during this period renamed to SMG, and its working groups (Sub Technical Committees) had continuously existed and evolved. The same was the case for the working methods and procedures used within the work. Over time with the success of the GSM system more and more interested parties became involved in the work including parties from outside the original CEPT area. However, this was all a relatively slow evolution and no major revolutions in the organisation or the working methods occurred in this period.

After all these years of continuity in the work the discussions around the creation of 3GPP and the decision to establish 3GPP for the initial phase of UMTS<sup>2</sup> naturally created some uncertainty amongst the members of SMG. Especially the resulting split of the GSM standardisation, with the responsibility for the GSM core network transferred to 3GPP, but the responsibility for the GSM radio access Network maintenance remained in ETSI in SMG. This caused some concern amongst many delegates. Also the internal structure for the technical work within 3GPP was different from the well-known structure in SMG. SMG was based on a technical plenary with a number of working groups (SMG1, SMG2, ..., SMG12) performing the detailed technical work. The SMG plenary was the approving authority for the results of the work performed by the working groups. Also the plenary was the group responsible for approval of all new work items and the content of the releases. The structure for the work in 3GPP, as agreed by the partners, was quite different. The project

<sup>1</sup> The views expressed in this section are those of the author and do not necessarily reflect the views of his affiliation entry.

The term UMTS is throughout this section used to keep consistency of terminology with the other chapters and sections. The term UMTS do not appear in the in 3GPP agreement, which defines the system as a third generation mobile system based on an evolved GSM core network and UTRAN (including UTRAN (FDD and TDD modes)).

was organised with four equal Technical Specification Groups (TSGs), who had complete autonomy for their area of responsibility, i.e. they were responsible for approval of new work items and final approval of deliverables. The four technical groups originally defined were:

TSG CN	Responsible for the core network development
TSG-RAN	Responsible for the radio access network based on UTRAN (FDD and TDD
	modes)
TSG-SA	Responsible for services and system aspects
TST-T	Responsible for Terminal and UIM

In addition to the technical groups the 3GPP organisation has a Project Coordination Group (PCG). However, the role of this PCG cannot be compared to the role the SMG plenary played. The SMG plenary was an open technical group with the approving authority in all technical questions including approval of new work items. The 3GPP PCG is a closed group with a defined membership consisting of a limited number representative of each of the partners (SDOs, MRPs) and the leadership (chairman and two vice-chairmen) of each TSG. Thus as a closed group the role of the PCG becomes more like a board overlooking the overall well being of the project.

This structure made many long-term SMG delegates concerned about how the overall coordination of the project could be ensured. This new structure was not introduced to overcome known deficits of the SMG organisation, but in my opinion, by political considerations to ensure than no single individual, individual member, organisational partner could obtain a controlling position in the project.

#### 9.2.2 The First Two TSG Meetings

248

The inauguration meeting of the 3GPP TSGs was held in December 1998 in Sophia Antipolis, France. In the process of creation of 3GPP this was the first time that the 3GPPs real work force – the technical experts – met. The main objectives for this first meeting was to get the work started. One of the elements of the meeting was a presentation from the different partners on the status of their work on the third generation mobile system, the work, which they now were in the process of handing over to 3GPP.

Listening to the presentations and the discussions during the breaks it was very obvious that the background for standardization amongst the delegates was quite different. As an example, I remember that during the coffee break just after I, as chairman of ETSI SMG2, had presented the status of the UMTS radio work in ETSI, and had ended my presentation by stating that the UMTS radio work would only be on the agenda of one more meeting of ETSI SMG2. This was in order to complete the documentation to be handed over to 3GPP and then the work on UMTS radio in ETSI would cease, a small group of non-ETSI delegates came to me and asked "if all work on UMTS radio in ETSI ceases, how do the Europeans then coordinate their views on 3GPP?" Coming from the ETSI SMG background this was a completely unexpected question, as the working procedures for 3GPP were very similar to those of ETSI, it was clear to me that the contributions to 3GPP in general should come from the individual members – the companies, regulators etc. – in their own name and not as regional contributions. I explained this, but I also understood that for delegates with a background in international standardization from, e.g. ITU this was the normal way of thinking. During this

Chapter

first med already in the g Even principle the grou terms of referenc ence for adjustme In ord the SDC TSGs to and prog Lauderd the end groups, establish already By th atmosph technica needed t chairme As in organisa responsi project r for the r in Coper - "Higl progress at the fir convenc project • To e prog To e work At th that a T SP.9 ATA

#### le Communication

ho had complete oval of new work lly defined were:

#### (FDD and TDD

ordination Group he SMG plenary g authority in all is a closed group e of each of the airmen) of each oard overlooking

how the overall ot introduced to litical consideranal partner could

Sophia Antipolis, 3GPPs real work ng was to get the om the different the work, which

was very obvious different. As an ETSI SMG2, had y presentation by meeting of ETSI to 3GPP and then lelegates came to tropeans then conis was a compleimilar to those of d come from the nd not as regional a background in king. During this

#### Chapter 9: The Third Generation Partnership Project (3GPP)

first meeting a lot of small explanations similar to this were given over a cup of coffee and already by the second meeting there was a far better common understanding on how the work in the groups was intended to be performed.

Even though the partners, already before the first meeting of the TSGs, had made the principle decision of having four TSGs and had elaborated draft terms of references for the groups, the definition of the area of responsibility for the TSGs and refinement of the terms of references was a key item on the agenda. Each of the TSGs adjusted their terms of references and with some subsequent adjustments at the second meeting, the terms of reference for the TSGs have until now (March 2001) stayed the same except for few minor adjustments.

In order to get the detailed work started and not loose the momentum, which had existed in the SDOs before the creation of 3GPP, it was a very important task at the first meeting of the TSGs to get the detailed work within the TSGs organised so technical work could commence and progress in the period up to the second meetings of the TSGs in March 1999 in Fort Lauderdale. This part of the programme for the first meetings of the TSGs went well, and by the end of the meeting each of the TSGs had established between three and five working groups, outlined their area of responsibility and appointed convenors for the groups. With the establishment of the working groups the detailed technical work was ready to start, and already by the second meeting of the TSGs significant progress was reported.

By the second meeting of the TSGs, which took place in Fort Lauderdale, the complete atmosphere had changed from the general uncertainty and procedural questions to a far more technical focus, even though a few items of a management and organisational nature still needed to be sorted out. In addition, at this second meeting the leadership (chairman and vice-chairmen) for the individual TSGs was elected for the next 2-year period.

As indicated, one of the main differences with the 3GPP organisation compared to the organisation of SMG was the lack of a superior technical group with an open plenary with responsibility for the technical coordination, final decision making, conflict resolution and the project management including adaptation of work items, etc. Already the original description for the role of TSG SA, which was elaborated by partners together with the 3GPP agreement in Copenhagen in early December 1998, contained a paragraph on giving TSG SA the role of - "High level co-ordination of the work performed in other TSGs and monitoring of progress". This role was subsequently reflected in the terms of references for TSG SA agreed at the first meeting of TSG SA (TSG SA#01). At the second meeting of TSG SA could fulfil its project coordination role. The key principles of the proposal were:

- To establish a project management function to create and maintain a cross TSG project programme including status of technical specification and reports.
- To establish close co-operation with TSG CN; TSG RAN and TSG T. Requiring the chairman or vice-chairman of each TSG to attend the TSG-SA meetings and bring new work items, issues and progress information to the attention of TSG-SA.

At the meeting another proposal<sup>4</sup> was received from a group of companies<sup>5</sup> who suggested that a TSG plenary be created, i.e. a fifth TSG with plenary function similar to that of ETSI

- SP-99050: proposals for managing the TSG project co-ordination role.
- SP-99068: TSG plenary.
- AT&T, BT, FRANCE TELECOM, NTT DOCOMO, TIM, TMOBIL.

Ch

de

de

sp

the Th

ar sta

the

tin

30 la

sy fo

si

go

m

W

re

th

S

a

Π

п

SMG. The argument for this proposal was that a TSG plenary would help to ensure overall project coordination and elaboration of a consistent and complete set of UMTS specifications. After long discussions a compromise not requiring changes to the TSG structure was found

and agreed. This comprise<sup>6</sup> was based on the following principles for the TSG SA's project coordination role:

- At least while performing its project co-ordination role, the TSG SA will not meet at the same time as other TSGs.
- At least one representative of TSGs RAN, CN and T and their working groups will attend each TSG SA meeting, to report on the activities of their respective TSG. They shall be responsible for bringing new work items, issues and progress statements on work such as specifications and existing work items from their respective TSGs to the attention of TSG
- The TSG SA plenary will also include reports from its own working groups and facilitate information exchange between those working groups and the other TSGs.
- The TSG SA shall have arbitration responsibility to resolve disputes between TSGs.

As can be seen from the principles, the independence and the rights of the other TSGs was not touched by the compromise. Each TSG maintained its right to approve work items and deliverables, etc. As a result of the way forward on the TSG SA management role, the TSG meetings in Fort Lauderdale were the last meetings where all four TSGs met in parallel. At the subsequent TSG meetings in Shin-Yokohama in Japan at the end of April TSG CN, TSG RAN and TSG T met in parallel followed by TSG SA and the chairmen of TSG CN; TSG RAN and TSG T provided to TSG SA a status report on the work and progress in their respective TSGs. The TSG SA meetings starting from the third meeting in Shin-Yokohama then had a three part structure. A part related to TSG SA internal matters where the different TSG SA working groups report the progress of their work and submit their contributions for approval, this part is similar to the work in the other TSGs. A second part related to the technical coordination with the other TSGs and a third part dealt with general project management issues such as working methods, document handling, etc.

By the end of the second TSG meetings most of the "beginners" difficulties had been resolved, the interaction between the TSGs defined and TSG SA was ready to take on-board is role in the coordination role. Also the second TSG meetings showed that the detailed work in the working groups had got a good start, the work handed over from the partners was well received and progressing well. All in all, the definition and establishment phase of the technical work in 3GPP had been completed successfully and the transfer of work from the partners to 3GPP had been performed without causing any major disruption in the ongoing technical work.

## 9.2.3 The First Release – Release 99

After the two first two meetings of the TSGs where especially TSG SA had used time to organise the work, the third meetings were into their routine and could fully concentrate on

The work in 3GPP followed the same basic methodology as was used for the GSM work in the technical specification work. ETSI. The specifications generally are based on a three stage approach, with a stage

<sup>6</sup> SP-99087: proposals for managing the TSG project co-ordination role.

#### vile Communication

to ensure overall ITS specifications. tructure was found TSG SA's project

vill not meet at the

groups will attend 'SG. They shall be its on work such as ie attention of TSG

roups and facilitate SGs.

between TSGs.

the other TSGs was yve work items and ment role, the TSG met in parallel. At vpril TSG CN, TSG n of TSG CN; TSG id progress in their in Shin-Yokohama where the different eir contributions for l part related to the vith general project

lifficulties had been y to take on-board is the detailed work in the partners was well hment phase of the unsfer of work from or disruption in the

SA had used time to fully concentrate on

for the GSM work in bach, with a stage 1 Chapter 9: The Third Generation Partnership Project (3GPP)

description containing the functional requirements, stage 2 containing the overall functional description and architecture for a given functionality and stage 3 being the detailed technical specification down to the bit level. Working with this methodology the idea is of course that the stage 1 description is first completed or nearly completed so the requirements are clear. The next step is then to complete the stage 2 description and thereby define the overall architecture and functional split for the technical realisation of the functionality. When stage 2 is complete or close to completion the third step the stage 3 specifications containing the detailed technical specification is complete.

However, it was not possible for 3GPP to do this work serially, because of the very short timescale for completion of the first set of specifications in December 1999 only 1 year from 3GPP's creation in December 1998. Thus the work on stage 1, 2 and 3 specifications had to a large degree to be performed in parallel. Doing so TSG SA WG2, which is responsible for system architecture, quickly became a bottleneck in the process, as it was difficult, especially for TSG CN (core network) to draft the detailed specification before the architectural decisions were made. This problem peaked at the fourth TSG SA meeting in June 1999, when going through the status report from TSG SA WG2, where it became clear to the full membership that an extraordinary effort was needed to ensure that the architectural work was speeded up.

Standardisation by committee is not a traditional project, where the project leader can reallocate resources to the most urgent task. In standardisation the important task is to ensure that all the participants know and understand where additional effort is most urgently needed, so the volunteer work effort is pointed in the right direction. The recognition of the need for an extraordinary effort in TSG SA WG2 helped to speed up the architectural work and minimise the problem of TSG SA WG2 being a bottleneck. The initial delay of course made the work schedule even tougher for the groups responsible for the detailed stage 3 specifications.

As you can imagine it is not possible here to go into the details of the work, which led to the first set of specification from 3GPP in December 1999. In the following I will therefore only provide a few of examples of items, which required resolution by TSG SA.

For UMTS a new ciphering and authentication mechanism providing a higher degree of security has been developed. The SIM card (for UMTS USIM) is involved in the authentication process and calculates the necessary keys for the authentication and ciphering. Thus new SIM cards are required, or to be technically correct, cards with the USIM application are required. In the following I will use the short term USIM to indicate the card supporting the new security algorithms and SIM for the old cards supporting the GSM level of security. At the third meeting of the TSGs there was the question of whether the UMTS networks should only support USIM and thus always provide the highest possible degree of security or whether it should be possible to access a UMTS network with terminals with a SIM only. On one hand a number of delegates believed that it was preferable only to allow the usage of USIMs in the UMTS terminals, this on the other hand was questioned by operators that could foresee a slower roll-out of UMTS, e.g. due to the expected licensing time. For them a requirement for usage of USIM only in the UMTS terminals would leave them with two alternatives; either to issue USIMs even though they did not yet have a UMTS network, or be in a situation where their customers could not roam to, e.g. Japan and Korea with no GSM networks but only UMTS networks. This lead to a long discussion where it could have been tempting to perform a quick vote; however, to keep the good spirit of cooperation and

Chapt

know

funct

whick

hand

routin

of ser

regul

need

tion

reaso secor

subse

varia

on th

woul

varia

TSG

can l

the t

first

1999

Fran

be n

the

and

a se

tern

spec

rect

mee

bee TS(

alit

tion

CO

T

Th

consensus based work I as 3GPP TSG SA chairman considered voting as an emergency solution if everything else failed. As almost always the attempt to find a solution for which consensus could be obtained succeeded. The comprise was found based on the following elements:<sup>7</sup>

- Support access to UMTS access networks while using cards equipped with either the SIM, the USIM functionality or both; and
- Allow a serving UMTS operator the option to block access to the UMTS access network when a card equipped only with a SIM functionality is used.

As usual when compromises of this type were obtained it was the assumption of the meeting that the companies/members who required the capability should do the work to specify the signalling and other mechanisms required.

At the fourth TSG meetings the very rare situation of one of the other TSGs raising an issue to TSG SA for resolution occurred. TSG CN had completed the feasibility study of the Gateway Location Register (GLR). TSG CN had then decided not to start specification work for the GLR. However, as some members of TSG CN had expressed strong interest in the GLR, it had been proposed to let the interested parties elaborate the specifications required for the GLR outside TSG CN and submit the result to TSG CN. This decision had caused some problems and the TSG CN raised the question to TSG SA of how to proceed, e.g. should a vote be taken. I as chairman of TSG SA indicated to the meeting that votes were to be seen as an emergency solution when everything else has failed. First, an attempt should be made to find a solution for which consensus can be obtained. For this explicit case it seemed clear that the resistance to start work on the GLR was coming from operators not seeing the need for a GLR and fearing that the introduction would impact existing networks and other networks without a GLR. On the other hand especially operators with no GSM legacy network showed a strong interest in the GLRs as a way to reduce the amount of international signalling caused by roamers moving around in very densely populated areas. Taking into account the strong interest and the concerns expressed, it was found, that there would be no problem, if a GLR could be done in such a way, that it had no impact on an existing HLR<sup>®</sup> (pre-3G), if a subscriber belonging to a HLR roamed onto a network utilising a GLR. Similarly the support of the GLR in one network should not impact networks not utilising the GLR. Based on this analysis, TSG SA recommended that TSG CN adopt a work item on GLR requiring a GLR to be fully compatible with old and new non-GLR networks. As hopefully can be seen from this example it is and has been a key priority in 3GPP to as far as possible base decisions on consensus as it also was the case for the GSM development in ETSI.

Another type of problem, which every now and then needs resolution at TSG level is the specific national or regional requirement often caused by the local regulation. Requirements that often can cause problems in relation to roaming. One example of this is the emergency call where TSG SA at meeting number 5 received a proposal<sup>9</sup> for national variation on terminals to cater for the differences in emergency call requirements. When GSM was introduced one unique number for initiating emergency calls had been defined (112); this ensured that a roaming user would always be able to perform a emergency call without

 $^{8}$  HLR = home location register.

<sup>&</sup>lt;sup>7</sup> SP-99208.

<sup>&</sup>lt;sup>9</sup> SP-99481.

#### bile Communication

as an emergency nd a solution for used on the follow-

ith either the SIM,

**FS** access network

assumption of the ld do the work to

Gs raising an issue bility study of the start specification sed strong interest the specifications This decision had ow to proceed, e.g. that votes were to attempt should be icit case it seemed tors not seeing the networks and other 1 no GSM legacy int of international areas. Taking into there would be no an existing HLR<sup>®</sup> utilising a GLR. works not utilising opt a work item on **JLR** networks. As in 3GPP to as far M development in

at TSG level is the tion. Requirements s is the emergency ional variation on When GSM was defined (112); this gency call without Chapter 9: The Third Generation Partnership Project (3GPP)

knowing a any specific local situation. When GSM entered into new parts of the world this function had been improved by letting the local operator store a number on the SIM card which should be considered as the emergency call number, and thus, e.g. and American user could use 911 wherever he brought his mobile. However, there are other differences in the handling of emergency calls other than just the number to dial. The GSM solution only allows routing of emergency calls to one central emergency centre and does not differentiate the type of service needed such as ambulance, fire brigade or police. However, some operators had a regulatory requirement to route directly emergency calls to the relevant service and thus needed different numbers per service. Therefore, they had suggested having a national variation of terminals. After some discussion in TSG SA the proposal was rejected. The main reasons for this was that it was seen as essential to avoid local variations of terminals and secondly a solution based on local variation of terminals would not solve the problem of subscribers roaming from other parts of the world with terminals without the specific local variation. Anyhow, the rejection of the proposal did not mean that the problem was ignored; on the contrary the relevant working groups were tasked to find a generic solution, which would satisfy the local regulations without causing problems with roaming or requiring variation in terminals.

That the previous examples from the elaboration of 3GPP Release 99 all come from the TSG SA does not mean that this type of problem does not appear in the other TSGs. As also can be imagined, the specification of a complete new radio access network in TSG RAN in the timeframe of 1 year was one of the most demanding tasks during the elaboration of the first set of specifications from 3GPP (Release 99).

As mentioned earlier, when 3GPP started in December 1998 a target date of December 1999 was set for the first set of specifications. So the sixth meetings of the TSGs in Nice, France in December 1999 were the meetings where the status for the first year of 3GPP was to be made. In order to get a full overview of the status of the work and the degree of completion, the process for documenting the remaining open issues had been agreed amongst the chairs and vice-chairs of all of the TSGs.

The principle for this was relatively simple and building on the assumption and desire that a set of specifications should be completed and frozen at the sixth meetings of the TSGs. The term frozen meant that there should be no functional changes or additions made to the set of specifications, but only strictly necessary corrections of errors or omissions which if uncorrected risk making the system malfunction. The idea behind the principle was that at the next meetings of the TSGs all proposed changes to the specifications, which could not be justified as an essential correction should be rejected, unless an exception for that specific item had been given in December 1999. In order to document these exceptions all working groups and TSGs had prepared and forwarded to TSG SA sheets describing the non-completed functionality for which they wished to have granted an exception from the general rule of no functional changes. In addition to the description of the functionality, the sheet also indicated the consequences if this functionality was completely removed from Release 99.

TSG SA collected the status reports from the different groups and created a relatively large table <sup>10</sup> where on one side was the different functionalities and on the other side the different groups and in the table an indication if a group had requested an exception for completion of the functionality. After having created this table based on the status reports, TSG SA went through the table on a per functionality basis and evaluated the expected completion date and <sup>40</sup> SP-99639

the necessity of the function in Release 99. In order to maximise the stability of the set of specifications, especially in the case where several groups had items open for the same functionality, specifications were scrutinised in detail and in several cases the functionality was completely removed from 3GPP Release 99. This review led to the removal of functionalities such as Enhanced Cell Broadcast, Tandem Free Operation for AMR, Support of Localised Service Area and a reduction in the location service functionality in Release 99.

At the end of the December 1999 TSG SA meeting approximately 80 exceptions from the rule of no functional changes were granted. At the following meeting of the TSGs in Madrid in March 2000 the status and the list of open items was once again reviewed and the number of open items was reduced from 80 to approximately 30. At the TSG meetings in June 2000 the remaining open items were completed and since then only necessary corrections could be made. However, it is to be understood, that when such a substantial set of specifications for the 3GPP Release 99 have been elaborated in the time frame of approximately 1 year, it is unavoidable that there are some ambiguities and errors in the specifications. It is a very important task to have these errors corrected in the specification as soon as they are discovered, as this is the only way to avoid small differences in implementation due to different solutions to errors. Differences which if not avoided could lead to problems of interoperability, etc. Also it should be noted that there will continuously be errors discovered in the specifications which need to be corrected, at least until every detail has been implemented and made operational in the field.

#### 9.2.4 Introduction of Project Management

As indicated, one of the main differences with the 3GPP organisation compared to the organisation of SMG was the lack of a superior technical group with an open plenary with responsibility for the technical coordination, final decision making, conflict resolution and the project management including adaptation of work items, etc. Instead the different TSGs approved work items and technical work on their own. Even though they reported the status of their work to TSG SA there was no simple way to for linking a given functionality with the work being performed in the different TSGs. This was clearly a problem during the elaboration of Release 99, as it was difficult for the delegates to get an overview of which functionalities were on the critical path for completion. To get an overview actually required that key experts from the different areas sit together and fit the different parts of the puzzle. It therefore, required quite some effort in and outside the TSG meetings of December 1999 to provide an overview, which allowed the meetings to make conscious decisions.

As this potential problem was clear to me from the start of the project, I had, already at the second meeting of the TSGs in March 1999, had discussions with the chairmen of TSG SA WG1 and TSG SA WG2 on introducing a model for the project co-ordination which would follow the work from the initial requirements to completion. This model was then introduced for initial discussion to the leadership (chairmen and vice-chairmen) of the other TSGs at the third meeting of the TSGs. During the rest of 1999 additional background work was done in order to prepare for the introduction of the model for project co-ordination. At the December 1999 TSG SA the model was presented to TSG SA for approval and became the model for the organization of the work for the following releases and the basis for the overall project plane.

The model was based on the introduction of the Feature, Building Block and Work Task concept, and categorization and linkage of the work items. The model was thought of as a feature

model.

a first v of Inte

these g

Chapter

#### bile Communication

bility of the set of pen for the same s the functionality moval of function-AMR, Support of ity in Release 99. xceptions from the ie TSGs in Madrid ed and the number tings in June 2000 prrections could be f specifications for nately 1 year, it is tions. It is a very as they are discovon due to different lems of interopers discovered in the n implemented and

a compared to the open plenary with t resolution and the the different TSGs reported the status nctionality with the during the elaboraof which functionly required that key he puzzle. It there-December 1999 to cisions.

I had, already at the lairmen of TSG SA lation which would was then introduced to other TSGs at the d work was done in n. At the December ne the model for the overall project plan. ock and Work Task was thought of as a

#### Chapter 9: The Third Generation Partnership Project (3GPP)

reference model for structuring the work. It was not the intention to rigorously enforce the usage of the model on all ongoing work, but merely to use the model as a common reference model across the TSGs and to structure future work. The model took its origin from the typical flow for creation of a new feature or service and can briefly be described as follows.

TSG SA is through TSG SA WG1 responsible for defining the features and services required in the 3GPP specifications. TSG SA WG1 is responsible for producing the stage 1 descriptions (requirement) for the relevant features and passing them on to TSG SA WG2. TSG SA WG1 can also forward their considerations on possible architecture and implementation to TSG SA WG2, but is not responsible for this part of the work.

TSG SA WG2 should then define the architecture for the features and the system, and then divide the features into building blocks based on the architectural decisions made in TSG SA WG2. TSG SA WG2 will then forward the building blocks to the relevant TSGs for the detailed work. These proposals will be reviewed and discussed in an interactive way together with TSGs/WGs, until a common understanding of the required work is reached. During the detailed work of the TSGs and their working groups, TSG SA WG2 is kept informed about the progress.

The TSGs and their WGs treat the building block as one or several dedicated Work Tasks (WTs). The typical output of a given WT would be new specification(s), updated specification(s), technical report(s) or the conclusion that the necessary support is already provided in the existing specifications.

A part of TSG SA WG2's role is in co-operation with the TSGs and their WGs to identify if synergy can be obtained by using some of the building blocks or extended building blocks for more than one feature. Part of TSG SA WG2's task is to verify, that all required work for a full system specification of the features relevant take place within 3GPP without overlap between groups. In order for TSG SA WG2 to be successful, this has to be done in co-operation with other TSGs/WGs.

About the project scheduling: TSG SA WG1 sets a target, TSG SA WG2 performs a first technical review and comments on the target. TSG SA WG2 indicates some target for time schedule together with allocation of the defined building blocks. The TSGs and their WGs comment back on these targets. TSG SA WG2 tries if necessary to align the new target between the involved parties. TSG SA WG1 and TSG SA are kept informed of the overall schedule.

It was also in the model, it was identified as a task for TSG SA, TSG SA WG1 and TSG SA WG2 to ensure early involvement of TSG SA WG3 (working group responsible for security) to ensure that the potential security requirements, service requirements and the architectural requirements are aligned and communicated to the TSGs and their WGs.

In order for TSG T and its subgroups to plan and perform its horizontal tasks on conformance testing and mobile station capabilities, it was foreseen to invite TSG T to evaluate the potential impact of a new feature. Also work on the horizontal tasks is required to be included in the overall work plan.

With the acceptance of the modeling of the work based on the work breakdown into features, building blocks and work tasks, the next step was to map the work onto the model, create the corresponding work items for the features and building blocks and establish a first version of an overall project plan for 3GPP. In order to kick-start this process a number of Inter Group Coordination groups were establish within TSG SA WG2. The purpose of these groups was to try to establish a first version of a project plan for a given area. To ensure

Chap

wha

ther

9.2

Abo

spe

orie

don

GS]

tion

net

mee the

rea

wit

Ho

Rel

pro

the

TS

opt

wł

op

dra

or

ap

all

pr

m

Fi

the correctness of the information rapporteurs and representatives from the different working groups were invited to either participate or provide status and planning information, which then was used to establish a "traditional" project plan. Also the groups identified and informed the relevant groups if, e.g. building blocks or WTs were missing.

After the establishment of stable versions of the project plan covering ongoing activities for all of the TSGs and their working groups. The responsibility for maintenance of the project plan, was shifted so each TSG was made responsible for keeping updated the parts of the work plan, which correspond to their work. The practical maintenance of the project plan was then transferred to the MCC, the team of technical experts functioning as technical secretaries for the groups and responsible for implementation of the decisions of the meetings. The MCC corresponds to the Permanent Nucleus later known as PT12 during the elaboration of GSM.

Today the project plan is just another well functioning and convenient tool, which allows delegates and their organizations a quick overview of the status of the ongoing activities. However, this is only possible because the different groups and the MCC make a significant effort in keeping the plan up to date.

In the August 2000 TSG SA held an ad-hoc release planning, which recommended entirely controlling the 3GPP work program via the work plan, and doing this independent of releases. This recommendation, which later was confirmed by TSG SA further proposed that approved work items introduced into the plan are given calendar target dates and not particular release target dates. These "calendar" work items progress. For this purpose reasonable milestones shall be defined. The work plan calendar should then also indicate planned future release dates with reasonable frequency to allow for stability, e.g. approximately every 12 months, depending on whether there would be enough completed work to justify the issue of a release. The content of each release could then be easily deduced from the work plan, i.e. those

The content of each release could then be easily deduced from the tent of a release being included in that particular release, a 3GPP road map. The definition of the content of a release could then be based upon the work plan, with a review of the release content starting approximately 6–9 months before the initial predicted closing date of the release. Work items not completed at the chosen closing time of the release are not included in that particular release. Maintaining the closing date of a release is a priority. Only when it is identified that no substantial new features would be available at the target date, is shifting the date considered to be an option. In addition, independently of the actual release date, upon completion of a particular work

In addition, independently of the actual release date, upon completion of a particle item, the work item is frozen, denying any further functional change on the completed work item, permitting only essential technical corrections. This helps stabilize the specifications and the availability of the draft new release versions of the specifications can assist companies wanting to start developing the new features.

In all, the definition and establishment of an overall project plan was successful and has provided a high degree of visibility of 3GPP's activities. Especially, when the second set of specifications from 3GPP (Release 4) was completed in March 2001. The advantage having the project plan to identify the completed features showed a major advantage and helped simplify the work compared to when Release 99 was completed. Also the process has changed from a release centric approach to a project plan approach with individual planning for each function or feature. To mark this change the naming of the releases was decoupled from the calendar and changed to refer to the version number on the specification and thus

Communication

ferent working rmation, which identified and

going activities itenance of the idated the parts e of the project ing as technical ns of the meet-T12 during the

l, which allows going activities. tke a significant

mended entirely dent of releases. ed that approved articular release and adjusted as able milestones d future release very 12 months, sue of a release. plan, i.e. those included in that se could then be proximately 6-9 10t completed at ase. Maintaining substantial new to be an option. a particular work completed work he specifications assist companies

ccessful and has the second set of he advantage of or advantage and o the process has lividual planning as was decoupled fication and thus Chapter 9: The Third Generation Partnership Project (3GPP)

what would in the old philosophy have been called Release 2000 is called Release 4, which then is to be followed by Release 5, etc.

#### 9.2.5 Technical Work in 3GPP Following the First Release

About the first release of specification from 3GPP, one can in short describe the system specified as a core network evolution where the circuit switched domain provides circuit oriented services based on nodal MSCs (an evolution of GSM). Similarly the packet switched domain provides IP-connectivity between the mobiles and IP-networks based on an evolved GSM GPRS core network. In contrast to this the radio access network is a complete revolution with a brand new radio access technology. From this background it was not a major surprise that the most significant changes to come in the next releases are focused on the core network side.

Already when the work after Release 99 was discussed for the first time at the fourth meeting of the TSGs in Miami, this trend was clear. It was at this meeting that 3GPP accepted the idea of specifying an all IP based architecture option, i.e. an architectural option not requiring the traditional nodal MSC. The work on an all IP based architectural option started with a short feasibility study to identify the implications and to plan the time-scales. However, this work progressed so fast and in parallel with the time critical task of completing Release 99 that several organization, especially those amongst the smaller operators had problems following the work. Also the architectural analysis progressed much faster than the work on requirements. Therefore, in order to bring everybody level again, it was, at the TSG meetings in December 1999, decided to hold a workshop on the subject of the "All IP" option. This workshop took place in Nice, France in February 2000.

The "All IP" workshop in February 2000 was organized as a two part event, the first part where members were invited to present their vision for the "All IP" work, being about operational scenarios, technical visions, etc. The second part of the workshop was used to draw up the general trends from the presentations and thereby identify the goals by going "All IP", the requirements for the solutions and the way forward.

From the discussions it was clear that the key motivator for moving toward the "All IP" option was to establish a flexible service creation environment, allowing for quick service/ application creation with well defined APIs allowing for third party applications and thus allowing gain from Internet as well as intranet services. Further, the development should provide for real time applications including multimedia services, this to allow the operators to market new and interesting services allowing the creation of additional revenue streams. Further, the introduction of IP based architecture was seen as providing the option for independence of access type and thus allowing seamless services across different access networks. Also the independence of access types. Clearly one of the key motivators for the operators' interest in an IP based architecture was the expectation of cost reduction due to the possibility of leveraging the IP technology cost factor and the expected gains from the better scalability compared to nodal switched based networks.

From the discussions at the workshop it was also clear that a hybrid circuit switched and packet switched network would exist for a long time. It was also clear that the changes towards the IP based architecture should not be done at any price. Especially, the need for an open multi-vendor environment with at least the same quality and security levels as the

"state of the art" mobile networks at the time of introduction. Another requirement identified due to the co-existence of the circuit switched and packet switched domains was the requirement for service transparency across domains. Finally, an important and far from trivial requirement to fulfill, was the need to respect spectrum efficiency. It was noted at the workshop, that the IP header was actually larger than a standard 20 ms speech frame in the cellular system, which on its own clearly made the spectrum efficiency requirement a challenge. During 2000 the need for being economical with spectrum was clearly illustrated by the prices paid at the 3G spectrum auctions, with payments of approximately US\$35 billion in the UK and approximately US\$50 billion in Germany for the licenses to install and operate 3G networks.

At the workshop in February 2000, there were different opinions about what would be a reasonable and realistic timescale for the specification of the IP based architecture option. Some of the large operators indicated that they felt that a target date of December 2000 was too aggressive and not realistic, whilst other large operators indicated that they believed it could be completed by December 2000 and wanted to keep a target date of December 2000. Even though it was never said, one of the reasons for the aggressive timescale was clearly to ensure that the focus especially from the manufacturers was kept on this development, and not risk unnecessary delays, due to a time schedule, which people might regard as relaxed.

Even though the initial time schedule kept a target date of December 2000, in the further work the size of the task quickly became clear and some more realism appeared in the definition of targets in terms of content and completion dates. With respect to this it should not be forgotten that in difference to when working on the creation of the first release (Release 99), 3GPP now had a major task to perform in parallel to all new developments, that was the maintenance and error correction of Release 99. As mentioned earlier the first years of maintenance of a brand new standard are very time consuming, and thus it was very ambitious to plan for a next release already 1 year after the first. Even though the GSM work in ETSI used an annual release schedule, one should not forget that it took more than 3 years from the stable specification for GSM phase 1 before it was followed by the second set of specification for GSM phase 2.

Anyhow the second release (Release 4) was planned for and completed in March 2001, this without the result of the ongoing IP based work, which is the target for the next release (Release 5) expected approximately 1 year later than Release 4. Thus Release 4 does not contain significant revolutionary news, but instead it contains a number of smaller features and functionalities, which can be seen as an important complement to Release 99.

The work on the IP based architecture for Release 5 is focusing on the introduction of an IP multimedia subsystem, the part of the IP based network providing the capabilities for multimedia services. This choice has been made in order to ensure that the first results of the "AII IP" work do not only provide for alternative methods of providing already existing and well known services, but also allow the operators to create new innovative services and new revenue streams which can justify the investment in the IP based architecture. The service drivers for Release 5 have evolved to be compatible with Release 99 and Release 4, with the addition of IP based multimedia services. In Release 5 it is foreseen that the circuit switched domain is retained and provides 100% backward compatibility for the circuit switched services. Similarly the existing packet service domain is kept and the IP multi-subsystem

#### Chapter 9: The T

is added and p services. In the longer provide all serv need to support in the packet sy

#### 9.2.6 The Tr

As described e mobile system (FDD and TDD part. This work responsibility of when 3GPP w work between locating the me enabled the coforum with an of some degree m gates, who ensist compatible witt background for of GSM as a sy

In September requesting that access; that all provided was t with the 3G raordination betw access. Also the radio work in 3 and thus the eff

At the 3GPF tabled and disc suggested that activities were dual member unfortunately, ing EGPRS in members to tal from ARIB ind work as well at of the work p commenting th At the PCG

ile Communication

irement identified s was the required far from trivial noted at the workame in the cellular ment a challenge. illustrated by the [\$\$35 billion in the all and operate 3G

it what would be a urchitecture option. ecember 2000 was hat they believed it of December 2000. scale was clearly to s development, and t regard as relaxed. 2000, in the further sm appeared in the pect to this it should first release (Release pments, that was the er the first years of t was very ambitious GSM work in ETSI than 3 years from the id set of specification

d in March 2001, this

for the next release s Release 4 does not er of smaller features Release 99.

e introduction of an IP capabilities for multiirst results of the "All eady existing and well ive services and new hitecture. The service nd Release 4, with the for voice over IP over at the circuit switched r the circuit switched he IP multi-subsystem Chapter 9: The Third Generation Partnership Project (3GPP)

is added and provides new IP multimedia services that complement the already existing services.

In the longer term, the IP multimedia subsystem might evolve to the extent to where it can provide all services previously provided by the CS-domain, and thus the specification will need to support all the commercial interesting services from today's circuit switched domain in the packet switched domain in the IP based architecture.

## 9.2.6 The Transfer of the Remaining GSM Activities into 3GPP

As described earlier, the original terms of reference for 3GPP covered a third generation mobile system based on an evolved GSM core network and UTRAN (including UTRAN (FDD and TDD modes)) and not covering the GSM/EDGE Radio Access Network (GERAN) part. This work together with a few other GSM only items remained in ETSI under the responsibility of SMG. This resulting split of the GSM standardization caused concern when 3GPP was created. However, time showed that it was possible to co-ordinate the work between 3GPP and SMG. For most areas, except for the GERAN specific work, co-locating the meetings of the SMG working groups with their corresponding 3GPP groups enabled the co-ordination. However, it was also clear that there was no longer one single forum with an overall responsibility for GSM as a system. This overall co-ordination was to some degree made during the TSG meetings, in the corridors and in the meetings by delegates, who ensured that the service, architectural and core network decisions would be compatible with the GERAN. However, this way of working reduced transparency of the background for arguments and decisions, both for those interested in the further development of GSM as a system and for those not interested in the GSM legacy.

In September 1999, Committee T1 sent a liaison to its 3GPP Organizational Partners requesting that the terms of reference of 3GPP be expanded to include evolved GSM radio access; that all evolutionary work of GSM should be transferred to 3GPP. The reasoning provided was that for the foreseeable future, the GSM/EDGE radio access would co-exist with the 3G radio access and there would be a clear benefit for all parties in ensuring co-ordination between the further GSM/EDGE development and the work related to the UTRAN access. Also the liaison statement indicated that by including the remaining GSM/EDGE radio work in 3GPP the overall number of meetings, liaison statements, etc. could be reduced and thus the efficiency increased.

At the 3GPP PCG meeting in January 2000, the responses from the other partners was tabled and discussed. ETSI indicated that they could support the proposal from T1 and suggested that the transfer should be effective from June 2000. ARIB indicated that 3GPP activities were based on common interest, meaning that each participating SDO and individual member needs to commit to the 3GPP objective and scope. ARIB continued that unfortunately, ARIB had no requirements to produce standards of GSM radio access including EGPRS in Japan. In conclusion ARIB could not support the request of ARIB individual members to take part in the study related to GSM radio access in 3GPP. Also the response from ARIB indicated concerns regarding potential impact on the timescales for the UMTS work as well as concern regarding financing of the project if not all parties had equal benefit of the work performed. TTA's response was very similar to that of ARIB additionally commenting that the existing process was functioning well.

At the PCG meeting CWTS indicated that they could support a transfer of the GSM radio

work into 3GPP. After some short discussions it was agreed to form an "Ad-Hoc Group on Movement of Work into 3GPP" to assess the impacts and appropriate program structure to support the transfer of appropriate ETSI/SMG and T1 programs related to the GSM/EDGE radio access into a 3GPP. It was agreed that the work should be based on the following key assumptions:

- Any proposed new 3GPP work items should have no negative impact on current Release 99/Release 4 schedules, resources and funding.
- Only those parties within 3GPP interested in contributing to 3GPP developments in the area of GSM/EDGE radio access will be required to resource and fund this specific activity.

The ad-hoc group, which was lead by a member of the T1 delegation to 3GPP, meet three times in order to elaborate on a detailed report covering the concerns, potential advantages and disadvantages of the transfer, and the proposal for how the transfer could be performed, in terms of organization, funding, timing, etc. At the final meeting of the ad-hoc group in late March 2000 in Tokyo the report of the ad-hoc group was completed and contained the following proposals:

- A new TSG should be created TSG GERAN into which essentially all current SMG2 work would be moved.
- The work of SMG7 would be moved into the proposed TSG GERAN.
- The generic operations and maintenance work of SMG 6 would be transferred to 3GPP TSG SA WG5, while radio-specific GERAN work in SMG 6 would be transferred into the
- proposed TSG GERAN. The work of SMG9 that is specific to GSM and 3GPP systems would be transferred into 3GPP T3.
- The other ETSI SMG groups already have direct SMG-3GPP correlation, and the corresponding groups are already meeting in parallel or at least in close collaboration. Therefore this proposal recommends the formal transfer of this work.

This proposal from the ad-hoc group was accepted by all the partners in 3GPP at the PCG and OP meetings in July 2000 in Beijing. At these meetings also the corresponding modifications to the 3GPP working procedures, project description, and partnership agreement was approved. At this meeting, terms of references for TSG GERAN was approved and I was appointed convenor for TSG GERAN with the task of convening the first meetings of TSG GERAN.

TSG GERAN held its first meeting in Seattle at the end of August 2000 on the days originally planned for the meeting of ETSI SMG2, which held its last meeting in late May 2000. With the transfer of the remaining GSM work from ETSI to 3GPP, the first part of the GSM era in standardization had finished and the forming of 3GPP completed.

The transfer of the GSM/EDGE radio activities to 3GPP went without any major problems and without causing any delays to ongoing GSM/EDGE or UMTS activities. The work in TSG GERAN is now focusing on upgrading the GSM/EDGE radio access network to support the Iu interface as defined for UMTS, as well as supporting the IP multimedia subsystem. This is in order to allow full independence for the core network from the type of radio access network used, being either UTRAN or GERAN. This of course only as long as the required Chapter 9: 7

service fro

network in

agreed to r review was

result of the

It was furth

the change

operative

In all, 3

As a par

Samsung Ex. 1201, Page 15 of 22

#### munication

#### Chapter 9: The Third Generation Partnership Project (3GPP)

Group on tructure to SM/EDGE owing key

nt Release

ents in the is specific

meet three advantages performed, roup in late ntained the

rent SMG2

ed to 3GPP rred into the

sferred into

d the corretion. There-

e at the PCG ng modificareement was and I was ings of TSG

on the days in late May st part of the

jor problems The work in ork to support osystem. This radio access the required service from the radio access network is within the physical limitations of the radio access network in question.

As a part of the decision of transferring the remaining GSM activities into 3GPP it was agreed to perform an organizational review in a 6 month time frame after the transfer. This review was performed during early 2001 and at the PCG meeting in April 2001 it was as a result of this review concluded, that there was no need for changes to the 3GPP organizations. It was further noted that the current organization of 3GPP had been able to evolve and handle the changes and challenges appearing.

In all, 3GPP is now a mature organization able to continue the good work and the cooperative spirit, which was always the trademark of the GSM/SMG group.

Samsung Ex. 1201, Page 16 of 22

#### ommunication

nical support

1. New STCs ted:

ed in January

sformed into

e work of the

ork had been petence and

aining issues

**S** task force e production purposes.

# Annex 2: Organisation Evolution of the Technical Groups

## Section 3: 3GPP

Adrian Scrase<sup>1</sup>

## A2.3.1 December 1998 to Mid-1999

During the preparatory talks that led to the creation of 3GPP, many discussions took place to find the optimum organizational structure. The ETSI TC SMG model had worked well for many years and it was very tempting to adopt a similar structure and just widen the sphere of participation. However, some voices called for a more radical approach in order to streamline the structure and to reduce the time taken for specifications production. As a result of these discussions, the following key principles were established on which 3GPP was structured:

- Minimum number of hierarchical levels;
- .
- Large degree of distributed autonomy; .
- Clear separation of technical activities from political and administrative activities.

When 3GPP was created, four Technical Specification Groups (TSGs) were formed to undertake the preparation of technical specifications. The four TSGs were as follows:

- TSG CN core network
- TSG RAN radio access network
- TSG SA services and system aspects
- TSG T terminals

Each of the TSGs was authorized to develop and approve specifications and reports within its terms of reference. This represented a departure from the more traditional approach where a single entity (i.e. a plenary) within a project has the authority to approve a project's output. It was believed that by distributing the approval authority, the time taken to produce specifications would be reduced since this effectively removes one level of hierarchy from the approval procedure. However, it was apparent from the outset that distributing the approval of specifications would lead to a greater requirement for technical co-ordination and thus TSG SA was tasked to perform a co-ordination role across all TSGs. This co-ordination role

<sup>1</sup> The views expressed in this section are those of the author and do not necessarily reflect the views of his affiliation entity.

has been aided by the collocation of the TSG meetings and by concerted efforts from the industrial members within 3GPP.

On the creation of 3GPP, a large amount of the work previously undertaken by ETSI TC SMG was transferred to the four TSGs. It was important for all involved to track the transfer of work carefully and meticulous care was taken to map the work from its old home in SMG to its new home in the 3GPP TSGs. This mapping information was made openly available on the 3GPP and ETSI websites to ensure that the telecommunications community could, as a whole, follow the work. This transfer of work was a form of "soft handover", with groups existing in parallel within SMG and within 3GPP for a period of time and items of work being transferred at the most appropriate point. The complete transfer of work was achieved within a period of 6 months.

The scope of 3GPP had been a subject of much debate and at the time of creation the scope covered the 3G system incorporating the UTRA radio access technology. This implied that not all of the work that existed within ETSI TC SMG was to be transferred to 3GPP. There remained a lot of work to be done for the evolving GSM radio interface (i.e. GPRS and EDGE) and this work would remain within SMG for the time being. In addition, the generic work relating to IC cards did not belong in 3GPP either and this too remained within ETSI TC SMG. SMG also retained the responsibility for European issues relating to both 2G and 3G, particularly for regulatory matters, and was also responsible for the transposition of 3GPP specifications into ETSI deliverables.

3GPP had no responsibility for the long-term evolution of the 3G system nor any responsibility for the fixed access component of UMTS. An ETSI project was therefore created (EP UMTS) to take care of these aspects.

#### A2.3.2 Mid-1999 to Mid-2000

3GPP was an entirely new concept and the first few months of operation were, in effect, experimental. However, in a very short time the project proved to be successful, and the industrial members gained confidence in the new method of working. The preparation of the first release of specifications proceeded at an alarming speed with more than 300 specifications being completed within the first year of operation. At the same time, the development of GPRS and EDGE continued within the ETSI TC SMG environment with active participation from North America. It was not long before serious consideration was to be given to the transfer of all remaining work and the closure of ETSI TC SMG.

An ad-hoc group was created within 3GPP in January 2000 to give full consideration to the widening of the 3GPP scope, particularly to include GPRS and EDGE. It was clear that not all 3GPP partners had a commercial interest in GPRS and EDGE and assurances were required that the ongoing UTRA based activities would not be unduly delayed by such a change in the 3GPP scope. By July 2000 the necessary agreements had been obtained by each 3GPP partner and the scope of 3GPP was formally changed to include the development and maintenance of GSM specifications, including the GSM evolved radio access technologies (such as the General Packet Radio Service (GPRS) and Enhanced Data Rates for GSM Evolution (EDGE)). This was achieved by the creation of a new TSG called TSG GERAN – GSM/EDGE Radio Access Network.

The scope of 3GPP was also modified to make clear that the responsibility for the long-

be clo Wit closed delive tions. Standa The cards. telecop

Anney

term e

A2.3.

led to

By mid GSM r tory int EP SC With system work h been co desirab Project By la of oper scope v organiz term evolution of the 3G system was vested there. This enabled the ETSI group EP UMTS to be closed, thus focusing efforts firmly within 3GPP.

With the transfer of GSM into 3GPP it was a natural progression for ETSI TC SMG to be closed. However, ETSI still had the important task of transposing the 3GPP results into ETSI deliverables and the preparation of harmonised standards required to meet European regulations. This activity was not expected to be particularly onerous but it was nevertheless of high important for the European industry. To accommodate this work, the ETSI TC Mobile Standards Group (TC MSG) was created.

The only remaining activity to be accommodated was the generic activity pertaining to IC cards. ETSI had earned a high reputation for this work and since it was not specific to mobile telecommunications systems it was not appropriate for this to be placed within 3GPP. This led to the creation of an ETSI project later to be called Smart Card Platform (EP SCP).

#### A2.3.3 Mid-2000 Onwards

By mid-2000 the focus of attention was now clearly on 3GPP where all UTRA based and GSM radio based activities were now taking place within five TSGs. The European regulatory interests were being taken care of by ETSI TC MSG, and the generic IC card activities by EP SCP. (The former TC SMG and EP UMTS had been closed by this time).

Within Europe, interest had been shown by the railway community to adapt the GSM system and to use it as the basis for a European railway telecommunications system. This work had progressed well within the former ETSI TC SMG with much of the work having been completed before its closure. The systems were now close to deployment and it was desirable to have a permanent home for these activities. This led to the creation of a new ETSI Project called Railway Telecommunications (EP RT).

By late 2000, 3GPP had grown used to having five TSGs and had gained some experience of operating with its expanded scope. Part of the agreement reached for the expansion of the scope was that a review should be held after 6 months of operation to ensure that the best organizational structure had been found. At the time of writing that review had just begun.

Annex

TSG/W CN 5

CN ITU GERAI

GERAI

GERAN

GERAN

GERAN

RAN

RAN 1

RAN 2

RAN 3

RAN 4

SA

SA 1

SA 2

SA 3

SA 4

SA 5

Т

#### A3.3 List of the Chairpersons in T1P1 and JTC<sup>2</sup>

Group	Name	Terms of Office Start	Terms of Office End
T1P1			
T1P1 chairs	Mel Woinsky	February 1994	February 1998
	Asok Chatterjee	February 1998	Expires February 2002
T1P1 vice-chairs	Mel Woinsky	February 1991	February 1994
	Jim Papadouplis	February 1994	February 1996
	Stephen Hayes	February 1996	June 1996
	Asok Chatterjee	June 1996	February 1998
	Mark Younge	February 1998	Expires February 2002
T1P1 working groups			
T1P1.4 chair	Ed Ehrlich	April 1995	July 1996
T1P1.5 chair	Ed Ehrlich	February 1996	February 2000
T1P1.5 vice-chair	Quent Cassen	February 1996	February 1998
	Don Zelmer	February 1998	February 2000
			· · · · · · · · · · · · · · · · · · ·
JTC			
Co-chairs	Gary Jones	February 1993	July 1996
	Charles Cook	February 1993	April 1995
	Ed Ehrlich	April 1995	July 1996

#### A3.4 Officials of 3GPP<sup>3</sup>

TSG/WG	Position	Name	Start date	End date
CN	Convenor	Stephen Hayes	1998-12-07	1999-03-03
	Chairman	Dettner Harald	1999-03-03	2000-03-15
	Chairman	Stephen Hayes	2000-03-15	Those
CN 1	Convenor	Hannu Hietalahti	1998-12-07	1999-03-22
	Chairman	Hannu Hietalahti	1999-03-22	193
CN 2	Convenor	Masami Yabasaki	1998-12-07	1999-03-01
	Chairman	Ian David Chalmer Park	1998-12-07	2000-03-17
	Convenor	Keiijo Palviainen	2000-03-17	2000-05-26
	Chairman	Keiijo Palviainen	2000-05-26	
CN 3	Joint	Oscar Lopez-Torres and	1998-12-07	1999-03-15
	Convenors	Norbert Klehn		
	Chairman	Norbert Klehn	1999-03-15	
CN 4	Convenor	Yun Chao Hu	2000-05-26	
	Chairman	Yun Chao Hu	1999-11-04	2000-03-17

<sup>2</sup> Editor: Don Zelmer

<sup>3</sup> Editor: Adrian Scrase

#### unication

: End

ry 2002

ry 2002

date )-03-03 )-03-15

€-03-22

→-03-01→-03-17→-05-26

9-03-15

0-03-17

#### Annex 3: List of Chairpersons

所

TSG/WG	Position	Name	Start date	End date
CN 5	Convenor	Lucas Klostermann	2000-03-17	2000-05-2
	Chairman	Lucas Klostermann	2000-05-26	
CN ITU-T	Chairman	Masami Yabusaki	2000-03-17	
GERAN	Convenor	Niels Peter Skov Andersen	2000-07-31	2001-04-0
	Chairman	Niels Peter Skov Andersen	2001-04-02	
GERAN 1	Convenor	Niels Peter Skov Andersen	2000-08-28	2001-04-0
	Chairman	Niels Peter Skov Andersen	2001-04-03	
GERAN 2	Convenor	Jean-Francois Minet	2000-09-04	2000-11-1
1	Chairman	Bruno Landais	2000-11-10	
GERAN 3	Convenor	Ake Busin	2000-08-28	2000-11-0
	Chairman	Ake Busin	2000-11-06	
GERAN 4	Convenor	Jean Marc Recouvreux	2000-08-28	2000-11-2
	Chairman	Jean-Marc Recouvreux	2000-11-23	
RAN	Convenor	Akio Sasaki	1998-12-07	1999-03-0
	Chairman	Yukitsuna Furuya	1999-03-01	2001-03-1
	Chairman	Francois Courau	2001-03-13	2001 00 1
RAN 1	Convenor	Yukitsuna Furuya	1998-12-07	1999-02-2
	Chairman	Antti Toskala	1999-02-22	
RAN 2	Convenor	Denis Fauconnier	1998-12-07	1999-03-0
	Chairman	Denis Fauconnier	1999-03-09	
RAN 3	Convenor	Per Willars	1998-12-07	1999-04-2
	Chairman	Per Willars	1999-04-26	2001-02-2
	Chairman	Martin Israelsson	2001-02-26	
RAN 4	Convenor	Howard Benn	1998-12-07	1999-02-1
	Chairman	Howard Benn	1999-02-15	
SA	Convenor	Fred Harrison	1998-12-07	1999-03-0
	Chairman	Niels Peter Skov Andersen	1999-03-01	1777 00 0
SA 1	Convenor	Alan Cox	1998-12-07	1999-03-1
	Chairman	Alan Cox	1999-03-10	2001-02-0
	Chairman	Kevin Holley	2001-02-08	2001 02 0
SA 2	Convenor	Yukio Hiramatsu	1998-12-07	1999-03-0
	Chairman	Teuvo Jarvela	1999-03-01	2001-02-2
	Chairman	Mikko Puuskari	2001-02-26	2001 02 2
SA 3	Convenor	Michael Walker	1998-12-07	1999-03-2
	Chairman	Michael Walker	1999-03-27	1777 05 2
SA 4	Convenor	Kari Järvinen	1998-12-07	1999-03-0
	Chairman	Alain Ohana	1999-03-01	2000-06-2
	Chairman	Kari Järvinen	2000-06-28	2000 00 2
SA 5	Convenor	Inaki Cabrera	1998-12-07	1999-03-0
	Chairman	Albert Yuhan	1999-03-01	
Т	Convenor	Sang Keun Park	1998-12-07	1999-03-0
	Chairman	Sang Keun Park	1999-03-01	1777 05-0.

571

free all

Samsung Ex. 1201, Page 21 of 22

TSG/WG	Position	Name	Start date	End date
T 1	Convenor	Remi Thomas	1998-12-07	1999-03-01
	Chairman	Bjarke Nielsen	1999-03-01	
Т2	Convenor	Kevin Holley	1998-12-07	1999-03-01
	Chairman	Kevin Holley	1999-03-01	
Т3	Convenor	Klaus Vedder	1998-12-07	1999-03-01
	Chairman	Klaus Vedder	1999-03-01	
PCG	Chairman	Karl Heinz Rosenbrock	1999-03-04	2000-12-31
	Chairman	Akio Sasaki	2001-01-01	

## A3.5 List of the Chairpersons in the GSM MoU Group/Association and GSM Association<sup>4</sup>

Name	Start date	End Date
Armin Silberhorn	September 1987	March 1988
Philippe Dupuis	March 1988	September 1988
Renzo Failli	September 1988	March 1989
Ted Beddoes	March 1989	September 1989
Gunnar Fremin	September 1989	March 1990
Dick Hoefsloot	March 1990	September 1990
Petter Bliksrud	September 1990	March 1991
Miguel Menchen	March 1991	September 1991
Arne Foxman	September 1991	March 1992
Kari Marttinen	March 1992	March 1993
George Schmitt	March 1993	March 1994
Bruno Massiet du Biest	March 1994	March 1995
Mike Short	March 1995	March 1996
Gretel Holcomb Hoffman	March 1996	March 1997
Adriana Nugter	March 1997	April 1998
Richard Midgett	May 1998	April 1999
Michael Stocks	May 1999	April 2000
Jim Healy	May 2000	April 2001
Scott Fox	May 2001	April 2002

Anne

3G 3GPP 3GPP2 ACTS AMPS AMR ANSI ARIB CAMEL CDMA CEPT CN CR CWTS DCS1800 DECT Doc EDGE EGPRS ETSI **FPLMTS** GERAN GHz GPRS GSM GSM#1, 2, 3, GSM1, 2, 3, e

GSM400, 900

<sup>4</sup> Editor: Friedhelm Hillebrand.

572

Samsung Ex. 1201, Page 22 of 22