

**3rd Generation Partnership Project;
Technical Specification Group Radio Access Network;
Evolved Universal Terrestrial Radio Access (E-UTRA)
and Evolved Universal Terrestrial Radio Access Network
(E-UTRAN);
Overall description;
Stage 2
(Release 10)**



The present document has been developed within the 3rd Generation Partnership Project (3GPP™) and may be further elaborated for the purposes of 3GPP.
The present document has not been subject to any approval process by the 3GPP Organizational Partners and shall not be implemented.
This Specification is provided for future development work within 3GPP only. The Organizational Partners accept no liability for any use of this Specification.

Keywords

UMTS, stage 2, radio, architecture**3GPP**

Postal address

3GPP support office address

650 Route des Lucioles - Sophia Antipolis

Valbonne - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Internet

<http://www.3gpp.org>

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© 2011, 3GPP Organizational Partners (ARIB, ATIS, CCSA, ETSI, TTA, TTC).
All rights reserved.

UMTSTM is a Trade Mark of ETSI registered for the benefit of its members

3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners

LTE™ is a Trade Mark of ETSI currently being registered for the benefit of its Members and of the 3GPP Organizational Partners

GSM® and the GSM logo are registered and owned by the GSM Association

Contents

Foreword.....	12
1 Scope	13
2 References	13
3 Definitions, symbols and abbreviations	15
3.1 Definitions	15
3.2 Abbreviations.....	15
4 Overall architecture	18
4.1 Functional Split.....	19
4.2 Void	21
4.2.1 Void.....	21
4.2.2 Void.....	21
4.3 Radio Protocol architecture	21
4.3.1 User plane	21
4.3.2 Control plane.....	22
4.4 Synchronization	23
4.5 IP fragmentation	23
4.6 Support of HeNBs.....	23
4.6.1 Architecture.....	23
4.6.2 Functional Split	25
4.6.3 Interfaces.....	26
4.6.3.1 Protocol Stack for S1 User Plane.....	26
4.6.3.2 Protocol Stacks for S1 Control Plane	26
4.6.3.3 Protocol Stack for S5 interface.....	27
4.6.3.4 Protocol Stack for SGi interface	27
4.6.3.5 Protocol Stack for X2 User Plane and X2 Control Plane	27
4.6.4 Void.....	28
4.6.5 Support of LIPA with HeNB.....	28
4.7 Support for relaying	29
4.7.1 General	29
4.7.2 Architecture.....	29
4.7.3 S1 and X2 user plane aspects	30
4.7.4 S1 and X2 control plane aspects.....	31
4.7.5 Radio protocol aspects	32
4.7.6 Signalling procedures.....	33
4.7.6.1 RN attach procedure.....	33
4.7.6.2 E-RAB activation/modification	34
4.7.6.3 RN startup procedure.....	34
4.7.6.4 RN detach procedure	35
4.7.6.5 Neighbouring Information Transfer	36
4.7.6.6 Mobility to or from RN	36
4.7.7 Relay Node OAM Aspects	36
4.7.7.1 Architecture	36
4.7.7.2 OAM Traffic QoS Requirements.....	37
4.7.7.3 Security Aspects	37
4.7.7.4 General Considerations.....	37
4.7.7.5 OAM Requirements for Configuration Parameters	37
4.7.7.5.1 Parameters Associated with Relay Bearer Mapping	37
5 Physical Layer for E-UTRA.....	38
5.1 Downlink Transmission Scheme	39
5.1.1 Basic transmission scheme based on OFDM	39
5.1.2 Physical-layer processing.....	40
5.1.3 Physical downlink control channel.....	40
5.1.4 Downlink Reference signal and synchronization signals	40
5.1.5 Downlink multi-antenna transmission.....	41

5.1.6	MBSFN transmission	41
5.1.7	Physical layer procedure	41
5.1.7.1	Link adaptation.....	41
5.1.7.2	Power Control.....	41
5.1.7.3	Cell search	41
5.1.8	Physical layer measurements definition	42
5.2	Uplink Transmission Scheme	42
5.2.1	Basic transmission scheme.....	42
5.2.2	Physical-layer processing.....	42
5.2.3	Physical uplink control channel	42
5.2.4	Uplink Reference signal.....	43
5.2.5	Random access preamble	43
5.2.6	Uplink multi-antenna transmission	43
5.2.7	Physical channel procedure	44
5.2.7.1	Link adaptation.....	44
5.2.7.2	Uplink Power control.....	44
5.2.7.3	Uplink timing control	44
5.3	Transport Channels	44
5.3.1	Mapping between transport channels and physical channels	45
5.4	E-UTRA physical layer model.....	46
5.4.1	Void.....	46
5.4.2	Void.....	46
5.5	Carrier Aggregation.....	46
6	Layer 2	47
6.1	MAC Sublayer	48
6.1.1	Services and Functions.....	48
6.1.2	Logical Channels.....	48
6.1.2.1	Control Channels.....	49
6.1.2.2	Traffic Channels	49
6.1.3	Mapping between logical channels and transport channels.....	49
6.1.3.1	Mapping in Uplink	49
6.1.3.2	Mapping in Downlink.....	50
6.2	RLC Sublayer	51
6.2.1	Services and Functions.....	51
6.2.2	PDU Structure	51
6.3	PDCP Sublayer	52
6.3.1	Services and Functions.....	52
6.3.2	PDU Structure	52
6.4	Carrier Aggregation.....	52
7	RRC	54
7.1	Services and Functions	54
7.2	RRC protocol states & state transitions	54
7.3	Transport of NAS messages.....	55
7.4	System Information.....	55
7.5	Carrier Aggregation	56
8	E-UTRAN identities	57
8.1	E-UTRAN related UE identities	57
8.2	Network entity related Identities	57
9	ARQ and HARQ	58
9.1	HARQ principles	58
9.2	ARQ principles	59
9.3	Void	59
10	Mobility	59
10.1	Intra E-UTRAN	60
10.1.1	Mobility Management in ECM-IDLE	60
10.1.1.1	Cell selection	60
10.1.1.2	Cell reselection	60
10.1.1.3	Void	61
10.1.1.4	Void	61

10.1.1.5	Void	61
10.1.2	Mobility Management in ECM-CONNECTED	61
10.1.2.1	Handover	62
10.1.2.1.1	C-plane handling	62
10.1.2.1.2	U-plane handling	65
10.1.2.2	Path Switch	66
10.1.2.3	Data forwarding	66
10.1.2.3.1	For RLC-AM DRBs	66
10.1.2.3.2	For RLC-UM DRBs	67
10.1.2.3.3	SRB handling	67
10.1.2.4	Void	68
10.1.2.5	Void	68
10.1.2.6	Void	68
10.1.2.7	Timing Advance	68
10.1.3	Measurements	68
10.1.3.1	Intra-frequency neighbour (cell) measurements	69
10.1.3.2	Inter-frequency neighbour (cell) measurements	70
10.1.4	Paging and C-plane establishment	70
10.1.5	Random Access Procedure	70
10.1.5.1	Contention based random access procedure	71
10.1.5.2	Non-contention based random access procedure	72
10.1.5.3	Interaction model between L1 and L2/3 for Random Access Procedure	73
10.1.6	Radio Link Failure	74
10.1.7	Radio Access Network Sharing	75
10.1.8	Handling of Roaming and Area Restrictions for UEs in ECM-CONNECTED	76
10.2	Inter RAT	76
10.2.1	Cell reselection	76
10.2.2	Handover	77
10.2.2a	Inter-RAT cell change order to GERAN with NACC	77
10.2.2b	Inter-RAT handovers from E-UTRAN	77
10.2.2b.1	Data forwarding	77
10.2.2b.1.1	For RLC-AM bearers	77
10.2.2b.1.2	For RLC-UM bearers	78
10.2.3	Measurements	78
10.2.3.1	Inter-RAT handovers from E-UTRAN	78
10.2.3.2	Inter-RAT handovers to E-UTRAN	78
10.2.3.3	Inter-RAT cell reselection from E-UTRAN	78
10.2.3.4	Limiting measurement load at UE	78
10.2.4	Network Aspects	79
10.2.5	CS fallback	79
10.3	Mobility between E-UTRAN and Non-3GPP radio technologies	80
10.3.1	UE Capability Configuration	80
10.3.2	Mobility between E-UTRAN and cdma2000 network	80
10.3.2.1	Tunnelling of cdma2000 Messages over E-UTRAN between UE and cdma2000 Access Nodes	81
10.3.2.2	Mobility between E-UTRAN and HRPD	82
10.3.2.2.1	Mobility from E-UTRAN to HRPD	82
10.3.2.2.1.1	HRPD System Information Transmission in E-UTRAN	82
10.3.2.2.1.2	Measuring HRPD from E-UTRAN	82
10.3.2.2.1.2.1	Idle Mode Measurement Control	82
10.3.2.2.1.2.2	Active Mode Measurement Control	82
10.3.2.2.1.2.3	Active Mode Measurement	82
10.3.2.2.1.3	Pre-registration to HRPD Procedure	82
10.3.2.2.1.4	E-UTRAN to HRPD Cell Re-selection	83
10.3.2.2.1.5	E-UTRAN to HRPD Handover	83
10.3.2.2.2	Mobility from HRPD to E-UTRAN	83
10.3.2.3	Mobility between E-UTRAN and cdma2000 1xRTT	83
10.3.2.3.1	Mobility from E-UTRAN to cdma2000 1xRTT	83
10.3.2.3.1.1	cdma2000 1xRTT System Information Transmission in E-UTRAN	83
10.3.2.3.1.2	Measuring cdma2000 1xRTT from E-UTRAN	83
10.3.2.3.1.2.1	Idle Mode Measurement Control	83
10.3.2.3.1.2.2	Active Mode Measurement Control	84
10.3.2.3.1.2.3	Active Mode Measurement	84

Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.