

US007274652B1

## (12) United States Patent

#### Webster et al.

#### (54) DUAL PACKET CONFIGURATION FOR WIRELESS COMMUNICATIONS

- (75) Inventors: Mark A. Webster, Melbourne Beach, FL (US); Steven D. Halford, Palm Bay, FL (US); Richard D. Roberts, Palm Bay, FL (US)
- (73) Assignee: Conexant, Inc., Red Bank, NJ (US)
- (\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 512 days.
- (21) Appl. No.: 09/586,571
- (22) Filed: Jun. 2, 2000
- (51) **Int. Cl.**
- *H04J 9/00* (2006.01)
- (52) U.S. Cl. ..... 370/204; 370/338; 370/341

See application file for complete search history.

#### (56) References Cited

U.S. PATENT DOCUMENTS

4,703,474 A \* 10/1987 Foshini et al.

#### (Continued)

#### FOREIGN PATENT DOCUMENTS

4/2000

JP 2000 101623 A

#### (Continued)

#### OTHER PUBLICATIONS

"DRAFT Supplement to STANDARD [for] Information Technology-Telecommunications and information exchange

### (10) Patent No.: US 7,274,652 B1 (45) Date of Patent: Sep. 25, 2007

between systems—Local and metropolitan area networks—Specific Requirements—Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) specifications: High Speed Physical Layer in the 5 GHz Band", *IEEE P802.11a/D7.0 (Supplement to IEEE Std 802.11-1999)*, Jul. 1999, 90 pages.

(Continued)

Primary Examiner—Huy D. Vu Assistant Examiner—Jason Mattis (74) Attorney, Agent, or Firm—Thomas, Kayden, Horstemeyer & Risley, LLP

#### (57) ABSTRACT

A dual packet configuration for wireless communications including a first portion that is modulated according to a serial modulation and a second portion that is modulated according to a parallel modulation. The serial modulation may be DSSS whereas the parallel modulation may be OFDM. The first portion may include a header, which may further include an OFDM mode bit and a length field indicating the duration the second portion. The first portion may be in accordance with 802.11b to enable dual mode devices to coexist and communicate in the same area as standard 802.11b devices. The dual mode devices can communicate at different or higher data rates without interruption from the 802.11b devices. The packet configuration may include an OFDM signal symbol which further includes a data rate section and a data count section. In this manner, data rates the same as or similar to the 802.11a data rates may be specified between dual mode devices. The first and second portions may be based on the same or different clock fundamentals. For OFDM, the number of subcarriers, pilot tones and guard interval samples may be modified independently or in combination to achieve various embodiments. Also, data subcarriers may be discarded and replaced with pilot tones for transmission. The receiver regenerates the discarded data based on received data, such as using ECC techniques.

#### 43 Claims, 12 Drawing Sheets



Find authenticated court documents without watermarks at docketalarm.com.

#### U.S. PATENT DOCUMENTS

5,241,545	Α	8/1993	Kazecki et al.
5,425,050	A *	6/1995	Schreiber et al 375/141
5,706,428	A *	1/1998	Boer et al 370/342
6,067,391	Α	5/2000	Land
6,091,932	A *	7/2000	Langlais 725/111
6,125,103	A *	9/2000	Bauml et al 370/203
6,128,276	Α	10/2000	Agee
6,344,807	B1	2/2002	Hassner et al.
6,377,562	B1 *	4/2002	Schneider 370/330
6,434,119	B1	8/2002	Wiese et al.
6,438,367	B1 *	8/2002	Crawford 455/410
6,470,055	B1 *	10/2002	Feher
6,493,395	B1 *	12/2002	Isaksson et al 375/261
6,560,209	B1 *	5/2003	Alamouti et al 370/338
6,590,889	B1 *	7/2003	Preuss et al 370/342
6,678,310	B1 *	1/2004	Andren et al 375/147

#### FOREIGN PATENT DOCUMENTS

#### WO WO 03 005652 A 1/2003

DOCKE.

#### OTHER PUBLICATIONS

"DRAFT Supplement to STANDARD [for] Information Technology—Telecommunications and information exchange between systems—Local and metropolitan area networks—Specific requirements—Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) specifications: Higher speed Physical Layer (PHY) extension in the 2.4 GHz band", *IEEE Std* 802.111/D7.0, (Draft Supplement to IEEE Std 802.11 1999 Edition), Jul. 1999, 94 pages.

"Information technology—Telecommunications and information exchange between systems—Local and metropolitan area networks,—Specific requirements—Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications", *ISO/IEC 8802-11:1999(E) ANSI/IEEE Std 802.11, 1999 Edition*, Aug. 1999, 531 pages.

Written Opinion, dated Aug. 13, 2002, 4 pages.

PCT Notification of Transmittal of International Preliminary Examination Report, dated Mar. 25, 2003, 7 pages.

Steve Halford et al: "IEEE P802.11 Wireless LANs, CCK-OFDM Proposed Normative Text," Jul. 10, 2001, XP002242971, Retrieved from the Internat: <URL: http://grouper.ieee.org/groups/802/11/ Documents/D1T401-450.html>, pp. 52-66.

Crochiere R E et al: "Interpolation and Decimation of Digital Signals—A Tutorial Review," Proceeding of the IEEE, IEEE. New York, US, vol. 69, No. 3, Mar. 1, 1981, pp. 300-331, XP000615159, ISSN: 0018-9219, p. 301, left—hand column, last paragraph—right-hand column, paragraph 5, figures 15, 18 and 20A, section II-B, section III-C.

Adams R: "Asynchronous Conversion Thwarts Incompatibility in Sampling A/D Systems" EDN Electrical Design News, Cahners Publishing Co. Newton, Massachusetts, US, vol. 39, No. 15, Jul. 21, 1994, pp. 83-88, XP000491530, ISSN: 0012-7515, section "Synchronous rate-conversion theory".

PCT Notification of Transmittal of the International Search Report or the Declaration, dated Jun. 30, 2003, 5 pages.

Webster, Mark and Halford, Steve, "Reuse of 802.11 Preambles with HRb OFDM," IEEE 802.11-00/390, Nov. 1, 2000, pp. 24, XP002217331.

Lambrette U., et al., "OFDM Burst Frequency Synchronization by Single Carrier Training Data," IEEE Communications Letters, IEEE Service Center, Piscataway, U.S., vol. 1, No. 2, Mar. 1, 1997, p. 46, left-hand column, line 21, p. 47, left-hand column, line 6, figure 1, XP000687090.

PCT Notification of Transmittal of the International Search Report or the Declaration, dated Jun. 3, 2003, 5 pages.

\* cited by examiner

Δ



**R M** Find authenticated court documents without watermarks at <u>docketalarm.com</u>.



Μ

^KF

Δ

R

 $\mathbf{D}$ 

Δ

200,

Find authenticated court documents without watermarks at docketalarm.com.



DOCKET A L A R M Find authenticated court documents without watermarks at <u>docketalarm.com</u>.

# DOCKET



# Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

# **Real-Time Litigation Alerts**



Keep your litigation team up-to-date with **real-time** alerts and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

## **Advanced Docket Research**



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

# **Analytics At Your Fingertips**



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

## API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

### LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

## **FINANCIAL INSTITUTIONS**

Litigation and bankruptcy checks for companies and debtors.

## **E-DISCOVERY AND LEGAL VENDORS**

Sync your system to PACER to automate legal marketing.

