

US007947725B2

(12) United States Patent

Calderari et al.

(10) Patent No.:

US 7,947,725 B2

(45) **Date of Patent:**

*May 24, 2011

(54) LIQUID PHARMACEUTICAL FORMULATIONS OF PALONOSETRON

(75) Inventors: Giorgio Calderari, Rancate (CH);

Daniele Bonadeo, Varese (IT); Roberta Cannella, Varese (IT); Enrico Braglia, Pazzallo (CH); Riccardo Braglia, Pazzallo (CH); Andrew Miksztal, Palo Alto, CA (US); Thomas Malefyt, Carmel Valley, CA (US); Kathleen M.

Lee, Palo Alto, CA (US)

(73) Assignees: Helsinn Healthcare S.A., Lugano (CH);

Roche Palo Alto LLC, Palo Alto, CA

(US)

(*) Notice: Subject to any disclaimer, the term of this

patent is extended or adjusted under 35

U.S.C. 154(b) by 0 days.

This patent is subject to a terminal dis-

claimer.

(21) Appl. No.: 11/388,268

(22) Filed: Mar. 24, 2006

(65) **Prior Publication Data**

US 2006/0167071 A1 Jul. 27, 2006

Related U.S. Application Data

- (63) Continuation of application No. 11/186,311, filed on Jul. 21, 2005.
- (60) Provisional application No. 60/444,351, filed on Jan. 30, 2003.
- (51) Int. Cl.

A01N 43/52 (2006.01)

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

4,695,578 A	9/1987	Coates et al 514/397
4,753,789 A	6/1988	Tyers et al 424/10
4,886,808 A	12/1989	King 514/299
4,906,755 A	3/1990	Gittos 546/94
4,929,632 A	5/1990	Tyers et al 514/397
4,937,247 A	6/1990	King 514/299
5,011,846 A	4/1991	Gittos et al 514/294
5,034,398 A	7/1991	King 514/299
5,202,333 A	4/1993	Berger et al 514/296
5,240,954 A	8/1993	Tyers et al 514/395
5,272,137 A	12/1993	Blase et al.
5,344,658 A	9/1994	Collin 424/489
5,578,628 A	11/1996	Tyers et al 514/397
5,578,632 A	11/1996	Tyers et al 514/397
5,622,720 A	4/1997	Collin 424/489
5,854,270 A	12/1998	Gambhir
5,922,749 A	7/1999	Tyers et al 514/397
5,955,488 A	9/1999	Winterborn 514/399
6,063,802 A	5/2000	Winterborn 514/397

6,294,548	B1	9/2001	James	514/299
2001/0020029	A1	9/2001	James	514/299
2003/0095926	A1	5/2003	Dugger, III	. 424/43

FOREIGN PATENT DOCUMENTS

WO	WO 03/100091	Α		12/2003
WO	WO-2004073714	Α	*	6/2004
WO	WO2004067005			8/2004
WO	WO-2004045615	A1	*	9/2004

OTHER PUBLICATIONS

Mitsuo Matsumoto, et al., "Yakuzaigaku Manual", 1st edition, Nanzando Co., Ltd. (1989) 2 pages.*

Barton (Citrate Buffer Calculation), 2000, 2pgs.*

Eglen, R. M. et al., *Pharmacological Characterization of RS 25259-197, a Novel and Selective 5-HT*₃ *Receptor Antagonist*, in vivo, extracted from *British Journal of Pharmacology*, 1995, vol. 114, No. 4, pp. 860-866.

Chelly, Jacques et al., Oral RS-25259 Prevents Postoperative Nausea and Vomiting Following Laparoscopic Surgery, extracted from Anesthesiology, 1996, vol. 85, No. 3A, p. A21.

Sorbe, Bengt, 5-HT₃ Receptor Antagonists as Antiemetic Agents in Cancer Chemotherapy, extracted from Expert Opinion on Investigational Drugs, 1996, vol. 5, No. 4, pp. 389-407.

Gaster, Laramie M. and King, Frank D., Serotonin 5-HT₃ and 5-HT₄ Receptor Antagonists, extracted from Medicinal Research Reviews, 1997, vol. 17, No. 2, pp. 163-214.

Tang, Jun et al., Efficacy of RS-25259, a Novel 5-HT₃ Antagonist, in the Prevention of Postoperative Nausea and Vomiting After Major Gynecologic Surgery, abstract extracted from Anesthesiology, 1997, vol. 85, No. 3, suppl. p. A329.

Tang, Jun et al., The Efficacy of RS-25259, a Long-Acting Selective 5-HT₃ Receptor Antagonist, for Preventing Postoperative Nausea and Vomiting After Hysterectomy Procedures, extracted from Anesthesia and Analgesia, 1998, vol. 87, pp. 462-467.

Adis R&D Profile, *Palonosetron RS* 25259, *RS* 25259 197, extracted from *Drugs in R&D*, Oct. 1999, vol. 2, No. 4, pp. 251-252.

Piraccini, Gaia et al., An Interesting 5-HT₃ Receptor Antagonist Antiemetic for Patients Undergoing Chemotherapy-Based Conditioning Regimens?, extracted from Blood, Nov. 16, 2001, vol. 98, No. 11, part 2, p. 350b, abstract No. 5169.

Stacher, Georg, *Palonosetron Helsinn*, extracted from *Current Opinion in Investigational Drugs*, Oct. 2002, vol. 3, No. 10, pp. 1502-1507.

Navari, Rudolph M., Pathogenesis-Based Treatment of Chemotherapy-Induced Nausea and Vomiting—Two New Agents, extracted from Journal of Supportive Oncology, 2003, vol. 1(2), pp. 89-103. Michael J. Pikal, "Freeze Drying", Encyclopedia of Pharmaceutical Technology, Third Edition, Jan. 2007, pp. 1824-1825, vol. 3, Informa Pharmaceuticals & Healthcare.

Daniele Bonadeo, "Supplemental Declaration of Daniele Bonadeo 37 C.F.R. 1.132", U.S. Appl. No. 11/388,270, Jun. 8, 2009.

(Continued)

Primary Examiner — Brandon J Fetterolf Assistant Examiner — Shirley V Gembeh

(74) Attorney, Agent, or Firm — Arnall Golden Gregory LLP; Clark G. Sullivan

(57) ABSTRACT

The present invention relates to shelf-stable liquid formulations of palonosetron for reducing chemotherapy and radiotherapy induced emesis with palonosetron. The formulations are particularly useful in the propagation of interpretation

oral liquid medicaments

Dr. Reddy's Laboratories, Ltd., et al.





US007947725B2

(12) United States Patent

Calderari et al.

(10) **Patent No.:**

US 7,947,725 B2

(45) **Date of Patent:**

*May 24, 2011

(54) LIQUID PHARMACEUTICAL FORMULATIONS OF PALONOSETRON

(75) Inventors: Giorgio Calderari, Rancate (CH);

Daniele Bonadeo, Varese (IT); Roberta Cannella, Varese (IT); Enrico Braglia, Pazzallo (CH); Riccardo Braglia, Pazzallo (CH); Andrew Miksztal, Palo Alto, CA (US); Thomas Malefyt, Carmel Valley, CA (US); Kathleen M.

Lee, Palo Alto, CA (US)

(73) Assignees: Helsinn Healthcare S.A., Lugano (CH);

Roche Palo Alto LLC, Palo Alto, CA

(US)

(*) Notice: Subject to any disclaimer, the term of this

patent is extended or adjusted under 35

U.S.C. 154(b) by 0 days.

This patent is subject to a terminal dis-

claimer.

(21) Appl. No.: 11/388,268

(22) Filed: Mar. 24, 2006

(65) **Prior Publication Data**

US 2006/0167071 A1 Jul. 27, 2006

Related U.S. Application Data

- (63) Continuation of application No. 11/186,311, filed on Jul. 21, 2005.
- (60) Provisional application No. 60/444,351, filed on Jan. 30, 2003.
- (51) Int. Cl.

A01N 43/52 (2006.01)

 (52)
 U.S. Cl.
 514/397

 (58)
 Field of Classification Search
 514/397

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

4,695,578 A	9/1987	Coates et al 514/397
4,753,789 A	6/1988	Tyers et al 424/10
4,886,808 A	12/1989	King 514/299
4,906,755 A	3/1990	Gittos 546/94
4,929,632 A	5/1990	Tyers et al 514/397
4,937,247 A	6/1990	King 514/299
5,011,846 A	4/1991	Gittos et al 514/294
5,034,398 A	7/1991	King 514/299
5,202,333 A	4/1993	Berger et al 514/296
5,240,954 A	8/1993	Tyers et al 514/395
5,272,137 A	12/1993	Blase et al.
5,344,658 A	9/1994	Collin 424/489
5,578,628 A	11/1996	Tyers et al 514/397
5,578,632 A	11/1996	Tyers et al 514/397
5,622,720 A	4/1997	Collin 424/489
5,854,270 A	12/1998	Gambhir
5,922,749 A	7/1999	Tyers et al 514/397
5,955,488 A	9/1999	Winterborn 514/399
6,063,802 A	5/2000	Winterborn 514/397

6,294,548	B1	9/2001	James	514/299
2001/0020029	A1	9/2001	James	514/299
2003/0095926	A1	5/2003	Dugger, III	. 424/43

FOREIGN PATENT DOCUMENTS

WO	WO 03/100091	Α		12/2003
WO	WO-2004073714	Α	*	6/2004
WO	WO2004067005			8/2004
WO	WO-2004045615	$\mathbf{A}1$	*	9/2004

OTHER PUBLICATIONS

Mitsuo Matsumoto, et al., "Yakuzaigaku Manual", 1st edition, Nanzando Co., Ltd. (1989) 2 pages.*

Barton (Citrate Buffer Calculation), 2000, 2pgs.*

Eglen, R. M. et al., *Pharmacological Characterization of RS 25259-197, a Novel and Selective 5-HT*₃ *Receptor Antagonist*, in vivo, extracted from *British Journal of Pharmacology*, 1995, vol. 114, No. 4, pp. 860-866.

Chelly, Jacques et al., Oral RS-25259 Prevents Postoperative Nausea and Vomiting Following Laparoscopic Surgery, extracted from Anesthesiology, 1996, vol. 85, No. 3A, p. A21.

Sorbe, Bengt, 5-HT₃ Receptor Antagonists as Antiemetic Agents in Cancer Chemotherapy, extracted from Expert Opinion on Investigational Drugs, 1996, vol. 5, No. 4, pp. 389-407.

Gaster, Laramie M. and King, Frank D., Serotonin 5-HT₃ and 5-HT₄ Receptor Antagonists, extracted from Medicinal Research Reviews, 1997, vol. 17, No. 2, pp. 163-214.

Tang, Jun et al., Efficacy of RS-25259, a Novel 5-HT₃ Antagonist, in the Prevention of Postoperative Nausea and Vomiting After Major Gynecologic Surgery, abstract extracted from Anesthesiology, 1997, vol. 85, No. 3, suppl. p. A329.

Tang, Jun et al., The Efficacy of RS-25259, a Long-Acting Selective 5-HT₃ Receptor Antagonist, for Preventing Postoperative Nausea and Vomiting After Hysterectomy Procedures, extracted from Anesthesia and Analgesia, 1998, vol. 87, pp. 462-467.

Adis R&D Profile, *Palonosetron RS* 25259, *RS* 25259 197, extracted from *Drugs in R&D*, Oct. 1999, vol. 2, No. 4, pp. 251-252.

Piraccini, Gaia et al., An Interesting 5-HT₃ Receptor Antagonist Antiemetic for Patients Undergoing Chemotherapy-Based Conditioning Regimens?, extracted from Blood, Nov. 16, 2001, vol. 98, No. 11, part 2, p. 350b, abstract No. 5169.

Stacher, Georg, *Palonosetron Helsinn*, extracted from *Current Opinion in Investigational Drugs*, Oct. 2002, vol. 3, No. 10, pp. 1502-1507.

Navari, Rudolph M., Pathogenesis-Based Treatment of Chemotherapy-Induced Nausea and Vomiting—Two New Agents, extracted from Journal of Supportive Oncology, 2003, vol. 1(2), pp. 89-103. Michael J. Pikal, "Freeze Drying", Encyclopedia of Pharmaceutical Technology, Third Edition, Jan. 2007, pp. 1824-1825, vol. 3, Informa Pharmaceuticals & Healthcare.

Daniele Bonadeo, "Supplemental Declaration of Daniele Bonadeo 37 C.F.R. 1.132", U.S. Appl. No. 11/388,270, Jun. 8, 2009.

(Continued)

Primary Examiner — Brandon J Fetterolf Assistant Examiner — Shirley V Gembeh

(74) Attorney, Agent, or Firm — Arnall Golden Gregory LLP; Clark G. Sullivan

(57) ABSTRACT

The present invention relates to shelf-stable liquid formulations of palonosetron for reducing chemotherapy and radiotherapy induced emesis with palonosetron. The formulations are particularly useful in the preparation of intravenous and oral liquid medicaments.



OTHER PUBLICATIONS

Kranke et al. 2007, "Recent advances, trends and economic considerations in . . . " Expert Opinion Pharmacother., 8(18):3217-3235). Morrow et al. 1995, Progress in reducing nausea an emesis. Comparisons of ondansetron, granisetron, and tropisetron. Cancer, vol. 76 No. 3 pp. 343-357.

Chaitow, 1990, 3 pages.

USPTO Notice of Allowance and Fee Due, U.S. Appl. No. 11/388,270, filed Mar. 24, 2006, Date Mailed Jan. 26, 2010.

USPTO Office Action, U.S. Appl. No. 11/129,839, Date Mailed Jan. 15, 2010

Israili, Zafar H., Clinical Pharmacology of Serotonin Receptor Type-3 (5-HT3) Antagonists, Curr. Med.Chem.—Central Nervous System Agents, 2001, 1, 171-199.

USPTO Office Action, U.S. Appl. No. 11/201,035, Date Mailed Aug. 19, 2009.

Response of Helsinn Healthcare to opposition of EP Serial No. 04 706 657.6 dated Feb. 11, 2010.

Annex 1 (Statement of Waldo Mossi, Ph.D.) to Response of Helsinn Healthcare to opposition of EP Serial No. 04 706 657.6 dated Feb. 11, 2010

Annex 2 to Response of Helsinn Healthcare to opposition of EP Serial No. 04 706 657.6 dated Feb. 11, 2010.

Annex 3 to Response of Helsinn Healthcare to opposition of EP Serial No. 04 706 657.6 dated Feb. 11, 2010.

Opposition Brief filed by Dr. Reddy's Laboratories (UK) Limited, opposition to European Patent No. 1601359 B1, Jul. 7, 2009.

Tang J. et al: "The efficacy of RS-25259, a long-acting selective 5-HT3 receptor antagonist, for preventing postoperative nausea and vomiting after hysterectomy procedures," Anesth Analg 1998; 87: 462-7 (1998)

Photolytic and oxidative degradation of an antiemetic agent, RG 12915 (Won C. M. Et al, International Journal of Pharmaceutics 121 (1995) 95-105 (1995).

Palonosetron: a phase II dose ranging study to assess over a 7 day period the single dose pharmacokinetic profile of palonosetron in patients receiving highly emetogenic chemotherapy. Piraccini G et al., Proc. Am. Soc. Clin. Oncol 2002 21 Abs 449 (2002).

Formulation and administration techniques to minimize injection pain and tissue damage associated with parenteral products. Larry A. Gatlin; Carol A Brister Gatlin, [from Injectable Drug Development: Techniques to Reduce Pain and Irritation (Edited by Pramod K. Gupta, Cayle A. Brazeau; Published by Informa Health Care (original copyright of 1999 by Interpharma Press), 1999; ISBN 1574910957, 9781574910957)], p. 401-421.

Parenteral Dosage Forms. Joanne Broadhead. [from Part II—Early drug development, Pharmaceutical preformulation and formulation: a practice guide from candidate drug selection to commercial dosage form (Edited by Mark Gibson; Published by Interpharma Press, 2001; ISBN 1574911201, 9781574911206)], p. 331-353.

Palonosetron Helsinn. Georg Stacher. Current Opinion in Investigational Drugs 2002 3(10).

Oppostion Brief filed by Tecnimede Sociedade Tecnico-Medicinal S.A., opposition to European Patent No. 1601359 B1, Jul. 8, 2009. Response brief filed by Helsinn Healthcare S.A. dated Jul. 13, 2007, in response to the communication pursuant to Art. 96(2) EPC of Jan. 3, 2007 regarding Serial No. 04 706 657.6-2123.

European Patent Office official communication dated Jul. 19, 2006 regarding Serial No. 04 706 657.6

Response of Helsinn Healthcare S.A. dated Nov. 29, 2006 regarding EPO official communication dated Jul. 19, 2006.

Lachman et al., The Theory and Practice of Industrial Pharmacy, 1986, third edition, pp. 652-784.

Opposition Brief filed by Martin Paul White, opposition to European Patent No. 1601359 B1, Jul. 8, 2009.

Wong et al. (1995), in British Journal of Pharmacology, vol. 114, pp. 851-859 and Eglen et al. (1995), in British Journal of Pharmacology, vol. 114, pp. 860-866.

Cover page and pp. 642-644 and 783-784 of the Theory and Practice of Industrial Pharmacy, Third Edition, Lea and Febiger (1986).

Cover page and pp. 514-515 of Modem Pharmaceutics, Second Edition, Marcel Dekker (1990).

Cover page and pp. 142-143 of Pharmaceutical Dosage Forms: Parenteral Medications vol. 1, Second Edition, Marcel Dekker (1992)

* cited by examiner



1

LIQUID PHARMACEUTICAL FORMULATIONS OF PALONOSETRON

The present invention claims priority to PCT/EP04/000888, filed Jan. 30, 2004, which claims priority to U.S. 5 Provisional Patent Application No. 60/444,351, filed Jan. 30, 2003. The present application is also a continuation of currently pending U.S. patent application Ser. No. 11/186,311, filed Jul. 21, 2005. The content of these applications is incorporated herein by reference.

BACKGROUND OF THE INVENTION

The present invention relates to shelf-life stable liquid formulations of palonosetron that are especially useful in the 15 preparation of injectable and oral medicaments.

Emesis is a devastating consequence of cytotoxic therapy, radiotherapy, and post-operative environments that drastically affects the quality of life of people undergoing such treatments. In recent years a class of drugs referred to as 20 5-HT₃ (5-hydroxytryptamine) receptor antagonists has been developed that treat such emesis by antagonizing cerebral functions associated with the 5-HT3 receptor. See Drugs Acting on 5-Hydroxytryptamine Receptors: The Lancet Sep. 23, 1989 and references cited therein. Drugs within this class 25 include ondansetron, granisetron, alosetron, tropisetron, and dolasetron. These 5-HT₃ antagonists are often administered intravenously shortly before chemotherapy or radiotherapy is initiated, and can be administered more than once during a cycle of chemotherapy or radiotherapy. In addition, they are $\ ^{30}$ often supplied as tablets or oral elixirs to either supplement an intravenous administration, or to ease home usage of the drug if the patient is self-administering the chemotherapeutic regi-

Because some chemotherapeutic agents can induce emesis over extended periods of several days even when they are administered only once, it would be desirable to administer an emesis-inhibiting drug such as a 5-HT₃ antagonist every day until the risk of emesis has substantially subsided. The present class of 5-HT₃ antagonists has not proven especially helpful meeting this need, however, because the 5-HT₃ receptor antagonists currently marketed have proven to be less effective in controlling delayed nausea and vomiting than they are at controlling acute emesis. Sabra, K, *Choice of a 5HT*₃ *Receptor Antagonist for the Hospital Formulary*. EHP, October 1996;2 (suppl 1):S19-24.

Recently, clinical investigations have been made concerning palonosetron, a new 5-HT₃ receptor antagonist reported in U.S. Pat. No. 5,202,333. These investigations have shown that the drug is an order of magnitude more potent than most existing 5-HT₃ receptor antagonists, has a surprising half-life of about 40 hours, and is effective to reduce delayed-onset nausea induced by chemotherapeutic agents. However, formulating palonosetron in liquid formulations has not proven an easy task, typically due to shelf-stability issues. U.S. Pat. No. 5,202,333 discloses an intravenous formulation of palonosetron in example 13 that contains the following ingredients:

Ingredient	Mg
Palonosetron HCI	10-100 mg.
Dextrose Monohydrate	q.s. to make Isotonic
Citric Acid Monohydrate	1.05 mg.
Sodium Hydroxide	0.18 mg.
WFJ	To 1.0 ml.

2

The formulation has a pH of 3.7 and a shelf stability of less than the 1-2 year time period required by health authorities in various countries.

Ondansetron, its uses, and medicaments made with ondansetron are disclosed in U.S. Pat. Nos. 4,695,578, 4,753, 789, 4,929,632, 5,240,954, 5,344,658, 5,578,628, 5,578,632, 5,922,749, 5,622,720, 5,955,488, and 6,063,802. Commercially it is distributed by GlaxoSmithKline as Zofran® and is indicated for prevention of postoperative nausea and vomiting (PONV), cancer chemotherapy-induced nausea and vomiting (CINV), and radiotherapy-induced nausea and vomiting (RINV) and it is available as an injection, tablets and solution, and as Zofran ODT® (ondansetron) Orally Disintegrating Tablets.

Granisetron, its uses, and medicaments made with granisetron are disclosed in U.S. Pat. Nos. 4,886,808, 4,937,247, 5,034,398 and 6,294,548. Commercially it is distributed by Roche Laboratories Inc. as Kytril®, indicated for the prevention of nausea and vomiting associated with chemotherapy or radiation therapy, and is offered in tablet form, oral solution, and as an injection.

Alosetron, its uses, and medicaments made with alosetron are disclosed in U.S. Pat. Nos. 5,360,800 and 6,284,770. Commercially it is distributed by GlaxoSmithKline as Lotronex®.

Tropisetron is commercially available as Navoban® (Novartis) CAS-89565-684 (tropisetron); CAS-105826-92-4 (tropisetron hydrochloride) and it is indicated for treatment of PONV and CINV.

Dolasetron, its uses, and medicaments made with ondansetron are disclosed in U.S. Pat. Nos. 5,011,846, and 4,906,755. Commercially it is distributed by Aventis Pharmaceuticals Inc. as Anzemet®, indicated for prevention of both PONV and CINV, and it is offered in the form of a tablet or an intravenous solution.

Therefore, there exists a need for a palonosetron formulation with increased stability and thereby increased shelf life. There also exists a need for an appropriate range of concentrations for both the 5-HT₃ receptor antagonist and its pharmaceutically acceptable carriers that would facilitate making a formulation with this increased stability.

It is an object of the preset invention to provide a formulation of Palonosetron hydrochloride with increased pharmaceutical stability for preventing and/or reducing

It is another object of the invention to provide an acceptable range of concentrations which will stabilize a formulation containing Palonosetron hydrochloride.

It is a further object of the invention to provide a formulation of Palonosetron which would allow for prolonged storage.

It is also an object of the invention to provide a formulation of Palonosetron which would allow terminal sterilization.

SUMMARY OF THE INVENTION

The inventors have made a series of discoveries that support a surprisingly effective and versatile formulation for the treatment and prevention of emesis using palonosetron. These formulations are shelf stable for periods greater than 24 months at room temperature, and thus can be stored without refrigeration, and manufactured using non-aseptic, terminal sterilization processes.

In one aspect, the inventors have discovered that formulations which include the active ingredient palonosetron require 65 in some instances only 1/10th the amount of other previously



those that would ordinarily be expected. Thus, in one embodiment the invention provides a pharmaceutically stable solution for preventing or reducing emesis comprising a) from about 0.01 mg/mL to about 5 mg/mL palonosetron or a pharmaceutically acceptable salt thereof; and b) a pharmaceutically acceptable carrier.

The inventors have further discovered that by adjusting the formulation's pH and/or excipient concentrations it is possible to increase the stability of palonosetron formulations. Therefore, in another embodiment, the invention provides a pharmaceutically stable solution for preventing or reducing emesis comprising a) palonosetron or a pharmaceutically acceptable salt thereof; and b) a pharmaceutically acceptable carrier, at a pH from about 4.0 to about 6.0. In another embodiment the invention provides a pharmaceutically stable solution for preventing or reducing emesis comprising from about 0.01 to about 5.0 mg palonosetron or a pharmaceutically acceptable salt thereof; from about 10 to about 100 millimoles citrate buffer and from about 0.005 to about 1.0 mg/ml EDTA.

The inventors have further discovered that the addition of mannitol and a chelating agent can increase the stability of palonosetron formulations. Therefore, in still another embodiment the invention provides a pharmaceutically stable solution for preventing or reducing emesis comprising a) palonosetron or a pharmaceutically acceptable salt thereof and b) a pharmaceutically acceptable carrier, wherein the pharmaceutically acceptable carrier comprises a chelating agent and mannitol.

DETAILED DESCRIPTION OF THE INVENTION

Definitions

"Vial" means a small glass container sealed with the most suitable stopper and seal, other suitable primary containers may be used, for instance, but not limited to, pie filled syringes. Vial also means a sealed container of medication that is used one time only, and includes breakable and non-breakable glass vials, breakable plastic vials, miniature screw-top jars, and any other type of container of a size capable of holding only one unit dose of palonosetron (typically about 5 mls.).

Throughout this specification the word "comprise," or variations such as "comprises" or "Comprising," will be understood to imply the inclusion of a stated element, integer or step, or group of elements, integers or steps, but not the exclusion of any other element, integer or step, or group of elements, integers or steps

"Palonosetron" means (3aS)-2,3,3a,4,5,6-Hexahydro-2-[(S)-1-Azabicyclo[2.2.2]oct-3-yl]2,3,3a,4,5,6-hexahydro-1-oxo-1Hbenz[de]isoquinoline, and is preferably present as the monohydrochloride. Palonosetron monohydrochloride can be represented by the following chemical structure:

4

Concentrations—When concentrations of palonosetron are given herein, the concentration is measured in terms of the weight of the free base. Concentrations of all other ingredients are given based on the weight of ingredient added to the solution.

"Pharmaceutically acceptable" means that which is useful in preparing a pharmaceutical composition that is generally safe, non-toxic and neither biologically nor otherwise undesirable and includes that which is acceptable for veterinary use as well as human pharmaceutical use.

"Pharmaceutically acceptable salts" means salts which are pharmaceutically acceptable, as defined above, and which possess the desired pharmacological activity. Such salts include acid addition salts formed with inorganic acids such as hydrochloric acid, hydrobromic acid, sulfuric acid, nitric acid, phosphoric acid, and the like; or with organic acids such as acetic acid, propionic acid, hexanoic acid, heptanoic acid, cyclopentanepropionic acid, glycolic acid, pyruvic acid, lactic acid, malonic acid, succinic acid, malic acid, maleic acid, fumaric acid, tartaric acid, citric acid, benzoic acid, o-(4hydroxybenzoyl)benzoic acid, cinnamic acid, mandelic acid, methanesulfonic acid, ethanesulfonic acid, 1,2, ethanedisulfonic acid, 2-hydroxyethanesulfonic acid, benzenesulfonic acid p-chlorobenzenesulfonic acid, 2-naphthalenesulfonic acid, p-toluenesulfonic acid, camphorsulfonic acid, 4-methylbicyclo[2.2.2]oct-2-ene-1-carboxylic acid, glucoheptonic acid, 4,4'-methylenebis(3-hydroxy-2-ene-1-carboxylic acid), 3-phenylpropionic acid, trimethylacetic acid, tertiary butylacetic acid, lauryl sulfuric acid, gluconic acid, glutamic acid, hydroxynaphthoic acid, salicylic acid, stearic acid, muconic acid, and the like.

In addition, pharmaceutically acceptable salts may be formed when an acidic proton present is capable of reacting with inorganic or organic bases. Acceptable inorganic bases include sodium hydroxide, sodium carbonate, potassium hydroxide, aluminum hydroxide and calcium hydroxide. Acceptable organic bases include ethanolamine, diethanolamine, triethanolamine, tromethanine, N-methylglucamine and the like.

Discussion

The fact that palonosetron can be formulated in some insane at concentrations of only about 1/10th the amount of other previously known compounds for treating emesis, surprisingly allows the use of concentrations of palonosetron far below those that would ordinarily be expected. Thus, in one embodiment the invention provides a pharmaceutically stable solution for preventing or reducing emesis comprising a) from about 0.01 mg/mL to about 5 mg/mL palonosetron or a pharmaceutically acceptable salt thereof and b) a pharmaceutically acceptable carrier. Similarly, in another embodiment the invention provides a method of formulating a pharmaceutically stable solution of palonosetron comprising admixing from about 0.01 mg/mL to about 5 mg/mL palonosetron or a pharmaceutically acceptable salt thereof with a pharmaceutically acceptable carrier. In alternative embodiments, the formulation includes palonosetron or a pharmaceutically acceptable salt thereof in a concentration from about 0.02 mg/mL to about 1.0 mg/mL, from about 0.03 mg/mL to about 0.2 mg/mL, and most optimally about 0.05 mg/ml.

A particular advantage associated with the lower dosages of intravenous palonosetron is the ability to administer the drug in a single intravenous bolus over a short, discrete time period. This time period generally extends from about 10 to about 60 seconds, or about 10 to about 40 seconds, and most

DOCKET

Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time** alerts and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.

