

THE
MERCK
INDEX
★
THIRTEENTH EDITION

THE MERCK INDEX

AN ENCYCLOPEDIA OF
CHEMICALS, DRUGS, AND BIOLOGICALS

THIRTEENTH EDITION

Editorial Staff

Maryadele J. O'Neil, *Senior Editor*

Ann Smith, *Senior Associate Editor*

Patricia E. Heckelman, *Associate Editor*

John R. Obenchain Jr., *Editorial Assistant*

Jo Ann R. Gallipeau, *Technical Assistant*

Mary Ann D'Arecca, *Administrative Associate*

Susan Budavari, *Editor Emeritus*

*Published by
Merck Research Laboratories
Division of*

MERCK & CO., INC.
Whitehouse Station, NJ

2001

EDITION

MERCK & CO., INC.
Whitehouse Station, NJ
USA

1st Edition—1889
2nd Edition—1896
3rd Edition—1907
4th Edition—1930
5th Edition—1940
6th Edition—1952
7th Edition—1960
8th Edition—1968
9th Edition—1976
10th Edition—1983
11th Edition—1989
12th Edition—1996

Library of Congress Catalog
Card Number 89-60001
ISBN Number 0911910-13-1


Copyright © 2001 by MERCK & CO., INC.
All rights reserved. Copyright under the Universal Copyright Convention
and the International Copyright Convention.
Copyright reserved under the Pan-American Copyright Convention.

Printed in the USA

tachycardia, bradycardia, tachypnea; hypothermia; acidosis; convulsions; kidney changes. See *NIOSH Pocket Guide to Chemical Hazards* (DHHS/NIOSH 97-140, 1997) p 280; *Clinical Toxicology of Commercial Products*, R. E. Gosselin et al., Eds. (Williams & Wilkins, Baltimore, 5th ed., 1984), Section II, p 114; *Prudent Practices for Handling Hazardous Chemicals in Laboratories* (National Academy Press, Washington, D.C., 1981) pp 145-147.

USE: In organic syntheses; in the preparation of hydrazoic acid, lead azide, pure sodium. In the differential selection of bacteria; in automatic blood counters; as preservative for laboratory reagents. Propellant for inflating automotive safety bags. Agricultural nematocide; herbicide; in fruit rot control.

8654. Sodium Benzoate. [532-32-1] $C_7H_5NaO_2$; mol wt 144.10. C 58.34%, H 3.50%, Na 15.95%, O 22.21%. Toxicity: Smyth, Carpenter, *J. Ind. Hyg. Toxicol.* **30**, 63 (1948).



White, odorless granules or crystalline powder; sweetish, astringent taste. One gram dissolves in 1.8 ml water, 1.4 ml boiling water, about 75 ml alcohol, in 50 ml of a mixture of 47.5 ml alcohol and 3.7 ml water. The aq soln is slightly alkaline to litmus. pH about 8. *Incompat:* Acids, ferric salts. LD₅₀ orally in rats: 4.07 g/kg (Smyth, Carpenter).

USE: Antimicrobial agent, flavoring agent and adjuvant in food; not to exceed a maximum level of 0.1% in food (21 CFR, 184.1733, 582.3733). Antifungal and bacteriostatic preservative in pharmaceuticals at concentrations of ~0.1%. Clinical reagent (bilirubin assay).

THERAP CAT: Diagnostic aid (hepatic function).

8655. Sodium Bicarbonate. [144-55-8] Sodium hydrogen carbonate; sodium acid carbonate; baking soda. $CHNaO_3$; mol wt 84.01. C 14.30%, H 1.20%, Na 27.37%, O 57.13%. $NaHCO_3$. The bicarbonate of commerce is about 99.8% pure. Prepd from sodium carbonate, water and carbon dioxide. Manuf: *Faith, Keyes & Clark's Industrial Chemicals*, F. A. Lowenheim, M. K. Moran, Eds. (Wiley-Interscience, New York, 4th ed., 1975) pp 702-705.

White cryst powder or granules. Begins to lose CO_2 at about 50° and at 100° it is converted into Na_2CO_3 . Readily dec by weak acids. In aq soln it begins to break up into carbon dioxide and sodium carbonate at about 20° and completely on boiling. Sol in 10 parts water at 25°, in 12 parts water at about 18°. Insol in alcohol. Its aq soln prepd with cold water and without agitation is only slightly alkaline to litmus or phenolphthalein; on standing or rise in temp the alkalinity increases. pH of freshly prepd 0.1 molar aq soln at 25°: 8.3.

USE: Manuf many sodium salts; source of CO_2 ; ingredient of baking powder, effervescent salts and beverages; in fire extinguishers, cleaning compds.

THERAP CAT: Antacid, urinary and systemic alkaliizer.

THERAP CAT (VET): Antacid, systemic and urinary alkaliizer. Locally in burns, erythema, to dissolve mucus, exudates, scabs.

8656. Sodium Bifluoride. [1333-83-1] F_2HNa ; mol wt 61.99. F 61.30%, H 1.63%, Na 37.09%. NaF.HF.

White, cryst powder. Sol in water. The aq soln corrodes glass.

USE: As a "sour" in laundering.

8657. Sodium Bismuthate(V). [12232-99-4] $BiNaO_3$; mol wt 279.97. Bi 74.64%, Na 8.21%, O 17.14%. $NaBiO_3$. The bismuthate of commerce contains about 85% $NaBiO_3$; the balance is chiefly water and Bi_2O_3 .

Yellow to yellowish-brown, somewhat hygroscopic. Slowly dec on keeping; decompn accelerated by moisture and higher temp. Insol in cold, dec by hot water forming Bi_2O_3 , NaOH, and liberating oxygen; dec by acids; with HCl chlorine is formed; with oxy-acids oxygen is liberated. LD₁₀₀ orally in rats:

720 mg/kg, Hanzlik et al., *J. Pharmacol. Exp. Ther.* **62**, 372 (1938).

USE: For the determination of manganese in iron and steel, etc., the manganese being oxidized by it in hot HNO_3 or H_2SO_4 soln to permanganate.

8658. Sodium Bisulfate. [7681-38-1] Sodium acid sulfate; sodium hydrogen sulfate; sodium pyrosulfate. $HNaO_3S$; mol wt 120.06. H 0.84%, Na 19.15%, O 53.30%, S 26.71%. $NaHSO_4$.

Fused $NaHSO_4$, hygroscopic pieces. d 2.435. mp ~ 315°. Sol in 2 parts water, 1 part boiling water; dec by alcohol into sodium sulfate and free H_2SO_4 . *Keep well closed.*

Monohydrate. Odorless crystals. When strongly heated it changes into pyrosulfate. Sol in about 0.8 part water; dec by alcohol into sodium sulfate and free H_2SO_4 . The aq soln is strongly acid. pH of 0.1 molar soln: 1.4.

USE: Fusion of minerals to make them sol for analysis; for liberating CO_2 in carbonic acid baths. Technical grades are used for pickling metals, carbonizing wool, bleaching and swelling leather, manuf magnesia cements, etc.

8659. Sodium Bisulfide. [16721-80-5] Sodium sulfhydrate; sodium hydrosulfide; sodium hydrogen sulfide. $HNaS$; mol wt 56.06. H 1.80%, Na 41.01%, S 57.20%. $NaSH$. Prepd from sodium ethylate and hydrogen sulfide: Rule, *J. Chem. Soc.* **99**, 558 (1911); Teichert, Klemm, *Z. Anorg. Allgem. Chem.* **243**, 86 (1939); Eibeck, *Inorg. Syn.* **7**, 128 (1963). The technical grade may be obtained by reacting sodium bisulfate with calcium sulfide in the cold or by saturating NaOH solns with H_2S .

Rhombohedral-cubic crystals. White to colorless. Odor of hydrogen sulfide. Very hygroscopic. Readily hydrolyzed in moist air to NaOH and Na_2S . d 1.79. Turns yellow upon heating in dry air, changing to orange at higher temps. mp 330° forming a black liquid. Sol in water, alcohol, ether. Gives a blue-green soln in dimethylformamide.

Dihydrate. Needles or flakes, mp 55°. Completely and rapidly sol in water, alcohol, ether. *Note:* The commercial product is usually the dihydrate. Can be shipped in lacquer-lined steel drums.

Trihydrate. Shiny rhombs, mp 22°.

USE: Dehairing hides; desulfurizing viscose rayon; in the manuf of sulfur-contg dyes and other thio compds such as thioamides, thiourea, thioglycolic acid, thio- and dithiobenzoic acids, sodium thiosulfate.

8660. Sodium Bisulfite. [7631-90-5] Sodium acid sulfite. $HNaO_3S$; mol wt 104.06. H 0.97%, Na 22.09%, O 46.12%, S 30.81%. $NaHSO_3$. The bisulfite of commerce consists chiefly of sodium metabisulfite, $Na_2S_2O_5$, and for all practical purposes possesses the same properties as the true bisulfite. Toxicity: Hoppe, Goble, *J. Pharmacol. Exp. Ther.* **101**, 101 (1951).

White, crystalline powder; SO_2 odor; disagreeable taste; on exposure to air it loses some SO_2 and is gradually oxidized to sulfate. d 1.48. Sol in 3.5 parts cold water, 2 parts boiling water, in about 70 parts alcohol. Its aq soln is acid. *Keep well closed and in a cool place.* LD₅₀ i.v. in rats: 115 mg/kg (Hoppe, Goble).

Caution: Potential symptoms of overexposure are irritation of eyes, skin, mucous membranes. See *NIOSH Pocket Guide to Chemical Hazards* (DHHS/NIOSH 97-140, 1997) p 282.

USE: As disinfectant and bleach, particularly for wool; in dyeing for preparing hot and cold indigo vats; in paper-making in place of sodium hyposulfite to remove Cl from bleached fibers; as stripper (reducer) in laundering; to remove permanganate stains from skin and clothing; to render certain dyes insol; manuf sodium hydrosulfite; coagulating rubber latex; as preservative for deteriorative liqs or solns used for technical purposes; as antiseptic in fermentation industries. As preservative and bleach in food. Pharmaceutical aid (antioxidant).

8661. Sodium Bitartrate. [526-94-3] Sodium acid tartrate. $C_4H_3NaO_6$; mol wt 172.07. C 27.92%, H 2.93%, Na 13.36%, O 55.79%. $NaHC_4H_4O_6$.

Monohydrate. White crystals. Sol in about 9 parts water, 2 parts boiling water. Almost insol in alcohol. The aq soln is acid.

USE: For detecting potassium; in nutrient media.