Exhibit 8

Case 6:20-cv-00636-ADA Document ABALL HILL CONTROL REGISTRATION OF THE CONTROL OF

US005565071A

United States Patent [19]

Demaray et al.

[11] Patent Number:

5,565,071

[45] **Date of Patent:**

Oct. 15, 1996

[54] INTEGRATED SPUTTERING TARGET ASSEMBLY

[75] Inventors: Richard E. Demaray, Portola Valley; David E. Berkstresser, Los Gatos;

Manuel J. Herrera, San Mateo, all of

Calif.

[73] Assignee: Applied Materials, Inc., Santa Clara,

Calif.

[21] Appl. No.: 449,618

[22] Filed: May 24, 1995

Related U.S. Application Data

[60]	Division of Ser. No. 236,715, Apr. 29, 1994, Pat. No.
	5,487,822, which is a continuation-in-part of Ser. No. 157,
	763, Nov. 24, 1993, Pat. No. 5,433,835.

[51]	Int. Cl.6	 C23C	14/34

[56] References Cited

U.S. PATENT DOCUMENTS

3,630,881	12/1971	Lester et al	204/298.09
3,956,093	5/1976	McLeod	204/192.12
4,100,055	7/1978	Rainey	204/298.12
4,116,806	9/1978	Love et al	204/298.19

(List continued on next page.)

FOREIGN PATENT DOCUMENTS

1-147061	6/1989	Japan 204/298.09
3-140464	6/1991	Japan 204/298.09
4-26760	1/1992	Japan 204/298.07
WO90/13137	11/1990	WIPO 204/298.2

OTHER PUBLICATIONS

"Influence of Surface Preparation on the Diffusion Welding of High Strength Aluminum Alloys," Ed. D. J. Stephenson, published in *Diffusion Bonding 2*, pp. 101–110.

"Diffusion Bonding of Ti-6A1-4V Alloy: Metallurgical Aspects and Mechanical Properties," Ed. D. J. Stephenson, published in *Diffusion Bonding 2*, pp. 144-157.

Korman, et al., "Research Study of Diffusion Bonding of Refractory Materials, Columbium and Tantalum," *Army Materials and Mechanics Research Center*, Nov. 10, 1967, pp. 1–27.

S. Pineau, et al., "The Investigation and Production of Titanium-Tantalum Junctions Diffusion Bonded at High Temperature (855° C. to 920° C.), etc.," *Royal Aerospace Establishment*, Library Translation 2180, Jan. 1990, pp. 3–34.

Primary Examiner—Aaron Weisstuch Attorney, Agent, or Firm—Janis Biksa


[57] ABSTRACT

A target plate assembly completely covers and seals against a top opening of a sputtering processing chamber. Cooling liquid connections are provided only from the perimeter of the target assembly. When a top vacuum chamber seals the side opposite the pressure chamber, the pressure on both sides of the target assembly is nearly equalized. Large thin target assemblies, such as large flat plates used for flat panel displays can be sputtered effectively and uniformly without adverse sputtering effects due to target deflection or cooling deficiencies.

A target, target backing plate, and cover plate form the target plate assembly. The sputtering target assembly includes an integral cooling passage. A series of grooves are constructed in either the target backing plate or the target backing cooling cover plate, which are then securely bonded to one another. The sputtering target can be a single monolith with a target backing plate or can be securely attached to the target backing plate by one of any number of conventional bonding methods. Tantalum to titanium, titanium to titanium and aluminum to titanium, diffusion bonding can be used.

The energized target assembly is protected from adjacent components by overlapping insulators to prevent accidents and isolate the target assembly from other components. An electrical connection to the target assembly remains unconnected until a vacuum is produced in the top chamber.

11 Claims, 26 Drawing Sheets





Case 6:20-cv-00636-ADA Document 48-11 Filed 02/16/21 Page 3 of 41

5,565,071Page 2

U.S. PATENT DOCUMENTS			4,714,536	12/1987	Freeman et al 204/298.2
			4,826,584	5/1989	dos Santos
		Chapin 204/192.12			Pereiro Ribeiro 204/298.09
4,175,030	11/1979	Love et al 204/298.18	4 920 011	6/1090	Ramalingam et al 204/192.38
4,318,796	3/1982	Nishiyama et al 204/298.09			
4,405,436	9/1983	Kobayashi et al 204/298.16	, ,		Gaertner et al
4,430,190	2/1984	Eilers et al 204/298.12	, ,		Wirz 204/192.23
4,444,643		Garrett 204/298.2	5,096,562	3/1992	Boozenny et al
4.491.509		Krause 204/192.12	5,130,005	7/1992	Hurwitt et al 204/192.12
4,500,409		Boys et al	5,171,415	12/1992	Miller et al 204/298.09
,,		Wickersham	5.180,478	1/1993	Hughes 204/298.09
4 680 061		Lamont Ir 165/1			Inoue 204/192.12





U.S. Patent

Oct. 15, 1996

Sheet 1 of 26

5,565,071








U.S. Patent

Oct. 15, 1996

Sheet 2 of 26

5,565,071





DOCKET

Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time** alerts and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.

